## Effectiveness of brief alcohol interventions in primary of

The Cochrane Library , CD004148 DOI: 10.1002/14651858.cd004148.pub3

Citation Report

## ARTICLE #

IF CITATIONS

1

Fourth Joint Task Force of the European Society of Cardiology and other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited) Tj ETQq0 0 @rgBT /Overlack 10 T

2	Twoâ€Year Outcome of an Intervention Program for University Students Who Have Parents With Alcohol Problems: A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2007, 31, 1927-1933.	2.4	16
3	The DYD-RCT protocol: an on-line randomised controlled trial of an interactive computer-based intervention compared with a standard information website to reduce alcohol consumption among hazardous drinkers. BMC Public Health, 2007, 7, 306.	2.9	35
4	Effectiveness of the AUDIT-C as a Screening Test for Alcohol Misuse in Three Race/Ethnic Groups. Journal of General Internal Medicine, 2008, 23, 781-787.	2.6	260
5	Update in Addiction Medicine for the Primary Care Clinician. Journal of General Internal Medicine, 2008, 23, 2112-2116.	2.6	15
6	Effectiveness of Alcohol Screening and Brief Motivational Intervention in the Emergency Department Setting. Annals of Emergency Medicine, 2008, 51, 751-754.	0.6	41
7	The Relationship Between Recent Alcohol Use and Sexual Behaviors: Gender Differences Among Sexually Transmitted Disease Clinic Patients. Alcoholism: Clinical and Experimental Research, 2008, 32, 2008-2015.	2.4	85
8	Is integration of healthy lifestyle promotion into primary care feasible? Discussion and consensus sessions between clinicians and researchers. BMC Health Services Research, 2008, 8, 213.	2.2	58
9	Financing Mental Health and Substance Use Disorder Care Within Physical Health: A Look to the Future. Psychiatric Clinics of North America, 2008, 31, 11-25.	1.3	11
10	Effectiveness of brief alcohol interventions for general practice patients with problematic drinking behavior and comorbid anxiety or depressive disorders. Drug and Alcohol Dependence, 2008, 94, 214-220.	3.2	39
11	Do brief interventions which target alcohol consumption also reduce cigarette smoking?. Drug and Alcohol Dependence, 2008, 96, 263-270.	3.2	25
12	Diagnosis and management of alcohol use disorders. BMJ: British Medical Journal, 2008, 336, 496-501.	2.3	34
13	Do We Do What We Know Works, and if Not Why Not?. Australian and New Zealand Journal of Psychiatry, 2008, 42, 439-444.	2.3	13
14	Development of a Psychologically Enhanced Interactive Online Intervention for Hazardous Drinking. Alcohol and Alcoholism, 2008, 43, 669-674.	1.6	61
15	Behavioral interventions for HIV infected and uninfected mothers with problem drinking. Addiction Research and Theory, 2008, 16, 47-65.	1.9	9
16	Alcohol screening and brief intervention by community pharmacists: Benefits and communication methods. Journal of Communication in Healthcare, 2008, 1, 20-31.	1.5	3
17	Brief alcohol interventions – everybody's business. Advances in Psychiatric Treatment, 2008, 14, 469-476.	0.5	8
19	Computer versus in-person intervention for students violating campus alcohol policy Journal of Consulting and Clinical Psychology, 2009, 77, 74-87.	2.0	104

#	Article	IF	CITATIONS
20	Alcohol-Related Absenteeism: The Need to Analyse Consumption Patterns in Order to Target Screening and Brief Interventions in the Workplace. Industrial Health, 2009, 47, 345-347.	1.0	6
21	A Medical Assistant-Based Program to Promote Healthy Behaviors in Primary Care. Annals of Family Medicine, 2009, 7, 504-512.	1.9	47
22	Audit of an inpatient liaison psychiatry consultation service. International Journal of Health Care Quality Assurance, 2009, 22, 278-288.	0.9	15
23	Effectiveness and cost-effectiveness of a stepped care intervention for alcohol use disorders in primary care: pilot study. British Journal of Psychiatry, 2009, 195, 448-456.	2.8	71
24	Packages of Care for Alcohol Use Disorders in Low- And Middle-Income Countries. PLoS Medicine, 2009, 6, e1000170.	8.4	89
25	Severity of Baseline Alcohol Use as a Moderator of Brief Interventions in the Emergency Department. Alcohol and Alcoholism, 2009, 44, 486-490.	1.6	31
26	Alcoholic pancreatitis—it's the alcohol, stupid. Nature Reviews Gastroenterology and Hepatology, 2009, 6, 321-322.	17.8	24
27	Drinking habits and prevalence of heavy drinking among occupational healthcare patients. Scandinavian Journal of Primary Health Care, 2009, 27, 53-57.	1.5	2
28	Smoking and alcohol intervention before surgery: evidence for best practice. British Journal of Anaesthesia, 2009, 102, 297-306.	3.4	216
29	Explaining the variation in the management of lifestyle risk factors in primary health care: A multilevel cross sectional study. BMC Public Health, 2009, 9, 165.	2.9	41
30	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. BMC Public Health, 2009, 9, 287.	2.9	57
31	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. BMC Public Health, 2009, 9, 418.	2.9	40
32	Modelling innovative interventions for optimising healthy lifestyle promotion in primary health care: "Prescribe Vida Saludable" phase I research protocol. BMC Health Services Research, 2009, 9, 103.	2.2	14
33	Developing and evaluating training for community pharmacists to deliver interventions on alcohol issues. International Journal of Clinical Pharmacy, 2009, 31, 149-153.	1.4	35
34	Gaps in addressing problem drinking: Overcoming primary care and alcohol treatment deficiencies. Current Psychiatry Reports, 2009, 11, 345-352.	4.5	14
35	Brief Approaches to Alcohol Screening: Practical Alternatives for Primary Care. Journal of General Internal Medicine, 2009, 24, 881-883.	2.6	38
36	Prevalence of problem alcohol use among patients attending primary care for methadone treatment. BMC Family Practice, 2009, 10, 42.	2.9	50
37	An exploration of how clinician attitudes and beliefs influence the implementation of lifestyle risk factor management in primary healthcare: a grounded theory study. Implementation Science, 2009, 4, 66.	6.9	67

ARTICLE IF CITATIONS A randomized controlled trial of an internetâ€based intervention for alcohol abusers. Addiction, 2009, 3.3 159 38 104, 2023-2032. [Commentary] TIME FOR THE MIDDLE AGED TO OWN UP TO THE PROBLEM. Addiction, 2009, 104, 1501-1502. 39 3.3 Change over time in alcohol consumption in control groups in brief intervention studies: systematic 40 3.2 91 review and meta-regression study. Drug and Alcohol Dependence, 2009, 100, 107-114. The impact of a population-based multi-factorial lifestyle intervention on alcohol intake. Preventive Medicine, 2009, 49, 115-121. Curbing Problem Drinking with Personalized-Feedback Interventions. American Journal of Preventive 43 3.0 167 Medicine, 2009, 36, 247-255. The Recurrence of Acute Alcohol-Associated Pancreatitis Can Be Reduced: A Randomized Controlled 1.3 Trial. Gastroenterology, 2009, 136, 848-855. Striving for Abstinence in Alcoholic Pancreatitis: Act of Humanity, Economic Necessity, or Flogging a 45 1.3 5 Dead Horse After All?. Gastroenterology, 2009, 136, 757-760. Effectiveness and cost-effectiveness of policies and programmes to reduce the harm caused by 13.7 46 908 alcohol. Lancet, The, 2009, 373, 2234-2246. 47 Ethics in Substance Use Disorder Treatment. Psychiatric Clinics of North America, 2009, 32, 283-297. 1.3 13 Management of alcohol use disorders. Irish Journal of Psychological Medicine, 2009, 26, i-vii. 1.0 Alcohol Screening and Brief Intervention in a College Student Health Center: A Randomized 49 3.7 94 Controlled Trial. Journal of Studies on Alcohol and Drugs Supplement, 2009, , 131-142. Letter. Psychiatric Services, 2010, 61, 1163-1163. 50 2.0 Brief alcohol questionnaires for identifying hazardous, harmful and dependent alcohol use in 52 2.8 2 primary care. The Cochrane Library, 2010, , . Alcohol and the NHS Health Check programme: Could we be left with a hangover?. British Journal of 0.1 Cardiac Nursing, 2010, 5, 34-39. Use of an Electronic Clinical Reminder for Brief Alcohol Counseling is Associated with Resolution of 55 38 2.6 Unhealthy Alcohol Use at Follow-Up Screening. Journal of General Internal Medicine, 2010, 25, 11-17. Do Health Educator Telephone Calls Reduce At-risk Drinking Among Older Adults in Primary Care?. 33 Journal of General Internal Medicine, 2010, 25, 334-339. Interactive Voice Response Technology Can Deliver Alcohol Screening and Brief Intervention in 57 2.6 30 Primary Care. Journal of General Internal Medicine, 2010, 25, 340-344. Factors Associated with Favorable Drinking Outcome 12ÂMonths After Hospitalization in a Prospective Cohort Study of Inpatients with Unhealthy Alcohol Use. Journal of General Internal Medicine, 2010, 25, 1024-1029.

#	Article	IF	CITATIONS
59	The effectiveness of interventions to change six health behaviours: a review of reviews. BMC Public Health, 2010, 10, 538.	2.9	321
60	Health improvement and prevention study (HIPS) - evaluation of an intervention to prevent vascular disease in general practice. BMC Family Practice, 2010, 11, 57.	2.9	25
61	The association between intimate partner violence, alcohol and depression in family practice. BMC Family Practice, 2010, 11, 72.	2.9	30
62	An efficacy trial of brief lifestyle intervention delivered by generalist community nurses (CN SNAP) Tj ETQq1 1 0.7	784314 rgl 2.5	BT /Overlock 11
63	Coerced addiction treatment: Client perspectives and the implications of their neglect. Harm Reduction Journal, 2010, 7, 13.	3.2	48
64	Being questioned and receiving advice about alcohol and smoking in health care: Associations with patients' characteristics, health behavior, and reported stage of change. Substance Abuse Treatment, Prevention, and Policy, 2010, 5, 30.	2.2	21
65	Healthcare system use by risky alcohol drinkers: A secondary data analysis. Journal of the American Academy of Nurse Practitioners, 2010, 22, 256-263.	1.4	4
66	Change talk sequence during brief motivational intervention, towards or away from drinking. Addiction, 2010, 105, 2106-2112.	3.3	59
67	Health checks: Could we be left with a hangover?. Practice Nursing, 2010, 21, 91-96.	0.1	0
68	Evaluation of an Electronic Clinical Reminder to Facilitate Brief Alcohol-Counseling Interventions in Primary Care. Journal of Studies on Alcohol and Drugs, 2010, 71, 720-725.	1.0	25
69	Alcohol use among older adults. Reviews in Clinical Gerontology, 2010, 20, 56-68.	0.5	12
70	Effectiveness of a nurse-led alcohol liaison service in a secondary care medical unit. Clinical Medicine, 2010, 10, 435-440.	1.9	24
71	RCT of Effectiveness of Motivational Enhancement Therapy Delivered by Nurses for Hazardous Drinkers in Primary Care Units in Thailand. Alcohol and Alcoholism, 2010, 45, 263-270.	1.6	60
72	The Impact of Screening, Brief Intervention and Referral for Treatment in Emergency Department Patients' Alcohol Use: A 3-, 6- and 12-month Follow-up. Alcohol and Alcoholism, 2010, 45, 514-519.	1.6	92
73	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.3	187
74	Screening and Brief Intervention for Underage Drinkers. Mayo Clinic Proceedings, 2010, 85, 380-391.	3.0	29
75	Estimating risk of alcohol dependence using alcohol screening scores. Drug and Alcohol Dependence, 2010, 108, 29-36.	3.2	120
76	Alcohol misuse and functional impairment in the UK Armed Forces: A population-based study. Drug and Alcohol Dependence, 2010, 108, 37-42.	3.2	35

#	Article	IF	CITATIONS
77	The effectiveness of brief intervention among injured patients with alcohol dependence: Who benefits from brief interventions?. Drug and Alcohol Dependence, 2010, 111, 13-20.	3.2	49
78	Alcohol consumption patterns in HIV-infected adults with alcohol problems. Drug and Alcohol Dependence, 2010, 112, 160-163.	3.2	20
79	Acamprosate for alcohol dependence. The Cochrane Library, 2010, , CD004332.	2.8	232
80	Stimulant Abuse: Pharmacology, Cocaine, Methamphetamine, Treatment, Attempts at Pharmacotherapy. Primary Care - Clinics in Office Practice, 2011, 38, 41-58.	1.6	143
82	Conception et évaluation d'une intervention brève «Âalimentation et prévention cardiovasculaire» e médecine de premier recours. Cahiers De Nutrition Et De Dietetique, 2011, 46, 145-151.	2n 0.3	0
83	Alcohol and drug use among patients presenting to an inner-city emergency department: A latent class analysis. Addictive Behaviors, 2011, 36, 793-800.	3.0	50
84	Brief intervention for women with risky drinking and medical diagnoses: A randomized controlled trial. Journal of Substance Abuse Treatment, 2011, 41, 105-114.	2.8	21
85	Attitudes towards brief interventions to reduce smoking and problem drinking behaviour in gynaecological practice. Public Health, 2011, 125, 182-186.	2.9	9
86	What do community pharmacists think about undertaking screening and brief interventions with problem drinkers? Results of a qualitative study in New Zealand and England. International Journal of Pharmacy Practice, 2011, 19, 192-200.	0.6	23
87	Drugs, sex and alcohol? Extending the community pharmacist's public health role. International Journal of Pharmacy Practice, 2011, 19, 217-218.	0.6	2
88	Referral to an Electronic Screening and Brief Alcohol Intervention in Primary Health Care in Sweden: Impact of Staff Referral to the Computer. International Journal of Telemedicine and Applications, 2011, 2011, 1-10.	2.0	8
89	Receiving an Alcohol Enquiry from a Physician in Routine Health Care in Sweden: A Population-Based Study of Gender Differences and Predictors. International Journal of Environmental Research and Public Health, 2011, 8, 1296-1307.	2.6	6
90	Implementing Brief Interventions in Health Care: Lessons Learned from the Swedish Risk Drinking Project. International Journal of Environmental Research and Public Health, 2011, 8, 3609-3627.	2.6	32
91	Can Simply Answering Research Questions Change Behaviour? Systematic Review and Meta Analyses of Brief Alcohol Intervention Trials. PLoS ONE, 2011, 6, e23748.	2.5	214
92	A Systematic Review and Meta-Analysis of Health Care Utilization Outcomes in Alcohol Screening and Brief Intervention Trials. Medical Care, 2011, 49, 287-294.	2.4	58
94	Review of dual diagnosis commissioning in the North West of England. Advances in Dual Diagnosis, 2011, 4, 135-140.	0.5	1
95	Evidence-based alcohol screening and brief intervention in Aboriginal Community Controlled Health Services: Experiences of health-care providers. Drug and Alcohol Review, 2011, 30, 55-62.	2.1	21
96	Embedding routine alcohol screening and brief interventions in a rural general hospital. Drug and Alcohol Review, 2011, 30, 47-54.	2.1	14

#	Article	IF	CITATIONS
97	Identifying the gap between need and intervention for alcohol use disorders in Europe. Addiction, 2011, 106, 31-36.	3.3	36
98	Staff regard towards working with substance users: a European multi entre study. Addiction, 2011, 106, 1114-1125.	3.3	144
99	Brief interventions in routine health care: a populationâ€based study of conversations about alcohol in Sweden. Addiction, 2011, 106, 1748-1756.	3.3	44
100	Commentary on Gibson <i>et al</i> . (2011): Brief alcohol interventions in the context of treatment for hepatitis C. Addiction, 2011, 106, 2193-2194.	3.3	2
101	Identifying parents with risky alcohol consumption habits in a paediatric unit – are screening and brief intervention appropriate methods?. Scandinavian Journal of Caring Sciences, 2011, 25, 383-393.	2.1	10
102	A Meta-analysis of the Efficacy of Nonphysician Brief Interventions for Unhealthy Alcohol Use: Implications for the Patient-Centered Medical Home. American Journal on Addictions, 2011, 20, 343-356.	1.4	65
103	The Efficacy of Disulfiram for the Treatment of Alcohol Use Disorder. Alcoholism: Clinical and Experimental Research, 2011, 35, 1749-1758.	2.4	305
104	Evaluation of a brief tailored motivational intervention to prevent early childhood caries. Community Dentistry and Oral Epidemiology, 2011, 39, 433-448.	1.9	82
105	Screening and brief interventions for hazardous and harmful alcohol use among patients with active tuberculosis attending primary care clinics in South Africa: a cluster randomized controlled trial protocol. BMC Public Health, 2011, 11, 394.	2.9	14
106	Partnership Vroegsignalering Alcohol (2005–2013). Verslaving, 2011, 7, 4-12.	0.1	0
107	Vroegsignalering van alcoholproblemen vanuit de eerstelijns- en publieke gezondheidszorg. Verslaving, 2011, 7, 13-21.	0.1	0
108	Brief integrative multiple behavior intervention effects and mediators for adolescents. Journal of Behavioral Medicine, 2011, 34, 3-12.	2.1	29
109	Outcome and consequences according to the type of transient loss of consciousness: 1-year follow-up study among primary health care patients. Journal of Neurology, 2011, 258, 132-136.	3.6	6
110	A systematic review of motivational interviewing training for general health care practitioners. Patient Education and Counseling, 2011, 84, 16-26.	2.2	233
111	Quality Concerns with Routine Alcohol Screening in VA Clinical Settings. Journal of General Internal Medicine, 2011, 26, 299-306.	2.6	114
112	Alcohol Screening Scores and the Risk of New-Onset Gastrointestinal Illness or Related Hospitalization. Journal of General Internal Medicine, 2011, 26, 777-782.	2.6	27
113	New Developments in Brief Interventions to Treat Problem Drinking in Nonspecialty Health Care Settings. Current Psychiatry Reports, 2011, 13, 422-429.	4.5	8
114	Use of AUDIT, and measures of drinking frequency and patterns to detect associations between alcohol and sexual behaviour in male sex workers in Kenya. BMC Public Health, 2011, 11, 384.	2.9	47

#	Article	IF	CITATIONS
115	The effectiveness of an intervention in increasing community health clinician provision of preventive care: a study protocol of a non-randomised, multiple-baseline trial. BMC Health Services Research, 2011, 11, 354.	2.2	5
116	The efficacy of a brief intervention in reducing hazardous drinking in working age men in Russia: the HIM (Health for Izhevsk men) individually randomised parallel group exploratory trial. Trials, 2011, 12, 238.	1.6	12
117	Intervention against Excessive Alcohol Consumption in Primary Health Care: A Survey of GPs' Attitudes and Practices in England 10 Years On. Alcohol and Alcoholism, 2011, 46, 570-577.	1.6	94
118	Illicit Opioid Intoxication: Diagnosis and Treatment. Substance Abuse: Research and Treatment, 2011, 5, SART.S7090.	0.9	18
119	Combining Rapid HIV Testing and a Brief Alcohol Intervention in Young Unhealthy Drinkers in the Emergency Department: A Pilot Study. American Journal of Drug and Alcohol Abuse, 2012, 38, 539-543.	2.1	15
120	Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2012, 344, e1389-e1389.	2.3	512
121	Alcohol intake reduction for controlling hypertension. The Cochrane Library, 2012, , .	2.8	2
122	Feasibility and Acceptability of Screening and Brief Interventions to Address Alcohol and Other Drug Use among Patients Presenting for Emergency Services in Cape Town, South Africa. Advances in Preventive Medicine, 2012, 2012, 1-9.	2.7	29
123	Computer-Facilitated Substance Use Screening and Brief Advice for Teens in Primary Care: An International Trial. Pediatrics, 2012, 129, 1072-1082.	2.1	126
124	Professional interventions to implement guidelines to prevent hazardous alcohol consumption by patients in primary care settings. The Cochrane Library, 0, , .	2.8	1
126	Gender, alcohol and intimate partner violence: how to respond in primary care?. Advances in Dual Diagnosis, 2012, 5, 68-73.	0.5	4
127	The Effectiveness of Psychosocial Modalities in the Treatment of Alcohol Problems in Adults: A Review of the Evidence. Canadian Journal of Psychiatry, 2012, 57, 350-358.	1.9	75
128	Hepatitis C Virus Testing of Persons Born During 1945–1965: Recommendations From the Centers for Disease Control and Prevention. Annals of Internal Medicine, 2012, 157, 817.	3.9	263
129	Preoperative alcohol cessation prior to elective surgery. The Cochrane Library, 2012, , CD008343.	2.8	75
130	Institutionalization of Brief Alcohol Intervention in Primary Health Care—The <scp>F</scp> innish Case. Alcoholism: Clinical and Experimental Research, 2012, 36, 1456-1461.	2.4	16
131	A quasi-randomized group trial of a brief alcohol intervention on risky single occasion drinking among secondary school students. International Journal of Public Health, 2012, 57, 935-944.	2.3	31
132	European Psychiatric Association (EPA) guidance on prevention of mental disorders. European Psychiatry, 2012, 27, 68-80.	0.2	91
133	Radon Testing and Mitigation: An Intervention in a Primary Care Setting. Journal of Cancer Education, 2012, 27, 566-572.	1.3	14

#	Article	IF	CITATIONS
134	Training the Next Generation of Providers in Addiction Medicine. Psychiatric Clinics of North America, 2012, 35, 461-480.	1.3	59
135	Skills-Based Residency Training in Alcohol Screening and Brief Intervention: Results from the Georgia-Texas "Improving Brief Intervention―Project. Substance Abuse, 2012, 33, 261-271.	2.3	21
136	Integrating Screening, Brief Intervention, and Referral to Treatment (SBIRT) into Clinical Practice Settings: A Brief Review. Journal of Psychoactive Drugs, 2012, 44, 307-317.	1.7	198
137	The role of demographic characteristics and readiness to change in 12-month outcome from two distinct brief interventions for impaired drivers. Journal of Substance Abuse Treatment, 2012, 42, 383-391.	2.8	12
138	The UPBEAT depression and coronary heart disease programme: using the UK medical research council framework to design a nurse-led complex intervention for use in primary care. BMC Family Practice, 2012, 13, 119.	2.9	13
139	Study protocol: Brief intervention for medication overuse headache - A double-blinded cluster randomised parallel controlled trial in primary care. BMC Neurology, 2012, 12, 70.	1.8	11
140	Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. BMC Public Health, 2012, 12, 708.	2.9	55
141	Study Protocol: Screening and Treatment of Alcohol-Related Trauma (START) – a randomised controlled trial. BMC Health Services Research, 2012, 12, 371.	2.2	13
142	Brief intervention for alcohol misuse in people attending sexual health clinics: study protocol for a randomized controlled trial. Trials, 2012, 13, 149.	1.6	4
143	Brief intervention to reduce risky drinking in pregnancy: study protocol for a randomized controlled trial. Trials, 2012, 13, 174.	1.6	10
144	The efficacy of a brief intervention to reduce alcohol misuse in patients with HIV in South Africa: study protocol for a randomized controlled trial. Trials, 2012, 13, 190.	1.6	11
145	Early data from project engage: a program to identify and transition medically hospitalized patients into addictions treatment. Addiction Science & amp; Clinical Practice, 2012, 7, 20.	2.6	32
146	Brief alcohol intervention in a psychiatric outpatient setting: a randomized controlled study. Addiction Science & Clinical Practice, 2012, 7, 23.	2.6	8
147	Risk of future trauma based on alcohol screening scores: A two-year prospective cohort study among US veterans. Addiction Science & Clinical Practice, 2012, 7, 6.	2.6	7
148	Effectiveness of brief interventions as part of the screening, brief intervention and referral to treatment (SBIRT) model for reducing the non-medical use of psychoactive substances: a systematic review protocol. Systematic Reviews, 2012, 1, 22.	5.3	40
149	Open wide! Dental settings are an untapped resource for substance misuse screening and brief intervention. Addiction, 2012, 107, 1197-1198.	3.3	10
150	Screening, Brief Intervention, and Referral to Treatment (SBIRT) for Substance Use in a Schoolâ€Based Program: Services and Outcomes. American Journal on Addictions, 2012, 21, S5-13.	1.4	55
151	Association Between Alcohol Screening Scores and Mortality in Black, Hispanic, and White Male Veterans. Alcoholism: Clinical and Experimental Research, 2012, 36, 2132-2140.	2.4	17

#	Article	IF	CITATIONS
152	Harmful drinking and talking about alcohol in primary care: New Zealand population survey findings. Acta Psychiatrica Scandinavica, 2012, 126, 434-439.	4.5	12
153	Psychosocial interventions to reduce alcohol consumption in concurrent problem alcohol and illicit drug users. , 2012, 11, CD009269.		21
154	The evidence for implementing alcohol screening and intervention in the emergency department – Time to act. International Emergency Nursing, 2012, 20, 167-172.	1.5	19
155	A Brief Intervention Reduces Hazardous and Harmful Drinking in Emergency Department Patients. Annals of Emergency Medicine, 2012, 60, 181-192.	0.6	177
156	Effectiveness of a Proactive Mail-Based Alcohol Internet Intervention for University Students: Dismantling the Assessment and Feedback Components in a Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e142.	4.3	44
157	Challenges to alcohol and other drug discussions in the general practice consultation. Family Practice, 2012, 29, 213-222.	1.9	30
158	Testing the effects of brief intervention in primary care for problem drug use in a randomized controlled trial: rationale, design, and methods. Addiction Science & Clinical Practice, 2012, 7, 27.	2.6	30
159	Self-reported alcohol and drug use six months after brief intervention: do changes in reported use vary by mental-health status?. Addiction Science & Clinical Practice, 2012, 7, 24.	2.6	2
160	Feedback from recently returned veterans on an anonymous web-based brief alcohol intervention. Addiction Science & Clinical Practice, 2012, 7, 17.	2.6	29
161	Can screening and brief intervention lead to population-level reductions in alcohol-related harm?. Addiction Science & Clinical Practice, 2012, 7, 15.	2.6	67
162	Brief intervention to prevent hazardous drinking in young people aged 14–15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. Trials, 2012, 13, 166.	1.6	8
163	Can Text Messages Reach the Parts Other Process Measures Cannot Reach: An Evaluation of a Behavior Change Intervention Delivered by Mobile Phone?. PLoS ONE, 2012, 7, e52621.	2.5	49
164	Addressing patient alcohol use: a view from general practice. Journal of Primary Health Care, 2012, 4, 217.	0.6	29
165	Risky drinking among community pharmacy customers in New Zealand and their attitudes towards pharmacist screening and brief interventions. Drug and Alcohol Review, 2012, 31, 56-63.	2.1	14
166	How and when healthâ€care practitioners in Aboriginal Community Controlled Health Services deliver alcohol screening and brief intervention, and why they don't: A qualitative study. Drug and Alcohol Review, 2012, 31, 13-19.	2.1	14
167	Alcohol consumption patterns among parents of hospitalized children: findings from a brief intervention study. International Nursing Review, 2012, 59, 132-138.	3.3	3
168	Sex Differences in Alcohol Misuse and Estimated Blood Alcohol Concentrations Among Emergency Department Patients: Implications for Brief Interventions. Academic Emergency Medicine, 2012, 19, 924-933.	1.8	16
169	Involvement of general practitioners in managing alcohol problems: a randomized controlled trial of a tailored improvement programme. Addiction, 2012, 107, 1601-1611.	3.3	64

#	Article	IF	CITATIONS
170	German medical students lack knowledge of how to treat smoking and problem drinking. Addiction, 2012, 107, 1878-1882.	3.3	41
171	How transparent is behavioral intervention research on pathological gambling and other gamblingâ€related disorders? A systematic literature review. Addiction, 2012, 107, 1915-1928.	3.3	12
172	Brief interventions are effective in reducing alcohol consumption in opiateâ€dependent methadoneâ€maintained patients: Results from an implementation study. Drug and Alcohol Review, 2012, 31, 348-356.	2.1	25
173	Screening and brief intervention for alcohol problems in Dr George Mukhari Hospital out-patients in Gauteng, South Africa: a single-blinded randomized controlled trial protocol. BMC Public Health, 2012, 12, 127.	2.9	6
174	Patient- and provider-level risk factors associated with default from tuberculosis treatment, South Africa, 2002: a case-control study. BMC Public Health, 2012, 12, 56.	2.9	57
175	Is there scope for community health nurses to address lifestyle risk factors? the community nursing SNAP trial. BMC Nursing, 2012, 11, 4.	2.5	12
176	Young Adults at Risk for Excess Alcohol Consumption Are Often Not Asked or Counseled About Drinking Alcohol. Journal of General Internal Medicine, 2012, 27, 179-184.	2.6	49
177	Training and tailored outreach support to improve alcohol screening and brief intervention in <scp>A</scp> boriginal <scp>C</scp> ommunity <scp>C</scp> ontrolled <scp>H</scp> ealth <scp>S</scp> ervices. Drug and Alcohol Review, 2013, 32, 72-79.	2.1	20
178	Impact of system-level changes and training on alcohol screening and brief intervention in a family medicine residency clinic: a pilot study. Substance Abuse Treatment, Prevention, and Policy, 2013, 8, 9.	2.2	7
179	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial. Implementation Science. 2013. 8. 11.	6.9	44
180	Dentists as Oral Physicians: The Overlooked Primary Health Care Resource. Journal of Primary Prevention, 2013, 34, 279-291.	1.6	27
181	Psychosocial interventions to reduce alcohol consumption in concurrent problem alcohol and illicit drug users: Cochrane Reviewa. Systematic Reviews, 2013, 2, 3.	5.3	23
182	Interventions for reducing alcohol consumption among general hospital inpatient heavy alcohol users: A systematic review. Drug and Alcohol Dependence, 2013, 131, 1-22.	3.2	48
183	Organizational attributes and screening and brief intervention in primary care. Addictive Behaviors, 2013, 38, 2639-2642.	3.0	2
184	Problem alcohol use among problem drug users in primary care: a qualitative study of what patients think about screening and treatment. BMC Family Practice, 2013, 14, 98.	2.9	24
185	Health on the web: randomised trial of work-based online screening and brief intervention for hazardous and harmful drinking. BMC Public Health, 2013, 13, 505.	2.9	14
186	The impact of a brief lifestyle intervention delivered by generalist community nurses (CN SNAP trial). BMC Public Health, 2013, 13, 375.	2.9	12
187	Effectiveness of alcohol brief intervention delivered by community pharmacists: study protocol of a two-arm randomised controlled trial. BMC Public Health, 2013, 13, 152.	2.9	17

#	Article	IF	CITATIONS
188	The delivery of preventive care to clients of community health services. BMC Health Services Research, 2013, 13, 167.	2.2	25
189	The impact of a team-based intervention on the lifestyle risk factor management practices of community nurses: outcomes of the community nursing SNAP trial. BMC Health Services Research, 2013, 13, 54.	2.2	16
190	Socioeconomic differences in mortality amenable to health care among Finnish adults 1992-2003: 12Âyear follow up using individual level linked population register data. BMC Health Services Research, 2013, 13, 3.	2.2	17
191	Preventive Counseling for Chronic Disease: Missed Opportunities in a Community Mental Health Center. Psychosomatics, 2013, 54, 328-335.	2.5	28
194	Alcohol use disorders and mortality: a systematic review and metaâ€analysis. Addiction, 2013, 108, 1562-1578.	3.3	232
195	Brief intervention content matters. Drug and Alcohol Review, 2013, 32, 339-341.	2.1	26
196	Patient-Centered Approaches to Health Care. Medical Care Research and Review, 2013, 70, 567-596.	2.1	258
197	Preconceptional motivational interviewing interventions to reduce alcohol-exposed pregnancy risk. Journal of Substance Abuse Treatment, 2013, 44, 407-416.	2.8	47
198	Screening and brief interventions for hazardous and harmful alcohol use among hospital outpatients in South Africa: results from a randomized controlled trial. BMC Public Health, 2013, 13, 644.	2.9	38
199	The hospital outpatient alcohol project (HOAP): protocol for an individually randomized, parallel-group superiority trial of electronic alcohol screening and brief intervention versus screening alone for unhealthy alcohol use. Addiction Science & Clinical Practice, 2013, 8, 14.	2.6	3
200	Screening and brief interventions for hazardous and harmful alcohol use among patients with active tuberculosis attending primary public care clinics in South Africa: results from a cluster randomized controlled trial. BMC Public Health, 2013, 13, 699.	2.9	62
201	Evaluating the effectiveness of a clinical practice change intervention in increasing clinician provision of preventive care in a network of community-based mental health services: a study protocol of a non-randomized, multiple baseline trial. Implementation Science, 2013, 8, 85.	6.9	9
202	Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. BMC Public Health, 2013, 13, 1203.	2.9	55
203	The impact of training and delivering alcohol brief intervention on the knowledge and attitudes of community pharmacists: A before and after study. Drug and Alcohol Review, 2013, 32, 147-156.	2.1	13
204	Alcohol education and training in pre-registration nursing: A national survey to determine curriculum content in the United Kingdom (UK). Nurse Education Today, 2013, 33, 992-997.	3.3	14
205	Substance use disorders: Psychoneuroimmunological mechanisms and new targets for therapy. , 2013, 139, 289-300.		39
206	The international study on alcohol and infectious diseases: three priorities for research. Addiction, 2013, 108, 1-2.	3.3	16
207	Webâ€based alcohol intervention for M Äori university students: doubleâ€blind, multiâ€site randomized controlled trial. Addiction, 2013, 108, 331-338.	3.3	72

#	Article	IF	CITATIONS
208	Use of <scp>AUDIT</scp> â€Based Measures to Identify Unhealthy Alcohol Use and Alcohol Dependence in Primary Care: A Validation Study. Alcoholism: Clinical and Experimental Research, 2013, 37, E253-9.	2.4	124
209	Results of a double-blind, placebo-controlled pharmacotherapy trial in alcoholism conducted in Germany and comparison with the US COMBINE study. Addiction Biology, 2013, 18, 937-946.	2.6	98
210	Gender, violence and brief interventions for alcohol in the emergency department. Drug and Alcohol Dependence, 2013, 127, 115-121.	3.2	13
211	Alcohol brief intervention in community pharmacies: a feasibility study of outcomes and customer experiences. International Journal of Clinical Pharmacy, 2013, 35, 1178-1187.	2.1	22
212	Comparison of Systematic Versus Targeted Screening for Detection of Risky Drinking in Primary Care. Alcohol and Alcoholism, 2013, 48, 172-179.	1.6	8
213	Acceptability of screening for early detection of liver disease in hazardous/harmful drinkers in primary care. British Journal of General Practice, 2013, 63, e516-e522.	1.4	11
214	A randomised controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website (EFAR-FVG): the study protocol. BMJ Open, 2013, 3, e002304.	1.9	14
215	Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. BMJ, The, 2013, 346, e8501-e8501.	6.0	223
216	Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: a cluster randomised trial. BMJ, The, 2013, 346, f1191-f1191.	6.0	106
217	Sustainability of Tailored Goal Oriented Community Brief Intervention Model among Risky Drinkers in Community in Thailand. BioMed Research International, 2013, 2013, 1-7.	1.9	0
218	Modelling the Cost-Effectiveness of Alcohol Screening and Brief Interventions in Primary Care in England. Alcohol and Alcoholism, 2013, 48, 180-188.	1.6	58
219	Physician Advice to Adolescents About Drinking and Other Health Behaviors. Pediatrics, 2013, 131, 249-257.	2.1	40
220	German Medical Students' Beliefs about How Best to Treat Alcohol Use Disorder. European Addiction Research, 2013, 19, 245-251.	2.4	3
221	Interventions for alcohol and drug problems in outpatient settings: A systematic review. Drug and Alcohol Review, 2013, 32, 356-367.	2.1	8
222	Predictors of study setting (primary care vs. hospital setting) among studies of the effectiveness of brief interventions among heavy alcohol users: A systematic review. Drug and Alcohol Review, 2013, 32, 368-380.	2.1	8
223	Training general practitioners in remote <scp>W</scp> estern <scp>A</scp> ustralia in a method of screening and brief intervention for harmful alcohol use: A pilot study. Australian Journal of Rural Health, 2013, 21, 72-79.	1.5	7
224	Assessment of alcohol histories obtained from patients with liver disease: opportunities to improve early intervention. Internal Medicine Journal, 2013, 43, 1096-1102.	0.8	7
225	The Theory of Active Involvement: Processes Underlying Interventions That Engage Adolescents in Message Planning and/or Production. Health Communication, 2013, 28, 644-656.	3.1	39

#	Article	IF	CITATIONS
226	Training and Fidelity Monitoring of Alcohol Treatment Interventions Integrated Into Routine Tuberculosis Care in Tomsk, Russia: the IMPACT Effectiveness Trial. Substance Use and Misuse, 2013, 48, 784-792.	1.4	2
227	Feasibility of detection and intervention for alcohol-related liver disease in the community: the Alcohol and Liver Disease Detection study (ALDDeS). British Journal of General Practice, 2013, 63, e698-e705.	1.4	61
228	Randomised controlled trial of a brief alcohol intervention in a general hospital setting. Trials, 2013, 14, 345.	1.6	8
229	Alcohol consumption screening of newly-registered patients in primary care: a cross-sectional analysis. British Journal of General Practice, 2013, 63, e706-e712.	1.4	26
230	Disulfiram for alcohol use disorder. The Cochrane Library, 2013, , .	2.8	3
231	Alcohol control strategies: the gap between evidence and practice. British Journal of General Practice, 2013, 63, 396-397.	1.4	0
232	Screening and Interventions in Medical Settings Including Brief Feedback-Focused Interventions. , 2013, , 287-298.		4
233	Effectiveness of Guided and Unguided Low-Intensity Internet Interventions for Adult Alcohol Misuse: A Meta-Analysis. PLoS ONE, 2014, 9, e99912.	2.5	222
235	Responsibility without legal authority? Tackling alcohol-related health harms through licensing and planning policy in local government. Journal of Public Health, 2014, 36, 435-442.	1.8	36
236	Efficacy of an alcohol-focused intervention for improving adherence to antiretroviral therapy (ART) and HIV treatment outcomes – a randomised controlled trial protocol. BMC Infectious Diseases, 2014, 14, 500.	2.9	35
237	Enhancing motivation within a rapid opioid substitution treatment feasibility RCT: a nested qualitative study. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 44.	2.2	9
239	Care Utilization and Patient Characteristics of Veterans Who Misuse Alcohol. Journal of Addictive Diseases, 2014, 33, 332-339.	1.3	2
240	The Impact of Brief Alcohol Interventions in Primary Healthcare: A Systematic Review of Reviews. Alcohol and Alcoholism, 2014, 49, 66-78.	1.6	468
241	Brief Interventions for Hazardous and Harmful Alcohol Consumption in Accident and Emergency Departments. Frontiers in Psychiatry, 2014, 5, 152.	2.6	7
242	What are the Implications for Policy Makers? A Systematic Review of the Cost-Effectiveness of Screening and Brief Interventions for Alcohol Misuse in Primary Care. Frontiers in Psychiatry, 2014, 5, 114.	2.6	67
243	Brief Intervention for Problem Drug Use in Safety-Net Primary Care Settings. JAMA - Journal of the American Medical Association, 2014, 312, 492.	7.4	171
244	A Research Agenda for Gender and Substance Use Disorders in the Emergency Department. Academic Emergency Medicine, 2014, 21, 1438-1446.	1.8	11
245	Effectiveness of Nurse-Practitioner-Delivered Brief Motivational Intervention for Young Adult Alcohol and Drug Use in Primary Care in South Africa: A Randomized Clinical Trial. Alcohol and Alcoholism, 2014, 49, 430-438.	1.6	51

	CITATION	CITATION REPORT	
#	Article	IF	CITATIONS
246	Addictions: A Need for Specific Education. Procedia, Social and Behavioral Sciences, 2014, 141, 160-165.	0.5	1
247	Are nurse onducted brief interventions ( <scp>NCBI</scp> s) efficacious for hazardous or harmful alcohol use? A systematic review. International Nursing Review, 2014, 61, 203-210.	3.3	25
248	Do Brief Alcohol Motivational Interventions Work Like We Think They Do?. Alcoholism: Clinical and Experimental Research, 2014, 38, 853-859.	2.4	41
249	Addressing liver disease in the UK: a blueprint for attaining excellence in health care and reducing premature mortality from lifestyle issues of excess consumption of alcohol, obesity, and viral hepatitis. Lancet, The, 2014, 384, 1953-1997.	13.7	492
250	Socioeconomic differences in alcohol-attributable mortality compared with all-cause mortality: a systematic review and meta-analysis. International Journal of Epidemiology, 2014, 43, 1314-1327.	1.9	192
251	Identifying individual―and populationâ€level characteristics that influence rates of risky alcohol consumption in regional communities. Australian and New Zealand Journal of Public Health, 2014, 38, 60-65.	1.8	8
252	Burden of Disease Associated with Alcohol Use Disorders in the United States. Alcoholism: Clinical and Experimental Research, 2014, 38, 1068-1077.	2.4	159
253	An early evaluation of implementation of brief intervention for unhealthy alcohol use in the US Veterans Health Administration. Addiction, 2014, 109, 1472-1481.	3.3	60
254	The feasibility and acceptability of the provision of alcohol screening and brief advice in pharmacies for women accessing emergency contraception: an evaluation study. BMC Public Health, 2014, 14, 1139.	2.9	14
255	A mobile phone intervention to reduce binge drinking among disadvantaged men: study protocol for a randomised controlled cost-effectiveness trial. Trials, 2014, 15, 494.	1.6	10
256	A Multisite Randomized Controlled Trial of Brief Intervention to Reduce Drinking in the Trauma Care Setting. Annals of Surgery, 2014, 259, 873-880.	4.2	41
257	Brief Intervention for Patients With Problematic Drug Use Presenting in Emergency Departments. JAMA Internal Medicine, 2014, 174, 1736.	5.1	102
258	Interpreting Null Findings from Trials of Alcohol Brief Interventions. Frontiers in Psychiatry, 2014, 5, 85.	2.6	26
259	From Efficacy to Effectiveness and Beyond: What Next for Brief Interventions in Primary Care?. Frontiers in Psychiatry, 2014, 5, 113.	2.6	29
260	Inconsistencies between alcohol screening results based on AUDIT-C scores and reported drinking on the AUDIT-C questions: prevalence in two US national samples. Addiction Science & Clinical Practice, 2014, 9, 2.	2.6	21
261	Targeting Individuals with Problematic Alcohol Use via Web-Based Cognitive-Behavioral Self-Help Modules, Personalized Screening Feedback or Assessment Only: A Randomized Controlled Trial. European Addiction Research, 2014, 20, 305-318.	2.4	58
262	Does research into medical education on tobacco and alcohol get the respect it deserves?. Addiction, 2014, 109, 173-174.	3.3	2
263	Should brief interventions in primary care address alcohol problems more strongly?. Addiction, 2014, 109, 1054-1058.	3.3	50

#	Article	IF	CITATIONS
264	Problem alcohol use among problem drug users: development and content of clinical guidelines for general practice. Irish Journal of Medical Science, 2014, 183, 89-101.	1.5	14
265	Using the AUDIT-PC to Predict Alcohol Withdrawal in Hospitalized Patients. Journal of General Internal Medicine, 2014, 29, 34-40.	2.6	17
266	Cost-effectiveness of a programme of screening and brief interventions for alcohol in primary care in Italy. BMC Family Practice, 2014, 15, 26.	2.9	28
267	CANABIC: CANnabis and Adolescents: effect of a Brief Intervention on their Consumption – study protocol for a randomized controlled trial. Trials, 2014, 15, 40.	1.6	10
268	Drinking Motives Among HIV Primary Care Patients. AIDS and Behavior, 2014, 18, 1315-1323.	2.7	18
269	The early history of ideas on brief interventions for alcohol. Addiction, 2014, 109, 538-546.	3.3	41
270	Accuracy of one or two simple questions to identify alcohol-use disorder in primary care: a meta-analysis. British Journal of General Practice, 2014, 64, e408-e418.	1.4	20
271	Brief motivational intervention for adolescents treated in emergency departments for acute alcohol intoxication – a randomized-controlled trial. BMC Emergency Medicine, 2014, 14, 13.	1.9	20
272	Intervention to reduce excessive alcohol consumption and improve comorbidity outcomes in hypertensive or depressed primary care patients: two parallel cluster randomized feasibility trials. Trials, 2014, 15, 235.	1.6	18
273	The national alcohol helpline in Sweden: an evaluation of its first year. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 28.	2.2	6
274	The efficacy-effectiveness distinction in trials of alcohol brief intervention. Addiction Science & amp; Clinical Practice, 2014, 9, 13.	2.6	32
275	The best evidence for alcohol screening and brief intervention in primary care supports efficacy, at best, not effectiveness: You say tomÄŧo, I say tomÄfto? That's not all it's about. Addiction Science & Clinical Practice, 2014, 9, 14.	2.6	28
276	From policy to practice: implementing frontline community health services for substance dependence-study protocol. Implementation Science, 2014, 9, 108.	6.9	10
277	HealthCall for the smartphone: technology enhancement of brief intervention in HIV alcohol dependent patients. Addiction Science & amp; Clinical Practice, 2014, 9, 5.	2.6	50
278	Effectiveness of brief interventions as part of the Screening, Brief Intervention and Referral to Treatment (SBIRT) model for reducing the nonmedical use of psychoactive substances: a systematic review. Systematic Reviews, 2014, 3, 50.	5.3	64
279	The Social Health Intervention Project (SHIP): Protocol for a randomized controlled clinical trial assessing the effectiveness of a brief motivational intervention for problem drinking and intimate partner violence in an urban emergency department. BMC Emergency Medicine, 2014, 14, 10.	1.9	12
280	Primary prevention in general practice – views of German general practitioners: a mixed-methods study. BMC Family Practice, 2014, 15, 103.	2.9	24
281	GPs' role security and therapeutic commitment in managing alcohol problems: a randomised controlled trial of a tailored improvement programme. BMC Family Practice, 2014, 15, 70.	2.9	10

#	Article	IF	CITATIONS
282	The effectiveness and cost-effectiveness of lay counsellor-delivered psychological treatments for harmful and dependent drinking and moderate to severe depression in primary care in India: PREMIUM study protocol for randomized controlled trials. Trials, 2014, 15, 101.	1.6	57
283	An evaluation of long-term changes in alcohol use and alcohol problems among clients of the Swedish National Alcohol Helpline. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 22.	2.2	9
284	Feasibility of a brief intervention for medication-overuse headache in primary care – a pilot study. BMC Research Notes, 2014, 7, 165.	1.4	6
285	Violence brief interventions: A rapid review. Aggression and Violent Behavior, 2014, 19, 692-698.	2.1	8
286	Self-reported alcohol abstinence associated with ART initiation among HIV-infected persons in rural Uganda. Drug and Alcohol Dependence, 2014, 134, 151-157.	3.2	24
287	Development of a behaviour change communication tool for medical students: The â€~Tent Pegs' booklet. Patient Education and Counseling, 2014, 94, 50-60.	2.2	10
288	An examination of associations between social norms and risky alcohol use among African American men who have sex with men. Drug and Alcohol Dependence, 2014, 134, 218-221.	3.2	20
289	Regression to the mean and alcohol consumption: A cohort study exploring implications for the interpretation of change in control groups in brief intervention trials. Drug and Alcohol Dependence, 2014, 135, 156-159.	3.2	38
290	Clinician assessment, advice and referral for multiple health risk behaviors: Prevalence and predictors of delivery by primary health care nurses and allied health professionals. Patient Education and Counseling, 2014, 94, 193-201.	2.2	17
292	GPs' experiences with brief intervention for medication-overuse headache: a qualitative study in general practice. British Journal of General Practice, 2014, 64, e525-e531.	1.4	16
294	The effects of alcohol on dental and systemic health. Dental Nursing, 2015, 11, 81-84.	0.0	0
295	Alcohol brief interventions practice following training for multidisciplinary health and social care teams: A qualitative interview study. Drug and Alcohol Review, 2015, 34, 185-193.	2.1	11
296	Prévention secondaire des dommages liés aux substances psychoactives chez les jeunes Français. Drogues, Santé Et Société, 2015, 14, 1-15.	0.1	1
297	Psychosocial interventions for cannabis abuse and/or dependence among persons with co-occurring cannabis use and psychotic disorders. The Cochrane Library, 2015, , .	2.8	0
298	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. Implementation Science, 2015, 11, 96.	6.9	8
299	Personalized Drinking Feedback Intervention for Veterans of the Wars in Iraq and Afghanistan: A Randomized Controlled Trial. Journal of Studies on Alcohol and Drugs, 2015, 76, 355-359.	1.0	11
300	Assessing the feasibility of screening and providing brief advice for alcohol misuse in general dental practice: a clustered randomised control trial protocol for the DART study. BMJ Open, 2015, 5, e008586.	1.9	4
301	A randomized controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website (EFAR-FVG): preliminary results. Addiction Science & Clinical Practice, 2015, 10, .	2.6	0

#	Article	IF	CITATIONS
302	Systematic review of interventions to increase the delivery of preventive care by primary care nurses and allied health clinicians. Implementation Science, 2015, 11, 50.	6.9	25
303	Internetâ€based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. Addiction, 2015, 110, 1735-1743.	3.3	42
304	Patterns of domestic violence and alcohol consumption among women and the effectiveness of a brief intervention in a household setting:Âa protocol study. BMC Women's Health, 2015, 15, 78.	2.0	11
305	Alcohol use disorder severity and reported reasons not to seek treatment: a cross-sectional study in European primary care practices. Substance Abuse Treatment, Prevention, and Policy, 2015, 10, 32.	2.2	185
306	Psychosocial interventions for benzodiazepine harmful use, abuse or dependence. The Cochrane Library, 2015, , CD009652.	2.8	57
307	Sex Differences in Substance Use Among Adult Emergency Department Patients: Prevalence, Severity, and Need for Intervention. Academic Emergency Medicine, 2015, 22, 1307-1315.	1.8	23
308	The effectiveness of brief alcohol interventions delivered by community pharmacists: randomized controlled trial. Addiction, 2015, 110, 1586-1594.	3.3	44
309	Specialty substance use disorder services following brief alcohol intervention: a meta-analysis of randomized controlled trials. Addiction, 2015, 110, 1404-1415.	3.3	124
310	A comparison of the efficacy of brief interventions to reduce hazardous and harmful alcohol consumption between European and nonâ€European countries: a systematic review and metaâ€analysis of randomized controlled trials. Addiction, 2015, 110, 1082-1091.	3.3	39
311	Brief Intervention for Heavy Drinking in Primary Care. Journal of Addiction Medicine, 2015, 9, 368-375.	2.6	4
312	A systematic review of behavioural interventions to reduce preoperative alcohol use. Drug and Alcohol Review, 2015, 34, 508-520.	2.1	15
313	The Impact of a Mandated Trauma Center Alcohol Intervention on Readmission and Cost per Readmission in Arizona. Medical Care, 2015, 53, 639-645.	2.4	13
314	Assessment Effects in Educational and Psychosocial Intervention Trials: An Important but Oftenâ€Overlooked Problem. Research in Nursing and Health, 2015, 38, 241-247.	1.6	21
315	Implementation strategies to enhance management of heavy alcohol consumption in primary health care: a metaâ€analysis. Addiction, 2015, 110, 1877-1900.	3.3	44
316	Correlates of Opioid Use in Adults With Self-Reported Drug Use Recruited From Public Safety-Net Primary Care Clinics. Journal of Addiction Medicine, 2015, 9, 417-426.	2.6	11
317	Systematic Review of ED-based Intimate Partner Violence Intervention Research. Western Journal of Emergency Medicine, 2015, 16, 1037-1042.	1.1	14
318	Alcohol: brief interventions for hazardous drinking and dependency. British Journal of Mental Health Nursing, 2015, 4, 87-93.	0.3	0
319	Online Health Check for Reducing Alcohol Intake among Employees: A Feasibility Study in Six Workplaces across England. PLoS ONE, 2015, 10, e0121174.	2.5	16

#	Article	IF	CITATIONS
321	Patient education for alcohol cessation intervention at the time of acute fracture surgery: study protocol for a randomised clinical multi-centre trial on a gold standard programme (Scand-Ankle). BMC Surgery, 2015, 15, 52.	1.3	11
322	General Practitioners Recognizing Alcohol Dependence: A Large Cross-Sectional Study in 6 European Countries. Annals of Family Medicine, 2015, 13, 28-32.	1.9	80
323	Risk factors for long-bone fractures in children up to 5 years of age: a nested case–control study. Archives of Disease in Childhood, 2015, 100, 432-437.	1.9	21
324	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. Alcohol and Alcoholism, 2015, 50, 430-437.	1.6	32
325	Development and validation of risk prediction algorithms to estimate future risk of common cancers in men and women: prospective cohort study. BMJ Open, 2015, 5, e007825-e007825.	1.9	113
326	Raising the topic of weight in general practice: perspectives of GPs and primary care nurses. BMJ Open, 2015, 5, e008546.	1.9	84
327	Norwegian midwives' use of screening for and brief interventions on alcohol use in pregnancy. Sexual and Reproductive Healthcare, 2015, 6, 186-190.	1.2	26
328	Brief Intervention for Illicit Drug Users. , 2015, , 293-312.		0
329	Effectiveness of brief interventions in primary health care settings to decrease alcohol consumption by adult non-dependent drinkers: a systematic review of systematic reviews. Preventive Medicine, 2015, 76, S33-S38.	3.4	59
330	Brief intervention for medication-overuse headache in primary care. The BIMOH study: a double-blind pragmatic cluster randomised parallel controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 505-512.	1.9	74
331	Interrelations between pain and alcohol: An integrative review. Clinical Psychology Review, 2015, 37, 57-71.	11.4	173
332	Brief interventions for alcohol misuse. Cmaj, 2015, 187, 502-506.	2.0	20
333	Brief Motivational Intervention for Intimate Partner Violence and Heavy Drinking in the Emergency Department. JAMA - Journal of the American Medical Association, 2015, 314, 466.	7.4	47
334	Applying an Alcohol Brief Intervention (ABI) model to the community justice setting: Learning from a pilot project. Criminology and Criminal Justice, 2015, 15, 83-101.	1.3	8
335	Fostering multiple healthy lifestyle behaviors for primary prevention of cancer American Psychologist, 2015, 70, 75-90.	4.2	81
336	Brief Alcohol Interventions for Adolescents and Young Adults: A Systematic Review and Meta-Analysis. Journal of Substance Abuse Treatment, 2015, 51, 1-18.	2.8	369
337	Association Between Receipt of Brief Alcohol Intervention and Quality of Care among Veteran Outpatients with Unhealthy Alcohol Use. Journal of General Internal Medicine, 2015, 30, 1097-1104.	2.6	6
338	Primary health care utilization for alcohol-attributed diseases in British Columbia Canada 2001–2011. BMC Family Practice, 2015, 16, 34.	2.9	5

ARTICLE IF CITATIONS # Large-scale implementation of alcohol brief interventions in new settings in Scotland: a qualitative 339 2.9 18 interview study of a national programme. BMC Public Health, 2015, 15, 289. Protocol for a national monthly survey of alcohol use in England with 6-month follow-up: †The 340 49 Alcohol Toolkit Study'. BMC Public Health, 2015, 15, 230. Extended brief intervention to address alcohol misuse in people with mild to moderate intellectual disabilities living in the community (EBI-ID): study protocol for a randomised controlled trial. Trials, 341 1.6 5 2015, 16, 114. A pilot feasibility trial of alcohol screening and brief intervention in the police custody setting (ACCEPT): study protocol for a cluster randomised controlled trial. Pilot and Feasibility Studies, 2015, 342 1.2 1.6. Alcoholic liver disease  $\hat{a} \in \hat{}$  the extent of the problem and what you can do about it. Clinical Medicine, 343 1.9 22 2015, 15, 179-185. Alcohol dependence and treatment utilization in Europe – a representative cross-sectional study in 344 primary care. BMC Family Practice, 2015, 16, 90. 345 Brief Interventions for Alcohol Use: Where, When, and How?. Pediatrics, 2015, 136, e1002-e1004. 2.1 2 Do brief alcohol interventions reduce tobacco use among adolescents and young adults? A systematic 346 2.1 review and meta-analysis. Journal of Behavioral Medicine, 2015, 38, 899-911. Screening and concurrent brief intervention of conjoint hazardous or harmful alcohol and tobacco 347 use in hospital out-patients in Thailand: a randomized controlled trial. Substance Abuse Treatment, 2.2 16 Prevention, and Policy, 2015, 10, 22. <i>> Vida PURA</i>: A Cultural Adaptation of Screening and Brief Intervention to Reduce Unhealthy 348 2.3 Drinking Among Latino Day Laborers. Substance Abuse, 2015, 36, 264-271. Primary Care Management of Alcohol Misuse. Medical Clinics of North America, 2015, 99, 989-1016. 349 2.5 8 Comparison of provider-documented and patient-reported brief intervention for unhealthy alcohol 3.2 use in VA outpatients. Drug and Alcohol Dependence, 2015, 153, 159-166. Support for community pharmacy-based alcohol interventions: a Scottish general public survey. 351 2.9 8 Public Health, 2015, 129, 1431-1438. Developing the Moti-4 intervention, assessing its feasibility and pilot testing its effectiveness. BMC Public Health, 2015, 15, 500. Prevention Trial in the Cherokee Nation: Design of a Randomized Community Trial. Prevention Science, 353 2.6 27 2015, 16, 291-300. The Ultrarapid Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST-Lite) and 354 Implications for Neuropathology., 2016, , 649-659. The Impact of an Implementation Project on Primary Care Staff Perceptions of Delivering Brief Alcohol 355 0.9 0 Advice. Journal of Addiction, 2016, 2016, 1-9. Perseverative Cognition and Health Behaviors: A Systematic Review and Meta-Analysis. Frontiers in Human Neuroscience, 2016, 10, 534.

#	Article	IF	CITATIONS
358	Multidisciplinary View of Alcohol Use Disorder: From a Psychiatric Illness to a Major Liver Disease. Biomolecules, 2016, 6, 11.	4.0	14
359	Follow-up of young patients after acute poisoning by substances of abuse: a comparative cohort study at an emergency outpatient clinic. BMC Research Notes, 2016, 9, 398.	1.4	4
360	Editorial: Brief Interventions for Risky Drinkers. Frontiers in Psychiatry, 2016, 7, 42.	2.6	3
361	Developing Brief Opportunistic Interactions: practitioners facilitate patients to identify and change health risk behaviours at an early preventive stage. Primary Health Care Research and Development, 2016, 17, 319-332.	1.2	3
362	The role of alcohol in the management of hypertension in patients in European primary health care practices – a survey in the largest European Union countries. BMC Family Practice, 2016, 17, 130.	2.9	24
363	Changes in Patient-Reported Alcohol-Related Advice Following Veterans Health Administration Implementation of Brief Alcohol Interventions. Journal of Studies on Alcohol and Drugs, 2016, 77, 500-508.	1.0	13
364	Quality improvement interventions for improving the detection and management of curable sexually transmitted infections in primary care. The Cochrane Library, 2016, , .	2.8	0
365	2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Heart Journal, 2016, 37, 2315-2381.	2.2	5,370
366	Attitudes towards substance use and substance use disorders among medical students in Israel. Drugs: Education, Prevention and Policy, 2016, 23, 484-491.	1.3	1
367	Brief Intervention Within Primary Care for At-Risk Gambling: A Pilot Study. Journal of Gambling Studies, 2016, 32, 1327-1335.	1.6	10
368	Predictive validity of clinical AUDIT-C alcohol screening scores and changes in scores for three objective alcohol-related outcomes in a Veterans Affairs population. Addiction, 2016, 111, 1975-1984.	3.3	43
369	Screening and Brief Interventions for Illicit Drug Use and Alcohol Use in Methadone Maintained Opiate-Dependent Patients: Results of a Pilot Cluster Randomized Controlled Trial Feasibility Study. Substance Use and Misuse, 2016, 51, 1104-1115.	1.4	10
370	Commentary on Zur & Zaric and Shepard <i>et al</i> . (2016): Costâ€effectiveness of SBI for alcohol—where are we and where do we want to go?. Addiction, 2016, 111, 840-842.	3.3	1
371	Evaluating the effectiveness of a smartphone app to reduce excessive alcohol consumption: protocol for a factorial randomised control trial. BMC Public Health, 2016, 16, 536.	2.9	44
372	Electronic communication based interventions for hazardous young drinkers: A systematic review. Neuroscience and Biobehavioral Reviews, 2016, 68, 880-890.	6.1	23
373	Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. Lancet, The, 2016, 388, 2492-2500.	13.7	220
374	Rethinking primary care systems for obesity. Lancet, The, 2016, 388, 2452-2454.	13.7	6
375	Strategies in primary healthcare to implement early identification of risky alcohol consumption: why do they work or not? A qualitative evaluation of the ODHIN study. BMC Family Practice, 2016, 17, 70.	2.9	22

#	Article	IF	CITATIONS
376	Sex based subgroup differences in randomized controlled trials: empirical evidence from Cochrane meta-analyses. BMJ, The, 2016, 355, i5826.	6.0	56
377	Workplace interventions for preventing job loss and other work related outcomes in workers with alcohol misuse. The Cochrane Library, 2016, , .	2.8	2
378	How Australian general practitioners engage in discussions about alcohol with their patients: a cross-sectional study. BMJ Open, 2016, 6, e013921.	1.9	10
379	Commentary on Berget al.(2016): Who's minding the children-do we need to focus on reducing intergenerational risk due to parents who drink problematically?. Addiction, 2016, 111, 1804-1805.	3.3	3
380	Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. British Journal of General Practice, 2016, 66, e1-e9.	1.4	82
381	Can a theoretical framework help to embed alcohol screening and brief interventions in an endoscopy day-unit?. Frontline Gastroenterology, 2016, 7, 47-53.	1.8	4
382	How effective are brief interventions in reducing alcohol consumption: do the setting, practitioner group and content matter? Findings from a systematic review and metaregression analysis. BMJ Open, 2016, 6, e011473.	1.9	95
383	Implementing referral to an electronic alcohol brief advice website in primary healthcare: results from the ODHIN implementation trial. BMJ Open, 2016, 6, e010271.	1.9	14
384	Impact of financial incentives on alcohol intervention delivery in primary care: a mixed-methods study. BMC Family Practice, 2016, 17, 165.	2.9	16
385	Tailoring a brief intervention for illicit drug use and alcohol use in Irish methadone maintained opiate dependent patients: a qualitative process. BMC Psychiatry, 2016, 16, 373.	2.6	5
386	Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. BMC Public Health, 2016, 16, 535.	2.9	14
387	Regional Variations in General Practitioner Visits for Alcohol-Attributed Diseases in British Columbia, Canada. International Journal of Mental Health and Addiction, 2016, 14, 952-968.	7.4	0
388	The role of training in IBA implementation beyond primary health care settings in the UK. Drugs: Education, Prevention and Policy, 2016, 23, 374-381.	1.3	7
389	What is Taught on Firearm Safety in Undergraduate, Graduate, and Continuing Medical Education? A Review of Educational Programs. Academic Psychiatry, 2016, 40, 821-824.	0.9	33
391	2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Journal of Preventive Cardiology, 2016, 23, NP1-NP96.	1.8	683
392	A microsimulation cost–utility analysis of alcohol screening and brief intervention to reduce heavy alcohol consumption in <scp>Canada</scp> . Addiction, 2016, 111, 817-831.	3.3	8
393	Metaâ€analysis on the effectiveness of alcohol screening with brief interventions for patients in emergency care settings. Addiction, 2016, 111, 783-794.	3.3	87
394	SBIRT-A: Adapting SBIRT to Maximize Developmental Fit for Adolescents in Primary Care. Journal of Substance Abuse Treatment, 2016, 62, 28-37.	2.8	58

		CITATION REPO	ORT	
#	Article		IF	CITATIONS
395	Psychosocial interventions for retention in drug abuse treatment. The Cochrane Library, 0, , .	:	2.8	0
396	ls it time for a more ambitious research agenda for decreasing alcohol-related harm among youn adults?. Addiction, 2016, 111, 1531-1532.	5	3.3	2
397	Medical Practice Variations in Mental Health and Addictions Care. , 2016, , 161-198.			1
398	Brief intervention by general practitioners for medication-overuse headache, follow-up after 6Âmonths: a pragmatic cluster-randomised controlled trial. Journal of Neurology, 2016, 263, 344	-353.	3.6	35
399	Protocol for a Controlled Experiment to Identify the Causal Role of Acute Alcohol Consumption i Condomless Sex among HIV-Positive MSM: Study Procedures, Ethical Considerations, and Implic for HIV Prevention. AIDS and Behavior, 2016, 20, 173-184.	ו ations	2.7	10
400	Screening and Follow-Up Monitoring for Substance Use in Primary Care: An Exploration of Rural–Urban Variations. Journal of General Internal Medicine, 2016, 31, 215-222.		2.6	29
401	Health Behaviors and their Relationship with Disease Control in People Attending Genetic Clinics a Family History of Breast or Colorectal Cancer. Journal of Genetic Counseling, 2017, 26, 40-51.	with	1.6	19
402	Managing Problem Drinking: Screening Tools and Brief Interventions for Primary Care Physicians. American Journal of Lifestyle Medicine, 2017, 11, 424-429.		1.9	0
403	The costâ€effectiveness of brief intervention versus brief treatment of Screening, Brief Intervent and Referral to Treatment (SBIRT) in the United States. Addiction, 2017, 112, 73-81.	on	3.3	28
404	Screening, Brief Intervention and Referral to Treatment: implications of SAMHSA's SBIRT initiativ substance abuse policy and practice. Addiction, 2017, 112, 110-117.	e for	3.3	162
405	A randomized controlled trial of a brief intervention for alcohol and drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary health care in Chile. Add 2017, 112, 1462-1469.	liction,	3.3	21
406	The effect of a reduction in alcohol consumption on blood pressure: a systematic review and meta-analysis. Lancet Public Health, The, 2017, 2, e108-e120.		10.0	315
407	A time and motion study of Screening, Brief Intervention, and Referral to Treatment implementat health are settings. Addiction, 2017, 112, 65-72.	ion in	3.3	9
408	The influence of stateâ€level policy environments on the activation of the Medicaid SBIRT reimbursement codes. Addiction, 2017, 112, 82-91.		3.3	10
409	Alcohol Brief Interventions (ABIs) for male remand prisoners: protocol for development of a com intervention and feasibility study (PRISM-A). BMJ Open, 2017, 7, e014561.	olex	1.9	4
410	A bibliometric review of drug and alcohol research focused on Indigenous peoples of Australia, N Zealand, Canada and the United States. Drug and Alcohol Review, 2017, 36, 509-522.	ew	2.1	27
411	Binge drinking: Health impact, prevalence, correlates and interventions. Psychology and Health, 2 32, 976-1017.	2017,	2.2	256
412	Association between smoking and alcoholâ€related behaviours: a time–series analysis of popu trends in England. Addiction, 2017, 112, 1832-1841.	lation	3.3	41

#	Article	IF	CITATIONS
413	The SBIRT program matrix: a conceptual framework for program implementation and evaluation. Addiction, 2017, 112, 12-22.	3.3	43
414	Alcohol brief intervention in primary care: Blood pressure outcomes in hypertensive patients. Journal of Substance Abuse Treatment, 2017, 77, 45-51.	2.8	15
415	2016 European Guidelines on cardiovascular disease prevention in clinical practice. International Journal of Behavioral Medicine, 2017, 24, 321-419.	1.7	84
416	Non-specialist health workers to treat excessive alcohol consumption and depression. Lancet, The, 2017, 389, 133-135.	13.7	2
417	Alcohol screening and alcohol interventions among patients with hypertension in primary health care: an empirical survey of German general practitioners. Addiction Research and Theory, 2017, 25, 285-292.	1.9	12
418	CREATE Wellness: A multi-component behavioral intervention for patients not responding to traditional Cardiovascular disease management. Contemporary Clinical Trials Communications, 2017, 8, 140-146.	1.1	4
419	Personalised digital interventions for reducing hazardous and harmful alcohol consumption in community-dwelling populations. The Cochrane Library, 2017, 2017, CD011479.	2.8	192
420	ls an opportunistic primary care-based intervention for non-responders to bowel screening feasible and acceptable? A mixed-methods feasibility study in Scotland. BMJ Open, 2017, 7, e016307.	1.9	7
421	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. Annals of Family Medicine, 2017, 15, 335-340.	1.9	31
422	"You Should Drink Less― Frequency and Predictors of Discussions Between Providers and Patients About Reducing Alcohol Use. Substance Use and Misuse, 2017, 52, 139-144.	1.4	4
423	Collaborative Care for Opioid and Alcohol Use Disorders in Primary Care. JAMA Internal Medicine, 2017, 177, 1480.	5.1	151
424	Motivations for reducing alcohol consumption: An international survey exploring experiences that may lead to a change in drinking habits. Addictive Behaviors, 2017, 75, 40-46.	3.0	22
425	Influence of a targeted performance measure for brief intervention on gender differences in receipt of brief intervention among patients with unhealthy alcohol use in the Veterans Health Administration. Journal of Substance Abuse Treatment, 2017, 81, 11-16.	2.8	24
426	Computer-Based Interventions for Problematic Alcohol Use: a Review of Systematic Reviews. International Journal of Behavioral Medicine, 2017, 24, 646-658.	1.7	96
427	Alcohol use and receipt of alcohol screening and brief intervention in a representative sample of sexual minority and heterosexual adults receiving health care. Drug and Alcohol Dependence, 2017, 179, 240-246.	3.2	11
428	The relevance of alcohol to dental practice. British Dental Journal, 2017, 223, 895-899.	0.6	11
429	Differences in Alcohol Use and Alcohol-Related Health Care Among Transgender and Nontransgender Adults: Findings From the 2014 Behavioral Risk Factor Surveillance System. Journal of Studies on Alcohol and Drugs, 2017, 78, 861-866.	1.0	26
430	Problem alcohol use and healthcare utilization among persons with cannabis use disorder in the United States. Drug and Alcohol Dependence, 2017, 178, 477-484.	3.2	17

#	Article	IF	CITATIONS
431	Variance in the Efficacy of Brief Interventions to Reduce Hazardous and Harmful Alcohol Consumption Between Injury and Noninjury Patients in Emergency Departments: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Annals of Emergency Medicine, 2017, 70, 714-723.e13.	0.6	16
432	Computerized alcohol screening identified more at-risk drinkers in a level 2 than a level 1 trauma center. BMC Public Health, 2017, 17, 32.	2.9	4
433	Delivery of alcohol brief interventions in community-based youth work settings: exploring feasibility and acceptability in a qualitative study. BMC Public Health, 2017, 17, 357.	2.9	12
434	Using a mobile health application to reduce alcohol consumption: a mixed-methods evaluation of the drinkaware track & calculate units application. BMC Public Health, 2017, 17, 394.	2.9	65
435	Alcohol screening and brief interventions for adults and young people in health and community-based settings: a qualitative systematic literature review. BMC Public Health, 2017, 17, 562.	2.9	38
436	Factors associated with alcohol reduction in harmful and hazardous drinkers following alcohol brief intervention in Scotland: a qualitative enquiry. BMC Health Services Research, 2017, 17, 181.	2.2	5
437	Combining alcohol interventions with tobacco addictions treatment in primary care—the COMBAT study: a pragmatic cluster randomized trial. Implementation Science, 2017, 12, 65.	6.9	7
438	Comparing counselling models for the hazardous use of alcohol at the Swedish National Alcohol Helpline: study protocol for a randomised controlled trial. Trials, 2017, 18, 257.	1.6	4
439	Validation of the AUDIT-C in adults seeking help with their drinking online. Addiction Science & Clinical Practice, 2017, 12, 2.	2.6	64
440	Rethinking alcohol interventions in health care: a thematic meeting of the International Network on Brief Interventions for Alcohol & Other Drugs (INEBRIA). Addiction Science & Clinical Practice, 2017, 12, 14.	2.6	48
441	Efficacy of Brief Interventions in Reducing Hazardous or Harmful Alcohol Use in Middle-Income Countries: Systematic Review of Randomized Controlled Trials. Alcohol and Alcoholism, 2017, 52, 56-64.	1.6	46
442	The prevalence of binge drinking among primary care residents. Substance Abuse, 2017, 38, 292-296.	2.3	5
443	Modifying Alcohol Consumption to Reduce Obesity: A Randomized Controlled Feasibility Study of a Complex Community-based Intervention for Men. Alcohol and Alcoholism, 2017, 52, 677-684.	1.6	11
444	Randomised controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website. BMJ Open, 2017, 7, e014576.	1.9	12
445	Managing Alcohol Use Disorder in Primary Health Care. Current Psychiatry Reports, 2017, 19, 79.	4.5	24
446	Factors Influencing Usability of a Smartphone App to Reduce Excessive Alcohol Consumption: Think Aloud and Interview Studies. Frontiers in Public Health, 2017, 5, 39.	2.7	69
447	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. International Journal of Environmental Research and Public Health, 2017, 14, 121.	2.6	25
448	Predictors of and reasons for attempts to reduce alcohol intake: A population survey of adults in England. PLoS ONE, 2017, 12, e0173458.	2.5	20

#	Article	IF	CITATIONS
449	Effect of a brief intervention for alcohol and illicit drug use on trauma recidivism in a cohort of trauma patients. PLoS ONE, 2017, 12, e0182441.	2.5	29
450	What does it mean when people say that they have received expressions of concern about their drinking or advice to cut down on the AUDIT scale?. BMC Medical Research Methodology, 2017, 17, 158.	3.1	2
451	Concurrent use of alcohol interactive medications and alcohol in older adults: a systematic review of prevalence and associated adverse outcomes. BMC Geriatrics, 2017, 17, 148.	2.7	31
452	Assessing the delivery of alcohol screening and brief intervention in sexual health clinics in the north east of England. BMC Public Health, 2017, 17, 884.	2.9	6
453	Towards new recommendations to reduce the burden of alcohol-induced hypertension in the European Union. BMC Medicine, 2017, 15, 173.	5.5	24
454	Increasing the provision of preventive care by community healthcare services: a stepped wedge implementation trial. Implementation Science, 2017, 12, 105.	6.9	14
455	The â€~Outcome Reporting in Brief Intervention Trials: Alcohol' (ORBITAL) framework: protocol to determine a core outcome set for efficacy and effectiveness trials of alcohol screening and brief intervention. Trials, 2017, 18, 611.	1.6	27
456	Screening, treatment initiation, and referral for substance use disorders. Addiction Science & Clinical Practice, 2017, 12, 18.	2.6	53
457	Delivery of screening and brief intervention for unhealthy alcohol use in an urban academic Federally Qualified Health Center. Addiction Science & amp; Clinical Practice, 2017, 12, 33.	2.6	11
458	Effectiveness of brief alcohol interventions in primary care populations. The Cochrane Library, 2018, 2018, CD004148.	2.8	568
459	Computer-delivered indirect screening and brief intervention for drug use in the perinatal period: A randomized trial. Drug and Alcohol Dependence, 2018, 185, 271-277.	3.2	17
461	Effects of motivational interviewing fidelity on substance use treatment engagement in primary care. Journal of Substance Abuse Treatment, 2018, 87, 64-69.	2.8	12
462	â€~DrinkThink' alcohol screening and brief intervention for young people: a qualitative evaluation of training and implementation. Journal of Public Health, 2018, 40, 381-388.	1.8	2
463	American Gastroenterological Association Institute Guideline onÂlnitial Management of Acute Pancreatitis. Gastroenterology, 2018, 154, 1096-1101.	1.3	591
464	A Community-Based Evaluation of Screening, Brief Intervention, and Referral to Treatment (SBIRT) for the Black Community. Qualitative Health Research, 2018, 28, 418-432.	2.1	10
465	Initial Medical Treatment of Acute Pancreatitis: American Gastroenterological Association Institute Technical Review. Gastroenterology, 2018, 154, 1103-1139.	1.3	198
466	Behavior Change Techniques Used in Digital Behavior Change Interventions to Reduce Excessive Alcohol Consumption: A Meta-regression. Annals of Behavioral Medicine, 2018, 52, 530-543.	2.9	52
467	Use of the PRECIS-II instrument to categorize reports along the efficacy-effectiveness spectrum in an hepatitis C virus care continuum systematic review and meta-analysis. Journal of Clinical Epidemiology, 2018, 93, 66-75.	5.0	10

#	Article	IF	CITATIONS
468	Is problem alcohol use being detected and treated in Irish general practice?. BMC Family Practice, 2018, 19, 30.	2.9	5
469	Beliefs and attitudes about addressing alcohol consumption in health care: a population survey in England. BMC Public Health, 2018, 18, 391.	2.9	19
470	Systematic review of interventions to increase the provision of care for chronic disease risk behaviours in mental health settings: review protocol. Systematic Reviews, 2018, 7, 67.	5.3	1
471	Standardised alcohol screening in primary health care services targeting Aboriginal and Torres Strait Islander peoples in Australia. Addiction Science & Clinical Practice, 2018, 13, 5.	2.6	15
472	A smartphone app to reduce excessive alcohol consumption: Identifying the effectiveness of intervention components in a factorial randomised control trial. Scientific Reports, 2018, 8, 4384.	3.3	83
473	Prevalence of Heavy Alcohol Use Among People Receiving Methadone Following Change to Methadose. Substance Use and Misuse, 2018, 53, 270-275.	1.4	3
474	Adopting early intervention for substance use disorders: a preliminary study of primary healthcare professionals in New York State. Drugs: Education, Prevention and Policy, 2018, 25, 475-482.	1.3	0
475	The Development of a Brief Distress Reduction Intervention for Individuals Recently Diagnosed With HIV in China. Cognitive and Behavioral Practice, 2018, 25, 319-334.	1.5	6
476	Interventions to prevent and reduce excessive alcohol consumption in older people: a systematic review and meta-analysis. Age and Ageing, 2018, 47, 175-184.	1.6	41
477	Using Bayes factors to evaluate evidence for no effect: examples from the SIPS project. Addiction, 2018, 113, 240-246.	3.3	39
478	Perioperative alcohol cessation intervention for postoperative complications. The Cochrane Library, 2018, 2018, CD008343.	2.8	52
479	Representativeness of Patients Enrolled in a Primary Care Clinical Trial for Heavy/Problem Substance Use. Substance Abuse, 2018, 39, 469-475.	2.3	10
480	Association between alcoholic interventions and abstinence rates for alcohol use disorders. Medicine (United States), 2018, 97, e13566.	1.0	13
481	An online survey of Irish general practitioner experience of and attitude toward managing problem alcohol use. BMC Family Practice, 2018, 19, 200.	2.9	4
482	Pharmacy-based alcohol-misuse services: current perspectives. Integrated Pharmacy Research & Practice, 2017, Volume 7, 21-31.	1.5	10
483	Development of an evidence-based brief †talking' intervention for non-responders to bowel screening for use in primary care: stakeholder interviews. BMC Family Practice, 2018, 19, 105.	2.9	4
484	Using value of information methods to determine the optimal sample size for effectiveness trials of alcohol interventions for HIV-infected patients in East Africa. BMC Health Services Research, 2018, 18, 590.	2.2	5
485	Acceptability of pharmacotherapy for hazardous alcohol use among men who have sex with men: Findings from a qualitative study. Addictive Behaviors Reports, 2018, 8, 122-127.	1.9	1

#	Article	IF	CITATIONS
486	Exploring the feasibility of general health promotion in UK dental primary care: ENGAGE in Scotland. British Dental Journal, 2018, 225, 645-656.	0.6	1
487	Moderation of alcohol consumption as a recommendation in European hypertension management guidelines: a survey on awareness, screening and implementation among European physicians. BMJ Open, 2018, 8, e022026.	1.9	8
488	Management of acute pancreatitis in the first 72 hours. Current Opinion in Gastroenterology, 2018, 34, 330-335.	2.3	63
489	Alcohol screening and brief intervention in a representative sample of veterans receiving primary care services. Journal of Substance Abuse Treatment, 2018, 95, 18-25.	2.8	12
490	Preoperative Behavioural Intervention versus standard care to Reduce Drinking before elective orthopaedic Surgery (PRE-OP BIRDS): protocol for a multicentre pilot randomised controlled trial. Pilot and Feasibility Studies, 2018, 4, 140.	1.2	6
491	Sexâ€Specific Associations Between Alcohol Consumption and Incidence of Hypertension: A Systematic Review and Metaâ€Analysis of Cohort Studies. Journal of the American Heart Association, 2018, 7, .	3.7	111
492	Inpatient Addiction Consult Service. Medical Clinics of North America, 2018, 102, 587-601.	2.5	81
493	DIAMOND (DIgital Alcohol Management ON Demand): a feasibility RCT and embedded process evaluation of a digital health intervention to reduce hazardous and harmful alcohol use recruiting in hospital emergency departments and online. Pilot and Feasibility Studies, 2018, 4, 114.	1.2	3
494	Promoting Alcohol Reduction in Non-Treatment Seeking parents (PAReNTS): a protocol for a pilot feasibility cluster randomised controlled trial of alcohol screening and brief interventions to reduce parental alcohol use disorders in vulnerable families. Pilot and Feasibility Studies, 2018, 4, 111.	1.2	6
495	Information standards for recording alcohol use in electronic health records: findings from a national consultation. BMC Medical Informatics and Decision Making, 2018, 18, 36.	3.0	8
496	Predictors of treatment initiation for alcohol use disorders in primary care. Drug and Alcohol Dependence, 2018, 191, 56-62.	3.2	12
497	Design and development of a complex narrative intervention delivered by text messages to reduce binge drinking among socially disadvantaged men. Pilot and Feasibility Studies, 2018, 4, 105.	1.2	3
498	Does Documented Brief Intervention Predict Decreases in Alcohol Use in Primary Care?. Substance Use and Misuse, 2018, 53, 1633-1637.	1.4	1
499	Effectiveness of brief psychological interventions for suicidal presentations: a systematic review. BMC Psychiatry, 2018, 18, 120.	2.6	55
500	Texting to Reduce Alcohol Misuse (TRAM): main findings from a randomized controlled trial of a text message intervention to reduce binge drinking among disadvantaged men. Addiction, 2018, 113, 1609-1618.	3.3	21
501	Design and feasibility testing of a novel group intervention for young women who binge drink in groups. PLoS ONE, 2018, 13, e0193434.	2.5	0
502	Prevention Strategies for Hepatocellular Carcinoma. Molecular and Translational Medicine, 2019, , 255-289.	0.4	2
503	Service Access and Self-Reporting: Tailoring SBIRT to Active Duty Military in Civilian Health Care Settings. Journal of Social Work Practice in the Addictions, 2019, 19, 177-187.	0.7	1

#	Article	IF	CITATIONS
504	Design and outcome measures for the AB InBev Global Smart Drinking Goals evaluation. Contemporary Clinical Trials Communications, 2019, 16, 100458.	1.1	8
505	The Salt Swap intervention to reduce salt intake in people with high blood pressure: protocol for a feasibility randomised controlled trial. Trials, 2019, 20, 584.	1.6	8
506	Prevention, screening, and treatment for heavy drinking and alcohol use disorder. Lancet Psychiatry,the, 2019, 6, 1054-1067.	7.4	82
507	Association of Mental Health Disorders With Health Care Utilization and Costs Among Adults With Chronic Disease. JAMA Network Open, 2019, 2, e199910.	5.9	96
508	The efficacy of a brief intervention to reduce alcohol use in persons with HIV in South Africa, a randomized clinical trial. PLoS ONE, 2019, 14, e0220799.	2.5	22
509	Reliability of the Clinical SBIRT Proficiency Checklist for Medical Students. Medical Science Educator, 2019, 29, 1013-1016.	1.5	1
510	Antenatal care for alcohol consumption during pregnancy: pregnant women's reported receipt of care and associated characteristics. BMC Pregnancy and Childbirth, 2019, 19, 299.	2.4	29
511	A structured telephone-delivered intervention to reduce problem alcohol use (Ready2Change): study protocol for a parallel group randomised controlled trial. Trials, 2019, 20, 515.	1.6	6
512	Vida PURA: results from a pilot randomized trial of a culturally adapted screening and brief intervention to reduce unhealthy alcohol use among Latino day laborers. Translational Behavioral Medicine, 2019, 9, 1233-1243.	2.4	16
513	Graphical augmentations to sampleâ€sizeâ€based funnel plot in metaâ€analysis. Research Synthesis Methods, 2019, 10, 376-388.	8.7	22
514	The effect of the severity of parental alcohol abuse on mental and behavioural disorders in children. European Child and Adolescent Psychiatry, 2019, 28, 913-922.	4.7	45
515	Substance use and its effect on antiretroviral treatment adherence among male fisherfolk living with HIV/AIDS in Uganda. PLoS ONE, 2019, 14, e0216892.	2.5	12
516	The acceptability of addressing alcohol consumption as a modifiable risk factor for breast cancer: a mixed method study within breast screening services and symptomatic breast clinics. BMJ Open, 2019, 9, e027371.	1.9	31
517	What do cost-effective health behaviour-change interventions contain? A comparison of six domains. PLoS ONE, 2019, 14, e0213983.	2.5	20
518	Quantifying harms to others due to alcohol consumption in Germany: a register-based study. BMC Medicine, 2019, 17, 59.	5.5	33
519	Identification and management of alcohol use and illicit substance use in outpatient psychiatric clinics in Sweden: a national survey of clinic directors and staff. Addiction Science & Clinical Practice, 2019, 14, 10.	2.6	6
520	Feasibility of Brief Screening for At-Risk Gambling in Consumer Credit Counseling. Journal of Gambling Studies, 2019, 35, 1423-1439.	1.6	12
521	Evidence-based models of care for the treatment of alcohol use disorder in primary health care settings: protocol for systematic review. Systematic Reviews, 2019, 8, 275.	5.3	3

ARTICLE IF CITATIONS Effectiveness of physical activity promotion and exercise referral in primary care: protocol for a 522 5.3 6 systematic review and meta-analysis of randomised controlled trials. Systematic Reviews, 2019, 8, 303. State-of-the-Art Treatment of Alcohol Use Disorder., 2019, , 123-135. Extending alcohol brief advice into non-clinical community settings: a qualitative study of 524 2.2 3 experiences and perceptions of delivery staff. BMC Health Services Research, 2019, 19, 11. Treating alcohol-related liver disease from a public health perspective. Journal of Hepatology, 2019, 70, 223-236. Reducing alcohol-related harm in Australia: a simple data-based tool to assist prioritization of 526 1.9 0 research and health care delivery in primary care. Family Practice, 2019, 36, 473-478. State-of-the-art behavioral and pharmacological treatments for alcohol use disorder. American Journal of Drug and Alcohol Abuse, 2019, 45, 124-140. 2.1 Brief Counseling for Veterans with Musculoskeletal Disorder, Risky Substance Use, and Service 528 1.9 9 Connection Claims. Pain Medicine, 2019, 20, 528-542. Application of System Dynamics to Inform a Model of Adolescent SBIRT Implementation in Primary Care 529 1.4 Settings. Journal of Behavioral Health Services and Research, 2020, 47, 230-244. The Association Between Adverse Child Health, Psychological, Educational and Social Outcomes, and 530 Nondependent Parental Substance: A Rapid Evidence Assessment. Trauma, Violence, and Abuse, 2020, 21, 6.2 27 470-483. Therapist and computer $\hat{a}\in$  based brief interventions for drug use within a randomized controlled trial: effects on parallel trajectories of alcohol use, cannabis use and anxiety symptoms. Addiction, 2020, 3.3 115, 158-169. Adaptation of and Protocol for the Validation of the Alcohol Use Disorders Identification Test (AUDIT) in the Russian Federation for Use in Primary Healthcare. Alcohol and Alcoholism, 2020, 55, 532 11 1.6 624-630. Alcohol identification and brief advice in England's criminal justice system: a review of the evidence. Journal of Substance Use, 2020, 25, 591-597. Common Elements Treatment Approach (CETA) for unhealthy alcohol use among persons with HIV in 534 Zambia: Study protocol of the ZCAP randomized controlled trial. Addictive Behaviors Reports, 2020, 1.9 10 12, 100278. Implementing primary healthcare-based measurement, advice and treatment for heavy drinking and comorbid depression at the municipal level in three Latin American countries: final protocol for a 16 quasiexperimental study (SCALA study). BMJ Open, 2020, 10, e038226. Evidence based models of care for the treatment of alcohol use disorder in primary health care 536 2.9 9 settings: a systematic review. BMC Family Practice, 2020, 21, 260. Participant engagement in a community based participatory research study to reduce alcohol use among Latino immigrant men. Health Education Research, 2020, 35, 627-636. Associations Between Medical Conditions and Alcohol Consumption Levels in an Adult Primary Care 538 5.942 Population. JAMA Network Open, 2020, 3, e204687. Containment and care? A qualitative interview study exploring police custody staff views about delivering brief alcohol interventions to heavy drinking arrestees. Drugs: Education, Prevention and 1.3 Policy, 2020, 27, 436-444.

#	Article	IF	CITATIONS
540	Documented brief intervention associated with reduced linkage to specialty addictions treatment in a national sample of VA patients with unhealthy alcohol use with and without alcohol use disorders. Addiction, 2020, 115, 668-678.	3.3	24
541	Drink goal difficulty effect on outcomes in moderation-based alcohol treatment for sexual minority men. Journal of Substance Abuse Treatment, 2020, 112, 1-9.	2.8	6
542	Feasibility of alcohol screening and brief intervention in primary health care in Kazakhstan: study protocol of a pilot cluster randomised trial. Pilot and Feasibility Studies, 2020, 6, 3.	1.2	5
543	Stakeholders' perceptions and experiences of the National Health Service diabetes prevention programme in England: qualitative study with service users, intervention providers and deliverers, commissioners and referrers. BMC Health Services Research, 2020, 20, 307.	2.2	12
544	Brief alcohol intervention at a municipal registry office: reach and retention. European Journal of Public Health, 2021, 31, 418-423.	0.3	9
545	Can We Talk about Alcohol for a Minute? Thoughts and Opinions Expressed by Health Professionals and Patients at a Somatic Hospital. Alcoholism Treatment Quarterly, 2021, 39, 119-130.	0.8	4
546	Implementation Protocol To Increase Problematic Alcohol Use Screening and Brief Intervention in Brazil's National Health System. International Journal of Mental Health and Addiction, 2021, 19, 72-90.	7.4	1
547	Integrating a brief alcohol intervention with tobacco addiction treatment in primary care: qualitative study of health care practitioner perceptions. Addiction Science & amp; Clinical Practice, 2021, 16, 17.	2.6	9
548	Effects of Internet-Based Cognitive Behavioral Therapy for Harmful Alcohol Use and Alcohol Dependence as Self-help or With Therapist Guidance: Three-Armed Randomized Trial. Journal of Medical Internet Research, 2021, 23, e29666.	4.3	17
549	Help-Seeking Patterns and Barriers to Care Among Latino Immigrant Men with Unhealthy Alcohol Use. Journal of Racial and Ethnic Health Disparities, 2022, 9, 1003-1011.	3.2	4
551	Effectiveness of Digital Interventions for Reducing Behavioral Risks of Cardiovascular Disease in Nonclinical Adult Populations: Systematic Review of Reviews. Journal of Medical Internet Research, 2021, 23, e19688.	4.3	26
552	Uncovering undiagnosed liver disease: prevalence and opportunity for intervention in a population attending colonoscopy. BMJ Open Gastroenterology, 2021, 8, e000638.	2.7	7
553	Computerized Relational Agent to Deliver Alcohol Brief Intervention and Referral to Treatment in Primary Care: a Randomized Clinical Trial. Journal of General Internal Medicine, 2022, 37, 70-77.	2.6	17
554	Refining the content and design of an alcohol reduction app, Drink Less, to improve its usability and effectiveness: a mixed methods approach. F1000Research, 2021, 10, 511.	1.6	6
555	Predictors of early and sustained cessation of heavy drinking over 5Âyears among adult primary care patients. Addiction, 2022, 117, 82-95.	3.3	4
556	Meta-analysis of Pragmatic and. Methods in Molecular Biology, 2022, 2345, 147-158.	0.9	3
557	Impact of Training and Municipal Support on Primary Health Care–Based Measurement of Alcohol Consumption in Three Latin American Countries: 5-Month Outcome Results of the Quasi-experimental Randomized SCALA Trial. Journal of General Internal Medicine, 2021, 36, 2663-2671.	2.6	10
558	Risikokommunikation im Internet. , 2016, , 421-440.		2

#	Article	IF	CITATIONS
559	Brief Intervention. , 2009, , 189-213.		12
560	Suchterkrankungen. , 2012, , 291-346.		3
561	Konsiliar- und Liaisondienste für psychische Störungen. , 2012, , 895-917.		2
565	Treatment of depression and PTSD in primary care clinics serving uninsured low-income mostly Latina/o immigrants: A naturalistic prospective evaluation Cultural Diversity and Ethnic Minority Psychology, 2019, 25, 579-589.	2.0	6
566	The relative impact of brief treatment versus brief intervention in primary healthâ€care screening programs for substance use disorders. Addiction, 2017, 112, 54-64.	3.3	24
567	Randomised controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website: cost-effectiveness analysis. BMJ Open, 2017, 7, e014577.	1.9	12
568	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. F1000Research, 2017, 6, 311.	1.6	9
569	Updating the evidence on the effectiveness of the alcohol reduction app, Drink Less: using Bayes factors to analyse trial datasets supplemented with extended recruitment. F1000Research, 2019, 8, 114.	1.6	5
570	Updating the evidence on the effectiveness of the alcohol reduction app, Drink Less: using Bayes factors to analyse trial datasets supplemented with extended recruitment. F1000Research, 2019, 8, 114.	1.6	14
571	Clinical Guideline Highlights for the Hospitalist: Initial Management of Acute Pancreatitis in the Hospitalized Adult. Journal of Hospital Medicine, 2019, 14, 764-765.	1.4	3
572	Interventions in alcohol use. Independent Nurse, 2012, 2012, .	0.1	1
573	On-line Randomized Controlled Trial of an Internet Based Psychologically Enhanced Intervention for People with Hazardous Alcohol Consumption. PLoS ONE, 2011, 6, e14740.	2.5	87
574	Development and Validation of a Risk Model for Prediction of Hazardous Alcohol Consumption in General Practice Attendees: The PredictAL Study. PLoS ONE, 2011, 6, e22175.	2.5	6
575	Health on the Web: Randomised Controlled Trial of Online Screening and Brief Alcohol Intervention Delivered in a Workplace Setting. PLoS ONE, 2014, 9, e112553.	2.5	31
576	Informing Investment to Reduce Inequalities: A Modelling Approach. PLoS ONE, 2016, 11, e0159256.	2.5	25
577	Percepção da sÃndrome de dependência por pacientes em tratamento. Jornal Brasileiro De Psiquiatria, 2008, 57, 196-202.	0.7	6
578	Brief interventions for alcohol and other drug use. Australian Prescriber, 2018, 41, 117-121.	1.0	6
579	Predicting Successful Treatment Outcome of Web-Based Self-help for Problem Drinkers: Secondary Analysis From a Randomized Controlled Trial Journal of Medical Internet Research, 2008, 10, e46	4.3	48

#	Article	IF	CITATIONS
580	Effectiveness of E-Self-help Interventions for Curbing Adult Problem Drinking: A Meta-analysis. Journal of Medical Internet Research, 2011, 13, e42.	4.3	221
581	Internet-Based Brief Personalized Feedback Intervention in a Non-Treatment-Seeking Population of Adult Heavy Drinkers: A Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e98.	4.3	32
582	Comparison of Two Internet-Based Interventions for Problem Drinkers: Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e107.	4.3	67
583	The Effectiveness of Electronic Screening and Brief Intervention for Reducing Levels of Alcohol Consumption: A Systematic Review and Meta-Analysis. Journal of Medical Internet Research, 2014, 16, e142.	4.3	139
584	Behavior Change Techniques in Popular Alcohol Reduction Apps. Journal of Medical Internet Research, 2015, 17, e118.	4.3	149
585	Reported Theory Use by Digital Interventions for Hazardous and Harmful Alcohol Consumption, and Association With Effectiveness: Meta-Regression. Journal of Medical Internet Research, 2018, 20, e69.	4.3	35
586	Constructing a Theory- and Evidence-Based Treatment Rationale for Complex eHealth Interventions: Development of an Online Alcohol Intervention Using an Intervention Mapping Approach. JMIR Research Protocols, 2013, 2, e6.	1.0	45
587	Psychosocial Interventions for Alcohol Use Among Problem Drug Users: Protocol for a Feasibility Study in Primary Care. JMIR Research Protocols, 2013, 2, e26.	1.0	15
588	Development of an Electronic Alcohol Screening and Brief Intervention Program for Hospital Outpatients With Unhealthy Alcohol Use. JMIR Research Protocols, 2013, 2, e36.	1.0	13
589	Download Your Doctor: Implementation of a Digitally Mediated Personal Physician Presence to Enhance Patient Engagement With a Health-Promoting Internet Application. JMIR Research Protocols, 2016, 5, e36.	1.0	11
590	A Participatory Health Promotion Mobile App Addressing Alcohol Use Problems (The Daybreak) Tj ETQq0 0 0 rgB <sup>-</sup>	/Overlock	10 Tf 50 34
591	The organisation and delivery of health improvement in general practice and primary care: a scoping study. Health Services and Delivery Research, 2015, 3, 1-180.	1.4	16
592	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. Programme Grants for Applied Research, 2020, 8, 1-144.	1.0	7
593	Prevalence, pattern, and correlates of alcohol misuse among male patients attending rural primary care in India. Journal of Pharmacy and Bioallied Sciences, 2017, 9, 66.	0.6	7
594	Project nGage: Network Supported HIV Care Engagement for Younger Black Men Who Have Sex with Men and Transgender Persons. Journal of AIDS & Clinical Research, 2013, 04, .	0.5	29
595	Effects of brief substance use interventions delivered in general medical settings: a systematic review and metaâ€analysis. Addiction, 2022, 117, 877-889.	3.3	15
596	Perceptions of Patients' Alcohol Use and Related Problems Among Primary Care Professionals in Rio de Janeiro. International Journal of Mental Health and Addiction, 0, , 1.	7.4	0
597	Brief Interventions for the Treatment of Alcohol or Other Drug Addiction. , 2010, , 783-796.		0

#	Article	IF	CITATIONS
599	17 Behavioural medicine. , 2010, , 167-175.		0
600	Störungen durch Alkohol. , 2011, , 1341-1370.		0
601	Services for alcohol use disorders. , 2012, , 459-467.		0
602	Other Drug Use. , 2013, , 129-145.		0
603	Bottom-Up Policy Risk Assessment. , 2014, , 131-198.		1
605	Individual interventions toÂtreat obesity. , 2014, , 84-102.		0
608	Balancing Value and Cost. , 2014, , 169-198.		2
609	Screening, Early Detection and Brief Intervention for Alcohol Use Disorders. , 2015, , 191-206.		0
611	Suchterkrankungen. , 2015, , 291-347.		1
612	Medical Practice Variations in Mental Health and Addictions Care. , 2015, , 1-41.		2
613	Detection of persons at risk for harmful alcohol consumption during prophylactic medical examinations: methodological aspects. Profilakticheskaya Meditsina, 2015, 18, 12.	0.6	2
614	How Do Interventions and Brief Psychotherapies Work? Evaluating the Change Processes in Drug User's Interventions. , 2016, , 129-150.		0
615	Early detection of alcohol users with hazardous consequences and their primary health care: A review of literature. Profilakticheskaya Meditsina, 2016, 19, 51.	0.6	5
617	Assessing and Enhancing Psychosocial Functioning. , 2016, , 365-376.		0
618	UPBEAT-UK: a programme of research into the relationship between coronary heart disease and depression in primary care patients. Programme Grants for Applied Research, 2016, 4, 1-172.	1.0	4
620	Alcohol Abuse. , 2017, , 1-5.		0
621	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. F1000Research, 0, 6, 311.	1.6	2
622	Scaling-up primary health care-based prevention and management of heavy drinking at the municipal level in middle-income countries in Latin America: Background and protocol for a three-country quasi-experimental study. F1000Research, 2017, 6, 311.	1.6	9

ARTICLE IF CITATIONS Alcohol Abuse. , 2018, , 96-100. 0 623 Planning Investment in Alcohol Services., 2019, , 209-228. 624 Brief Interventions as Evidence-Based Prevention Strategies. Advances in Prevention Science, 2019, , 625 0.3 2 181-192. Updated Positions of Consultancy of the Patient with Drinking Alcohol Problems in the Family 0.1 Doctor's Practice (Based on Éuropean Experience). Family Medicine, 2020, . Preoperative behavioural intervention to reduce drinking before elective orthopaedic surgery: the 627 2.8 9 PRE-OP BIRDS feasibility RCT. Health Technology Assessment, 2020, 24, 1-176. Does knowledge of liver fibrosis affect high-risk drinking behaviour (KLIFAD)? protocol for a feasibility randomised controlled trial. BMJ Open, 2021, 11, e054954. Evaluating the Efficacy of a Mobile App (Drinks:Ration) and Personalized Text and Push Messaging to 629 Reduce Alcohol Consumption in a Veteran Population: Protocol for a Randomized Controlled Trial. 1.0 13 JMIR Research Protocols, 2020, 9, e19720. Patients with Substance Use Disorder and Addiction: Acute Pain Including Perioperative Issues., 2021, 1241-1253. Front-office staff can improve clinical tobacco intervention: health coordinator pilot project. 632 0.4 2 Canadian Family Physician, 2013, 59, e499-506. Interventions targeting HIV-infected risky drinkers: drops in the bottle. Alcohol Research, 2010, 33, 1.0 28 267-79. The recovery spectrum: from self-change to seeking treatment. Alcohol Research, 2011, 33, 371-9. 634 1.0 23 Screening for lifestyle and mental health risk factors in the waiting room: feasibility study of the 0.4 Case-finding Health Assessment Tool. Canadian Family Physician, 2014, 60, e527-34. Putting the Screen in Screening: Technology-Based Alcohol Screening and Brief Interventions in 636 19 Medical Settings., 2014, 36, 63-79. Paradigm shift: Moving the management of alcohol use disorders from specialized care to primary care. Canadian Family Physician, 2015, 61, 491-3, 495-7. 0.4 Primary care management of alcohol use disorder and at-risk drinking: Part 2: counsel, prescribe, 638 0.4 13 connect. Canadian Family Physician, 2015, 61, 515-21. From Policy to Practice: Implementation of Treatment for Substance Misuse in Québec Primary Healthcare Clinics. Healthcare Policy, 2015, 11, 86-101. Screening, Early Detection, and Brief Intervention of Alcohol Use Disorders., 2021, 569-584. 640 1 Effectiveness, Cost-effectiveness, and Cost-Utility of a Digital Alcohol Moderation Intervention for 642 Cancer Survivors: Health Economic Evaluation and Outcomes of a Pragmatic Randomized Controlled 4.3 Trial. Journal of Medical Internet Research, 2022, 24, e30095.

#	Article	IF	CITATIONS
643	PRACT: a pragmatic randomized adaptive clinical trial protocol to investigate a culturally adapted brief negotiational intervention for alcohol use in the emergency department in Tanzania. Trials, 2022, 23, 120.	1.6	8
644	Association between cigarette smoking status and voting intentions: Cross sectional surveys in England 2015-2020. BMC Public Health, 2021, 21, 2254.	2.9	1
645	Evaluating risk for alcohol use disorder: Polygenic risk scores and family history. Alcoholism: Clinical and Experimental Research, 2022, 46, 374-383.	2.4	16
647	Systematic overview of systematic reviews and clinical guidelines: assessment and prevention of behavioural risk factors associated with oral cancer to inform dental professionals in primary care dental practices. Evidence-Based Dentistry, 2022, , .	0.8	1
648	Costs and Implementation Effectiveness of Generalist Versus Specialist Models for Adolescent Screening and Brief Intervention in Primary Care Journal of Studies on Alcohol and Drugs, 2022, 83, 231-238.	1.0	0
649	Alcohol, Drinking Pattern, and Chronic Disease. Nutrients, 2022, 14, 1954.	4.1	28
650	Improving screening, treatment, and intervention for unhealthy alcohol use in primary care through clinic, practice-based research network, and health plan partnerships: Protocol of the ANTECEDENT study. PLoS ONE, 2022, 17, e0269635.	2.5	0
651	Blended-eLearning Improves Alcohol Use Care in Kenya: Pragmatic Randomized Control Trial Results and Parallel Qualitative Study Implications. International Journal of Mental Health and Addiction, 0, ,	7.4	4
652	Rethinking Unhealthy Alcohol Use in the United States: A Structured Review. Substance Abuse: Research and Treatment, 2022, 16, 117822182211118.	0.9	3
653	Description of a Pharmacy COVID Champion Scheme in South East London to Reduce Vaccine Hesitancy. Pharmacy (Basel, Switzerland), 2022, 10, 143.	1.6	1
654	Screening and Brief Intervention in Substance Use Disorders: Its Clinical Utility and Feasibility Update from Available Literatures. , 0, , .		0
655	Behandlung von riskantem, schÄ <b>d</b> lichem und abhÄ <b>¤</b> gigem Alkoholgebrauch. , 2022, , 51-356.		0
656	Feasibility of SMS booster for alcohol reduction in injury patients in Tanzania. PLOS Global Public Health, 2022, 2, e0000410.	1.6	0
658	Development of a Secondary Prevention Smartphone App for Students With Unhealthy Alcohol Use: Results From a Qualitative Assessment. JMIR Human Factors, 0, 10, e41088.	2.0	2
659	Current and emerging therapies for alcohol-associated hepatitis. Liver Research, 2023, 7, 35-46.	1.4	2
660	How Notifications Affect Engagement With a Behavior Change App: Results From a Micro-Randomized Trial. JMIR MHealth and UHealth, 0, 11, e38342.	3.7	2
661	Testing a Screening, Brief Intervention, and Referral to Treatment Intervention Approach for Addressing Unhealthy Alcohol and Other Drug Use in Humanitarian Settings: Protocol of the Ukuundapwa Chapamo Randomised Controlled Trial. Intervention, 2023, 21, 58.	0.9	1
662	Alcohol and smoking brief interventions by socioeconomic position: a population-based, cross-sectional study in Great Britain. BJGP Open, 2023, 7, BJGPO.2023.0087.	1.8	2

#	Article	IF	CITATIONS
664	Digital interventions targeting excessive substance use and substance use disorders: a comprehensive and systematic scoping review and bibliometric analysis. Frontiers in Psychiatry, 0, 15, .	2.6	0