

CITATION REPORT

List of articles citing

Highly-ordered TiO₂nanotube arrays up to 220 μm in length: use in water photoelectrolysis and dye-sensitized solar cells

DOI: 10.1088/0957-4484/18/6/065707
Nanotechnology, 2007, 18, 065707.

Source: <https://exaly.com/paper-pdf/42427993/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
639	Self-assembled hybrid polymer-TiO ₂ nanotube array heterojunction solar cells. 2007 , 23, 12445-9		181
638	A New Benchmark for TiO ₂ Nanotube Array Growth by Anodization. 2007 , 111, 7235-7241		527
637	Vertically oriented Ti-Fe-O nanotube array films: toward a useful material architecture for solar spectrum water photoelectrolysis. 2007 , 7, 2356-64		355
636	Self-organized TiO ₂ nanotube arrays by anodization of Ti substrate: Effect of anodization time, voltage and medium composition on oxide morphology and photoelectrochemical response. 2007 , 22, 3186-3195		24
635	TiO ₂ Nanotube Arrays of 1000 nm Length by Anodization of Titanium Foil: Phenol Red Diffusion. 2007 , 111, 14992-14997		430
634	Synthesis and application of highly ordered arrays of TiO ₂ nanotubes. 2007 , 17, 1451		523
633	Fabrication of Vertically Oriented TiO ₂ Nanotube Arrays Using Dimethyl Sulfoxide Electrolytes. 2007 , 111, 13770-13776		134
632	Fabrication and Catalytic Properties of CoAgPt Nanoparticle-Decorated Titania Nanotube Arrays. 2007 , 111, 8214-8217		85
631	Recent Advances in Dye-Sensitized Solar Cells. 2007 , 2007, 1-10		58
630	Fabrication and catalytic properties of Pt and Ru decorated TiO ₂ CNTs catalyst for methanol electrooxidation. 2007 , 9, 2467-2472		64
629	Inorganic fullerenes and nanotubes: Wealth of materials and morphologies. 2007 , 149, 71-101		32
628	Synthesis and bioactivity of highly ordered TiO ₂ nanotube arrays. 2008 , 255, 365-367		27
627	Enzymatic hydrogen production by light-sensitized anodized tubular TiO ₂ photoanode. 2008 , 92, 402-409		34
626	Fabrication of TiAlZr alloy oxide nanotube arrays in organic electrolytes by anodization. 2008 , 38, 1229-1232	7	
625	Advances in the application of nanotechnology in enabling a hydrogen economy. 2008 , 43, 5395-5429		171
624	Dye-sensitized solar cells based on TiO ₂ nanotube/porous layer mixed morphology. 2008 , 92, 589-593		30
623	Nanoporous oxides of refractory metals: fabrication and properties. 2008 , 5, 3690-3693		2

622	New architectures for dye-sensitized solar cells. 2008 , 14, 4458-67	242
621	Low-Potential Sensitive Hydrogen Peroxide Detection Based on Nanotubular TiO ₂ and Platinum Composite Electrode. 2008 , 20, 970-975	61
620	An electro-catalytic biosensor fabricated with Pt-Au nanoparticle-decorated titania nanotube array. 2008 , 74, 62-5	102
619	CdS quantum dots sensitized TiO ₂ nanotube-array photoelectrodes. 2008 , 130, 1124-5	986
618	Formation and characterization of self-organized TiO ₂ nanotube arrays by pulse anodization. 2008 , 130, 965-74	102
617	Template-Directed Synthesis of Oxide Nanotubes: Fabrication, Characterization, and Applications. 2008 , 20, 756-767	268
616	Sulfur-Doped Highly Ordered TiO ₂ Nanotubular Arrays with Visible Light Response. 2008 , 112, 5405-5409	173
615	Freestanding TiO ₂ Nanotube Arrays with Ultrahigh Aspect Ratio via Electrochemical Anodization. 2008 , 20, 1257-1261	262
614	Photoelectrochemical and water photoelectrolysis properties of ordered TiO ₂ nanotubes fabricated by Ti anodization in fluoride-free HCl electrolytes. 2008 , 18, 2341	181
613	Atomic Layer Deposition of TiO ₂ on Aerogel Templates: New Photoanodes for Dye-Sensitized Solar Cells. 2008 , 112, 10303-10307	112
612	Physical electrochemistry of nanostructured devices. 2008 , 10, 49-72	191
611	Highly Ordered TiO ₂ Nanotube Arrays with Controllable Length for Photoelectrocatalytic Degradation of Phenol. 2008 , 112, 253-259	336
610	Fabrication and Characterization of Anodic Titanium Oxide Nanotube Arrays of Controlled Length for Highly Efficient Dye-Sensitized Solar Cells. 2008 , 112, 19151-19157	127
609	High carrier density and capacitance in TiO ₂ nanotube arrays induced by electrochemical doping. 2008 , 130, 11312-6	343
608	Growth, detachment and transfer of highly-ordered TiO ₂ nanotube arrays: use in dye-sensitized solar cells. 2008 , 2867-9	209
607	Efficient inverted solar cells using TiO ₂ nanotube arrays. <i>Nanotechnology</i> , 2008 , 19, 255202	3-4 105
606	Synthesis of ordered arrays of discrete, partially crystalline titania nanotubes by Ti anodization using diethylene glycol electrolytes. 2008 , 18, 3332	77
605	Self-organized regular arrays of anodic TiO ₂ nanotubes. 2008 , 8, 3171-3	163

604	Effect of device geometry on the performance of TiO ₂ nanotube array-organic semiconductor double heterojunction solar cells. 2008 , 354, 2767-2771		64
603	Photoelectrochemical Properties of Heterojunction CdTe/TiO ₂ Electrodes Constructed Using Highly Ordered TiO ₂ Nanotube Arrays. 2008 , 20, 5266-5273		208
602	Photoelectrolysis of water using heterostructural composite of TiO ₂ nanotubes and nanoparticles. 2008 , 41, 245103		25
601	Synthesis and Characterization of Self-Organized Oxide Nanotube Arrays via a Facile Electrochemical Anodization. 2008 , 112, 19852-19859		13
600	A Study of Titania Nanotube Synthesis in Chloride-Ion-Containing Media. <i>Journal of the Electrochemical Society</i> , 2008 , 155, E7	3.9	29
599	The Effectiveness of Sputtered PtCo Catalysts on TiO ₂ Nanotube Arrays for the Oxygen Reduction Reaction. <i>Journal of the Electrochemical Society</i> , 2008 , 155, B1128	3.9	31
598	Fabrication of TiO ₂ Nanotube Thin Films and Their Gas Sensing Properties. 2009 , 2009, 1-19		17
597	Simple and fast annealing synthesis of titanium dioxide nanostructures and morphology transformation during annealing processes. <i>Nanotechnology</i> , 2009 , 20, 105608	3.4	21
596	Fabrication and Characterization of Dye-Sensitized Solar Cell Using TiO ₂ -Nanotube Particles by Anodic Oxidation. <i>Japanese Journal of Applied Physics</i> , 2009 , 48, 08HK07	1.4	2
595	Size- and density-controlled synthesis of TiO ₂ nanodots on a substrate by phase-separation-induced self-assembly. <i>Nanotechnology</i> , 2009 , 20, 215605	3.4	26
594	Photoelectrochemical Study of Nanostructured ZnO Thin Films for Hydrogen Generation from Water Splitting. 2009 , 19, 1849-1856		389
593	Templated organic and hybrid materials for optoelectronic applications. 2009 , 30, 1146-66		81
592	Ultrasound aided photochemical synthesis of Ag loaded TiO ₂ nanotube arrays to enhance photocatalytic activity. 2009 , 171, 1045-50		209
591	Self-organized TiO ₂ nanotubes in mixed organic/inorganic electrolytes and their photoelectrochemical performance. 2009 , 54, 6536-6542		70
590	Fabrication of MgO-coated TiO ₂ nanotubes and application to dye-sensitized solar cells. 2009 , 23, 146-149		15
589	Synthesis and variable temperature electrical conductivity studies of highly ordered TiO ₂ nanotubes. 2009 , 44, 4613-4616		23
588	Preparation of TiO ₂ thin film by the LPD method on functionalized organic self-assembled monolayers. 2009 , 52, 137-140		11
587	Highly ordered self-organized TiO ₂ nanotube arrays prepared by a multi-step anodic oxidation process. 2009 , 15, 493-499		27

586	A mechanism for the formation of annealed compact oxide layers at the interface between anodic titania nanotube arrays and Ti foil. 2009 , 95, 889-898	19
585	Photoelectrochemical water splitting using dense and aligned TiO ₂ nanorod arrays. 2009 , 5, 104-11	344
584	Long vertically aligned titania nanotubes on transparent conducting oxide for highly efficient solar cells. 2009 , 4, 592-7	675
583	Effect of a galvanostatic treatment on the preparation of highly ordered TiO ₂ nanotubes. 2009 , 54, 3794-3798	29
582	Effect of electric field strength on the length of anodized titania nanotube arrays. 2009 , 637, 6-12	64
581	Preparation of short, robust and highly ordered TiO ₂ nanotube arrays and their applications as electrode. 2009 , 92, 326-332	61
580	Anatase type titania nanotube arrays direct fabricated by anodization without annealing. 2009 , 255, 3659-3663	38
579	Effects of anodization growth of TiO ₂ -nanotube array membrane on photo-conversion efficiency of dye-sensitized solar cell. 2009 , 5, 7-11	19
578	Conclusions and New Directions. 2009 , 315-345	
577	Fabrication of TiO ₂ Nanotube Arrays by Electrochemical Anodization: Four Synthesis Generations. 2009 , 1-66	4
576	Material Properties of TiO ₂ Nanotube Arrays: Structural, Elemental, Mechanical, Optical and Electrical. 2009 , 67-113	6
575	TiO ₂ Nanotube Arrays: Application to Photoelectrochemical Water Splitting. 2009 , 149-216	2
574	Dye-Sensitized and Bulk-Heterojunctions Solar Cells: TiO ₂ Nanotube Arrays as a Base Material. 2009 , 217-283	
573	The growth of a c-axis highly oriented sandwiched TiO ₂ film with superhydrophilic properties without UV irradiation on SnO:F substrate. <i>Nanotechnology</i> , 2009 , 20, 235605	3-4 22
572	Influence of electrolyte pH on TiO ₂ nanotube formation by Ti anodization. 2009 , 485, 478-483	68
571	A Method for Fabrication of Pyramid-Shaped TiO ₂ Nanoparticles with a High {001} Facet Percentage. 2009 , 113, 12954-12957	87
570	Enhanced Photoelectrocatalytic Degradation of Methylene Blue on Smooth TiO ₂ Nanotube Array and Its Impedance Analysis. <i>Journal of the Electrochemical Society</i> , 2009 , 156, K65	3-9 31
569	Anodic Formation of Ordered TiO ₂ Nanotube Arrays: Effects of Electrolyte Temperature and Anodization Potential. 2009 , 113, 4026-4030	223

568	Recent Advances in the Use of TiO ₂ Nanotube and Nanowire Arrays for Oxidative Photoelectrochemistry. 2009 , 113, 6327-6359		715
567	Photo-induced effects on self-organized TiO ₂ nanotube arrays: the influence of surface morphology. <i>Nanotechnology</i> , 2009 , 20, 045603	3-4	71
566	Formation of various TiO ₂ nanostructures from electrochemically anodized titanium. 2009 , 19, 3682		93
565	Temperature-Dependent Growth of Self-Assembled Hematite (α-Fe ₂ O ₃) Nanotube Arrays: Rapid Electrochemical Synthesis and Photoelectrochemical Properties. 2009 , 113, 16293-16298		180
564	Large-Scale, Noncurling, and Free-Standing Crystallized TiO ₂ Nanotube Arrays for Dye-Sensitized Solar Cells. 2009 , 113, 6310-6314		194
563	Dye-sensitization of self-assembled titania nanotubes prepared by galvanostatic anodization of Ti sputtered on conductive glass. <i>Nanotechnology</i> , 2009 , 20, 365601	3-4	48
562	Got TiO ₂ nanotubes? Lithium ion intercalation can boost their photoelectrochemical performance. 2009 , 3, 3437-46		230
561	Effect of potassium adsorption on the photochemical properties of titania nanotube arrays. 2009 , 19, 2963		16
560	A TiO ₂ nanostructure transformation: from ordered nanotubes to nanoparticles. <i>Nanotechnology</i> , 2009 , 20, 405610	3-4	27
559	High-rate solar photocatalytic conversion of CO ₂ and water vapor to hydrocarbon fuels. 2009 , 9, 731-7		874
558	Surface passivation of highly ordered TiO ₂ nanotube arrays and application to dye-sensitized solar cells using the concept of isoelectric point. 2009 , 117, 596-599		16
557	Fast-rate formation of TiO ₂ nanotube arrays in an organic bath and their applications in photocatalysis. <i>Nanotechnology</i> , 2010 , 21, 365603	3-4	94
556	Toward solar fuels: photocatalytic conversion of carbon dioxide to hydrocarbons. 2010 , 4, 1259-78		1236
555	Formation of porous anodic titanium oxide films in hot phosphate/glycerol electrolyte. 2010 , 55, 3939-3943		23
554	CuO-loaded nano-porous SnO ₂ films fabricated by anodic oxidation and RIE process and their gas sensing properties. 2010 , 151, 1-7		44
553	Photoelectrochemical performance of TiO ₂ -nanotube-array film modified by decoration of TiO ₂ via liquid phase deposition. 2010 , 205, 2572-2577		16
552	Thermal annealing synthesis of titanium-dioxide nanowire-nanoparticle hetero-structures. 2010 , 183, 2268-2273		25
551	Ultra-long SiO ₂ and SiO ₂ /TiO ₂ tubes embedded with Pt nanoparticles using magnus green salt as templating structures. 2010 , 45, 1179-1188		9

550	Dye-sensitized solar cells using TiO ₂ nanoparticles transformed from nanotube arrays. 2010 , 45, 2902-2906	30
549	Broad Spectrum Light Harvesting in TiO ₂ Nanotube Array [Hemicyanine Dye [P3HT Hybrid Solid-State Solar Cells. 2010 , 16, 1573-1580	14
548	Comparison of trap-state distribution and carrier transport in nanotubular and nanoparticulate TiO ₂ electrodes for dye-sensitized solar cells. 2010 , 11, 2140-5	44
547	Removal of sunscreen compounds from swimming pool water using self-organized TiO ₂ nanotubular array electrodes. 2010 , 214, 257-263	22
546	Facile fabrication of free-standing TiO ₂ nanotube membranes with both ends open via self-detaching anodization. 2010 , 12, 1062-1065	71
545	Stable TiO ₂ nanotube arrays with high UV photoconversion efficiency. 2010 , 55, 2246-2251	26
544	Fabrication of nanoporous TiO ₂ by electrochemical anodization. 2010 , 55, 4359-4367	113
543	Electrochemical tuning of titania nanotube morphology in inhibitor electrolytes. 2010 , 55, 3703-3713	38
542	Electrochemically multi-anodized TiO ₂ nanotube arrays for enhancing hydrogen generation by photoelectrocatalytic water splitting. 2010 , 55, 4776-4782	117
541	Effects of anodization parameters on the formation of titania nanotubes in ethylene glycol. 2010 , 56, 905-912	54
540	Photogenerated cathodic protection of flower-like, nanostructured, N-doped TiO ₂ film on stainless steel. 2010 , 205, 557-564	66
539	Highly ordered TiO ₂ nanotube arrays and photoelectrocatalytic oxidation of aromatic amine. 2010 , 99, 96-102	68
538	Transparent conducting oxide glass grown with TiO ₂ -nanotube array for dye-sensitized solar cell. 2010 , 10, S176-S179	12
537	Synthesis of thick TiO ₂ nanotube arrays on transparent substrate by anodization technique. 2010 , 12, 668-671	9
536	Surface nanostructuring of TiO ₂ thin films by high energy ion irradiation. 2010 , 82,	26
535	On the photoconduction properties of low resistivity TiO ₂ nanotubes. <i>Nanotechnology</i> , 2010 , 21, 445703-4	45
534	Quantitative Measurements of Photocatalytic CO-Oxidation as a Function of Light Intensity and Wavelength over TiO ₂ Nanotube Thin Films in [Reactors. 2010 , 114, 11162-11168	22
533	Oxide nanowire networks and their electronic and optoelectronic characteristics. 2010 , 2, 1984-98	56

532	Dye-Sensitized TiO ₂ Nanotube Solar Cells with Markedly Enhanced Performance via Rational Surface Engineering. 2010 , 22, 579-584	249
531	Self-assembled TiO ₂ nanotube arrays by anodization of titanium in diethylene glycol: approach to extended pore widening. 2010 , 26, 417-20	91
530	Double-sided anodic titania nanotube arrays: a lopsided growth process. 2010 , 26, 18424-9	25
529	A NiO/TiO ₂ junction electrode constructed using self-organized TiO ₂ nanotube arrays for highly efficient photoelectrocatalytic visible light activations. 2010 , 43, 245202	32
528	Ordered TiO ₂ Nanotube Arrays on Transparent Conductive Oxide for Dye-Sensitized Solar Cells. 2010 , 22, 143-148	194
527	An efficient flexible dye-sensitized solar cell with a photoanode consisting of TiO ₂ nanoparticle-filled and SrO-coated TiO ₂ nanotube arrays. 2010 , 20, 7201	47
526	Synthesis and applications of electrochemically self-assembled titania nanotube arrays. 2010 , 12, 2780-800	226
525	Nanotechnology and dental implants. 2010 , 2010, 915327	71
524	Self-Organization of Anatase TiO ₂ Nanoparticles to Regular Shape Clusters. 2010 , 10, 1721-1724	5
523	Influence of anodisation voltage on the dimension of titania nanotubes. 2010 , 503, 359-364	65
522	High-density NiTiO ₃ /TiO ₂ nanotubes synthesized through sol-gel method using well-ordered TiO ₂ membranes as template. 2010 , 498, 37-41	31
521	A framework for visible-light water splitting. 2010 , 3, 1865	168
520	Semiconductor-based photocatalytic hydrogen generation. 2010 , 110, 6503-70	6015
519	Effect of nanostructured titanium on anodization growth of self-organized TiO ₂ nanotubes. <i>Nanotechnology</i> , 2010 , 21, 055602	3-4 26
518	CdS or CdSe decorated TiO ₂ nanotube arrays from spray pyrolysis deposition: use in photoelectrochemical cells. 2010 , 46, 2385-7	120
517	Nanotubes from Rutile TiO ₂ (110) Sheets: Formation and Properties. 2010 , 114, 9251-9256	19
516	Fabrication of uniform Ag/TiO ₂ nanotube array structures with enhanced photoelectrochemical performance. 2010 , 34, 1335	164
515	Gold Nanoparticles Modified Titania Nanotube Arrays for Amperometric Determination of Ascorbic Acid. 2010 , 43, 2809-2822	15

514	Flexible Solar Cells Made of Nanowires/Microwires. 2010 , 159-196	2
513	Dye-sensitized solar cell constructed with titanium mesh and 3-D array of TiO ₂ nanotubes. 2010 , 114, 14537-43	59
512	Fabrication of long TiO ₂ nanotube arrays in a short time using a hybrid anodic method for highly efficient dye-sensitized solar cells. 2010 , 20, 2753	93
511	Electrochemiluminescence of luminol on Ti/TiO ₂ NT electrode and its application for pentachlorophenol detection. 2010 , 135, 2806-10	18
510	Transparent electrodes of ordered opened-end TiO ₂ -nanotube arrays for highly efficient dye-sensitized solar cells. 2010 , 20, 1073-1077	155
509	Impact of adsorbed alkali ions on photoelectrochemical hydrogen production by titania nanotubes. 2010 , 3, 427	12
508	Preparation, characterization and application of titania nanotube arrays in dye-sensitized solar cells. 2011 ,	
507	3-D vertical arrays of TiO ₂ nanotubes on Ti meshes: Efficient photoanodes for water photoelectrolysis. 2011 , 21, 10354	42
506	Dye-sensitized solar cells with TiO ₂ nano-particles on TiO ₂ nano-tube-grown Ti substrates. 2011 , 21, 3558	40
505	A novel parallel configuration of dye-sensitized solar cells with double-sided anodic nanotube arrays. 2011 , 4, 2240	39
504	Effects of titania nanotube distance and arrangement during focused ion beam guided anodization. 2011 , 21, 8835	19
503	A facile route to aligned TiO ₂ nanotube arrays on transparent conducting oxide substrates for dye-sensitized solar cells. 2011 , 21, 5062	47
502	Self-standing crystalline TiO ₂ nanotubes/CNTs heterojunction membrane: synthesis and characterization. 2011 , 3, 952-5	31
501	Controlled growth of self-organized hexagonal arrays of metallic nanorods using template-assisted glancing angle deposition for superhydrophobic applications. 2011 , 3, 2332-40	33
500	A brief review on fabrication and applications of auto-organized TiO ₂ nanotube arrays. 2011 , 29,	6
499	Nanotube- and Nanorod-Based Dye-Sensitized Solar Cells. 2011 , 317-350	
498	Evaluation of asphaltene degradation on highly ordered TiO ₂ nanotubular arrays via variations in wettability. 2011 , 27, 1218-23	18
497	Controlled Growth of TiO ₂ Nanotubes on Conducting Glass. 2011 , 23, 155-162	25

496	Tuning TiO ₂ Photoelectrochemical Properties by Nanoring/Nanotube Combined Structure. 2011 , 115, 14635-14640	41
495	TiO ₂ nanotube membranes on transparent conducting glass for high efficiency dye-sensitized solar cells. <i>Nanotechnology</i> , 2011 , 22, 285201	3-4 31
494	Self-organized TiO ₂ nanotube arrays: synthesis by anodization in an ionic liquid and assessment of photocatalytic properties. 2011 , 3, 1359-65	95
493	Growth of Various TiO ₂ Nanostructures for Dye-Sensitized Solar Cells. 2011 , 115, 1819-1823	67
492	Self-assembled anodic TiO ₂ nanotube arrays: electrolyte properties and their effect on resulting morphologies. 2011 , 21, 102-108	41
491	TiO ₂ nanotube arrays grown in ionic liquids: high-efficiency in photocatalysis and pore-widening. 2011 , 21, 9487	32
490	Hierarchical construction of self-standing anodized titania nanotube arrays and nanoparticles for efficient and cost-effective front-illuminated dye-sensitized solar cells. 2011 , 5, 5088-93	105
489	Electron Transport Patterns in TiO ₂ Nanotube Arrays Based Dye-Sensitized Solar Cells under Frontside and Backside Illuminations. 2011 , 115, 15018-15024	49
488	Sodium fluoride-assisted modulation of anodized TiO ₂ nanotube for dye-sensitized solar cells application. 2011 , 3, 1585-93	39
487	Synthesis of Highly Ordered Nanotubular Oxide Layers on Ti-6Al-4V Alloys by Anodization Technique. 2011 , 219-220, 1541-1544	
486	Monolithic-like TiO ₂ nanotube supported Ru catalyst for activation of CH ₄ and CO ₂ to syngas. 2011 , 12, 1269-1273	19
485	Amphiphilic and photocatalytic behaviors of TiO ₂ nanotube arrays on Ti prepared via electrochemical oxidation. 2011 , 509, L221-L227	42
484	Nanostructures of Metal Oxides. 2011 , 396-479	18
483	Energy Efficient UV-LED Source and TiO ₂ Nanotube Array-Based Reactor for Photocatalytic Application. 2011 , 50, 7753-7762	126
482	Nanomechanical properties of array TiO ₂ nanotubes. 2011 , 145, 87-92	38
481	Biophotofuel cell anode containing self-organized titanium dioxide nanotube array. 2011 , 176, 1197-1206	17
480	Progress in light harvesting and charge injection of dye-sensitized solar cells. 2011 , 176, 1142-1160	110
479	Annealing study of titanium oxide nanotube arrays. 2011 , 130, 1227-1231	50

478	In-situ preparation of multi-layer TiO ₂ nanotube array thin films by anodic oxidation method. 2011 , 65, 1188-1190	32
477	Filling TiO ₂ nanoparticles in the channels of TiO ₂ nanotube membranes to enhance the efficiency of dye-sensitized solar cells. 2011 , 513, 108-111	29
476	Titanium flexible photoanode consisting of an array of TiO ₂ nanotubes filled with a nanocomposite of TiO ₂ and graphite for dye-sensitized solar cells. 2011 , 56, 7999-8004	19
475	Metal-based flexible TiO ₂ photoanode with titanium oxide nanotubes as the underlayer for enhancement of performance of a dye-sensitized solar cell. 2011 , 57, 270-276	21
474	TiO ₂ nanotubes for hydrogen generation by photocatalytic water splitting in a two-compartment photoelectrochemical cell. 2011 , 36, 15502-15508	81
473	Applying the statistical experimental method to evaluate the process conditions of TiO ₂ nanotube arrays by anodization method. 2011 , 11, 1294-1298	7
472	Formation of Ag+TiO ₂ nanochains and their HPA-composites as highly visible light-sensitive photocatalysts toward two-color solar cells. 2011 , 21, 12829	13
471	Modified TiO ₂ nanotube arrays (TNTAs): progressive strategies towards visible light responsive photoanode, a review. 2011 , 4, 1065	242
470	Formation, morphology control and applications of anodic TiO ₂ nanotube arrays. 2011 , 21, 8955	162
469	Cu ₂ ZnSnS ₄ nanocrystals and graphene quantum dots for photovoltaics. 2011 , 3, 3040-8	85
468	Characterization of nanostructured hybrid and organic solar cells by impedance spectroscopy. 2011 , 13, 9083-118	985
467	Preparation and photoelectrochemical characterization of WO ₃ /TiO ₂ nanotube array electrode. 2011 , 46, 416-421	28
466	Influence of the size-controlled TiO ₂ nanotubes fabricated by low-temperature chemical synthesis on the dye-sensitized solar cell properties. 2011 , 46, 1749-1757	15
465	Characterization of self-organized TiO ₂ nanotubes on Ti-4Zr-22Nb-2Sn alloys and the application in drug delivery system. 2011 , 22, 461-7	23
464	TiO ₂ nanotube height effect on the efficiency of dye-sensitized solar cells. 2011 , 13, 7159-7165	6
463	Novel photodetectors based on double-walled carbon nanotube film/TiO ₂ nanotube array heterodimensional contacts. 2011 , 4, 901-907	28
462	Surface characteristics and phase transformation of highly ordered TiO ₂ nanotubes. 2011 , 17, 613-616	6
461	A cylindrical core-shell-like TiO ₂ nanotube array anode for flexible fiber-type dye-sensitized solar cells. 2011 , 6, 94	42

460	Surface and electrochemical analysis for the understanding of TiO ₂ nanopores/nanotubes changes in post-elaboration treatment. 2011 , 43, 1022-1029	6
459	Highly Interconnected Porous Electrodes for Dye-Sensitized Solar Cells Using Viruses as a Sacrificial Template. 2011 , 21, 1160-1167	31
458	Nanostructured organic and hybrid solar cells. 2011 , 23, 1810-28	279
457	Recent Progress in Dye-Sensitized Solar Cells Using Nanocrystallite Aggregates. 2011 , 1, 988-1001	80
456	Electrodeposition of Semiconductors. 2011 , 383-411	3
455	Solar Energy Materials. 2011 , 95-243	2
454	Effect of Structural Parameters of TiO ₂ Nanotube Arrays upon Their Photocatalytic/Photoelectrocatalytic Performance. 2011 , 29, 2236-2242	1
453	Water splitting on TiO ₂ nanotube arrays. 2011 , 165, 145-149	40
452	An efficient approach to control the morphology and the adhesion properties of anodized TiO ₂ nanotube arrays for improved photoconversion efficiency. 2011 , 56, 2618-2626	44
451	Polishing effect on anodic titania nanotube formation. 2011 , 56, 6014-6020	47
450	Effect of textural properties on the drug delivery behaviour of nanoporous TiO ₂ matrices. 2011 , 139, 189-196	32
449	Efficient photoelectrocatalytic reduction of Cr(VI) using TiO ₂ nanotube arrays as the photoanode and a large-area titanium mesh as the photocathode. 2011 , 335, 242-247	31
448	Nanostructured photoelectrodes for dye-sensitized solar cells. 2011 , 6, 91-109	561
447	Fabrication of dye-sensitized solar cells by transplanting highly ordered TiO ₂ nanotube arrays. 2011 , 95, 184-189	102
446	A Two-step anodization to grow high-aspect-ratio TiO ₂ nanotubes. 2011 , 519, 4694-4698	36
445	Study on the formation micromechanism of TiO ₂ nanotubes on pure titanium and the role of fluoride ions in electrolyte solutions. 2011 , 519, 5150-5155	8
444	Top-illuminated dye-sensitized solar cells with a room-temperature-processed ZnO photoanode on metal substrates and a Pt-coated Ga-doped ZnO counter electrode. 2011 , 44, 045102	26
443	Converting light to electrons in oriented nanotube arrays used in sensitized solar cells. 2011 , 36, 446-452	13

442	Layer-by-Layer Growth Mechanism of TiO ₂ Nanotube Arrays. <i>Journal of the Electrochemical Society</i> , 2011 , 158, E8	3.9	19
441	The Preparation of TiO ₂ Nanotube Arrays. 2011 , 306-307, 1779-1784		
440	Morphology Evolution during Annealing and Electrical Conductivity of Titania Nanotube Films. 2011 , 399-401, 548-551		1
439	Light Trapping in Dye Sensitized Solar Cells with Length-Modulated TiO ₂ Nanotubes. 2011 , 685, 82-86		1
438	Current characterization and growth mechanism of anodic titania nanotube arrays. 2011 , 26, 437-442		33
437	High efficiency front-illuminated nanotube-based dye-sensitized solar cells. 2011 , 1352, 135		
436	A comparative study of anodized titania nanotube architectures in aqueous and nonaqueous solutions. 2011 , 26, 2612-2623		9
435	Preparation of Protonated Titanate Nanotube Films with an Extremely Large Wetting Contrast. 2011 , 1309, 3		
434	Photocatalytic Properties of Size-Controlled Titania Nanotube Arrays. 2011 , 2011, 1-7		2
433	A Photoelectrochemical Study of Highly Ordered TiO ₂ Nanotube Arrays as the Photoanodes for Cathodic Protection of 304 Stainless Steel. <i>Journal of the Electrochemical Society</i> , 2011 , 158, C55	3.9	21
432	Synthesis of nanostructured TiO ₂ on transparent substrate by anodization of Ti thin films. 2011 ,		
431	Formation of Transparent Nanoporous Titanium Oxide Films on Glass Substrates Using an Anodization Process. 2012 , 16, 113-118		2
430	Y-branched TiO ₂ Nanotube Arrays Made by a Simplified Two-step Electrochemical Anodic Oxidation Method. 2012 , 41, 389-391		6
429	Effects of geometric and crystal structures on the photoelectrical properties of highly ordered TiO ₂ nanotube arrays. 2012 , 27, 1029-1036		16
428	Enhanced Visible Light Activity of Ag-Loaded TiO ₂ Nanotube Arrays by AC Electrodeposition. 2012 , 512-515, 1708-1712		
427	Effects of Electrospun TiO ₂ Nanowires Mixed in Nanoparticle-Based Electrode for Dye-Sensitized Solar Cells. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 044106	1.4	2
426	OPTIMIZED SPUTTERING POWER TO INCORPORATE WO ₃ INTO TiO ₂ NANOTUBES FOR HIGHLY VISIBLE PHOTORESPONSE PERFORMANCE. 2012 , 07, 1250051		17
425	Review on dye-sensitized solar cells (DSSCs): Fundamental concepts and novel materials. 2012 , 16, 5848-5860		609

424	Synthesis and growth mechanism of multilayer TiO ₂ nanotube arrays. 2012 , 4, 2968-77	65
423	Graphene oxide modified TiO ₂ nanotube arrays: enhanced visible light photoelectrochemical properties. 2012 , 4, 1800-4	175
422	Effect of NH ₄ F concentration in electrolyte on the fabrication of TiO ₂ nanotube arrays prepared by anodisation. 2012 , 7, 939-942	4
421	Fluorine ions-mediated morphology control of anatase TiO ₂ with enhanced photocatalytic activity. 2012 , 14, 5349-62	190
420	TiO ₂ photocatalysis: Design and applications. 2012 , 13, 169-189	2258
419	Applications of light scattering in dye-sensitized solar cells. 2012 , 14, 14982-98	187
418	Phase transformation and thermal structure stability of titania nanotube films with different morphologies. 2012 , 526, 116-119	5
417	Influence of annealing temperatures on TiO ₂ nanotubes formation. 2012 ,	
416	Damage Tolerant Bio-Sensitized Solar Cells. 2012 ,	
415	Self-organized film of ultra-fine TiO ₂ nanotubes and its application to dye-sensitized solar cells on a flexible Ti-foil substrate. 2012 , 22, 4681	26
414	Nanostructured Titania: the current and future promise of Titania nanotubes. 2012 , 2, 1617	19
413	Branched double-shelled TiO ₂ nanotube networks on transparent conducting oxide substrates for dye sensitized solar cells. 2012 , 22, 23411	17
412	TiO ₂ cellular-protected nanowire array fabricated super-rapidly by the precipitation of colloids in the nanopores. 2012 , 22, 13820	1
411	Facile fabrication of aligned doubly open-ended TiO ₂ nanotubes, via a selective etching process, for use in front-illuminated dye sensitized solar cells. 2012 , 48, 8748-50	37
410	Guided growth and alignment of millimetre-long titanate nanofibers in solution. 2012 , 22, 16890	10
409	An integrated power pack of dye-sensitized solar cell and Li battery based on double-sided TiO ₂ nanotube arrays. 2012 , 12, 2520-3	279
408	Fabrication and Characterization of LaF ₃ /Titania Nanotube Array Electrode for Determination of Fluoride Using a Headspace Single-Drop Microextraction System. 2012 , 45, 2455-2466	3
407	Nanomaterials for renewable energy production and storage. 2012 , 41, 7909-37	729

406	Dye Sensitized Solar Cells: A Review. 2012 , 71, 1-16	83
405	Effects of boron doping in TiO ₂ nanotubes and the performance of dye-sensitized solar cells. 2012 , 258, 6479-6484	78
404	Carbon-incorporated TiO ₂ photoelectrodes prepared via rapid-anodic oxidation for efficient visible-light hydrogen generation. 2012 , 37, 10046-10056	27
403	Fabrication and Photoluminescent Properties of Cylindrical and Conicalshaped Titania Nanotube Photoanodes and it's Application in Hydrogen Generation via Photoelectrochemical Process. 2012 , 22, 67-77	1
402	Hydrothermal crystallization and modification of surface hydroxyl groups of anodized TiO ₂ nanotube-arrays for more efficient photoenergy conversion. 2012 , 78, 236-243	29
401	Solar Cell as an Energy Harvesting Device. 2012 , 463-539	1
400	Adsorption of organic dyes on TiO ₂ surfaces in dye-sensitized solar cells: interplay of theory and experiment. 2012 , 14, 15963-74	133
399	TiO ₂ nanotube fabrication with highly exposed (001) facets for enhanced conversion efficiency of solar cells. 2012 , 48, 5016-8	68
398	Formation of self-organized pores on type 316 stainless steel in organic solvents. 2012 , 82, 333-338	22
397	Growth mechanism and morphology control of double-layer and bamboo-type TiO ₂ nanotube arrays by anodic oxidation. 2012 , 83, 420-429	43
396	Multi-step hydrothermally synthesized TiO ₂ nanoforests and its application to dye-sensitized solar cells. 2012 , 135, 723-727	17
395	Converting environmentally hazardous materials into clean energy using a novel nanostructured photoelectrochemical fuel cell. 2012 , 47, 2380-2388	26
394	Influence of cations of the electrolyte on the performance and stability of dye sensitized solar cells. 2012 , 22, 24424	22
393	Photocatalytic Hydrogen Generation Efficiencies in One-Dimensional CdSe Heterostructures. 2012 , 3, 3234-40	77
392	Emerging Trends in Water Photoelectrolysis. 2012 , 293-316	4
391	One-Step Fabrication of CdS Nanoparticle-Sensitized TiO ₂ Nanotube Arrays via Electrodeposition. 2012 , 116, 2438-2442	72
390	Hierarchically branched titania nanotubes with tailored diameters and branch numbers. 2012 , 28, 2937-43	52
389	Influence of electrolyte and anodic potentials on morphology of titania nanotubes. 2012 , 18, 673-677	8

388	High magnetic field annealing effect on visible photoluminescence enhancement of TiO ₂ nanotube arrays. 2012 , 100, 043106	14
387	Nanomaterials for renewable hydrogen production, storage and utilization. 2012 , 22, 522-534	82
386	Facile Synthesis and Morphology Control of Bamboo-Type TiO ₂ Nanotube Arrays for High-Efficiency Dye-Sensitized Solar Cells. 2012 , 116, 14257-14263	61
385	A facile route to fabricate an anodic TiO ₂ nanotube-nanoparticle hybrid structure for high efficiency dye-sensitized solar cells. 2012 , 4, 5148-53	45
384	Self-Organized One-Dimensional TiO ₂ Nanotube/Nanowire Array Films for Use in Excitonic Solar Cells: A Review. 2012 , 2012, 1-27	6
383	The electrochemistry of nanostructured titanium dioxide electrodes. 2012 , 13, 2824-75	210
382	A novel rotating electrochemically anodizing process to fabricate titanium oxide surface nanostructures enhancing the bioactivity of osteoblastic cells. 2012 , 100, 1687-95	12
381	Some recent developments in photoelectrochemical water splitting using nanostructured TiO ₂ : a short review. 2012 , 131, 1	39
380	The preparation of highly ordered TiO ₂ nanotube arrays by an anodization method and their applications. 2012 , 48, 6456-71	76
379	Visible Light Water Splitting via Oxidized TiN Thin Films. 2012 , 116, 15855-15866	18
378	Dye-sensitized TiO ₂ nanotube solar cells: rational structural and surface engineering on TiO ₂ nanotubes. 2012 , 7, 2754-62	50
377	Functional nanoporous membranes for drug delivery. 2012 , 22, 14814	129
376	Effect of calcination temperature on the lithiation capacities of carbon-coated titania nanotubes synthesized by anodization. 2012 , 8, 259-262	7
375	Gold nanoparticle/polypyrrole composite modified TiO ₂ nanotube array electrode for the amperometric sensing of ascorbic acid. 2012 , 42, 427-434	22
374	Vertically oriented TiO ₂ nanotube arrays with different anodization times for enhanced boiling heat transfer. 2012 , 55, 2184-2190	12
373	Controllable synthesis of microscale titania fibers and tubes using co-laminar micro-flows. 2012 , 181-182, 828-833	6
372	Photoelectrocatalytic performance of TiO ₂ nanoparticles incorporated TiO ₂ nanotube arrays. 2012 , 113-114, 318-325	58
371	Visible-light-activation of TiO ₂ nanotube array by the molecular iron oxide surface modification. 2012 , 119-120, 74-80	19

370	Fabrication of TiO ₂ nanotubes with extended periodical morphology by alternating-current anodization. 2012 , 17, 34-37		25
369	Fabrication of a composite electrode: CdS decorated Sb ₂ SnO ₂ /TiO ₂ -NTs for efficient photoelectrochemical reactivity. 2012 , 61, 64-72		32
368	Fabrication and photocatalytic properties of free-standing TiO ₂ nanotube membranes with through-hole morphology. 2012 , 66, 24-29		36
367	Synthesis of CdS quantum-dot sensitized TiO ₂ nanowires with high photocatalytic activity for water splitting. 2012 , 233, 65-71		35
366	Self-ordered titania nanotubes and flat surfaces as a support for the deposition of nanostructured AuNi catalyst: Enhanced electrocatalytic oxidation of borohydride. 2012 , 202, 85-91		19
365	Self-ordering anodized nanotubes: Enhancing the performance by surface plasmon for dye-sensitized solar cell. 2012 , 189, 101-107		32
364	Progress on free-standing and flow-through TiO ₂ nanotube membranes. 2012 , 98, 24-38		119
363	Hybrid Templated Synthesis of Crack-Free, Organized Mesoporous TiO ₂ Electrodes for High Efficiency Solid-State Dye-Sensitized Solar Cells. 2013 , 23, 26-33		44
362	Free-Standing TiO ₂ Nanotube Arrays for Front-Side Illuminated CdS Quantum Dots Sensitized Solar Cells. 2013 , 23, 798-802		11
361	Highly efficient photoelectrochemical performance of SrTiO ₃ /TiO ₂ heterojunction nanotube array thin film. 2013 , 15, 1		7
360	Electrochemical fabrication and preliminary examination of modified lead dioxide bulk and analytical electrodes. 2013 , 144, 1261-1269		
359	Synthesis of ZnO-decorated TiO ₂ nanotubes for dye-sensitized solar cells. 2013 , 109, 181-186		20
358	Nanofluidic crystal: a facile, high-efficiency and high-power-density scaling up scheme for energy harvesting based on nanofluidic reverse electro dialysis. <i>Nanotechnology</i> , 2013 , 24, 345401	3-4	45
357	CdS sensitized vertically aligned single crystal TiO ₂ nanorods on transparent conducting glass with improved solar cell efficiency and stability using ZnS passivation layer. 2013 , 233, 236-243		44
356	Highly efficient TiO ₂ -based microreactor for photocatalytic applications. 2013 , 5, 9088-94		73
355	Hybrid Solar Cells from Ordered Nanostructures. 2013 , 385-417		
354	Well-aligned TiO ₂ nanotube arrays for energy-related applications under solar irradiationPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. 2013 , 1, 203-219		27
353	Influence of controlled-charge anodization processes on the morphology of TiO ₂ nanotubes and their efficiency in dye-sensitized solar cells. 2013 , 113, 490-496		13

352	TiO ₂ nanotube arrays via electrochemical anodic oxidation: Prospective electrode for sensing phenyl hydrazine. 2013 , 103, 061602		16
351	Photocatalytic hydrogen production over In ₂ S ₃ @TiO ₂ nanotube films under visible light irradiation. <i>Ceramics International</i> , 2013 , 39, 8059-8063	5.1	10
350	A review of growth mechanism, structure and crystallinity of anodized TiO ₂ nanotubes. 2013 , 74, 377-406		412
349	Bismuth sulfide sensitized TiO ₂ arrays for photovoltaic applications. 2013 , 112, 159-163		29
348	Development of anodic titania nanotubes for application in high sensitivity amperometric glucose and uric acid biosensors. 2013 , 13, 14161-74		13
347	Anodic-biased titania nanotube growth in low-dielectric viscous media. 2013 , 4, 47-54		3
346	WO ₃ -enhanced TiO ₂ nanotube photoanodes for solar water splitting with simultaneous wastewater treatment. 2013 , 5, 12400-10		83
345	Composition and photoelectrochemical properties of WO ₃ /TNAs photoelectrodes fabricated by in situ electrochemical method. 2013 , 104, 308-313		11
344	TiO ₂ nanobelts [Effect of calcination temperature on optical, photoelectrochemical and photocatalytic properties. 2013 , 111, 284-291		56
343	Research on the effect of crystal structures on W-TiO ₂ nanotube array photoelectrodes by theoretical and experimental methods. 2013 , 114, 084308		0
342	Role of water content in anodization of titanium to fabricate TiO ₂ nanotubes and its properties. 2013 ,		
341	Fabrication of SrTiO ₃ /TiO ₂ heterojunction photoanode with enlarged pore diameter for dye-sensitized solar cells. 2013 , 1, 11820		79
340	Homogeneous electrochemiluminescence immunoassay based on tris(2,3-dibromopropyl) isocyanurate using luminol luminescence and Ti/TiO ₂ NTs electrode. 2013 , 5, 3626		6
339	Study of WO ₃ incorporated C-TiO ₂ nanotubes for efficient visible light driven water splitting performance. 2013 , 547, 43-50		47
338	Fabrication of partially crystalline TiO ₂ nanotube arrays using 1, 2-propanediol electrolytes and application in dye-sensitized solar cells. 2013 , 24, 175-182		17
337	Influence of secondary anodization voltage on free-standing crystallized TiO ₂ nanotube array membrane. 2013 , 24, 443-447		1
336	Crystallization peculiarities of titania nanotube films under hydrothermal and solvothermal conditions. 2013 , 26, 97-104		10
335	Controlled anodic growth of TiO ₂ nanobelts and assessment of photoelectrochemical and photocatalytic properties. 2013 , 99, 152-160		21

334	Remarkable role of annealing time on anatase phase titania nanotubes and its photoelectrochemical response. 2013 , 89, 239-245		12
333	Modeling materials and processes in dye-sensitized solar cells: understanding the mechanism, improving the efficiency. 2014 , 352, 151-236		18
332	Improved performance of dye-sensitized solar cells using TiO ₂ nanotubes infiltrated by TiO ₂ nanoparticles using a dipping/insing/hydrolysis process. 2013 , 243, 535-543		19
331	Electrocatalytic activity of nanostructured Pt/Ni catalysts deposited on the titania nanotube arrays towards borohydride oxidation. 2013 , 707, 31-37		12
330	Highly-ordered dye-sensitized TiO ₂ nanotube arrays film used for improving photoelectrochemical electrodes. 2013 , 56, 101-105		8
329	Improved dye sensitized solar cell performance in larger cell size by using TiO ₂ nanotubes. <i>Nanotechnology</i> , 2013 , 24, 045401	3-4	15
328	The influence of anatase-rutile mixed phase and ZnO blocking layer on dye-sensitized solar cells based on TiO ₂ nanofiber photoanodes. 2013 , 8, 9		22
327	Light-trapping in dye-sensitized solar cells. 2013 , 6, 2972		32
326	Intermolecular Interactions in Dye-Sensitized Solar Cells: A Computational Modeling Perspective. 2013 , 4, 956-74		71
325	Nanomaterials for energy conversion and storage. 2013 , 42, 3127-71		1188
324	Hybrid pyroelectric/nanotube LiNbO ₃ /TiO ₂ X-ray source. 2013 , 102, 143106		4
323	Supramolecular Interactions of Chenodeoxycholic Acid Increase the Efficiency of Dye-Sensitized Solar Cells Based on a Cobalt Electrolyte. 2013 , 117, 3874-3887		76
322	Annealing-free preparation of anatase TiO ₂ nanopopcorns on Ti foil via a hydrothermal process and their photocatalytic and photovoltaic applications. 2013 , 1, 5982		25
321	Impact of Nanotechnology on Dental Implants. 2013 , 323-336		
320	Anodic growth of TiO ₂ nanopore arrays at various temperatures. 2013 , 104, 526-535		81
319	Vertically aligned TiO ₂ nanotube array for high rate Li-based micro-battery anodes with improved durability. 2013 , 102, 233-239		41
318	Electrical properties of vertically oriented TiO ₂ nanowire arrays synthesized by glancing angle deposition technique. 2013 , 9, 213-217		11
317	Oriented mesoporous TiO ₂ film as photoanode for dye-sensitized solar cells. 2013 , 1, 8023		4

316	Titania Nanotube Coatings on Dental Implants with Enhanced Osteogenic Activity and Anti-Infection Properties. 2013 , 337-357	1
315	Effect of heat treatment on WO ₃ -loaded TiO ₂ nanotubes for hydrogen generation via enhanced water splitting. 2013 , 16, 947-954	32
314	The influence of morphology of electrodeposited Cu ₂ O and Fe ₂ O ₃ on the conversion efficiency of TiO ₂ nanotube photoelectrochemical solar cells. 2013 , 100, 220-225	27
313	Antibacterial and photocatalytic activities of TiO ₂ nanotubes. 2013 , 8, 859-867	13
312	Preparation and photoelectrochemical properties of nitrogen doped nanotubular TiO ₂ arrays. 2013 , 282, 174-180	20
311	Photocurrent Conversion in Anodized TiO ₂ Nanotube Arrays: Effect of the Water Content in Anodizing Solutions. 2013 , 117, 6979-6989	62
310	Dye-sensitized solar cells based on trench structured TiO ₂ nanotubes in Ti substrate. 2013 , 13, 795-798	10
309	ZnO nanotubes: Controllable synthesis and tunable UV emission modulated by the wall thickness. 2013 , 54, 53-58	3
308	The Contribution of Nanotechnology to Hydrogen Production. 2013 , 233-258	2
307	The effect of calcination conditions on the morphology, the architecture and the photo-electrical properties of TiO ₂ nanotube arrays. 2013 , 48, 1458-1467	21
306	Formation mechanism of TiO ₂ nanotubes and their applications in photoelectrochemical water splitting and supercapacitors. 2013 , 29, 5911-9	144
305	Tuning the catalytic property of TiO ₂ nanotube arrays for water splitting. 2013 , 38, 2095-2105	13
304	Single-step growth of carbon and potassium-embedded TiO ₂ nanotube arrays for efficient photoelectrochemical hydrogen generation. 2013 , 89, 585-593	29
303	Anodic formation of aligned and bamboo-type TiO ₂ nanotubes at constant low voltages. 2013 , 16, 154-159	12
302	High Temperature Crystallization of Free-Standing Anatase TiO ₂ Nanotube Membranes for High Efficiency Dye-Sensitized Solar Cells. 2013 , 23, 5952-5960	60
301	Facile synthesis of novel Ag ₃ PO ₄ tetrapods and the {110} facets-dominated photocatalytic activity. 2013 , 15, 39-42	120
300	Automotive application of lithium-ion batteries: A new generation of electrode materials. 2013 ,	5
299	One-Dimensional TiO ₂ Nanostructures as Photoanodes for Dye-Sensitized Solar Cells. 2013 , 2013, 1-11	17

298	Single Step Formation of C-TiO ₂ Nanotubes: Influence of Applied Voltage and Their Photocatalytic Activity under Solar Illumination. 2013 , 2013, 1-8	9
297	Titania Nanotubes for Energy Applications. 2013 , 816-817, 246-249	
296	Effect of In ₂ S ₃ Buffer Layer in TiO ₂ /In ₂ S ₃ /CuInS ₂ Structure. 2013 , 702, 123-127	
295	Surface and Structural Properties of TiO ₂ Nanotubes Formation via Electrochemical Anodization. 2013 , 686, 71-76	
294	First Principles Study of Single Wall TiO ₂ Nanotubes Rolled by Anatase Monolayers. 2013 , 30, 043102	7
293	A visible-light-driven composite photocatalyst of TiO ₂ nanotube arrays and graphene quantum dots. 2014 , 5, 689-95	29
292	Degradation of Tannic Acid Using TiO ₂ Nanotubes as Electrocatalyst. 2014 , 2014, 1-8	1
291	Photoelectrochemical properties of nanocomposites MoS ₂ -TiO ₂ prepared by high energy ball milling. 2014 ,	
290	Influence of dexamethasone-loaded TNTs on the proliferation and osteogenic differentiation of rat mesenchymal stem cells. 2014 , 4, 65163-65172	13
289	Bottom-up nanofabrication using self-organized porous templates. 2014 , 534, 012001	4
288	Electric field-assisted droplet formation using piezoactuation-based drop-on-demand inkjet printing. 2014 , 24, 115011	13
287	Enhanced efficiency and improved photocatalytic activity of 1 : 1 composite mixture of TiO ₂ nanoparticles and nanotubes in dye-sensitized solar cell. 2014 , 37, 1489-1496	6
286	Effect of Quenching Temperature and Medium on Properties of TiO ₂ Nanotube Arrays in DSSC. 2014 , 624, 91-96	2
285	Tuning Optical Properties of Electrospun Titanium Dioxide Nanofibers by Controlling Particle Sizes. 2014 , 931-932, 360-364	1
284	Effect of Low Cobalt Loading on TiO ₂ Nanotube Arrays for Water-Splitting. 2014 , 2014, 1-7	6
283	Titania Nanotubes by Electrochemical Anodization for Solar Energy Conversion. <i>Journal of the Electrochemical Society</i> , 2014 , 161, D3066-D3077	3,9 26
282	A comparative study on the morphological features of highly ordered titania nanotube arrays prepared via galvanostatic and potentiostatic modes. 2014 , 14, 868-875	15
281	Facile fabrication of anatase TiO ₂ nanotube arrays having high photocatalytic and photovoltaic performances by anodization of titanium in mixed viscous solvents. 2014 , 49, 3414-3422	11

280	One-Dimensional Nanomaterials for Energy Applications. 2014 , 75-120		5
279	Photoelectrochemical water splitting at semiconductor electrodes: fundamental problems and new perspectives. 2014 , 15, 1983-95		116
278	Electrochromic titania nanotube arrays for the enhanced photocatalytic degradation of phenol and pharmaceutical compounds. 2014 , 249, 285-292		54
277	Preparation and photocatalytic activity of Ag/bamboo-type TiO ₂ nanotube composite electrodes for methylene blue degradation. 2014 , 25, 43-51		21
276	On global energy scenario, dye-sensitized solar cells and the promise of nanotechnology. 2014 , 16, 6838-58		76
275	Effect of electrolyte composition on TiO ₂ nanotubular structure formation and its electrochemical evaluation. 2014 , 117, 329-335		38
274	Tailoring the Ti surface via electropolishing nanopatterning as a route to obtain highly ordered TiO ₂ nanotubes. <i>Nanotechnology</i> , 2014 , 25, 485301	3-4	8
273	Effect of TiO ₂ nanotubes lateral spacing on photovoltaic properties of dye-sensitized solar cells. 2014 , 59, 4735-4740		
272	TiO ₂ /WO ₃ Composite Nanotubes from CoSputtered Thin Films on Si Substrate for Enhanced Photoelectrochemical Water Splitting. <i>Journal of the Electrochemical Society</i> , 2014 , 161, H431-H437	3-9	12
271	Thin films and nanostructures of niobium pentoxide: fundamental properties, synthesis methods and applications. 2014 , 2, 15683-15703		207
270	The role of the Ti surface roughness in the self-ordering of TiO ₂ nanotubes: a detailed study of the growth mechanism. 2014 , 2, 9067-9078		40
269	Morphological evolution of anodic TiO ₂ nanotubes. 2014 , 4, 35833-35843		6
268	Magnetic field-assisted electroless anodization: TiO ₂ nanotube growth on discontinuous, patterned Ti films. 2014 , 2, 13810-13816		6
267	Dye-sensitized solar cells employing doubly or singly open-ended TiO ₂ nanotube arrays: structural geometry and charge transport. 2014 , 6, 15388-94		21
266	Fabrication, modification, and biomedical applications of anodized TiO ₂ nanotube arrays. 2014 , 4, 17300-17324		109
265	Charge Transport in Photoanodes Constructed with Mesoporous TiO ₂ Beads for Dye-Sensitized Solar Cells. 2014 , 118, 16635-16642		8
264	C-axis preferentially oriented and fully activated TiO ₂ nanotube arrays for lithium ion batteries and supercapacitors. 2014 , 2, 11454-11464		61
263	Synthesis of highly-ordered TiO ₂ nanotube arrays with tunable sizes. 2014 , 1, 035031		4

262	Anodic titania nanotubes grown on titanium tubular electrodes. 2014 , 30, 2835-41	31
261	Investigation of the interfacial effects of small chemical-modified TiO ₂ nanotubes on 3T3 fibroblast responses. 2014 , 6, 12071-82	13
260	Fabrication of multilayered TiO ₂ nanotube arrays and separable nanotube segments. 2014 , 2, 4510	13
259	Glucose biosensors based on Ag nanoparticles modified TiO ₂ nanotube arrays. 2014 , 18, 163-171	30
258	Effect of open- and close-ended TiO ₂ nanotube arrays on transparent conducting substrates for dye-sensitized solar cells application. 2014 , 16, 1	3
257	Toward efficient solar water splitting over hematite photoelectrodes. 2014 , 29, 29-46	58
256	Single Crystalline-Like TiO ₂ Nanotube Fabrication with Dominant (001) Facets Using Poly(vinylpyrrolidone) for High Efficiency Solar Cells. 2014 , 118, 17306-17317	21
255	Electrochemical preparation of vertically aligned, hollow CdSe nanotubes and their p-n junction hybrids with electrodeposited Cu ₂ O. 2014 , 6, 9148-56	7
254	Enhancement of dye-sensitized solar cell efficiency using carbon nanotube/TiO ₂ nanocomposite thin films fabricated at various annealing temperatures. 2014 , 10, 611-619	13
253	Thermal degradation of TiO ₂ nanotubes on titanium. 2014 , 317, 573-580	22
252	Direct growth of titania nanotubes on plastic substrates and their application to flexible gas sensors. 2014 , 199, 361-368	19
251	Morphology of nanotube arrays grown on Ti ₅ Nb ₂ Ta ₃ Zr alloys with different deformations. 2014 , 290, 308-312	10
250	Vertical Growth of Two-Dimensional TiO ₂ Nanosheets Array Films and Enhanced Photoelectrochemical Properties Sensitized by CdS Quantum Dots. 2014 , 125, 258-265	25
249	Hierarchical multilayer-structured TiO ₂ electrode for dye-sensitized solar cells. 2014 , 279, 32-37	7
248	Enhancing the performance of front-illuminated dye-sensitized solar cells with highly [001] oriented, single-crystal-like TiO ₂ nanotube arrays. <i>Ceramics International</i> , 2014 , 40, 173-180	5.1 20
247	Graphene oxide and Ag engulfed TiO ₂ nanotube arrays for enhanced electron mobility and visible-light-driven photocatalytic performance. 2014 , 2, 5315-5322	126
246	Solid-State Dye-Sensitized Solar Cells. 2014 , 465-494	
245	A flake-tube structured BiOBr/TiO ₂ nanotube array heterojunction with enhanced visible light photocatalytic activity. 2014 , 38, 3022-3028	35

244	Effect of the previous usage of electrolyte on growth of anodic titanium dioxide (ATO) in a glycerol-based electrolyte. 2014 , 136, 412-421	36
243	Construction of titania/ferri nanostructured composites with tailored heterojunction for photocurrent enhancement. 2014 , 34, 1523-1535	10
242	The Morphological Characterization of Anodic TiO ₂ Nanotube Arrays. 2015 , 21 Suppl 5, 39-40	
241	Low temperature transferring of anodized TiO ₂ nanotube-array onto a flexible substrate for dye-sensitized solar cells. 2015 , 5, 2754	6
240	Has the Sun Set on Quantum Dot-Sensitized Solar Cells?. 2015 , 5, 16	
239	Recent Progress in Dye-Sensitized Solar Cells for Improving Efficiency: TiO ₂ Nanotube Arrays in Active Layer. 2015 , 2015, 1-17	36
238	Synthesis and Mechanical/Electrochemical Characterization of TiO ₂ Nanotubular Structures Obtained at High Voltage. 2015 , 2015, 1-12	6
237	Achieving Enhanced Dye-Sensitized Solar Cell Performance by TiCl ₄ /Al ₂ O ₃ Doped TiO ₂ Nanotube Array Photoelectrodes. 2015 , 2015, 1-6	5
236	High-Performance and Stable Gel-State Dye-Sensitized Solar Cells Using Anodic TiO ₂ Nanotube Arrays and Polymer-Based Gel Electrolytes. 2015 , 7, 12731-9	37
235	The cyclic nature of porosity in anodic TiO ₂ nanotube arrays. 2015 , 3, 3692-3698	11
234	Thin layer of ordered boron-doped TiO ₂ nanotubes fabricated in a novel type of electrolyte and characterized by remarkably improved photoactivity. 2015 , 357, 942-950	36
233	Development of high efficient visible light-driven N, S-codoped TiO ₂ nanowires photocatalysts. 2015 , 328, 335-343	21
232	Ruthenium Oxide-Doped TiO ₂ Nanotubes by Single-Step Anodization for Water-Oxidation Applications. 2015 , 7, 643-647	19
231	Enhanced photoelectrochemical performance of PbS sensitized Sb ₂ SnO ₂ /TiO ₂ nanotube arrays electrode under visible light illumination. 2015 , 633, 83-91	20
230	Mophology-modulations of TiO ₂ nanostructures for enhanced photocatalytic performance. 2015 , 332, 224-228	17
229	Modeling the Growth Kinetics of Anodic TiO ₂ Nanotubes. 2015 , 6, 845-51	20
228	Nitrogen-doping of bulk and nanotubular TiO ₂ photocatalysts by plasma-assisted atomic layer deposition. 2015 , 330, 476-486	23
227	Effect of NH ₄ F concentration and controlled-charge consumption on the photocatalytic hydrogen generation of TiO ₂ nanotube arrays. 2015 , 155, 312-320	34

226	The growth of TiO ₂ nanotubes from sputter-deposited Ti film on transparent conducting glass for photovoltaic applications. 2015 , 118, 17-25	20
225	Influence of electrolyte composition on the formation of mixed oxide nanotube arrays for solar fuel production. 2015 , 280, 339-346	12
224	TiO ₂ nanotube arrays for photocatalysis: Effects of crystallinity, local order, and electronic structure. 2015 , 33, 021202	11
223	Integration of individual TiO ₂ nanotube on the chip: Nanodevice for hydrogen sensing. 2015 , 9, 171-174	44
222	Construction of high-efficient photoelectrocatalytic system by coupling with TiO ₂ nano-tubes photoanode and active carbon/polytetrafluoroethylene cathode and its enhanced photoelectrocatalytic degradation of 2,4-dichlorophene and mechanism. 2015 , 279, 264-272	19
221	Fabrication of hierarchical porous anodized titania nano-network with enhanced active surface area: Ruthenium-based dye adsorption studies for dye-sensitized solar cell (DSSC) application. 2015 , 29, 227-237	8
220	Dimensional Dependence of the Optical Absorption Band Edge of TiO ₂ Nanotube Arrays beyond the Quantum Effect. 2015 , 119, 16331-16337	26
219	Guided proliferation and bone-forming functionality on highly ordered large diameter TiO ₂ nanotube arrays. 2015 , 53, 272-9	30
218	The fabrication of innovative single crystal N,F-codoped titanium dioxide nanowires with enhanced photocatalytic activity for degradation of atrazine. 2015 , 168-169, 550-558	55
217	Stoichiometry, Length, and Wall Thickness Optimization of TiO ₂ Nanotube Array for Efficient Alcohol Sensing. 2015 , 7, 9336-48	53
216	Efficient photocurrent generation using a combined Ni-TiO ₂ nanotubes anode. 2015 , 45, 727-733	2
215	Bone Apposition on Nanoporous Titanium Implants. 2015 , 427-444	2
214	Phosphopeptide separation using radially aligned titania nanotubes on titanium wire. 2015 , 7, 11155-64	21
213	Fabrication of a coral/double-wall TiO ₂ nanotube array film electrode with higher photoelectrocatalytic activity under sunlight. 2015 , 39, 3923-3928	14
212	Effect of Tantalum Doping on TiO ₂ Nanotube Arrays for Water-Splitting. 2015 , 04, 1-12	8
211	Enhanced photocatalytic activity of graphene oxide/titania nanosheets composites for methylene blue degradation. 2015 , 30, 592-598	38
210	50 nm sized spherical TiO ₂ nanocrystals for highly efficient mesoscopic perovskite solar cells. 2015 , 7, 8898-906	62
209	Fabrication and characterization of TiO ₂ nanotube arrays on Ti membrane enlarged by anodic oxidation. 2015 , 33, 588-592	2

208	High-Performance Gel-Type Dye-Sensitized Solar Cells Using Poly (methyl methacrylate-co-ethylacrylate)-Based Polymer Gel Electrolyte with Superior Enduring Stability. <i>Journal of the Electrochemical Society</i> , 2015 , 162, H922-H928	3.9	2
207	A Review on TiO ₂ Nanotubes: Influence of Anodization Parameters, Formation Mechanism, Properties, Corrosion Behavior, and Biomedical Applications. 2015 , 1, 1		133
206	Synergistic effect between hydrodynamic conditions during Ti anodization and acidic treatment on the photoelectric properties of TiO ₂ nanotubes. 2015 , 330, 434-441		10
205	Effect of hydrogen doping on the loading of titania nanotube films with copper selenide species via alternating current deposition. 2015 , 45, 1141-1151		4
204	Titania Nanotubes for Solar Cell Applications. 2015 , 289-306		
203	Synthesis and characterization of anatase TiO ₂ nanosheet arrays on FTO substrate. 2015 , 24, 626-631		15
202	Review of one-dimensional and two-dimensional nanostructured materials for hydrogen generation. 2015 , 17, 2960-86		128
201	Self-organization of TiO ₂ Nanobamboos by Anodization with Deep Eutectic Solvent. 2015 , 153, 409-415		31
200	Gradient control of the adhesive force between Ti/TiO ₂ nanotubular arrays fabricated by anodization. 2014 , 4, 7178		11
199	Effect of Sputtering Parameters on the Morphology of TiO ₂ Nanotubes Synthesized From Thin Ti Film on Si Substrate. 2015 , 14, 18-25		10
198	Efficient Solar-Induced Photoelectrochemical Response Using Coupling Semiconductor TiO ₂ /ZnO Nanorod Film. 2016 , 9,		11
197	One-Dimensional TiO ₂ Nanostructured Photoanodes: From Dye-Sensitised Solar Cells to Perovskite Solar Cells. 2016 , 9, 1030		18
196	Modified photo-electrochemical and photo-voltaic properties of solvothermally crystallised TiO ₂ nanotube arrays. 2016 , 27, 12427-12437		3
195	Fabrication of single TiO ₂ nanotube devices with Pt interconnections using electron- and ion-beam-assisted deposition. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 06GG11	1.4	1
194	Calcium ion modification of TiO ₂ nanotube arrays to enhance apatite formation. 2016 , 31, 791-798		4
193	Anodically grown functional oxide nanotubes and applications. 2016 , 6, 375-396		26
192	Enhanced Photo-Electrochemical Performance of Reduced Graphene-Oxide Wrapped TiO ₂ Multi-Leg Nanotubes. <i>Journal of the Electrochemical Society</i> , 2016 , 163, H652-H656	3.9	12
191	Effect of acid solution, fluoride ions, anodic potential and time on the microstructure and electronic properties of self-ordered TiO ₂ nanotube arrays. 2016 , 207, 152-163		20

190	Ti ³⁺ states induced band gap reduction and enhanced visible light absorption of TiO ₂ nanotube arrays: Effect of the surface solid fraction factor. 2016 , 151, 179-190	21
189	Performance evaluation of titanium dioxide based dye-sensitized solar cells under the influence of anodization steps, nanotube length and ionic liquid-free redox electrolyte solvents. 2016 , 94, 74-84	6
188	Nanotubes with anatase nanoparticulate walls obtained from NH ₄ TiOF ₃ nanotubes prepared by anodizing Ti. 2016 , 6, 41637-41643	6
187	Quantum-dots-sensitized solar cells based on vertically ranged titanium dioxide nanotubes. 2016 , 13, 840-844	2
186	Constructing Well-Ordered CdTe/TiO Core/Shell Nanowire Arrays for Solar Energy Conversion. 2016 , 12, 5538-5542	9
185	Nickel-TiO ₂ nanotube anode for photo-electrolysers. 2016 , 136, 590-596	10
184	Fabrication of efficient CdS nanoflowers-decorated TiO ₂ nanotubes array heterojunction photoanode by a novel synthetic approach for solar hydrogen production. 2016 , 41, 21078-21087	30
183	Electronic Structure Controlling of Assembly and Optical Properties of TiO ₂ Nanotube Arrays. 2016 , 1, 3661-3666	1
182	Voltage Controlled Rupturing of TiO ₂ Nanotubes for Gas Sensor Device Applications: Correlation With Surface and Edge Energy. 2016 , 63, 4933-4938	7
181	Preparation and Application of TiO ₂ Nanotube Array Gas Sensor for SF ₆ -Insulated Equipment Detection: a Review. 2016 , 11, 302	36
180	A review of one-dimensional TiO ₂ nanostructured materials for environmental and energy applications. 2016 , 4, 6772-6801	655
179	Effect of Reynolds number and lithium cation insertion on titanium anodization. 2016 , 196, 24-32	10
178	TiO ₂ nanotube formation by Ti film anodization and their transport properties for dye-sensitized solar cells. 2016 , 27, 6496-6501	5
177	Electrochemical deposition of CdSe-sensitized TiO ₂ nanotube arrays with enhanced photoelectrochemical performance for solar cell application. 2016 , 27, 5204-5210	11
176	Comparative study between dye-sensitized solar cells prepared by electrophoretic and doctor blade techniques. 2016 , 127, 4400-4404	10
175	First principles calculations on the hydrogen atom passivation of TiO ₂ nanotubes. 2016 , 6, 19190-19198	2
174	Effect of annealing temperature on the phase transition, structural stability and photo-electrochemical performance of TiO ₂ multi-leg nanotubes. 2016 , 278, 255-261	24
173	The effect of electrolyte re-utilization in the growth rate and morphology of TiO ₂ nanotubes. 2016 , 171, 224-227	6

172	Mechanical degradation of TiO ₂ nanotubes with and without nanoparticulate silver coating. 2016 , 59, 508-518	28
171	Facile fabrication of a noble metal-free photocatalyst: TiO ₂ nanotube arrays covered with reduced graphene oxide. 2016 , 98, 537-544	76
170	Synthesis, modification, and photo/photoelectrocatalytic degradation applications of TiO ₂ nanotube arrays: a review. 2016 , 5,	95
169	Hydrogen sensor of Pd-decorated tubular TiO ₂ layer prepared by anodization with patterned electrodes on SiO ₂ /Si substrate. 2016 , 222, 190-197	61
168	Photocatalytic degradation of salicylic acid and caffeine emerging contaminants using titania nanotubes. 2017 , 310, 525-536	90
167	Anodized TiO ₂ nanotubes coated with Pt nanoparticles for enhanced photoelectrocatalytic activity. 2017 , 32, 757-765	11
166	Design and applications of Ti nano-electrode for denitrification of groundwater. 2017 , 38, 3055-3063	4
165	Low temperature synthesis of pure anatase carbon doped titanium dioxide: An efficient visible light active photocatalyst. 2017 , 63, 18-24	31
164	Structural study of TiO ₂ hierarchical microflowers grown by aerosol-assisted MOCVD. 2017 , 19, 1535-1544	6
163	Electrode distance regulates the anodic growth of titanium dioxide (TiO) nanotubes. <i>Nanotechnology</i> , 2017 , 28, 25LT01	3-4 10
162	Organic and Inorganic Hybrid Solar Cells. 2017 , 1-35	2
161	One-dimensional TiO ₂ nanostructured photoanode for dye-sensitized solar cells by hydrothermal synthesis. 2017 , 28, 11528-11533	10
160	Highly sensitive hydrogen sensor based on Pd-functionalized titania nanotubes prepared in water-contained electrolyte. 2017 , 28, 1428-1432	4
159	Photoelectrochemical Properties and Photocatalytic Activity of Fluorine-Doped Plate-Like WO ₃ from Hydrothermal Radio-Frequency (RF) Sputtered Tungsten Thin Films. 2017 , 12, 1750041	5
158	Pioneering medical advances through nanofluidic implantable technologies. 2017 , 9, e1455	8
157	Titanium dioxide nanotubes (TNT) in energy and environmental applications: An overview. 2017 , 76, 212-225	82
156	Self-doped TiO ₂ nanotube electrodes: A powerful tool as a sensor platform for electroanalytical applications. 2017 , 235, 527-533	33
155	Structural study of TiO ₂ nanotube based to the (101) anatase surface. 2017 , 102, 307-313	5

154	Facile one-pot synthesis of self-assembled quantum-rod TiO ₂ spheres with enhanced charge transport properties for dye-sensitized solar cells and solar water-splitting. 2017 , 697, 222-230		5
153	Improving photoanodes to obtain highly efficient dye-sensitized solar cells: a brief review. 2017 , 4, 319-344		129
152	A TiO ₂ -nanotubes-based coil-type microreactor for highly efficient photoelectrocatalytic degradation of organic compounds. 2017 , 47, 384-390		10
151	Strategies for designing metal oxide nanostructures. 2017 , 60, 1-24		123
150	Controlled synthesis of GaN-based nanowires for photoelectrochemical water splitting applications. 2017 , 32, 013001		21
149	Large-diameter light-scattering complex multipodal nanotubes with graded refractive index: insights into their formation mechanism and photoelectrochemical performance. 2017 , 5, 23600-23611		12
148	Molybdenum trioxide thin film recombination barrier layers for dye sensitized solar cells. 2017 , 7, 48853-48860	21	
147	Effective oil removal from water by magnetically driven superhydrophobic and oleophilic magnetic titania nanotubes. 2017 , 24, 18063-18072		10
146	Rapid heat treatment for anatase conversion of titania nanotube orthopedic surfaces. <i>Nanotechnology</i> , 2017 , 28, 405603	3-4	5
145	Augmented Photoelectrochemical Efficiency of ZnO/TiO ₂ Nanotube Heterostructures. 2017 , 46, 6698-6703		8
144	Impact of Nanostructuring on the Photoelectrochemical Performance of Si/Ta ₃ N ₅ Nanowire Photoanodes. 2017 , 121, 27295-27302		8
143	Optical anisotropy in vertically oriented TiO nanotube arrays. <i>Nanotechnology</i> , 2017 , 28, 374001	3-4	9
142	Fabrication of CdO/ZnO/S nanoparticles decorated TiO ₂ nanotube arrays electrode and its enhanced photoelectrocatalytic performance. 2017 , 691, 388-398		6
141	Self-organized transparent 1D TiO ₂ nanotubular photoelectrodes grown by anodization of sputtered and evaporated Ti layers: A comparative photoelectrochemical study. 2017 , 308, 745-753		26
140	CFD-population balance Monte Carlo simulation and numerical optimization for flame synthesis of TiO ₂ nanoparticles. 2017 , 36, 1099-1108		14
139	Carbon-doped freestanding TiO ₂ nanotube arrays in dye-sensitized solar cells. 2017 , 41, 285-289		16
138	Hydrothermal growth of one-dimensional Ce-doped TiO ₂ nanostructures for solid-state DSSCs comprising Mg-doped CuCrO ₂ . 2017 , 52, 489-503		34
137	Constructing Synergetic Trilayered TiO ₂ Photoanodes Based on a Flexible Nanotube Array/Ti Substrate for Efficient Solar Cells. 2017 , 3, 58-64		7

136	A Photocatalytic Rotating Disc Reactor with TiO ₂ Nanowire Arrays Deposited for Industrial Wastewater Treatment. 2017 , 22,	7
135	TiO ₂ : A Critical Interfacial Material for Incorporating Photosynthetic Protein Complexes and Plasmonic Nanoparticles into Biophotovoltaics. 2017 ,	2
134	Fivefold Enhanced Photoelectrochemical Properties of ZnO Nanowire Arrays Modified with C ₃ N ₄ Quantum Dots. 2017 , 7, 99	14
133	Enhanced Biocompatibility in Anodic TaO Nanotube Arrays. 2017 , 12, 557	4
132	Enhanced visible light-driven activity of TiO ₂ nanotube array photoanode co-sensitized by β -green AgInS ₂ photosensitizer and In ₂ S ₃ buffer layer. 2018 , 269, 429-440	36
131	Ternary nanocomposites of Au/CuS/TiO ₂ for an ultrasensitive photoelectrochemical non-enzymatic glucose sensor. 2018 , 143, 1699-1704	31
130	Progress in TiO ₂ nanotube coatings for biomedical applications: a review. 2018 , 6, 1862-1886	94
129	Porous Si/TiO ₂ nanowire photoanode for photoelectric catalysis under simulated solar light irradiation. 2018 , 32, e4356	5
128	Co/Mn co-doped TiO ₂ nanotube arrays for enhanced photoelectrochemical properties: experimental and DFT investigations. 2018 , 53, 9988-10000	3
127	Chitosan-58S bioactive glass nanocomposite coatings on TiO ₂ nanotube: Structural and biological properties. 2018 , 441, 138-149	47
126	Double-Wall TiO ₂ Nanotubes for Dye-Sensitized Solar Cells: A Study of Growth Mechanism. 2018 , 6, 3907-3915	21
125	Effect of Electrolyte Pretreatment on the Formation of TiO ₂ Nanotubes: An Ignored yet Non-negligible Factor. 2018 , 5, 1006-1012	12
124	Comparison of the Growth of (TiO ₂) ₂ Nanotubes in Different Solutions. 2018 , 28, 612-623	3
123	The Application of Heterostructured SrTiO ₃ -TiO ₂ Nanotube Arrays in Dye-Sensitized Solar Cells. <i>Journal of the Electrochemical Society</i> , 2018 , 165, H3069-H3075	3.9 12
122	Impact of nanotechnology on dental implants. 2018 , 83-97	1
121	Effect of electrochemical reduction on the structural and electrical properties of anodic TiO ₂ nanotubes. 2018 , 18, 297-303	7
120	WITHDRAWN: Optimization of PtRu/TNT-C as an anode catalyst for DMFC: Effect of catalyst loading and support ratio on the performance in the methanol electro-oxidation reaction (MOR). 2018 ,	2
119	Investigating the photocatalytic degradation property of Pt, Pd and Ni nanoparticles-loaded TiO ₂ nanotubes powder prepared via rapid breakdown anodization. 2018 , 39, 2994-3005	9

118	Constructing a novel strategy for controllable synthesis of corrosion resistant Ti self-doped titanium-silicon materials with efficient hydrogen evolution activity from simulated seawater. 2018 , 10, 2275-2284	21
117	Highly Selective Photoelectrochemical Conversion of Carbon Dioxide to Formic Acid. 2018 , 6, 82-87	24
116	Photoelectrocatalytic Degradation of Paraquat by Pt Loaded TiO ₂ Nanotubes on Ti Anodes. 2018 , 11,	11
115	Impact of the anodization time on the photocatalytic activity of TiO ₂ nanotubes. 2018 , 9, 2628-2643	9
114	Angstrom Thick ZnO Passivation Layer to Improve the Photoelectrochemical Water Splitting Performance of a TiO ₂ Nanowire Photoanode: The Role of Deposition Temperature. 2018 , 8, 16322	27
113	Recent Developments in Dye-Sensitized Solar Cells and Potential Applications. 2018 , 443-486	
112	The prevention of Burning during the hard anodization in formamide for ultrafast growth of highly ordered arrays of TiO ₂ nanotubes. 2018 , 289, 248-253	1
111	Enhanced Bioactivity of Collagen Fiber Functionalized with Room Temperature Atomic Layer Deposited Titania. 2018 , 10, 34443-34454	9
110	Novel bamboo structured TiO ₂ nanotubes for energy storage/production applications. 2018 , 995, 012054	1
109	Growth of hierarchical TiO ₂ flower-like microspheres/oriented nanosheet arrays on a titanium mesh for flexible dye-sensitized solar cells. 2018 , 20, 6280-6290	10
108	Factor Affecting Geometry of TiO ₂ Nanotube Arrays (TNAs) in Aqueous and Organic Electrolyte. 2018 ,	2
107	The effect of Reynolds number on TiO ₂ nanosponges doped with Li ⁺ cations. 2018 , 42, 11054-11063	5
106	Study of various aliphatic alcohols as sacrificial agents on photoelectrochemical behavior of nickel-platinum-modified Cr-TiO ₂ nanotubes. 2018 , 22, 3137-3146	12
105	All-solution processed, scalable superhydrophobic coatings on stainless steel surfaces based on functionalized discrete titania nanotubes. 2018 , 351, 482-489	20
104	Metal-based semiconductor nanomaterials for thin-film solar cells. 2018 , 153-185	1
103	Janus MoSSe Nanotubes: Tunable Band Gap and Excellent Optical Properties for Surface Photocatalysis. 2018 , 1, 1800082	23
102	Electrochemical Investigation on the Inhibitive Nature of Barrier Layer on the Growth Rate of TiO ₂ Nanotube Arrays. <i>Journal of the Electrochemical Society</i> , 2018 , 165, E521-E526	3.9 8
101	A review of transparent solar photovoltaic technologies. 2018 , 94, 779-791	213

100	Titanium dioxide nanostructures for photoelectrochemical applications. 2018 , 98, 299-385	148
99	High rate CO ₂ photoreduction using flame annealed TiO ₂ nanotubes. 2019 , 243, 522-536	88
98	Progress in Nanoporous Templates: Beyond Anodic Aluminum Oxide and Towards Functional Complex Materials. 2019 , 12,	14
97	Advanced Surface Treatments on Titanium and Titanium Alloys Focused on Electrochemical and Physical Technologies for Biomedical Applications. 2019 ,	6
96	CdS/TiO ₂ heterojunction in glass matrix: Synthesis, characterization, and application as an improved photocatalyst. 2019 , 497, 143758	20
95	Opto-electronic properties of anodized TiO ₂ nanotube arrays investigated using electron energy loss spectroscopy. 2019 , 17, 100347	1
94	Nanoarchitectures as Photoanodes. 2019 , 35-77	0
93	Doping of TiO ₂ nanotubes with nitrogen by annealing in ammonia for visible light activation: Influence of pre- and post-annealing in air. 2019 , 692, 137598	7
92	Photooxidation of Water on Pristine, S- and N-Doped TiO ₂ (001) Nanotube Surfaces: A DFT + U Study. 2019 , 123, 22691-22698	11
91	Photovoltaic performance of dye-sensitized solar cells based nanoporous-network Nb ₂ O ₅ . 2019 ,	2
90	Progress on Electrolytes Development in Dye-Sensitized Solar Cells. 2019 , 12,	95
89	Nanostructured photoanode and counter electrode materials for efficient Dye-Sensitized Solar Cells (DSSCs). 2019 , 185, 165-188	83
88	Impact of nanotechnology on dental implants. 2019 , 385-399	
87	WITHDRAWN: Synthesis of TiO ₂ nanotubular arrays and their electrochemical and photoelectrochemical properties to determine their use in photodegradation processes. 2019 , 100011	
86	Synthesis of TiO ₂ nanotubular arrays and their electrochemical and photoelectrochemical properties to determine their use in photodegradation processes. 2019 , 721, 129-140	8
85	Photostable 3D heterojunction photoanode made of ZnO nanosheets coated onto TiO ₂ nanowire arrays for photoelectrochemical solar hydrogen generation. 2019 , 9, 1989-1997	16
84	Photocatalytic reduction of carbon dioxide using graphene oxide wrapped TiO ₂ nanotubes. 2019 , 485, 48-55	38
83	TiCr alloy anodization for Cr-doped TiO ₂ nanotube array with improved photocatalytic activity. 2019 , 6, 075014	6

82	Fabrication of CdS quantum dots sensitized TiO ₂ nanowires/nanotubes arrays and their photoelectrochemical properties. 2019 , 1, 1	2
81	Comparing potentiostatic and galvanostatic anodization of titanium membranes for hybrid photocatalytic/microfiltration processes. 2019 , 578, 40-52	6
80	Rational Design of Photoelectrodes with Rapid Charge Transport for Photoelectrochemical Applications. 2019 , 31, e1805132	48
79	Fabrication of Ordered and High-Performance Nanostructured Photoelectrocatalysts by Electrochemical Anodization: Influence of Hydrodynamic Conditions. 2019 ,	
78	Influence of noble metal loading and effect of temperature on the hydrogen sensing behavior of the platinum sensitized titania nanotubes. 2019 , 6, 015006	5
77	Titania nanowires growing from P25 nuclei: Facile synthesis and the improved photocatalytic activity. 2019 , 124, 192-198	4
76	Self-templated synthesis of large-scale hierarchical anatase titania nanotube arrays on transparent conductive substrate for dye-sensitized solar cells. 2019 , 30, 572-580	5
75	Morphological characterization and refractive index calculation of anodized titanium (99.7%) foil in HF-ethanol electrolyte. 2019 , 6, 035026	3
74	Synthesis of TiO ₂ -based nanocomposites by anodizing and hydrogen annealing for efficient photoelectrochemical water oxidation. 2019 , 410-411, 59-68	13
73	Effect of the anodization parameters on TiO ₂ nanotubes characteristics produced in aqueous electrolytes with CMC. 2019 , 469, 994-1006	21
72	Nitrodopamine vs dopamine as an intermediate layer for bone regeneration applications. 2019 , 98, 461-471	7
71	Fabrication and characterization of Ni modified TiO ₂ electrode as anode material for direct methanol fuel cell. 2020 , 45, 4860-4874	10
70	Photoelectrocatalytic oxidation of 3-pyridinemethanol to 3-pyridinemethanal and vitamin B3 by TiO ₂ nanotubes. 2020 , 10, 124-137	8
69	Influence of PbS Quantum Dots-Doped TiO ₂ Nanotubes in TiO ₂ Film as an Electron Transport Layer for Enhanced Perovskite Solar Cell Performance. 2020 , 10, 287-295	1
68	TiO ₂ Nanotube Array Prepared by Anodization in Aqueous Electrolyte Containing Sodium Carboxyl Methyl Cellulose. 2020 , 1593, 012043	0
67	A scalable approach for functionalization of TiO ₂ nanotube arrays with g-C ₃ N ₄ for enhanced photo-electrochemical performance. 2020 , 846, 155881	13
66	Fabrication of WO ₃ photoanode on crystalline Si solar cell for water splitting. 2020 , 31, 14137-14144	0
65	Dye degradation, antimicrobial and larvicidal activity of silver nanoparticles biosynthesized from. 2020 , 27, 1753-1759	6

64	Nanostructured photoanode materials and their deposition methods for efficient and economical third generation dye-sensitized solar cells: A comprehensive review. 2020 , 129, 109919	29
63	Oxide nanotubes formation by anodic process and their application in photochemical reactions for heavy metal removal. 2020 , 277-303	0
62	Fabrication and cellular interactions of nanoporous tantalum oxide. 2020 , 108, 2743-2753	5
61	Tailoring the Anodic Hafnium Oxide Morphology Using Different Organic Solvent Electrolytes. 2020 , 10,	2
60	A study on Ti anodic pretreatment for improving the stability of electrodeposited IrO ₂ electrode. 2020 , 338, 135793	2
59	Enhanced interfacial adhesion and osseointegration of anodic TiO nanotube arrays on ultra-fine-grained titanium and underlying mechanisms. 2020 , 106, 360-375	17
58	Multifunctional nanostructured materials for next generation photovoltaics. 2020 , 70, 104480	25
57	Mixed oxide nanotubes in nanomedicine: A dead-end or a bridge to the future?. <i>Ceramics International</i> , 2021 , 47, 2917-2948	5.1 17
56	Improvement of TiO ₂ nanotubes for photoelectrochemical water splitting: Review. 2021 , 46, 4998-5024	33
55	Enhancement of photocurrent response for self-ordered Nb ₂ O ₅ nanotubes synthesized at room temperature. 2021 , 56, 2088-2102	2
54	Biocompatibility of Anodized Low-Cost Ti-4.7Mo-4.5Fe Alloy. 1016, 458-464	
53	Highly Ordered TiO Nanotube Arrays with Engineered Electrochemical Energy Storage Performances. 2021 , 14,	5
52	Recent Progress in Anodic Oxidation of TiO ₂ Nanotubes and Enhanced Photocatalytic Performance: A Short Review. 2021 , 16, 2130002	5
51	Asymmetric Multipole Plasmon-Mediated Catalysis Shifts the Product Selectivity of CO Photoreduction toward C Products. 2021 , 13, 7248-7258	16
50	Highly ordered anodic porous oxides of transition metals fabricated by anodization combined with a pretexturing process. 2021 , 123, 106916	2
49	Formation of highly uniform tin oxide nanochannels by electrochemical anodization on cold sprayed tin coatings. 2021 , 410, 126978	1
48	High aspect ratio TiO ₂ nanotube layers obtained in a very short anodization time. 2021 , 376, 138080	14
47	IO-TiO ₂ /PCN-222 Heterostructure with a Tightly Connected Interface and Its Photocatalytic Activity. 2021 , 6, 4238-4246	1

46	A critical review on the variations in anodization parameters toward microstructural formation of TiO ₂ nanotubes. e202100083		1
45	Fabrication of Photoelectrode Materials. 2010 , 473-513		2
44	Quantum Dot-Sensitized, Three-Dimensional Nanostructures for Photovoltaic Applications. 2011 , 413-446		1
43	TiO ₂ nanotube height effect on the efficiency of dye-sensitized solar cells. 2011 , 13, 7159		1
42	CHAPTER 8. Hierarchical Nanostructures for Photo-Electro-Chemical Cells. 2014 , 174-203		1
41	Laser-driven proton acceleration via excitation of surface plasmon polaritons into TiO ₂ nanotube array targets. 2020 , 62, 114001		6
40	Composite Ni-TiO ₂ nanotube arrays electrode for photo-assisted electrolysis. 2015 , 3, 45-57		1
39	Influence of Annealing on the Photoconversion Efficiency of Titania Nanotube Arrays. <i>Transactions of the Materials Research Society of Japan</i> , 2013 , 38, 127-130	0.2	2
38	Fabrication of TiO ₂ Nanotube Arrays by Anodic Oxidation Method and its Photoelectrochemical Properties. <i>Journal of Korean Powder Metallurgy Institute</i> , 2010 , 17, 216-222	0.1	3
37	Photovoltaic Behavior of Dye-sensitized Long TiO ₂ Nanotube Arrays. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 4035-4040	1.2	3
36	Preparation of TiO ₂ Double-Layer Films with Echinoid-Like Particles on Nanorods Array for Dye Sensitized Solar Cells. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 355-356	1.2	2
35	Solar Energy Conversion by the Regular Array of TiO ₂ Nanotubes Anchored with ZnS/CdSSe/CdS Quantum Dots Formed by Sequential Ionic Bath Deposition. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 856-862	1.2	5
34	Alumina Template Assistance in Titania Nanotubes Dye-Sensitized Solar Cell (NT-DSSC) Device Fabrication. <i>ISRN Nanotechnology</i> , 2012 , 2012, 1-10		3
33	Preparation of Titania Nanotube Thin films by Anodizing. <i>Korean Chemical Engineering Research</i> , 2011 , 49, 28-34		2
32	Titanium Dioxide Nanomaterials for Renewable Energy Applications. <i>Engineering Materials</i> , 2022 , 73-96	0.4	0
31	Distribution of Anatase Phase Depending on the Thermal Treatment Temperature of Tio ₂ Nanotubes and Its Effects on the Photocatalytic Efficiency. <i>Journal of the Korean Ceramic Society</i> , 2008 , 45, 331-335	2.2	
30	Facile Route to Laterally Graded Nanotemplate. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 1131-1134		1
29	Nanotubular Structures of Oxides and Their Applications. <i>Applied Science and Convergence Technology</i> , 2010 , 19, 105-113	0.8	

28	Anodized Titania Nanotube Array and its Application in Dye-Sensitized Solar Cells. 2010 , 57-108		
27	Functionally Engineered Materials. 387-455		
26	Effects of Electrospun TiO ₂ Nanowires Mixed in Nanoparticle-Based Electrode for Dye-Sensitized Solar Cells. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 044106	1.4	
25	Some recent developments in photoelectrochemical water splitting using nanostructured TiO ₂ : a short review. <i>Highlights in Theoretical Chemistry</i> , 2014 , 7-18		1
24	Titania Nano-architectures for Energy. 2015 , 129-165		
23	Novel Synthesis of 4nm Anatase Nanoparticles at Room Temperature Obtained from TiO ₂ Nanotube Structures by Anodizing Ti. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2015 , 87-115	0.4	
22	Development of Nanostructures by Electrochemical Method for Chemical Sensors. 2015 , 1-45		
21	A Study on the Design of Dye-sensitized Solar Cells Using Textile Photoelectrodes and Their Electrical Properties. <i>Textile Science and Engineering</i> , 2015 , 52, 199-205		
20	Development of Nanostructures by Electrochemical Method for Chemical Sensors. 2016 , 1195-1249		
19	Damage Evaluation of TiO ₂ Nanotubes on Titanium. <i>Ceramic Transactions</i> , 115-127	0.1	
18	Introduction. <i>Springer Theses</i> , 2017 , 1-40	0.1	
17	Architected Nanomembranes. <i>Nanostructure Science and Technology</i> , 2017 , 443-465	0.9	
16	Electron Transfer. <i>Springer Series in Chemical Physics</i> , 2018 , 33-54	0.3	
15	Correlation between anodization variables and surface properties of titania nanotube arrays for dye-sensitized solar cells. <i>International Journal of Materials Research</i> , 2019 , 110, 155-162	0.5	
14	Polarization-enhanced cell walls etching of anodic titanium oxide. <i>Nanotechnology</i> , 2021 , 33,	3.4	0
13	Synthesis Aspects of Nanoporous and Quasi-One-Dimensional Thin Film Architecture Photoelectrodes for Artificial Photosynthesis. <i>Indian Institute of Metals Series</i> , 2022 , 277-323	0.3	
12	Percolative Anodization: Tailoring TiO ₂ Nanotube Arrays Inside Ultrafine Ti Microchannels. <i>Journal of the Electrochemical Society</i> ,	3.9	1
11	Influencing parameters in the electrochemical anodization of TiO ₂ nanotubes: Systematic review and meta-analysis. <i>Ceramics International</i> , 2022 ,	5.1	2

10	Nanostructured photocatalysts for the abatement of contaminants by photocatalysis and photocatalytic ozonation: An overview.. <i>Science of the Total Environment</i> , 2022 , 837, 155776	10.2	5
9	Exploiting the synergistic catalytic effects of CoPi nanostructures on Zr-doped highly ordered TiO ₂ nanotubes for efficient solar water oxidation. <i>International Journal of Energy Research</i> ,	4.5	0
8	Influence of Zinc Oxide Nanostructure Morphology on its Photocatalytic Properties. <i>Current Nanoscience</i> , 2022 , 18,	1.4	
7	Dye-Sensitized Solar Cells. <i>Springer Handbooks</i> , 2022 , 1137-1214	1.3	
6	On the Morphology of Nanostructured TiO ₂ for Energy Applications: The Shape of the Ubiquitous Nanomaterial. 2022 , 12, 2608		2
5	TiO ₂ nanotubes film/FTO glass interface: Thermal treatment effects. 2022 , 54, 235-248		0
4	Novel Nanomaterials for Hydrogen Production and Storage: Evaluating the Futurity of Graphene/Graphene Composites in Hydrogen Energy. 2022 , 15, 9085		0
3	Enhanced photoelectrochemical and sensing performance of TiO ₂ /NiOOH/Ag to glucose. 2023 , 129,		0
2	Nanostructured semiconductor metal oxides for dye-sensitized solar cells. 2023 , 223-246		0
1	Novel bilayer coating on gentamicin-loaded titanium nanotube for orthopedic implants applications. 2023 , 636, 122764		1