# Genome-Level Longitudinal Expression of Signaling Pat
# Pediatric Septic Shock

Molecular Medicine

13, 495-508

DOI: 10.2119/2007-00065.shanley

Citation Report

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Divergence of canonical danger signals: The genome-level expression patterns of human mononuclear cells subjected to heat shock or lipopolysaccharide. BMC Immunology, 2008, 9, 24. | 0.9 | 16 |
| 2 | Zinc Supplementation in Critically Ill Patients: A Key Pharmaconutrient?. Journal of Parenteral and Enteral Nutrition, 2008, 32, 509-519. | 1.3 | 113 |
| 3 | Interleukin-8 as a Stratification Tool for Interventional Trials Involving Pediatric Septic Shock. American Journal of Respiratory and Critical Care Medicine, 2008, 178, 276-282. | 2.5 | 129 |
| 4 | Validating the genomic signature of pediatric septic shock. Physiological Genomics, 2008, 34, 127-134. | 1.0 | 94 |
| 5 | Pediatric shock. Therapy: Open Access in Clinical Medicine, 2008, 5, 405-423. | 0.2 | 5 |
| 6 | Genetic approach to pediatric septic shock. Personalized Medicine, 2008, 5, 249-263. | 0.8 | 4 |
| 8 | Monitoring Immune Dysfunctions in the Septic Patient: A New Skin for the Old Ceremony. Molecular Medicine, 2008, 14, 64-78. | 1.9 | 286 |
| 9 | Identification of pediatric septic shock subclasses based on genome-wide expression profiling. BMC Medicine, 2009, 7, 34. | 2.3 | 216 |
| 10 | Subtypeâ€specific peripheral blood gene expression profiles in recentâ€onset juvenile idiopathic arthritis. Arthritis and Rheumatism, 2009, 60, 2102-2112. | 6.7 | 153 |
| 11 | Genomic transcriptional profiling identifies a candidate blood biomarker signature for the diagnosis of septicemic melioidosis. Genome Biology, 2009, 10, R127. | 13.9 | 176 |
| 12 | Genomic expression profiling across the pediatric systemic inflammatory response syndrome, sepsis, and septic shock spectrum*. Critical Care Medicine, 2009, 37, 1558-1566. | 0.4 | 285 |
| 13 | Toward a clinically feasible gene expression-based subclassification strategy for septic shock: Proof of concept. Critical Care Medicine, 2010, 38, 1955-1961. | 0.4 | 84 |
| 14 | Admission chemokine (C-C motif) ligand 4 levels predict survival in pediatric septic shock*. Pediatric Critical Care Medicine, 2010, 11, 213-216. | 0.2 | 41 |
| 15 | Pathophysiology and Treatment of Septic Shock in Neonates. Clinics in Perinatology, 2010, 37, 439-479. | 0.8 | 183 |
| 16 | Nutrition in the Intensive Care Unit: Year in Review 2008â€“2009. Journal of Parenteral and Enteral Nutrition, 2010, 34, 21-31. | 1.3 | 11 |
| 17 | Mechanisms and Regulation of the Gene-Expression Response to Sepsis. Pediatrics, 2010, 125, 1248-1258. | 1.0 | 64 |
| 18 | Disease and phenotype gene set analysis of disease-based gene expression in mouse and human. Physiological Genomics, 2010, 42A, 162-167. | 1.0 | 17 |
| 19 | Genome-wide transcription profiling of human sepsis: a systematic review. Critical Care, 2010, 14, R237. | 2.5 | 144 |

| # | Article | IF | Citations |
|---|---|---|---|
| 20 | Prediction of In Vivo Radiation Dose Status in Radiotherapy Patients using Ex Vivo and In Vivo Gene Expression Signatures. Radiation Research, 2011, 175, 257. | 0.7 | 111 |
| 21 | Identification of candidate serum biomarkers for severe septic shock-associated kidney injury via microarray. Critical Care, 2011, 15, R273. | 2.5 | 51 |
| 22 | The Influence of Developmental Age on the Early Transcriptomic Response of Children with Septic Shock. Molecular Medicine, 2011, 17, 1146-1156. | 1.9 | 195 |
| 23 | Genomic and Proteomic Medicine in Critical Care. , 2011, , 1377-1386. | | 0 |
| 25 | An Evaluation of the Role of Gene Expression in the Prediction and Diagnosis of Ventilator-associated Pneumonia. Anesthesiology, 2011, 115, 344-352. | 1.3 | 13 |
| 26 | Validation of a gene expression-based subclassification strategy for pediatric septic shock*. Critical Care Medicine, 2011, 39, 2511-2517. | 0.4 | 140 |
| 27 | Myocardial depressant effects of interleukin 6 in meningococcal sepsis are regulated by p38 mitogen-activated protein kinase*. Critical Care Medicine, 2011, 39, 1692-1711. | 0.4 | 75 |
| 28 | Lysine methylation of the NF-ÎºB subunit RelA by SETD6 couples activity of the histone methyltransferase GLP at chromatin to tonic repression of NF-ÎºB signaling. Nature Immunology, 2011, 12, 29-36. | 7.0 | 230 |
| 29 | Global gene expression profiling in early-stage polycystic kidney disease in the Han:SPRD Cy rat identifies a role for RXR signaling. American Journal of Physiology - Renal Physiology, 2011, 300, F177-F188. | 1.3 | 16 |
| 30 | Temporal Dynamics of the Transcriptional Response to Dengue Virus Infection in Nicaraguan Children. PLoS Neglected Tropical Diseases, 2012, 6, e1966. | 1.3 | 52 |
| 31 | Lab-on-a-chip sensor for measuring Zn by stripping voltammetry. , 2012, , . | | 2 |
| 32 | A novel role for matrix metalloproteinase-8 in sepsis*. Critical Care Medicine, 2012, 40, 379-387. | 0.4 | 80 |
| 33 | Prophylactic zinc supplementation reduces bacterial load and improves survival in a murine model of sepsis. Pediatric Critical Care Medicine, 2012, 13, e323-e329. | 0.2 | 53 |
| 34 | Reduced Peroxisome Proliferator-Activated Receptor Î± Expression Is Associated With Decreased Survival and Increased Tissue Bacterial Load in Sepsis. Shock, 2012, 37, 164-169. | 1.0 | 68 |
| 35 | Genetics and genomics in pediatric septic shock. Critical Care Medicine, 2012, 40, 1618-1626. | 0.4 | 81 |
| 36 | Clinical review: Sepsis and septic shock - the potential of gene arrays. Critical Care, 2012, 16, 204. | 2.5 | 75 |
| 37 | The pediatric sepsis biomarker risk model. Critical Care, 2012, 16, R174. | 2.5 | 166 |
| 38 | Interleukin-27 is a novel candidate diagnostic biomarker for bacterial infection in critically ill children. Critical Care, 2012, 16, R213. | 2.5 | 79 |

| # | Article | IF | Citations |
|---|---|---|---|
| 39 | Genetic Predisposition to Critical Illness in the Pediatric Intensive Care Unit. , 2012, , 242-261. | | 0 |
| 40 | Pediatric Sepsis: Preparing for the Future Against a Global Scourge. Current Infectious Disease Reports, 2012, 14, 503-511. | 1.3 | 12 |
| 41 | Clinical implications and molecular mechanisms of immunoparalysis after cardiopulmonary bypass. Journal of Thoracic and Cardiovascular Surgery, 2012, 143, 1160-1166.e1. | 0.4 | 62 |
| 42 | Integrating Data-Driven and Mechanistic Models of the Inflammatory Response in Sepsis and Trauma. , 2013, , 143-157. | | 6 |
| 43 | The Application of Nafion Metal Catalyst Free Carbon Nanotube Modified Gold Electrode: Voltammetric Zinc Detection in Serum. Electroanalysis, 2013, 25, 2259-2267. | 1.5 | 12 |
| 44 | Zinc Detection in Serum by Anodic Stripping Voltammetry on Microfabricated Bismuth Electrodes. Electroanalysis, 2013, 25, 401-407. | 1.5 | 55 |
| 45 | Genome-wide expression profiling in pediatric septic shock. Pediatric Research, 2013, 73, 564-569. | 1.1 | 52 |
| 46 | B-Cell Maturation Antigen, A Proliferation-Inducing Ligand, and B-Cell Activating Factor Are Candidate Mediators of Spinal Cord Injury-Induced Autoimmunity. Journal of Neurotrauma, 2013, 30, 434-440. | 1.7 | 35 |
| 47 | Uncovering hidden duplicated content in public transcriptomics data. Database: the Journal of Biological Databases and Curation, 2013, 2013, bat010. | 1.4 | 14 |
| 48 | Gene Expression-Based Classifiers Identify Staphylococcus aureus Infection in Mice and Humans. PLoS ONE, 2013, 8, e48979. | 1.1 | 50 |
| 49 | Transcriptional Instability during Evolving Sepsis May Limit Biomarker Based Risk Stratification. PLoS ONE, 2013, 8, e60501. | 1.1 | 38 |
| 50 | Genetic Polymorphisms and Sepsis in Premature Neonates. PLoS ONE, 2014, 9, e101248. | 1.1 | 48 |
| 51 | Differential expression of the nuclear-encoded mitochondrial transcriptome in pediatric septic shock. Critical Care, 2014, 18, 623. | 2.5 | 22 |
| 52 | Corticosteroids Are Associated with Repression of Adaptive Immunity Gene Programs in Pediatric Septic Shock. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 940-946. | 2.5 | 63 |
| 53 | Improving Reproducibility of Lab-on-a-Chip Sensor with Bismuth Working Electrode for Determining Zn in Serum by Anodic Stripping Voltammetry. Journal of the Electrochemical Society, 2014, 161, B3160-B3166. | 1.3 | 14 |
| 54 | Post-ICU Admission Fluid Balance and Pediatric Septic Shock Outcomes. Critical Care Medicine, 2014, 42, 397-403. | 0.4 | 69 |
| 55 | A Multibiomarker-Based Outcome Risk Stratification Model for Adult Septic Shock*. Critical Care Medicine, 2014, 42, 781-789. | 0.4 | 107 |
| 56 | Disposable Copper-Based Electrochemical Sensor for Anodic Stripping Voltammetry. Analytical Chemistry, 2014, 86, 4893-4900. | 3.2 | 84 |

| # | Article | IF | Citations |
|---|---|---|---|
| 57 | Identification of a human neonatal immune-metabolic network associated with bacterial infection. Nature Communications, 2014, 5, 4649. | 5.8 | 112 |
| 58 | Data-Driven and Statistical Models. , 2015, , 89-98. | | 0 |
| 59 | Septic Shock in Advanced Age: Transcriptome Analysis Reveals Altered Molecular Signatures in Neutrophil Granulocytes. PLoS ONE, 2015, 10, e0128341. | 1.1 | 27 |
| 60 | Lysosome and Cytoskeleton Pathways Are Robustly Enriched in the Blood of Septic Patients: A Meta-Analysis of Transcriptomic Data. Mediators of Inflammation, 2015, 2015, 1-15. | 1.4 | 24 |
| 61 | Postnatal Age Is a Critical Determinant of the Neonatal Host Response to Sepsis. Molecular Medicine, 2015, 21, 496-504. | 1.9 | 53 |
| 62 | Longitudinal epigenetic and gene expression profiles analyzed by three-component analysis reveal down-regulation of genes involved in protein translation in human aging. Nucleic Acids Research, 2015, 43, e100-e100. | 6.5 | 35 |
| 63 | Biomarker-based classification of bacterial and fungal whole-blood infections in a genome-wide expression study. Frontiers in Microbiology, 2015, 6, 171. | 1.5 | 30 |
| 64 | Increased expression of neutrophil-related genes in patients with early sepsis-induced ARDS. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2015, 308, L1102-L1113. | 1.3 | 137 |
| 65 | A comprehensive time-courseâ€"based multicohort analysis of sepsis and sterile inflammation reveals a robust diagnostic gene set. Science Translational Medicine, 2015, 7, 287ra71. | 5.8 | 271 |
| 66 | Experience Modulates the Effects of Histone Deacetylase Inhibitors on Gene and Protein Expression in the Hippocampus: Impaired Plasticity in Aging. Journal of Neuroscience, 2015, 35, 11729-11742. | 1.7 | 20 |
| 67 | Intestine-Derived Matrix Metalloproteinase-8 Is a Critical Mediator of Polymicrobial Peritonitis*. Critical Care Medicine, 2016, 44, e200-e206. | 0.4 | 15 |
| 68 | Matrix Metalloproteinase-8 Augments Bacterial Clearance in a Juvenile sepsis Model. Molecular Medicine, 2016, 22, 455-463. | 1.9 | 15 |
| 69 | Similarly Lethal Strains of Extraintestinal Pathogenic Escherichia coli Trigger Markedly Diverse Host Responses in a Zebrafish Model of Sepsis. MSphere, 2016, 1, . | 1.3 | 22 |
| 70 | Genetic and epigenetic factors in the regulation of the immune response. Current Opinion in Pediatrics, 2016, 28, 281-286. | 1.0 | 6 |
| 71 | Robust classification of bacterial and viral infections via integrated host gene expression diagnostics. Science Translational Medicine, 2016, 8, 346ra91. | 5.8 | 299 |
| 72 | Diagnostic Utility of Different Blood Components in Gene Expression Analysis of Sepsis. Shock, 2016, 45, 292-298. | 1.0 | 4 |
| 73 | Recent developments in severe sepsis research: from bench to bedside and back. Future Microbiology, 2016, 11, 293-314. | 1.0 | 13 |
| 74 | Defining immunological dysfunction in sepsis: A requisite tool for precision medicine. Journal of Infection, 2016, 72, 525-536. | 1.7 | 74 |

| # | Article | IF | Citations |
|---|---|---|---|
| 75 | Benchmarking Sepsis Gene Expression Diagnostics Using Public Data*. Critical Care Medicine, 2017, 45, 1-10. | 0.4 | 96 |
| 76 | Improved Risk Stratification in Pediatric Septic Shock Using Both Protein and mRNA Biomarkers. PERSEVERE-XP. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 494-501. | 2.5 | 65 |
| 77 | Pathophysiology of Neonatal Sepsis. , 2017, , 1536-1552.e10. | | 9 |
| 78 | Septic Shock in Older People. , 0, , . | | 0 |
| 79 | Transcriptomic data from two primary cell models stimulating human monocytes suggest inhibition of oxidative phosphorylation and mitochondrial function by N. meningitidis which is partially up-regulated by IL-10. BMC Immunology, 2017, 18, 46. | 0.9 | 7 |
| 80 | Hyperchloremia Is Associated With Complicated Course and Mortality in Pediatric Patients With Septic Shock*. Pediatric Critical Care Medicine, 2018, 19, 155-160. | 0.2 | 60 |
| 81 | Endotype Transitions During the Acute Phase of Pediatric Septic Shock Reflect Changing Risk and Treatment Response. Critical Care Medicine, 2018, 46, e242-e249. | 0.4 | 45 |
| 82 | Altered expression of TIAM1 in endotoxin-challenged airway epithelial cells and rodent septic models. Journal of Thoracic Disease, 2018, 10, 3187-3195. | 0.6 | 4 |
| 83 | <scp>PPAR</scp>Î±contributes to protection against metabolic and inflammatory derangements associated with acute kidney injury in experimental sepsis. Physiological Reports, 2019, 7, e14078. | 0.7 | 38 |
| 84 | TMEM176A and TMEM176B Are Candidate Regulators of Inhibition of Dendritic Cell Maturation and Function after Chronic Spinal Cord Injury. Journal of Neurotrauma, 2020, 37, 528-533. | 1.7 | 27 |
| 85 | The pathophysiology of SARS-CoV-2: A suggested model and therapeutic approach. Life Sciences, 2020, 258, 118166. | 2.0 | 79 |
| 86 | Diagnostic potential of a gradient boosting-based model for detecting pediatric sepsis. Genomics, 2021, 113, 874-883. | 1.3 | 8 |
| 87 | Preventing the development of severe COVID-19 by modifying immunothrombosis. Life Sciences, 2021, 264, 118617. | 2.0 | 40 |
| 89 | Long non-coding RNA pairs to assist in diagnosing sepsis. BMC Genomics, 2021, 22, 275. | 1.2 | 21 |
| 91 | Pro-inflammatory and Anti-inflammatory Mediators in Critical Illness and Injury. , 2014, , 231-238. | | 2 |
| 92 | Impact of Zinc Metabolism on Innate Immune Function in the Setting of Sepsis. International Journal for Vitamin and Nutrition Research, 2010, 80, 271-277. | 0.6 | 57 |
| 93 | Testing the Prognostic Accuracy of the Updated Pediatric Sepsis Biomarker Risk Model. PLoS ONE, 2014, 9, e86242. | 1.1 | 69 |
| 94 | The Temporal Version of the Pediatric Sepsis Biomarker Risk Model. PLoS ONE, 2014, 9, e92121. | 1.1 | 36 |

| # | Article | IF | Citations |
|---|---|---|---|
| 95 | Novel Pharmacologic Approaches to the Management of Sepsis: Targeting the Host Inflammatory Response. Recent Patents on Inflammation and Allergy Drug Discovery, 2009, 3, 96-112. | 3.9 | 50 |
| 96 | â€Children are not Small Adults!â€œ. The Open Inflammation Journal, 2011, 4, 4-15. | 0.5 | 58 |
| 97 | Novel Therapeutic Agents in Pediatric Sepsis - Zinc. The Open Inflammation Journal, 2011, 4, 110-114. | 0.5 | 1 |
| 98 | Association of Gene Polymorphism of Bactericidal Permeability Increasing Protein Rs4358188, Cluster of Differentiation 14 Rs2569190, Interleukin 1Î² Rs1143643 and Matrix Metalloproteinase-16 Rs2664349 with Neonatal Sepsis. Open Access Macedonian Journal of Medical Sciences, 2019, 7, 2728-2733. | 0.1 | 9 |
| 99 | Effect of zinc supplementation on relative expression of immune response genes in neonates with sepsis: A preliminary study. Indian Journal of Medical Research, 2020, 152, 296. | 0.4 | 8 |
| 100 | Rethinking Sepsis: New Insights from Gene Expression Profiling Studies. , 2009, , 3-13. | | 0 |
| 101 | Rethinking Sepsis: New Insights from Gene Expression Profiling Studies. , 2009, , 3-13. | | 0 |
| 102 | Leukocyte subset-derived genomewide expression profiles in pediatric septic shock*. Pediatric Critical Care Medicine, 2009, 11, 1. | 0.2 | 53 |
| 103 | Genomics in Critical Illness. , 2014, , 203-215. | | 0 |
| 104 | Signal Transduction Pathways in Critical Illness and Injury. , 2014, , 217-229. | | 0 |
| 106 | Zinc Signal in Inflammation. , 2014, , 227-248. | | 0 |
| 108 | Androgen Receptor Pathway Activity Assay for Sepsis Diagnosis and Prediction of Favorable Prognosis. Frontiers in Medicine, 2021, 8, 767145. | 1.2 | 3 |
| 109 | Research Progress on Diagnostic Markers of Pneumonia. Advances in Clinical Medicine, 2021, 11, 4789-4802. | 0.0 | 0 |
| 110 | Choline supplementation attenuates experimental sepsis-associated acute kidney injury. American Journal of Physiology - Renal Physiology, 2022, 323, F255-F271. | 1.3 | 1 |
| 113 | Identification of potential biomarkers and immune infiltration in pediatric sepsisviamultiple-microarray analysis. European Journal of Inflammation, 2022, 20, 1721727X2211443. | 0.2 | 2 |