

CITATION REPORT

List of articles citing

Genome-level longitudinal expression of signaling pathways and gene networks in pediatric septic shock

DOI: 10.2119/2007-00065.shanley
Molecular Medicine, 2007, 13, 495-508.

Source: <https://exaly.com/paper-pdf/42506888/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
110	Divergence of canonical danger signals: the genome-level expression patterns of human mononuclear cells subjected to heat shock or lipopolysaccharide. 2008 , 9, 24		15
109	Zinc supplementation in critically ill patients: a key pharmaconutrient?. 2008 , 32, 509-19		88
108	Interleukin-8 as a stratification tool for interventional trials involving pediatric septic shock. 2008 , 178, 276-82		104
107	Validating the genomic signature of pediatric septic shock. 2008 , 34, 127-34		79
106	Pediatric shock. 2008 , 5, 405-423		3
105	Genetic approach to pediatric septic shock. 2008 , 5, 249-263		3
104	Bibliography. Current world literature. Pharmacology, metabolism and nutrition. 2008 , 14, 466-73		
103	Monitoring immune dysfunctions in the septic patient: a new skin for the old ceremony. <i>Molecular Medicine</i> , 2008 , 14, 64-78	6.2	248
102	Identification of pediatric septic shock subclasses based on genome-wide expression profiling. 2009 , 7, 34		149
101	Subtype-specific peripheral blood gene expression profiles in recent-onset juvenile idiopathic arthritis. 2009 , 60, 2102-12		131
100	Genomic transcriptional profiling identifies a candidate blood biomarker signature for the diagnosis of septicemic melioidosis. 2009 , 10, R127		140
99	Genomic expression profiling across the pediatric systemic inflammatory response syndrome, sepsis, and septic shock spectrum. 2009 , 37, 1558-66		234
98	Toward a clinically feasible gene expression-based subclassification strategy for septic shock: proof of concept. 2010 , 38, 1955-61		54
97	Admission chemokine (C-C motif) ligand 4 levels predict survival in pediatric septic shock. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 213-6	3	33
96	Pathophysiology and treatment of septic shock in neonates. 2010 , 37, 439-79		135
95	Nutrition in the intensive care unit: year in review 2008-2009. 2010 , 34, 21-31		10
94	Mechanisms and regulation of the gene-expression response to sepsis. 2010 , 125, 1248-58		54

93	Disease and phenotype gene set analysis of disease-based gene expression in mouse and human. 2010 , 42A, 162-7		13
92	Genome-wide transcription profiling of human sepsis: a systematic review. 2010 , 14, R237		119
91	Prediction of in vivo radiation dose status in radiotherapy patients using ex vivo and in vivo gene expression signatures. 2011 , 175, 257-65		97
90	Identification of candidate serum biomarkers for severe septic shock-associated kidney injury via microarray. 2011 , 15, R273		42
89	The influence of developmental age on the early transcriptomic response of children with septic shock. <i>Molecular Medicine</i> , 2011 , 17, 1146-56	6.2	165
88	Genomic and Proteomic Medicine in Critical Care. 2011 , 1377-1386		
87	Sepsis. 2011 , 1413-1429		4
86	An evaluation of the role of gene expression in the prediction and diagnosis of ventilator-associated pneumonia. 2011 , 115, 344-52		11
85	Validation of a gene expression-based subclassification strategy for pediatric septic shock. 2011 , 39, 2511-7		89
84	Myocardial depressant effects of interleukin 6 in meningococcal sepsis are regulated by p38 mitogen-activated protein kinase. 2011 , 39, 1692-711		51
83	Lysine methylation of the NF- κ B subunit RelA by SETD6 couples activity of the histone methyltransferase GLP at chromatin to tonic repression of NF- κ B signaling. 2011 , 12, 29-36		198
82	Global gene expression profiling in early-stage polycystic kidney disease in the Han:SPRD Cy rat identifies a role for RXR signaling. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, F177-88 ⁴⁻³		13
81	Temporal dynamics of the transcriptional response to dengue virus infection in Nicaraguan children. 2012 , 6, e1966		42
80	Lab-on-a-chip sensor for measuring Zn by stripping voltammetry. 2012 ,		2
79	A novel role for matrix metalloproteinase-8 in sepsis. 2012 , 40, 379-87		65
78	Prophylactic zinc supplementation reduces bacterial load and improves survival in a murine model of sepsis. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, e323-9	3	45
77	Reduced peroxisome proliferator-activated receptor α expression is associated with decreased survival and increased tissue bacterial load in sepsis. 2012 , 37, 164-9		54
76	Genetics and genomics in pediatric septic shock. 2012 , 40, 1618-26		59

75	Clinical review: sepsis and septic shock--the potential of gene arrays. 2012 , 16, 204	54
74	The pediatric sepsis biomarker risk model. 2012 , 16, R174	113
73	Interleukin-27 is a novel candidate diagnostic biomarker for bacterial infection in critically ill children. 2012 , 16, R213	65
72	Genetic Predisposition to Critical Illness in the Pediatric Intensive Care Unit. 2012 , 242-261	
71	Pediatric sepsis: preparing for the future against a global scourge. 2012 , 14, 503-11	8
70	Clinical implications and molecular mechanisms of immunoparalysis after cardiopulmonary bypass. 2012 , 143, 1160-1166.e1	54
69	Integrating Data-Driven and Mechanistic Models of the Inflammatory Response in Sepsis and Trauma. 2013 , 143-157	2
68	The Application of Nafion Metal Catalyst Free Carbon Nanotube Modified Gold Electrode: Voltammetric Zinc Detection in Serum. 2013 , 25, 2259-2267	9
67	Zinc Detection in Serum by Anodic Stripping Voltammetry on Microfabricated Bismuth Electrodes. 2013 , 25, 401	46
66	Genome-wide expression profiling in pediatric septic shock. 2013 , 73, 564-9	42
65	B-cell maturation antigen, a proliferation-inducing ligand, and B-cell activating factor are candidate mediators of spinal cord injury-induced autoimmunity. 2013 , 30, 434-40	28
64	Uncovering hidden duplicated content in public transcriptomics data. 2013 , 2013, bat010	14
63	Gene expression-based classifiers identify Staphylococcus aureus infection in mice and humans. 2013 , 8, e48979	39
62	Transcriptional instability during evolving sepsis may limit biomarker based risk stratification. 2013 , 8, e60501	25
61	Genetic polymorphisms and sepsis in premature neonates. 2014 , 9, e101248	32
60	Differential expression of the nuclear-encoded mitochondrial transcriptome in pediatric septic shock. 2014 , 18, 623	19
59	Corticosteroids are associated with repression of adaptive immunity gene programs in pediatric septic shock. 2014 , 189, 940-6	44
58	Improving Reproducibility of Lab-on-a-Chip Sensor with Bismuth Working Electrode for Determining Zn in Serum by Anodic Stripping Voltammetry. 2014 , 161, B3160-B3166	12

57	Post-ICU admission fluid balance and pediatric septic shock outcomes: a risk-stratified analysis. 2014 , 42, 397-403		43
56	A multibiomarker-based outcome risk stratification model for adult septic shock*. 2014 , 42, 781-9		81
55	Disposable copper-based electrochemical sensor for anodic stripping voltammetry. 2014 , 86, 4893-900		64
54	Identification of a human neonatal immune-metabolic network associated with bacterial infection. 2014 , 5, 4649		84
53	Data-Driven and Statistical Models: Everything Old Is New Again. 2015 , 89-98		
52	Septic Shock in Advanced Age: Transcriptome Analysis Reveals Altered Molecular Signatures in Neutrophil Granulocytes. 2015 , 10, e0128341		19
51	Lysosome and Cytoskeleton Pathways Are Robustly Enriched in the Blood of Septic Patients: A Meta-Analysis of Transcriptomic Data. 2015 , 2015, 984825		20
50	Postnatal Age Is a Critical Determinant of the Neonatal Host Response to Sepsis. <i>Molecular Medicine</i> , 2015 , 21, 496-504	6.2	41
49	Longitudinal epigenetic and gene expression profiles analyzed by three-component analysis reveal down-regulation of genes involved in protein translation in human aging. 2015 , 43, e100		26
48	Biomarker-based classification of bacterial and fungal whole-blood infections in a genome-wide expression study. 2015 , 6, 171		22
47	Increased expression of neutrophil-related genes in patients with early sepsis-induced ARDS. 2015 , 308, L1102-13		101
46	A comprehensive time-course-based multicohort analysis of sepsis and sterile inflammation reveals a robust diagnostic gene set. 2015 , 7, 287ra71		197
45	Experience Modulates the Effects of Histone Deacetylase Inhibitors on Gene and Protein Expression in the Hippocampus: Impaired Plasticity in Aging. 2015 , 35, 11729-42		20
44	Intestine-Derived Matrix Metalloproteinase-8 Is a Critical Mediator of Polymicrobial Peritonitis. 2016 , 44, e200-6		12
43	Matrix Metalloproteinase-8 Augments Bacterial Clearance in a Juvenile Sepsis Model. <i>Molecular Medicine</i> , 2016 , 22, 455-463	6.2	13
42	Similarly Lethal Strains of Extraintestinal Pathogenic Escherichia coli Trigger Markedly Diverse Host Responses in a Zebrafish Model of Sepsis. 2016 , 1,		13
41	Genetic and epigenetic factors in the regulation of the immune response. 2016 , 28, 281-6		4
40	Robust classification of bacterial and viral infections via integrated host gene expression diagnostics. 2016 , 8, 346ra91		180

39	DIAGNOSTIC UTILITY OF DIFFERENT BLOOD COMPONENTS IN GENE EXPRESSION ANALYSIS OF SEPSIS. 2016 , 45, 292-8		3
38	Recent developments in severe sepsis research: from bench to bedside and back. 2016 , 11, 293-314		10
37	Defining immunological dysfunction in sepsis: A requisite tool for precision medicine. 2016 , 72, 525-36		59
36	Benchmarking Sepsis Gene Expression Diagnostics Using Public Data. 2017 , 45, 1-10		70
35	Improved Risk Stratification in Pediatric Septic Shock Using Both Protein and mRNA Biomarkers. PERSEVERE-XP. 2017 , 196, 494-501		39
34	Pathophysiology of Neonatal Sepsis. 2017 , 1536-1552.e10		2
33	Septic Shock in Older People. 2017 ,		
32	Transcriptomic data from two primary cell models stimulating human monocytes suggest inhibition of oxidative phosphorylation and mitochondrial function by <i>N. meningitidis</i> which is partially up-regulated by IL-10. 2017 , 18, 46		5
31	Hyperchloremia Is Associated With Complicated Course and Mortality in Pediatric Patients With Septic Shock. <i>Pediatric Critical Care Medicine</i> , 2018 , 19, 155-160	3	38
30	Endotype Transitions During the Acute Phase of Pediatric Septic Shock Reflect Changing Risk and Treatment Response. 2018 , 46, e242-e249		25
29	Altered expression of TIAM1 in endotoxin-challenged airway epithelial cells and rodent septic models. 2018 , 10, 3187-3195		2
28	PPAR α contributes to protection against metabolic and inflammatory derangements associated with acute kidney injury in experimental sepsis. 2019 , 7, e14078		19
27	TMEM176A and TMEM176B Are Candidate Regulators of Inhibition of Dendritic Cell Maturation and Function after Chronic Spinal Cord Injury. 2020 , 37, 528-533		9
26	The pathophysiology of SARS-CoV-2: A suggested model and therapeutic approach. 2020 , 258, 118166		43
25	Diagnostic potential of a gradient boosting-based model for detecting pediatric sepsis. 2021 , 113, 874-883		0
24	Preventing the development of severe COVID-19 by modifying immunothrombosis. 2021 , 264, 118617		18
23	Genomics and Genetic Predisposition to Critical Illness in the Pediatric Intensive Care Unit. 2021 , 3-25		
22	Long non-coding RNA pairs to assist in diagnosing sepsis. 2021 , 22, 275		8

21	Androgen receptor pathway activity assay for sepsis diagnosis and prediction of favorable prognosis.		0
20	Pro-inflammatory and Anti-inflammatory Mediators in Critical Illness and Injury. 2014 , 231-238		2
19	Impact of zinc metabolism on innate immune function in the setting of sepsis. 2010 , 80, 271-7		51
18	Testing the prognostic accuracy of the updated pediatric sepsis biomarker risk model. 2014 , 9, e86242		52
17	The temporal version of the pediatric sepsis biomarker risk model. 2014 , 9, e92121		35
16	Novel pharmacologic approaches to the management of sepsis: targeting the host inflammatory response. 2009 , 3, 96-112		43
15	Pediatric Sepsis - Part I: "Children are not small adults!". 2011 , 4, 4-15		37
14	Association of Gene Polymorphism of Rs4358188, Rs2569190, Rs1143643 and Rs2664349 with Neonatal Sepsis. 2019 , 7, 2728-2733		1
13	Effect of zinc supplementation on relative expression of immune response genes in neonates with sepsis: A preliminary study. 2020 , 152, 296-302		3
12	Rethinking Sepsis: New Insights from Gene Expression Profiling Studies. 2009 , 3-13		
11	Rethinking Sepsis: New Insights from Gene Expression Profiling Studies. 2009 , 3-13		
10	Leukocyte subset-derived genomewide expression profiles in pediatric septic shock. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 349-55	3	44
9	Genomics in Critical Illness. 2014 , 203-215		
8	Signal Transduction Pathways in Critical Illness and Injury. 2014 , 217-229		
7	Sepsis. 2014 , 453-479		
6	Zinc Signal in Inflammation. 2014 , 227-248		
5	Androgen Receptor Pathway Activity Assay for Sepsis Diagnosis and Prediction of Favorable Prognosis. <i>Frontiers in Medicine</i> , 2021 , 8, 767145	4-9	1
4	Research Progress on Diagnostic Markers of Pneumonia. <i>Advances in Clinical Medicine</i> , 2021 , 11, 4789-4802		

- 3 Choline Supplementation Attenuates Experimental Sepsis-Associated Acute Kidney Injury. *American Journal of Physiology - Renal Physiology*, 4-3
- 2 Evaluation and validation of the increased annexin A3 (ANXA3) as a novel biomarker to predict sepsis in critically ill patients.
- 1 Identification of potential biomarkers and immune infiltration in pediatric sepsis via multiple-microarray analysis. **2022**, 20, 1721727X2211443 0