CITATION REPORT List of articles citing

Association of STAT4 with rheumatoid arthritis in the Korean population

DOI: 10.2119/2007-00072.lee Molecular Medicine, 2007, 13, 455-60.

Source: https://exaly.com/paper-pdf/42507133/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
150	Recent advances in the genetics of RA susceptibility. 2008 , 47, 399-402		124
149	STAT4 and the risk of rheumatoid arthritis and systemic lupus erythematosus. 2007, 357, 977-86		786
148	STAT4: genetics, mechanisms, and implications for autoimmunity. 2008 , 8, 398-403		129
147	Association of STAT4 with susceptibility to rheumatoid arthritis and systemic lupus erythematosus in the Japanese population. 2008 , 58, 1940-6		132
146	Association of STAT4 with rheumatoid arthritis: a replication study in three European populations. 2008 , 58, 1974-80		85
145	A broad analysis of IL1 polymorphism and rheumatoid arthritis. 2008 , 58, 1947-57		27
144	Association of the STAT4 gene with increased susceptibility for some immune-mediated diseases. 2008 , 58, 2598-602		103
143	Replication of the tumor necrosis factor receptor-associated factor 1/complement component 5 region as a susceptibility locus for rheumatoid arthritis in a European family-based study. 2008 , 58, 267	'0-4	30
142	STAT4 polymorphism is associated with early-onset type 1 diabetes, but not with late-onset type 1 diabetes. 2008 , 1150, 93-8		35
141	Th17 cells in human disease. 2008 , 223, 87-113		766
140	Variant form of STAT4 is associated with primary Sjgren's syndrome. 2008 , 9, 267-70		140
139	STAT4 but not TRAF1/C5 variants influence the risk of developing rheumatoid arthritis and systemic lupus erythematosus in Colombians. 2008 , 9, 379-82		83
138	Investigation of CD69 as a new candidate gene for rheumatoid arthritis. <i>Tissue Antigens</i> , 2008 , 72, 206-	10	6
137	Specificity of the STAT4 genetic association for severe disease manifestations of systemic lupus erythematosus. 2008 , 4, e1000084		154
136	Recent developments in the immunobiology of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2008 , 10, 204	5.7	71
135	Association of a TRAF1 and a STAT4 gene polymorphism with increased risk for rheumatoid arthritis in a genetically homogeneous population. <i>Human Immunology</i> , 2008 , 69, 567-71	2.3	71
134	STAT4: a risk factor for type 1 diabetes?. <i>Human Immunology</i> , 2008 , 69, 647-50	2.3	51

(2009-2008)

133	bowel disease. 2008 , 181, 5062-70	27
132	Genetic and molecular basis of quantitative trait loci of arthritis in rat: genes and polymorphisms. 2008 , 181, 859-64	8
131	Re-evaluation of putative rheumatoid arthritis susceptibility genes in the post-genome wide association study era and hypothesis of a key pathway underlying susceptibility. 2008 , 17, 2274-9	121
130	Therapeutic T-cell manipulation in rheumatoid arthritis: past, present and future. 2008, 47, 1461-8	43
129	A risk haplotype of STAT4 for systemic lupus erythematosus is over-expressed, correlates with anti-dsDNA and shows additive effects with two risk alleles of IRF5. 2008 , 17, 2868-76	164
128	Identification of new susceptibility markers for rheumatoid arthritis and systemic lupus erythematosus in the STAT4 gene. 2008 , 5, 169-174	O
127	Analysis of East Asia genetic substructure using genome-wide SNP arrays. <i>PLoS ONE</i> , 2008 , 3, e3862 3.7	87
126	Transcription factors in autoimmune diseases. 2008 , 13, 4218-40	20
125	Cigarette smoking, STAT4 and TNFRSF1B polymorphisms, and systemic lupus erythematosus in a Japanese population. <i>Journal of Rheumatology</i> , 2009 , 36, 2195-203	25
124	STAT4 single nucleotide polymorphism, rs7574865 G/T, as a risk for antiphospholipid syndrome. 2009 , 68, 1366-7	14
123	Cutting edge: autoimmune disease risk variant of STAT4 confers increased sensitivity to IFN-alpha in lupus patients in vivo. 2009 , 182, 34-8	183
122	A haplotype in STAT4 gene associated with rheumatoid arthritis in Caucasians is not associated in the Han Chinese population, but with the presence of rheumatoid factor. 2009 , 48, 1363-8	14
121	Investigating the viability of genetic screening/testing for RA susceptibility using combinations of five confirmed risk loci. 2009 , 48, 1369-74	15
120	Association of the TRAF1/C5 locus with increased mortality, particularly from malignancy or sepsis, in patients with rheumatoid arthritis. 2009 , 60, 39-46	36
119	Study of functional variants of the BANK1 gene in rheumatoid arthritis. 2009 , 60, 372-9	44
118	Genetic risk factors for rheumatoid arthritis differ in Caucasian and Korean populations. 2009 , 60, 364-71	100
117	Specific association of type 1 diabetes mellitus with anti-cyclic citrullinated peptide-positive rheumatoid arthritis. 2009 , 60, 653-60	59
116	High-density genotyping of STAT4 reveals multiple haplotypic associations with systemic lupus erythematosus in different racial groups. 2009 , 60, 1085-95	73

115	Confirmation of STAT4, IL2/IL21, and CTLA4 polymorphisms in rheumatoid arthritis. 2009 , 60, 1255-60		81
114	Variants in TNFAIP3, STAT4, and C12orf30 loci associated with multiple autoimmune diseases are also associated with juvenile idiopathic arthritis. 2009 , 60, 2124-30		65
113	Genetic susceptibility to rheumatoid arthritis: an emerging picture. 2009 , 61, 1441-6		66
112	STAT4 is a genetic risk factor for systemic sclerosis having additive effects with IRF5 on disease susceptibility and related pulmonary fibrosis. 2009 , 60, 2472-9		128
111	Rheumatoid arthritis does not share most of the newly identified systemic lupus erythematosus genetic factors. 2009 , 60, 2558-64		53
110	Rheumatoid arthritis: a view of the current genetic landscape. 2009 , 10, 101-11		54
109	Additive effects of the major risk alleles of IRF5 and STAT4 in primary Sjgren's syndrome. 2009 , 10, 68-76		124
108	Unraveling the genetics of complex diseases: susceptibility genes for rheumatoid arthritis and psoriasis. 2009 , 21, 318-27		54
107	STAT4 gene polymorphism is associated with psoriasis in the genetically homogeneous population of Crete, Greece. <i>Human Immunology</i> , 2009 , 70, 738-41	2.3	38
106	The genetics of human autoimmune disease. 2009 , 33, 290-9		68
105	The immunopathogenesis of rheumatoid arthritis. 2009 , 4, 417-34		145
104	Recent advances in the genetics of autoimmune disease. 2009 , 27, 363-91		246
103	Developments in the scientific understanding of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2009 , 11, 249	5.7	83
102	Testing for the association of the KIAA1109/Tenr/IL2/IL21 gene region with rheumatoid arthritis in a European family-based study. <i>Arthritis Research and Therapy</i> , 2009 , 11, R45	5.7	24
101	Comparison of autoinflammation and autoimmunity using TRAPS and rheumatoid arthritis as prototypes of these conditions. <i>International Journal of Clinical Rheumatology</i> , 2009 , 4, 681-695	1.5	1
100	Targeting JAK/STAT Signaling Pathway in Inflammatory Diseases. 2009 , 4, 201-221		43
99	Ethnogenetic heterogeneity of rheumatoid arthritis-implications for pathogenesis. 2010, 6, 290-5		62
98	Association between the rs7574865 polymorphism of STAT4 and rheumatoid arthritis: a meta-analysis. <i>Rheumatology International</i> , 2010 , 30, 661-6	3.6	28

97 Gfillique de la polyarthrite rhumatolle : un tournant d'isif. **2010**, 77, 279-282

	Association of STAT4 polymorphism with rheumatoid arthritis and systemic lupus erythematosus: a neta-analysis. <i>Molecular Biology Reports</i> , 2010 , 37, 141-7	2.8	39
0.5	Association between Fc receptor-like 3 C169T polymorphism and risk of systemic lupus erythematosus: a meta-analysis. <i>Molecular Biology Reports</i> , 2010 , 37, 191-6	2.8	20
94 T	The role of T helper type 17 cells in inflammatory arthritis. 2010 , 159, 225-37		59
93 A	A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility. 2010 , 42, 515-9		209
	Gene discovery in rheumatoid arthritis highlights the CD40/NF-kappaB signaling pathway in disease pathogenesis. 2010 , 233, 55-61		56
91 E	Epidemiology and etiology of rheumatoid arthritis. 2010 , 53, 843		7
	Anti-citrullinated peptide antibody-negative RA is a genetically distinct subset: a definitive study using only bone-erosive ACPA-negative rheumatoid arthritis. 2010 , 49, 2298-304		56
89 C	Current advances in lupus genetic and genomic studies in Asia. <i>Lupus</i> , 2010 , 19, 1374-83	2.6	20
	Genetic variants of STAT4 associated with rheumatoid arthritis in persons of Asian and European ancestry do not replicate in African Americans. 2010 , 69, 625-6		19
	Overlap of disease susceptibility loci for rheumatoid arthritis and juvenile idiopathic arthritis. 2010 , 59, 1049-53		53
86	Association study of TRAF1-C5 polymorphisms with susceptibility to rheumatoid arthritis and systemic lupus erythematosus in Japanese. 2010 , 69, 368-73		37
	What can we learn from genetic studies of systemic lupus erythematosus? Implications of genetic neterogeneity among populations in SLE. <i>Lupus</i> , 2010 , 19, 1452-9	2.6	38
	A meta-analysis of the association of STAT4 polymorphism with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2010 , 20, 257-262	3.3	19
	nfluence of STAT4 polymorphism in primary Sjgren's syndrome. <i>Journal of Rheumatology</i> , 2010 , 37, 1016-9	4.1	22
	Association of genetic polymorphisms in STAT1 gene with increased risk of hepatocellular carcinoma. 2010 , 78, 382-8		10
	nvestigation of rheumatoid arthritis susceptibility genes identifies association of AFF3 and CD226 variants with response to anti-tumour necrosis factor treatment. 2010 , 69, 1029-35		78
80 A	Association of CD40 with rheumatoid arthritis confirmed in a large UK case-control study. 2010 , 69, 813	3-6	49

79	Targeting IL-17 and Th17 cells in rheumatoid arthritis. 2010 , 36, 345-66		63
78	Synthetic associations in the context of genome-wide association scan signals. 2010 , 19, R137-44		45
77	STAT4 polymorphism in a Chinese Han population with Vogt-Koyanagi-Harada syndrome and BehBt's disease. <i>Human Immunology</i> , 2010 , 71, 723-6	2.3	36
76	Association of signal transducer and activator of transcription 4 genetic variants with extra-intestinal manifestations in inflammatory bowel disease. 2010 , 86, 661-7		21
75	Polymorphisms of signal transducers and activators of transcription 1 and 4 (STAT1 and STAT4) contribute to progression of childhood IgA nephropathy. 2010 , 50, 69-74		5
74	Genomics in the Evaluation and Management of Rheumatoid Arthritis. 2010, 551-565		
73	Current concepts in the genetic diagnostics of rheumatoid arthritis. 2010 , 10, 603-18		5
72	Genetic associations in type I interferon related pathways with autoimmunity. <i>Arthritis Research and Therapy</i> , 2010 , 12 Suppl 1, S2	5.7	25
71	Update on the genetic risk factors for rheumatoid arthritis. <i>Expert Review of Clinical Immunology</i> , 2010 , 6, 61-75	5.1	26
70	Pathophysiology and pathogenesis of immune-mediated inflammatory diseases: commonalities and differences. 2010 , 85, 11-26		18
69	Endometriosis and autoimmune disease: association of susceptibility to moderate/severe endometriosis with CCL21 and HLA-DRB1. 2011 , 95, 437-40		33
68	Association of variants in MMEL1 and CTLA4 with rheumatoid arthritis in the Han Chinese population. 2011 , 70, 1793-7		16
67	Signal transducer and activator of transcription 4 gene polymorphisms associated with rheumatoid arthritis in Northwestern Chinese Han population. 2011 , 89, 171-5		14
66	Genetic predisposition to autoimmunitywhat have we learned?. 2011 , 23, 67-83		54
65	Polymorphisms in STAT4 increase the risk of acute renal allograft rejection in the Chinese population. 2011 , 24, 216-9		7
64	Genetics of rheumatoid arthritis: GWAS and beyond. 2011 , 3, 31-46		15
63	Case Study on Rheumatoid Arthritis. 2011 , 307-323		
62	SYSTEMIC LUPUS ERYTHEMATOSUS. 2011 , 315-343		20

61	Differential genetic associations for systemic lupus erythematosus based on anti-dsDNA autoantibody production. 2011 , 7, e1001323		167
60	Immunogenetics of systemic sclerosis. 2011 , 10, 282-90		30
59	A genome-wide screen of gene-gene interactions for rheumatoid arthritis susceptibility. 2011 , 129, 473-8	35	26
58	Lack of evidence for association of two functional SNPs of CHI3L1 gene (HC-gp39) with rheumatoid arthritis. <i>Rheumatology International</i> , 2011 , 31, 1003-7	6	7
57	Single nucleotide polymorphisms at the TRAF1/C5 locus are associated with rheumatoid arthritis in a Han Chinese population. 2011 , 12, 53		12
56	Evidence for the role of STAT4 as a general autoimmunity locus in the Korean population. 2011 , 27, 867-7	'1	13
55	Genome-wide association study of rheumatoid arthritis in Koreans: population-specific loci as well as overlap with European susceptibility loci. 2011 , 63, 884-93		111
54	Association of EMCN with susceptibility to rheumatoid arthritis in a Japanese population. <i>Journal of Rheumatology</i> , 2011 , 38, 221-8	ļ.1	5
53	A trans-ethnic genetic study of rheumatoid arthritis identified FCGR2A as a candidate common risk factor in Japanese and European populations. <i>Modern Rheumatology</i> , 2012 , 22, 52-58	5.3	8
52	Abnormal genetic and epigenetic changes in signal transducer and activator of transcription 4 in the pathogenesis of inflammatory bowel diseases. 2012 , 57, 2600-7		20
51	Interactions between IL17A, IL23R, and STAT4 polymorphisms confer susceptibility to intestinal Behcet's disease in Korean population. 2012 , 90, 740-6		48
50	Combined influence of genetic and environmental factors in age of rheumatoid arthritis onset. Rheumatology International, 2012 , 32, 3097-102	.6	9
49	Association study of ACE polymorphisms and systemic lupus erythematosus in Northern Chinese Han population. <i>Molecular Biology Reports</i> , 2012 , 39, 9485-91	2.8	9
48	Anti-citrullinated fibronectin antibodies in rheumatoid arthritis are associated with human leukocyte antigen-DRB1 shared epitope alleles. <i>Arthritis Research and Therapy</i> , 2012 , 14, R35	5-7	32
47	Variants within STAT genes reveal association with anticitrullinated protein antibody-negative rheumatoid arthritis in 2 European populations. <i>Journal of Rheumatology</i> , 2012 , 39, 1509-16	. .1	21
46	Association of STAT4 rs7574865 polymorphism with autoimmune diseases: a meta-analysis. Molecular Biology Reports, 2012 , 39, 8873-82	2.8	58
45	Influence of TRAF1/C5 and STAT4 genes polymorphisms on susceptibility and severity of rheumatoid arthritis in Egyptian population. <i>Cellular Immunology</i> , 2012 , 273, 67-72	l·4	27
44	Genetic variation and significant association of polymorphism rs7700944 G>A of TIM-4 gene with rheumatoid arthritis susceptibility in Chinese Han and Hui populations. <i>International Journal of Immunogenetics</i> , 2012 , 39, 409-13	2.3	15

43	Lack of association between poly(ADP-ribose) polymerase (PARP) polymorphisms and rheumatoid arthritis in a Korean population. <i>Rheumatology International</i> , 2012 , 32, 91-6	3.6	5
42	A redundant epistatic interaction between IRF5 and STAT4 of the type I interferon pathway in susceptibility to lupus and rheumatoid arthritis. <i>Lupus</i> , 2013 , 22, 1336-40	2.6	10
41	Association of STAT4 rs7574865 with susceptibility to systemic lupus erythematosus in Iranian population. <i>Inflammation</i> , 2013 , 36, 1548-52	5.1	25
40	Association of STAT4 gene polymorphism with increased susceptibility of rheumatoid arthritis in a northern Chinese Han subpopulation. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 178-84	2.3	16
39	Meta-analysis reveals an association of STAT4 polymorphisms with systemic autoimmune disorders and anti-dsDNA antibody. <i>Human Immunology</i> , 2013 , 74, 986-92	2.3	35
38	Association between polymorphism in STAT4 gene and risk of rheumatoid arthritis: a meta-analysis. <i>Human Immunology</i> , 2013 , 74, 586-92	2.3	18
37	Fc receptor-like 3 (FCRL3) -169 C/T polymorphism and systemic lupus erythematosus: a meta-analysis. <i>Rheumatology International</i> , 2013 , 33, 2323-9	3.6	5
36	The Fc receptor-like 3 gene polymorphisms and susceptibility to autoimmune diseases: an updated meta-analysis. <i>Autoimmunity</i> , 2013 , 46, 547-58	3	17
35	Genetics of the type I interferon pathway in systemic lupus erythematosus. <i>International Journal of Clinical Rheumatology</i> , 2013 , 8,	1.5	39
34	Association study of STAT4 polymorphisms and type 1 diabetes in Northeastern Chinese Han population. <i>Tissue Antigens</i> , 2013 , 81, 137-40		9
33	Association of autoimmune Addison's disease with alleles of STAT4 and GATA3 in European cohorts. <i>PLoS ONE</i> , 2014 , 9, e88991	3.7	25
32	Is There An Association Between Two-STAT4 Gene Polymorphisms and Rheumatoid Arthritis in Turkish Population?. <i>Archives of Rheumatology</i> , 2014 , 29, 20-27	0.9	2
31	Immunochip identifies novel, and replicates known, genetic risk loci for rheumatoid arthritis in black South Africans. <i>Molecular Medicine</i> , 2014 , 20, 341-9	6.2	12
30	An updated meta-analysis of the signal transducer and activator of transcription 4 (STAT4) rs7574865 G/T polymorphism and rheumatoid arthritis risk in an Asian population. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 477-80	1.9	8
29	Association study of TLR-9 polymorphisms and systemic lupus erythematosus in northern Chinese Han population. <i>Gene</i> , 2014 , 533, 385-8	3.8	37
28	Genetic Studies of Rheumatoid Arthritis: Progress and Challenges. <i>Journal of Rheumatic Diseases</i> , 2015 , 22, 274	1.2	
27	STAT4 gene polymorphism and risk of chronic hepatitis B-induced hepatocellular carcinoma. <i>Cell Biochemistry and Biophysics</i> , 2015 , 71, 353-7	3.2	5
26	Association of PTPN22 rs2476601 and STAT4 rs7574865 polymorphisms with rheumatoid arthritis: A meta-analysis update. <i>Immunobiology</i> , 2015 , 220, 1012-24	3.4	24

(2017-2015)

25	Rs7574865 polymorphism in signal transducers and activators of transcription 4 gene and rheumatoid arthritis: an updated meta-analysis of 28 case-control comparisons. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 3-16	2.3	11
24	STAT4 rs7574865 G/T polymorphism is associated with rheumatoid arthritis and disease activity, but not with anti-CCP antibody levels in a Mexican population. <i>Clinical Rheumatology</i> , 2016 , 35, 2909-29	1749	6
23	Association of STAT4 polymorphism with susceptibility and severity of rheumatoid arthritis and systemic lupus erythematosus in Egyptian patients. <i>Egyptian Rheumatologist</i> , 2016 , 38, 21-27	1	7
22	STAT4 rs7574865 polymorphism in Iranian patients with rheumatoid arthritis. <i>Indian Journal of Rheumatology</i> , 2016 ,	0.5	
21	Association of STAT4 rs7574865 and PTPN22 rs2476601 polymorphisms with rheumatoid arthritis and non-systemically reacting antibodies in Egyptian patients. <i>Clinical Rheumatology</i> , 2017 , 36, 1981-19	8 ³ 7 ⁹	11
20	Genetics of Rheumatic Diseases. 2017 , 327-343		
19	Association study between STAT4 polymorphisms and susceptibility to systemic lupus erythematosus disease: A systematic review and meta-analysis. <i>Meta Gene</i> , 2018 , 16, 241-247	0.7	3
18	Autoimmune Addison Disease: Genetic Aetiology and Pathophysiology. <i>Contemporary Endocrinology</i> , 2018 , 85-108	0.3	1
17	The genetics and molecular pathogenesis of systemic lupus erythematosus (SLE) in populations of different ancestry. <i>Gene</i> , 2018 , 668, 59-72	3.8	59
16	The genetic pathogenesis, diagnosis and therapeutic insight of rheumatoid arthritis. <i>Clinical Genetics</i> , 2019 , 95, 547-557	4	20
15	The evolution in our understanding of the genetics of rheumatoid arthritis and the impact on novel drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2020 , 15, 85-99	6.2	5
14	Association of the STAT4, CDKN1A, and IRF5 variants with risk of lupus nephritis and renal biopsy classification in patients in Vietnam. <i>Molecular Genetics & Denomic Medicine</i> , 2021 , 9, e1648	2.3	2
13	Genetic approaches for the diagnosis and treatment of rheumatoid arthritis through personalized medicine. <i>Gene Reports</i> , 2021 , 23, 101173	1.4	2
12	Systemic lupus erythematosus, a disease conditioned by the environment. <i>Revista Colombiana De Reumatolog</i> ā , 2021 , 28, 12-20	0.2	O
11	Type I interferon detection in autoimmune diseases: challenges and clinical applications. <i>Expert Review of Clinical Immunology</i> , 2021 , 17, 883-903	5.1	1
10	A meta-analysis of the association of STAT4 polymorphism with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2010 , 20, 257-62	3.3	12
9	A trans-ethnic genetic study of rheumatoid arthritis identified FCGR2A as a candidate common risk factor in Japanese and European populations. <i>Modern Rheumatology</i> , 2012 , 22, 52-8	3.3	4
8	[The influence of STAT4 rs7574865 (G/T) polymorphism on the risk of clinical and immunological phenotypes of systemic sclerosis in a Russian patient population: Results of a pilot study]. Terapevticheskii Arkhiv, 2017, 89, 20-25	0.9	2

7	Characteristics of Korean Patients with RA: A Single Center Conort Study. The Journal of the Korean Rheumatism Association, 2009 , 16, 204		10	
6	The contribution of genetic factors to rheumatoid arthritis. 2011 , 869-877.e3			
5	Genetics of Rheumatic Diseases. 2013 , 299-315.e3			
4	Association Between rs7574865 Polymorphism and Rheumatoid Arthritis: Debate Unresolved. Open Rheumatology Journal, 2018, 12, 172-178	0.2	2	
3	ImunogenEica das doenEls reumEicas autoimunes. Revista Paulista De Reumatologia, 2016 , 8-17	0.1		
2	Association of rs7574865 G/T polymorphism of STAT4 gene with juvenile onset of systemic lupus erythematosus. <i>Sovremennaya Revmatologiya</i> , 2022 , 16, 68-72	0.7		
1	SDMA attenuates renal tubulointerstitial fibrosis through inhibition of STAT4. 2023 , 21,		О	