

CITATION REPORT

List of articles citing

Gene expression in temporal lobe epilepsy is consistent with increased release of glutamate by astrocytes

DOI: 10.2119/2006-00079.lee
Molecular Medicine, 2007, 13, 1-13.

Source: <https://exaly.com/paper-pdf/42510958/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
113	Characterization of monocyte chemoattractant protein-1 expression following a kainate model of status epilepticus. 2007 , 1182, 138-43		33
112	Astrocytic function and its alteration in the epileptic brain. 2008 , 49 Suppl 2, 3-12		90
111	Glutamate and astrocytes--key players in human mesial temporal lobe epilepsy?. 2008 , 49 Suppl 2, 42-52		113
110	Human herpes virus 6B: a possible role in epilepsy?. 2008 , 49, 1828-37		89
109	Gene expression in temporal lobe epilepsy. 2008 , 8, 23-4		1
108	Differential changes in mGlu2 and mGlu3 gene expression following pilocarpine-induced status epilepticus: a comparative real-time PCR analysis. 2008 , 1226, 173-80		21
107	Regulation of activity-dependent neuroprotective protein (ADNP) by the NO-cGMP pathway in the hippocampus during kainic acid-induced seizure. 2008 , 30, 281-292		20
106	Up-regulation of chemokines and their receptors may contribute to pain in multiple sclerosis. 2008 , 71, 466-7		2
105	ONO-2506 may both prevent and treat epilepsy. 2008 , 71, 465-6		2
104	Astrocytes in the epileptic brain. 2008 , 58, 168-78		289
103	Glutamate is critically involved in seizure-induced overexpression of P-glycoprotein in the brain. 2008 , 54, 1006-16		61
102	Decreased glutamate receptor binding and NMDA R1 gene expression in hippocampus of pilocarpine-induced epileptic rats: neuroprotective role of Bacopa monnieri extract. 2008 , 12, 54-60		40
101	In Utero Domoic Acid Toxicity: A Fetal Basis to Adult Disease in the California Sea Lion (<i>Zalophus californianus</i>). 2008 , 6, 262-290		62
100	A review of current applications of mass spectrometry for neuroproteomics in epilepsy. 2010 , 29, 197-246		10
99	Gene expression profiling of cultured cells from brainstem of newborn spontaneously hypertensive and Wistar Kyoto rats. 2009 , 29, 287-308		8
98	Clinical significance of serum HMGB-1 and sRAGE levels in systemic sclerosis: association with disease severity. 2009 , 29, 180-9		83
97	Hippocampal sclerosis: progress since Sommer. 2009 , 19, 565-72		65

96	Ezrin mediates tethering of the gamma-aminobutyric acid transporter GAT1 to actin filaments via a C-terminal PDZ-interacting domain. 2009 , 96, 2949-60	18
95	Development of postinfection epilepsy after Theiler's virus infection of C57BL/6 mice. 2010 , 69, 1210-9	77
94	Genomic Expression in the Epileptogenic Hippocampus and Psychiatric Co-Morbidities. 2010 , 6, 135-144	2
93	Estimating the prevalence of and treatment patterns for juvenile onset recurrent respiratory papillomatosis in Australia pre-vaccination: a pilot study. 2010 , 7, 253-61	17
92	Astrocytes and epilepsy. 2010 , 7, 424-38	94
91	The emerging role for chemokines in epilepsy. 2010 , 224, 22-7	109
90	Chronic exposure to the chemokine CCL3 enhances neuronal network activity in rat hippocampal cultures. 2010 , 229, 73-80	34
89	Innate but not adaptive immune responses contribute to behavioral seizures following viral infection. 2010 , 51, 454-64	87
88	Gene expression analysis of the emergence of epileptiform activity after focal injection of kainic acid into mouse hippocampus. 2010 , 32, 1364-79	22
87	Transcriptome analysis of nicotine-exposed cells from the brainstem of neonate spontaneously hypertensive and Wistar Kyoto rats. 2010 , 10, 134-60	2
86	Why mesial temporal lobe epilepsy with hippocampal sclerosis is progressive: uncontrolled inflammation drives disease progression?. 2010 , 296, 1-6	55
85	A new hypothesis of drug refractory epilepsy: neural network hypothesis. 2011 , 76, 871-6	44
84	Effects of high frequency electrical stimulation and R-verapamil on seizure susceptibility and glutamate and GABA release in a model of phenytoin-resistant seizures. 2011 , 61, 807-14	33
83	Hippocampal CA3 transcriptome signature correlates with initial precipitating injury in refractory mesial temporal lobe epilepsy. 2011 , 6, e26268	21
82	Exploring the genomic basis of pharmacoresistance in epilepsy: an integrative analysis of large-scale gene expression profiling studies on brain tissue from epilepsy surgery. 2011 , 20, 4381-94	30
81	Elucidating the Complex Interactions between Stress and Epileptogenic Pathways. 2011 , 2011, 461263	7
80	Role of CCR5 and its ligands in the control of vascular inflammation and leukocyte recruitment required for acute excitotoxic seizure induction and neural damage. 2011 , 25, 737-53	59
79	Regulation of mitochondrial biogenesis by lipoprotein lipase in muscle of insulin-resistant offspring of parents with type 2 diabetes. 2012 , 61, 877-87	50

78	Neurological diseases as primary gliopathies: a reassessment of neurocentrism. 2012 , 4,	190
77	Genome-wide expression analysis in epilepsy: a synthetic review. 2012 , 12, 1008-32	9
76	Protein expression profiling of inflammatory mediators in human temporal lobe epilepsy reveals co-activation of multiple chemokines and cytokines. 2012 , 9, 207	50
75	Pilocarpine-induced status epilepticus increases Homer1a and changes mGluR5 expression. 2012 , 101, 253-60	21
74	Transcriptomic Profiling of Medial Temporal Lobe Epilepsy. 2012 , 5,	15
73	Prolonged increase in rat hippocampal chemokine signalling after status epilepticus. 2012 , 245, 15-22	20
72	Status epilepticus induces long lasting increase in S100A6 expression in astrocytes. 2013 , 38, 1941-8	4
71	New players in the neurovascular unit: insights from experimental and clinical epilepsy. 2013 , 63, 652-9	17
70	Hippocampus, hippocampal sclerosis and epilepsy. 2013 , 65, 555-65	48
69	Research advances in basic mechanisms of seizures and antiepileptic drug action. 2013 , 65, 787-801	85
68	mRNA blood expression patterns in new-onset idiopathic pediatric epilepsy. 2013 , 54, 272-9	10
67	ONO-2506 inhibits spike-wave discharges in a genetic animal model without affecting traditional convulsive tests via gliotransmission regulation. 2013 , 168, 1088-100	51
66	Relationship between the chemokine receptor CCR5 and microglia in neurological disorders: consequences of targeting CCR5 on neuroinflammation, neuronal death and regeneration in a model of epilepsy. 2013 , 12, 815-29	46
65	Pyrrolidine dithiocarbamate (PDTC) inhibits the overexpression of MCP-1 and attenuates microglial activation in the hippocampus of a pilocarpine-induced status epilepticus rat model. 2014 , 7, 39-45	11
64	MRI changes and complement activation correlate with epileptogenicity in a mouse model of temporal lobe epilepsy. 2014 , 219, 683-706	31
63	Brain to blood glutamate scavenging as a novel therapeutic modality: a review. 2014 , 121, 971-9	37
62	Aberrant expression of miR-218 and miR-204 in human mesial temporal lobe epilepsy and hippocampal sclerosis-convergence on axonal guidance. 2014 , 55, 2017-27	51
61	The Chemokine MIP-1 β /CCL3 impairs mouse hippocampal synaptic transmission, plasticity and memory. 2015 , 5, 15862	67

60	Transcriptional profiles underpin microsatellite status and associated features in colon cancer. 2015 , 570, 36-43	3
59	Protection against cognitive impairment and modification of epileptogenesis with curcumin in a post-status epilepticus model of temporal lobe epilepsy. 2015 , 310, 362-71	23
58	L-Glutamate Enhances Barrier and Antioxidative Functions in Intestinal Porcine Epithelial Cells. 2015 , 145, 2258-64	65
57	Identifying the biological pathways underlying human focal epilepsy: from complexity to coherence to centrality. 2015 , 24, 4306-16	40
56	High-Throughput LC-MS/MS Proteomic Analysis of a Mouse Model of Mesiotemporal Lobe Epilepsy Predicts Microglial Activation Underlying Disease Development. 2016 , 15, 1546-62	24
55	The Glutamate-Glutamine Cycle in Epilepsy. 2016 , 13, 351-400	37
54	Neuropathology of Human Epilepsy. 2016 , 93-124	
53	Astrocyte Calcium Signaling. 2016 , 125-145	1
52	Effects of pharmacological treatments on hippocampal NCAM1 and ERK2 expression in epileptic rats with cognitive dysfunction. 2016 , 12, 1783-1791	2
51	Role of inflammation and its miRNA based regulation in epilepsy: Implications for therapy. 2016 , 452, 1-9	26
50	Disorders of Astrocytes: Alexander Disease as a Model. 2017 , 12, 131-152	30
49	A systems level analysis of epileptogenesis-associated proteome alterations. 2017 , 105, 164-178	18
48	Mechanisms of Excessive Extracellular Glutamate Accumulation in Temporal Lobe Epilepsy. 2017 , 42, 1724-1734	33
47	Increased Transendothelial Transport of CCL3 Is Insufficient to Drive Immune Cell Transmigration through the Blood-Brain Barrier under Inflammatory Conditions In Vitro. 2017 , 2017, 6752756	8
46	Therapeutic effects of tyrosinleutide on lung metastasis of human hepatocellular carcinoma SK-HEP-1 and its mechanism affecting ICAM-1 and MMP-2 and -9. 2018 , 12, 3357-3368	4
45	Huntingtin-interacting protein 1 (HIP1) regulates arthritis severity and synovial fibroblast invasiveness by altering PDGFR and Rac1 signalling. 2018 , 77, 1627-1635	12
44	The role of inflammation in the development of epilepsy. 2018 , 15, 144	218
43	Perspectives for Ezrin and Radixin in Astrocytes: Kinases, Functions and Pathology. 2019 , 20,	13

42	Carbamazepine Attenuates Astroglial L-Glutamate Release Induced by Pro-Inflammatory Cytokines via Chronically Activation of Adenosine A Receptor. 2019 , 20,	18
41	Cyclooxygenase-2 (COX-2) inhibitors: future therapeutic strategies for epilepsy management. 2019 , 16, 197	42
40	Phosphorylation of Glutamine Synthetase on Threonine 301 Contributes to Its Inactivation During Epilepsy. 2019 , 12, 120	4
39	Cerebral aquaporin-4 expression is independent of seizures in tuberous sclerosis complex. 2019 , 129, 93-101	3
38	The impact of postsynaptic density 95 blocking peptide (Tat-NR2B9c) and an iNOS inhibitor (1400W) on proteomic profile of the hippocampus in C57BL/6J mouse model of kainate-induced epileptogenesis. 2019 , 97, 1378-1392	7
37	Single-cell genomics identifies cell type-specific molecular changes in autism. 2019 , 364, 685-689	239
36	Neuroinflammation in Post-Traumatic Epilepsy: Pathophysiology and Tractable Therapeutic Targets. <i>Brain Sciences</i> , 2019 , 9,	3-4 27
35	Inflammatory and immune mechanisms underlying epileptogenesis and epilepsy: From pathogenesis to treatment target. 2020 , 82, 65-79	11
34	S100A6 and Its Brain Ligands in Neurodegenerative Disorders. 2020 , 21,	3
33	New Aspects of VEGF, GABA, and Glutamate Signaling in the Neocortex of Human Temporal Lobe Pharmacoresistant Epilepsy Revealed by RT-qPCR Arrays. 2020 , 70, 916-929	2
32	Proteomic profiling of sclerotic hippocampus revealed dysregulated packaging of vesicular neurotransmitters in temporal lobe epilepsy. 2020 , 166, 106412	4
31	Gene expression in the epileptic (EL) mouse hippocampus. 2021 , 147, 105152	2
30	Cytoskeleton Intermediate Filament Linker Proteins: Plectin and BPAG1. 2021 , 200-219	
29	Behavioral comorbidities of epilepsy and neuroinflammation: Evidence from experimental and clinical studies. 2021 , 117, 107869	6
28	The role of inflammatory mediators in epilepsy: Focus on developmental and epileptic encephalopathies and therapeutic implications. 2021 , 172, 106588	6
27	Transcriptomic profiling of high- and low-spiking regions reveals novel epileptogenic mechanisms in focal cortical dysplasia type II patients. 2021 , 14, 120	1
26	Understanding mechanisms of drug resistance in epilepsy and strategies for overcoming it. 2021 , 17, 1075-1090	1
25	Multi-modal single-cell sequencing identifies cellular immunophenotypes associated with juvenile dermatomyositis disease activity.	0

24	Gene expression profiling in neurological and neuroinflammatory diseases. 2008 , 115-130	1
23	Stress-Dependent Changes in the CacyBP/SIP Interacting Protein S100A6 in the Mouse Brain. 2017 , 12, e0169760	11
22	Altered microRNA profiles in plasma exosomes from mesial temporal lobe epilepsy with hippocampal sclerosis. 2017 , 8, 4136-4146	71
21	Astroglial role in the pathophysiology of status : an overview. 2018 , 9, 26954-26976	34
20	Adenosine dysfunction and adenosine kinase in epileptogenesis. 2010 , 4, 93-101	21
19	Structural network alterations in focal and generalized epilepsy follow axes of epilepsy risk gene expression: An ENIGMA study.	
18	In utero domoic acid toxicity: a fetal basis to adult disease in the California sea lion (<i>Zalophus californianus</i>). 2008 , 6, 262-90	18
17	GLIA/ASTROCYTES Properties of Glia in Epileptic Brain. 2009 , 408-412	
16	Systems-level analysis identifies key regulators driving epileptogenesis in temporal lobe epilepsy.	
15	Genistein protects epilepsy-induced brain injury through regulating the JAK2/STAT3 and Keap1/Nrf2 signaling pathways in the developing rats. 2021 , 912, 174620	2
14	The role of astrocytes in epileptic disorders.. 2022 , 10, e15239	2
13	Cytokines and Neurodegeneration in Epileptogenesis.. <i>Brain Sciences</i> , 2022 , 12,	3-4 1
12	The Function of NF-Kappa B During Epilepsy, a Potential Therapeutic Target.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 851394	5.1 2
11	Image_1.TIF. 2019 ,	
10	Image_2.TIF. 2019 ,	
9	Circulating Cell-Free DNA Methylation Mirrors Alterations In Cerebral Patterns in Epilepsy.	
8	Structural network alterations in focal and generalized epilepsy assessed in a worldwide ENIGMA study follow axes of epilepsy risk gene expression. 2022 , 13,	3
7	Circulating cell-free DNA methylation mirrors alterations in cerebral patterns in epilepsy.	

- 6 A companion to the preclinical common data elements and case report forms for neuropathology studies in epilepsy research. A report of the TASK3 Neuropathology Working Group of the ILAE / AES Joint Translational Task Force.
- 5 Ezrin deficiency triggers glial fibrillary acidic protein upregulation and a distinct reactive astrocyte phenotype. ○
- 4 Alteration of hippocampal Egr3, GABA A receptors, IL-1 β and Ccl3 expression in audiogenic tremor mice after seizure. **2022**, 137, 108962 ○
- 3 Serum Proteins Associated with BloodBrain Barrier as Potential Biomarkers for Seizure Prediction. **2022**, 23, 14712 ○
- 2 Circulating cell-free DNA methylation mirrors alterations in cerebral patterns in epilepsy. **2022**, 14, 1 ○
- 1 Blood-Brain Barrier-Associated Proteins Are Elevated in Serum of Epilepsy Patients. **2023**, 12, 368 ○