CITATION REPORT List of articles citing

Cholinergic anti-inflammatory pathway activity and High Mobility Group Box-1 (HMGB1) serum levels in patients with rheumatoid arthritis

DOI: 10.2119/2006-00108.goldstein Molecular Medicine, 2007, 13, 210-5.

Source: https://exaly.com/paper-pdf/42530232/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	.	Citations
154	Inhibition of the development of collagen-induced arthritis in Wistar rats through vagus nerve suspension: a 3-month observation. 2008 , 57, 322-8		40
153	The autonomic dysfunction in patients with ankylosing spondylitis: a clinical and electrophysiological study. 2008 , 27, 1267-73		23
152	Acetylcholine regulation of synoviocyte cytokine expression by the alpha7 nicotinic receptor. 2008 , 58, 3439-49		82
151	Shift from toll-like receptor 2 (TLR-2) toward TLR-4 dependency in the erosive stage of chronic streptococcal cell wall arthritis coincident with TLR-4-mediated interleukin-17 production. 2008 , 58, 3753	-64	74
150	High-mobility group box protein 1 (HMGB1): an alarmin mediating the pathogenesis of rheumatic disease. 2008 , 10, 209		142
149	High mobility group box-1 protein as a tumor necrosis factor-independent therapeutic target in rheumatoid arthritis. 2008 , 10, 111		8
148	Systemic TNF blockade does not modulate synovial expression of the pro-inflammatory mediator HMGB1 in rheumatoid arthritis patientsa prospective clinical study. 2008 , 10, R33		30
147	Oxaliplatin retains HMGB1 intranuclearly and ameliorates collagen type II-induced arthritis. 2008 , 10, R1		31
146	Sensing dangerHsp72 and HMGB1 as candidate signals. 2008 , 83, 489-92		39
145	Circulating chromogranin A reveals extra-articular involvement in patients with rheumatoid arthritis and curbs TNF-alpha-elicited endothelial activation. 2009 , 85, 81-7		46
144	The role of cell death in the pathogenesis of autoimmune disease: HMGB1 and microparticles as intercellular mediators of inflammation. <i>Modern Rheumatology</i> , 2008 , 18, 319-326	.3	27
143	High Mobility Group Box Protein-1 correlates with renal function in chronic kidney disease (CKD). Molecular Medicine, 2008, 14, 109-15	ó.2	76
142	Novel information on the non-neuronal cholinergic system in orthopedics provides new possible treatment strategies for inflammatory and degenerative diseases. 2009 , 1, e11		4
141	Damage-associated molecular patternsemerging targets for biologic therapy of childhood arthritides. 2009 , 8, 139-45		6
140	Molecular biology of inflammation and sepsis: a primer. 2009 , 37, 291-304		319
139	Stimulation of nicotinic acetylcholine receptors attenuates collagen-induced arthritis in mice. 2009 , 60, 114-22		202
138	Enhanced pain perception in rheumatoid arthritis: novel considerations. 2009 , 13, 434-9		4

(2011-2009)

137	Cell specific synovial expression of nicotinic alpha 7 acetylcholine receptor in rheumatoid arthritis and psoriatic arthritis. <i>Scandinavian Journal of Immunology</i> , 2009 , 70, 136-40	3.4	38
136	Depression: What Is the Role of Physiological Dysregulation and Circadian Disruption?. 2009 , 11, 70-75		
135	The cholinergic anti-inflammatory pathway: towards innovative treatment of rheumatoid arthritis. 2009 , 5, 229-32		89
134	Toll-like receptors and NOD-like receptors in rheumatic diseases. 2009 , 11, 243		63
133	Mechanisms of yogic practices in health, aging, and disease. 2010 , 77, 559-69		27
132	Regulation of peripheral inflammation by the central nervous system. 2010 , 12, 370-8		34
131	Multiple approaches to analyse the data for rat brain acetylcholinesterase inhibition by cyclophosphamide. 2010 , 35, 1501-9		4
130	Exploring the link between inflammation and the vagus nerve. 2010 , 267, 130-1		4
129	Lack of acetylcholine nicotine alpha 7 receptor suppresses development of collagen-induced arthritis and adaptive immunity. 2010 , 162, 62-7		29
128	A critical cysteine is required for HMGB1 binding to Toll-like receptor 4 and activation of macrophage cytokine release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 11942-7	11.5	581
127	The role of HMGB1 in the pathogenesis of rheumatic disease. 2010 , 1799, 141-8		86
126	Targeting HMGB1 in inflammation. 2010 , 1799, 149-56		259
125	The vagus nerve and nicotinic receptors involve inhibition of HMGB1 release and early pro-inflammatory cytokines function in collagen-induced arthritis. 2010 , 30, 213-20		52
124	Catecholamine-producing cells in the synovial tissue during arthritis: modulation of sympathetic neurotransmitters as new therapeutic target. 2010 , 69, 1853-60		86
123	HMGB1 is a therapeutic target for sterile inflammation and infection. 2011 , 29, 139-62		999
122	High-mobility group box-1 protein (HMGB1) is increased in antineutrophilic cytoplasmatic antibody (ANCA)-associated vasculitis with renal manifestations. <i>Molecular Medicine</i> , 2011 , 17, 29-35	6.2	43
121	Restoring the balance of the autonomic nervous system as an innovative approach to the treatment of rheumatoid arthritis. <i>Molecular Medicine</i> , 2011 , 17, 937-48	6.2	91
12 0	The pulse of inflammation: heart rate variability, the cholinergic anti-inflammatory pathway and implications for therapy. 2011 , 269, 45-53		208

119	Can vagus nerve stimulation halt or ameliorate rheumatoid arthritis and lupus?. 2011 , 10, 19	19
118	High mobility group box protein-1 (HMGB-1) as a new diagnostic marker in patients with acute appendicitis. 2011 , 19, 27	17
117	Advanced glycation endproducts are increased in rheumatoid arthritis patients with controlled disease. 2011 , 13, R205	48
116	DR396, an apoptotic DNase Inhibitor, attenuates high mobility group box 1 release from apoptotic cells. 2011 , 19, 168-71	15
115	Enhanced HMGB1 expression may contribute to Th17 cells activation in rheumatoid arthritis. 2012 , 2012, 295081	45
114	Peripheral inflammatory disease associated with centrally activated IL-1 system in humans and mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 12728-33.5	105
113	Changes in urinary albumin excretion, inflammatory and oxidative stress markers in ADPKD patients with hypertension. 2012 , 343, 46-51	29
112	Neural reflexes in inflammation and immunity. 2012 , 209, 1057-68	245
111	Trauma equals dangerdamage control by the immune system. 2012 , 92, 539-51	98
110	HMGB1: a multifunctional alarmin driving autoimmune and inflammatory disease. 2012 , 8, 195-202	469
109	HMGB1 promotes the differentiation of Th17 via up-regulating TLR2 and IL-23 of CD14+ monocytes from patients with rheumatoid arthritis. <i>Scandinavian Journal of Immunology</i> , 2012 , 76, 483-90	39
108	Presence of ChAT mRNA and a very marked #nAChR immunoreaction in the synovial lining layer of the knee joint. <i>Life Sciences</i> , 2012 , 91, 1043-7	10
107	TLR4-mediated IL-12 production enhances IFN-land IL-1[production, which inhibits TGF-ll production and promotes antibody-induced joint inflammation. 2012 , 14, R210	31
106	Renal expression and serum levels of high mobility group box 1 protein in lupus nephritis. 2012 , 14, R36	53
105	The Cholinergic System Can Be of Unexpected Importance in Osteoarthritis. 2012,	
104	Autonomic impairment in rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 419-26	22
103	Rethinking inflammation: neural circuits in the regulation of immunity. 2012 , 248, 188-204	263
102	The subclinic autonomic dysfunction in patients with Behllt disease: an electrophysiological study. 2012 , 31, 41-7	13

101	The clinical importance of the anti-inflammatory vagovagal reflex. 2013 , 117, 119-34		22
100	Hairpin ODN-based ligands as potential inhibitors of HMGB1 cytokine activity. 2013 , 3, 12176		2
99	Role of neuroendocrine and neuroimmune mechanisms in chronic inflammatory rheumatic diseasesthe 10-year update. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 43, 392-404	5.3	62
98	Role of peripheral nerve fibres in acute and chronic inflammation in arthritis. 2013 , 9, 117-26		94
97	Cholinergic control of inflammation in cardiovascular diseases. 2013 , 23, 46-51		8
96	Increased HMGB1 serum levels and altered HMGB1 expression in patients with psoriasis vulgaris. 2013 , 305, 263-7		30
95	High-mobility group protein B1: a new biomarker of metabolic syndrome in obese children. 2013 , 168, 631-8		56
94	The vagal innervation of the gut and immune homeostasis. 2013 , 62, 1214-22		172
93	Immunogene Zelltodmarker HMGB1 und sRAGE als neue pr@iktive und prognostische Serum Biomarker bei Tumorerkrankungen/Immunogenic cell death markers HMGB1 and sRAGE as new predictive and prognostic serum biomarkers in cancer disease. 2013 , 37,		1
92	The role of high mobility group box chromosomal protein 1 in rheumatoid arthritis. <i>Rheumatology</i> , 2013 , 52, 1739-47	3.9	43
91	Nuclear antigens and auto/alloantibody responses: friend or foe in transplant immunology. 2013 , 2013, 267156		6
90	Recent developments in the role of high-mobility group box 1 in systemic lupus erythematosus. <i>Molecular Medicine</i> , 2014 , 20, 72-9	6.2	41
89	The presence of high mobility group box-1 and soluble receptor for advanced glycation end-products in juvenile idiopathic arthritis and juvenile systemic lupus erythematosus. 2014 , 12, 50		32
88	Local and systemic pathogenesis and consequences of regimen-induced inflammatory responses in patients with head and neck cancer receiving chemoradiation. 2014 , 2014, 518261		41
87	The spectrum of anti-chromatin/nucleosome autoantibodies: independent and interdependent biomarkers of disease. 2014 , 2014, 368274		25
86	Development and preliminary evaluation of an Android based heart rate variability biofeedback system. 2014 , 2014, 3382-5		6
85	Increase of high mobility group box chromosomal protein 1 in eosinophilic chronic rhinosinusitis with nasal polyps. 2014 , 4, 453-62		17
84	Central cholinergic activation of a vagus nerve-to-spleen circuit alleviates experimental colitis. 2014 , 7, 335-47		139

83	An overview on HMGB1 inhibitors as potential therapeutic agents in HMGB1-related pathologies. 2014 , 141, 347-57		226
82	Autonomic function and rheumatoid arthritis: a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 283-304	5.3	68
81	Increased serum HMGB1 levels in patients with Henoch-Schülein purpura. 2014 , 23, 419-23		13
80	HMGB1 as a drug target in staphylococcal pneumonia. 2014 , 18, 131		9
79	Sodium butyrate protects against toxin-induced acute liver failure in rats. 2014, 13, 309-15		15
78	HMGB1 in health and disease. 2014 , 40, 1-116		557
77	Genomic analysis and differential expression of HMG and S100A family in human arthritis: upregulated expression of chemokines, IL-8 and nitric oxide by HMGB1. 2014 , 33, 550-65		40
76	Defining Traumatic Injury as a Disease. 2014 , 49-63		
75	Circulating HMGB1 and RAGE as Clinical Biomarkers in Malignant and Autoimmune Diseases. 2015 , 5, 219-53		38
74	Physiologic concentrations of HMGB1 have no impact on cytokine-mediated eosinophil survival or chemotaxis in response to Eotaxin-2 (CCL24). <i>PLoS ONE</i> , 2015 , 10, e0118887	3.7	7
73	The resolution of inflammation: Principles and challenges. Seminars in Immunology, 2015, 27, 149-60	10.7	221
72	Pathogenesis and Neuroendocrine Immunology. 2015 , 59-129		
71	References. 2015 , 261-355		
70	Neural regulation of hematopoiesis, inflammation, and cancer. 2015 , 86, 360-73		148
_			
69	The interface between cholinergic pathways and the immune system and its relevance to arthritis. 2015 , 17, 87		26
69 68			8
	2015, 17, 87 Cholinergic anti-inflammatory pathway activity in dialysis patients: a role for		

(2018-2016)

65	Evaluation of tool-like receptor-2 and 4 and interleukin-6 gene expressions in Turkish rheumatoid arthritis patients. 2016 , 35, 2693-2697		4	
64	Predictors of autonomic neuropathy in rheumatoid arthritis. 2016 , 201, 54-59		14	
63	UVB irradiation induces HMGB1 expression in keratinocytes without promoting apoptosis. 2016 , 25, 741-2		6	
62	Overexpression of soluble RAGE in mesenchymal stem cells enhances their immunoregulatory potential for cellular therapy in autoimmune arthritis. 2016 , 6, 35933		17	
61	Exercise, fitness, and the gut. 2016 , 32, 67-73		26	
60	TiD based nanomaterials ameliorate experimental autoimmune encephalomyelitis and collagen-induced arthritis. 2016 , 6, 8870-8880		12	
59	Autonomic Dysfunction Precedes Development of Rheumatoid Arthritis: A Prospective Cohort Study. 2016 , 6, 231-237		64	
58	HMGB1 and Its Hyperacetylated Isoform are Sensitive and Specific Serum Biomarkers to Detect Asbestos Exposure and to Identify Mesothelioma Patients. 2016 , 22, 3087-96		83	
57	High-mobility group box 1 in multiple sclerosis. 2016 , 64, 385-91		16	
56	Expression of High Mobility Group Protein B1 in Cardiac Tissue of Elderly Patients with Coronary Artery Disease with or without Inflammatory Rheumatic Disease. 2017 , 63, 337-349		O	
55	Cholinergic modulation of the immune system presents new approaches for treating inflammation. 2017 , 179, 1-16		133	
54	Involvement of high mobility group box-1 in imiquimod-induced psoriasis-like mice model. <i>Journal of Dermatology</i> , 2017 , 44, 573-581	1.6	6	
53	Cholinergic agonists reduce blood pressure in a mouse model of systemic lupus erythematosus. <i>Physiological Reports</i> , 2017 , 5, e13213	2.6	16	
52	High mobility group box protein 1-A prognostic marker for structural joint damage in 10-year follow-up of patients with juvenile idiopathic arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 444-450	5.3	8	
51	Nonpharmacological, Biomechanical Approaches to Control Inflammation in Acute Kidney Injury. <i>Nephron</i> , 2017 , 137, 277-281	3.3	5	
50	Extracellular HMGB1 as a therapeutic target in inflammatory diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2018 , 22, 263-277	6.4	146	
49	High-mobility group box 1 protein (HMGB1) operates as an alarmin outside as well as inside cells. <i>Seminars in Immunology</i> , 2018 , 38, 40-48	10.7	137	
48	Serum and synovial fluid concentrations of cold-inducible RNA-binding protein in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 148-154	2.3	16	

47	Damage-Associated Molecular Patterns in Inflammatory Diseases. <i>Immune Network</i> , 2018 , 18, e27	6.1	353
46	From neuroimunomodulation to bioelectronic treatment of rheumatoid arthritis. <i>Bioelectronics in Medicine</i> , 2018 , 1, 151-165	2.1	12
45	Activation of the Inflammatory Reflex in Rheumatoid Arthritis and Inflammatory Bowel Disease; Preclinical Evidence. 2018 , 1493-1502		1
44	Identification of cytokine-specific sensory neural signals by decoding murine vagus nerve activity. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E4843-E485	2 ^{11.5}	87
43	[Viewing sepsis and autoimmune disease in relation with infection and NETs-formation]. <i>Japanese Journal of Bacteriology</i> , 2018 , 73, 171-191	0.3	1
42	Cholinergic system is involved in the therapeutic effect of madecassoside on collagen-induced arthritis in rats. <i>International Immunopharmacology</i> , 2019 , 75, 105813	5.8	7
41	Disease activity in rheumatoid arthritis is inversely related to cerebral TSPO binding assessed by [C]PBR28 positron emission tomography. <i>Journal of Neuroimmunology</i> , 2019 , 334, 577000	3.5	12
40	High-Mobility Group Box 1 Is Associated with the Inflammatory Pathogenesis of GravesS Orbitopathy. <i>Thyroid</i> , 2019 , 29, 868-878	6.2	5
39	Triggers of Autoimmunity: The Role of Bacterial Infections in the Extracellular Exposure of Lupus Nuclear Autoantigens. <i>Frontiers in Immunology</i> , 2019 , 10, 2608	8.4	43
38	Protein phosphatase magnesium-dependent 1A induces inflammation in rheumatoid arthritis. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 522, 731-735	3.4	5
37	Exploring the therapeutic promise of targeting HMGB1 in rheumatoid arthritis. <i>Life Sciences</i> , 2020 , 258, 118164	6.8	11
36	The cholinergic anti-inflammatory pathway in chronic kidney disease-review and vagus nerve stimulation clinical pilot study. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1840-1852	4.3	5
35	TLR1/2 and 5 induce elevated cytokine levels from rheumatoid arthritis monocytes independent of ACPA or RF autoantibody status. <i>Rheumatology</i> , 2020 , 59, 3533-3539	3.9	6
34	The role of high mobility proteins (HMGB1) in systemic lupus erythematosus. <i>Revista Colombiana</i> De Reumatologā (English Edition), 2020 , 27, 37-45	0.1	
33	Papel de las proteñas de alta movilidad (HMGB1) en el lupus eritematoso sistinico. <i>Revista Colombiana De Reumatologi</i> a, 2020 , 27, 37-45	0.2	
32	Elevation of Proinflammatory Cytokine HMGB1 in the Synovial Fluid of Patients With Legg-CalvEPerthes Disease and Correlation With IL-6. <i>JBMR Plus</i> , 2021 , 5, e10429	3.9	4
31	High-mobility group box-1 protein as a novel biomarker to diagnose healthcare-associated ventriculitis and meningitis: a pilot study. <i>Minerva Anestesiologica</i> , 2021 , 87, 43-51	1.9	1
30	Pharmacological Influencing of The Cholinergic Anti-inflammatory Pathway in Infectious Diseases and Inflammatory Pathologies. <i>Mini-Reviews in Medicinal Chemistry</i> , 2021 , 21, 660-669	3.2	1

(2015-2021)

29	The Effect and Regulatory Mechanism of High Mobility Group Box-1 Protein on Immune Cells in Inflammatory Diseases. <i>Cells</i> , 2021 , 10,	7.9	11	
28	HMGB1-RAGE-moesin axis may be indicted for acne vulgaris. <i>Journal of Cosmetic Dermatology</i> , 2021	2.5	1	
27	Tuning Monocytes and Macrophages for Personalized Therapy and Diagnostic Challenge in Rheumatoid Arthritis. <i>Cells</i> , 2021 , 10,	7.9	1	
26	The role of the cholinergic anti-inflammatory pathway in autoimmune rheumatic diseases. <i>Scandinavian Journal of Immunology</i> , 2021 , 94, e13092	3.4	2	
25	High Mobility Group Box-1 Levels may be associated with disease activity of Behcet's Disease. <i>Turkish Journal of Medical Sciences</i> , 2021 ,	2.7		
24	Stress and Allostasis. 2010, 649-658		8	
23	The role of cell death in the pathogenesis of autoimmune disease: HMGB1 and microparticles as intercellular mediators of inflammation. <i>Modern Rheumatology</i> , 2008 , 18, 319-26	3.3	20	
22	Design and evaluation of an imager for assessing wound inflammatory responses and bioburden in a pig model. <i>Journal of Biomedical Optics</i> , 2019 , 25, 1-9	3.5	2	
21	The potential role of HMGB1 release in peritoneal dialysis-related peritonitis. PLoS ONE, 2013, 8, e5464	47 3.7	14	
20	Vagal-immune interactions involved in cholinergic anti-inflammatory pathway. <i>Physiological Research</i> , 2017 , 66, S139-S145	2.1	32	
19	Ethyl pyruvate protects against experimental acute-on-chronic liver failure in rats. <i>World Journal of Gastroenterology</i> , 2012 , 18, 5709-18	5.6	22	
18	Nanotechnology-based therapeutic applications: clinical studies for diabetic wound healing. <i>Biomaterials Science</i> , 2021 , 9, 7705-7747	7.4	6	
17	The role of the vagus nerve in fibromyalgia syndrome. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 131, 1136-1149	9	2	
16	Neural Regulation of Pain and Inflammation. 2013 , 413-429.e6			
15	Evaluation of Toll-like Receptor 2 Gene Expression in Rheumatoid Arthritis and Correlation with the Disease Activity. <i>Current Chemical Biology</i> , 2019 , 13, 140-148	0.4		
14	Deep Breathing Increases Heart Rate Variability in Patients With Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, 261-266	1.1	O	
13	Cholinergic modulation of inflammation. <i>International Journal of Clinical and Experimental Medicine</i> , 2008 , 1, 203-12		40	
12	Effects of storage conditions on the stability of serum CD163, NGAL, HMGB1 and MIP2. International Journal of Clinical and Experimental Pathology, 2015 , 8, 4099-105	1.4	11	

11	Polyene Phosphatidylcholine inhibited the inflammatory response in LPS-stimulated macrophages and ameliorated the adjuvant-induced rat arthritis. <i>American Journal of Translational Research</i> (discontinued), 2017 , 9, 4206-4216	3	10
10	High Mobility Group box-1 (HMGB1) Protein As a Biomarker for Acute Cholecystitis. <i>Reports of Biochemistry and Molecular Biology</i> , 2019 , 7, 204-209	1.3	1
9	Elevated APE1/Ref-1 Levels of Synovial Fluids in Patients with Rheumatoid Arthritis: Reflection of Disease Activity. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
8	HMGB1 Inhibitor Effectively Alleviates Psoriasis-Like Lesions and Inflammatory Cytokines in K14-VEGF Transgenic Mice. <i>International Journal of Dermatology and Venereology</i> , 2021 , Publish Ahead of Print,	0.5	
7	HMGB1 is increased in patients with immune thrombocytopenia and negatively associates with Tregs <i>Thrombosis Research</i> , 2022 , 213, 128-136	8.2	1
6	Cardiovascular Autonomic Function Changes and Predictors During a 2-Year Physical Activity Program in Rheumatoid Arthritis: A PARA 2010 Substudy <i>Frontiers in Medicine</i> , 2021 , 8, 788243	4.9	1
5	Psiconeuroinmunoendocrinolog\(\textit{B}\) de la Respuesta al Estr\(\textit{B}\), el Ciclo Circadiano y la Microbiota en la Artritis Reumatoide. <i>Revista Colombiana De Psiquiatr\(\textit{B}\), 2021,</i>	0.8	
4	Association of serum hepatoma-derived growth factor levels with disease activity in rheumatoid arthritis: A pilot study <i>Journal of Clinical Laboratory Analysis</i> , 2022 , e24474	3	
3	Transcriptomic Profiling Reveals That HMGB1 Induces Macrophage Polarization Different from Classical M1. <i>Biomolecules</i> , 2022 , 12, 779	5.9	0
2	Neuroimmune Crosstalk in Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 8158	6.3	1
1	Cholinergic dysfunction-induced insufficient activation of alpha7 nicotinic acetylcholine receptor drives the development of rheumatoid arthritis through promoting protein citrullination via the SP3/PAD4 pathway. 2023,		1