

CITATION REPORT

List of articles citing

Observation of Cu^{2+} - H_2 interactions in a fully desolvated sodalite-type metal-organic framework

DOI: 10.1002/anie.200604362

Angewandte Chemie - International Edition, 2007, 46, 1419-22

Source: <https://exaly.com/paper-pdf/42589634/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
389	Hydrogen Adsorption in MOF-74 Studied by Inelastic Neutron Scattering. 2007 , 1041, 1		1
388	Adsorption properties of HKUST-1 toward hydrogen and other small molecules monitored by IR. 2007 , 9, 2676-85		321
387	Hydrogen storage in metal-organic frameworks. 2007 , 9, 438-448		265
386	Hydrogen adsorption in dehydrated variants of the cyano-bridged framework compounds $A_2Zn_3[Fe(CN)_6]_2 \cdot xH_2O$ (A = H, Li, Na, K, Rb). <i>Chemical Communications</i> , 2007 , 4486-8	5.8	49
385	Toward quartz and cristobalite: spontaneous resolution, structures, and characterization of chiral silica-mimetic silver(I)-organic materials. <i>Inorganic Chemistry</i> , 2007 , 46, 10044-6	5.1	29
384	High-enthalpy hydrogen adsorption in cation-exchanged variants of the microporous metal-organic framework $Mn_3[(Mn_4Cl)_3(BTT)_8(CH_3OH)_{10}]_2$. <i>Journal of the American Chemical Society</i> , 2007 , 129, 11172-6	16.4	433
383	Chemical reduction of metal-organic framework materials as a method to enhance gas uptake and binding. <i>Journal of the American Chemical Society</i> , 2007 , 129, 9604-5	16.4	566
382	Hypercrosslinked polyanilines with nanoporous structure and high surface area: potential adsorbents for hydrogen storage. 2007 , 17, 4989		263
381	Effect of spin state on the dihydrogen binding strength to transition metal centers in metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2007 , 129, 12606-7	16.4	77
380	Synthesis, structure, and photoluminescence of a zinc(II) coordination polymer with 4-(tetrazol-5-yl)benzoate. 2008 , 19, 535-539		11
379	Neutron powder diffraction of metal-organic frameworks for hydrogen storage. 2008 , 71, 755-760		15
378	Structural changes and coordinatively unsaturated metal atoms on dehydration of honeycomb analogous microporous metal-organic frameworks. <i>Chemistry - A European Journal</i> , 2008 , 14, 2389-97	4.8	219
377	Chemistry of bridging phosphanes: CuI dimers bearing 2,5-bis(2-pyridyl)phosphole ligands. <i>Chemistry - A European Journal</i> , 2008 , 14, 3391-403	4.8	64
376	Polymorphic coordination networks responsive to CO ₂ , moisture, and thermal stimuli: porous cobalt(II) and zinc(II) fluoropyrimidinolates. <i>Chemistry - A European Journal</i> , 2008 , 14, 9890-901	4.8	82
375	Structure and charge control in metal-organic frameworks based on the tetrahedral ligand tetrakis(4-tetrazolylphenyl)methane. <i>Chemistry - A European Journal</i> , 2008 , 14, 10280-5	4.8	100
374	From Interwoven to Noninterpenetration: Crystal Structural Motifs of Two New Manganese-Organic Frameworks Mediated by the Substituted Group of the Bridging Ligand. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 628-634	2.3	20
373	Hydrogen storage in microporous metal-organic frameworks with exposed metal sites. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 6766-79	16.4	1019

372	Enhancing H ₂ uptake by "close-packing" alignment of open copper sites in metal-organic frameworks. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 7263-6	16.4	291
371	Amorphous Infinite Coordination Polymer Microparticles: A New Class of Selective Hydrogen Storage Materials. 2008 , 20, 2105-2110		128
370	Wasserstoffspeicherung in mikroporösen metall-organischen Gerüsten mit koordinativ ungesättigten Metallzentren. <i>Angewandte Chemie</i> , 2008 , 120, 6870-6884	3.6	132
369	Enhancing H ₂ Uptake by "Close-Packing" Alignment of Open Copper Sites in Metal-Organic Frameworks. <i>Angewandte Chemie</i> , 2008 , 120, 7373-7376	3.6	36
368	Enthalpy-Entropy correlation for hydrogen adsorption on zeolites. 2008 , 456, 68-70		78
367	Synthesis and structural characterization of two novel 2D coordination polymers [PbCl(atza)] _n and [PbCl(a4-ptz)] _n . <i>Inorganic Chemistry Communication</i> , 2008 , 11, 795-798	3.1	36
366	Synthesis, structure and properties of two new 3D frameworks with primitive cubic topology. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 1378-1381	3.1	13
365	Reaction-condition-controlled formation of secondary-building-units in three cadmium metal-organic frameworks with an orthogonal tetrakis(tetrazolate) ligand. <i>Journal of Molecular Structure</i> , 2008 , 890, 163-169	3.4	27
364	Zeolite-like metal-organic frameworks as platforms for applications: on metalloporphyrin-based catalysts. <i>Journal of the American Chemical Society</i> , 2008 , 130, 12639-41	16.4	540
363	Further investigation of the effect of framework catenation on hydrogen uptake in metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2008 , 130, 15896-902	16.4	141
362	Reversible structural transition in MIL-53 with large temperature hysteresis. <i>Journal of the American Chemical Society</i> , 2008 , 130, 11813-8	16.4	356
361	Supramolecular building blocks (SBBs) for the design and synthesis of highly porous metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2008 , 130, 1833-5	16.4	586
360	Role of exposed metal sites in hydrogen storage in MOFs. <i>Journal of the American Chemical Society</i> , 2008 , 130, 8386-96	16.4	361
359	Efficient hydrogen sorption in 8-connected MOFs based on trinuclear pinwheel motifs. <i>Inorganic Chemistry</i> , 2008 , 47, 5355-9	5.1	51
358	Guest-induced modification of a magnetically active ultramicroporous, gismondine-like, copper(II) coordination network. <i>Journal of the American Chemical Society</i> , 2008 , 130, 3978-84	16.4	140
357	Metal-Organic Frameworks Based on Double-Bond-Coupled Di-Isophthalate Linkers with High Hydrogen and Methane Uptakes. <i>Chemistry of Materials</i> , 2008 , 20, 3145-3152	9.6	231
356	Expanded sodalite-type metal-organic frameworks: increased stability and H ₂ adsorption through ligand-directed catenation. <i>Inorganic Chemistry</i> , 2008 , 47, 11-3	5.1	181
355	Size-selective Lewis acid catalysis in a microporous metal-organic framework with exposed Mn ²⁺ coordination sites. <i>Journal of the American Chemical Society</i> , 2008 , 130, 5854-5	16.4	753

354	The current status of hydrogen storage in metal-organic frameworks. <i>Energy and Environmental Science</i> , 2008 , 1, 222	35.4	386
353	Matrix isolation chemistry in a porous metal-organic framework: photochemical substitutions of N ₂ and H ₂ in Zn ₄ O[(eta-1,4-benzenedicarboxylate)Cr(CO) ₃] ₃ . <i>Journal of the American Chemical Society</i> , 2008 , 130, 806-7	16.4	200
352	Low-level self-assembly of open framework based on three different polyhedra: metal-organic analogue of face-centered cubic dodecaboride. <i>Journal of the American Chemical Society</i> , 2008 , 130, 800-1	16.4	125
351	Force Field Validation for Molecular Dynamics Simulations of IRMOF-1 and Other Isorecticular Zinc Carboxylate Coordination Polymers. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 5795-5802	3.8	128
350	High H ₂ Storage of Hexagonal Metal-Organic Frameworks from First-Principles-Based Grand Canonical Monte Carlo Simulations. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 13431-13436	3.8	66
349	Materials for hydrogen storage: current research trends and perspectives. <i>Chemical Communications</i> , 2008 , 668-81	5.8	563
348	A rational design by hydrothermal methods of a tetrazolate-bridged bimetallic spin-canted antiferromagnet. Synthesis, X-ray structure and magnetic properties of [CoNi(pmtz) ₄] (Hpmtz- = 5-(pyrimidyl)tetrazole). <i>Dalton Transactions</i> , 2008 , 2887-93	4.3	42
347	Enhancement of H ₂ adsorption in Li ⁺ -exchanged co-ordination framework materials. <i>Chemical Communications</i> , 2008 , 6108-10	5.8	152
346	Eight coordination with bis(bidentate) bridging ligands: zeolitic topology versus square grid networks. <i>Chemical Communications</i> , 2008 , 847-9	5.8	54
345	Preparation of Size-Selective Nanoporous Polymer Networks of Aromatic Rings: Potential Adsorbents for Hydrogen Storage. <i>Chemistry of Materials</i> , 2008 , 20, 7069-7076	9.6	186
344	Nature and Tunability of Enhanced Hydrogen Binding in Metal-Organic Frameworks with Exposed Transition Metal Sites. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 8132-8135	3.8	64
343	Porous metal-organic framework based on mu ₄ -oxo tetrazinc clusters: sorption and guest-dependent luminescent properties. <i>Inorganic Chemistry</i> , 2008 , 47, 1346-51	5.1	180
342	Coordination compounds of bis(5-tetrazolyl)amine with manganese(II), zinc(II) and cadmium(II): synthesis, structure and magnetic properties. <i>Dalton Transactions</i> , 2008 , 4621-9	4.3	40
341	Increasing the density of adsorbed hydrogen with coordinatively unsaturated metal centers in metal-organic frameworks. 2008 , 24, 4772-7		240
340	Metal-organic framework materials for hydrogen storage. 2008 , 288-312		4
339	Hydrogen adsorption in HKUST-1: a combined inelastic neutron scattering and first-principles study. 2009 , 20, 204025		106
338	Exploiting the Kubas Interaction in the Design of Hydrogen Storage Materials. 2009 , 21, 1787-1800		121
337	Charged soc metal-organic framework for high-efficacy H ₂ adsorption and syngas purification: Atomistic simulation study. 2009 , 55, 2422-2432		52

336	A Thermally and Hydrolytically Stable Microporous Framework Exhibiting Single-Chain Magnetism: Structure and Properties of $[\text{Co}_2(\text{H}_0.67\text{bdt})_3] \cdot 20 \text{H}_2\text{O}$. <i>Angewandte Chemie</i> , 2009 , 121, 2174-2177	3.6	16
335	Enhanced Hydrogen Storage by Palladium Nanoparticles Fabricated in a Redox-Active Metal-Organic Framework. <i>Angewandte Chemie</i> , 2009 , 121, 2943-2947	3.6	61
334	Enhancement of H ₂ adsorption in coordination framework materials by use of ligand curvature. <i>Chemistry - A European Journal</i> , 2009 , 15, 4829-35	4.8	106
333	Ti-substituted boranes as hydrogen storage materials: a computational quest for the ideal combination of stable electronic structure and optimal hydrogen uptake. <i>Chemistry - A European Journal</i> , 2009 , 15, 5910-9	4.8	43
332	Preferred hydrogen adsorption sites in various MOFs--a comparative computational study. 2009 , 10, 2647-57		55
331	A thermally and hydrolytically stable microporous framework exhibiting single-chain magnetism: structure and properties of $[\text{Co}_2(\text{H}_0.67\text{bdt})_3] \cdot 20 \text{H}_2\text{O}$. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 2140-3	16.4	165
330	Enhanced hydrogen storage by palladium nanoparticles fabricated in a redox-active metal-organic framework. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 2899-903	16.4	283
329	Solvent-dependent luminescent Cu(I) framework based on 5-(4-pyridyl)tetrazole. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 2555-2559	3.3	25
328	Role of the chemical structure of metal-organic framework compounds in the adsorption of hydrogen. 2009 , 45, 277-301		11
327	Tröger's-base-derived infinite co-ordination polymer microparticles. 2009 , 5, 46-50		101
326	Nanoporous polymers for hydrogen storage. 2009 , 5, 1098-111		333
325	Cation-induced kinetic trapping and enhanced hydrogen adsorption in a modulated anionic metal-organic framework. 2009 , 1, 487-93		361
324	Nanoporous metal organic framework materials for hydrogen storage. 2009 , 7, 129-140		44
323	Group II metal-directed structural variation of coordination compounds derived from 5-[N-acetato(4-pyridyl)]tetrazolate ligand. 2009 , 362, 1723-1729		18
322	Manganese(II) coordination polymers with bis(5-tetrazolyl)methane: Synthesis, structure and magnetic properties. 2009 , 362, 2213-2216		12
321	A dicarboxylate with asymmetric coordination ability: Characterization of a two dimensional coordination polymer of copper(II) exhibiting spin canting. 2009 , 362, 4246-4250		16
320	Molecular engineering for synthesizing novel structures of metal-organic frameworks with multifunctional properties. <i>Coordination Chemistry Reviews</i> , 2009 , 253, 2891-2911	23.2	583
319	Strong CO ₂ binding in a water-stable, triazolate-bridged metal-organic framework functionalized with ethylenediamine. <i>Journal of the American Chemical Society</i> , 2009 , 131, 8784-6	16.4	963

318	Methane sorption and structural characterization of the sorption sites in Zn ₂ (bdc) ₂ (dabco) by single crystal X-ray crystallography. <i>2009</i> , 4, 886-91		62
317	Hydrogen storage in metal-organic frameworks. <i>Chemical Society Reviews</i> , 2009 , 38, 1294-314	58.5	3846
316	Unique two-fold interpenetration of 3D microporous 3d-4f heterometal-organic frameworks (HMOF) based on a rigid ligand. <i>Dalton Transactions</i> , 2009 , 7765-70	4.3	39
315	Pillared porphyrin homologous series: intergrowth in metal-organic frameworks. <i>Inorganic Chemistry</i> , 2009 , 48, 426-8	5.1	154
314	Metathesis in single crystal: complete and reversible exchange of metal ions constituting the frameworks of metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2009 , 131, 3814-5	16.4	300
313	Fabrication and Properties of Eight Novel Lanthanide Organic Frameworks Based on 4-Hydroxypyran-2,6-dicarboxylate and 4-Hydroxypyridine-2,6-dicarboxylate. <i>Crystal Growth and Design</i> , 2009 , 9, 4006-4016	3.5	28
312	Single crystal X-ray diffraction studies of carbon dioxide and fuel-related gases adsorbed on the small pore scandium terephthalate metal organic framework, Sc ₂ (O ₂ CC ₆ H ₄ CO ₂) ₃ . 2009 , 25, 3618-26		84
311	Optimized acetylene/carbon dioxide sorption in a dynamic porous crystal. <i>Journal of the American Chemical Society</i> , 2009 , 131, 5516-21	16.4	358
310	A Porous Polyhedral Metal-Organic Framework Based on Zn ₂ (COO) ₃ and Zn ₂ (COO) ₄ SBUs. <i>Crystal Growth and Design</i> , 2009 , 9, 2559-2561	3.5	53
309	Coordination chemistry of tetrazolate-5-carboxylate with manganese(II): synthesis, structure and magnetism. <i>Dalton Transactions</i> , 2009 , 2721-30	4.3	45
308	Framework reduction and alkali-metal doping of a triply catenating metal-organic framework enhances and then diminishes H ₂ uptake. 2009 , 25, 503-8		100
307	A Three-Dimensional Porous and Magnetic Framework Constructed from {Cu ₄ (μ ₃ -Cl)} ₇ Clusters and 4-(1H-Tetrazol-5yl)-benzoic Acid, (Me ₂ NH ₂)[Cu ₄ Cl(tba) ₄ (H ₂ O) ₄] ₂ DMF. <i>Crystal Growth and Design</i> , 2009 , 9, 4258-4261	3.5	22
306	Crystallization Behavior of Coordination Polymers. 1. Kinetic and Thermodynamic Features of 1,3-Bis(4-pyridyl)propane/MCl ₂ Systems. <i>Crystal Growth and Design</i> , 2009 , 9, 5024-5034	3.5	22
305	High capacity hydrogen adsorption in Cu(II) tetracarboxylate framework materials: the role of pore size, ligand functionalization, and exposed metal sites. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2159-71	16.4	670
304	Adsorption and desorption of hydrogen on metal-organic framework materials for storage applications: comparison with other nanoporous materials. <i>Dalton Transactions</i> , 2009 , 1487-505	4.3	242
303	Unprecedentedly high selective adsorption of gas mixtures in rho zeolite-like metal-organic framework: a molecular simulation study. <i>Journal of the American Chemical Society</i> , 2009 , 131, 11417-25	16.4	196
302	Ab initio study of hydrogen adsorption in MOF-5. <i>Journal of the American Chemical Society</i> , 2009 , 131, 4143-50	16.4	206
301	Recent advances on simulation and theory of hydrogen storage in metal-organic frameworks and covalent organic frameworks. <i>Chemical Society Reviews</i> , 2009 , 38, 1460-76	58.5	491

300	Design and Construction of Metal-Organic Frameworks for Hydrogen Storage and Selective Gas Adsorption. 2009 , 353-373		2
299	Zeolite-like metal-organic frameworks (ZMOFs) as hydrogen storage platform: lithium and magnesium ion-exchange and H ₂ -(rho-ZMOF) interaction studies. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2864-70	16.4	424
298	Structure, magnetism and DFT studies of dinuclear and chain complexes containing the tetrazolate-5-carboxylate multidentate bridging ligand. <i>Dalton Transactions</i> , 2009 , 6335-44	4.3	43
297	Strong hydrogen binding within a 3D microporous metal-organic framework. <i>Inorganic Chemistry</i> , 2009 , 48, 8656-8	5.1	74
296	Hydrogen Storage in Mesoporous Coordination Frameworks: Experiment and Molecular Simulation. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 15106-15109	3.8	50
295	Ab initio design of Ca-decorated organic frameworks for high capacity molecular hydrogen storage with enhanced binding. 2009 , 95, 033109		47
294	Enhanced dihydrogen adsorption in symmetry-lowered metal-porphyrin-containing frameworks. 2009 , 11, 11400-3		21
293	Highly porous metal-organic framework containing a novel organosilicon linker--a promising material for hydrogen storage. <i>Inorganic Chemistry</i> , 2009 , 48, 6559-65	5.1	56
292	Coordination Polymers with Varied Metal Centers and Flexible Tripodal Ligand 1,3,5-Tris(imidazol-1-ylmethyl)benzene: Synthesis, Structure, and Reversible Anion Exchange Property. <i>Crystal Growth and Design</i> , 2009 , 9, 395-403	3.5	65
291	Highly tunable metal-organic frameworks with open metal centers. 2009 , 11, 553-555		165
290	Hydrogen, methane and carbon dioxide adsorption in metal-organic framework materials. 2010 , 293, 35-76		104
289	Syntheses, crystal structures, thermal stabilities and luminescence of two new zinc phosphonates. <i>Dalton Transactions</i> , 2009 , 9440-5	4.3	23
288	Upgrade of natural gas in rhozeolite-like metal-organic framework and effect of water: a computational study. <i>Energy and Environmental Science</i> , 2009 , 2, 1088	35.4	64
287	Cadmium(II) coordination polymers with flexible tetradentate ligand 1,2,4,5-tetrakis(imidazol-1-ylmethyl)benzene: anion effect and reversible anion exchange property. 2009 , 11, 261-270		56
286	Influence of metal ions, coligands and reaction conditions on the structural versatility and properties of 5-pyrimidyl-tetrazolate containing complexes. <i>Dalton Transactions</i> , 2009 , 9578-86	4.3	38
285	Multi-functional rare-earth hybrid layered networks: photoluminescence and catalysis studies. 2009 , 19, 2618		85
284	Interpenetrating polyhedral MOF with a primitive cubic network based on supermolecular building blocks constructed of a semirigid C ₃ -symmetric carboxylate ligand. <i>Inorganic Chemistry</i> , 2009 , 48, 8057-9 ^{5.1}		69
283	A cubic coordination framework constructed from benzobistriazolate ligands and zinc ions having selective gas sorption properties. <i>Dalton Transactions</i> , 2009 , 6487-95	4.3	109

282	A large-surface-area boracite-network-topology porous MOF constructed from a conjugated ligand exhibiting a high hydrogen uptake capacity. <i>Inorganic Chemistry</i> , 2009 , 48, 7519-21	5.1	62
281	Hydrogen storage and carbon dioxide capture in an iron-based sodalite-type metal-organic framework (Fe-BTT) discovered via high-throughput methods. <i>Chemical Science</i> , 2010 , 1, 184	9.4	261
280	Hydrogen Adsorption in Polyoxometalate Hybrid Compounds Based on Porous Metal-Organic Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 3756-3761	2.3	38
279	Synthesis and Structural Flexibility of a Series of Copper(II) Azolate-Based Metal-Organic Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 3739-3744	2.3	26
278	Advanced materials for energy storage. 2010 , 22, E28-62		3687
277	Structures and H ₂ adsorption properties of porous scandium metal-organic frameworks. <i>Chemistry - A European Journal</i> , 2010 , 16, 13671-9	4.8	71
276	A Simple Lithium(I) Salt with a Microporous Structure and Its Gas Sorption Properties. <i>Angewandte Chemie</i> , 2010 , 122, 1105-1107	3.6	6
275	A simple lithium(I) salt with a microporous structure and its gas sorption properties. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 1087-9	16.4	99
274	Syntheses, crystal structures and properties of a series of 3D cadmium coordination polymers with different topologies. 2010 , 363, 1727-1734		30
273	Coordination compounds of tetrazolate-5-carboxylate with cobalt(II): Synthesis, structure and magnetic properties. 2010 , 363, 3750-3756		17
272	A porous 3d-4f heterometallic metal-organic framework for hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 8166-8170	6.7	25
271	Metal-organic frameworks for hydrogen storage. <i>Microporous and Mesoporous Materials</i> , 2010 , 129, 335-339		119
270	Synthesis, crystal structures, and luminescence properties of two new coordination compounds [Zn(pytza) ₂ (H ₂ O) ₂] and [CdCl(pytza)] _n (Hpytza=5-(2-pyridyl)tetrazole-2-acetic acid). <i>Inorganic Chemistry Communication</i> , 2010 , 13, 254-257	3.1	37
269	3D copper coordination polymers based on N-heterocyclic ligands with different topology. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 417-420	3.1	6
268	Construction of two mercury(II) coordination frameworks involving in situ tetrazole ligand synthesis. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 749-752	3.1	22
267	Hydrothermal syntheses of two novel coordination polymers based on tetranuclear metal cluster constructed by 1,3,5-Tris(2H-tetrazol-5-yl)benzene ligand. <i>Inorganic Chemistry Communication</i> , 2010 , 13, 1203-1206	3.1	4
266	Origin of enhanced dihydrogen-metal interaction in carboxylate bridged Cu ₂ -paddle-wheel frameworks. 2010 , 105, 236105		12
265	Rational synthesis and characterization of porous Cu(II) coordination polymers. 2010 , 12, 2519-31		37

264	Concentration-Driven Evolution of Crystal Structure, Pore Characteristics, and Hydrogen Storage Capacity of Metal Organic Framework-5s: Experimental and Computational Studies. <i>Chemistry of Materials</i> , 2010 , 22, 6138-6145	9.6	18
263	Cadmium(II) complexes with 3,5-di(1H-imidazol-1-yl)benzoate: topological and structural diversity tuned by counteranions. 2010 , 12, 100-108		65
262	Multiscale simulation and modelling of adsorptive processes for energy gas storage and carbon dioxide capture in porous coordination frameworks. <i>Energy and Environmental Science</i> , 2010 , 3, 1469	35.4	130
261	Syntheses, Structures, and Properties of Honeycomb and Square Grid Coordination Polymers with In Situ Formed 5-(2?-Pyrimidyl)tetrazolate. <i>Crystal Growth and Design</i> , 2010 , 10, 2908-2915	3.5	22
260	Zeolite-like Metal Organic Framework Based on a Flexible 2-(1H-benzimidazol-2-ylthio)acetic Ligand: Synthesis, Structures, and Properties. <i>Crystal Growth and Design</i> , 2010 , 10, 1878-1884	3.5	18
259	Cadmium Metal-Directed Three-Dimensional Coordination Polymers: In Situ Tetrazole Ligand Synthesis, Structures, and Luminescent Properties. <i>Crystal Growth and Design</i> , 2010 , 10, 1332-1340	3.5	94
258	Metal Organic frameworks of manganese(II) 4,4?-biphenyldicarboxylates: crystal structures, hydrogen adsorption, and magnetism properties. 2010 , 12, 677-681		49
257	Evaluation of [Ln(H2cmp)(H2O)] metal organic framework materials for potential application as magnetic resonance imaging contrast agents. <i>Inorganic Chemistry</i> , 2010 , 49, 2969-74	5.1	73
256	Theoretical and experimental study of the effectiveness of the 5-pyrimidyl-tetrazolate bridging ligand in mediating magnetic exchange interactions. <i>Inorganic Chemistry</i> , 2010 , 49, 8986-96	5.1	45
255	Origin of the Enhanced Interaction of Molecular Hydrogen with Extraframework Cu+ and FeO+ Cations in Zeolite Hosts. A Periodic DFT Study. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 13926-13934	3.8	19
254	Constructions of a Set of New Lanthanide-Based Coordination Polymers with Hatza Ligands (Hatza = 5-Aminotetrazole-1-Acetic Acid). <i>Crystal Growth and Design</i> , 2010 , 10, 165-170	3.5	43
253	Hierarchically Micro- and Mesoporous Coordination Polymer Nanostructures with High Adsorption Performance. <i>Crystal Growth and Design</i> , 2010 , 10, 2451-2454	3.5	48
252	Metal-organic polyhedral frameworks: high h(2) adsorption capacities and neutron powder diffraction studies. <i>Journal of the American Chemical Society</i> , 2010 , 132, 4092-4	16.4	269
251	Quantum dynamics of adsorbed normal- and para-H2, HD, and D2 in the microporous framework MOF-74 analyzed using infrared spectroscopy. 2010 , 81,		46
250	Mechanism of heterolysis of H2 by an unsaturated d8 nickel center: via tetravalent nickel?. <i>Journal of the American Chemical Society</i> , 2010 , 132, 910-1	16.4	69
249	Accurate Prediction of Hydrogen Adsorption in Metal Organic Frameworks with Unsaturated Metal Sites via a Combined Density-Functional Theory and Molecular Mechanics Approach. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 19116-19126	3.8	42
248	Gas storage in porous metal-organic frameworks for clean energy applications. <i>Chemical Communications</i> , 2010 , 46, 44-53	5.8	1102
247	Microporous lanthanide-organic frameworks with open metal sites: unexpected sorption propensity and multifunctional properties. <i>Inorganic Chemistry</i> , 2010 , 49, 4723-5	5.1	63

246	Insight into the Development of Metal-Organic Materials (MOMs): At Zeolite-Like Metal-Organic Frameworks (ZMOFs). 2010 , 37-89		8
245	A microporous metal-organic framework constructed from a 1D column made of linear trinuclear manganese secondary building units. 2010 , 12, 2179		13
244	Hydrogen storage in water-stable metal-organic frameworks incorporating 1,3- and 1,4-benzenedipyrazolate. <i>Energy and Environmental Science</i> , 2010 , 3, 117-123	35.4	158
243	Azulene based metal-organic frameworks for strong adsorption of H ₂ . <i>Chemical Communications</i> , 2010 , 46, 7981-3	5.8	55
242	A chiral diamondoid 3D lanthanum metal-organic framework displaying blue-greenish long lifetime photoluminescence emission. 2010 , 12, 1876		62
241	Synthesis, structure and hydrogen adsorption of a novel porous metal-organic framework, Mn ₉ (btt) ₂ (HCOO) ₁₂ ·7DMF·9H ₂ O, where btt = 1,3,5-benzenetristetrazolate. 2010 , 12, 3033		9
240	Altering the spin state of transition metal centers in metal-organic frameworks by molecular hydrogen adsorption: a first-principles study. 2011 , 13, 5042-6		9
239	A zeolitic porous lithium-organic framework constructed from cubane clusters. <i>Chemical Communications</i> , 2011 , 47, 5536-8	5.8	64
238	Strong Effects of Higher-Valent Cations on the Structure of the Zeolitic Zn(2-methylimidazole) ₂ Framework (ZIF-8). <i>Journal of Physical Chemistry C</i> , 2011 , 115, 7967-7971	3.8	48
237	Syntheses, Structures, and Gas Adsorption Properties of Two Novel Cadmium-Sodium Organic Frameworks with 1,3,5-Benzenetricarboxylate Ligands. <i>Crystal Growth and Design</i> , 2011 , 11, 3529-3535	3.5	22
236	Cation Characterization and CO ₂ Capture in Li ⁺ -Exchanged Metal-Organic Frameworks: From First-Principles Modeling to Molecular Simulation. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 62-68	3.9	41
235	A perfectly square-planar tetracoordinated oxygen in a tetracopper cluster-based coordination polymer. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4788-90	16.4	59
234	Site-Specific CO ₂ Adsorption and Zero Thermal Expansion in an Anisotropic Pore Network. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 24915-24919	3.8	124
233	Pore partition effect on gas sorption properties of an anionic metal-organic framework with exposed Cu ²⁺ coordination sites. <i>Chemical Communications</i> , 2011 , 47, 10647-9	5.8	132
232	Two yttrium(III) coordination compounds containing a ³ -ptz or atza [a ³ -ptz = 5-[N-acetato(3-pyridyl)]tetrazole; atza = 5-aminotetrazole-1-acetato]. 2011 , 64, 431-439		15
231	Neutron Scattering and Spectroscopic Studies of Hydrogen Adsorption in Cr ³⁺ (BTC) ₂ Metal-Organic Framework with Exposed Cr ²⁺ Sites. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 8414-8421	3.8	43
230	Photoluminescent and Magnetic Properties of a Series of Lanthanide Coordination Polymers with 1H-Tetrazolate-5-formic Acid. <i>Crystal Growth and Design</i> , 2011 , 11, 372-381	3.5	87
229	Isorecticular expansion of metal-organic frameworks with triangular and square building units and the lowest calculated density for porous crystals. <i>Inorganic Chemistry</i> , 2011 , 50, 9147-52	5.1	263

228	Role of solvents in coordination supramolecular systems. <i>Chemical Communications</i> , 2011 , 47, 5958-72	5.8	565
227	Selective CO ₂ adsorption in a flexible non-interpenetrated metal-organic framework. <i>Chemical Communications</i> , 2011 , 47, 4258-60	5.8	114
226	Insight into the construction of metal-organic polyhedra: metal-organic cubes as a case study. <i>Chemical Science</i> , 2011 , 2, 1695	9.4	38
225	Engineering structured MOF at nano and macroscales for catalysis and separation. 2011 , 21, 7582		123
224	Metal-organic frameworks based on unprecedented trinuclear and pentanuclear metal-tetrazole clusters as secondary building units. <i>Inorganic Chemistry</i> , 2011 , 50, 12133-40	5.1	56
223	Pore with gate: enhancement of the isosteric heat of adsorption of dihydrogen via postsynthetic cation exchange in metal-organic frameworks. <i>Inorganic Chemistry</i> , 2011 , 50, 9374-84	5.1	83
222	A sodalite-type porous metal-organic framework with polyoxometalate templates: adsorption and decomposition of dimethyl methylphosphonate. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4178-81	16.4	372
221	Methyl modified MOF-5: a water stable hydrogen storage material. <i>Chemical Communications</i> , 2011 , 47, 5244-6	5.8	192
220	Pore with gate: modulating hydrogen storage in metal-organic framework materials via cation exchange. 2011 , 151, 19-36; discussion 95-115		46
219	Evaluating metal-organic frameworks for post-combustion carbon dioxide capture via temperature swing adsorption. <i>Energy and Environmental Science</i> , 2011 , 4, 3030	35.4	782
218	Adsorption of volatile organic compounds in porous metal-organic frameworks functionalized by polyoxometalates. <i>Journal of Solid State Chemistry</i> , 2011 , 184, 3034-3039	3.3	57
217	Ab initio and periodic DFT investigation of hydrogen storage on light metal-decorated MOF-5. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 10816-10827	6.7	45
216	High thermal and chemical stability in pyrazolate-bridged metal-organic frameworks with exposed metal sites. <i>Chemical Science</i> , 2011 , 2, 1311	9.4	420
215	Postsynthetic modification of metal-organic frameworks--a progress report. <i>Chemical Society Reviews</i> , 2011 , 40, 498-519	58.5	936
214	Nitrogen-rich azoles as ligand spacers in coordination polymers. 2011 , 6, 292-304		63
213	Experimental and computational approach of understanding the gas adsorption in amino functionalized interpenetrated metal organic frameworks (MOFs). 2011 , 21, 17737		48
212	3D Chiral Microporous (10,3)-a Topology Metal-Organic Framework Containing Large Helical Channels. <i>Crystal Growth and Design</i> , 2011 , 11, 2510-2514	3.5	21
211	Syntheses and Structural Characterization of Three New Alkaline Earth Metal Supramolecular Coordination Compounds Based on Atza Ligand (Atza = 5-Aminotetrazole-1-Acetato Anion). 2011 , 41, 1483-1489		11

210	Recent advance in porous coordination polymers from the viewpoint of crystalline-state transformation. 2011 , 54, 1371-1394		31
209	Hydrogen Adsorption on Metal Organic Framework Materials for Storage Applications. 2011 , 245-281		1
208	Poröse Materialien zur CO ₂ -Abtrennung und -Abscheidung [Entwicklung und Bewertung]. <i>Angewandte Chemie</i> , 2011 , 123, 11790-11801	3.6	88
207	Development and evaluation of porous materials for carbon dioxide separation and capture. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 11586-96	16.4	907
206	Hydrothermal synthesis, structure and photoluminescent property of a novel sodium-pyrazinyltetrazole framework compound. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 1485-1488	3.1	6
205	Synthesis, characterization, and crystal structures of two coordination polymers from 3,5-bis(pyridin-4-ylmethyl) aminobenzoic acid. 2011 , 64, 3323-3332		10
204	The first in situ tetrazole synthesis of lanthanide metal coordination frameworks. 2011 , 64, 1645-1653		10
203	Synthesis, Crystal Structures and Thermogravimetric Analyses of Mn(II) and Cu(II) Complexes Derived from 1,4,5,6-Tetrahydro-6-oxo-3-Pyridazinecarboxylic Acid. 2011 , 35, 89-93		
202	Hydrogen adsorbed in a metal organic framework-5: coupled translation-rotation eigenstates from quantum five-dimensional calculations. 2012 , 137, 014701		40
201	CO ₂ capture by metal-organic frameworks with van der Waals density functionals. 2012 , 116, 4957-64		86
200	Luminescent microporous metal-metallosalen frameworks with the primitive cubic net. <i>Dalton Transactions</i> , 2012 , 41, 3928-32	4.3	13
199	Structural diversity in imidazole and carboxylate-containing metal complexes dependent on the alkaline reagents. 2012 , 14, 3708		39
198	In situ hydrothermal synthesis of dysprosium(III) single-molecule magnet with lanthanide salt as catalyst. <i>Dalton Transactions</i> , 2012 , 41, 5816-23	4.3	54
197	Synthesis, structure, fluorescent and magnetic properties of a series of coordination polymers based on a long and flexible bis-triazole ligand. 2012 , 14, 2769		54
196	Ligand-assisted enhancement of CO ₂ capture in metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6714-9	16.4	82
195	Dehydrogenation of Ammonia Borane Confined by Low-Density Porous Aromatic Framework. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 25694-25700	3.8	28
194	Temperature-controlled chiral and achiral copper tetrazolate metal-organic frameworks: syntheses, structures, and I ₂ adsorption. <i>Inorganic Chemistry</i> , 2012 , 51, 2303-10	5.1	78
193	A New Family of 3d ^{nf} Heterometallic Tetrazole-based Coordination Frameworks: In Situ Tetrazole Ligand Synthesis, Structure, Luminescence, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2012 , 12, 1151-1158	3.5	68

192	Robust Metal-Organic Framework with An Octatopic Ligand for Gas Adsorption and Separation: Combined Characterization by Experiments and Molecular Simulation. <i>Chemistry of Materials</i> , 2012 , 24, 18-25	9.6	74
191	Single-walled polytetrazolate metal-organic channels with high density of open nitrogen-donor sites and gas uptake. <i>Journal of the American Chemical Society</i> , 2012 , 134, 784-7	16.4	165
190	Origin of long-range ferromagnetic ordering in metal-organic frameworks with antiferromagnetic dimeric-Cu(II) building units. <i>Journal of the American Chemical Society</i> , 2012 , 134, 17286-90	16.4	72
189	Hydrogen adsorption in the metal-organic frameworks Fe ₂ (dobdc) and Fe ₂ (O ₂)(dobdc). <i>Dalton Transactions</i> , 2012 , 41, 4180-7	4.3	73
188	Fuel purification, Lewis acid and aerobic oxidation catalysis performed by a microporous Co-BTT (BTT= 1,3,5-benzenetristetrazolate) framework having coordinatively unsaturated sites. 2012 , 22, 10200		53
187	Synthesis of nanoporous copper terephthalate [MIL-53(Cu)] as a novel methane-storage adsorbent. 2012 , 21, 680-684		21
186	Superior Capture of CO ₂ Achieved by Introducing Extra-framework Cations into N-doped Microporous Carbon. <i>Chemistry of Materials</i> , 2012 , 24, 4725-4734	9.6	176
185	Multipoint interactions enhanced CO ₂ uptake: a zeolite-like zinc-tetrazole framework with 24-nuclear zinc cages. <i>Journal of the American Chemical Society</i> , 2012 , 134, 18892-5	16.4	205
184	Deconstructing the crystal structures of metal-organic frameworks and related materials into their underlying nets. 2012 , 112, 675-702		1794
183	Carbon dioxide capture in metal-organic frameworks. 2012 , 112, 724-81		5017
182	Hydrogen storage in metal-organic frameworks. 2012 , 112, 782-835		2988
181	A giant coordination cage based on sulfonylcalix[4]arenes. <i>Chemical Communications</i> , 2012 , 48, 9177-9	5.8	52
180	Metal azolate frameworks: from crystal engineering to functional materials. 2012 , 112, 1001-33		1337
179	Vertex-directed self-assembly of a high symmetry supermolecular building block using a custom-designed porphyrin. <i>Chemical Science</i> , 2012 , 3, 2823	9.4	86
178	Synthesis, structure, magnetic properties and DFT calculations of novel bis-(5-tetrazolyl)amine copper(II) complexes. 2012 , 385, 73-80		15
177	The iron member of the CPO-27 coordination polymer series: Synthesis, characterization, and intriguing redox properties. <i>Microporous and Mesoporous Materials</i> , 2012 , 157, 62-74	5.3	51
176	Fluorinated metal-organic frameworks: advantageous for higher H ₂ and CO ₂ adsorption or not?. <i>Chemistry - A European Journal</i> , 2012 , 18, 688-94	4.8	86
175	Synthesis of a honeycomb-like Cu-based metal-organic framework and its carbon dioxide adsorption behaviour. <i>Dalton Transactions</i> , 2013 , 42, 2392-8	4.3	143

174	Organosilicon linkers in metal organic frameworks: the tetrahedral tetrakis(4-tetrazolylphenyl)silane ligand. <i>Dalton Transactions</i> , 2013 , 42, 13806-8	4.3	14
173	Quantification of Site-Specific Cation Exchange in Metal-Organic Frameworks Using Multi-Wavelength Anomalous X-ray Dispersion. <i>Chemistry of Materials</i> , 2013 , 25, 2998-3002	9.6	40
172	High-resolution inelastic neutron scattering and neutron powder diffraction study of the adsorption of dihydrogen by the Cu(II) metal-organic framework material HKUST-1. 2013 , 427, 9-17		11
171	Framework Isomerism in Vanadium Metal-Organic Frameworks: MIL-88B(V) and MIL-101(V). <i>Crystal Growth and Design</i> , 2013 , 13, 5036-5044	3.5	74
170	Metal-organic frameworks in fuel cell technologies. 2013 , 8, 577-597		122
169	The chemistry and applications of metal-organic frameworks. 2013 , 341, 1230444		9059
168	Assembly of a unique octa-nuclear copper cluster-based metal-organic framework with highly selective CO ₂ adsorption over N ₂ and CH ₄ . <i>Chemical Communications</i> , 2013 , 49, 11433-5	5.8	41
167	In situ hydrothermal syntheses of five new cadmium(II) coordination polymers based on 3-(1H-tetrazol-5-yl)benzoate ligand. 2013 , 15, 365-375		16
166	Quantum cryo-sieving for hydrogen isotope separation in microporous frameworks: an experimental study on the correlation between effective quantum sieving and pore size. 2013 , 1, 3244		43
165	A series of coordination polymers based on a 5-(3?-amine-1?H-pyrazol-4?-yl)-1H-tetrazole ligand: synthesis, structure and properties. 2013 , 15, 10094		7
164	Two New (3,6)-Connected Frameworks Based on an Unsymmetrical Tritopic Pyridyldicarboxylate Ligand and Co ₂ Dimer: Structures, Magnetic, and Sorption Properties. <i>Crystal Growth and Design</i> , 2013 , 13, 701-707	3.5	24
163	Expansion of sodalite-type metal-organic frameworks with heterometallic metal-oxo cluster and its cation exchange property. 2013 , 15, 459-462		14
162	Impact of metal and anion substitutions on the hydrogen storage properties of M-BTT metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2013 , 135, 1083-91	16.4	128
161	Structure and spectroscopy of hydrogen adsorbed in a nickel metal-organic framework. 2013 , 427, 3-8		19
160	Complexes between dihydrogen and amine, phosphine, and arsine derivatives. Hydrogen bond versus pnictogen interaction. 2013 , 117, 3243-51		44
159	Selective adsorption of ethylene over ethane and propylene over propane in the metal-organic frameworks M ₂ (dobdc) (M = Mg, Mn, Fe, Co, Ni, Zn). <i>Chemical Science</i> , 2013 , 4, 2054	9.4	327
158	Characterization, adsorption properties, metal ion-exchange and crystal-to-crystal transformation of Cd ₃ [(Cd ₄ Cl) ₃ (BTT) ₈ (H ₂ O) ₁₂] ₂ framework, where BTT ³⁻ = 1,3,5-benzenetristetrazolate. 2013 , 15, 3377		30
157	Achiral diamondoid or chiral quartz net: the effect of substituents in the topology and catenation of coordination polymers based on tetrahedral Cd(COO) ₄ building units. 2013 , 15, 3470		12

156	Gas storage in a partially fluorinated highly stable three-dimensional porous metal-organic framework. <i>Inorganic Chemistry</i> , 2013 , 52, 7358-66	5.1	57
155	Lanthanide based coordination polymers chill, relax under magnetic field and also fluoresce. <i>Dalton Transactions</i> , 2013 , 42, 9813-7	4.3	53
154	CHAPTER 5: Characterization of MOFs. 2. Long and Local Range Order Structural Determination of MOFs by Combining EXAFS and Diffraction Techniques. 143-208		8
153	Application of the piperazine-grafted CuBTTri metal-organic framework in postcombustion carbon dioxide capture. <i>Microporous and Mesoporous Materials</i> , 2013 , 174, 74-80	5.3	36
152	MOFs for CO ₂ capture and separation from flue gas mixtures: the effect of multifunctional sites on their adsorption capacity and selectivity. <i>Chemical Communications</i> , 2013 , 49, 653-61	5.8	514
151	Metal-Organic Frameworks: Adsorption of Hydrocarbons and Alcohols. 2014 , 1-21		1
150	A Mixed Molecular Building Block Strategy for the Design of Nested Polyhedron Metal-Organic Frameworks. <i>Angewandte Chemie</i> , 2014 , 126, 856-860	3.6	16
149	Metal-Organic Frameworks: Frameworks Containing Open Sites. 2014 , 1-23		1
148	Coordination architectures of 5-(2-pyridyl)tetrazole-2-acetic acid(Hpytza) ligand with cobalt(II), magnesium(II) and calcium(II). 2014 , 749, 428-432		24
147	Computational approaches to study adsorption in MOFs with unsaturated metal sites. 2014 , 40, 537-556		62
146	New Lithium Ion Clusters for Construction of Porous MOFs. <i>Crystal Growth and Design</i> , 2014 , 14, 897-900	3.5	37
145	A porous sodalite-type MOF based on tetrazolcarboxylate ligands and [Cu ₄ Cl] ⁷⁺ squares with open metal sites for gas sorption. <i>Dalton Transactions</i> , 2014 , 43, 2365-8	4.3	26
144	Hydrogen Storage in Metal-Organic Frameworks: A Review. 2014 , 128, 368-392		253
143	Two 3D Coordination Frameworks Based on Benzobisimidazole Linkers Generated under Similar Conditions: Synthesis, Structures and Thermal Properties. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 5362-5369	2.3	3
142	A Square-Planar Tetracoordinate Oxygen-Containing Ti ₄ O ₁₇ Cluster Stabilized by Two 1,1'-Ferrocenedicarboxylate Ligands. <i>Angewandte Chemie</i> , 2014 , 126, 9347-9351	3.6	3
141	Hydrogen physisorption in ionic solid compounds with exposed metal cations at room temperature. <i>RSC Advances</i> , 2014 , 4, 33905-33910	3.7	6
140	A stable, pillar-layer metal-organic framework containing uncoordinated carboxyl groups for separation of transition metal ions. <i>Chemical Communications</i> , 2014 , 50, 6406-8	5.8	68
139	What can pK _a and NBO charges of the ligands tell us about the water and thermal stability of metal organic frameworks?. 2014 , 2, 16250-16267		47

138	pH-dependent synthesis of a cadmium coordination compound from a compound based on Hpytz ligand [Hpytz = 5-(4-pyridyl)tetrazole]. 2014 , 67, 3444-3453		17
137	Non-precious electrocatalysts synthesized from metal-organic frameworks. 2014 , 2, 12270		64
136	A square-planar tetracoordinate oxygen-containing TiO ₄ cluster stabilized by two 1,1'-ferrocenedicarboxylato ligands. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 9193-7	16.4	29
135	Comprehensive study of carbon dioxide adsorption in the metal-organic frameworks M ₂ (dobdc) (M = Mg, Mn, Fe, Co, Ni, Cu, Zn). <i>Chemical Science</i> , 2014 , 5, 4569-4581	9.4	267
134	Synthesis and molecular structure of tetranuclear Cu ₄ P ₄ complexes with R ₂ PDR ₂ ligands. 2014 , 422, 36-39		4
133	Transmetalation of a dodecahedral Na ₉ aggregate-based polymer: a facile route to water stable Cu(II) coordination networks. <i>Inorganic Chemistry</i> , 2014 , 53, 7446-54	5.1	26
132	Syntheses, structures and properties of two copper coordination polymers constructed by tetrazole-1-acetic acid as starting material. <i>Inorganic Chemistry Communication</i> , 2014 , 47, 9-12	3.1	8
131	Cation exchange at the secondary building units of metal-organic frameworks. <i>Chemical Society Reviews</i> , 2014 , 43, 5456-67	58.5	399
130	High valence 3p and transition metal based MOFs. <i>Chemical Society Reviews</i> , 2014 , 43, 6097-115	58.5	339
129	Synthesis and hydrogen adsorption properties of internally polarized 2,6-azulenedicarboxylate based metal-organic frameworks. 2014 , 2, 18823-18830		22
128	A mixed molecular building block strategy for the design of nested polyhedron metal-organic frameworks. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 837-41	16.4	178
127	Single-crystal X-ray diffraction studies on structural transformations of porous coordination polymers. <i>Chemical Society Reviews</i> , 2014 , 43, 5789-814	58.5	353
126	Understanding Trends in CO ₂ Adsorption in Metal-Organic Frameworks with Open-Metal Sites. 2014 , 5, 861-5		113
125	Crystallographic studies of gas sorption in metal-organic frameworks. 2014 , 70, 404-22		76
124	Inelastic neutron scattering study of binding of para-hydrogen in an ultra-microporous metal-organic framework. 2014 , 428, 111-116		7
123	Tuning the structure and function of metal-organic frameworks via linker design. <i>Chemical Society Reviews</i> , 2014 , 43, 5561-93	58.5	1441
122	Computer Simulations of Ionic Metal-Organic Frameworks. 2015 , 451-481		
121	Mesoporous Fluorinated Metal-Organic Frameworks with Exceptional Adsorption of Fluorocarbons and CFCs. <i>Angewandte Chemie</i> , 2015 , 127, 14108-14112	3.6	21

120	Understanding Small-Molecule Interactions in Metal-Organic Frameworks: Coupling Experiment with Theory. 2015 , 27, 5785-96		30
119	Mesoporous Fluorinated Metal-Organic Frameworks with Exceptional Adsorption of Fluorocarbons and CFCs. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13902-6	16.4	72
118	Solvent-free heterogeneous catalysis for cyanosilylation in a modified sodalite-type Cu(II)-MOF. <i>RSC Advances</i> , 2015 , 5, 24293-24298	3.7	26
117	Metal cluster-based functional porous coordination polymers. <i>Coordination Chemistry Reviews</i> , 2015 , 293-294, 263-278	23.2	215
116	Intriguing differences in hydrogen adsorption in CPO-27 materials induced by metal substitution. 2015 , 3, 4827-4839		51
115	Metal-organic frameworks catalyzed C-C and C-heteroatom coupling reactions. <i>Chemical Society Reviews</i> , 2015 , 44, 1922-47	58.5	299
114	Hydration of Carbon Dioxide in Copper-Alkoxide Functionalized Metal-Organic Frameworks: A DFT Study. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 3564-3571	3.8	13
113	Topology analysis of metal-organic frameworks based on metal-organic polyhedra as secondary or tertiary building units. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 336-360	6.8	35
112	A stable luminescent anionic porous metal-organic framework for moderate adsorption of CO ₂ and selective detection of nitro explosives. 2015 , 3, 7224-7228		74
111	Assembly of Zn-metal organic frameworks based on a N-rich ligand: selective sorption for CO ₂ and luminescence sensing of nitro explosives. <i>RSC Advances</i> , 2015 , 5, 49606-49613	3.7	28
110	Hydrogen Storage by Physisorption: An Overview. 2015 , 1116, 157-172		
109	The role of sticking efficiencies in hydrogen gas adsorption on metal organic frameworks. 2015 , 645, S242-S246		9
108	Co/Ni mixed-metal sited MOF-74 material as hydrogen adsorbent. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 5346-5352	6.7	67
107	Two luminescent bcu-type metal-organic frameworks constructed from distinct cadmium clusters. <i>Inorganic Chemistry Communication</i> , 2015 , 56, 83-86	3.1	9
106	Microporous carbonaceous adsorbents for CO ₂ separation via selective adsorption. <i>RSC Advances</i> , 2015 , 5, 30310-30330	3.7	98
105	Insights on the physical adsorption of hydrogen and methane in UiO series of MOFs using molecular simulations. 2015 , 1061, 36-45		13
104	Natural gas purification using a porous coordination polymer with water and chemical stability. <i>Inorganic Chemistry</i> , 2015 , 54, 4279-84	5.1	105
103	Pillared-bilayer porous coordination polymers of Zn(II): enhanced hydrophobicity of pore surface by changing the pillar functionality. 2015 , 17, 3478-3486		23

102	High capacity hydrogen storage at room temperature via physisorption in a coordinatively unsaturated iron complex. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 16330-16337	6.7	9
101	Synthesis and O ₂ Reactivity of a Titanium(III) Metal-Organic Framework. <i>Inorganic Chemistry</i> , 2015 , 54, 10096-104	5.1	65
100	Porous Materials to Store Clean Energy [Gases*. 2015 , 297-327		2
99	Poly-functional porous-organic polymers to access functionality [CO ₂ sorption energetic relationships. 2015 , 3, 22584-22590		48
98	A Convenient Strategy for Designing a Soft Nanospace: An Atomic Exchange in a Ligand with Isostructural Frameworks. <i>Journal of the American Chemical Society</i> , 2015 , 137, 15825-32	16.4	30
97	A three-dimensional microporous metal-metalloporphyrin framework. <i>Inorganic Chemistry</i> , 2015 , 54, 200-4	5.1	37
96	Zeolite-like metal-organic frameworks (ZMOFs): design, synthesis, and properties. <i>Chemical Society Reviews</i> , 2015 , 44, 228-49	58.5	573
95	Highly effective heterogeneous chemosensors of luminescent silica@coordination polymer core-shell micro-structures for metal ion sensing. 2014 , 4, 6518		25
94	An exceptionally stable functionalized metal-organic framework for lithium storage. <i>Chemical Communications</i> , 2015 , 51, 697-9	5.8	117
93	A cage-based cationic body-centered tetragonal metal-organic framework: single-crystal to single-crystal transformation and selective uptake of organic dyes. <i>Chemical Communications</i> , 2015 , 51, 370-2	5.8	143
92	H ₂ Adsorbed Site-to-Site Electronic Delocalization within IRMOF-1: Understanding Non-Negligible Interactions at High Pressure. 2016 , 9,		3
91	Hydrogen Storage and Selective, Reversible O ₂ Adsorption in a Metal-Organic Framework with Open Chromium(II) Sites. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 8605-9	16.4	84
90	Porous Metal Azolate Frameworks. 2016 , 309-343		1
89	Hydrogen Storage and Selective, Reversible O ₂ Adsorption in a Metal-Organic Framework with Open Chromium(II) Sites. <i>Angewandte Chemie</i> , 2016 , 128, 8747-8751	3.6	18
88	A Polyhedral Metal-Organic Framework Based on Supramolecular Building Blocks: Catalysis and Luminescent Sensing of Solvent Molecules. <i>Crystal Growth and Design</i> , 2016 , 16, 4705-4710	3.5	45
87	Reticular Chemistry of Metal-Organic Frameworks Composed of Copper and Zinc Metal Oxide Secondary Building Units as Nodes. 2016 , 41-72		4
86	Selective, Tunable O ₂ Binding in Cobalt(II)-Triazolate/Pyrazolate Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7161-70	16.4	79
85	Hydrogen and methane storage in adsorbent materials for automotive applications. <i>International Journal of Energy Research</i> , 2016 , 40, 91-99	4.5	18

84	Reversible CO Scavenging via Adsorbate-Dependent Spin State Transitions in an Iron(II)-Triazolate Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2016 , 138, 5594-602	16.4	111
83	One pot synthesis of Zr-carboxylate porous hybrid materials: orthogonal C-C heterocoupling and carboxylate-Zr assembly. <i>RSC Advances</i> , 2016 , 6, 42307-42312	3.7	8
82	Gaining Insights on the H ₂ -Sorbent Interactions: Robust soc-MOF Platform as a Case Study. <i>Chemistry of Materials</i> , 2016 , 28, 7353-7361	9.6	30
81	Review of polymers of intrinsic microporosity for hydrogen storage applications. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 16944-16965	6.7	91
80	The First Example of Hetero-Triple-Walled Metal-Organic Frameworks with High Chemical Stability Constructed via Flexible Integration of Mixed Molecular Building Blocks. <i>Advanced Science</i> , 2016 , 3, 1500283	13.6	26
79	High-Throughput Screening of Metal-Organic Frameworks for Hydrogen Storage at Cryogenic Temperature. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 27328-27341	3.8	81
78	In Situ X-ray Diffraction and XAS Methods. 2016 , 691-727		2
77	An anionic zeolite-like metal-organic framework (AZMOF) with a Moravia network for organic dye absorption through cation-exchange. <i>Dalton Transactions</i> , 2016 , 45, 10909-15	4.3	30
76	Ligand Coordination Site-Directed Assembly of Copper(I) Iodide Complexes of ((Pyridyl)-1-pyrazolyl)pyridine. <i>Crystal Growth and Design</i> , 2016 , 16, 1617-1625	3.5	45
75	Hydrogen Storage in the Expanded Pore Metal-Organic Frameworks M ₂ (dobpdc) (M = Mg, Mn, Fe, Co, Ni, Zn). <i>Chemistry of Materials</i> , 2016 , 28, 1128-1138	9.6	140
74	A simple but efficient strategy to enhance hydrostability of intensely fluorescent Mg-based coordination polymer (CP) via forming a composite of CP with hydrophobic PVDF. <i>Dalton Transactions</i> , 2016 , 45, 3372-9	4.3	8
73	Finely tuning MOFs towards high-performance post-combustion CO ₂ capture materials. <i>Chemical Communications</i> , 2016 , 52, 443-52	5.8	111
72	Synthesis, characterization, and crystal structure of a 3D coordination polymer [Cd ₂ [(H ₃ C ₉ N ₁₂)]Cl[(H ₂ O) ₂]. <i>Inorganic and Nano-Metal Chemistry</i> , 2017 , 47, 549-552	1.2	1
71	Comparative Stability and Sorption Study of Two the-type Metal-Organic Frameworks with Different Multiplicate Metal-Ligand Interactions in Secondary Building Units. <i>Crystal Growth and Design</i> , 2017 , 17, 418-422	3.5	6
70	Ambient temperature hydrogen storage in porous materials with exposed metal sites. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 6801-6809	6.7	13
69	Metal-organic frameworks for H and CH storage: insights on the pore geometry-sorption energetics relationship. <i>IUCr</i> , 2017 , 4, 131-135	4.7	29
68	Tungsten(VI)-Copper(I)-Sulfur Cluster-Supported Metal-Organic Frameworks Bridged by in Situ Click-Formed Tetrazolate Ligands. <i>Inorganic Chemistry</i> , 2017 , 56, 5669-5679	5.1	29
67	Structural and dynamic studies of substrate binding in porous metal-organic frameworks. <i>Chemical Society Reviews</i> , 2017 , 46, 239-274	58.5	166

66	Effect of Cosolvent and Temperature on the Structures and Properties of Cu-MOF-74 in Low-temperature NH ₃ -SCR. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 3542-3550	3.9	48
65	Construction of a Multi-Cage-Based MOF with a Unique Network for Efficient CO Capture. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 26177-26183	9.5	54
64	Excavating hidden adsorption sites in metal-organic frameworks using rational defect engineering. <i>Nature Communications</i> , 2017 , 8, 1539	17.4	36
63	Water-resistant porous coordination polymers for gas separation. <i>Coordination Chemistry Reviews</i> , 2017 , 332, 48-74	23.2	260
62	CO ₂ sorption behavior of imidazole, benzimidazole and benzoic acid based coordination polymers. <i>Coordination Chemistry Reviews</i> , 2017 , 332, 100-121	23.2	46
61	Greener synthesis of Cu-MOF-74 and its catalytic use for the generation of vanillin. <i>Dalton Transactions</i> , 2018 , 47, 4639-4645	4.3	46
60	An experimental and computational study of CO adsorption in the sodalite-type M-BTT (M = Cr, Mn, Fe, Cu) metal-organic frameworks featuring open metal sites. <i>Chemical Science</i> , 2018 , 9, 4579-4588	9.4	29
59	Novel amine-functionalized iron trimesates with enhanced peroxidase-like activity and their applications for the fluorescent assay of choline and acetylcholine. <i>Biosensors and Bioelectronics</i> , 2018 , 100, 161-168	11.8	65
58	Gas adsorption properties of hybrid graphene-MOF materials. <i>Journal of Colloid and Interface Science</i> , 2018 , 514, 801-813	9.3	99
57	Recent advances in gas storage and separation using metal-organic frameworks. <i>Materials Today</i> , 2018 , 21, 108-121	21.8	788
56	. 2018 ,		3
55	DMOF-1 as a Representative MOF for SO ₂ Adsorption in Both Humid and Dry Conditions. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 23493-23500	3.8	35
54	Carbon Capture in Metal-Organic Frameworks. 2018 , 1-78		1
53	Synthesis chemistry of metal-organic frameworks for CO ₂ capture and conversion for sustainable energy future. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 92, 570-607	16.2	66
52	An assessment of strategies for the development of solid-state adsorbents for vehicular hydrogen storage. <i>Energy and Environmental Science</i> , 2018 , 11, 2784-2812	35.4	97
51	Metal-Organic Frameworks Materials for Post-Combustion CO ₂ Capture. 2018 , 79-111		1
50	Construction of coordination polymers based on a rigid tripodal nitrogen-containing heterotopic ligand that designed by mixed-donors strategy. <i>Journal of Solid State Chemistry</i> , 2018 , 265, 64-71	3.3	4
49	Chemical Engineering of Photoactivity in Heterometallic Titanium-Organic Frameworks by Metal Doping. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 8453-8457	16.4	49

48	Chemical Engineering of Photoactivity in Heterometallic Titanium-Organic Frameworks by Metal Doping. <i>Angewandte Chemie</i> , 2018 , 130, 8589-8593	3.6	7
47	Coordination polymers and metal-organic frameworks built up with poly(tetrazolate) ligands. <i>Coordination Chemistry Reviews</i> , 2018 , 372, 1-30	23.2	55
46	Morphology control in modulated synthesis of metal-organic framework CPO-27. <i>Microporous and Mesoporous Materials</i> , 2019 , 275, 207-213	5.3	24
45	H ₂ storage abilities of some novel Pd(II) complexes containing 2H[1,4]benzothiazin-3(4H)-one. <i>Inorganic Chemistry Communication</i> , 2019 , 106, 11-17	3.1	27
44	Induced Fit of C ₂ H ₂ in a Flexible MOF Through Cooperative Action of Open Metal Sites. <i>Angewandte Chemie</i> , 2019 , 131, 8603	3.6	
43	Induced Fit of C ₂ H ₂ in a Flexible MOF Through Cooperative Action of Open Metal Sites. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 8515-8519	16.4	116
42	Hydrogen storage capacities of some new Hg(II) complexes containing 2-acetylene thiophene. <i>Inorganic Chemistry Communication</i> , 2019 , 103, 100-106	3.1	29
41	Structure-Activity Relationships That Identify Metal-Organic Framework Catalysts for Methane Activation. <i>ACS Catalysis</i> , 2019 , 9, 3576-3587	13.1	63
40	Desulfurization by liquid phase adsorption: Role of exposed metal sites in metal-organic frameworks. <i>Journal of Molecular Structure</i> , 2019 , 1184, 163-167	3.4	3
39	Ab Initio Calculations for Molecule-Surface Interactions with Chemical Accuracy. <i>Accounts of Chemical Research</i> , 2019 , 52, 3502-3510	24.3	33
38	Neutron Instruments for Research in Coordination Chemistry. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1065-1089	2.3	18
37	An In-Situ Neutron Diffraction and DFT Study of Hydrogen Adsorption in a Sodalite-Type Metal-Organic Framework, Cu-BTtri. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1147-1154	2.3	13
36	Amide-functionalized metal-organic frameworks: Syntheses, structures and improved gas storage and separation properties. <i>Coordination Chemistry Reviews</i> , 2019 , 378, 2-16	23.2	163
35	Adsorption of propane and propylene on M-MOF-74 (M = Cu, Co): Equilibrium and kinetic study. <i>Chemical Engineering Research and Design</i> , 2020 , 153, 96-106	5.5	23
34	Copper Metal-Organic Framework Surface Catalysis: Catalyst Poisoning, IR Spectroscopic, and Kinetic Evidence Addressing the Nature and Number of the Catalytically Active Sites En Route to Improved Applications. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39043-39055	9.5	8
33	A Mn(II)-MOF with inherent missing metal-ion defects based on an imidazole-tetrazole tripodal ligand and its application in supercapacitors. <i>Dalton Transactions</i> , 2020 , 49, 12150-12155	4.3	4
32	Cluster/cage-based coordination polymers with tetrazole derivatives. <i>Coordination Chemistry Reviews</i> , 2020 , 422, 213424	23.2	16
31	Azulene-Based Molecules, Polymers, and Frameworks for Optoelectronic and Energy Applications. <i>Small Methods</i> , 2020 , 4, 2000628	12.8	21

30	Effect of Larger Pore Size on the Sorption Properties of Isorecticular Metal-Organic Frameworks with High Number of Open Metal Sites. <i>Chemistry - A European Journal</i> , 2020 , 26, 13523-13531	4.8	4
29	Secondary building units of MOFs. 2020 , 11-44		2
28	Coordinatively unsaturated metal sites (open metal sites) in metal-organic frameworks: design and applications. <i>Chemical Society Reviews</i> , 2020 , 49, 2751-2798	58.5	204
27	Density Functionals for Hydrogen Storage: Defining the H2Bind275 Test Set with Ab Initio Benchmarks and Assessment of 55 Functionals. <i>Journal of Chemical Theory and Computation</i> , 2020 , 16, 4963-4982	6.4	7
26	Understanding How Ligand Functionalization Influences CO and N Adsorption in a Sodalite Metal-Organic Framework. <i>Chemistry of Materials</i> , 2020 , 32,	9.6	7
25	Novel Hg(II) and Pd(II) benzotriazole (Hbta) complexes: Synthesis, characterization, X-ray crystal structure of [Pd(PPh3)(Hbta)Cl]2. DMSO and thermodynamic study of their H2 storage. <i>Journal of Molecular Structure</i> , 2020 , 1207, 127832	3.4	15
24	Predicting hydrogen storage capacity of metal-organic frameworks using group method of data handling. <i>Neural Computing and Applications</i> , 2020 , 32, 14851-14864	4.8	1
23	Nitrogen-rich metal-organic framework mediated CuNi composite catalysts for the electrochemical reduction of CO2. <i>Journal of Energy Chemistry</i> , 2021 , 54, 555-563	12	7
22	Synthesis, characterization and H2 uptake of novel Hg(II) complexes containing 1,4-benzothiazin-3-one. <i>Materials Today: Proceedings</i> , 2021 , 43, 875-882	1.4	7
21	Carbon polymer hybrid supported nanomaterials for hydrogen production and storage application. 2021 , 133-152		0
20	A hydrolytically stable cage-based metal-organic framework containing two types of building blocks for the adsorption of iodine and dyes. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 1083-1092	6.8	17
19	Neutron scattering studies of materials for hydrogen storage. 2021 ,		3
18	Porphyrin and phthalocyanine-based metal organic frameworks beyond metal-carboxylates. <i>Dalton Transactions</i> , 2021 , 50, 1166-1188	4.3	10
17	Metal-Organic Frameworks Derived From Multitopic Ligands: Structural Aspects. 2021 , 1021-1054		
16	Iron-doping on CuNi composite with enhanced CO faraday efficiency for the electrochemical reduction of CO2. <i>Journal of CO2 Utilization</i> , 2021 , 44, 101418	7.6	2
15	Monitoring a MOF Catalyzed Reaction Directly in Blood Plasma. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	1
14	Der derzeitige Stand von MOF- und COF-Anwendungen. <i>Angewandte Chemie</i> , 2021 , 133, 24174	3.6	4
13	The Current Status of MOF and COF Applications. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 23975-24001	16.4	75

12	Atomic resolution tracking of nerve-agent simulant decomposition and host metal-organic framework response in real space. <i>Communications Chemistry</i> , 2021 , 4,	6.3	4
11	A Novel Zinc(II) Supramolecular Complex with Open 2D Channels. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 264-266	1.2	2
10	SOD: Chemical composition, Flexibility and apertures, Other information. <i>Landolt-Börnstein - Group IV Physical Chemistry</i> , 2009 , 483-502		
9	Modeling the Adsorption of Small Molecules at Coordinatively Unsaturated Metal Sites: Density Functional Theory and Molecular Mechanics Approaches. 2015 , 113-174		
8	Characterization of H ₂ Adsorption Sites: Where Are the Hydrogens Stored in the Materials?. 2017 , 257-290		
7	Cu(I) Lewis Acid, Proton-Coupled Electron Transfer Mechanism for Cu-Metal-Organic Framework-Catalyzed NO Release from S-Nitrosoglutathione. <i>ACS Catalysis</i> , 8055-8068	13.1	1
6	Unprecedented Ferromagnetic Exchange Coupling of a Square-Planar Cu ₄ O unit in a scu-Type Porous Metal-Organic Framework and Its Reticular Chemistry. <i>Crystal Growth and Design</i> ,	3.5	
5	A Review on Metal- Organic Frameworks (MOFs), Synthesis, Activation, Characterisation, and Application. <i>Oriental Journal of Chemistry</i> , 2022 , 38, 490-516	0.8	
4	Porous metal-organic frameworks for hydrogen storage. 2022 , 58, 11059-11078		6
3	MOF Polymer Composites Exhibit Faster Nitric Oxide Catalysis than MOF Crystallites. 2434-2439		0
2	Unprecedented Ir(III) cationic complexes based on tridentate tetrazolate ligands: synthesis, photophysics and encapsulation in SiO ₂ nanoparticles.		0
1	Recovery of Pure Methanol from Humid Gas Using Mn(II) Prussian Blue Analogue. 2023 , 15, 11977-11982		0