

CITATION REPORT

List of articles citing

Incidence and natural course of fatty liver in the general population: the Dionysos study

DOI: 10.1002/hep.21827
Hepatology, 2007, 46, 1387-91.

Source: <https://exaly.com/paper-pdf/42618066/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
174	Increased risk of cardiovascular disease in non-alcoholic fatty liver disease: causal effect or epiphenomenon?. 2008 , 51, 1947-53		342
173	Non-alcoholic fatty liver disease: the mist gradually clears. 2008 , 48 Suppl 1, S104-12		395
172	Natural course of chronic HCV and HBV infection and role of alcohol in the general population: the Dionysos Study. 2008 , 103, 2248-53		60
171	Predictive factors for the development or regression of Fatty liver in Japanese adults. 2009 , 45, 56-67		16
170	Epidemiology and natural history of non-alcoholic fatty liver disease (NAFLD). <i>Annals of Hepatology</i> , 2009 , 8, S4-S8	3.1	199
169	Light and moderate alcohol consumption significantly reduces the prevalence of fatty liver in the Japanese male population. 2009 , 104, 2189-95		87
168	The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. <i>BMC Medicine</i> , 2009 , 7, 21	11.4	98
167	Liver disorders in the elderly. 2009 , 23, 909-17		10
166	Metabolic and histological features of non-alcoholic fatty liver disease patients with different serum alanine aminotransferase levels. 2009 , 29, 387-96		87
165	Nonalcoholic fatty liver disease (NAFLD) in nonobese patients with diabetes: Prevalence and relationships with hemodynamic alterations detected with Doppler sonography(). 2009 , 12, 1-5		19
164	Final results of a long-term, clinical follow-up in fatty liver patients. 2009 , 44, 1236-43		151
163	Diagnostic value of a computerized hepatorenal index for sonographic quantification of liver steatosis. 2009 , 192, 909-14		166
162	Clinical review of nonalcoholic steatohepatitis in liver surgery and transplantation. 2010 , 210, 515-26		30
161	A simple index of lipid overaccumulation is a good marker of liver steatosis. 2010 , 10, 98		140
160	Nonalcoholic fatty liver disease in asymptomatic obese women. <i>Annals of Hepatology</i> , 2010 , 9, 144-149	3.1	8
159	HCV, HBV and alcohol - the Dionysos study. 2010 , 28, 799-801		4
158	Fatty liver incidence and predictive variables. 2010 , 33, 638-43		53

157	Practice guidelines for the diagnosis and management of nonalcoholic fatty liver disease. A decalogue from the Italian Association for the Study of the Liver (AISF) Expert Committee. 2010 , 42, 272-82	159
156	Risk factors for serum alanine aminotransferase elevation: A cross-sectional study of healthy adult males in Tokyo, Japan. 2010 , 42, 882-7	10
155	Nonalcoholic Fatty Liver Disease. 2010 , 1153-1179	
154	Fatty liver disease: the hepatic manifestation of metabolic syndrome. 2010 , 33, 546-7	23
153	A comparison of the fibrotic potential of nonalcoholic fatty liver disease and chronic hepatitis C. 2010 , 41, 1178-85	9
152	A position statement on NAFLD/NASH based on the EASL 2009 special conference. 2010 , 53, 372-84	726
151	Enfermedad del hígado graso no alcohólico y riesgo cardiovascular. 2010 , 22, 259-271	
150	Is there any progress in the treatment of non-alcoholic fatty liver disease?. 2011 , 2, 1-5	11
149	NAFLD recurrence in liver transplant recipients. 2011 , 91, 684-9	118
148	Treatment of atherogenic liver based on the pathogenesis of nonalcoholic fatty liver disease: a novel approach to reduce cardiovascular risk?. 2011 , 42, 337-53	29
147	Strong association between non alcoholic fatty liver disease (NAFLD) and low 25(OH) vitamin D levels in an adult population with normal serum liver enzymes. <i>BMC Medicine</i> , 2011 , 9, 85	11.4 211
146	ASH and NASH. 2011 , 29, 202-10	59
145	Carotid intima-media thickness is increased not only in non-alcoholic fatty liver disease patients but also in alcoholic fatty liver patients. 2011 , 84, 149-55	12
144	Magnetic resonance for quantitative assessment of liver steatosis: a new potential tool to monitor antiretroviral-drug-related toxicities. 2012 , 17, 965-71	10
143	Phosphatidylcholine functional foods and nutraceuticals: A potential approach to prevent non-alcoholic fatty liver disease. 2012 , 114, 389-398	15
142	Fatty liver disease. 2012 , 293-359	9
141	Predictors for incidence and remission of NAFLD in the general population during a seven-year prospective follow-up. 2012 , 56, 1145-1151	174
140	Effects of bile duct ligation and cholic acid treatment on fatty liver in two rat models of non-alcoholic fatty liver disease. 2012 , 44, 1018-26	14

139	Non-alcoholic fatty liver disease: is iron relevant?. 2012 , 6, 332-41		31
138	Non-alcoholic steatohepatitis: pathogenesis and novel therapeutic approaches. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28 Suppl 1, 68-76	4	170
137	Non-alcoholic fatty liver disease and cardiovascular risk. 2013 , 167, 1109-17		64
136	The burden of liver disease in Europe: a review of available epidemiological data. 2013 , 58, 593-608		858
135	Docosahexaenoic acid for the treatment of fatty liver: randomised controlled trial in children. 2013 , 23, 1066-70		93
134	Epidemiology and risk factors of nonalcoholic fatty liver disease (NAFLD). 2013 , 7 Suppl 2, 755-64		36
133	Liver fat and SHBG affect insulin resistance in midlife women: the Study of Women's Health Across the Nation (SWAN). 2013 , 21, 1031-8		27
132	Phenotypic and clinical manifestations of compound heterozygous genetic haemochromatosis (CHGH): a non-invasive approach to clinical management. 2013 , 43, 254-61		8
131	Primary care practitioners survey of non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2013 , 12, 758-765	3.1	39
130	Survey of health status, nutrition and geography of food selection of chronic liver disease patients. <i>Annals of Hepatology</i> , 2014 , 13, 533-540	3.1	15
129	Nonalcoholic fatty liver disease and aging: epidemiology to management. <i>World Journal of Gastroenterology</i> , 2014 , 20, 14185-204	5.6	158
128	Non-high-density lipoprotein cholesterol independently predicts new onset of non-alcoholic fatty liver disease. <i>Liver International</i> , 2014 , 34, e128-35	7.9	36
127	Upper limit of normal serum alanine aminotransferase levels in Japanese subjects. 2014 , 44, 1196-207		13
126	Revisiting the metabolic syndrome and paving the way for microRNAs in non-alcoholic fatty liver disease. 2014 , 281, 2503-24		46
125	White paper of Italian Gastroenterology: delivery of services for digestive diseases in Italy: weaknesses and strengths. 2014 , 46, 579-89		30
124	Bile acids and their receptors. 2015 , 385-399		
123	Pharmacological treatments for non-alcohol related fatty liver disease (NAFLD): a network meta-analysis. 2015 ,		
122	Treatment of Nonalcoholic Fatty Liver Disease: The Role of Medical, Surgical, and Endoscopic Weight Loss. <i>Journal of Clinical and Translational Hepatology</i> , 2015 , 3, 230-8	5.2	30

121	Long-Term Outcomes of Nonalcoholic Fatty Liver Disease. 2015 , 14, 69-76		8
120	Roles of alcohol consumption in fatty liver: a longitudinal study. 2015 , 62, 921-7		64
119	Incidence and predictors of hepatic steatosis and fibrosis by serum biomarkers in a large cohort of human immunodeficiency virus mono-infected patients. 2015 , 2, ofv015		17
118	Low- and high-density lipoprotein subclasses in subjects with nonalcoholic fatty liver disease. 2015 , 9, 576-82		42
117	Effects of Mediterranean diet supplemented with silybin-vitamin E-phospholipid complex in overweight patients with non-alcoholic fatty liver disease. 2015 , 9, 519-27		63
116	Biphasic effect of alcohol intake on the development of fatty liver disease. 2015 , 50, 1114-23		21
115	Efficacy of lifestyle changes in subjects with non-alcoholic liver steatosis and metabolic syndrome may be improved with an antioxidant nutraceutical: a controlled clinical study. 2015 , 15, 21-5		29
114	NAFLD incidence and remission: only a matter of weight gain and weight loss?. 2015 , 62, 15-7		40
113	Modest alcohol consumption reduces the incidence of fatty liver in men: a population-based large-scale cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 546-52	4	66
112	Epidemiological modifiers of non-alcoholic fatty liver disease: Focus on high-risk groups. 2015 , 47, 997-1006		279
111	Liver sinusoidal endothelial cells (LSECs) function and NAFLD; NO-based therapy targeted to the liver. 2015 , 67, 689-94		59
110	Alcoholic liver disease: Clinical and translational research. 2015 , 99, 596-610		28
109	Incidence of non-alcoholic fatty liver disease in Hong Kong: a population study with paired proton-magnetic resonance spectroscopy. 2015 , 62, 182-9		104
108	Nonalcoholic fatty liver disease as a multi-systemic disease. <i>World Journal of Gastroenterology</i> , 2016 , 22, 4079-90	5.6	68
107	Epidemiology of nonalcoholic fatty liver disease: A primer. 2016 , 7, 106-108		15
106	Incidence and Predictors of Nonalcoholic Fatty Liver Disease by Serum Biomarkers in Patients with Inflammatory Bowel Disease. 2016 , 22, 1937-44		47
105	Presence of diabetes mellitus and steatosis is associated with liver stiffness in a general population: The Rotterdam study. <i>Hepatology</i> , 2016 , 63, 138-47	11.2	175
104	Improvement of platelets after SVR among patients with chronic HCV infection and advanced hepatic fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1168-76	4	33

103	Global Epidemiology and Risk Factors for Nonalcoholic Fatty Liver Disease. 2016 , 21-40		1
102	Epidemiology and natural history of non-alcoholic fatty liver disease. 2016 , 65, 1017-25		233
101	A "systems medicine" approach to the study of non-alcoholic fatty liver disease. 2016 , 48, 333-42		42
100	The epidemiology of non-alcoholic fatty liver disease. <i>Liver International</i> , 2017 , 37 Suppl 1, 81-84	7.9	367
99	Association between soil heavy metals and fatty liver disease in men in Taiwan: a cross sectional study. 2017 , 7, e014215		27
98	The Liver: General Aspects and Epidemiology. 2017 , 3-22		13
97	NAFLD as a Sexual Dimorphic Disease: Role of Gender and Reproductive Status in the Development and Progression of Nonalcoholic Fatty Liver Disease and Inherent Cardiovascular Risk. 2017 , 34, 1291-1326		232
96	Pharmacological interventions for non-alcohol related fatty liver disease (NAFLD): an attempted network meta-analysis. <i>The Cochrane Library</i> , 2017 , 3, CD011640	5.2	28
95	Evaluation of liver enzyme levels and identification of asymptomatic liver disease patients in primary care. 2017 , 12, 181-186		14
94	Nonalcoholic fatty liver disease in Asia: emerging perspectives. 2017 , 52, 164-174		59
93	Effect of Mediterranean Diet and Antioxidant Formulation in Non-Alcoholic Fatty Liver Disease: A Randomized Study. <i>Nutrients</i> , 2017 , 9,	6.7	55
92	Cytokines Genotype-Phenotype Correlation in Nonalcoholic Steatohepatitis. 2017 , 2017, 4297206		20
91	Nonalcoholic fatty liver disease and bariatric surgery: a comprehensive review. 2017 , 135, 277-295		19
90	Progression and new onset of nonalcoholic fatty liver disease in living kidney donors compared to healthy controls. 2018 , 32, e13240		1
89	A simple clinical model predicts incident hepatic steatosis in a community-based cohort: The Framingham Heart Study. <i>Liver International</i> , 2018 , 38, 1495-1503	7.9	14
88	Valoraci3n de la enfermedad por h3gado graso no alcoh3lico desde el laboratorio cl3nico. 2018 , 11, 163-173		
87	Dietary Inflammatory Index and liver status in subjects with different adiposity levels within the PREDIMED trial. 2018 , 37, 1736-1743		28
86	The diagnosis and management of nonalcoholic fatty liver disease: Practice guidance from the American Association for the Study of Liver Diseases. <i>Hepatology</i> , 2018 , 67, 328-357	11.2	2641

85	Global burden of NAFLD and NASH: trends, predictions, risk factors and prevention. 2018 , 15, 11-20		1902
84	Lifestyle modifications for non-alcohol related fatty liver disease: a network meta-analysis. <i>The Cochrane Library</i> , 2018 ,	5.2	2
83	Prevalence of and risk factors for fatty liver in the general population of Northern Italy: the Bagnacavallo Study. 2018 , 18, 177		15
82	A systematic review of the present and future of non-alcoholic fatty liver disease. 2018 , 4, 165-174		30
81	Non-alcoholic fatty liver disease incidence, remission and risk factors among a general Chinese population with a 6-year follow-up. 2018 , 8, 7557		6
80	Epidemiology and Etiologic Associations of Non-alcoholic Fatty Liver Disease and Associated HCC. 2018 , 1061, 3-18		15
79	Fatty Liver Disease. 2018 , 308-371		6
78	Increased risk of nonalcoholic fatty liver disease in patients with coeliac disease on a gluten-free diet: beyond traditional metabolic factors. 2018 , 48, 538-546		26
77	Non-HDL-cholesterol to HDL-cholesterol ratio is a better predictor of new-onset non-alcoholic fatty liver disease than non-HDL-cholesterol: a cohort study. 2018 , 17, 196		14
76	Increased Plasma Proneurotensin Levels Identify NAFLD in Adults With and Without Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2253-2260	5.6	28
75	Hepatic steatosis in patients undergoing resection of colorectal liver metastases: A target for prehabilitation? A narrative review. 2019 , 30, 147-158		5
74	Modeling the natural history of fatty liver using lifestyle-related risk factors: Effects of body mass index (BMI) on the life-course of fatty liver. <i>PLoS ONE</i> , 2019 , 14, e0223683	3.7	1
73	Non-resolution of non-alcoholic fatty liver disease (NAFLD) among urban, adult Sri Lankans in the general population: A prospective, cohort follow-up study. <i>PLoS ONE</i> , 2019 , 14, e0224474	3.7	
72	Cardiovascular Risk in Non-Alcoholic Fatty Liver Disease: Mechanisms and Therapeutic Implications. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	81
71	Factors to Consider in Development of Drugs for Pediatric Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019 , 157, 1448-1456.e1	13.3	7
70	Drug-induced liver steatosis in patients with HIV infection. <i>Pharmacological Research</i> , 2019 , 145, 104267	10.2	2
69	Diagnosis and management of non-alcoholic fatty liver disease. <i>Postgraduate Medical Journal</i> , 2019 , 95, 314-322	2	40
68	Elevated plasma copeptin levels identify the presence and severity of non-alcoholic fatty liver disease in obesity. <i>BMC Medicine</i> , 2019 , 17, 85	11.4	11

67	The Epidemiology, Risk Profiling and Diagnostic Challenges of Nonalcoholic Fatty Liver Disease. <i>Medicines (Basel, Switzerland)</i> , 2019 , 6,	4.1	46
66	High prevalence of non-alcoholic fatty liver disease among healthy male blood donors of urban India. <i>JGH Open</i> , 2019 , 3, 133-139	1.8	14
65	Moderate Alcohol Intake in Non-Alcoholic Fatty Liver Disease: To Drink or Not to Drink?. <i>Nutrients</i> , 2019 , 11,	6.7	14
64	[Nutritional steatosis a drug target, or more especially anchor point for a holistic approach?]. <i>Presse Medicale</i> , 2019 , 48, 1016-1018	2.2	
63	Insights into the Epidemiology, Pathogenesis, and Therapeutics of Nonalcoholic Fatty Liver Diseases. <i>Advanced Science</i> , 2019 , 6, 1801585	13.6	66
62	6-gingerol ameliorates age-related hepatic steatosis: Association with regulating lipogenesis, fatty acid oxidation, oxidative stress and mitochondrial dysfunction. <i>Toxicology and Applied Pharmacology</i> , 2019 , 362, 125-135	4.6	23
61	Reducing NAFLD-screening time: A comparative study of eight diagnostic methods offering an alternative to ultrasound scans. <i>Liver International</i> , 2019 , 39, 187-196	7.9	12
60	Contemporary Epidemiology of Chronic Liver Disease and Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 2650-2666	6.9	206
59	Nonalcoholic Fatty Liver Disease in Adults: Current Concepts in Etiology, Outcomes, and Management. <i>Endocrine Reviews</i> , 2020 , 41,	27.2	56
58	Metabolic syndrome and hepatic surgery. <i>Journal of Visceral Surgery</i> , 2020 , 157, 231-238	1.9	4
57	Spectrum of liver diseases in patients referred for Fibroscan: A single center experience in the Middle East. <i>Annals of Medicine and Surgery</i> , 2020 , 57, 166-170	2	3
56	A nomogram for estimating the probability of nonalcoholic fatty liver disease in a Chinese population: A retrospective cohort study. <i>Medicine (United States)</i> , 2020 , 99, e23049	1.8	1
55	Non-alcoholic Fatty Liver Disease and Alcohol-Related Liver Disease: Two Intertwined Entities. <i>Frontiers in Medicine</i> , 2020 , 7, 448	4.9	21
54	Non-invasive diagnosis of nonalcoholic fatty liver disease: impact of age and other risk factors. <i>Aging Male</i> , 2020 , 23, 1275-1282	2.1	0
53	Looking into a new era for the approach of metabolic (dysfunction) associated fatty liver disease. <i>Annals of Hepatology</i> , 2020 , 19, 227-229	3.1	10
52	PPAR γ gene Pro12Ala variants reduce the risk of obese individuals to non-alcoholic fatty liver: A study in Uygur Chinese population residing in Northwestern China. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020 , 44, 894-904	2.4	
51	Epidemiology of non-alcoholic fatty liver disease in Asia. <i>Indian Journal of Gastroenterology</i> , 2020 , 39, 1-8	1.9	20
50	Nonalcoholic fatty liver disease and cardiovascular disease phenotypes. <i>SAGE Open Medicine</i> , 2020 , 8, 2050312120933804	2.4	3

49	Epidemiology of non-alcoholic and alcoholic fatty liver diseases. <i>Translational Gastroenterology and Hepatology</i> , 2020 , 5, 16	5.2	113
48	Nonalcoholic Fatty Liver Disease 2020: The State of the Disease. <i>Gastroenterology</i> , 2020 , 158, 1851-1864	13.3	238
47	[Non-alcoholic fatty liver disease (NAFLD)]. <i>MMW Fortschritte Der Medizin</i> , 2020 , 162, 56-62	0	1
46	Complications of Obesity. 2021 , 95-116		0
45	Non-alcoholic fatty liver disease in Asian Indian adolescents and young adults: Prevalence and its associated risk factors. <i>Journal of Diabetology</i> , 2021 , 12, 218	0.8	
44	Age, Gender and Geographic Differences in Global Health Burden of Cirrhosis and Liver Cancer due to Nonalcoholic Steatohepatitis. <i>Journal of Cancer</i> , 2021 , 12, 2855-2865	4.5	2
43	Is there a link between non-alcoholic fatty liver disease aspects and pancreatic cancer? Results of a case-matched study. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2021 , 48, e20202913	0.5	
42	The Repeatedly Elevated Fatty Liver Index Is Associated With Increased Mortality: A Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 638615	5.7	7
41	Lifestyle modifications for nonalcohol-related fatty liver disease: a network meta-analysis. <i>The Cochrane Library</i> , 2021 , 6, CD013156	5.2	2
40	Nutritional supplementation for nonalcohol-related fatty liver disease: a network meta-analysis. <i>The Cochrane Library</i> , 2021 , 7, CD013157	5.2	2
39	Testosterone treatment improves liver function and reduces cardiovascular risk: A long-term prospective study. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021 , 19, 376-386	1.7	1
38	The associations between physical activity intensity, cardiorespiratory fitness, and non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	4	0
37	Epidemiology and Clinical Outcomes of Metabolic (Dysfunction)-associated Fatty Liver Disease.. <i>Journal of Clinical and Translational Hepatology</i> , 2021 , 9, 972-982	5.2	1
36	Nutritional supplementation for non-alcohol-related fatty liver disease: a network meta-analysis. <i>The Cochrane Library</i> ,	5.2	2
35	Long-term testosterone therapy improves liver parameters and steatosis in hypogonadal men: a prospective controlled registry study. <i>Aging Male</i> , 2020 , 23, 1553-1563	2.1	3
34	Gender differences in the prevalence of nonalcoholic fatty liver disease in the Northeast of Thailand: A population-based cross-sectional study. <i>F1000Research</i> , 2017 , 6, 1630	3.6	25
33	Gender differences in the prevalence of nonalcoholic fatty liver disease in the Northeast of Thailand: A population-based cross-sectional study. <i>F1000Research</i> , 2017 , 6, 1630	3.6	15
32	Relationship between non-alcoholic fatty liver disease and coronary heart disease. <i>World Journal of Clinical Cases</i> , 2020 , 8, 4688-4699	1.6	9

31	The blind men see the elephant-the many faces of fatty liver disease. <i>World Journal of Gastroenterology</i> , 2008 , 14, 831-44	5.6	37
30	Epidemiology of fatty liver: an update. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9050-4	5.6	59
29	Alimentary regimen in non-alcoholic fatty liver disease: Mediterranean diet. <i>World Journal of Gastroenterology</i> , 2014 , 20, 16831-40	5.6	77
28	THE EFFECTS OF REALSIL (SILYBIN-PHOSPHOLIPID-VITAMIN E COMPLEX) ON LIVER ENZYMES IN PATIENTS WITH NON-ALCOHOLIC FATTY LIVER DISEASE (NAFLD) OR NON-ALCOHOLIC STEATO-HEPATITIS (NASH): A SYSTEMATIC REVIEW AND META-ANALYSIS OF RCTS. <i>Acta Endocrinologica</i> , 2020 , 16, 223-231	0.9	3
27	12 Niet-alcoholische steatohepatitis. 2009 , 119-126		
26	Bile Acids and Their Receptors. 2010 , 317-332		
25	Non-Alcoholic Fatty Liver Disease. 2010 , 475-483		
24	Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. 2013 , 497-506		
23	Soup Kitchens: Homeless Adults and Gaps in Meeting their Nutritional Needs. 2017 , 1-17		
22	Evaluation of Liver Enzyme Elevation and Its Contributing Factors in Birjand, Iran. 2017 , 14,		
21	The Severity of Non-Alcoholic Fatty Liver in Type II Diabetes. <i>Medicina Interna (Bucharest, Romania: 1991)</i> , 2018 , 15, 37-42	0.1	
20	Soup Kitchens: Homeless Adults and Gaps in Meeting Their Nutritional Needs. 2019 , 409-425		
19	Syndrom metaboliq et chirurgie hpatique. <i>Journal De Chirurgie Viscrale</i> , 2020 , 157, 235-243	0	
18	Effect of Bariatric Surgery on Metabolic Diseases and Underlying Mechanisms. <i>Biomolecules</i> , 2021 , 11,	5.9	3
17	The Incidence and Risk Factors of Non-Alcoholic Fatty Liver Disease: A Cohort Study from Iran. <i>Hepatitis Monthly</i> , 2020 , 20,	1.8	1
16	Non-alcoholic steatohepatitis: metabolic syndrome of the liver. 2008 , 171-185		
15	Non-alcoholic fatty liver disease (NAFLD): a multi-system disease influenced by ageing and sex, and affected by adipose tissue and intestinal function.. <i>Proceedings of the Nutrition Society</i> , 1-34	2.9	0
14	Non-invasive Risk Stratification for NAFLD Among Living Liver Donor Candidates: A Proposed Algorithm. <i>Liver Transplantation</i> , 2021 ,	4.5	1

13	Method for diagnosing non-alcoholic liver steatosis. <i>Medical Alphabet</i> , 2021 , 1, 53-56	0.3	
12	Ethnic and gender differences in hepatic lipid content and related cardiometabolic parameters in lean individuals.. <i>JCI Insight</i> , 2022 ,	9.9	○
11	Remnant Lipoprotein Cholesterol as a Factor Related to Adult Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	○
10	Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome in Women: Effects of Lifestyle Modifications. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2759	5.1	○
9	Correlation between hepatorenal index and attenuation imaging for assessing hepatic steatosis. <i>Australasian Journal of Ultrasound in Medicine</i> ,	0.6	○
8	Non-Alcoholic Fatty Liver Disease and Steatohepatitis. 2022 ,		○
7	Epidemiologie. 2022 , 1-10		○
6	Geographical similarity and differences in the burden and genetic predisposition of NAFLD.	3	
5	The associations between changes in hepatic steatosis and heart failure and mortality: a nationwide cohort study. 2022 , 21,		○
4	The association between changes in hepatic steatosis and hepatic fibrosis with cardiovascular outcomes and mortality in patients with New-Onset type 2 Diabetes: A nationwide cohort study. 2022 , 194, 110191		○
3	Fatty Liver Disease. 2024 , 330-401		○
2	The Effect of Bioactive Aliment Compounds and Micronutrients on Non-Alcoholic Fatty Liver Disease. 2023 , 12, 903		○
1	Probiotics as Potential Therapy in the Management of Non-Alcoholic Fatty Liver Disease (NAFLD). 2023 , 9, 395		○