

CITATION REPORT

List of articles citing

Reinforcement of natural rubber with silica/carbon black hybrid filler

DOI: 10.1016/j.polymertesting.2006.12.003
Polymer Testing, 2007, 26, 369-377.

Source: <https://exaly.com/paper-pdf/42729996/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
390	Use of carboxylated nitrile rubber and natural rubber blends as retreading compound for OTR tires. <i>Polymer Engineering and Science</i> , 2008 , 48, 2410-2417	2.3	18
389	Silica-reinforced natural rubber prepared by the sol-gel process of ethoxysilanes in rubber latex. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 424-433	2.9	44
388	Morphology and mechanical properties of catalytic coke/polypropylene composites. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2071-2077	2.9	3
387	Titania-doped multi-walled carbon nanotubes epoxy composites: Enhanced dispersion and synergistic effects in multiphase nanocomposites. <i>Polymer</i> , 2008 , 49, 5105-5112	3.9	35
386	Physico-chemical analysis of flexible polyurethane foams containing commercial calcium carbonate. 2008 , 11, 433-438		23
385	Influence of Carbon Black on the Fuel Transport and Mechanical Characteristics of Natural Rubber/Acrylonitrile Butadiene Rubber Blends. 2009 , 25, 1-28		3
384	Thermoplastic Elastomer Composites of Palm Ash-Filled Ethylene Vinyl Acetate/Natural Rubber Blends: Effects of Palm Ash Loading and Size. 2009 , 48, 1062-1069		13
383	The Effect of Excess Silane-69 Used for Surface Modification on Cure Characteristic and Mechanical Properties of Precipitated Silica Filled Natural Rubber (PSi/NR). 2009 , 79-82, 2171-2174		6
382	The effect of gamma radiation on the ageing of sulfur cured NR/CSM and NBR/CSM rubber blends reinforced by carbon black. 2009 , 15, 291-298		13
381	Comparison of Commercially Available Silica and Value-Added Silica as a Filler in Rubber Compounds. 2009 , 48, 925-931		5
380	The partial replacement of silica or calcium carbonate by halloysite nanotubes as fillers in ethylene propylene diene monomer composites. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 3910-3919	2.9	38
379	Mechanical properties, thermal stability, gas permeability, and phase morphology in natural rubber/bromobutyl rubber blends. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 3985-3992	2.9	15
378	Production of carbon black/silica composite particles by adsorption of poly(vinyl pyrrolidone). 2009 , 17, 718-720		6
377	Structure and properties of star-shaped solution-polymerized styrene-butadiene rubber and its co-coagulated rubber filled with silica/carbon black-I: morphological structure and mechanical properties. 2009 , 20, 818-825		17
376	Comparison of the mechanical properties at similar hardness level of natural rubber filled with various reinforcing-fillers. <i>Polymer Testing</i> , 2009 , 28, 8-12	4.5	94
375	Relationship among mechanical properties, heat ageing resistance, cut growth behaviour and morphology in natural rubber: Partial replacement of clay with various types of carbon black at similar hardness level. <i>Polymer Testing</i> , 2009 , 28, 270-276	4.5	57
374	Insight into the effect of CB loading on tension, compression, hardness and abrasion properties of SBR and NBR filled compounds. 2009 , 30, 1785-1791		34

373	The Effect of Second Filler on Cure Characteristic and Mechanical Properties of Si-69 Treated Precipitate Silica/NR Composite. 2009 , 79-82, 2183-2186		5
372	A rheological method for selecting nano-kaolin powder as filler in SBR rubber. 2010 , 8, 245-250		18
371	Effect of different types of carbon black on the mechanical and acoustic properties of ethylene-propylene-diene rubber. <i>Journal of Applied Polymer Science</i> , 2010 , 117, NA-NA	2.9	2
370	Study on mechanical properties of nano-Fe ₃ O ₄ reinforced nitrile butadiene rubber. 2010 , 31, 1023-1028		44
369	Modified phosphate pigments as high performance reinforcing materials for rubber vulcanizates. 2010 , 31, 1350-1359		13
368	Effect of Attapulgite and Carbon Black on the Properties of Natural Rubber. 2010 , 178, 92-96		
367	Polymer Nanocomposites with Clay and Carbon Nanotubes. 2010 , 83-111		0
366	Elastomer composites based on improved fumed silica and carbon black. Advantages of mixed reinforcing systems. 2011 , 21, 17526		28
365	The Effects of Silanized Ultrafine Silica on the Curing Characteristics, Tensile Properties, and Morphological Study of Natural Rubber Compounds. 2011 , 50, 1-7		25
364	Recycling of Elastomeric Nanocomposites. 2011 , 179-198		3
363	Elastomeric Nanocomposites for Tyre Applications. 2011 , 201-231		3
362	Characterization of natural rubber nanocomposites filled with organoclay as a substitute for silica obtained by the conventional two-roll mill method. 2011 , 52, 56-61		60
361	Mechanical properties and morphology of NBR with different clays. <i>Polymer Testing</i> , 2011 , 30, 819-825	4.5	13
360	Interaction Between Fumed-Silica and Epoxidized Natural Rubber. 2011 , 21, 777-783		29
359	Styrene-Butadiene rubber/graphite powder composites: Rheometrical, physicomachanical, and morphological properties. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 298-304	2.9	22
358	Effect of filler on the compression set, compression stress-strain behavior, and mechanical properties of polysulfide sealants. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 2001-2007	2.9	13
357	Effect of carbon black loading on curing characteristics and mechanical properties of waste tyre dust/carbon black hybrid filler filled natural rubber compounds. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 1143-1150	2.9	29
356	Effect of synthesized zinc stearate on the properties of natural rubber vulcanizates in the absence and presence of some fillers. 2011 , 32, 2835-2843		26

355	Study of the effect of different shapes of ultrafine silica as fillers in natural rubber compounds. <i>Polymer Testing</i> , 2011 , 30, 251-259	4.5	23
354	Mechanical and damping properties of silica/natural rubber composites prepared from latex system. <i>Polymer Testing</i> , 2011 , 30, 515-526	4.5	61
353	Curing Characteristics, Fatigue Life and Morphological Properties of Natural Rubber Nanocomposites with Halloysite Nanotubes (HNTs)/Carbon Black (CB) Hybrid Filler. 2011 , 471-472, 957-962		2
352	Study in Surface Modification of Silica in Silicone Rubber. 2012 , 496, 34-37		3
351	NATURAL RUBBER HYBRID NANOCOMPOSITES REINFORCED WITH SWELLED ORGANOCCLAY AND NANO-CALCIUM CARBONATE. <i>Rubber Chemistry and Technology</i> , 2012 , 85, 132-146	1.7	12
350	Effect of sol-gel derived in situ silica on the morphology and mechanical behavior of natural rubber and acrylonitrile butadiene rubber blends. 2012 , 63, 501-509		20
349	Vulcanization kinetics study of natural rubber compounds having different formulation variables. 2012 , 109, 1545-1553		48
348	Influence of Particle Type and Silane Coupling Agent on Properties of Particle-Reinforced Styrene-Butadiene Rubber. 2012 , 51, 268-272		19
347	Unusual reinforcement of silicone rubber compounds containing mesoporous silica particles as inorganic fillers. 2012 , 14, 3400-7		38
346	Thermophysical and mechanical properties of TiO ₂ and silica nanoparticle-filled natural rubber composites. <i>Journal of Elastomers and Plastics</i> , 2012 , 44, 369-382	1.6	14
345	Effect of interlocking between porous epoxy microparticles and elastomer on mechanical properties and deformation modes. <i>Polymer Testing</i> , 2012 , 31, 931-937	4.5	5
344	Carbon Black (CB)/Rice Husk Powder (RHP) Hybrid Filler-Filled Natural Rubber Composites: Effect of CB/RHP Ratio on Property of the Composites. 2012 , 51, 655-662		33
343	Automotive Plastics and Composites. 2012 ,		1
342	Effects of Magnesium Borate Whiskers on the Antiwear and Mechanical Performance of Natural Rubber. 2012 , 55, 822-828		
341	Surface modification of silica and its compounding with polydimethylsiloxane matrix: interaction of modified silica filler with PDMS. <i>Iranian Polymer Journal (English Edition)</i> , 2012 , 21, 583-589	2.3	23
340	The Effects of Silica/Carbon Black Ratio on the Dynamic Properties of the Tread compounds in Truck Tires. 2012 , 9, 1102-1112		32
339	Utilization of peanut shell powder as a novel filler in natural rubber. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 2322-2334	2.9	48
338	Synthesis of monodispersed polyisoprene-silica nanoparticles via differential microemulsion polymerization and mechanical properties of polyisoprene nanocomposite. 2012 , 193-194, 215-226		41

337	Synergistic effect of nanobarite and carbon black fillers in natural rubber matrix. 2012 , 35, 847-853		14
336	Comparative study on the effect of partial replacement of silica or calcium carbonate by bentonite on the properties of EPDM composites. <i>Polymer Testing</i> , 2012 , 31, 199-208	4.5	37
335	Fumed and precipitated silica reinforced natural rubber composites prepared from latex system: Mechanical and dynamic properties. <i>Polymer Testing</i> , 2012 , 31, 593-605	4.5	97
334	Mechanical properties, gas permeability and cut growth behaviour of natural rubber vulcanizates: Influence of clay types and clay/carbon black ratios. <i>Polymer Testing</i> , 2012 , 31, 645-653	4.5	29
333	Curing characteristics and mechanical properties of rattan-powder-filled natural rubber composites as a function of filler loading and silane coupling agent. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 2805-2811	2.9	22
332	Properties of styrene butadiene rubber (SBR)/recycled acrylonitrile butadiene rubber (NBRr) blends: The effects of carbon black/silica (CB/Sil) hybrid filler and silane coupling agent, Si69. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 19-27	2.9	55
331	Comparative study on natural antioxidant as an aging retardant for natural rubber vulcanizates. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 1490-1500	2.9	33
330	Thermal and mechanical behavior of natural rubber latex-silica aerogel film. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 3108-3116	2.9	23
329	Rectorite powder modified by butadiene-styrene-vinyl pyridine rubber: Structure and its dispersion in styrene-butadiene rubber. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 765-771	2.9	6
328	Reactivity of sulfide-containing silane toward boehmite and in situ modified rubber/boehmite composites by the silane. 2013 , 280, 888-897		22
327	Effect of Ba(Zn _{1/3} Ta _{2/3})O ₃ and SiO ₂ ceramic fillers on the microwave dielectric properties of butyl rubber composites. 2013 , 24, 4351-4360		3
326	Preparation and properties of nitrile rubber/superfine down powder composites. <i>Polymer Composites</i> , 2013 , 34, 1136-1143	3	
325	Potential materials for food packaging from nanoclay/natural fibres filled hybrid composites. 2013 , 46, 391-410		399
324	The effect of partial replacement of carbon black (CB) with halloysite nanotubes (HNTs) on the properties of CB/HNT-filled natural rubber nanocomposites. <i>Journal of Elastomers and Plastics</i> , 2013 , 45, 445-455	1.6	14
323	Characterization of AN-SBR/Silica compound with acrylonitrile as a polar group in SBR. 2013 , 21, 738-746		12
322	New nanocomposite materials reinforced with cellulose nanocrystals in nitrile rubber. <i>Polymer Testing</i> , 2013 , 32, 819-826	4.5	88
321	The heat-resistant and tribological mechanism of nano-Fe ₃ O ₄ reinforced nitrile butadiene rubber. <i>Journal of Elastomers and Plastics</i> , 2013 , 45, 289-298	1.6	
320	MIXING SEQUENCE IN NATURAL RUBBER CONTAINING ORGANOCALCIUM CARBONATE TERNARY HYBRID NANOCOMPOSITES. <i>Rubber Chemistry and Technology</i> , 2013 , 86, 330-341	1.7	8

319	The Effect of Wollastonite on Curing Characteristics, Tensile and Morphology of Natural Rubber Compounds. 2013 , 858, 199-204		
318	Temperature and frequency dependent rheological behaviour of carbon black filled natural rubber. 2013 , 42, 416-420		17
317	Burst Diaphragms Based on Carbon Black/Silica Hybrid Filler Reinforced Nitrile Rubber Compounds. 2014 , 2014, 1-6		5
316	Study of rheological, viscoelastic and vulcanization behavior of sponge EPDM/NR blended nano-composites. 2014 , 60, 012070		3
315	Dynamic properties of star-shaped, solution-polymerized styrene-butadiene rubber and its cocoagulated rubber-filled with silica/carbon black. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a ^{2,9}		4
314	Polymer Blends Containing Nanoparticles 2014 , 1485-1557		2
313	A Review on Potentiality of Nano Filler/Natural Fiber Filled Polymer Hybrid Composites. <i>Polymers</i> , 2014 , 6, 2247-2273	4.5	414
312	Thermal stability of styrene butadiene rubber (SBR) composites filled with kaolinite/silica hybrid filler. 2014 , 115, 1013-1020		32
311	Preparation, structure, and properties of solution-polymerized styrene-butadiene rubber with functionalized end-groups and its silica-filled composites. <i>Polymer</i> , 2014 , 55, 1964-1976	3.9	111
310	Waste Silicon Carbide as Filler for Natural Rubber Compounds. 2014 , 979, 155-158		2
309	Synergistic effect of carbon black and carbon-silica dual phase filler in natural rubber matrix. <i>Polymer Composites</i> , 2014 , 35, 1466-1472	3	23
308	Cotton fibers reinforcement of HNBR: Control of fiber alignment and its influence on properties of HNBR vulcanizates. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	6
307	Comparison of coupling effectiveness among amino-, chloro-, and mercapto silanes in chloroprene rubber. <i>Polymer Testing</i> , 2014 , 38, 64-72	4.5	29
306	Organoclay maleated natural rubber nanocomposite. Prediction of abrasion and mechanical properties by artificial neural network and adaptive neuro-fuzzy inference. 2014 , 97-98, 187-199		26
305	Influence of kaolinite/carbon black hybridization on combustion and thermal decomposition behaviors of NR composites. 2014 , 576, 39-46		12
304	Epitaxial growth and morphological characteristics of isotactic polypropylene/polyethylene blends: Scale effect and mold temperature. <i>Polymer Testing</i> , 2014 , 34, 192-201	4.5	13
303	Physical blend of PLA/NR with co-continuous phase structure: Preparation, rheology property, mechanical properties and morphology. <i>Polymer Testing</i> , 2014 , 37, 94-101	4.5	48
302	Filler-filler and rubber-filler interactions in nitrile rubber/silica composites. 2014 , 3, 46-51		2

301	Effect of silane integrated sol-gel derived in situ silica on the properties of nitrile rubber. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	17
300	Effect of radiation on properties of ENR/PVC/SiO ₂ membrane. 2015 ,		
299	Probing small network differences in sulfur-cured rubber compounds by combining nuclear magnetic resonance and swelling methods. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	16
298	Quantitative characterization of kaolinite dispersibility in styrene-butadiene rubber composites by fractal dimension. <i>Polymer Composites</i> , 2015 , 36, 1486-1493	3	5
297	Synergistic reinforcement of NBR by hybrid filler system including organoclay and nano-CaCO ₃ . <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	22
296	Changes in tensile and tearing fracture properties of carbon-black filled rubber vulcanizates by thermal aging. 2015 , 26, 1331-1335		10
295	Comparison of cure characteristics and mechanical properties of nano and micro silica-filled CSM elastomers. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	6
294	The Potential of Perlite as an Odour-Adsorbing Fillers in Natural Rubber Vulcanizates. 2015 , 354, 197-206		1
293	A Correlation between Reinforcing Effect and Antibacterial Performance of Carbon Black and Silica Filled Natural Rubber Vulcanizates Containing Hpqm-Based Neusilin. 2015 , 23, 563-574		
292	Preparation of halloysite nanotubes supported 2-mercaptobenzimidazole and its application in natural rubber. 2015 , 73, 63-71		42
291	Preparation and properties of recycled poly(ethylene terephthalate) powder/halloysite nanotubes hybrid-filled natural rubber composites. <i>Journal of Thermoplastic Composite Materials</i> , 2015 , 28, 415-430 ^{1.9}		5
290	The effect of alkanolamide loading on properties of carbon black-filled natural rubber (SMR-L), epoxidised natural rubber (ENR), and styrene-butadiene rubber (SBR) compounds. <i>Polymer Testing</i> , 2015 , 42, 208-214	4.5	38
289	Effects of substitution for carbon black with graphene oxide or graphene on the morphology and performance of natural rubber/carbon black composites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	9
288	Controlled growth of in situ silica in a NR/CR blend by a solution sol-gel method and the studies of its composite properties. 2015 , 5, 53559-53568		18
287	Design and synthesis by redox polymerization of a bio-based carboxylic elastomer for green tire. 2015 , 58, 1561-1569		10
286	Antioxidation efficiency and reinforcement performance of precipitated-silica-based immobile antioxidants obtained by a sol method in natural rubber composites. 2015 , 5, 92344-92353		14
285	Effect of nanosilica-based immobile antioxidant on thermal oxidative degradation of SBR. 2015 , 5, 62788-62796		2
284	Studies on the Mechanical Properties of Carbon Black/Halloysite Nanotube Hybrid Fillers in Nitrile Rubber Nanocomposites. <i>Materials Today: Proceedings</i> , 2015 , 2, 3627-3637	1.4	17

283	Preparation and intermolecular interaction of bio-based elastomer/hindered phenol hybrid with tunable damping properties. 2015 , 87, 767-777		5
282	Eco-Friendly Polymer-Layered Silicate Nanocomposite Preparation, Chemistry, Properties, and Applications. 2015 , 1-42		3
281	Cut growth and abrasion behaviour, and morphology of natural rubber filled with MWCNT and MWCNT/carbon black. <i>Polymer Testing</i> , 2015 , 41, 172-183	4.5	22
280	Sugarcane bagasse ash as a reinforcing filler in thermoplastic elastomers: Structural and mechanical characterizations. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	11
279	Rubber composites based on silane-treated silica and nitrile rubber: Interaction of treated silica with rubber matrix. <i>Journal of Elastomers and Plastics</i> , 2015 , 47, 248-261	1.6	39
278	Hybrid composites prepared from Industrial waste: Mechanical and swelling behavior. 2015 , 6, 225-32		27
277	Studies on the Morphology, Cure Characteristics and Mechanical Properties of Acrylonitrile Butadiene Rubber with Hybrid Filler (Carbon Black / Silica) Composite. 2016 , 24, 473-480		5
276	Influence of different fillers on the properties of an experimental vinyl polysiloxane. 2016 , 30,		9
275	Effects of silanization temperature and silica type on properties of silica-filled solution styrene butadiene rubber (SSBR) for passenger car tire tread compounds. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	21
274	Crack growth of natural rubber filled with functionalized silica particles. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	2
273	Synergistic effect of graphene nanoplatelets and carbon black in multifunctional EPDM nanocomposites. <i>Composites Science and Technology</i> , 2016 , 128, 123-130	8.6	58
272	Filler Size Effects on Reinforcement in Elastomer-Based Nanocomposites: Experimental and Simulational Insights into Physical Mechanisms. 2016 , 49, 7077-7087		40
271	Reinforcement of Ethylene Vinyl Acetate with Carbon Black/Silica Hybrid Filler Composites. 2016 , 852, 16-22		5
270	Thermo-oxidative stabilization for natural rubber nanocomposites by polydopamine interfacial tailored clay. 2016 , 6, 84906-84913		6
269	The physical and mechanical properties and cure characteristics of NBR/silica/MWCNT hybrid composites. 2016 , 58, 567-577		10
268	A comprehensive study on lignin as a green alternative of silica in natural rubber composites. <i>Polymer Testing</i> , 2016 , 54, 176-185	4.5	60
267	Effect of ENR50/STR5L Blends on Properties of Foodstuff Conveyor Belts Compound. 2016 , 701, 243-249		0
266	Compatibilization of natural rubber/nitrile rubber blends by sol-gel nano-silica generated by in situ method. 2016 , 80, 548-559		16

265	On the Role of Both Polypropylene Fibers and Silica Nanoparticles on the Viscoelastic Behavior of Silicone Rubber Nanocomposites. 2016 , 55, 1693-1699		3
264	Influence of carbon black/silica ratio on the physical and mechanical properties of composites based on epoxidized natural rubber. 2016 , 50, 377-386		11
263	A comparison between polyethylene glycol (PEG) and polypropylene glycol (PPG) treatment on the properties of nano-titanium dioxide (TiO ₂) based natural rubber (NR) nanocomposites. <i>Polymer Bulletin</i> , 2016 , 73, 3065-3079	2.4	11
262	The effect of the addition of alkanolamide on properties of carbon black-filled natural rubber (SMR-L) compounds cured using various curing systems. <i>Polymer Testing</i> , 2016 , 50, 276-282	4.5	35
261	Influence of Silanized-Silica and Carbon Black on the Cure and Mechanical Properties of Natural Rubber/Recycled Chloroprene Rubber (NR/rCR) Blends. 2016 , 1133, 191-195		0
260	Preparation and performance of silica/SBR masterbatches with high silica loading by latex compounding method. 2016 , 85, 130-139		50
259	Exploitation of Carbon Nanotubes in High Performance Polyvinylidene Fluoride Matrix Composite: A Review. 2016 , 55, 199-222		9
258	Effect of organoclay loading level on mechanical properties, thermomechanical behavior, and heat build-up of natural rubber/organoclay nanocomposites. <i>Polymer Composites</i> , 2016 , 37, 1735-1743	3	7
257	Reinforcement effect of carbon black in Colombian natural rubber: Benchmarking with Guatemala rubber. <i>Journal of Elastomers and Plastics</i> , 2017 , 49, 265-278	1.6	
256	Mechanical properties, thermal behaviors and oil resistance of epoxidized natural rubber/multiwalled carbon nanotube nanocomposites prepared via in situ epoxidation. <i>Journal of Elastomers and Plastics</i> , 2017 , 49, 99-119	1.6	8
255	Synthesis and characterization of cationic gemini surfactant modified Na ⁺ Bentonite and its applications for rubber nanocomposites. <i>Polymer Composites</i> , 2017 , 38, 396-403	3	4
254	Reinforced Natural Rubber Nanocomposites: Next Generation Advanced Material. 2017 , 309-345		6
253	Norbonylized soybean oil as a sustainable new plasticizer for rubbers with hybrid fillers. 2017 , 66, 820-829		11
252	Prediction of central temperature raise in silica/CB filled SSBR/BR compounds under dynamic compression. 2017 ,		
251	Dependence of nonlinear elasticity on filler size in composite polymer systems. 2017 , 56, 583-589		8
250	Recent Developments in Elastomer/Hybrid Filler Nanocomposites. 2017 , 423-490		2
249	Tire tread compounds with reduced rolling resistance and improved wet grip. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45334	2.9	24
248	Mechanical properties and drug release of microcapsules containing quaternized-chitosan-modified reduced graphene oxide in the capsular wall. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	3

247	Chlorosulfonated Rubber-Based Nanoblends: Preparation, Characterization and Applications. <i>Springer Series on Polymer and Composite Materials</i> , 2017 , 105-153	0.9	1
246	The role of carbon nanotubes in promoting the properties of carbon black-filled natural rubber/butadiene rubber composites. 2017 , 7, 4352-4358		17
245	High Performance Graphitic Carbon from Waste Polyethylene: Thermal Oxidation as a Stabilization Pathway Revisited. 2017 , 29, 9518-9527		36
244	Processing and mechanical properties of natural rubber/waste-derived nano filler composites compared to macro and micro filler composites. <i>Industrial Crops and Products</i> , 2017 , 107, 217-231	5.9	30
243	Role of eco-friendly Molasses carbon powder as a filler in natural rubber Vulcanizates. <i>Materials Today: Proceedings</i> , 2017 , 4, 6450-6457	1.4	5
242	Understanding the reinforcement and dissipation of natural rubber compounds filled with hybrid filler composed of carbon black and silica. 2017 , 35, 1436-1446		33
241	Prototype of Geocell from Natural Rubber: Effect of Dual-Phase Fillers on Physical Properties of Rubber Compounds Reinforced with Silica and Carbon Black. 2017 , 737, 572-577		2
240	Synergistic effect of nano calcium carbonate (NCC)/carbon black (CB) on the cure characteristics and physico-mechanical properties of NR/SBR blends. 2017 ,		
239	Synergistic effect of nano calcium carbonate (NCC)/carbon black (CB) on the cure characteristics and physico-mechanical properties of NR/SBR blends. 2017 ,		2
238	Sulfur-Free Pre Vulcanization of Natural Rubber Latex by Ultraviolet Irradiation in the Presence of Diacrylates. 2017 , 56, 7217-7223		1
237	The effect of accelerator contents on the vulcanizate structures of SSBR/silica vulcanizates. 2017 , 24, 563-577		14
236	Mixing and Comparative Properties of NR Compounds Filled with Different Types of Reinforcing Fillers. 2017 , 266, 172-176		
235	Synthesis and characterization of poly(butylene succinate)-reduced graphene oxide composite through in-situ melt polymerization. <i>Journal of Polymer Research</i> , 2017 , 24, 1	2.7	3
234	The influence of natural rubber butadiene rubber and carbon black type on the mechanical properties of tread compound. 2017 , 223, 012013		5
233	The Effect of High Loaded Multiwall Carbon Nanotubes in Natural Rubber and Their Nonlinear Material Constants. 2017 , 2017, 1-15		19
232	Using recycled polymers for the preparation of polymer nanocomposites: Properties and applications. 2017 , 197-226		2
231	Mechanical properties and morphology natural rubber blend with bentonit and carbon black. 2017 , 223, 012003		8
230	Preparation and properties of natural rubber reinforced with polydopamine-coating modified carbon nanotubes. 2017 , 11, 21-34		12

229	Studies on cure index, swelling behaviour, tensile and thermooxidative properties of natural rubber compounds in the presence of alkanolamide. 2018 , 309, 012060		3
228	Reinforcement of solution styrene-butadiene rubber by incorporating hybrids of rice bran carbon and surface modified fumed silica. 2018 , 24, E194-E200		9
227	Tensile, thermal, flammability and morphological properties of sepiolite filled ethylene propylene diene monomer (EDPM) rubber composites. <i>Iranian Polymer Journal (English Edition)</i> , 2018 , 27, 287-296	2.3	5
226	Comparison of Reinforcing Efficiency between Calcium Carbonate/Carbon Black and Calcium Carbonate/Silica Hybrid Filled Natural Rubber Composites. 2018 , 382, 94-98		5
225	Sustainable synthesis of uniform silica microspheres from green liquor of wheat straw pulping and application in natural rubber. 2018 , 10, 015701		
224	Investigations on matrix network characteristics in NBR/silica nanocomposites: Resolving matrix bulk density and network molecular weight and their alterations due to filler-curing agent interactions. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46170	2.9	1
223	Chemical and physical interaction between silane coupling agent with long arms and silica and its effect on silica/natural rubber composites. <i>Polymer</i> , 2018 , 135, 200-210	3.9	56
222	Synergetic effect of Posidonia oceanica fibres and deinking paper sludge on the thermo-mechanical properties of high density polyethylene composites. <i>Industrial Crops and Products</i> , 2018 , 121, 26-35	5.9	12
221	Exploring the synergistic effect of short jute fiber and nanoclay on the mechanical, dynamic mechanical and thermal properties of natural rubber composites. <i>Polymer Testing</i> , 2018 , 67, 487-493	4.5	46
220	Study on the dispersion of carbon black/silica in SBR/BR composites and its properties by adding epoxidized natural rubber as a compatilizer. <i>Polymer Composites</i> , 2018 , 39, 377-385	3	18
219	In-situ modification of nanodiamonds by mercapto-terminated silane agent for enhancing the mechanical interfacial properties of nitrile butadiene rubber nanocomposites. <i>Polymer Composites</i> , 2018 , 39, 3472-3481	3	24
218	A Review on Hybrid Fillers in Rubber Composites. 2018 , 57, 523-539		24
217	Complete replacement of carbon black filler in rubber sole with CaO embedded activated carbon derived from tannery solid waste. 2018 , 170, 446-450		24
216	Properties of natural rubber filled with untreated and treated spent coffee grounds. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46060	2.9	12
215	Effect of vinyl and phenyl group content on the physical and dynamic mechanical properties of HVBR and SSBR. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 45975	2.9	15
214	Effect of Simultaneous Use of Silica and Nanoclay in Rubber Compounds Based on Nitrile Rubber. 2018 , 21, 165-181		3
213	Lubrication and plasticization behavior of large-size micro-spherical structured SiO for natural rubber.. 2018 , 8, 31783-31792		1
212	Characteristics of Tire Wear Particles Generated by a Tire Simulator under Various Driving Conditions. 2018 , 52, 12153-12161		33

211	Catalyst driven preferential growth of in-situ generated nanosilica particles in the phases of incompatible polymer blend and its effect on physico-mechanical properties. <i>Polymer</i> , 2018 , 156, 186-202 ^{3,9}		3
210	Composites with recycled rubber aggregates: Properties and opportunities in construction. 2018 , 188, 884-897		69
209	Mesoscale Simulations of the Rheology of Filled StyreneButadiene Compounds. 2018 , 27, 1800014		
208	Alteration of matrix curing characteristics and its role in extension of hydrodynamic equation for predicting viscoelastic properties of nitrile rubber/silica nanocomposites. 2018 , 29, 2381-2391		0
207	Durability and sustainability of the silica and clay and its nanocomposites. 2018 , 137-157		2
206	Synthesis and characterization of natural rubber/coal fly ash composites via latex aqueous microdispersion. 2019 , 21, 134-144		10
205	Ageing simulation of a hydraulic engine mount: A data-informed finite element approach. 2019 , 233, 2432-2442		3
204	Improvements in the degree of filler dispersion and tensile properties of N550 and N220 carbon blacks-filled natural rubber composites using alkanolamide. 2019 , 505, 012124		
203	Evaluation of Electron Induced Crosslinking of Masticated Natural Rubber at Different Temperatures. <i>Polymers</i> , 2019 , 11,	4-5	3
202	Preparation and characterization of rice husk ash for using as a filler in natural rubber. <i>Materials Today: Proceedings</i> , 2019 , 17, 2097-2103	1.4	4
201	Curing behaviors, mechanical properties, dynamic mechanical analysis and morphologies of natural rubber vulcanizates containing reclaimed rubber. 2019 , 19, 482-488		13
200	Thermal evaluation of rubber compounds containing pecan nutshell powder for tire treads. 2019 , 138, 3673-3678		
199	Electron beam radiation curing of natural rubber filled with silica-graphene mixture prepared by latex mixing. <i>Industrial Crops and Products</i> , 2019 , 141, 111789	5.9	8
198	Natural rubber latex foam with particulate fillers for carbon dioxide adsorption and regeneration.. 2019 , 9, 28916-28923		11
197	Experimental characterization and finite element modeling the deformation behavior of rubbers with geometry defects. <i>Polymer Testing</i> , 2019 , 80, 106111	4-5	3
196	Effect of nanofiller on the ageing of rubber seal materials under gamma irradiation. 2019 , 53, 2065-2076		13
195	Study on the cations-exchanged zeolite and its influence on mechanical, thermal, and morphological properties of rubber composites. <i>Journal of Thermoplastic Composite Materials</i> , 2019 , 32, 1650-1676	1.9	4
194	Effect of Lubricating Phase on Microstructure and Properties of Cu?Fe Friction Materials. <i>Materials</i> , 2019 , 12,	3-5	6

193	Influence of highly dispersible silica filler on the physical properties, tearing energy, and abrasion resistance of tire tread compound. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47560	2.9	10
192	Rubber Clay Nanocomposites. 2019 , 593-628		
191	Development, influencing parameters and interactions of bioplasticizers: An environmentally friendlier alternative to petro industry-based sources. 2019 , 682, 394-404		11
190	Eggshell improves dynamic properties of durable guayule rubber composites co-reinforced with silanized silica. <i>Industrial Crops and Products</i> , 2019 , 138, 111440	5.9	10
189	Sustainable Use of Chloroprene Rubber Waste as Blend Component with Natural Rubber, Epoxidized Natural Rubber and Styrene Butadiene Rubber. 2019 , 27, 2119-2130		2
188	Mechanical properties and microstructure characterization of natural rubber reinforced by helical carbon nanofibers. 2019 , 54, 12962-12971		12
187	Moisture Diffusion in Silica/Clay/Natural Rubber Hybrid Composites. 2019 , 22, 9-18		1
186	Electron Beam Radiation Crosslinking of Natural Rubber Prepared by Latex Mixing Filled Silica-Graphene Blend. 2019 , 803, 361-365		3
185	Correlative roles of silica as a blowing aid and a Pb(II) adsorbent for natural rubber composite foams. <i>Polymer Testing</i> , 2019 , 77, 105891	4.5	4
184	Mechanical property and structure of a butadiene rubber composite filled with syndiotactic polybutadiene resin. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47934	2.9	5
183	Thermal characterization of the effect of fillers and ionic liquids on the vulcanization and properties of acrylonitrile-butadiene elastomer. 2019 , 138, 4359-4373		11
182	Atomistic Descriptions of the cis-1,4-Polybutadiene/Silica Interfaces. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 969-981	4.3	14
181	Using chloroprene rubber waste in rubber blends: optimizing performance by adding fillers. 2019 , 7, 156-167		0
180	The Influence of Trans-1,4-poly(butadiene-co-isoprene) Copolymer Rubbers (TBIR) with Different Molecular Weights on the NR/TBIR Blends. 2019 , 37, 966-973		3
179	The efficient reinforcement of polyamide 1212 in nitrile rubber via the formation of fibrous structures. 2019 , 6, 075302		0
178	Preparation of dispersible nanosilica surface-capped by hexamethyl disilazane via an in situ surface-modification method and investigation of its effects on the mechanical properties of styrene-butadiene/butadiene rubber. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47763	2.9	4
177	Silica-Reinforced Natural Rubber: Synergistic Effects by Addition of Small Amounts of Secondary Fillers to Silica-Reinforced Natural Rubber Tire Tread Compounds. 2019 , 2019, 1-8		28
176	The formation of fibrous structure of polyamide 6 induced by the three-step forming process and its prominent reinforcement in nitrile rubber. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47472	2.9	1

175	3D Printing of Ground Tire Rubber Composites. 2019 , 6, 211-222		15
174	Enhancing tensile strength of styrene butadiene rubber using alkanolamide. 2019 , 509, 012053		1
173	The effect of carbon black composition in natural rubber compound. 2019 , 16, 100566		30
172	Characterization of Agricultural and Food Processing Residues for Potential Rubber Filler Applications. 2019 , 3, 102		6
171	Influence of interfacial compatibilizer, silane modification, and filler hybrid on the performance of NR/NBR blends. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47421	2.9	
170	Study on the preparation of graphene oxide/silica/natural rubber latex composites by different processes. 2019 , 27, 135-142		5
169	Curing and swelling kinetics of new magnetorheological elastomer based on natural rubber/waste natural rubber gloves composites. <i>Journal of Elastomers and Plastics</i> , 2019 , 51, 583-602	1.6	2
168	Silica nanoparticles reinforced natural rubber latex composites: The effects of silica dimension and polydispersity on performance. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47449	2.9	17
167	Effect of different carbon fillers on the properties of nitrile rubber composites. 2019 , 26, 729-750		12
166	Modeling and interpreting large deformation behavior of rubber nanocomposites containing carbon nanotubes and nanoplatelets. <i>Polymer Composites</i> , 2019 , 40, E1548-E1558	3	4
165	Use of fly ash as eco-friendly filler in synthetic rubber for tire applications. 2019 , 206, 374-382		30
164	A gateway to tune the mechanical properties and surface features of silicone rubber. <i>Polymer Composites</i> , 2019 , 40, E35	3	4
163	A critical review on the utilization of various reinforcement modifiers in filled rubber composites. <i>Journal of Elastomers and Plastics</i> , 2020 , 52, 167-193	1.6	24
162	Synergistic effect by high specific surface area carbon black as secondary filler in silica reinforced natural rubber tire tread compounds. <i>Polymer Testing</i> , 2020 , 81, 106173	4.5	27
161	An innovative approach to utilize waste silica fume from zirconia industry to prepare high performance natural rubber composites for multi-functional applications. <i>Polymer Testing</i> , 2020 , 81, 106172	4.5	10
160	Preparation and characterization of silica nanoparticles from sugarcane bagasse ash for using as a filler in natural rubber composites. <i>Polymer Bulletin</i> , 2020 , 77, 3457-3472	2.4	18
159	Green tire technology: Effect of rice husk derived nanocellulose (RHNC) in replacing carbon black (CB) in natural rubber (NR) compounding. 2020 , 230, 115620		53
158	Interfacial Interactions of Silica and Natural Rubber Enhanced by Hydroxyl Telechelic Natural Rubber as Interfacial Modifier. 2020 , 26, 291-303		1

157	Use of carbon black as a reinforcing nano-filler in conductivity-reversible elastomer composites. <i>Polymer Testing</i> , 2020 , 81, 106222	4.5	18
156	Self-assembled lignin-silica hybrid material derived from rice husks as the sustainable reinforcing fillers for natural rubber. 2020 , 145, 410-416		14
155	Styrenated phenol modified nanosilica for improved thermo-oxidative and mechanical properties of natural rubber. <i>Polymer Testing</i> , 2020 , 82, 106302	4.5	5
154	Comparative Study of the Cure Characteristics and Mechanical Properties of Natural Rubber Filled With Different Calcium Carbonate Resources. 2020 , 26, 309-315		2
153	Surface modification of silica nanoparticles by a polyoxyethylene sorbitan and silane coupling agent to prepare high-performance rubber composites. <i>Polymer Testing</i> , 2020 , 81, 106195	4.5	20
152	Vulcanizate Structures of SBR Compounds with Silica and Carbon Black Binary Filler Systems at Different Curing Temperatures. <i>Polymers</i> , 2020 , 12,	4.5	3
151	Radiation Processing and Characterization of Some Ethylene-propylene-diene Terpolymer/Butyl (Halobutyl) Rubber/Nanosilica Composites. <i>Polymers</i> , 2020 , 12,	4.5	3
150	Raman spectroscopic study of reinforcement mechanisms of electron beam radiation crosslinking of natural rubber composites filled with graphene and silica/graphene mixture prepared by latex mixing. 2020 , 3, 100049		0
149	Influence of partial substitution of carbon black with silica on mechanical, thermal, and aging properties of super specialty elastomer based composites. <i>Polymer Composites</i> , 2020 , 41, 4379-4396	3	6
148	A functional modified graphene oxide/nanodiamond/nano zinc oxide composite for excellent vulcanization properties of natural rubber.. 2020 , 10, 41857-41870		6
147	Maleated Natural Rubber/Halloysite Nanotubes Composites. 2020 , 8, 286		3
146	Preparation and Characterization of Hard Rubber and Soft Rubber for Marine Rubber Fender. 2020 , 391, 1900189		2
145	A combined simulation and experiment study on polyisoprene rubber composites. <i>Composites Science and Technology</i> , 2020 , 200, 108398	8.6	4
144	Properties of unmodified and modified natural rubber/halloysite nanotubes composites. 2020 ,		
143	Optimization of Standard Indonesian Rubber 20 and Ethylene Propylene Diene Monomer Blending for Ship Launcher Application. 2020 , 391, 1900135		1
142	Effect of mineral fillers on physico-mechanical properties and heat conductivity of carbon black-filled SBR/butadiene rubber composite. <i>Iranian Polymer Journal (English Edition)</i> , 2020 , 29, 957-974 ²⁻³		3
141	Silica and modified silica fume waste (mSF) as reinforcing fillers for rubber industry. 2020 , 50, 74-84		1
140	Material identification for improving the strength of silica/SBR interface using MD simulations. 2020 , 26, 234		2

139	Visualization of chemical bonding in a silica-filled rubber nanocomposite using STEM-EELS. 2020 , 10, 21558		2
138	The Investigation of the Silica-Reinforced Rubber Polymers with the Methoxy Type Silane Coupling Agents. <i>Polymers</i> , 2020 , 12,	4.5	8
137	The Mechanical and Thermal Properties of Polyurethanes/Precipitated Calcium Carbonate Composites. 2020 , 943, 012018		0
136	The Effects of Various Ratios of Hybrid Filler to Rubber Vulcanisates Properties Based on Passenger Car Tyre Tread Compounds. 2020 , 856, 169-174		
135	Water Absorption Kinetics in Natural Rubber Composites Reinforced with Natural Fibers Processed by Electron Beam Irradiation. <i>Polymers</i> , 2020 , 12,	4.5	5
134	Chitin nanowhiskers from shrimp shell waste as green filler in acrylonitrile-butadiene rubber: Processing and performance properties. 2020 , 245, 116505		10
133	Testing of nitrile rubber joints for a deep submergence vehicle. <i>Polymer Testing</i> , 2020 , 90, 106630	4.5	3
132	Epoxidised natural rubber (ENR)/polyvinyl chloride (PVC)/silica (SiO ₂) membrane for treating palm oil mill effluents (POME). 2020 , 49, 134-140		2
131	Piezoresistive Elastomer-Based Composite Strain Sensors and Their Applications. 2020 , 2, 1826-1842		24
130	Properties Prediction and Design of Tire Tread Composites Using Machine Learning. 2020 , 29, 1900063		2
129	Optimization of Serial Modular Continuous Mixing Process Parameters for Natural Rubber Composites Reinforced by Silica/Carbon Black. <i>Polymers</i> , 2020 , 12,	4.5	2
128	Friction, Abrasion and Crack Growth Behavior of In-Situ and Ex-Situ Silica Filled Rubber Composites. <i>Materials</i> , 2020 , 13,	3.5	9
127	Silica dispersion and properties of silica filled ESB/BR/NR ternary blend composites by applying wet masterbatch technology. <i>Polymer Testing</i> , 2020 , 84, 106350	4.5	4
126	Development of an O-ring from NR/EPDM filled silica/CB hybrid filler for use in a solid oxide fuel cell testing system. <i>Polymer Testing</i> , 2020 , 88, 106568	4.5	2
125	Synergistic Effect of Maleated Natural Rubber and Modified Palm Stearin as Dual Compatibilizers in Composites based on Natural Rubber and Halloysite Nanotubes. <i>Polymers</i> , 2020 , 12,	4.5	8
124	Modified palm stearin compatibilized natural rubber/halloysite nanotubes composites: Reinforcement versus strain-induced crystallization. <i>Journal of Elastomers and Plastics</i> , 2021 , 53, 210-227 ^{1.6}		2
123	Effect of potassium chloride addition on soot formation during ethylene pyrolysis in a flow reactor. 2021 , 223, 118-126		3
122	In situ friction and wear behavior of rubber materials incorporating various fillers and/or a plasticizer in high-pressure hydrogen. 2021 , 153, 106627		3

121	Influences of crosslinkable crystalline copolymer on the polymer network and filler dispersion of NR/ESBR/CB nanocomposites. 2021 , 140, 106194		2
120	Catalytic methane decomposition to boost the energy transition: Scientific and technological advancements. 2021 , 137, 110465		14
119	Comparison of ultrasonic-treated rice husk carbon with the conventional carbon black towards improved mechanical properties of their EPDM composites. 2021 , 31, 1071-1077		1
118	Design of convex-hull bionic tire tread compounds and mechanism on collaborative improvement of wet resistance and wear resistance. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50446	2.9	2
117	Cross-Linked Density Determination of Natural Rubber Compounds by Different Analytical Techniques. 2021 , 24,		2
116	Analysis of effect of modification of silica and carbon black co-filled rubber composite on mechanical properties. 2021 , 21, 279-288		3
115	Silica-graphene oxide reinforced rubber composites. <i>Materials Today: Proceedings</i> , 2021 , 34, 502-505	1.4	6
114	Mechanical Properties of Phormium Tenax Reinforced Natural Rubber Composites. 2021 , 9, 11		1
113	Aramid nanofiber reinforced nitrile rubber assisted by cellulose nanocrystals. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50546	2.9	3
112	Mutual dispersion of graphite-silica binary fillers and its effects on curing, mechanical, and aging properties of natural rubber composites. <i>Polymer Bulletin</i> , 1	2.4	1
111	Sulfur-Modified Carbon Nanotubes for the Development of Advanced Elastomeric Materials. <i>Polymers</i> , 2021 , 13,	4.5	
110	The Effect of Silica Nanofiller on the Physical and Thermal Characteristics of Rubber-Based Composites. <i>International Polymer Processing</i> , 2021 , 36, 60-68	1	1
109	Effects of Molecular Weight of Functionalized Liquid Butadiene Rubber as a Processing Aid on the Properties of SSBR/Silica Compounds. <i>Polymers</i> , 2021 , 13,	4.5	1
108	Recent advances of natural fibers based green rubber composites: Properties, current status, and future perspectives. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50866	2.9	4
107	Effect of conductive carbon black on electrical conductivity and performance of tire tread compounds filled with carbon black/silica hybrid filler. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50855	2.9	1
106	Tailoring Interfacial Properties in Polymer-silica Nanocomposites via Surface Modification: An Atomistic Simulation Study. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 2576-2587	4.3	4
105	Cellular Bi ₂ O ₃ /natural rubber composites for light-weight and lead-free gamma-shielding materials and their properties under gamma irradiation. 0021955X2199735		
104	Mechanical and damping properties of composite rubber with waste crumb rubber tire and silica sand. 2021 , 1858, 012071		

103	Natural Rubber Biocomposites Filled with Phyto-Ashes Rich in Biogenic Silica Obtained from Wheat Straw and Field Horsetail. <i>Polymers</i> , 2021 , 13,	4.5	2
102	Influence of Fillers and Ionic Liquids on the Crosslinking and Performance of Natural Rubber Biocomposites. <i>Polymers</i> , 2021 , 13,	4.5	2
101	Reinforcement of Styrene Butadiene Rubber Employing Poly(isobornyl methacrylate) (PIBOMA) as High Thermoplastic Polymer. <i>Polymers</i> , 2021 , 13,	4.5	2
100	Cellulosic bionanocomposites based on acrylonitrile butadiene rubber and <i>Cuscuta reflexa</i> : adjusting structure-properties balance for higher performance. 2021 , 28, 7053-7073		3
99	Reinforcement of natural rubber using a novel combination of conventional and in situ generated fillers. 2021 , 5, 100133		6
98	LIQUID POLYBUTADIENE EXTENDED ESB/SILICA WET-MASTERBATCH COMPOSITES FOR IMPROVING ABRASION RESISTANCE AND DYNAMIC PROPERTIES OF TIRE TREAD COMPOUNDS. <i>Rubber Chemistry and Technology</i> , 2021 ,	1.7	
97	Functionalized Nanosilica for Vulcanization Efficiency and Mechanical Properties of Natural Rubber Composites. 1		2
96	Grafting the carboxyl groups onto DPNR by seeded emulsion polymerization to enhance the compatibility with silica filler. 2021 , 1173, 012036		
95	Effect of the Functional Group Position in Functionalized Liquid Butadiene Rubbers Used as Processing Aids on the Properties of Silica-Filled Rubber Compounds. <i>Polymers</i> , 2021 , 13,	4.5	1
94	Percolation of rigid fractal carbon black aggregates. 2021 , 155, 124902		5
93	Effect of phase selective wetting of hybrid filler on the self-healing properties of rubber blends. <i>Polymer</i> , 2021 , 231, 124146	3.9	1
92	Properties of silica-filled rubber compounds vs. epoxidized oil content and degree of epoxidation. <i>Industrial Crops and Products</i> , 2021 , 168, 113600	5.9	3
91	Application of non-ionic surfactant in modifying the surface of carbon black and its role in the formation of colloidal composite materials. 2021 , 624, 126825		3
90	Mechanical and rheological properties of partial replacement of carbon black by treated ultrafine calcium carbonate in natural rubber compounds. <i>Polymer Bulletin</i> , 1	2.4	0
89	Effect of alignment of magnetic particles on the rheological properties of natural rubber composite. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	0
88	Multiple Intermolecular Interaction to Improve the Abrasion Resistance and Wet Skid Resistance of <i>Eucommia Ulmoides</i> Gum/Styrene Butadiene Rubber Composite. <i>Materials</i> , 2021 , 14,	3.5	1
87	Effect of nano-silver coated carbon black on curing, mechanical, antimicrobial, and electrical properties of natural rubber composite. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51680	2.9	0
86	Influence of the Silica Specific Surface Area and Ionic Liquids on the Curing Characteristics and Performance of Styrene-Butadiene Rubber Composites. <i>Materials</i> , 2021 , 14,	3.5	0

85	Toughening polyisoprene rubber with sacrificial bonds: The interplay between molecular mobility, energy dissipation and strain-induced crystallization. <i>Polymer</i> , 2021 , 231, 124114	3.9	1
84	EFFECT OF CELLULOSE FIBER SURFACE TREATMENT TO REPLACE CARBON BLACK IN NATURAL RUBBER HYBRID COMPOSITES. <i>Rubber Chemistry and Technology</i> , 2021 ,	1.7	2
83	Adjusting silica/rubber interfacial interactions and properties via the click reactions between liquid polybutadiene and silane. <i>Composites Science and Technology</i> , 2021 , 213, 108903	8.6	3
82	Impact of graphene oxide nanoparticles and carbon black on the gamma radiation sensitization of acrylonitrile-butadiene rubber seal materials. <i>Polymer Engineering and Science</i> , 2021 , 61, 2843	2.3	8
81	Non-exhaust vehicle emissions of particulate matter and VOC from road traffic: A review. <i>Atmospheric Environment</i> , 2021 , 262, 118592	5.3	27
80	Morphological and thermal analyses of flexible polyurethane foams containing commercial calcium carbonate. <i>Eletica Quimica</i> , 2008 , 33, 55-60	2.6	9
79	Natural Rubber Based Composites Comprising Different Types of Carbon-Silica Hybrid Fillers. Comparative Study on Their Electric, Dielectric and Microwave Properties, and Possible Applications. <i>Materials Sciences and Applications</i> , 2016 , 07, 295-306	0.3	1
78	IMPROVEMENT OF SILICA-REINFORCED NATURAL RUBBER TIRE TREAD COMPOUNDS BY JOINT HYBRIDIZATION WITH SMALL AMOUNTS OF SECONDARY FILLERS AND POLYMERS. <i>Rubber Chemistry and Technology</i> , 2020 , 93, 652-671	1.7	2
77	VULCANIZATE STRUCTURES AND MECHANICAL PROPERTIES OF RUBBER COMPOUNDS WITH SILICA AND CARBON BLACK BINARY FILLER SYSTEMS. <i>Rubber Chemistry and Technology</i> , 2021 , 94, 339-354	1.7	3
76	Analytical Model of the Piezoresistive Behavior of Highly Compressible Sensors Made of Microporous Nanocomposites. <i>Advanced Theory and Simulations</i> , 2100247	3.5	
75	Assessing the Biodegradation of Vulcanised Rubber Particles by Fungi Using Genetic, Molecular and Surface Analysis. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 761510	5.8	1
74	Microalgal biomass as renewable biofiller in natural rubber compounds. <i>Polymer Bulletin</i> , 1	2.4	
73	Multipurpose Processing Additives for Silica/Rubber Composites: Synthesis, Characterization, and Application. <i>Polymers</i> , 2021 , 13,	4.5	0
72	Physical Properties of the Silica-Reinforced Tire Tread Compounds by the Increased Amount of Vulcanization Agents. <i>Elastomers and Composites</i> , 2013 , 48, 201-208		2
71	Development and Modification of Natural Rubber for Advanced Application. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2017 , 44-76	0.4	1
70	Investigation of Structural, Morphological, and Dynamic Mechanical Properties of Unvulcanized PDMS/Silica Compound. <i>Materials Performance and Characterization</i> , 2017 , 6, MPC20160116	0.5	
69	Development of Flexible Dry Suit Material for Endure the Penetration of the Rubble. <i>Journal of Textile Engineering</i> , 2017 , 63, 197-200	0.3	
68	Rubbers Reinforced by POSS. <i>Springer Series on Polymer and Composite Materials</i> , 2018 , 299-336	0.9	

67	Vulcanization behavior and mechanical properties of isoprene-modified silica reinforced butyl rubber composites. <i>Molecular Crystals and Liquid Crystals</i> , 2020 , 707, 46-58	0.5	
66	Enhanced Mechanical Properties of Natural Rubber by Block Copolymer-Based Porous Carbon Fibers. <i>ACS Applied Polymer Materials</i> ,	4.3	1
65	Finite strain elasticity based cohesive zone model for mechanoluminescent composite interface: I. Stiffness of the undamaged interface. <i>Smart Materials and Structures</i> , 2021 , 30, 015016	3.4	
64	Farklı Tip Üçü Kilerin Kauçuk Mekanik Özelliklerine Etkisinin Deneysel İncelenmesi. <i>European Journal of Science and Technology</i> , 790-804	0.4	
63	Precipitated Silica and Non-Black Fillers. 2020 , 451-532		
62	Preparation and Characterization of Reduced Graphene Oxide Based Natural Rubber Nanocomposites. <i>International Polymer Processing</i> , 2020 , 35, 493-502	1	0
61	Effects of silica/carbon black hybrid nanoparticles on the dynamic modulus of uncrosslinked cis-1,4-polyisoprene rubber: Coarse-grained molecular dynamics. <i>Polymer</i> , 2022 , 238, 124400	3.9	2
60	Surface modification of rice husk based carbon silica dual-phase filler by ethanol-assisted milling and its reinforcing on natural rubber. <i>Polymer Engineering and Science</i> ,	2.3	
59	Utilizing Pyrolytic Biomass Products for Rubber Reinforcement: Effect of the Silica Content in Biomass Feed Stocks. <i>International Polymer Processing</i> , 2021 , 36, 620-629	1	
58	Silica derived from variety of sources and its functionalized forms as an antiblock additive in polypropylene. <i>Journal of Thermoplastic Composite Materials</i> , 089270572110571	1.9	
57	Highly reliable triboelectric bicycle tire as self-powered bicycle safety light and pressure sensor. <i>Nano Energy</i> , 2021 , 106797	17.1	5
56	Effect of Micron-scale and Nanoscale Hybrid Boron Nitride Fillers on AC Breakdown Performances of Polytetrafluoroethylene. 2020 ,		
55	Tailor-made one-part epoxy resin for tire compound to improve ride and handling and reduce rolling resistance. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	1
54	Accelerator functionalized nanosilica for vulcanization efficiency and thermal resistance of SBR. <i>Materials Today: Proceedings</i> , 2022 , 51, 2599-2599	1.4	0
53	Fly ash as a potential filler for the rubber industry. 2022 , 763-792		1
52	Effect carbon black and modified kaolin hybrid filler on the curing and physic-mechanical properties of natural rubber-styrene butadiene rubber blends. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022 , 963, 012029	0.3	1
51	Structural and mechanical evolution of the multiphase asphalt rubber during aging based on micromechanical back-calculation and experimental methods. <i>Materials and Design</i> , 2022 , 215, 110421	8.1	1
50	The Synergistic Effect of Dibenzylthiocarbamate Based Accelerator on the Vulcanization and Performance of the Silica-Filled Styrene-Butadiene Elastomer.. <i>Materials</i> , 2022 , 15,	3.5	2

49	Filler Effects on H Diffusion Behavior in Nitrile Butadiene Rubber Blended with Carbon Black and Silica Fillers of Different Concentrations.. <i>Polymers</i> , 2022 , 14,	4.5	2
48	A novel economically viable method of preparation of graphene-rubber masterbatch for its application in tyre compound. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	
47	Polymeric Nanofibers of Various Degrees of Crosslinking as Fillers in Poly(styrene-stat-n-butyl acrylate) Nanocomposites: Overcoming the Trade-Off between Tensile Strength and Stretchability.. <i>Macromolecular Rapid Communications</i> , 2022 , e2100879	4.8	0
46	Sustainable Kerala rice husk ash for formulation of basic tyre tread: Taking first step. <i>Sustainable Materials and Technologies</i> , 2022 , e00427	5.3	0
45	Bromide and Chloride Ionic Liquids Applied to Enhance the Vulcanization and Performance of Natural Rubber Biocomposites Filled with Nanosized Silica.. <i>Nanomaterials</i> , 2022 , 12,	5.4	1
44	A semi-empirical correction for the Rayleigh-Debye-Gans approximation for fractal aggregates based on phasor analysis: Application to soot particles. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2022 , 283, 108143	2.1	0
43	Transcriptomics of single dose and repeated carbon black and ozone inhalation co-exposure highlight progressive pulmonary mitochondrial dysfunction.. <i>Particle and Fibre Toxicology</i> , 2021 , 18, 44	8.4	0
42	Influence of Carbon Black and Silica Fillers with Different Concentrations on Dielectric Relaxation in Nitrile Butadiene Rubber Investigated by Impedance Spectroscopy.. <i>Polymers</i> , 2021 , 14,	4.5	1
41	Cellulose and lignin as carbon black replacement in natural rubber. <i>Journal of Applied Polymer Science</i> ,	2.9	1
40	Liquid Guayule Natural Rubber, a Sustainable Processing Aid, Enhances the Processability, Durability and Dynamic Mechanical Properties of Rubber Composites. <i>Materials</i> , 2022 , 15, 3605	3.5	
39	Hybrid reinforcement of styrene-butadiene rubber nanocomposites with carbon black, silica, and graphene. <i>Journal of Applied Polymer Science</i> ,	2.9	0
38	Waste mica and carbon black filled natural rubber composites: a comparative study. <i>Iranian Polymer Journal (English Edition)</i> ,	2.3	0
37	Reutilization of polyurethane-based shoe sole scrap as a reinforcing filler in natural rubber for the development of high-performance composites. <i>Journal of Elastomers and Plastics</i> , 009524432211085	1.6	1
36	Activated calcium silicate/natural rubber composites prepared via latex compounding: Static and dynamic mechanical properties. <i>Journal of Polymer Research</i> , 2022 , 29,	2.7	0
35	Properties of silica/natural rubber composite film and foam: Effects of silica content and sulfur vulcanization system. <i>Journal of Polymer Research</i> , 2022 , 29,	2.7	0
34	Natural rubber biocomposites reinforced with cellulose nanocrystals/lignin hybrid fillers. <i>Polymer Composites</i> ,	3	1
33	MANUFACTURING OF ELASTOMERIC SUBSTRATES FOR STRETCHABLE PRINTED ELECTRONICS. <i>Rubber Chemistry and Technology</i> , 2022 ,	1.7	1
32	Comparative study on the synergistic reinforcement of lignin between carbon black/lignin and silica/lignin hybrid filled natural rubber composites. <i>Industrial Crops and Products</i> , 2022 , 187, 115378	5.9	2

- 31 Study on Increasing the Binding Amount of Rubber and Reinforcing Filler by Adding Aromatic Solvent Oil. **2022**, 14, 2745 ○
- 30 Development of natural rubber nanocomposites reinforced with cellulose nanocrystal isolated from oil palm biomass. **2022**, 29, ○
- 29 Natural nano-fillers materials for the Bio-composites: A review. **2022**, 99, 100715 ○
- 28 Utilization of Paddy Husk Carbon Black as an Alternative Filler Material in Rubber Industry. **2022**, ○
- 27 Effects of Filler Functionalization on Filler-Embedded Natural Rubber/Ethylene-Propylene-Diene Monomer Composites. **2022**, 14, 3502 ○
- 26 Investigation of the usability of boron industrial waste as filler in conveyor belt production. ○
- 25 A review on the effect of various nano fillers on the mechanical properties and thermal stability of chloroprene rubber composites. **2022**, ○
- 24 Characterization, Properties and Mixing Mechanism of Rubber Asphalt Colloid for Sustainable Infrastructure. **2022**, 14, 4429 ○
- 23 Aerosol physicochemical determinants of carbon black and ozone inhalation co-exposure induced pulmonary toxicity. ○
- 22 Pyrene adsorption on the surface of an iron oxide nanoparticle: A ReaxFF molecular dynamics study. **2022**, ○
- 21 Tensile Performance and Viscoelastic Properties of Rubber Nanocomposites Filled with Silica Nanoparticles: A Molecular Dynamics Simulation Study. **2022**, 118318 ○
- 20 The effect of bio-based ingredients in isoprene rubber: A biomimetic approach to improve the dispersion of silica. **2023**, 295, 127151 ○
- 19 Effect of oleamide on the torques behaviors of natural rubber/precipitated silica compounds. **2022**, ○
- 18 High strain-rate and quasi-static mechanical characteristics of the natural rubber-based elastomer nanocomposite reinforced with alumina nanoparticles. 073168442211416 1
- 17 Multi-scale imaging of high-pressure hydrogen induced damage in EPDM rubber using X-ray microcomputed tomography, helium-ion microscopy and transmission electron microscopy. **2022**, ○
- 16 Influence of process parameters of a continuous final mixer on the properties of carbon black/rubber composites. **2022**, ○
- 15 Optimising filler dosage to balance rolling resistance and grip properties tyre tread compound. 147776062211479 ○
- 14 Natural Rubber Composites Reinforced with Green Silica from Rice Husk: Effect of Filler Loading on Mechanical Properties. **2022**, 6, 369 ○

- 13 The variation of structure and property of sorbitol-treated NR vulcanizates with increasing the silica loading. **2023**, 58, 996-1011 ○
- 12 Evaluating corn-based biochar as an alternative to carbon black in styrene-butadiene rubber composites. **2023**, 34, 105218 ○
- 11 Performance-based natural rubber composites reinforced with jute fibers and nano-silica: thermal, morphological, and mechanical studies with statistical optimization. **2023**, 32, 609-619 ○
- 10 The composition, bio-functionalities and challenges in use of Green composites in dentistry. **2023**, 239-248 ○
- 9 Surface modified alpha zirconium phosphate (ZrP) reinforced natural rubber composites for tire tread application. **2023**, 30, ○
- 8 A feasible method of silica dispersion by introducing a pre-vulcanized gel in the natural rubber matrix. **2023**, 30, ○
- 7 Effect of silica nanoparticles and modified silica nanoparticles on the mechanical and swelling properties of EPDM/SBR blend nanocomposites. ○
- 6 Improvement of mechanical and dynamic properties of high silica filled epoxide functionalized natural rubber. **2023**, 24, 2155-2168 ○
- 5 Effect of TESPT on viscoelastic and mechanical properties with the morphology of SSBR / BR hybrid nanocomposites. ○
- 4 Non-covalent chemical functionalization of micron-sized styrene-butadiene rubber with silica particles via solid-state cryogenic mixing process. 147776062211457 ○
- 3 Synthesis of multifunctional rubber chemicals 2-propanol, 1-(2-benzothiazolylthio)-3-[3-(triethoxysilyl) propoxy] silane and its application in natural rubber/silica composites. ○
- 2 Coral derived nano calcium carbonate incorporated acrylonitrile butadiene rubber composites: Green look at properties. **2023**, 30, ○
- 1 Preparation and mechanical properties of natural rubber composites reinforced by modified molybdenum disulfide. ○