Major isoflavonoid contents of the phytoestrogen rich-herb Pueraria mirifica in comparison with Pueraria lobata

DOI: 10.1016/j.jpba.2006.07.013
Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 428-34.

#	Paper	IF	Citations
110	Major isoflavonoid contents of the 1-year-cultivated phytoestrogen-rich herb, Pueraria mirifica. **2007**, 71, 2527-33		30
109	Pretreatment with phytoestrogen-rich plant decreases breast tumor incidence and exhibits lower profile of mammary ERalpha and ERbeta. **2007**, 58, 174-81		29
108	Evaluation of the estrogenic activity of the wild Pueraria mirifica by vaginal cornification assay. **2007**, 53, 385-93		36
107	Analysis of binding interaction between puerarin and bovine serum albumin by multi-spectroscopic method. *Journal of Pharmaceutical and Biomedical Analysis*, **2007**, 45, 609-15	3.5	158
106	Structure and chain conformation of a (1-6)-□-glucan from the root of Pueraria lobata (Willd.) Ohwi and the antioxidant activity of its sulfated derivative. **2008**, 74, 771-778		85
105	Optimisation of supercritical fluid extraction of flavonoids from Pueraria lobata. **2008**, 108, 737-41		126
104	Estrogenic activity of the dichloromethane extract from Pueraria mirifica. **2008**, 79, 509-14		12
103	Correlation of antioxidant activity and major isoflavonoid contents of the phytoestrogen-rich Pueraria mirifica and Pueraria lobata tubers. **2008**, 15, 38-43		84
102	Preventive effects of Pueraria mirifica on bone loss in ovariectomized rats. **2008**, 59, 137-48		56
101	Metabolic activation promotes estrogenic activity of the phytoestrogen-rich plant. **2008**, 59, 128-36		21
100	Variance of estrogenic activity of the phytoestrogen-rich plant. **2008**, 61, 350-7		19
99	[Production of ethanol and isoflavones from steam-pretreated Radix Puerariae by solid state fermentation]. **2008**, 24, 957-61		7
98	Comparing the Affinities of Flavonoid Isomers with Protein by Fluorescence Spectroscopy. **2008**, 41, 521-532		24
97	Determination of the estrogenic activity of wild phytoestrogen-rich Pueraria mirifica by MCF-7 proliferation assay. **2008**, 54, 63-7		28
96	High-content screening and mechanism-based evaluation of estrogenic botanical extracts. **2008**, 11, 283-93		16
95	Effects and safety of Pueraria mirifica on lipid profiles and biochemical markers of bone turnover rates in healthy postmenopausal women. **2008**, 15, 530-5		24
94	The mutagenic and antimutagenic effects of the traditional phytoestrogen-rich herbs, Pueraria mirifica and Pueraria lobata. **2009**, 42, 816-23		14

93	Protective effect of puerarin on diabetic retinopathy in rats. **2009**, 36, 1129-33	57
92	Interaction Between Trans-resveratrol and Serum Albumin in Aqueous Solution. **2009**, 38, 1193-1202	29
91	INVESTIGATION OF SUPERCRITICAL FLUID EXTRACTION OF PUERARIN FROM PUERARIA LOBATA. **2009**, 32, 682-691	6
90	Rapid analysis of Radix puerariae by near-infrared spectroscopy. **2009**, 1216, 2130-5	58
89	Simultaneous Chromatographic Fingerprinting and Quantitative Analysis of Flemingia philippinensis by LC□DAD. **2009**, 70, 447-454	9
88	The effect of Pueraria mirifica on cytologic and urodynamic findings in ovariectomized rats. **2009**, 16, 350-6	3
87	Production of isoflavonoids in callus cultures of Pueraria candollei var. mirifica. **2009**, 64, 239-43	12
86	Impact of Pueraria candollei Root Cultures on Cytochrome P450 2B9 Enzyme and Lipid Peroxidation in Mice. **2010**, 56, 182-187	7
85	Evaluation of quality of Radix Puerariae herbal medicine by isoflavonoids. **2010**, 62, 644-50	12
84	Growth and isoflavonoid accumulation of Pueraria candollei var. candollei and P. candollei var. mirifica cell suspension cultures. **2010**, 101, 119-126	36
83	Puerarin exhibits weak estrogenic activity in female rats. **2010**, 81, 569-76	30
82	A rapid method for simultaneous determination of 14 phenolic compounds in Radix Puerariae using microwave-assisted extraction and ultra high performance liquid chromatography coupled with diode array detection and time-of-flight mass spectrometry. **2010**, 1217, 705-14	95
81	Differential binding with ERalpha and ERbeta of the phytoestrogen-rich plant Pueraria mirifica. **2010**, 43, 195-200	15
80	Estrogenic and anti-estrogenic activities of the Thai traditional herb, Butea superba Roxb. **2010**, 74, 2176-82	8
79	Response surface optimization of microwave-assisted extraction for HPLC-fluorescence determination of puerarin and daidzein in. **2011**, 1, 13-19	14
78	Fluorescence spectrometric studies on the binding of puerarin to human serum albumin using warfarin, ibuprofen and digitoxin as site markers with the aid of chemometrics. **2011**, 131, 2716-2724	45
77	Comparative analysis of the chemical constituents of two varieties of Pueraria candollei. **2011**, 82, 203-7	33
76	Improved isoflavonoid production in Pueraria candollei hairy root cultures using elicitation. **2011**, 33, 369-74	70

75	Rapid simultaneous determination of isoflavones in Radix puerariae using high-performance liquid chromatography-triple quadrupole mass spectrometry with novel shell-type column. **2011**, 34, 2576-85	31
74	Pueraria Mirifica for Menopausal Symptom Relief and Tissue Support. **2012**, 1, 91-95	
73	Suppression of BSEP and MRP2 in mouse liver by miroestrol and deoxymiroestrol isolated from Pueraria candollei. **2012**, 19, 1332-5	5
72	Testing of the estrogenic activity and toxicity of Stephania venosa herb in ovariectomized rats. **2012**, 22, 445-57	6
71	Bimodal action of miroestrol and deoxymiroestrol, phytoestrogens from Pueraria candollei var. mirifica, on hepatic CYP2B9 and CYP1A2 expressions and antilipid peroxidation in mice. **2012**, 32, 45-51	18
70	Elucidation of the mechanistic pathways of the hydroxyl radical scavenging reaction by daidzein using hybrid QM/MM dynamics. **2012**, 116, 8775-85	14
69	Simultaneous analysis and retention behavior of major isoflavonoids in Radix Puerariae lobatae and Radix Puerariae thomsonii by high performance liquid chromatography with cyclodextrins as a mobile phase modifier. **2012**, 712, 145-51	26
68	Rapid discrimination of three kinds of Radix Puerariae and their extracts by Fourier transform infrared spectroscopy and two-dimensional correlation infrared spectroscopy. **2012**, 1018, 88-95	14
67	CHAPTER 18:Puerariae radix Isoflavones. **2012**, 294-315	
66	Upregulation of osteoblastic differentiation marker mRNA expression in osteoblast-like UMR106 cells by puerarin and phytoestrogens from Pueraria mirifica. **2012**, 19, 1147-55	38
65	Optimisation of ultrasound-assisted extraction of puerarin and total isoflavones from Puerariae Lobatae Radix (Pueraria lobata (Wild.) Ohwi) with response surface methodology. **2012**, 23, 513-9	23
64	Medical applications of phytoestrogens from the Thai herb Pueraria mirifica. **2012**, 6, 8-21	55
63	Increased miroestrol, deoxymiroestrol and isoflavonoid accumulation in callus and cell suspension cultures of Pueraria candollei var. mirifica. **2012**, 34, 1093-1100	11
62	Puerarin inhibits the retinal pericyte apoptosis induced by advanced glycation end products in vitro and in vivo by inhibiting NADPH oxidase-related oxidative stress. **2012**, 53, 357-65	65
61	Microwave-Assisted Extraction of Flavonoids: A Review. **2012**, 5, 409-424	348
60	Establishment of callus from Pyrostegia venusta (Ker Gawl.) Miers and effect of abiotic stress on flavonoids and sterols accumulation. **2013**, 22, 312-318	5
59	High performance enzyme-linked immunosorbent assay for determination of miroestrol, a potent phytoestrogen from Pueraria candollei. **2013**, 785, 104-10	16
58	Highly selective and sensitive determination of deoxymiroestrol using a polyclonal antibody-based enzyme-linked immunosorbent assay. **2013**, 114, 73-8	15

57	Pueraria mirifica leaves, an alternative potential isoflavonoid source. **2014**, 78, 917-26		5
56	Anti-osteoclastogenic, estrogenic, and antioxidant activities of cell suspension cultures and tuber root extracts from Pueraria mirifica. **2014**, 23, 1253-1259		2
55	Pueraria mirifica extract and puerarin enhance proliferation and expression of alkaline phosphatase and type I collagen in primary baboon osteoblasts. **2014**, 21, 1498-503		15
54	Metabolic differentiations of Pueraria lobata and Pueraria thomsonii using ¹H NMR spectroscopy and multivariate statistical analysis. *Journal of Pharmaceutical and Biomedical Analysis*, **2014**, 93, 51-8	3.5	22
53	Dynamics of phytoestrogen, isoflavonoids, and its isolation from stems of Pueraria lobata (Willd.) Ohwi growing in Democratic People's Republic of Korea. **2015**, 23, 538-544		9
52	Transcriptomic landscape of Pueraria lobata demonstrates potential for phytochemical study. **2015**, 6, 426		12
51	Chromene stability: The most potent estrogenic compounds in White Kwao Krua (Pueraria candollei var mirifica) crude extract. **2015**, 19, 269-277		10
50	Enzyme-linked immunosorbent assay by enhanced chemiluminescence detection for the standardization of estrogenic miroestrol in Pueraria candollei Graham ex Benth. **2015**, 30, 568-75		14
49	A Root-Based Combination Supplement Containing Pueraria lobata and Rehmannia glutinosa and Exercise Preserve Bone Mass in Ovariectomized Rats Fed a High-Fat Diet. **2015**, 97, 624-33		13
48	Bio-refinery of orange peels waste: a new concept based on integrated green and solvent free extraction processes using ultrasound and microwave techniques to obtain essential oil, polyphenols and pectin. **2015**, 24, 72-9		241
47	Neurotherapeutic Effects of Pueraria mirifica Extract in Early- and Late-Stage Cognitive Impaired Rats. **2016**, 30, 929-39		13
46	Evaluation of in vivo estrogenic potency of natural estrogen-active chemical, puerarin, on pituitary function in gonadectomized female rats. **2016**, 165, 75-82		7
45	A lateral flow colloidal gold-based immunoassay for rapid detection of miroestrol in samples of White Kwao Krua, a phytoestrogen-rich plant. **2017**, 71, 659-664		6
44	Are all phytochemicals useful in the preventing of DNA damage?. **2017**, 109, 210-217		18
43	The antioxidant, cytotoxic, and antigenotoxic effects of galangin, puerarin, and ursolic acid in mammalian cells. **2017**, 40, 256-262		30
42	Simultaneous Determination of Daidzein, Genistein and Formononetin in Coffee by Capillary Zone Electrophoresis. **2017**, 4, 1		22
41	The Effects and Possible Mechanisms of Puerarin to Treat Uterine Fibrosis Induced by Ischemia-Reperfusion Injury in Rats. **2017**, 23, 3404-3411		4
40	Role of Oxidative Stress in Diabetic Retinopathy and the Beneficial Effects of Flavonoids. **2018**, 24, 2180-2187		16

39	A Phytoestrogen Puerarin and Its Health Effects. **2018**, 425-431	
38	DEVELOPMENT OF ANTI-WRINKLE CREAM FROM PUERARIA CANDOLLEI VAR. MIRIFICA (AIRY SHAW AND SUVAT.) NIYOMDHAM, KWAO KRUA KAO FOR MENOPAUSAL WOMEN. **2018**, 10, 16	1
37	Analysis of Extraction Kinetics of Bioactive Compounds from Spent Coffee Grounds (Coffea arabica). **2018**, 9, 2381-2389	15
36	Optimizing Pueraria candollei var. mirifica cell suspension culture for prolonged maintenance and decreased variation of isoflavonoid from single cell lines. **2018**, 134, 433-443	6
35	Development of a colloidal gold nanoparticle-based immunochromatographic strip for the one-step detection of miroestrol and puerarin. **2018**, 32, e4330	5
34	Effects of puerarin on estrogen-regulated gene expression in gonadotropin-releasing hormone pulse generator of ovariectomized rats. **2018**, 135, 54-62	3
33	Investigation of the protection efficacy of Thai medicinal plants on irradiation-induced plasmid DNA damage. **2019**, 1285, 012009	
32	The effects of Pueraria mirifica extract, diadzein and genistein in testosterone-induced prostate hyperplasia in male Sprague Dawley rats. **2019**, 46, 1855-1871	2
31	Green, infrared-assisted extraction based on statistical modeling for ultra-high performance liquid chromatography determination of bioactive isoflavones from Puerariae Lobatae. **2019**, 2, 216-224	1
30	Comparison of Organosulfur Bioactive Compounds in Bulb, Callus and Cells Suspension of Single Garlic (Allium sativum. L). **2019**, 391, 012039	
29	Transcriptome analysis of Pueraria candollei var. mirifica for gene discovery in the biosyntheses of isoflavones and miroestrol. **2019**, 19, 581	7
28	Evaluation of white Kwao Krua (Pueraria candollei Grah. ex Benth.) products sold in Thailand by molecular, chemical, and microscopic analyses. **2020**, 74, 106-118	5
27	The Deoxymiroestrol and Isoflavonoid Production and Their Elicitation of Cell Suspension Cultures of Pueraria candollei var. mirifica: from Shake Flask to Bioreactor. **2020**, 190, 57-72	8
26	Structural characterization and immunomodulatory activity of a novel polysaccharide from Pueraria lobata (Willd.) Ohwi root. **2020**, 154, 1556-1564	26
25	Product enhancement of triterpenoid saponins in cell suspension cultures of Leucas aspera Spreng. **2020**, 156, 112857	11
24	Daily White kwao krua dietary supplement alleviates LDL oxidative susceptibility, plasma LDL level and improves vasculature in a hypercholesterolemia rabbit model. **2020**, 10, 496-503	2
23	Molecular Mechanisms of Anticancer Activities of Puerarin. **2020**, 12, 79-90	20
22	The potential health benefits of the isoflavone glycoside genistin. **2020**, 43, 395-408	17

21	Elicitation of Pueraria candollei var. mirifica suspension cells promises antioxidant potential, implying antiaging activity. **2021**, 145, 29-41		6
20	Elicitors as a Biotechnological Tool for In Vitro Production of Bioactive Phenolic Compounds. **2021**, 195-226		1
19	Effects of var (Airy Shaw and Suvat.) Niyomdham on Ovariectomy-Induced Cognitive Impairment and Oxidative Stress in the Mouse Brain. **2021**, 26,		0
18	Cytoprotective Effect of Liposomal Puerarin on High Glucose-Induced Injury in Rat Mesangial Cells. **2021**, 10,		1
17	Simple preparation and analysis of a phytoestrogen-rich extract of Pueraria candollei var. mirifica and its in vitro estrogenic activity. **2021**, 29, 100463		1
16	Phytoestrogens and the intestinal microbiome. **2018**, 67, S401-S408		25
15	In vitro induction of hairy root from isoflavones-producing Korean wild arrowroot Pueraria lobata. **2012**, 39, 205-211		9
14	Isoflavones and biotransformed dihydrodaidzein in hairy roots of Korean wild arrowroot. **2016**, 43, 125-131		4
13	Isoflavones and biotransformed dihydrodaidzein production with in vitro cultured callus of Korean wild arrowroot Pueraria lobata. **2013**, 40, 217-223		1
12	Suggestions for Mountain Village Development based on the Status of Arrowroot Production in Korea. **2015**, 19, 13-21		
11	Pueraria montana var. lobata. **2016**, 482-540		
10	Comparison of Extract Components and Saliva Secretion of Ixeridium dentatum and Pueraria lobata Ohwi. *Korean Journal of Food and Cookery Science*, **2018**, 34, 358-365	0.5	1
9	Bioconversion of glycosides isoflavones to aglycone isoflavones by Lactobacillus rhamnosus BHN-LAB 76 under anaerobic conditions. *Korean Journal of Food Preservation*, **2019**, 26, 148-156	0.5	1
8	Isoflavones Suppress Cyp26b1 Expression in the Murine Colonic Lamina Propria. *Biological and Pharmaceutical Bulletin*, **2020**, 43, 1945-1949	2.3	0
7	A New Highly Selective and Specific Anti-puerarin polyclonal Antibody for Determination of Puerarin Using a Mannich Reaction Hapten Conjugate. *Pharmacognosy Magazine*, **2018**, 13, S845-S851	0.8	1
6	Roles and mechanisms of puerarin on cardiovascular disease:A review.. *Biomedicine and Pharmacotherapy*, **2022**, 147, 112655	7.5	2
5	Trends in the biotechnological production of isoflavonoids in plant cell suspension cultures. *Phytochemistry Reviews*, 1	7.7	0
4	Improving the instant properties of kudzu powder by complexing with different chain-length fatty acids. **2022**, 167, 113821		

3	Daidzein Hydroxylation by CYP81E63 is involved in the Biosynthesis of Miroestrol in Pueraria mirifica.	0
2	Efficacy and safety of Pueraria lobata radix and Pueraria thomsonii radix for patients with mild dyslipidemia: A randomized, double-blind, placebo-controlled trial. **2022**, 98, 105284	0
1	Therapeutic potential of puerarin against cerebral diseases: From bench to bedside. **2023**, 175695	0