

CITATION REPORT

List of articles citing

Does a stable isotopically labeled internal standard always correct analyte response? A matrix effect study on a LC/MS/MS method for the determination of carvedilol enantiomers in human plasma

DOI: 10.1016/j.jpba.2006.08.010

Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 701-7.

Source: <https://exaly.com/paper-pdf/42735622/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
338	World Antimalarial Resistance Network (WARN) IV: clinical pharmacology. 2007 , 6, 122		42
337	Historical review of sample preparation for chromatographic bioanalysis: pros and cons. 2007 , 68, 107-133		94
336	Synthesis of isotopically labelled compounds at Schering-Plough, an historical perspective. 2007 , 50, 875-887		28
335	Current literature in mass spectrometry. 2007 , 42, 1111-1122		
334	Recent advances in high-throughput quantitative bioanalysis by LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 342-55	3.5	428
333	Single quadrupole mass spectrometry for pre-clinical pharmacokinetic analysis: quantitation of carvedilol in dog plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 665-8	3.2	8
332	Monitoring phospholipids for assessment of matrix effects in a liquid chromatography-tandem mass spectrometry method for hydrocodone and pseudoephedrine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 859, 84-93	3.2	64
331	Paradigms in isotope dilution mass spectrometry for elemental speciation analysis. 2008 , 607, 115-25		71
330	Mixed-mode stationary phases as a complementary selectivity concept in liquid chromatography-tandem mass spectrometry-based bioanalytical assays. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 263-6	4.4	45
329	Development and validation of a liquid chromatographic-tandem mass spectrometric method for determination of piperazine in plasma stable isotope labeled internal standard does not always compensate for matrix effects. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 862, 227-36	3.2	127
328	Major pitfalls in the measurement of artemisinin derivatives in plasma in clinical studies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 876, 54-60	3.2	49
327	HPLC analysis, isolation and identification of a new degradation product in carvedilol tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 70-7	3.5	15
326	Measurement of Acetylcholine in Rat Brain Microdialysates by LC - Isotope Dilution Tandem MS. 2008 , 68, s101-s105		30
325	Quantitative Bioanalysis in Drug Discovery and Development: Principles and Applications. 2008 , 87-121		3
324	. 2008 ,		1
323	Quantification of polar drugs in human plasma with liquid chromatography-tandem mass spectrometry. 2009 , 1, 187-203		11
322	Ion suppression and cannulation locking solutions. 2009 , 1, 523-8		1

321	How to decrease ion suppression in a multiresidue determination of beta-agonists in animal liver and urine by liquid chromatography-mass spectrometry with ion-trap detector. 2009 , 637, 193-5		39
320	A high-throughput LC-MS/MS method for the quantitation of posaconazole in human plasma: Implementing fused core silica liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 46-52	3.5	48
319	A novel strategy for reducing phospholipids-based matrix effect in LC-ESI-MS bioanalysis by means of HybridSPE. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 867-71	3.5	121
318	Importance of using highly pure internal standards for successful liquid chromatography/tandem mass spectrometric bioanalytical assays. 2009 , 23, 1287-97		24
317	Determination of o,oEDDHA - a xenobiotic chelating agent used in Fe fertilizers - in plant tissues by liquid chromatography/electrospray mass spectrometry: overcoming matrix effects. 2009 , 23, 1694-702		8
316	A method for monitoring and controlling reproducibility of intensity data in complex electrospray mass spectra: a thermometer ion-based strategy. 2009 , 20, 398-410		15
315	Development and validation of an LC-MS/MS method for quantification of cyclic guanosine 3',5'-bisphosphate (cGMP) in clinical applications: a comparison with a EIA method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 513-20	3.2	22
314	Validation of bioanalytical LC-MS/MS assays: evaluation of matrix effects. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2198-207	3.2	579
313	Overcoming ionization effects through chromatography: a case study for the ESI-LC-MS/MS quantitation of a hydrophobic therapeutic agent in human serum using a stable-label internal standard. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2003-10	3.2	20
312	Internal standard response variations during incurred sample analysis by LC-MS/MS: Case by case trouble-shooting. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 3201-9	3.2	58
311	Combating matrix effects in LC/ESI/MS: the extrapolative dilution approach. 2009 , 651, 75-80		86
310	Compensation of matrix effects by postcolumn infusion of a monitor substance in multiresidue analysis with LC-MS/MS. 2009 , 81, 2185-92		117
309	Matrix effect elimination during LC-MS/MS bioanalytical method development. 2009 , 1, 1243-57		102
308	Generic approach to validation of small-molecule LC-MS/MS biomarker assays. 2009 , 1, 1365-74		54
307	Quantification of trace elements in natural samples by electrospray ionization mass spectrometry with a size-exclusion column based on the formation of metal-aminopolycarboxylate complexes. 2009 , 81, 6357-63		16
306	A single LC-tandem mass spectrometry method for the simultaneous determination of 14 antimalarial drugs and their metabolites in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 867-86	3.2	80
305	A rapid and sensitive LC-MS/MS method for determination of fluconazole in human plasma and its application in infants with <i>Candida</i> infections. 2009 , 31, 703-9		25
304	Quantification of antiretroviral drugs for HIV-1 in the male genital tract: current data, limitations and implications for laboratory analysis. 2007 , 59, 1451-62		6

303	Multitarget quantitative metabolic profiling of hydrophilic metabolites in fermentation broths of β -lactam antibiotics production by HILIC-ESI-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1655-79	4.4	51
302	Ultra-performance liquid chromatography-tandem mass spectrometry (UPLC-MS/MS) for the sensitive determination of folates in rice. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 509-13	3.2	45
301	Pd- and Pt-catalyzed H/D exchange methods and their application for internal MS standard preparation from a Sanofi-Aventis perspective. 2010 , 53, 674-685		97
300	Confirmatory analysis of buprenorphine, norbuprenorphine, and glucuronide metabolites in plasma by LCMSMS. Application to umbilical cord plasma from buprenorphine-maintained pregnant women. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 1003-6	3.2	20
299	An analytical method for the measurement of acid metabolites of tryptophan-NAD pathway and related acids in urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 1003-6	3.2	16
298	Development and validation of a method for the detection and confirmation of biomarkers of exposure in human urine by means of restricted access material-liquid chromatography-tandem mass spectrometry. 2010 , 1217, 40-8		12
297	Advance of Peptide Detectability Prediction on Mass Spectrometry Platform in Proteomics. <i>Chinese Journal of Analytical Chemistry</i> , 2010 , 38, 286-292	1.6	5
296	Comparison of analytical approaches for liquid chromatography/mass spectrometry determination of the alcohol biomarker ethyl glucuronide in urine. 2010 , 24, 1737-43		27
295	Immunsuppressiva-Medikamentenspiegelmessung [eine Routine? / Immunosuppressant drug monitoring: a routine undertaking?]. 2010 , 34, 117-128		0
294	Immunosuppressant drug monitoring [a routine undertaking?]. 2010 , 34, -		
293	Method Development for Preclinical Bioanalytical Support. 2010 , 1		
292	A review of the analysis of tobacco-specific nitrosamines in biological matrices. 2010 , 40, 305-27		27
291	Competitiveness of Bioanalytical Laboratories [Technical and Regulatory Perspectives. 2010 , 229-296		
290	Critical topics in ensuring data quality in bioanalytical LC-MS method development. 2010 , 2, 1051-72		42
289	HANDLING DRAWBACKS OF MASS SPECTROMETRIC DETECTION COUPLED TO LIQUID CHROMATOGRAPHY IN BIOANALYSIS. 2010 , 33, 1255-1286		11
288	Identifying, evaluating, and controlling bioanalytical risks resulting from nonuniform matrix ion suppression/enhancement and nonlinear liquid chromatography-mass spectrometry assay response. 2010 , 82, 9671-7		46
287	High-throughput simultaneous analysis of five urinary metabolites of areca nut and tobacco alkaloids by isotope-dilution liquid chromatography-tandem mass spectrometry with on-line solid-phase extraction. 2010 , 19, 2570-81		34
286	Investigation of the effects of 24 bio-matrices [the LC-MS/MS analysis of morinidazole. <i>Talanta</i> , 2010 , 80, 1406-12	6.2	11

285	Pitfalls associated with the use of liquid chromatography-tandem mass spectrometry in the clinical laboratory. 2010 , 56, 1234-44		232
284	MATRIX EFFECTS IN LIQUID CHROMATOGRAPHY-MASS SPECTROMETRY. 2010 , 33, 1067-1081		50
283	Analytical methods used in conjunction with dried blood spots. 2011 , 3, 1709		42
282	Challenges and benefits of endogenous steroid analysis by LC-MS/MS. 2011 , 3, 2549-72		32
281	Chemometric strategies for enhancing the chromatographic methodologies with second-order data analysis of compounds when peaks are overlapped. <i>Talanta</i> , 2011 , 83, 1098-107	6.2	53
280	Assessment of sample cleanup and matrix effects in the pesticide residue analysis of foods using postcolumn infusion in liquid chromatography-tandem mass spectrometry. 2011 , 1218, 8399-410		76
279	^{13}C labelled internal standards--a solution to minimize ion suppression effects in liquid chromatography-tandem mass spectrometry analyses of drugs in biological samples?. 2011 , 1218, 9366-74		113
278	International Guidelines for Bioanalytical Method Validation: A Comparison and Discussion on Current Scenario. 2011 , 73, 201-217		51
277	Development and validation of a sensitive, simple, and rapid method for simultaneous quantitation of atorvastatin and its acid and lactone metabolites by liquid chromatography-tandem mass spectrometry (LC-MS/MS). <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 423-33	4.4	38
276	Matrix matching in liquid chromatography-mass spectrometry with stable isotope labelled internal standards--is it necessary?. 2011 , 1218, 359-61		133
275	Accounting for matrix effects of pesticide residue liquid chromatography/electrospray ionisation mass spectrometric determination by treatment of background mass spectra with chemometric tools. 2011 , 25, 1159-68		17
274	Simultaneous determination of 13 phytohormones in oilseed rape tissues by liquid chromatography-electrospray tandem mass spectrometry and the evaluation of the matrix effect. 2011 , 34, 640-50		49
273	Evaluation of matrix effects in analysis of estrogen using liquid chromatography-tandem mass spectrometry. 2011 , 34, 1781-7		25
272	An overview of matrix effects in liquid chromatography-mass spectrometry. 2011 , 30, 491-509		508
271	Enhancement of the capabilities of liquid chromatography-mass spectrometry with derivatization: general principles and applications. 2011 , 30, 1143-72		121
270	LC-MS in analytical toxicology: some practical considerations. <i>Biomedical Chromatography</i> , 2011 , 25, 100-23		45
269	The use of human plasma as matrix for calibration standards in pre-clinical LC-MS/MS methods--a way to reduce animal use. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 826-9	3.5	8
268	Direct Biofluid Analysis Systems. 2012 , 1		1

267	- HPLC Determination of Carbohydrates in Foods. 2012 , 250-269		2
266	Fast, extraction-free analysis of chlorinated phenols in well water by high-performance liquid chromatography-tandem mass spectrometry. 2012 , 1263, 68-73		15
265	Internal Standards for Quantitative LC-MS Bioanalysis. 2012 , 1-32		8
264	Pitfalls of LC-MS/MS in the Clinical Laboratory. 2012 , 109-126		4
263	A validated enantioselective LC-MS/MS assay for the simultaneous determination of carvedilol and its pharmacologically active 4Hydroxyphenyl metabolite in human plasma: application to a clinical pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 574-9	3.5	21
262	Reduction of matrix effects in liquid chromatography-electrospray ionization-mass spectrometry by dilution of the sample extracts: how much dilution is needed?. 2012 , 84, 1474-82		237
261	Binary fluororous alkylation of biogenic primary amines with perfluorinated aldehyde followed by fluororous liquid chromatography-tandem mass spectrometry analysis. 2012 , 84, 8407-14		28
260	Systematic evaluation of supported liquid extraction in reducing matrix effect and improving extraction efficiency in LC-MS/MS based bioanalysis for 10 model pharmaceutical compounds. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 891-892, 71-80	3.2	68
259	Matrix effect marker for multianalyte analysis by LC-MS/MS in biological samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 901, 98-106	3.2	22
258	Analytical Techniques used in Therapeutic Drug Monitoring. 2012 , 49-73		4
257	Highly sensitive fast determination of entecavir in rat urine by means of hydrophilic interaction chromatography-ultra-high-performance liquid chromatography-tandem mass spectrometry. 2012 , 1259, 237-43		19
256	Analytical bias between species caused by matrix effects in quantitative analysis of a small-molecule pharmaceutical candidate in plasma. 2012 , 4, 675-84		4
255	Analysis of Illicit Drugs in Human Biological Samples by LC-MSn. 2012 , 349-398		2
254	Principles and Applications of LC-MS/MS for the Quantitative Bioanalysis of Analytes in Various Biological Samples. 2012 ,		12
253	Identifying and Overcoming Matrix Effects in Drug Discovery and Development. 2012 ,		6
252	MRM-based multiplexed quantitation of 67 putative cardiovascular disease biomarkers in human plasma. 2012 , 12, 1222-43		179
251	Investigation of absolute and relative response for three different liquid chromatography/tandem mass spectrometry systems; the impact of ionization and detection saturation. 2012 , 26, 1399-406		17
250	Internal standard strategies for relative and absolute quantitation of peptides in biological matrices by liquid chromatography tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2012 , 26, 881-91	1.7	19

249	Analysis of carvedilol enantiomers in human plasma using chiral stationary phase column and liquid chromatography with tandem mass spectrometry. 2012 , 24, 209-14		11
248	Aspects of matrix effects in applications of liquid chromatography-mass spectrometry to forensic and clinical toxicology--a review. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 2155-72	4.4	115
247	Capture of the volatile carbonyl metabolite of flecainide on 2,4-dinitrophenylhydrazine cartridge for quantitation by stable-isotope dilution mass spectrometry coupled with chromatography. 2012 , 1232, 281-7		17
246	A simple assay for the simultaneous determination of rosuvastatin acid, rosuvastatin-5S-lactone, and N-desmethyl rosuvastatin in human plasma using liquid chromatography-tandem mass spectrometry (LC-MS/MS). <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1217-27	4.4	29
245	Conditions for the optimal analysis of volatile organic compounds in air with sorbent tube sampling and liquid standard calibration: demonstration of solvent effect. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 8397-408	4.4	17
244	Separation of dansylated 17 β -estradiol, 17 α -estradiol, and estrone on a single HPLC column for simultaneous quantitation by LC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3399-406	4.4	28
243	Comparison of solvent extraction and thermal desorption methods for determination of volatile polyfluorinated alkyl substances in the urban atmosphere. 2013 , 5, 3410		3
242	A high-throughput multi-class liquid chromatography tandem mass spectrometry method for quantitative determination of licit and illicit drugs in whole blood. 2013 , 5, 3185		17
241	Development of isotope dilution-liquid chromatography tandem mass spectrometry for the accurate determination of fluoroquinolones in animal meat products: optimization of chromatographic separation for eliminating matrix effects on isotope ratio measurements. 2013 , 1277, 35-41		32
240	Determination of methylphenidate in plasma and saliva by liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 923-924, 22-8	3.2	19
239	Quantitative mass spectrometry-based assay development and validation: from small molecules to proteins. 2013 , 46, 444-55		22
238	Capillary electrophoresis-mass spectrometry for direct determination of urinary modified nucleosides. Evaluation of synthetic urine as a surrogate matrix for quantitative analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 942-943, 21-30	3.2	20
237	Best Practices in Biological Sample Preparation for LC-MS Bioanalysis. 2013 , 165-184		6
236	Use of Internal Standards in LC-MS Bioanalysis. 2013 , 217-227		14
235	Determination of mycotoxins in milk-based products and infant formula using stable isotope dilution assay and liquid chromatography tandem mass spectrometry. 2013 , 61, 6265-73		41
234	Evaluation and Elimination of Matrix Effects in LC-MS Bioanalysis. 2013 , 249-258		2
233	LC-MS Bioanalysis of Chiral Compounds. 2013 , 519-534		
232	Case studies: the impact of nonanalyte components on LC-MS/MS-based bioanalysis: strategies for identifying and overcoming matrix effects. 2013 , 5, 2409-41		22

231	Matrix effects in the simultaneous determination of fenicol antibiotics in swine muscle and casings by ultra performance liquid chromatography-tandem mass spectrometry. 2013 , 5, 5662		8
230	Simple enrichment and analysis of plasma lysophosphatidic acids. 2013 , 138, 6852-9		11
229	Simultaneous quantitation of 3-n-butylphthalide (NBP) and its four major metabolites in human plasma by LC-MS/MS using deuterated internal standards. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 78-79, 19-26	3.5	42
228	Simultaneous determination of pregnenolone sulphate, dehydroepiandrosterone and allopregnanolone in rat brain areas by liquid chromatography-electrospray tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 939-940, 123-30	3.2	16
227	Overcoming matrix effects in electrospray: quantitation of μ -agonists in complex matrices by isotope dilution liquid chromatography-mass spectrometry using singly (¹³ C)-labeled analogues. 2013 , 1288, 40-7		43
226	Ion suppression; a critical review on causes, evaluation, prevention and applications. <i>Talanta</i> , 2013 , 115, 104-22	6.2	282
225	Challenges in the development of bioanalytical liquid chromatography-mass spectrometry method with emphasis on fast analysis. 2013 , 1292, 25-37		91
224	UPLC-MS/MS assay for the simultaneous quantification of carvedilol and its active metabolite 4Hydroxyphenyl carvedilol in human plasma to support a bioequivalence study in healthy volunteers. <i>Biomedical Chromatography</i> , 2013 , 27, 974-86	1.7	16
223	Comparison of different methods aiming to account for/overcome matrix effects in LC/ESI/MS on the example of pesticide analyses. 2013 , 5, 3035		39
222	A liquid chromatography method with single quadrupole mass spectrometry for quantitative determination of indomethacin in maternal plasma and urine of pregnant patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 78-79, 123-8	3.5	8
221	Investigation of endogenous blood lipids components that contribute to matrix effects in dried blood spot samples by liquid chromatography-tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2013 , 5, 710-5	3.5	11
220	Development of a simple, fast, and accurate method for the direct quantification of selective estrogen receptor modulators using stable isotope dilution mass spectrometry. 2013 , 61, 7028-37		4
219	Quantitative measurements of small molecule mixtures using laser electrospray mass spectrometry. 2013 , 85, 3629-37		19
218	Matrix effects in the determination of μ -receptor agonists in animal-derived foodstuffs by ultra-performance liquid chromatography tandem mass spectrometry with immunoaffinity solid-phase extraction. 2013 , 36, 796-802		11
217	Quantification of aconitine in post-mortem specimens by validated liquid chromatography-tandem mass spectrometry method: three case reports on fatal Monkshood poisoning. <i>Drug Testing and Analysis</i> , 2013 , 5, 753-62	3.5	11
216	Hybrid stationary phases: the answer to all of your matrix effect problems?. 2013 , 5, 2735-7		3
215	Multiteroid LC-MS/MS assay for glucocorticoids and androgens, and its application in Addison's disease. 2013 , 2, 125-136		53
214	A computational drug metabolite detection using the stable isotopic mass-shift filtering with high resolution mass spectrometry in pioglitazone and flurbiprofen. 2013 , 14, 19716-30		3

213	Target analyte quantification by isotope dilution LC-MS/MS directly referring to internal standard concentrations--validation for serum cortisol measurement. 2013 , 51, 833-7		5
212	Determination of the stress biomarker corticosterone in serum of tumor-bearing mice by surrogate-based liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2013 , 27, 1639-46	1.7	6
211	Methods for urine drug testing using one-step dilution and direct injection in combination with LC-MS/MS and LC-HRMS. 2014 , 6, 2229-44		24
210	A high efficiency, high quality and low cost internal regulated bioanalytical laboratory to support drug development needs. 2014 , 6, 1295-309		3
209	Simultaneous determination of seven β -agonists in human and bovine urine by isotope dilution liquid chromatography-tandem mass spectrometry using compound-specific minimally C-labelled analogues. 2014 , 1372C, 63-71		11
208	Bioanalytical method validation and bioanalysis in regulated settings. 2014 , 325-363		1
207	Mechanism of error caused by isotope-labeled internal standard: accurate method for simultaneous measurement of vitamin D and pre-vitamin D by liquid chromatography/tandem mass spectrometry. 2014 , 28, 2101-10		6
206	Alleviation of ion suppression effect in sonic spray ionization with induced alternating current voltage. 2014 , 49, 639-45		14
205	Stable isotopic internal standard correction for quantitative analysis of hydroxyeicosatetraenoic acids (HETEs) in serum by on-line SPE-LC-MS/MS in selected reaction monitoring mode. <i>Talanta</i> , 2014 , 126, 170-6	6.2	8
204	Evaluation of ^{13}C - and ^2H -labeled internal standards for the determination of amphetamines in biological samples, by reversed-phase ultra-high performance liquid chromatography-tandem mass spectrometry. 2014 , 1344, 83-90		30
203	Solid-phase extraction based on hydrophilic interaction liquid chromatography with acetone as eluent for eliminating matrix effects in the analysis of biological fluids by LC-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 401-7	4.4	24
202	Quantitative amino acid profiling and stable isotopically labeled amino acid tracer enrichment used for in vivo human systemic and tissue kinetics measurements. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 951-952, 69-77	3.2	27
201	Synthesis of $[^{13}\text{C}_6]$ -labelled phenethylamine derivatives for drug quantification in biological samples. 2014 , 57, 378-87		6
200	LC-MS/MS in the routine clinical laboratory: has its time come?. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 2289-301	4.4	52
199	Glucose and glycerol concentrations and their tracer enrichment measurements using liquid chromatography tandem mass spectrometry. 2014 , 49, 980-8		36
198	Recent advances in sample preparation techniques to overcome difficulties encountered during quantitative analysis of small molecules from biofluids using LC-MS/MS. 2014 , 139, 2265-76		172
197	FDA Bioequivalence Standards. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2014 ,	0.5	9
196	Determination of exogenous epigallocatechin gallate peracetate in mouse plasma using liquid chromatography with quadrupole time-of-flight mass spectrometry. 2014 , 37, 3473-80		2

195	QUANTIFICATION OF AMINO ACIDS IN RAT URINE BY SOLID-PHASE EXTRACTION AND LIQUID CHROMATOGRAPHY/ELECTROSPRAY TANDEM MASS SPECTROMETRY: APPLICATION TO RADIATION INJURY RAT MODEL. 2014 , 37, 951-973		9
194	Matrix effect and methods for its elimination in bioanalytical methods using chromatography-mass spectrometry. 2014 , 69, 311-317		22
193	Application of screening experimental designs to assess chromatographic isotope effect upon isotope-coded derivatization for quantitative liquid chromatography-mass spectrometry. 2014 , 86, 7033-40		23
192	Enantioselective and sensitive determination of carvedilol in human plasma using chiral stationary-phase column and reverse-phase liquid chromatography with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 960, 92-7	3.2	8
191	Do deuterium labeled internal standards correct for matrix effects in LC-MS/MS assays? A case study using plasma free metanephrine and normetanephrine. 2014 , 429, 4-5		7
190	Comparative method validation for closantel determination in cattle and sheep milk according to European Union Volume 8 and Veterinary International Conference on Harmonization guidelines. 2014 , 1353, 106-13		7
189	Using a postcolumn-infused internal standard for correcting the matrix effects of urine specimens in liquid chromatography-electrospray ionization mass spectrometry. 2014 , 1327, 97-104		20
188	Dissecting the insect metabolic machinery using twin ion mass spectrometry: a single P450 enzyme metabolizing the insecticide imidacloprid in vivo. 2014 , 86, 3525-32		40
187	Detection by HPLC and structural characterization by NMR and MS of a natural deuterium isotopologue of ulipristal acetate. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 98, 279-86	3.5	4
186	Synthesis of [¹³ C ₄]-labeled β -tetrahydrocannabinol and 11-nor-9-carboxy- β -tetrahydrocannabinol as internal standards for reducing ion suppressing/alteration effects in LC/MS-MS quantification. 2014 , 19, 13526-40		1
185	Theory and Instrumentation of Mass Spectrometry and its Application to Drug Metabolism. 2014 , 1-25		
184	Electrospray ionization mass spectrometry for the quantification of inorganic cations and anions. 2015 , 31, 7-14		9
183	Phospholipids-based matrix effect elimination techniques. 2015 , 40-51		
182	Economical synthesis of ¹³ C-labeled opiates, cocaine derivatives and selected urinary metabolites by derivatization of the natural products. 2015 , 20, 5329-45		3
181	Matrix Effect Compensation in Small-Molecule Profiling for an LC-TOF Platform Using Multicomponent Postcolumn Infusion. 2015 , 87, 5921-9		17
180	Variations in GCMS Response Between Analytes and Deuterated Analogs. 2015 , 78, 251-258		6
179	New and vintage solutions to enhance the plasma metabolome coverage by LC-ESI-MS untargeted metabolomics: the not-so-simple process of method performance evaluation. 2015 , 87, 2639-47		31
178	Effect of sample dilution on matrix effects in pesticide analysis of several matrices by liquid chromatography-high-resolution mass spectrometry. 2015 , 63, 5169-77		43

177	Multi-class mycotoxins analysis in <i>Angelica sinensis</i> by ultra fast liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 175-81	3.2	24
176	Determination of geniposide in adjuvant arthritis rat plasma by ultra-high performance liquid chromatography tandem mass spectrometry method and its application to oral bioavailability and plasma protein binding ability studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 108, 122-8	3.5	19
175	PK study of octreotide based on LC-MS/MS combining protein precipitation and impurity extraction technique. 2015 , 7, 885-94		8
174	Quantitative hydrophilic interaction chromatography-mass spectrometry analysis of N-acetylneuraminic acid and N-acetylmannosamine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1000, 105-11	3.2	16
173	Making methods rugged for regulated bioanalysis. 2015 , 7, 833-52		4
172	Liquid Chromatography-Mass Spectrometry: Quantification and Confirmation Aspects. 2015 , 347-377		2
171	Biomonitoring of human exposures to chlorinated derivatives and structural analogs of bisphenol A. 2015 , 85, 352-79		74
170	Ultra high performance supercritical fluid chromatography coupled with tandem mass spectrometry for screening of doping agents. II: Analysis of biological samples. 2015 , 853, 647-659		78
169	Two-dimensional heart-cut LC-LC improves accuracy of exact-matching double isotope dilution mass spectrometry measurements of aflatoxin B1 in cereal-based baby food, maize, and maize-based feed. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 3159-67	4.4	19
168	Determination of pharmaceuticals in sewage sludge and biochar from hydrothermal carbonization using different quantification approaches and matrix effect studies. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 821-30	4.4	23
167	Mass Spectrometry, Review of the Basics: Ionization. 2015 , 50, 158-175		81
166	Simultaneous determination of paeoniflorin-6?-O-benzene sulfonate (CP-25) and its active paeoniflorin (Pae) metabolite in rat plasma using UPLC-MS/MS: an application for pharmacokinetic studies. 2016 , 6, 113209-113218		4
165	A multiplexed targeted assay for high-throughput quantitative analysis of serum methylamines by ultra performance liquid chromatography coupled to high resolution mass spectrometry. 2016 , 597, 12-20		11
164	Definitive Drug and Metabolite Screening in Urine by UPLC-MS-MS Using a Novel Calibration Technique. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 628-638	2.9	7
163	A versatile UHPLC-MS/MS method for simultaneous quantification of various alcohol intake related compounds in human urine and blood. 2016 , 8, 6865-6871		4
162	A simple, effective approach for rapid development of high-throughput and reliable LC-MS/MS bioanalytical assays. 2016 , 8, 1809-22		12
161	Comparison of simple extraction procedures in liquid chromatography-mass spectrometry based determination of serum 7?-hydroxy-4-cholesten-3-one, a surrogate marker of bile acid synthesis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1033-1034, 317-320	3.2	10
160	Training in metabolomics research. I. Designing the experiment, collecting and extracting samples and generating metabolomics data. 2016 , 51, 461-75		45

159	Study on diffusion behavior of analyte in an electrospray ionization source. 2016 , 30 Suppl 1, 34-7		
158	A validated enantioselective LC-MS/MS assay for quantification of a major chiral metabolite of an achiral 11- β -hydroxysteroid-dehydrogenase 1 inhibitor in human plasma: Application to a clinical pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1022, 167-172	3.2	2
157	Synthesis of 3β -deuterated 7β -hydroxy-DHEA and 7-oxo-DHEA and application in LC-MS/MS plasma analysis. 2016 , 112, 88-94		6
156	Isotope Inversion Experiment evaluating the suitability of calibration in surrogate matrix for quantification via LC-MS/MS-Exemplary application for a steroid multi-method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 124, 309-318	3.5	9
155	Improved Pretreatment Method for Determination of Nisins A and Z and Monitoring in Cheese Using Liquid Chromatography-Tandem Mass Spectrometry. 2016 , 9, 122-130		4
154	Comparative assessment of bioanalytical method validation guidelines for pharmaceutical industry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 126, 83-97	3.5	82
153	Development and validation of a liquid chromatography-tandem mass spectrometric assay for quantitative analyses of triptans in hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1017-1018, 136-144	3.2	7
152	Elevated urinary levels of carcinogenic N-nitrosamines in patients with urinary tract infections measured by isotope dilution online SPE LC-MS/MS. 2016 , 310, 207-16		12
151	Quantitation of the enantiomers of tramadol and its three main metabolites in human whole blood using LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 119, 1-9	3.5	11
150	Development and validation of an LC-MS/MS method for the determination of SB-505124 in rat plasma: Application to pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 205-9	3.5	4
149	The effects of isotope-labeled analogs on the LC-IDMS measurement by comparison of ESI responses and matrix effect of melamine, C-melamine, C+N-melamine, and N-melamine. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 3233-3243	4.4	6
148	Liquid Chromatography/Mass Spectrometry. 2017 , 218-257		
147	Simultaneous quantification of busulfan, clofarabine and F-ARA-A using isotope labelled standards and standard addition in plasma by LC-MS/MS for exposure monitoring in hematopoietic cell transplantation conditioning. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1055-1056, 81-85	3.2	19
146	Development of isotope dilution-liquid chromatography/tandem mass spectrometry for the accurate determination of trans- and cis-vitamin K isomers in infant formula. <i>Food Chemistry</i> , 2017 , 221, 729-736	8.5	14
145	Evaluation and application of a targeted SPE-LC-MS method for quantifying plant hormones and phenolics in Arabidopsis. 2017 , 44, 624-634		3
144	Is a deuterated internal standard appropriate for the reliable determination of olmesartan in human plasma?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1040, 53-59	3.2	6
143	Development and validation of a liquid chromatography tandem mass spectrometry assay for the measurement of faecal metronidazole. 2017 , 50, 323-330		8
142	Exact Matrix-matching Calibration by Standard Addition-Isotope Dilution-Liquid Chromatography/Mass Spectrometry for the Accurate Determination of Chloramphenicol in Infant Formula. 2017 , 38, 904-910		2

141	Matrix effect management in liquid chromatography mass spectrometry: the internal standard normalized matrix effect. 2017 , 9, 1093-1105		45
140	Matrix-effect free quantitative liquid chromatography mass spectrometry analysis in complex matrices using nanoflow LC with integrated emitter tip and high dilution factors. 2017 , 1519, 110-120		13
139	Overcome the Endogenous Levels in Biomarker Quantitation Using LCMS. 2017 , 107-117		1
138	Sample Preparation Methods for Targeted Biomarker Quantification by LC-MS. 2017 , 79-106		2
137	Efficient molecularly imprinted polymer as a pipette-tip solid-phase sorbent for determination of carvedilol enantiomers in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1061-1062, 399-410	3.2	32
136	Fast analysis of quaternary ammonium pesticides in food and beverages using cation-exchange chromatography coupled with isotope-dilution high-resolution mass spectrometry. 2017 , 40, 3928-3937		15
135	Standardized Procedure for the Simultaneous Determination of the Matrix Effect, Recovery, Process Efficiency, and Internal Standard Association. 2017 , 89, 7560-7568		28
134	Sample preparation techniques for mass spectrometry in the clinical laboratory. 2017 , 37-62		1
133	Hormonal profiling: Development of a simple method to extract and quantify phytohormones in complex matrices by UHPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1040, 239-249	3.2	18
132	Overview of Multiresidues Analytical Methods for the Quantitation of Pharmaceuticals in Environmental Solid Matrixes: Comparison of Analytical Development Strategy for Sewage Sludge, Manure, Soil, and Sediment Samples. 2017 , 89, 453-465		16
131	Hazards in chromatographic bioanalysis method development and applications. <i>Biomedical Chromatography</i> , 2017 , 31, e3859	1.7	6
130	Hyphenated Detectors: Mass Spectrometry. 2017 , 213-244		2
129	Development and validation of an LC-ESI-MS/MS method for the quantification of D-84, reboxetine and citalopram for their use in MS Binding Assays addressing the monoamine transporters hDAT, hSERT and hNET. <i>Biomedical Chromatography</i> , 2018 , 32, e4231	1.7	3
128	Systematic evaluation of matrix effects in supercritical fluid chromatography versus liquid chromatography coupled to mass spectrometry for biological samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1079, 51-61	3.2	31
127	Temporal and spatial variation in pharmaceutical concentrations in an urban river system. 2018 , 137, 72-85		87
126	A review of the pharmaceutical exposome in aquatic fauna. 2018 , 239, 129-146		123
125	Dilute-and-shoot coupled to nanoflow liquid chromatography high resolution mass spectrometry for the determination of drugs of abuse and sport drugs in human urine. <i>Talanta</i> , 2018 , 182, 218-224	6.2	14
124	Enhancement and Suppression of Ionization in Drug Analysis Using HPLC-MS/MS in Support of Therapeutic Drug Monitoring: A Review of Current Knowledge of Its Minimization and Assessment. 2018 , 40, 1-8		25

123	Post-column infusion of internal standard quantification for liquid chromatography-electrospray ionization-tandem mass spectrometry analysis - Pharmaceuticals in urine as example approach. 2018 , 1535, 80-87		7
122	How much separation for LC-MS/MS quantitative bioanalysis of drugs and metabolites?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1084, 23-35	3.2	6
121	Deuterium- und tritiummarkierte Verbindungen: Anwendungen in den modernen Biowissenschaften. <i>Angewandte Chemie</i> , 2018 , 130, 1774-1802	3.6	76
120	Aflatoxin exposure in Nigerian children with severe acute malnutrition. 2018 , 111, 356-362		57
119	Extraction protocol and liquid chromatography/tandem mass spectrometry method for determining micelle-entrapped paclitaxel at the cellular and subcellular levels: Application to a cellular uptake and distribution study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1072, 347-354	3.2	3
118	Deuterium- and Tritium-Labelled Compounds: Applications in the Life Sciences. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 1758-1784	16.4	281
117	Assessment of three SPE cleanup sorbents efficiencies for determining neonicotinoid insecticides and selected metabolites in honey bees and bee pollen. 2018 , 1, 627-635		
116	Development of an economic ultrafast liquid chromatography with tandem mass spectrometry method for trace analysis of multiclass mycotoxins in <i>Polygonum multiflorum</i> . 2019 , 42, 491-500		1
115	Analytical Considerations of Stable Isotope Labelling in Lipidomics. 2018 , 8,		15
114	Chirality and structure-selective MALDI using mold matrix. 2018 , 8, 13138		1
113	Towards measuring growth rates of pathogens during infections by D O-labeling lipidomics. 2018 , 32, 2129-2140		7
112	Mass Spectrometry. 2018 , 33-65		4
111	Fast and sensitive determination of 10 forbidden phthalates in perfumes by ultra-high performance liquid chromatography-electrospray ionization-tandem mass spectrometry. 2018 , 1578, 45-52		3
110	Selecting a Structural Analog as an Internal Standard for the Quantification of 6-Methylmercaptapurine by LC-MS/MS. <i>journal of applied laboratory medicine, The</i> , 2018 , 3, 384-396	2	3
109	Development and Validation of Small Molecule Analytes by Liquid Chromatography-Tandem Mass Spectrometry. 2018 , 115-179		5
108	An improved LC-MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. 2018 , 10, 1577-1590		3
107	Laboratory analysis of amino acids, 2018 revision: a technical standard of the American College of Medical Genetics and Genomics (ACMG). 2018 , 20, 1499-1507		8
106	Clinical Mass Spectrometry in the Bioinformatics Era: A Hitchhiker's Guide. 2018 , 16, 316-334		14

105	Standard Key Steps in Mass Spectrometry-Based Plant Metabolomics Experiments: Instrument Performance and Analytical Method Validation. <i>Methods in Molecular Biology</i> , 2018 , 1778, 19-31	1.4	3
104	Determination of cocaine, metabolites and a crack cocaine biomarker in whole blood by liquid-liquid extraction and UHPLC-MS/MS. 2018 , 289, 165-174		12
103	Simultaneous determination of free and total choline and l-carnitine in infant formula using hydrophilic interaction liquid chromatography with tandem mass spectrometry. 2018 , 41, 3176-3185		6
102	Evaluation at scale of microbiome-derived metabolites as biomarker of flavan-3-ol intake in epidemiological studies. 2018 , 8, 9859		30
101	Special Considerations for Liquid Chromatography-Tandem Mass Spectrometry Method Development. 2018 , 38, 539-551		4
100	Review of Chromatographic Bioanalytical Assays for the Quantitative Determination of Marine-Derived Drugs for Cancer Treatment. 2018 , 16,		10
99	Assessment of 83 pharmaceuticals in WWTP influent and effluent samples by UHPLC-MS/MS: Hourly variation. 2019 , 648, 582-600		93
98	¹ H quantitative NMR and UHPLC-MS analysis of seized MDMA/NPS mixtures and tablets from night-club venues. 2019 , 11, 4795-4807		11
97	Analysis of Potent Odour-Active Volatile Thiols in Foods and Beverages with a Focus on Wine. 2019 , 24,		16
96	Simultaneous Detection of 14 Microcystin Congeners from Tissue Samples Using UPLC- ESI-MS/MS and Two Different Deuterated Synthetic Microcystins as Internal Standards. 2019 , 11,		8
95	Letter to the Editor Concerning the Use of Internal Standards: Are We Now Relying on It Too Much?. 2019 , 57, 766-767		
94	Development, Validation, and Application of a New Method To Correct the Nonlinearity Problem in LC-MS/MS Quantification Using Stable Isotope-Labeled Internal Standards. 2019 , 91, 9616-9622		4
93	LC-MS/MS method for quantification of 3,4-dihydroxyphenylglycol, a norepinephrine metabolite in plasma and brain regions. 2019 , 11, 971-986		
92	Synthesis of DABCO-based ionic liquid functionalized magnetic nanoparticles as a novel sorbent for the determination of cephalosporins in milk samples by dispersive solid-phase extraction followed by ultra-performance liquid chromatography-tandem mass spectrometry. 2019 , 43, 13554-13570		16
91	Enantiomeric Determination of Carvedilol by a Newly Developed and Validated Chiral HPLC Method. 2019 , 18, 61-68		
90	Internal standards in regulated bioanalysis: putting in place a decision-making process during method development. 2019 , 11, 1701-1713		7
89	Impact of matrix effects and ionization efficiency in non-quantitative untargeted metabolomics. 2019 , 15, 135		15
88	Inconsistent internal standard response in LC-MS/MS bioanalysis: an evaluation of case studies. 2019 , 11, 1657-1667		2

87	Learning how to interpret dangerous internal standard behaviors. 2019 , 11, 1679-1684		3
86	Variations in internal standard response: some thoughts and real-life cases. 2019 , 11, 1715-1725		4
85	Rapid, hydrolysis-free, dilute-and-shoot method for the determination of buprenorphine, norbuprenorphine and their glucuronides in urine samples using UHPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 166, 236-243	3.5	5
84	Continuous-flow catalytic deuterodehalogenation carried out in propylene carbonate. 2019 , 21, 956-961		6
83	Evaluation of the impact of matrix effects in LC/MS measurement on the accurate quantification of neonicotinoid pesticides in food by isotope-dilution mass spectrometry. 2019 , 54, 467-474		3
82	Carboxylesterase catalyzed O-labeling of carboxylic acid and its potential application in LC-MS/MS based quantification of drug metabolites. 2019 , 34, 308-316		5
81	Current strategies for quantification of estrogens in clinical research. 2019 , 192, 105373		28
80	Derivatize, Racemize, and Analyze-an Easy and Simple Procedure for Chiral Amino Acid Standard Preparation for Enantioselective Metabolomics. 2019 , 91, 7679-7689		13
79	Direct Injection Liquid Chromatography High-Resolution Mass Spectrometry for Determination of Primary and Secondary Terrestrial and Marine Biomarkers in Ice Cores. 2019 , 91, 5051-5057		2
78	Combining NMR and MS with Chemical Derivatization for Absolute Quantification with Reduced Matrix Effects. 2019 , 91, 4055-4062		10
77	Simultaneous measurement of 18 steroids in human and mouse serum by liquid chromatography-mass spectrometry without derivatization to profile the classical and alternate pathways of androgen synthesis and metabolism. 2019 , 11, 42-51		7
76	Simultaneous quantification of ticagrelor and its active metabolite, AR-C124910XX, in human plasma by liquid chromatography-tandem mass spectrometry: Applications in steady-state pharmacokinetics in patients. 2019 , 27, 98-106		1
75	Sensitive assessment of multi-class mycotoxins residue in <i>Atractylodis rhizoma</i> . 2019 , 127, 1-10		5
74	A convenient strategy to overcome interference in LC-MS/MS analysis: Application in a microdose absolute bioavailability study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 165, 198-206	3.5	7
73	Characterizing and alleviating ion suppression effects in atmospheric pressure matrix-assisted laser desorption/ionization. 2019 , 33, 327-335		12
72	Bioanalytical LC-MS/MS validation of therapeutic drug monitoring assays in oncology. <i>Biomedical Chromatography</i> , 2020 , 34, e4623	1.7	3
71	Development and validation of a methodology based on Captiva EMR-lipid clean-up and LC-MS/MS analysis for the simultaneous determination of mycotoxins in human plasma. <i>Talanta</i> , 2020 , 206, 120193	6.2	16
70	A review of the bioanalytical methods for the quantitative determination of capecitabine and its metabolites in biological matrices. <i>Biomedical Chromatography</i> , 2020 , 34, e4732	1.7	2

69	Preparation of magnetic iron oxide nanoparticles modified with imidazolium-based ionic liquids as a sorbent for the extraction of eight phthalate acid esters in water samples followed by UPLC-MS/MS analysis: an experimental design methodology. 2020 , 12, 73-84		12
68	Hydrogen Isotope Exchange Catalyzed by Ru Nanocatalysts: Labelling of Complex Molecules Containing N-Heterocycles and Reaction Mechanism Insights. 2020 , 26, 4988-4996		15
67	Determination of buprenorphine, naloxone and phase I and phase II metabolites in rat whole blood by LC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 180, 113042	3.5	2
66	Application of multisegment injection on quantification of creatinine and standard addition analysis of urinary 5-hydroxyindoleacetic acid simultaneously with creatinine normalization. 2020 , 41, 183-193		3
65	The Effects of Special Patient Population Plasma on Pharmacokinetic Quantifications Using LC-MS/MS. 2019 , 13, 111-122		
64	Targeted Strategy to Analyze Antiepileptic Drugs in Human Serum by LC-MS/MS and LC-Ion Mobility-MS. 2020 , 92, 14648-14656		5
63	Quantitative Measurement of Melittin in Asian Honeybee Venom Using a New Method Including UPLC-QqTOF-MS. 2020 , 12,		3
62	Large Differences in Urinary Benzene Metabolite S-Phenylmercapturic Acid Quantitation: A Comparison of Five LC-MS-MS Methods. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 657-665	2.9	0
61	Enhanced Metabolome Coverage and Evaluation of Matrix Effects by the Use of Experimental-Condition-Matched C-Labeled Biological Samples in Isotope-Assisted LC-HRMS Metabolomics. 2020 , 10,		2
60	Evaluation, identification and impact assessment of abnormal internal standard response variability in regulated LC-MS bioanalysis. 2020 , 12, 545-559		6
59	An improved extraction method enables the comprehensive analysis of lipids, proteins, metabolites and phytohormones from a single sample of leaf tissue under water-deficit stress. 2020 , 103, 1614-1632		16
58	Strategies for effective development of ultra-sensitive LC-MS/MS assays: application to a novel STING agonist. 2020 , 12, 467-484		1
57	Simultaneous Analysis of d,l-Amino Acids in Human Urine Using a Chirality-Switchable Biaryl Axial Tag and Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry. 2020 , 12, 913		8
56	Calibrating from Within: Multipoint Internal Calibration of a Quantitative Mass Spectrometric Assay of Serum Methotrexate. 2020 , 66, 474-482		6
55	Simultaneous determination of five penicillins in milk using a new ionic liquid-modified magnetic nanoparticle based dispersive micro-solid phase extraction followed by ultra-performance liquid chromatography-tandem mass spectrometry. <i>Microchemical Journal</i> , 2020 , 154, 104605	4.8	24
54	Late-Stage O Labeling of Primary Sulfonamides via a Degradation-Reconstruction Pathway. 2020 , 26, 4251-4255		9
53	Determination of urinary prostaglandin E as a potential biomarker of ureteral stent associated inflammation. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1145, 122107	3.2	3
52	Limitations of deuterium-labeled internal standards for quantitative electrospray ionization mass spectrometry analysis of fatty acid metabolites. 2020 , 34, e8814		3

51	Challenges and strategies of matrix effects using chromatography-mass spectrometry: An overview from research versus regulatory viewpoints. 2021 , 134, 116068		14
50	Comparison of QuEChERS and "dilute and shoot" extraction methods for multi-mycotoxin analysis of samples from button mushroom () cultivation. 2021 , 56, 99-108		2
49	Determination of the alcohol biomarker phosphatidylethanol 16:0/18:1 and 33 compounds from eight different drug classes in whole blood by LC-MS/MS. 2021 , 107, 106939		2
48	STRATEGIES AND CHALLENGES IN METHOD DEVELOPMENT AND VALIDATION FOR THE ABSOLUTE QUANTIFICATION OF ENDOGENOUS BIOMARKER METABOLITES USING LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. 2021 , 40, 31-52		19
47	Overview, consequences, and strategies for overcoming matrix effects in LC-MS analysis: a critical review. 2021 , 146, 6049-6063		5
46	Analytical determination of oestrogenic endocrine disruptors: the method of choice for wastewater treatment plant effluents. 2021 ,		1
45	Simultaneous determination of erythrocyte methotrexate polyglutamates by a novel and simple HPLC-MS/MS method with stable isotope-labeled internal standards. 2021 , 44, 1852-1865		
44	A data-driven approach for the detection of internal standard outliers in targeted LC-MS/MS assays. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , 2021 , 20, 42-47		0
43	Quantifying Precision Loss in Targeted Metabolomics Based on Mass Spectrometry and Nonmatching Internal Standards. 2021 , 93, 7616-7624		2
42	False Measurement of Blood Amino Acids by LC-MS/MS in a Patient Dependent on Matrix Effect after Total Parenteral Nutrition Infusion. 2021 , 21, 966-969		0
41	S-SIL of PCSK9-Active Oligonucleotide as Tools for Accurate Quantification by Mass Spectrometry. 2021 , 31, 375-381		
40	Matrix Normalization Techniques for Definitive Urine Drug Testing. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 901-912	2.9	2
39	Correction of Matrix Effects for Reliable Non-target Screening LC-ESI-MS Analysis of Wastewater. 2021 , 93, 8432-8441		8
38	Bioanalytical strategies in drug discovery and development. <i>Drug Metabolism Reviews</i> , 2021 , 53, 434-458		4
37	Palladium Nanoparticles for the Deuteration and Tritiation of Benzylic Positions on Complex Molecules. <i>Angewandte Chemie</i> ,	3.6	1
36	Quantification of vitamin D and 25-hydroxyvitamin D in food - The impact of eluent additives and labelled internal standards on matrix effects in LC-MS/MS analysis. <i>Food Chemistry</i> , 2021 , 357, 129588	8.5	2
35	Palladium Nanoparticles for the Deuteration and Tritiation of Benzylic Positions on Complex Molecules. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 26671-26676	16.4	3
34	Preparation of racemic amino acid standards for accurate mass spectrometric analysis via racemization catalyzed by a hydrophobic pyridoxal derivative. <i>Talanta</i> , 2021 , 234, 122661	6.2	2

33	Synthesis and characterization of C labeled carnosine derivatives for isotope dilution mass spectrometry measurements in biological matrices. <i>Talanta</i> , 2021 , 235, 122742	6.2	0
32	Montmorillonite grafted on a cellulosic paper as a novel layered sorbent for microextraction by packed sorbent in combination with HPLC for determination of carvedilol in biological samples. <i>Microchemical Journal</i> , 2021 , 171, 106795	4.8	0
31	Matrix Effects in Liquid Chromatography-Electrospray Ionization-Mass Spectrometry. 161-186		4
30	Bioanalysis. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2014 , 419-458	0.5	1
29	Targeted pesticide residue analysis using triple Quad LC-MS/MS. <i>Methods in Molecular Biology</i> , 2011 , 747, 173-91	1.4	4
28	Tandem mass spectrometry in hormone measurement. <i>Methods in Molecular Biology</i> , 2013 , 1065, 45-74	1.4	9
27	Urinary hydroxypyrene determination for biomonitoring of firefighters deployed at the Fort McMurray wildfire: an inter-laboratory method comparison. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 1397-1407	4.4	10
26	Development and Clinical Evaluation of a High-Throughput LC-MS/MS Assay for Vitamin B6 in Human Plasma and Serum. <i>Journal of Applied Laboratory Medicine</i> , 2021 , 6, 702-714	2	2
25	Strategies and Techniques for Bioanalytical Assays as Part of New Drug Discovery. 2009 , 1-31		2
24	Validation of a LC-MS/MS method for quantifying urinary nicotine, six nicotine metabolites and the minor tobacco alkaloids--anatabine and anabasine--in smokers' urine. <i>PLoS ONE</i> , 2014 , 9, e101816	3.7	36
23	Automated Post-Column Sample Manipulation Prior to Detection in Liquid Chromatography: A Review of Pharmaceutical and Bioanalytical Applications. <i>Current Analytical Chemistry</i> , 2019 , 15, 759-775 ¹⁻⁷		2
22	HPLC Method Development and Validation of S(-)-Carvedilol from API and Formulations. <i>American Journal of Analytical Chemistry</i> , 2015 , 06, 437-445	0.7	4
21	Identification of Pitfalls Related to the Analysis of Liquid Chromatography-Tandem Mass Spectrometry and Liquid Chromatography-Time of Flight Mass Spectrometry. <i>Korean Journal of Environmental Agriculture</i> , 2015 , 34, 230-237	0.6	1
20	Advance of Peptide Detectability Prediction on Mass Spectrometry Platform in Proteomics. <i>Chinese Journal of Analytical Chemistry</i> , 2010 , 38, 286-292	1.6	
19	[Analysis of amino acids in rat plasma by solid phase extraction-high performance liquid chromatography-electrospray tandem mass spectrometry and the application to radiation injury rat model]. <i>Chinese Journal of Chromatography (Se Pu)</i> , 2012 , 30, 696-704	0.2	0
18	Towards measuring growth rates of pathogens during infections by D2O-labeling lipidomics.		0
17	Evaluation of multiple reaction monitoring method performed by a quadrupole-linear ion trap mass spectrometer for quantitative determination of 6-sulfatoxymelatonin in urine.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022 , 1190, 123094	3.2	2
16	Determining the Levels of Acrylamide in Some Traditional Foods Unique to Turkey and Risk Assessment. <i>Iranian Journal of Pharmaceutical Research</i> , 2022 , 21,	1.1	1

15	Development of isotope dilution-liquid chromatography/tandem mass spectrometry for the accurate determination of zearalenone and its metabolites in corn.. <i>Food Chemistry</i> , 2022 , 384, 132483	8.5	2
14	An Improved GC-MS Method for Malondialdehyde (MDA) Detection: Avoiding the Effects of Nitrite in Foods.. <i>Foods</i> , 2022 , 11,	4.9	0
13	Mitigating analyte to stable isotope labelled internal standard cross-signal contribution in quantitative liquid chromatography-tandem mass spectrometry.. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , 2022 , 24, 57-64		1
12	Stability of drugs of abuse in synthetic oral fluid investigated using a simple "dilute and inject" method of analysis.. <i>Drug Testing and Analysis</i> , 2022 ,	3.5	
11	LC-MS/MS quantification of levetiracetam, lamotrigine and 10-hydroxycarbazepine in TDM of epileptic patients.. <i>Biomedical Chromatography</i> , 2022 , e5393	1.7	2
10	Mitigating Matrix Effects in LC-ESI-MS/MS Analysis of a Urinary Biomarker of Xylenes Exposure. <i>Journal of Analytical Toxicology</i> ,	2.9	
9	Unraveling the Mystery of 3-Sulfanylhexan-1-ol: The Evolution of Methodology for the Analysis of Precursors to 3-Sulfanylhexan-1-ol in Wine. <i>Foods</i> , 2022 , 11, 2050	4.9	
8	Challenges and opportunities for prevention and removal of unwanted variation in lipidomic studies. <i>Progress in Lipid Research</i> , 2022 , 87, 101177	14.3	0
7	Calibration Practices in Clinical Mass Spectrometry: Review and Recommendations. 2023 , 43, 5-18		0
6	A liquid chromatography-tandem mass spectrometry method for the quantification of ampicillin/sulbactam and clindamycin in jawbone, plasma, and platelet-rich fibrin: Application to patients with osteonecrosis of the jaw. 2023 , 224, 115167		0
5	Influence of Zhuanggu Guanjie Pill on Seven Cytochrome P450 Enzymes Based on Probe Cocktail and Pharmacokinetics Approaches. 2022 , 24,		0
4	From fundamentals in calibration to modern methodologies: A tutorial for small molecules quantification in liquid chromatography-mass spectrometry bioanalysis. 2022 , 340711		1
3	Signal Suppression in LC-ESI-MS/MS from Concomitant Medications and Its Impact on Quantitative Studies: An Example Using Metformin and Glyburide. 2023 , 28, 746		0
2	Development of polyanion-metal ion solution systems to overcome phospholipids-related matrix effects in LC-MS/MS-based bioanalysis. 2023 , 1250, 340973		0
1	Comparing ¹³ C methyl and deuterated methyl isotopic labeling for the quantification of methyl cellulose patterns using mass spectrometry. 2023 , 415, 1817-1828		0