

CITATION REPORT

List of articles citing

Recent advances in high-throughput quantitative bioanalysis by LC-MS/MS

DOI: 10.1016/j.jpba.2007.02.006

Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 342-55.

Source: <https://exaly.com/paper-pdf/42735794/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
452	Methanol-associated matrix effects in electrospray ionization tandem mass spectrometry. 2007 , 53, 1827-34		51
451	Simultaneous LC-MS/MS quantitation of a highly hydrophobic pharmaceutical compound and its metabolite in urine using online monolithic phase-based extraction. 2007 , 30, 2943-9		15
450	Simultaneous determination of desloratadine and pseudoephedrine in human plasma using micro solid-phase extraction tips and aqueous normal-phase liquid chromatography/tandem mass spectrometry. 2007 , 21, 3145-55		21
449	Serum protein profiling in patients with inflammatory bowel diseases using selective solid-phase bulk extraction, matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and chemometric data analysis. 2007 , 21, 4142-8		35
448	Metabolism and bioavailability of flavonoids in chemoprevention: current analytical strategies and future prospectus. 2007 , 4, 846-64		75
447	A highly sensitive assay for ritodrine in human serum by hydrophilic interaction chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 861, 95-100	3.2	15
446	Determination of N-desethylamodiaquine by hydrophilic interaction liquid chromatography with tandem mass spectrometry: application to in vitro drug metabolism studies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 863, 129-34	3.2	13
445	An approach towards method development for untargeted urinary metabolite profiling in metabonomic research using UPLC/QToF MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 871, 341-8	3.2	29
444	Ultra-fast quantitation of saquinavir in human plasma by matrix-assisted laser desorption/ionization and selected reaction monitoring mode detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 872, 68-76	3.2	39
443	Hydrophilic interaction liquid chromatography (HILIC) in proteomics. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 151-9	4.4	206
442	High-performance liquid chromatography-tandem mass spectrometry in the identification and determination of phase I and phase II drug metabolites. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 59-78	4.4	172
441	Hyphenated mass spectrometry in the analysis of the central carbon metabolism. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 895-8	4.4	5
440	Type 2 diabetes: Gaining insight into the disease process using proteomics. 2008 , 2, 312-26		6
439	Current literature in mass spectrometry. 2008 , 43, 269-278		
438	Stereoselective quantitation of a serine protease inhibitor using LC-MS/MS at elevated column temperature. 2008 , 31, 242-54		9
437	Evaluation of hydrophilic interaction chromatography versus reversed-phase chromatography in a plant metabolomics perspective. 2008 , 31, 1609-14		26
436	The application of novel 1.7 microm ethylene bridged hybrid particles for hydrophilic interaction chromatography. 2008 , 31, 1511-8		81

435	SPE and large-volume sample stacking in MEKC for determination of doxycycline in biological fluids: comparison of direct injection to SPE-MEKC. 2008 , 29, 4431-8		9
434	Enantioselective determination of alprenolol in human plasma by liquid chromatography with tandem mass spectrometry using cellobiohydrolase chiral stationary phases. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 872, 121-7	3.2	18
433	Simultaneous determination of nucleobases, nucleosides and saponins in Panax notoginseng using multiple columns high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1361-7	3.5	39
432	Development of capillary electrochromatography with poly(styrene-divinylbenzene-vinylbenzenesulfonic acid) monolith as the stationary phase. <i>Journal of Chromatography A</i> , 2008 , 1190, 263-70	4.5	23
431	Evaluation of monolithic packed 96-tips and liquid chromatography-tandem mass spectrometry for extraction and quantification of pindolol and metoprolol in human plasma samples. <i>Journal of Chromatography A</i> , 2008 , 1196-1197, 23-7	4.5	29
430	Green Analytical Chemistry. 2008 , 27, 497-511		606
429	Automated high-throughput method using solid-phase microextraction-liquid chromatography-tandem mass spectrometry for the determination of ochratoxin A in human urine. <i>Journal of Chromatography A</i> , 2008 , 1201, 215-21	4.5	78
428	Current applications of liquid chromatography/mass spectrometry in pharmaceutical discovery after a decade of innovation. 2008 , 1, 357-96		55
427	HPLC-MS/MS in drug metabolism and pharmacokinetic screening. 2008 , 4, 93-101		40
426	Automation of solid-phase microextraction in high-throughput format and applications to drug analysis. 2008 , 80, 6870-80		103
425	Mass Spectrometry for Studying the Interaction between Small Molecules and Proteins. 2008 , 5, 20-34		9
424	Development of a Liquid Chromatography-Negative ESI-Tandem Mass Spectrometry Method for Ibuprofen with Minimization of Matrix Effects Associated with Phospholipids. 2008 , 31, 3194-3208		2
423	Evolving Role of Mass Spectrometry in Drug Discovery and Development. 2008 , 1-85		7
422	Turbulent-Flow LC-MS: Applications for Accelerating Pharmacokinetic Profiling and Metabolite Identification. 2008 , 311-340		1
421	. 2008 ,		1
420	High-throughput analysis of amphetamines in blood and urine with online solid-phase extraction-liquid chromatography-tandem mass spectrometry. 2009 , 33, 578-87		19
419	Restricted-access media supports for direct high-throughput analysis of biological fluid samples: review of recent applications. 2009 , 1, 577-94		44
418	Automated solid-phase extraction approaches for large scale biomonitoring studies. 2009 , 47, 12-8		24

4 ¹⁷	Quantification of polar drugs in human plasma with liquid chromatography-tandem mass spectrometry. 2009 , 1, 187-203		11
4 ¹⁶	First demonstration of cerebrospinal fluid and plasma A beta lowering with oral administration of a beta-site amyloid precursor protein-cleaving enzyme 1 inhibitor in nonhuman primates. 2009 , 328, 131-40		104
4 ¹⁵	Quality and safety considerations for recombinant biological medicines: A regulatory perspective. 2009 , 21, 13-22		6
4 ¹⁴	Quantitative interference by cysteine and N-acetylcysteine metabolites during the LC-MS/MS bioanalysis of a small molecule. 2009 , 3, 181-90		2
4 ¹³	Highly sensitive LC-MS-MS analysis of a pharmaceutical compound in human plasma using monolithic phase-based on-line extraction. 2009 , 47, 473-7		9
4 ¹²	Sample preparation and separation techniques for bioanalysis of morphine and related substances. 2009 , 32, 825-34		8
4 ¹¹	Automated determination of venlafaxine in human plasma by on-line SPE-LC-MS/MS. Application to a bioequivalence study. 2009 , 32, 637-43		12
4 ¹⁰	Reversal in elution order in liquid chromatography-compilation of experimental observations. 2009 , 23, 222-3		3
4 ⁰⁹	Quantification of chlordesmethyldiazepam by liquid chromatography-tandem mass spectrometry: application to a cloxazolam bioequivalence study. 2009 , 23, 1266-75		3
4 ⁰⁸	Rapid quantification of levosulpiride in human plasma using RP-HPLC-MS/MS for pharmacokinetic and bioequivalence study. 2009 , 23, 1350-6		6
4 ⁰⁷	Determination of chlorpheniramine in human plasma by HPLC-ESI-MS/MS: application to a dexchlorpheniramine comparative bioavailability study. 2010 , 24, 774-81		12
4 ⁰⁶	Simultaneous determination of cyclophosphamide and carboxyethylphosphoramidate mustard in human plasma using online extraction and electrospray tandem mass spectrometry (HTLC-ESI-MS/MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2191-7	3.2	12
4 ⁰⁵	Two new techniques for sample preparation in bioanalysis: microextraction in packed sorbent (MEPS) and use of a bonded monolith as sorbent for sample preparation in polypropylene tips for 96-well plates. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 797-807	4.4	77
4 ⁰⁴	Recent developments in solid-phase microextraction. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 781-95	4.4	305
4 ⁰³	Comparative proteomic analysis of <i>Rhodospiridium toruloides</i> during lipid accumulation. 2009 , 26, 553-66		62
4 ⁰²	Increasing high-throughput discovery bioanalysis using automated selected reaction monitoring compound optimization, ultra-high-pressure liquid chromatography, and single-step sample preparation workflows. 2009 , 23, 3457-64		15
4 ⁰¹	Some important considerations for validation of ligand-binding assays. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2191-7	3.2	13
4 ⁰⁰	Validation of bioanalytical LC-MS/MS assays: evaluation of matrix effects. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2198-207	3.2	579

399	Pre-study and in-study validation of an ultra-high pressure LC method coupled to tandem mass spectrometry for off-line determination of oxytetracycline in nasal secretions of healthy pigs. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2349-57	3.2	12
398	Stable-isotope dilution LC-ESI-MS/MS techniques for the quantification of total homocysteine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 3292-9	3.2	10
397	Internal standard response variations during incurred sample analysis by LC-MS/MS: Case by case trouble-shooting. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 3201-9	3.2	58
396	Theoretical models in LC based bioanalytical method development. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 1-10	3.5	4
395	On-line desorption of dried blood spot: A novel approach for the direct LC/MS analysis of micro-whole blood samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 1034-9	3.5	78
394	Comparison of fused-core and conventional particle size columns by LC-MS/MS and UV: application to pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 491-500	3.5	43
393	Effect of eluent on the ionization process in liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 685-99	4.5	303
392	Fast analysis of doping agents in urine by ultra-high-pressure liquid chromatography-quadrupole time-of-flight mass spectrometry I. Screening analysis. <i>Journal of Chromatography A</i> , 2009 , 1216, 4423-33	4.5	109
391	A review of novel strategies of sample preparation for the determination of antibacterial residues in foodstuffs using liquid chromatography-based analytical methods. <i>Analytica Chimica Acta</i> , 2009 , 645, 5-17	6.6	96
390	Separation and sample pre-treatment in bioanalysis using monolithic phases: A review. <i>Analytica Chimica Acta</i> , 2009 , 652, 22-31	6.6	91
389	Development and Validation of a Column-Switching LC-ESI-MS Assay for Determination of Huperzine A in Rat Plasma and Cerebrospinal Fluid. 2009 , 69, 445-451		3
388	Matrix effect elimination during LC-MS/MS bioanalytical method development. 2009 , 1, 1243-57		102
387	Bioanalytical hydrophilic interaction chromatography: recent challenges, solutions and applications. 2009 , 1, 239-53		18
386	Hydrophilic Interaction Liquid Chromatography Tandem Mass Spectrometry Method for the Determination of Bicozamycin in Milk. 2009 , 32, 1914-1924		7
385	Steroid measurement with LC-MS/MS in pediatric endocrinology. 2009 , 301, 272-81		78
384	Ligand-Binding Assays to Support Disposition Studies of Macromolecular Therapeutics. 15-37		
383	Ligand-Binding Assays in Drug Development: Introduction and Historical Perspective. 1-13		
382	A rapid and sensitive LC-MS/MS method for determination of fluconazole in human plasma and its application in infants with Candida infections. 2009 , 31, 703-9		25

381	The role of hyphenated chromatography-mass spectrometry techniques in exploratory drug metabolism and pharmacokinetics. 2009 , 15, 2251-61		16
380	Emerging analytical separation techniques with high throughput potential for pharmaceutical analysis, part I: Stationary phase and instrumental developments in LC. 2010 , 13, 510-29		18
379	Current technological challenges in biomarker discovery and validation. 2010 , 16, 101-21		17
378	Simultaneous Analysis of Fluoxetine, Norfluoxetine, Citalopram, and Haloperidol in Plasma by LC-ESI-IT-MS. 2010 , 71, 423-430		9
377	Automated mass spectrometric analysis of urinary free catecholamines using on-line solid phase extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 1506-12	3.2	49
376	Liquid chromatography-tandem mass spectrometry quantification of levosulpiride in human plasma and its application to bioequivalence study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2280-5	3.2	9
375	Targeted three-dimensional liquid chromatography: a versatile tool for quantitative trace analysis in complex matrices. <i>Journal of Chromatography A</i> , 2010 , 1217, 7648-60	4.5	34
374	New and unique methods of solid-phase extraction for use before instrumental analysis of xenobiotics in human specimens. 2010 , 28, 61-68		28
373	Simultaneous determination of five anti-epilepsy drugs in human plasma using liquid chromatography-mass spectrometry. 2010 , 53, 2373-2378		2
372	Systematic LC-MS/MS bioanalytical method development that incorporates plasma phospholipids risk avoidance, usage of incurred sample and well thought-out chromatography. 2010 , 24, 2-19		160
371	On-line desorption of dried blood spots coupled to hydrophilic interaction/reversed-phase LC/MS/MS system for the simultaneous analysis of drugs and their polar metabolites. 2010 , 33, 873-9		73
370	Recent advances in application of hydrophilic interaction chromatography for quantitative bioanalysis. 2010 , 33, 681-97		123
369	Evaluation of various HILIC materials for the fast separation of polar compounds. 2010 , 33, 752-64		100
368	A review of LC-MS techniques and high-throughput approaches used to investigate drug metabolism by cytochrome P450s. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 1326-36	3.2	51
367	Development of an LC-MS/MS assay to determine plasma pharmacokinetics of the radioprotectant octadecenyl thiophosphate (OTP) in monkeys. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2379-83	3.2	8
366	Determination of the gamma-secretase inhibitor MK-0752 in human plasma by online extraction and electrospray tandem mass spectrometry (HTLC-ESI-MS/MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2348-52	3.2	5
365	An ultra performance liquid chromatography-tandem MS assay for tamoxifen metabolites profiling in plasma: first evidence of 4'-hydroxylated metabolites in breast cancer patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 3402-14	3.2	29
364	Solid-phase microextraction in bioanalysis: New devices and directions. <i>Journal of Chromatography A</i> , 2010 , 1217, 4041-60	4.5	161

363	Use of high-resolution mass spectrometry to investigate a metabolite interference during liquid chromatography/tandem mass spectrometric quantification of a small molecule in toxicokinetic study samples. 2010 , 24, 1902-10	14
362	Identifying and overcoming bioanalytical challenges associated with chlorine-containing dehydrogenation metabolites. 2010 , 24, 3092-102	5
361	Automated solid-phase microextraction and thin-film microextraction for high-throughput analysis of biological fluids and ligand-receptor binding studies. 2010 , 5, 140-61	82
360	. 2010 ,	3
359	Reversed-Phase HPLC Analysis of Levetiracetam in Tablets Using Monolithic and Conventional C18 Silica Columns. 2010 , 93, 1077-1085	17
358	Strategies for Developing Sensitive and Automated LC-MS/MS Assays of a Pharmaceutical Compound and Its Metabolite from Whole Blood Matrix. 2010 , 2, 159-170	
357	Automated sample preparation for regulated bioanalysis: an integrated multiple assay extraction platform using robotic liquid handling. 2010 , 2, 1023-40	22
356	Bioanalytical method validation: An updated review. 2010 , 1, 25-38	118
355	Bioanalytical solutions to acetonitrile shortages. 2010 , 2, 1627-40	15
354	ChromatographyâAdvances and Applications in Pharmaceutical Analysis in the Corporate Sector. 2010 , 323-344	
353	Recent development in high-throughput bioanalytical support for in vitro ADMET profiling. 2010 , 6, 321-36	28
352	A review of the analysis of tobacco-specific nitrosamines in biological matrices. 2010 , 40, 305-27	27
351	A powerful couple in the future of clinical biochemistry: in situ analysis of dried blood spots by ambient mass spectrometry. 2010 , 2, 1883-91	22
350	Critical topics in ensuring data quality in bioanalytical LC-MS method development. 2010 , 2, 1051-72	42
349	Analytical Tools and Approaches for Metabolite Identification in Drug Metabolism. 2010 , 79-123	2
348	Steroid measurement with LC-MS/MS. Application examples in pediatrics. 2010 , 121, 520-7	72
347	Serum steroid profiling for congenital adrenal hyperplasia using liquid chromatography-tandem mass spectrometry. 2010 , 411, 222-8	59
346	Liquid chromatography-tandem mass spectrometry analysis of urinary fluticasone propionate-17beta-carboxylic acid for monitoring compliance with inhaled-fluticasone propionate therapy. 2010 , 75, 77-82	14

345	Investigation of the effects of 24 bio-matrices on the LC-MS/MS analysis of morinidazole. 2010 , 80, 1406-12	11
344	MATRIX EFFECTS IN LIQUID CHROMATOGRAPHY-MASS SPECTROMETRY. 2010 , 33, 1067-1081	50
343	Mass Spectrometry and Drug Discovery. 2010 , 97-126	1
342	Quantitation of parent drug and its unstable metabolites by in situ coulometric oxidation and liquid chromatography-tandem mass spectrometry. 2010 , 82, 10251-7	12
341	HPLC-MS aided PC12 cell systems: to quantitatively monitor the conversion of nitronyl nitroxide in biological systems with and without NO. 2011 , 7, 1678-83	
340	Development of an ultra fast online-solid phase extraction (SPE) liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) based approach for the determination of drugs in pharmacokinetic studies. 2011 , 3, 420-428	27
339	Evaluation of a high-throughput online solid phase extraction-tandem mass spectrometry system for in vivo bioanalytical studies. 2011 , 83, 8259-66	33
338	Investigation of human exposure to triclocarban after showering and preliminary evaluation of its biological effects. 2011 , 45, 3109-15	88
337	Multiplexed protein quantification in maize leaves by liquid chromatography coupled with tandem mass spectrometry: an alternative tool to immunoassays for target protein analysis in genetically engineered crops. 2011 , 59, 3551-8	18
336	Solid-Phase Microextraction. 2011 , 81-101	1
335	Understanding and optimizing electrospray ionization techniques for proteomic analysis. 2011 , 8, 197-209	19
334	Mass Spectrometry-Based Screening and Characterization of Protein-Ligand Complexes in Drug Discovery. 2011 , 253-286	6
333	RECENT APPLICATIONS OF HYDROPHILIC INTERACTION CHROMATOGRAPHY IN ENVIRONMENTAL ANALYSIS. 2011 , 34, 1112-1132	6
332	Principles of Anticancer Drug Development. 2011 ,	
331	Development and validation of a quantitative assay based on tandem mass spectrometry. 2011 , 48, 97-111	94
330	Determination of tranexamic acid concentration by solid phase microextraction and liquid chromatography-tandem mass spectrometry: first step to in vivo analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3781-7	3.2 39
329	Quantitative analysis of PD 0332991 in mouse plasma using automated micro-sample processing and microbore liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2860-5	3.2 14
328	Full-scan high resolution accurate mass spectrometry (HRMS) in regulated bioanalysis: LC-HRMS for the quantitation of prednisone and prednisolone in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2919-27	3.2 60

327	. 2011 ,			3
326	Liquid Chromatography-Mass Spectrometry in Analytical Clinical Chemistry. 2011 ,			1
325	Evaluation of C1 ¹³ carbonyl compounds by RRLC-UV in the atmosphere of Niter ^o City, Brazil. 2011 , 45, 5183-5190			22
324	Simultaneous measurement of plasma vitamin D(3) metabolites, including 4 β 25-dihydroxyvitamin D(3), using liquid chromatography-tandem mass spectrometry. 2011 , 418, 126-33			63
323	Metabonomic Study of Lung Cancer and the Effects of Radiotherapy on Lung Cancer Patients: Analysis of Highly Polar Metabolites by Ultraperformance HILIC Coupled with Q-TOF MS. 2011 , 74, 391-398			11
322	Monolithic Silica for Fast HPLC: Current Success and Promising Future. 2011 , 74, 681-691			17
321	Fast liquid chromatography combined with mass spectrometry for the analysis of metabolites and proteins in human body fluids. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2635-44	4.4		38
320	Development of an online SPE-LC-MS-based assay using endogenous substrate for investigation of soluble epoxide hydrolase (sEH) inhibitors. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 1359-66	4.4		25
319	Determination of a novel thrombin receptor antagonist (SCH 530348) in human plasma: evaluation of Ultra Performance Liquid Chromatography \hat{e} tandem mass spectrometry for routine bioanalytical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 349-59	3.5		3
318	Theory-guided efficient strategy to maximize speed and resolution in rapid gradient LC-MS/MS bioanalysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1917-26	3.2		7
317	Targeted quantitative bioanalysis in plasma using liquid chromatography/high-resolution accurate mass spectrometry: an evaluation of global selectivity as a function of mass resolving power and extraction window, with comparison of centroid and profile modes. 2011 , 25, 2863-78			65
316	HPLC determination of cefprozil in tablets using monolithic and C18 silica columns. 2011 , 34, 2223-31			5
315	Recent advances in computational analysis of mass spectrometry for proteomic profiling. 2011 , 46, 443-56			14
314	An overview of matrix effects in liquid chromatography-mass spectrometry. 2011 , 30, 491-509			508
313	Direct-El in LC-MS: towards a universal detector for small-molecule applications. 2011 , 30, 1242-55			40
312	Recent advances in sample preparation techniques for effective bioanalytical methods. 2011 , 25, 199-217			244
311	LC-MS in analytical toxicology: some practical considerations. 2011 , 25, 100-23			45
310	Progress in automation of LC-MS in laboratory medicine. 2011 , 44, 4-13			71

309	Current status and future developments of LC-MS/MS in clinical chemistry for quantification of biogenic amines. 2011 , 44, 95-103		57
308	Laser diode thermal desorption-positive mode atmospheric pressure chemical ionization tandem mass spectrometry for the ultra-fast quantification of a pharmaceutical compound in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 1088-95	3.5	20
307	Quantitative determination and pharmacokinetic study of solamargine in rat plasma by liquid chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 1157-62 ⁵		9
306	Simultaneous determination of sphingosine and sphingosine 1-phosphate in biological samples by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 520-6	3.2	32
305	Simultaneous determination of eight β -lactam antibiotics in human serum by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1038-42	3.2	84
304	Regulated bioanalytical laboratory automation: where we came from, where we are and where we are going. 2011 , 3, 1415-8		5
303	An automation-assisted generic approach for biological sample preparation and LC-MS/MS method validation. 2011 , 3, 1975-86		9
302	Ultra-performance liquid chromatography-tandem mass spectrometry method for the analysis of amphetamines in plasma. 2011 , 35, 577-82		9
301	Implementation of high-temperature superficially porous technologies for rapid LC-MS/MS diastereomer bioanalysis. 2011 , 3, 735-43		9
300	HybridSPE: A novel technique to reduce phospholipid-based matrix effect in LC-ESI-MS Bioanalysis. 2012 , 4, 267-75		45
299	Quantitative method validation for the analysis of 27 antidepressants and metabolites in plasma with ultraperformance liquid chromatography-tandem mass spectrometry. 2012 , 34, 11-24		37
298	Liquid chromatography-mass spectrometric multiple reaction monitoring-based strategies for expanding targeted profiling towards quantitative metabolomics. 2012 , 13, 1226-43		53
297	MARS: bringing the automation of small-molecule bioanalytical sample preparations to a new frontier. 2012 , 4, 1311-26		16
296	Investigation of microbore UPLC and nontraditional mobile phase compositions for bioanalytical LC-MS/MS. 2012 , 4, 1287-97		18
295	Direct Biofluid Analysis Systems. 2012 , 1		1
294	Direct bioanalytical sample injection with 2D LC-MS. 2012 , 4, 2737-56		18
293	In silico prediction for the investigation of comedication interferences in quantitative LC-MS detection in the SRM mode. 2012 , 4, 1907-17		2
292	Solid-Phase Microextraction Protocols. 2012 , 455-478		2

291	LC-MS systems for quantitative bioanalysis. 2012 , 4, 2391-9		31
290	Recent advances in column switching sample preparation in bioanalysis. 2012 , 4, 809-32		39
289	Liquid chromatography-nuclear magnetic resonance coupling as alternative to liquid chromatography-mass spectrometry hyphenations: curious option or powerful and complementary routine tool?. <i>Journal of Chromatography A</i> , 2012 , 1259, 50-61	4.5	48
288	Monitoring of the multiple bacteriocin production by <i>Enterococcus faecium</i> NKR-5-3 through a developed liquid chromatography and mass spectrometry-based quantification system. 2012 , 114, 490-6		27
287	Integrated quantitative and qualitative workflow for in vivo bioanalytical support in drug discovery using hybrid Q-TOF-MS. 2012 , 4, 511-28		34
286	Ultrasensitive liquid chromatography-tandem mass spectrometric methodologies for quantification of five HIV-1 integrase inhibitors in plasma for a microdose clinical trial. 2012 , 84, 8614-21		25
285	Relative quantification of serum proteins from pancreatic ductal adenocarcinoma patients by stable isotope dilution liquid chromatography-mass spectrometry. 2012 , 11, 1749-58		29
284	Development and validation of a fast and sensitive UPLC-MS/MS method for the quantification of six probe metabolites for the in vitro determination of cytochrome P450 activity. 2012 , 89, 209-16		38
283	LC-MS-based metabolomics in the clinical laboratory. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 883-884, 68-75	3.2	110
282	The role of liquid chromatography-tandem mass spectrometry in the clinical laboratory. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 883-884, 18-32	3.2	101
281	Interference by metabolites and the corresponding troubleshooting during the LC-MS/MS bioanalysis of G004, a bromine-containing hypoglycemic agent. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 899, 8-13	3.2	8
280	Full utilization of a mass spectrometer using on-demand sharing with multiple LC units. 2012 , 47, 1074-82		6
279	Applications of LC-MS/MS in Clinical Laboratory Diagnostics. 2012 , 507-534		
278	LC-MS in Drug Metabolism and Pharmacokinetics: A Pharmaceutical Industry Perspective. 2012 , 119-169		2
277	Recent advances in metabolite identification and quantitative bioanalysis by LC-Q-TOF MS. 2012 , 4, 937-59		85
276	Ion Activation Methods for Tandem Mass Spectrometry. 2012 , 571-630		
275	LC Automation. 2012 , 613-648		1
274	Column-Switching Sample Preparation. 2012 , 649-676		3

273	Analysis of chloroquine and metabolites directly from whole-body animal tissue sections by liquid extraction surface analysis (LESA) and tandem mass spectrometry. 2012 , 47, 1420-8	41
272	Characterization of in vivo disulfide-reduction mediated drug release in mouse kidneys. 2012 , 9, 310-7	12
271	Microdosing Assessment to Evaluate Pharmacokinetics and Drug Metabolism Using Liquid Chromatography-Tandem Mass Spectrometry Technology. 2012 ,	
270	Principles and Applications of LC-MS/MS for the Quantitative Bioanalysis of Analytes in Various Biological Samples. 2012 ,	12
269	Identifying and Overcoming Matrix Effects in Drug Discovery and Development. 2012 ,	6
268	Leveraging Advances in HPLC and Sample Preparation to Maximize DMPK Data Quality. 2012 , 1	
267	High Throughput Quantitative Mass Spectrometry. 2012 , 1	
266	Analytical Methods for Quantification of Drug Metabolites in Biological Samples. 2012 ,	10
265	Esterase inhibitors as ester-containing drug stabilizers and their hydrolytic products: potential contributors to the matrix effects on bioanalysis by liquid chromatography/tandem mass spectrometry. 2012 , 26, 1291-304	8
264	The current status of clinical proteomics and the use of MRM and MRM(3) for biomarker validation. 2012 , 12, 333-42	38
263	Simultaneous determination of sulphur metabolites in Arabidopsis thaliana via LC-ESI-MS/MS and ^{35}S -metabolic labelling. 2012 , 23, 324-31	3
262	Rapid enantiomeric separation and simultaneous determination of phenethylamines by ultra high performance liquid chromatography with fluorescence and mass spectrometric detection: application to the analysis of illicit drugs distributed in the Japanese market and biological samples. 2012 , 17, 1331-6	3
261	Development and validation of a rapid LC-MS/MS method for the determination of JCC76, a novel antitumor agent for breast cancer, in rat plasma and its application to a pharmacokinetics study. 2012 , 26, 1118-24	4
260	An integrated bioanalytical method development and validation approach: case studies. 2012 , 26, 1215-27	6
259	Determination of aripiprazole in rat plasma and brain using ultra-performance liquid chromatography/electrospray ionization tandem mass spectrometry. 2012 , 26, 1325-32	21
258	Turbulent flow chromatography in bioanalysis: a review. 2012 , 26, 892-905	54
257	Sub-2 μm porous silica materials for enhanced separation performance in liquid chromatography. <i>Journal of Chromatography A</i> , 2012 , 1228, 99-109	4-5 52
256	Validation of an on-line solid-phase extraction method coupled to liquid chromatography-tandem mass spectrometry detection for the determination of Indacaterol in human serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 895-896, 1-9	3-2 18

255	Rapid quantitative analysis of clarithromycin in rat plasma by UPLC-MS/MS after intravenous injection of the clarithromycin-loaded ultrafine PLGA nanoparticles. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 895-896, 178-81	3.2	11
254	Amphiphilic micelles of poly(2-methyl-2-carboxytrimethylene carbonate-co-D,L-lactide)-graft-poly(ethylene glycol) for anti-cancer drug delivery to solid tumours. 2012 , 33, 2223-9		31
253	Bioanalysis of small-molecule drugs in nasal and paranasal tissues and secretions: Current status and perspectives. 2012 , 10, 686-702		
252	Quantification of cyproheptadine in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry in a bioequivalence study. 2012 , 26, 129-36		5
251	Rapid identification and evaluation of antioxidant compounds from extracts of <i>Petasites japonicus</i> by hyphenated-HPLC techniques. 2012 , 26, 199-207		11
250	A rapid, accurate and robust UHPLC-MS/MS method for quantitative determination of BMS-927711, a CGRP receptor antagonist, in plasma in support of non-clinical toxicokinetic studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 83, 237-48	3.5	11
249	A Small-Scale, Material-Saving Approach to Rank-Order Lyophilized Formulations Based on Reconstitution Time. 2013 , 8, 187-194		3
248	Salting-out assisted liquid-liquid extraction for bioanalysis. 2013 , 5, 1583-98		96
247	Evaluaci3n Farmacodin3mica y An3lisis F3sico-Qu3mico de dos Formulaciones de Propofol Usadas en Infusi3n Objeto-Controlada. 2013 , 63, 59-65		
246	Pharmacodynamic evaluation and physical/chemical analysis of two formulations of propofol used in target-controlled infusion. 2013 , 63, 59-65		1
245	Simultaneous determination of asenapine and valproic acid in human plasma using LC-MS/MS: Application of the method to support pharmacokinetic study. 2013 , 3, 394-401		16
244	Best Practices in Biological Sample Preparation for LC-MS Bioanalysis. 2013 , 165-184		6
243	Comprehensive profiling analysis of bioamines and their acidic metabolites in human urine by gas chromatography/mass spectrometry combined with selective derivatization. <i>Journal of Chromatography A</i> , 2013 , 1305, 234-43	4.5	28
242	Automation in LC-MS Bioanalysis. 2013 , 275-295		2
241	LC-MS Bioanalysis of Intracellular Drugs. 2013 , 337-352		1
240	HILIC UHPLC-MS/MS for fast and sensitive bioanalysis: accounting for matrix effects in method development. 2013 , 5, 2345-57		17
239	Determination of pseudo-ginsenoside GQ in human plasma by high performance liquid chromatography-tandem mass spectrometry. 2013 , 27, 1701-7		1
238	Analysis of food polyphenols by ultra high-performance liquid chromatography coupled to mass spectrometry: an overview. <i>Journal of Chromatography A</i> , 2013 , 1292, 66-82	4.5	118

- 237 A rational approach for HPLC calibration using mass spectrometer as detector. **2013**, 4, 102-107
- 236 Determination of ethyl glucuronide in human hair by hydrophilic interaction liquid chromatography-tandem mass spectrometry. **2013**, 20, 799-802 10
- 235 Pharmacodynamic evaluation and physical/chemical analysis of two formulations of propofol used in target-controlled infusion. **2013**, 63, 59-65 1
- 234 Clinical applications of fast liquid chromatography: a review on the analysis of cardiovascular drugs and their metabolites. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2013**, 927, 54-79 3.2 22
- 233 State-of-the-art in fast liquid chromatography-mass spectrometry for bio-analytical applications. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2013**, 927, 3-21 3.2 44
- 232 Challenges in the development of bioanalytical liquid chromatography-mass spectrometry method with emphasis on fast analysis. *Journal of Chromatography A*, **2013**, 1292, 25-37 4.5 91
- 231 HILIC-MS for Targeted Metabolomics and Small Molecule Bioanalysis. **2013**, 219-238
- 230 Capillary Electromigration Techniques for the Analysis of Drugs and Metabolites in Biological Matrices: A Critical Appraisal. **2013**, 229-245
- 229 Enabling quantitative analysis in ambient ionization mass spectrometry: internal standard coated capillary samplers. **2013**, 85, 5632-6 35
- 228 Mass spectrometry and NMR spectroscopy: modern high-end detectors for high resolution separation techniques--state of the art in natural product HPLC-MS, HPLC-NMR, and CE-MS hyphenations. **2013**, 30, 970-87 61
- 227 A critical review of microextraction by packed sorbent as a sample preparation approach in drug bioanalysis. **2013**, 5, 1409-42 40
- 226 Bioanalysis and where does it fit into the drug development process?. **2013**, 6-16 1
- 225 Strategies for ascertaining the interference of phase II metabolites co-eluting with parent compounds using LC-MS/MS. **2013**, 36, 2584-92 5
- 224 Restricted access media as a streamlined approach toward on-line sample preparation: recent advancements and applications. **2013**, 36, 2922-38 50
- 223 Surface-activated chemical ionization-electrospray ionization mass spectrometry combined with two-dimensional serial chromatography is a powerful tool for drug stability studies. **2013**, 27, 1231-6 2
- 222 Liquid chromatography-tandem mass spectrometry method for simultaneous quantification of urapidil and aripiprazole in human plasma and its application to human pharmacokinetic study. **2013**, 27, 916-23 12
- 221 Determination of rosiglitazone and 5-hydroxy rosiglitazone in rat plasma using LC-HRMS by direct and indirect quantitative analysis: a new approach for metabolite quantification. **2013**, 5, 1873-81 3
- 220 Hybridization of a macroporous sponge and spherical microporous adsorbents for high throughput separation of ionic solutes. **2013**, 29, 417-21

219	Liquid Chromatography-Mass Spectrometry. 2013 ,	0
218	Lipids: Liquid Chromatography. 2013 ,	
217	Avaliaço farmacodinmica e anlise fsico-qumica de duas formulaes de propofol usadas em infuso alvo-controlada. 2013 , 63, 66-72	3
216	Comparative proteomics analysis of engineered <i>Saccharomyces cerevisiae</i> with enhanced biofuel precursor production. 2013 , 8, e84661	12
215	. 2014 ,	1
214	Methods for urine drug testing using one-step dilution and direct injection in combination with LC-MS/MS and LC-HRMS. 2014 , 6, 2229-44	24
213	Quantification of taxanes in biological matrices: a review of bioanalytical assays and recommendations for development of new assays. 2014 , 6, 993-1010	7
212	LC-MS/MS determination of apixaban (BMS-562247) and its major metabolite in human plasma: an application of polarity switching and monolithic HPLC column. 2014 , 6, 2071-82	35
211	Ex situ online monitoring: application, challenges and opportunities for biopharmaceuticals processes. 2014 , 2, 285-300	12
210	Emerging liquid chromatography-mass spectrometry technologies improving dried blood spot analysis. 2014 , 11, 425-30	10
209	Development and Validation of Liquid Chromatography- Mass Spectroscopy/Mass Spectroscopy Method for Quantitative Analysis of Naproxen in Human Plasma after Liquid-Liquid Extraction. 2014 , 13, 1503	2
208	Development and application of a microwave-assisted extraction and LC/MS/MS methodology to the determination of antifouling booster biocides in sea mullets (<i>Mugil cephalus</i>) organisms. 2014 , 97, 197-204	3
207	Liquid chromatography/tandem mass spectrometry with fluoros derivatization method for selective analysis of sialyl oligosaccharides. 2014 , 28, 2481-9	21
206	Automated non-stepwise preparation of bioanalytical calibration standards and quality controls using an ultra-low volume digitizing liquid dispenser. 2014 , 28, 1215-20	1
205	Current advances and strategies towards fully automated sample preparation for regulated LC-MS/MS bioanalysis. 2014 , 6, 2441-59	29
204	Chromatographic and electrophoretic strategies for the chiral separation and quantification of d- and l-threo methylphenidate in biological matrices. 2014 , 28, 1554-64	5
203	Quantitative analysis of 11-nor-9-carboxy-tetrahydrocannabinol (THC-COOH) in urine by LC-MS/MS following a simple filtration. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 957, 77-83	3,2 10
202	Analysis of saponins as bioactive zoochemicals from the marine functional food sea cucumber <i>Bohadschia cousteaui</i> . 2014 , 238, 937-955	28

201	Discovery of xanthine oxidase inhibitors from a complex mixture using an online, restricted-access material coupled with column-switching liquid chromatography with a diode-array detection system. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1975-84	4.4	19
200	Simultaneous determination of imperatorin and its metabolite xanthotoxol in rat plasma by using HPLC-ESI-MS coupled with hollow fiber liquid phase microextraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 945-946, 185-92	3.2	10
199	Validation of an automated solid-phase extraction method for the analysis of 23 opioids, cocaine, and metabolites in urine with ultra-performance liquid chromatography-tandem mass spectrometry. 2014 , 38, 280-8		17
198	The safety and efficacy of short-term budesonide delivered via mucosal atomization device for chronic rhinosinusitis without nasal polyposis. 2014 , 4, 397-402		31
197	Evaluation and optimization of high-performance liquid chromatography coupled with high-resolution mass spectrometry for phospholipid quantitation. 2014 , 28, 811-21		1
196	High-throughput cereal metabolomics: Current analytical technologies, challenges and perspectives. 2014 , 59, 393-418		79
195	An automated dual-gradient liquid chromatography-MS/MS method for the simultaneous determination of ferulic acid, ligustrazine and ligustilide in rat plasma and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 354-63	3.5	22
194	Laser diode thermal desorption atmospheric pressure chemical ionization tandem mass spectrometry applied for the ultra-fast quantitative analysis of BKM120 in human plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 5413-23	4.4	9
193	Recent advances in sample preparation techniques to overcome difficulties encountered during quantitative analysis of small molecules from biofluids using LC-MS/MS. 2014 , 139, 2265-76		172
192	Hydrophilic interaction chromatography of polar and ionizable compounds by UHPLC. 2014 , 63, 55-64		58
191	LC-MS in Environmental Analysis. 2014 , 1259-1286		
190	Evaluation and comparison of the kinetic performance of ultra-high performance liquid chromatography and high-performance liquid chromatography columns in hydrophilic interaction and reversed-phase liquid chromatography conditions. <i>Journal of Chromatography A</i> , 2014 , 1369, 83-91	4.5	25
189	Simultaneous quantification of purine and pyrimidine bases, nucleosides and their degradation products in bovine blood plasma by high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1356, 197-210	4.5	31
188	LC-MS/MS quantitative analysis of paclitaxel and its major metabolites in serum, plasma and tissue from women with ovarian cancer after intraperitoneal chemotherapy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 91, 131-7	3.5	27
187	Practical considerations for the pharmacokinetic and immunogenic assessment of antibody-drug conjugates. 2014 , 28, 383-91		17
186	Matrix effect and methods for its elimination in bioanalytical methods using chromatography-mass spectrometry. 2014 , 69, 311-317		22
185	Biological sample preparation: attempts on productivity increasing in bioanalysis. 2014 , 6, 1691-710		30
184	Polyamines in biological samples: rapid and robust quantification by solid-phase extraction online-coupled to liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1331, 44-51	4.5	50

183	Precision of progesterone measurements with the use of automated immunoassay analyzers and the impact on clinical decisions for in vitro fertilization. 2014 , 101, 1629-36		34
182	Packed-fiber solid-phase extraction coupled with high performance liquid chromatography-tandem mass spectrometry for determination of diethylstilbestrol, hexestrol, and dienestrol residues in milk products. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 957, 7-13	3.2	31
181	Theory and Instrumentation of Mass Spectrometry and its Application to Drug Metabolism. 2014 , 1-25		
180	LC-MS for Pharmaceutical Analysis. 2014 , 315-334		
179	Technological Advances in Studies of Plant Adaptation. 2015 , 1-30		
178	Advanced separation methods. 2015 , 86-99		
177	Determination of N-nitrosamines by automated dispersive liquid-liquid microextraction integrated with gas chromatography and mass spectrometry. 2015 , 38, 1741-8		21
176	Dried blood spot testing for seven steroids using liquid chromatography-tandem mass spectrometry with reference interval determination in the Korean population. 2015 , 35, 578-85		19
175	Online solid phase extraction liquid chromatography using bonded zwitterionic stationary phases and tandem mass spectrometry for rapid environmental trace analysis of highly polar hydrophilic compounds - Application for the antiviral drug Zanamivir. 2015 , 141, 164-9		15
174	Recent advances in the application of hydrophilic interaction chromatography for the analysis of biological matrices. 2015 , 7, 2927-45		18
173	Comments on Sample Preparation in Chromatography for Different Types of Materials. 2015 , 411-446		4
172	A method for the direct injection and analysis of small volume human blood spots and plasma extracts containing high concentrations of organic solvents using reversed-phase 2D UPLC/MS. 2015 , 140, 1921-31		6
171	Quantitative mass spectrometry imaging of emtricitabine in cervical tissue model using infrared matrix-assisted laser desorption electrospray ionization. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 2073-84	4.4	60
170	Development and validation of an UPLC-MS/MS method for the quantification of ethoxzolamide in blood, brain tissue, and bioequivalent buffers: applications to absorption, brain distribution, and pharmacokinetic studies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 986-987, 54-9	3.2	3
169	Synthesis and Use of Stable-Isotope-Labeled Internal Standards for Quantification of Phosphorylated Metabolites by LC-MS/MS. 2015 , 87, 6896-904		52
168	Integration of microfluidic LC with HRMS for the analysis of analytes in biofluids: past, present and future. 2015 , 7, 1397-411		9
167	Development and validation of an on-line multidimensional SPE-LC-MS/MS method for the quantitation of Tetrandrine in blood samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 25-32	3.2	9
166	Evaluation of the concentrations and distribution of carbonyl compounds in selected areas of a Brazilian bus terminal. 2015 , 22, 9413-23		6

165	Utilizing Internal Standard Responses to Assess Risk on Reporting Bioanalytical Results from Hemolyzed Samples. 2015 , 17, 1168-76	7
164	Quantification of lamotrigine in patient plasma using a fast liquid chromatography-tandem mass spectrometry method with backflush technology. 2015 , 37, 188-97	7
163	High throughput protein nanocrystal fractionation in a microfluidic sorter. 2015 , 87, 4159-67	22
162	The development and validation of a method for quantifying olanzapine in human plasma by liquid chromatography tandem mass spectrometry and its application in a pharmacokinetic study. 2015 , 42, 305-13	10
161	Impact of automation on mass spectrometry. 2015 , 450, 298-303	23
160	Development and validation of a UPLC method for rapid and simultaneous analysis of proton pump inhibitors. 2015 , 16, 30-4	7
159	Analytical challenges for conducting rapid metabolism characterization for QIVIVE. 2015 , 332, 20-9	16
158	Oral Drug Absorption. 2016 ,	3
157	Development and Validation of Hplc-Ms/Ms Method for Rivaroxaban Quantitation in Human Plasma Using Solid Phase Extraction Procedure. 2016 , 32, 1145-1154	6
156	Evaluation and Optimization of Blood Micro-Sampling Methods: Serial Sampling in a Cross-Over Design from an Individual Mouse. 2016 , 19, 496-510	7
155	Bioanalytical methods for the determination of synthetic cannabinoids and metabolites in biological specimens. 2016 , 80, 444-457	18
154	Amino acid analysis for pharmacopoeial purposes. 2016 , 154, 150-63	17
153	Inclusion of prednicarbate in the SBA-15 silica. 2016 , 123, 2297-2305	8
152	Characterization of matrix effects in developing rugged high-throughput LC-MS/MS methods for bioanalysis. 2016 , 8, 1021-34	6
151	A whole-molecule immunocapture LC-MS approach for the in vivo quantitation of biotherapeutics. 2016 , 8, 2103-14	32
150	Determination of Drugs by Online Column-Switching Liquid Chromatography. 2017 , 54, 1641-1647	4
149	Review of sample preparation strategies for MS-based metabolomic studies in industrial biotechnology. <i>Analytica Chimica Acta</i> , 2016 , 938, 18-32	6.6 25
148	A multiresidue analytical method for trace level determination of antibiotics and antiretroviral drugs in wastewater and surface water using SPE-LC-MS/MS and matrix-matched standards. 2016 , 8, 6720-6729	43

147	A simple, effective approach for rapid development of high-throughput and reliable LC-MS/MS bioanalytical assays. 2016 , 8, 1809-22		12
146	Impact of Repeated Tail Clip and Saphenous Vein Phlebotomy on Rats Used in Toxicology Studies. 2016 , 44, 1013-20		4
145	Systematic approach to optimize a pretreatment method for ultrasensitive liquid chromatography with tandem mass spectrometry analysis of multiple target compounds in biological samples. 2016 , 39, 3212-20		4
144	The power of energy-resolved tandem mass spectrometry experiments for resolution of isomers: the case of drug plasma stability investigation of multidrug resistance inhibitors. 2016 , 30, 423-32		13
143	Characterization of the variation of carbonyl compounds concentrations before, during, and after the renovation of an apartment at Niterói, Brazil. 2016 , 23, 15605-15		6
142	LC-MS/MS as a tool for TDM services: Where are we?. 2016 , 49, 1009-23		46
141	Application of high-resolution MS for development of peptide and large-molecule drug candidates. 2016 , 8, 169-77		18
140	Current mass spectrometry approaches and challenges for the bioanalysis of traditional Chinese medicines. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1026, 15-26	3.2	5
139	Discovery of active components in herbs using chromatographic separation coupled with online bioassay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1021, 81-90	3.2	20
138	Synthetic biology to access and expand nature's chemical diversity. 2016 , 14, 135-49		314
137	Native Conformation and Canonical Disulfide Bond Formation Are Interlinked Properties of HIV-1 Env Glycoproteins. 2015 , 90, 2884-94		24
136	A bootstrapping soft shrinkage approach for variable selection in chemical modeling. <i>Analytica Chimica Acta</i> , 2016 , 908, 63-74	6.6	83
135	LC-MS based analysis of endogenous steroid hormones in human hair. 2016 , 162, 92-9		80
134	Simultaneous determination of residues of dipyron metabolites in goat tissues by hydrophilic interaction liquid chromatography tandem mass spectrometry. 2016 , 196, 83-9		5
133	Identification Strategies. 2017 , 351-379		
132	Simultaneous determination of components with wide polarity and content ranges in <i>Cistanche tubulosa</i> using serially coupled reverse phase-hydrophilic interaction chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2017 , 1501, 39-50	4.5	49
131	Strategy for the Quantitation of a Protein Conjugate via Hybrid Immunocapture-Liquid Chromatography with Sequential HRMS and SRM-Based LC-MS/MS Analyses. 2017 , 89, 5144-5151		13
130	An atmospheric pressure ionization source using a high voltage target compared to electrospray ionization for the LC/MS analysis of pharmaceutical compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 142, 225-231	3.5	12

129	Quantification of intractable membrane proteins in genetically engineered crops by liquid chromatography coupled with tandem mass spectrometry. 2017 , 9, 2821-2829		3
128	Electrostatic Spray Ionization from 384-Well Microtiter Plates for Mass Spectrometry Analysis-Based Enzyme Assay and Drug Metabolism Screening. 2017 , 89, 5983-5990		6
127	Decreased Prostaglandin D2 Levels in Major Depressive Disorder Are Associated with Depression-Like Behaviors. 2017 , 20, 731-739		19
126	Enhancement in recovery of drugs with high protein binding efficiency from human plasma using magnetic nanoparticles. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 277-284	3-5	7
125	Rapid quantification of free and glucuronidated THCCOOH in urine using coated well plates and LC-MS/MS analysis. 2017 , 9, 485-496		8
124	Peptidome analysis of amniotic fluid from pregnancies with preeclampsia. 2017 , 16, 7337-7344		7
123	Synthesis, Assembly, and Applications of Hybrid Nanostructures for Biosensing. 2017 , 117, 12942-13038		191
122	Overcome the Endogenous Levels in Biomarker Quantitation Using LC-MS. 2017 , 107-117		1
121	Two-dimensional liquid chromatography in pharmaceutical analysis. Instrumental aspects, trends and applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 482-503	3-5	58
120	Standardized Procedure for the Simultaneous Determination of the Matrix Effect, Recovery, Process Efficiency, and Internal Standard Association. 2017 , 89, 7560-7568		28
119	Recent trends in determination of thiamine and its derivatives in clinical practice. <i>Journal of Chromatography A</i> , 2017 , 1510, 1-12	4-5	18
118	Simultaneous analysis of ten low-molecular-mass organic acids in the tricarboxylic acid cycle and photorespiration pathway in <i>Thalassiosira pseudonana</i> at different growth stages. 2017 , 40, 635-645		5
117	Development and evaluation of a hydrophilic interaction liquid chromatography-MS/MS method to quantify 19 nucleobases and nucleosides in rat plasma. 2017 , 31, e3860		11
116	The use of a restricted access volatile supramolecular solvent for the LC/MS-MS assay of bisphenol A in urine with a significant reduction of phospholipid-based matrix effects. <i>Analytica Chimica Acta</i> , 2017 , 950, 71-79	6.6	47
115	Hyphenated Detectors: Mass Spectrometry. 2017 , 213-244		2
114	Sample preparation for liquid chromatography. 2017 , 1-37		5
113	Mass Spectrometry: Chromatography-MS, Methods?. 2017 , 758-763		1
112	Biomarkers for Preclinical Alzheimer's Disease. <i>Neuromethods</i> , 2018 ,		0.4

111	Systematic evaluation of matrix effects in supercritical fluid chromatography versus liquid chromatography coupled to mass spectrometry for biological samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1079, 51-61	3.2	31
110	The Green ChemisTREE: 20 years after taking root with the 12 principles. 2018 , 20, 1929-1961		313
109	Application of solid phase microextraction followed by liquid chromatography-mass spectrometry in the determination of antibiotic drugs and their metabolites in human whole blood and tissue samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1086, 153-165	3.2	22
108	Supercritical fluid chromatography: a promising alternative to current bioanalytical techniques. 2018 , 10, 107-124		34
107	How much separation for LC-MS/MS quantitative bioanalysis of drugs and metabolites?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1084, 23-35	3.2	6
106	The benefits (and misfortunes) of SDS in top-down proteomics. 2018 , 175, 75-86		19
105	Comprehensive two dimensional liquid chromatography as analytical strategy for pharmaceutical analysis. <i>Journal of Chromatography A</i> , 2018 , 1536, 195-204	4.5	18
104	Sample preparation for large-scale bioanalytical studies based on liquid chromatographic techniques. 2018 , 32, e4137		23
103	Liquid Chromatography Mass Spectrometry. 2018 , 127-127		
102	Determination of fluoroquinolones in cattle manure-based biogas residue by ultrasonic-enhanced microwave-assisted extraction followed by online solid phase extraction-ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1086, 153-175	3.2	10
101	Development of a LC-MS method for simultaneous determination of amoxicillin and metronidazole in human serum using hydrophilic interaction chromatography (HILIC). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1089, 78-83	3.2	15
100	Platform development for expression and purification of stable isotope labeled monoclonal antibodies in <i>Escherichia coli</i> . 2018 , 10, 992-1002		6
99	A liquid chromatography high-resolution mass spectrometry in vitro assay to assess metabolism at the injection site of subcutaneously administered therapeutic peptides. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 159, 449-458	3.5	25
98	Pharmaceutical Analysis Sample Preparation. 2018 , 231-231		2
97	The development of simple flow injection analysis tandem mass spectrometric methods for the cutaneous determination of peptide-modified cationic gemini surfactants used as gene delivery vectors. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 159, 536-547	3.5	6
96	Role of the Matrix Effect in Analysis of Biological Objects Using Mass Spectrometry with Inductively Coupled Plasma. 2019 , 64, 909-915		1
95	Simulation of phase I metabolism reactions of selected calcium channel blockers by human liver microsomes and photochemical methods with the use of Q-TOF LC/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 175, 112776	3.5	1
94	Challenges and Advances in the Fabrication of Monolithic Bioseparation Materials and their Applications in Proteomics Research. 2019 , 31, e1902023		34

93	Fast liquid chromatography-tandem mass spectrometry method for simultaneous determination of eight antiepileptic drugs and an active metabolite in human plasma using polarity switching and timed selected reaction monitoring. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 176, 112816	3.5	9
92	Bioanalysis of Targeted Nanoparticles in Monkey Plasma via LC-MS/MS. 2019 , 91, 13874-13882		6
91	Carboxylesterase catalyzed O-labeling of carboxylic acid and its potential application in LC-MS/MS based quantification of drug metabolites. 2019 , 34, 308-316		5
90	Connecting the Dots of Carbon Nanodots: Excitation (In)dependency and White-Light Emission in One-Step. 2019 , 123, 20502-20511		14
89	A concise review of quantification methods for determination of vitamin K in various biological matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 169, 133-141	3.5	10
88	Liquid chromatography coupled to mass spectrometry for metabolite profiling in the field of drug discovery. 2019 , 14, 469-483		15
87	The imperatives and challenges of analyzing Cannabis edibles. 2019 , 28, 18-24		9
86	Prostaglandins E and F levels in human menstrual fluid by online Solid Phase Extraction coupled to Liquid Chromatography tandem Mass Spectrometry (SPE-LC-MS/MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1109, 60-66	3.2	5
85	Simultaneous Determination of Schisandrin and Promethazine with Its Metabolite in Rat Plasma by HPLC-MS/MS and Its Application to a Pharmacokinetic Study. 2019 , 2019, 3497045		1
84	Quantitation of escitalopram and its metabolites by liquid chromatography-tandem mass spectrometry in psychiatric patients: New metabolic ratio establishment. 2019 , 124, 285-297		4
83	Stability of non-proteinogenic amino acids to UV and gamma irradiation. 2019 , 18, 426-435		4
82	Supercritical fluid chromatography-tandem mass spectrometry for high throughput bioanalysis of small molecules in drug discovery. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 164, 62-69	3.5	16
81	Recent advances of online coupling of sample preparation techniques with ultra high performance liquid chromatography and supercritical fluid chromatography. 2019 , 42, 226-242		27
80	Capillary microsampling in mice: effective way to move from sparse sampling to serial sampling in pharmacokinetics profiling. 2020 , 50, 663-669		6
79	Emerging molecular biology tools and strategies for engineering natural product biosynthesis. 2020 , 10, e00108		24
78	Simultaneous quantification of polyphenols, glycoalkaloids and saponins in African nightshade leaves using ultra-high performance liquid chromatography tandem mass spectrometry with acid assisted hydrolysis and multivariate analysis. 2020 , 312, 126030		11
77	Quantification of total and unbound cefuroxime in plasma by ultra-performance liquid chromatography tandem mass spectrometry in a cohort of critically ill patients with hypoalbuminemia and renal failure. 2020 , 34, e23100		2
76	Metabolic Profiles in Madin-Darby Canine Kidney Cell Lines Infected with H3N2 Canine Influenza Viruses. 2020 , 33, 573-584		0

75	Online Liquid Chromatography-Raman Spectroscopy Using the Vertical Flow Method. 2020 , 92, 14601-14607		2
74	Bioanalysis of biological matrix samples using liquid chromatography-tandem mass spectrometry detection. 2020 , 641-659		0
73	Miniaturized LC in Molecular Omics. 2020 , 92, 11485-11497		14
72	Cell-Free Synthetic Glycobiology: Designing and Engineering Glycomolecules Outside of Living Cells. 2020 , 8, 645		11
71	Throughput Considerations for a Sample-Multiplexed LC-MS/MS Assay: Is the Ability to Double the Injection Throughput Always a Time Saver?. 2020 , 66, 1125-1127		0
70	Development of a thin-film solid-phase microextraction (TF-SPME) method coupled to liquid chromatography and tandem mass spectrometry for high-throughput determination of steroid hormones in white sucker fish plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 4183-4194	4.4	5
69	New bioanalytical method for the quantification of (-) - hydroxycitric acid in human plasma using UPLC-MS/MS and its application in a Garcinia cambogia pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 188, 113385	3.5	3
68	Bias reduction in the quantitative analysis of a target analyte present in a limited quantity in human plasma using dual-mode heart-cutting two-dimensional liquid chromatography coupled with isotope dilution mass spectrometry. 2020 , 34, e4831		
67	Quantitative of progesterone using isotope dilution-matrix-assisted laser desorption ionization-time of flight mass spectrometry. 2020 , 7, 100812		
66	Compensate for or Minimize Matrix Effects? Strategies for Overcoming Matrix Effects in Liquid Chromatography-Mass Spectrometry Technique: A Tutorial Review. 2020 , 25,		35
65	Quality by design applied to olanzapine and quetiapine LC-MS/MS bioanalysis. 2020 , 58, 117-126		0
64	Progress in Pretreatment and Analytical Methods of Coumarins: An Update since 2012 - A Review. 2021 , 51, 503-526		5
63	Comments on sample preparation in chromatography for different types of materials. 2021 , 615-663		
62	A quantitative LC-MS/MS approach for monitoring 2'-fluoro-2'-deoxy-D-glucose uptake in tumor tissue. 2021 , 13, 481-491		
61	A high-throughput, ultrafast, and online three-phase electro-extraction method for analysis of trace level pharmaceuticals. <i>Analytica Chimica Acta</i> , 2021 , 1149, 338204	6.6	7
60	Identification of Metabolites of Aurantio-Obtusin in Rats Using Ultra-High-Performance Liquid Chromatography-Q-Exactive Orbitrap Mass Spectrometry with Parallel Reaction Monitoring. 2021 , 2021, 6630604		1
59	Metal-Organic Frameworks in Bioanalysis: Extraction of Small Organic Molecules. 2021 , 8, 60		3
58	Advances in the Study of Metabolomics and Metabolites in Some Species Interactions. 2021 , 26,		9

57	Synthetic biology-inspired strategies and tools for engineering of microbial natural product biosynthetic pathways. 2021 , 49, 107759		6
56	Preparation of Pd/PANI/ITO composite electrode and its degradation of tetracycline wastewater. 2021 , 138, 51400		1
55	Rapid Identification of Anthocyanin from the Epicarp of Kadsura Coccinea (Lem.) A.C. Smith by UHPLC-Q-Exactive Orbitrap Mass Spectrometry. 1		1
54	Bioanalytical strategies in drug discovery and development. 2021 , 53, 434-458		4
53	Introduction to Mass Spectrometry, a Tutorial. 1-54		6
52	Tandem mass spectrometry in hormone measurement. <i>Methods in Molecular Biology</i> , 2013 , 1065, 45-74	1.4	9
51	Quantification for non-targeted LC/MS screening without standard substances. <i>Scientific Reports</i> , 2020 , 10, 5808	4.9	39
50	Untargeted Metabolomics of Halophytes. 2016 , 307-325		10
49	Strategies and Techniques for Bioanalytical Assays as Part of New Drug Discovery. 2009 , 1-31		2
48	Metabolite Identification Strategies and Procedures. 2009 , 127-203		1
47	Hydrophilic Interaction Liquid Chromatography-Based Enrichment Protocol Coupled to Mass Spectrometry for Glycoproteome Analysis. <i>Chromatographic Science</i> , 2011 , 469-490		1
46	Development and Validation of an LC-MS/MS Method for Quantitative Analysis of Mirtazapine in Human Plasma. <i>American Journal of Analytical Chemistry</i> , 2011 , 02, 650-657	0.7	5
45	Rapid LC-ESI-MS-MS Method for the Simultaneous Determination of Sitagliptin and Pioglitazone in Rat Plasma and Its Application to Pharmacokinetic Study. <i>American Journal of Analytical Chemistry</i> , 2012 , 03, 849-858	0.7	8
44	Modeling the distribution of malachite green in zebrafish using matrix-assisted laser desorption/ionization mass spectrometry imaging. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 7021-7030	4.4	1
43	Fast Chromatography with UPLC and Other Techniques. 2009 , 255-275		0
42	[Application of turbulent flow chromatography in the analysis of biological samples]. <i>Chinese Journal of Chromatography (Se Pu)</i> , 2010 , 28, 168-74	0.2	
41	Bioanalytical Methods in Clinical Drug Development. 2011 , 63-86		
40	Silica Monolithic Columns and Mass Spectrometry. 273-283		

39	Application of the Calculated Physicochemical Property, Log D, to Hydrophilic Interaction Chromatography in the Bioanalytical Laboratory. <i>Chromatographic Science</i> , 2011 , 27-46		
38	The comparative assessment of the effectiveness of immunoanalysis and tandem mass spectrometry applied for re-testing the children with suspected congenital adrenal cortical hyperplasia. <i>Problemy Endokrinologii</i> , 2013 , 59, 12-18	0	
37	LC Automation??Change History: May 2014. DA Wells updated website URL links and updated manufacturer name changes â€”Varian was acquired by Agilent; MicroLiter Analytical, Inc., was sold and the sample preparation group was spun off as ITSP Solutions, Inc.; Merck KGaA acquired Millipore to become EMD Millipore. The source of the BioTrap 500 LC column was updated to A		
36	Selected Reaction Monitoring Protocol for the Measurement of sTREM2 in Cerebrospinal Fluid. <i>Neuromethods</i> , 2018 , 169-177	0.4	
35	Rapid and Reproducible Dibutylation Derivatization Coupled with Ultra-High Performance Liquid Chromatography-Tandem Mass Spectrometry for the Simultaneous Determination of Dopamine, Norepinephrine and 5-Hydroxytryptamine in Rat Brain Microdialysates. <i>International Journal of Analytical Mass Spectrometry and Chromatography</i> , 2018 , 06, 21-36	0.7	1
34	Identification of in vitro and in vivo potential metabolites of novel cardiovascular and adrenolytic drugs by liquid chromatography-mass spectrometry with the aid of experimental design. <i>Nova Biotechnologica Et Chimica</i> , 2019 , 18, 179-194	0.4	1
33	Environmental Exposure Measurements and Evaluations. 2020 , 1-21		
32	LC-MS/MS in the Clinical Laboratory - Where to From Here?. <i>Clinical Biochemist Reviews</i> , 2011 , 32, 5-31	7.3	271
31	Using dried blood spot sampling to improve data quality and reduce animal use in mouse pharmacokinetic studies. <i>Journal of the American Association for Laboratory Animal Science</i> , 2015 , 54, 139-44	1.3	13
30	Advantages and Challenges of Dried Blood Spot Analysis by Mass Spectrometry Across the Total Testing Process. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016 , 27, 288-317	2.4	60
29	Development of a fast, online three-phase electroextraction hyphenated to fast liquid chromatography-mass spectrometry for analysis of trace-level acid pharmaceuticals in plasma.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339364	6.6	0
28	A solvent loss study for the application of solvent extraction processes in the pharmaceutical industry. <i>Chemical Engineering Science</i> , 2022 , 250, 117400	4.4	2
27	Dual-function monolithic enzyme reactor based on dopamine/graphene oxide coating for simultaneous protein enzymatic hydrolysis and glycopeptide enrichment.. <i>Journal of Chromatography A</i> , 2022 , 1666, 462848	4.5	1
26	On the journey exploring nanoscale packing materials for ultra-efficient liquid chromatographic separation. <i>Journal of Chromatography Open</i> , 2022 , 2, 100033		1
25	A tandem liquid chromatography and tandem mass spectrometry (LC/LC-MS/MS) technique to separate and quantify steroid isomers 11methyl-19-nortestosterone and testosterone.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022 , 1193, 123165	3.2	0
24	Magnetic nanoparticles and their application in bioanalysis. 2022 , 413-445		
23	Comparison of Peanut Compounds during Roasting and the Effect of Peanut Shells. <i>ACS Food Science & Technology</i> ,		
22	Quantitative extraction of multiclass antibiotic residues in cow milk utilizing salting-out assisted liquid-liquid extraction followed by liquid chromatographic determination. <i>International Journal of Environmental Analytical Chemistry</i> , 1-19	1.8	

21	Integration of a high duty cycle SLIM mobility filter with a triple quadrupole mass spectrometer for targeted quantitative analysis. <i>International Journal of Mass Spectrometry</i> , 2022 , 475, 116832	1.9	3
20	Novel emulsifiers and stabilizers from apricot (<i>Prunus armeniaca</i> L.): Their potential therapeutic targets and functional properties. <i>Applied Food Research</i> , 2022 , 2, 100085		0
19	A multiplex protein panel assay determines disease severity and is prognostic about outcome in COVID-19 patients.		
18	Conductive Polymers in Green Analytical Chemistry. <i>ACS Symposium Series</i> , 1-37	0.4	0
17	A multiplex protein panel assay for severity prediction and outcome prognosis in patients with COVID-19: An observational multi-cohort study. <i>EClinicalMedicine</i> , 2022 , 49, 101495	11.3	2
16	A Review on Bioanalytical Method Development and Validation by Liquid Chromatography Tandem Mass Spectrometry. <i>International Journal of Scientific Research and Management</i> , 2022 , 10, 605-616	1.9	
15	Green Extraction Processes for Complex Samples from Vegetable Matrices Coupled with On-Line Detection System: A Critical Review. 2022 , 27, 6272		0
14	Multidimensional Chromatography and Its Applications in Food Products, Biological Samples and Toxin Products: A Comprehensive Review. 2022 , 9, 326		1
13	Determination of eight phosphatidylethanol homologues in blood by reversed phase liquid chromatography tandem mass spectrometry – How to avoid co-elution of phosphatidylethanol and unwanted phospholipids. 2022 , 1684, 463566		0
12	An automated online three-phase electro-extraction setup with machine-vision process monitoring hyphenated to LC-MS analysis. 2022 , 1235, 340521		0
11	Current analytical methods to monitor type 2 diabetes medication in biological samples. 2022 , 116831		0
10	Nanocatalysis meets microfluidics: A powerful platform for sensitive bioanalysis. 2023 , 158, 116887		0
9	Nonempirical Prediction of the Relative Electrospray Ionization Efficiencies of Nitroanilines by Combined CBS-QB3 and SCC-DFTB Calculations. 2022 , 126, 8939-8944		0
8	Preclinical pharmacokinetics of a promising antineoplastic prototype piperazine-containing compound (LQFM018) in rats by a new LC-MS/MS bioanalytical method. 2023 , 1223, 123710		0
7	Gas chromatography-mass spectrometry and liquid chromatography-mass spectrometry metabolomics platforms: Tools for plant oligosaccharides analysis. 2023 , 5, 100304		0
6	Metagenomics analysis reveals the effects of norfloxacin on the gut microbiota of juvenile common carp (<i>Cyprinus carpio</i>). 2023 , 325, 138389		0
5	Perspectives on a flexible strategy for the management of nonregulated bioanalysis. 2023 , 15, 103-107		1
4	Effect of Kisspeptin-Type Neuropeptide on Locomotor Behavior and Muscle Physiology in the Sea Cucumber <i>Apostichopus japonicus</i> . 2023 , 13, 705		0

- 3 A review on bioanalytical method development and validation of anticancer drugs by using lc/ms/ms and its applications on routine analysis. 4-19 ○
- 2 Development of a Rapid LC-MS/MS Method for Simultaneous Quantification of Donepezil and Tadalafil in Rat Plasma: Its Application in a Pharmacokinetic Interaction Study after Oral Administration in Rats. **2023**, 28, 2352 ○
- 1 Simultaneous measurement of 19 steroid hormones in dried blood spots using ultra-performance liquid chromatography-tandem mass spectrometry. ○