

CITATION REPORT

List of articles citing

A simple and reliable procedure for the determination of psychoactive drugs in oral fluid by gas chromatography-mass spectrometry

DOI: 10.1016/j.jpba.2007.02.022

Journal of Pharmaceutical and Biomedical Analysis, 2007, 44, 594-601.

Source: <https://exaly.com/paper-pdf/42735805/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
117	Stability studies of principal illicit drugs in oral fluid: preparation of reference materials for external quality assessment schemes. 2007 , 29, 662-5		17
116	On-site screening and GC-MS analysis of cocaine and heroin metabolites in body-packers urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 383-7	3.5	25
115	Analytical methodologies for the determination of sertraline. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1290-302	3.5	19
114	ORALVEQ: external quality assessment scheme of drugs of abuse in oral fluid: results obtained in the first round performed in 2007. 2008 , 182, 35-40		8
113	Current literature in mass spectrometry. 2008 , 43, 269-278		
112	Mass spectrometric analysis of illicit drugs in wastewater and surface water. 2008 , 27, 378-94		115
111	The role of alternative specimens in toxicological analysis. <i>Biomedical Chromatography</i> , 2008 , 22, 795-821	1.7	139
110	Development and validation of a gas chromatographic-mass spectrometric method for quantitative determination of perphenazine in rabbit plasma after sublingual administration. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 872, 51-7	3.2	8
109	LC-MS/MS method for the determination of nine antidepressants and some of their main metabolites in oral fluid and plasma. Study of correlation between venlafaxine concentrations in both matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 183-93	3.5	90
108	Simultaneous Determination of Alprazolam and Fluoxetine Hydrochloride in Tablet Formulations by High-Performance Column Liquid Chromatography and High-Performance Thin-Layer Chromatography. 2009 , 92, 1082-1088		8
107	Current technologies and considerations for drug bioanalysis in oral fluid. 2009 , 1, 637-67		34
106	Bioanalytical methods for the determination of cocaine and metabolites in human biological samples. 2009 , 1, 977-1000		34
105	Substance use among road traffic casualties admitted to emergency departments. 2009 , 15, 87-94		23
104	Sample preparation and separation techniques for bioanalysis of morphine and related substances. 2009 , 32, 825-34		8
103	Automated on-line in-tube solid-phase microextraction coupled with HPLC/MS/MS for the determination of butyrophenone derivatives in human plasma. 2009 , 394, 1161-70		23
102	Liquid chromatography/tandem mass spectrometry for the qualitative and quantitative analysis of illicit drugs and medicines in preserved oral fluid. 2009 , 23, 1451-60		30
101	Analysis of second-generation antidepressant drug, sertraline and its active metabolite, N-desmethyl sertraline in human plasma by a sensitive and selective liquid chromatography-tandem mass spectrometry method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 221-9	3.2	26

100	Substance use among non-fatally injured patients attended at emergency departments in Spain. 2009 , 105, 194-201	13
99	Estimation of Alprazolam and Sertraline in Pure Powder and Tablet Formulations by High-Performance Liquid Chromatography and High-Performance Thin-Layer Chromatography. 2009 , 42, 1588-1602	18
98	Oral fluid testing for drugs of abuse. 2009 , 55, 1910-31	298
97	Stability of drugs of abuse in oral fluid collection devices with purpose of external quality assessment schemes. 2009 , 31, 277-80	28
96	Drug Analysis. 2009 ,	
95	GC/MS Method for Simultaneous Determination of Four Sedative Hypnotic Residues in Swine Tissues. 2010 , 71, 155-158	11
94	Preparation of a monoclonal antibody and development of an indirect competitive ELISA for the detection of chlorpromazine residue in chicken and swine liver. 2010 , 90, 1789-95	14
93	Gas chromatography-mass spectrometric method for the screening and quantification of illicit drugs and their metabolites in human urine using solid-phase extraction and trimethylsilyl derivatization. 2010 , 33, 1767-78	10
92	Hollow fiber-based liquid phase microextraction combined with high-performance liquid chromatography for the analysis of gabapentin in biological samples. 2010 , 665, 221-6	37
91	Small volume liquid extraction of amphetamines in saliva. 2010 , 197, 80-4	23
90	Quantification of Paroxetine in Human Plasma by Liquid Chromatography Coupled with Electrospray Ionization Tandem Mass Spectrometry. 2010 , 93, 141-149	7
89	[Toxicologic blood emergency screening]. 2010 , 68, 163-72	1
88	SENSITIVE DETERMINATION OF GABAPENTIN IN HUMAN URINE BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY WITH UV/VIS AND FLUORESCENT DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 1487-1501	1,3 2
87	Conventional and alternative matrices for driving under the influence of cannabis: recent progress and remaining challenges. 2010 , 2, 791-806	16
86	Hapten synthesis and development of an indirect competitive enzyme-linked immunosorbent assay for chlorpromazine in pork, chicken and swine liver. 2011 , 3, 2797	19
85	Development and validation of an improved method for the quantitation of sertraline in human plasma using LC-MS-MS and its application to bioequivalence studies. 2011 , 49, 89-93	8
84	Bio-sample preparation and analytical methods for the determination of tricyclic antidepressants. 2011 , 3, 97-118	14
83	Chemiluminescence determination of chlorpromazine and fluphenazine in pharmaceuticals and human serum using tris(1,10-phenanthroline) ruthenium(II). 2011 , 3, 996	8

82	Development and validation of an EI-GC/MS method for the determination of sertraline and its major metabolite desmethyl-sertraline in blood. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2576-82	3.2	19
81	Chlorpromazine quantification in human plasma by UPLC-electrospray ionization tandem mass spectrometry. Application to a comparative pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3728-34	3.2	17
80	A validated method for the detection and quantitation of 50 drugs of abuse and medicinal drugs in oral fluid by gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 859-70	3.2	71
79	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography-mass spectrometry. 2011 , 696, 67-76		39
78	Analytical methods for determination of selective serotonin reuptake inhibitor antidepressants. 2011 , 30,		12
77	[Determination of morphine, codeine and 6-monoacetylmorphine in saliva of substance-abuse patients using HPLC/MS methods]. 2012 , 69, 141-6		
76	A novel chiral GC/MS method for the analysis of fluoxetine and norfluoxetine enantiomers in biological fluids. 2012 , 4, 236-45		14
75	pH-mediated stacking in capillary electrophoresis for analysis of opiates in saliva. 2012 , 4, 3695		14
74	Extractive spectrophotometric determination of chlorpromazine and trifluoperazine hydrochloride in pharmaceutical preparations. 2012 , 2, 62-68		3
73	Determination of 9-tetrahydrocannabinol and 11-nor-9-carboxy-9-tetrahydrocannabinol in water samples by solid-phase microextraction with on-fiber derivatization and gas chromatography-mass spectrometry. 2012 , 1245, 167-74		28
72	Analysis of Illicit Drugs in Human Biological Samples by LC-MSn. 2012 , 349-398		2
71	LC-MS in Drug Bioanalysis. 2012 ,		3
70	Highly sensitive determination of chlorpromazine by electrochemically treated pencil graphite fiber as both solid-phase microextraction fiber and working electrode for use in voltammetry method. 2013 , 5, 5024		7
69	Gas chromatography [mass spectral characteristics of six pharmacologically active compounds] analytical performance characteristics on a raw sewage impacted water sample. 2013 , 91, 704-710		2
68	Simultaneous monitoring of selective serotonin reuptake inhibitors in human urine, plasma and oral fluid by reverse-phase high performance liquid chromatography. 2013 , 51, 146-54		12
67	Trends and Advances in Separation and Detection of SSRIs and SNRIs in Biological Matrices. 2013 , 2013, 1-15		3
66	Synthesis of novel hapten and production of the generic monoclonal antibody for phenothiazine drugs. 2014 , 49, 324-330		5
65	The application of capillary electrophoresis techniques in toxicological analysis. <i>Biomedical Chromatography</i> , 2014 , 28, 1507-13	1.7	7

64	Current knowledge on cannabinoids in oral fluid. 2014 , 6, 88-111		61
63	Development of microextraction by packed sorbent for toxicological analysis of tricyclic antidepressant drugs in human oral fluid. 2014 , 1337, 9-16		31
62	Silver nanoparticles/multi walled carbon nanotubes nanocomposite modified electrode: Voltammetric determination of clonazepam. 2014 , 118, 10-17		56
61	Gas chromatography-electron ionization-mass spectrometry quantitation of valproic acid and gabapentin, using dried plasma spots, for therapeutic drug monitoring in in-home medical care. <i>Biomedical Chromatography</i> , 2014 , 28, 1756-62	1.7	15
60	Broad specific enzyme-linked immunosorbent assay for determination of residual phenothiazine drugs in swine tissues. 2014 , 454, 7-13		10
59	Determination of some biochemical parameters in oral fluid and evaluation of their stability under different storage conditions. 2015 , 27, 195-202		1
58	Analytical methodologies for the determination of benzodiazepines in biological samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 113, 239-64	3.5	33
57	Spectroscopic Trends for the Determination of Illicit Drugs in Oral Fluid. 2015 , 50, 775-796		20
56	Simultaneous determination of phentermine and topiramate in human plasma by liquid chromatography-tandem mass spectrometry with positive/negative ion-switching electrospray ionization and its application in pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 444-9	3.5	9
55	Quantitative Silylation Speciations of Primary Phenylalkyl Amines, Including Amphetamine and 3,4-Methylenedioxymphetamine Prior to Their Analysis by GC/MS. 2015 , 87, 10188-92		6
54	Current advances in biosampling for therapeutic drug monitoring of psychiatric CNS drugs. 2015 , 7, 1925-42		14
53	Quantification of six cannabinoids and metabolites in oral fluid by liquid chromatography-tandem mass spectrometry. 2015 , 7, 684-94		41
52	The role of alkylsilyl derivatization techniques in the analysis of illicit drugs by gas chromatography. 2015 , 118, 101-109		5
51	Micellar High Performance Liquid Chromatographic Method for Simultaneous Determination of Clonazepam and Paroxetine HCl in Pharmaceutical Preparations Using Monolithic Column. 2016 , 7,		5
50	A Study on the Reliability of an On-Site Oral Fluid Drug Test in a Recreational Context. 2016 , 2016, 1234581		23
49	Validated spectrofluorimetric method for the determination of clonazepam in pharmaceutical preparations. 2016 , 31, 682-7		4
48	Sensitive, automatic method for the determination of diazepam and its five metabolites in human oral fluid by online solid-phase extraction and liquid chromatography with tandem mass spectrometry. 2016 , 39, 1873-83		10
47	Electrochemical detection of a novel therapeutic compound for Schizophrenia. 2016 ,		2

46	Spectroscopic Study on the Interaction of Haloperidol and 2,4-Dinitrophenylhydrazine and its Application for the Quantification in Drug Formulations. 2016 , 6, 874-885		12
45	Myocardial bridging and ecstasy: A fatal combination involving a 22year-old male. 2016 , 220, 835-6		3
44	Development of an enzyme linked immunosorbent assay for the determination of phenothiazine drugs in meat and animal feeds. 2016 , 51, 715-721		8
43	Techniques and technologies for the bioanalysis of Sativex [®] , metabolites and related compounds. 2016 , 8, 829-45		4
42	Voltammetric determination of diazepam using a bismuth modified pencil graphite electrode. 2016 , 8, 1995-2004		19
41	Quantitative determination of methamphetamine in oral fluid by liquid-liquid extraction and gas chromatography/mass spectrometry. 2017 , 36, 195-202		23
40	Bioanalysis of antihistamines for clinical or forensic purposes. <i>Biomedical Chromatography</i> , 2017 , 31, e3727	1.7	4
39	Simultaneous Quantification of Antidepressants and Metabolites in Urine and Plasma Samples by GCMS for Therapeutic Drug Monitoring. 2017 , 80, 301-328		12
38	Dummy template molecularly imprinted polymer for solid phase extraction of phenothiazines in meat based on computational simulation. 2017 , 233, 422-428		43
37	Characterization of narcotics using differential mobility spectrometry. 2017 , 148, 1599-1604		
36	Lab on paper chip integrated with Si@GNRs for electroanalysis of diazepam. 2017 , 980, 50-57		18
35	Development and validation of a GC-MS method for the determination of hydroxyzine and its active metabolite, cetirizine, in whole blood. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 765-772	3.5	12
34	High-throughput prediction of AKB48 in emerging illicit products by NIR spectroscopy and chemometrics. 2017 , 134, 277-283		42
33	Illicit Drugs in Oral Fluid: Evaluation of Two Collection Devices. 2017 , 41, 71-76		17
32	Correlation between Blood and Oral Fluid Psychoactive Drug Concentrations and Cognitive Impairment in Driving under the Influence of Drugs. 2018 , 16, 84-96		25
31	Development and validation of a gas chromatography/tandem mass spectrometry method for simultaneous quantitation of several antipsychotics in human plasma and oral fluid. 2018 , 32, 2081-2095		14
30	Low-temperature plasma-probe mass spectrometry based method for determination of new psychoactive substances in oral fluid. 2018 , 32, 913-918		8
29	Development and validation of an EI-GC-MS method for the determination of 11 antihistamines in whole blood. Applications in clinical and forensic toxicology. 2018 , 10, 4926-4934		1

28	Application of dual-template molecularly imprinted polymer-based solid phase extraction for determination of phenothiazines and benzodiazepines in swine feed. 2018 , 10, 3001-3010		10
27	Determination of antipsychotic drugs in oral fluid using dried saliva spots by gas chromatography-tandem mass spectrometry. 2019 , 411, 6141-6153		15
26	Oral Fluid Drug Testing: Analytical Approaches, Issues and Interpretation of Results. 2019 , 43, 415-443		39
25	Determination of polyamines and related compounds in saliva via in situ derivatization and microextraction by packed sorbents coupled to GC-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1129, 121821	3.2	2
24	Screen printed carbon electrode modified with a copper@porous silicon nanocomposite for voltammetric sensing of clonazepam. 2019 , 186, 676		5
23	Klonopin assay using modified electrode with multiwalled carbon nanotubes and poly melamine nanocomposite. 2019 , 99, 121-128		8
22	Electrochemical determination of clonazepam drug based on glassy carbon electrode modified with FeO/R-SH/Pd nanocomposite. 2019 , 103, 109754		10
21	"Lab-on-Click" Detection of Illicit Drugs in Oral Fluids by MicroNIR-Chemometrics. 2019 , 91, 6435-6439		15
20	Dilute and shoot ultra-high performance liquid chromatography tandem mass spectrometry (UHPLC-MS/MS) analysis of psychoactive drugs in oral fluid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 170, 63-67	3.5	22
19	Determination of morphine and its metabolites in the biological samples: an updated review. 2020 , 12, 1161-1194		2
18	Voltammetric detection of 3,4-methylenedioxymethamphetamine (mdma) in saliva in low cost systems. 2020 , 20, 100268		3
17	A novel technique for simultaneous determination of drugs using magnetic nanoparticles based dispersive micro-solid-phase extraction in biological fluids and wastewaters. <i>MethodsX</i> , 2020 , 7, 100952	1.9	2
16	Analytical determinations of haloperidol and its combinations in pharmaceutical dosage forms and biological matrices. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2021 , 44, 33-51	1.3	0
15	Development, validation, and application of a simple UPLC-MS/MS method for simultaneous quantification of five traditional antipsychotics in human plasma. <i>Biomedical Chromatography</i> , 2021 , 35, e5143	1.7	
14	Determination of 13 antidepressants in blood by UPLC-MS/MS with supported liquid extraction pretreatment. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1171, 122608	3.2	6
13	A systematic review of quantitative analysis of cannabinoids in oral fluid. <i>Journal of Forensic Sciences</i> , 2021 , 66, 2104-2112	1.8	3
12	Electrochemical studies for the determination of quetiapine fumarate and olanzapine antipsychotic drugs. <i>Advanced Pharmaceutical Bulletin</i> , 2013 , 3, 339-44	4.5	16
11	Analysis of drugs including illicit and new psychoactive substances in oral fluids by gas chromatography-drift tube ion mobility spectrometry. <i>Talanta</i> , 2022 , 238, 122966	6.2	3

10	Therapeutic Drug Monitoring in Saliva. 2020 , 395-417		0
9	A batch and cloud point extraction kinetic spectrophotometric method for determining trace and ultra trace amounts of Benzodiazepine drugs (Clonazepam and Nitrazepam) in pure and pharmaceutical preparations. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2020 , 33, 21-31	0.5	0
8	Gabapentin Determination in Human Plasma and Capsule by Coupling of Solid Phase Extraction, Derivatization Reaction, and UV-Vis Spectrophotometry. <i>Iranian Journal of Pharmaceutical Research</i> , 2013 , 12, 247-53	1.1	2
7	An electrochemical sensor based on cobalt oxyhydroxide nanoflakes/reduced graphene oxide nanocomposite for detection of illicit drug-clonazepam. <i>Journal of Electroanalytical Chemistry</i> , 2022 , 919, 116537	4.1	2
6	IDENTIFICATION AND DETERMINATION OF 2,5-DIMETOXY-4-BROMOPHENETHYLAMINE (2C-B) IN REAL SAMPLE BY GC-MS METHODS AND DERIVATIZATION AFTER SPE PREPARATION. <i>Bulletin of Natural Sciences Research</i> , 2022 , 12,	0.4	
5	A method for determining valproic acid in human whole blood and urine via gas chromatography-mass spectrometry and small-scale inter-laboratory trial. 2022 , 59, 102133		
4	Simple and rapid method for 336 multiresidual pesticide analysis in saliva, determination of their chemical stabilities, and biomonitoring of farmers. 2022 , 136725		1
3	Target Analysis of NPS in Oral Fluid. 2023 , 145-197		0
2	Plastic Membrane Sensor for The Determination of Hydroxyzine Dihydrochloride in the Pharmaceutical Formulation. 2023 , 100134		0
1	Isolation of Antidepressants and Their Metabolites from Saliva Using Supported Liquid Extraction (SLE). 2023 , 11, 708		0