

# CITATION REPORT

List of articles citing

Analysis of multiple constituents in a Chinese herbal preparation Shuang-Huang-Lian oral liquid by HPLC-DAD-E

DOI: 10.1016/j.jpba.2007.02.023

Journal of Pharmaceutical and Biomedical Analysis,  
2007, 44, 430-8.

**Source:** <https://exaly.com/paper-pdf/42735806/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
102	Characterization of compounds from the roots of <i>Saposhnikovia divaricata</i> by high-performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry. <b>2008</b> , 22, 1899-911		43
101	Furofuranic glycosylated lignans: a gas-phase ion chemistry investigation by tandem mass spectrometry. <b>2008</b> , 22, 3382-92		13
100	Current literature in mass spectrometry. <b>2008</b> , 43, 269-278		
99	Simultaneous quantification of both triterpenoid and steroidal saponins in various Yunnan Baiyao preparations using HPLC-UV and HPLC-MS. <b>2008</b> , 31, 3834-46		22
98	Chromatographic fingerprint analysis and characterization of furocoumarins in the roots of <i>Angelica dahurica</i> by HPLC/DAD/ESI-MSn technique. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2008</b> , 47, 778-85	3.5	88
97	Rapid analysis of a Chinese herbal prescription by liquid chromatography-time-of-flight tandem mass spectrometry. <b>2008</b> , 1206, 140-6		46
96	Minor furofurano lignans from the Tibetan herb, <i>Lancea tibetica</i> . <b>2008</b> , 74, 1391-6		21
95	Analysis on the Stability of Total Phenolic Acids and Salvianolic Acid B from <i>Salvia miltiorrhiza</i> by HPLC and HPLC-MSn. <b>2008</b> , 3, 1934578X0800300		5
94	Identification of the Major Constituents in Shi-Quan-Da-Bu Decoction by HPLC-ESI-MS/MS. <b>2008</b> , 3, 1934578X0800300		
93	Quality assessment of Cortex <i>Phellodendri</i> by high-performance liquid chromatography coupled with electrospray ionization mass spectrometry. <b>2010</b> , 24, 438-53		28
92	Analysis of phenolic compounds from different morphological parts of <i>Helichrysum devium</i> by liquid chromatography with on-line UV and electrospray ionization mass spectrometric detection. <b>2009</b> , 23, 3939-53		36
91	Identification of multiple constituents in the traditional Chinese medicine formula GuiZhiFuLing-Wan by HPLC-DAD-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2009</b> , 49, 267-75	3.5	33
90	Phytochemical analysis of traditional Chinese medicine using liquid chromatography coupled with mass spectrometry. <b>2009</b> , 1216, 2045-62		165
89	High-performance liquid chromatography with diode array detection coupled to electrospray time-of-flight and ion-trap tandem mass spectrometry to identify phenolic compounds from a lemon verbena extract. <b>2009</b> , 1216, 5391-7		76
88	Chemical Characterization of Phenolic Compounds in Erigeron Injection by Rapid-Resolution LC Coupled with Multi-Stage and Quadrupole-TOF-MS. <b>2010</b> , 72, 651-658		13
87	An LC-MS/MS method for determination of forsythiaside in rat plasma and application to a pharmacokinetic study. <b>2010</b> , 878, 102-6		33
86	Qualitative and quantitative analysis of traditional Chinese medicine Niu Huang Jie Du Pill using ultra performance liquid chromatography coupled with tunable UV detector and rapid resolution liquid chromatography coupled with time-of-flight tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2010</b> , 51, 565-71	3.5	47

85	An LC-MS/MS method for the simultaneous determination of chlorogenic acid, forsythiaside A and baicalin in rat plasma and its application to pharmacokinetic study of shuang-huang-lian in rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2010</b> , 52, 625-30	3.5	55
84	Structural discrimination of isomeric tetrahydrofuran lignan glucosides by tandem mass spectrometry. <b>2010</b> , 24, 979-85		15
83	Characterization of phenolic compounds in <i>Helichrysum melaleucum</i> by high-performance liquid chromatography with on-line ultraviolet and mass spectrometry detection. <b>2010</b> , 24, 1851-68		71
82	Simultaneous determination of flavonoids and phenylethanoids in the flowers of <i>Verbascum densiflorum</i> and <i>V. phlomoides</i> by high-performance liquid chromatography. <b>2010</b> , 21, 150-6		17
81	Sap phytochemical compositions of some bananas in Thailand. <b>2010</b> , 58, 8782-7		30
80	Optimum Ultrasound Assisted Extraction Conditions of Some Flavonoids from Green Tea Leaves. Control Quality of Green Tea Product by TLC Fingerprinting. <b>2011</b> , 44, 2865-2875		5
79	Antioxidant potential of <i>Artemisia argentea</i> L'Hér alcoholic extract and its relation with the phenolic composition. <b>2011</b> , 44, 1620-1631		73
78	The inhibitory activities of the components of Huang-Lian-Jie-Du-Tang (HLJDT) on eicosanoid generation via lipoxygenase pathway. <b>2011</b> , 135, 561-8		46
77	Development of a novel method combining HPLC fingerprint and multi-ingredients quantitative analysis for quality evaluation of traditional Chinese medicine preparation. <b>2011</b> , 85, 885-90		71
76	Identification and determination of the major constituents in traditional Chinese medicine Longdan Xiegan Pill by HPLC-DAD-ESI-MS. <b>2011</b> , 1, 1-7		11
75	Applications of HPLC/MS in the analysis of traditional Chinese medicines. <b>2011</b> , 1, 81-91		41
74	Phenolic Compounds of Mountain Tea from the Balkans: LC/DAD/ESI/MSn Profile and Content. <b>2011</b> , 6, 1934578X1100600		18
73	Simultaneous Quantification of Echinacea Species, Flos Lonicerae, Radix Scutellaria and Fructus Forsythiae Combinations by Rapid Resolution Liquid Chromatography. <b>2011</b> , 6, 1934578X1100600		2
72	Photodiode Array Detection in Clinical Applications; Quantitative Analyte Assay Advantages, Limitations and Disadvantages. <b>2011</b> ,		2
71	Identification of the major constituents in Xuebijing injection by HPLC-ESI-MS. <b>2011</b> , 22, 330-8		53
70	Characterization and identification of multiple constituents in Yinhuang granules by high-performance liquid chromatography with diode-array and time-of-flight mass spectrometry detection. <b>2011</b> , 34, 2566-75		13
69	Qualitative and quantitative analysis of chemical constituents in traditional Chinese medicinal formula Tong-Xie-Yao-Fang by high-performance liquid chromatography/diode array detection/electrospray ionization tandem mass spectrometry. <b>2011</b> , 691, 110-8		33
68	Potential bioactive phenolics of Macedonian <i>Sideritis</i> species used for medicinal Mountain Tea $\square$ <b>2011</b> , 125, 13-20		39

67	Rapid resolution liquid chromatography (RRLC) analysis and studies on the stability of Shuang-Huang-Lian preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 54, 265-72	3.5	20
66	Identification of multiple constituents in the traditional Chinese medicine formula Sheng-Mai San and rat plasma after oral administration by HPLC-DAD-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 54, 1110-27	3.5	67
65	Fast Nondestructive Identification of Endothelium Corneum Gigeriae Galli Using Visible/Near-Infrared Spectroscopy. <b>2011</b> , 28, 120701		3
64	Antidiabetic Effect of an Active Components Group from Ilex kudingcha and Its Chemical Composition. <b>2012</b> , 2012, 423690		23
63	Simultaneous Determination of Six Major Constituents of the Herbal Formula Insampaedok-san Using HPLC-PDA. <b>2012</b> , 2012, 1-6		1
62	Comparison of two species of Notopterygium by high-performance liquid chromatography-photodiode array detection-electrospray ionization tandem mass spectrometry. <b>2012</b> , 18, 59-69		4
61	A new strategy for quality control and qualitative analysis of Yinhuang preparations by HPLC-DAD-MS/MS. <b>2012</b> , 404, 1851-65		16
60	Simultaneous identification of multiple celangulins from the root bark of <i>Celastrus angulatus</i> using high-performance liquid chromatography-diode array detector-electrospray ionisation-tandem mass spectrometry. <b>2012</b> , 23, 23-33		4
59	Phytochemical composition of "mountain tea" from <i>Sideritis clandestina</i> subsp. <i>clandestina</i> and evaluation of its behavioral and oxidant/antioxidant effects on adult mice. <b>2013</b> , 52, 107-16		25
58	Multidimensional information-based HPLC technologies to evaluate traditional chinese medicine. <b>2013</b> , 51, 716-25		17
57	Simultaneous LC-MS/MS quantification and pharmacokinetics of baicalin, chlorogenic acid and forsythin after intravenous administration of Shuang-huang-lian powder to dogs. <b>2013</b> , 5, 2784		6
56	ISOLATION AND PURIFICATION OF FORSYTHOSIDE A AND SUSPENSASIDE A FROM FORSYTHIA SUSPENS A BY HIGH-SPEED COUNTER-CURRENT CHROMATOGRAPHY. <b>2013</b> , 36, 2895-2904		6
55	Simultaneous determination of six flavonoids in rat plasma by high-performance capillary electrophoresis and its application to a pharmacokinetic study. <b>2013</b> , 21, 369-375		10
54	Separation and analysis of phenylethanoid glycosides in <i>Lamiophlomis rotata</i> by high-performance liquid chromatography. <b>2013</b> , 25, 377-391		2
53	Polyphenols in Representative <i>Teucrium</i> Species in the Flora of R. Macedonia: LC/DAD/ESI-MSn Profile and Content. <b>2014</b> , 9, 1934578X1400900		6
52	Ultra-performance liquid chromatography coupled with electrospray ionization/quadrupole time-of-flight mass spectrometry for the rapid analysis of constituents in the traditional Chinese medical formula Danggui San. <b>2014</b> , 37, 53-60		26
51	Effect of various absorption enhancers based on tight junctions on the intestinal absorption of forsythoside A in Shuang-Huang-Lian, application to its antivirus activity. <b>2014</b> , 10, 9-17		7
50	A Metabolomic Strategy to Screen the Prototype Components and Metabolites of Shuang-Huang-Lian Injection in Human Serum by Ultra Performance Liquid Chromatography Coupled with Quadrupole Time-of-Flight Mass Spectrometry. <b>2014</b> , 2014, 241505		10

49	Determination of chokeberry ( <i>Aronia melanocarpa</i> ) polyphenol components using liquid chromatography-tandem mass spectrometry: Overall contribution to antioxidant activity. <b>2014</b> , 146, 1-5		38
48	Multivariate statistical analysis based on a chromatographic fingerprint for the evaluation of important environmental factors that affect the quality of <i>Angelica sinensis</i> . <b>2014</b> , 6, 8268-8276		5
47	Simultaneous determination of ten constituents in herbal formulation Sipjeondaeho-tang using HPLC-PDA. <b>2014</b> , 69, 785-792		1
46	Comparative investigation of in vitro biotransformation of 14 components in <i>Ginkgo biloba</i> extract in normal, diabetes and diabetic nephropathy rat intestinal bacteria matrix. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 100, 1-10	3.5	28
45	Effective 2D-RPLC/RPLC enrichment and separation of micro-components from <i>Hedyotis diffusa</i> Willd. and characterization by using ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 99, 35-44	3.5	20
44	Simultaneous determination of various bioactive redox components in Shuang-Huang-Lian preparations using a novel three-channel isocratic elution liquid chromatography with electrochemical detection system. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 95, 93-101	3.5	9
43	Internal standard mass spectrum fingerprint: a novel strategy for rapid assessing the quality of Shuang-Huang-Lian oral liquid using wooden-tip electrospray ionization mass spectrometry. <b>2014</b> , 837, 83-92		30
42	High-performance liquid chromatography with photodiode array detection and chemometrics method for the analysis of multiple components in the traditional Chinese medicine Shuanghuanglian oral liquid. <b>2015</b> , 38, 4187-95		14
41	HPLC-ESI-MS <sup>n</sup> characterization of phenolic compounds, terpenoid saponins, and other minor compounds in <i>Bituminaria bituminosa</i> . <b>2015</b> , 69, 80-90		49
40	Ethnobotany of medicinal plants among the communities of Alpine and Sub-alpine regions of Pakistan. <b>2015</b> , 164, 186-202		144
39	Comprehensive identification of 125 multifarious constituents in Shuang-huang-lian powder injection by HPLC-DAD-ESI-IT-TOF-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 115, 86-108	3.5	51
38	Online screening of nitric oxide scavengers in natural products using high performance liquid chromatography coupled with tandem diode array and fluorescence detection. <b>2015</b> , 1425, 106-15		9
37	Chemistry and pharmacology of the herb pair <i>Flos Lonicerae japonicae-Forsythiae fructus</i> . <i>Chinese Medicine</i> , <b>2015</b> , 10, 16	4.7	26
36	Field-induced wooden-tip electrospray ionization mass spectrometry for high-throughput analysis of herbal medicines. <b>2015</b> , 887, 127-137		34
35	Comprehensive quantitative analysis of Shuang-Huang-Lian oral liquid using UHPLC-Q-TOF-MS and HPLC-ELSD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 102, 1-8	3.5	17
34	Synergistic Effects of Chinese Herbal Medicine: A Comprehensive Review of Methodology and Current Research. <b>2016</b> , 7, 201		172
33	Identification of the Major Components of <i>Buddleja officinalis</i> Extract and Their Metabolites in Rat Urine by UHPLC-LTQ-Orbitrap. <b>2016</b> , 81, H2587-H2596		9
32	Chemical profiling of San-Huang decoction by UPLC-ESI-Q-TOF-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 131, 20-32	3.5	21

- 31 Simultaneous qualitative and quantitative determination of phenylethanoid glycosides and flavanoid compounds in *Callicarpa kwangtungensis* Chun by HPLC-ESI-IT-TOF-MS/MS coupled with HPLC-DAD. **2016**, 8, 6323-6336 8
- 30 HPLC method development for the online-coupling of chromatographic *Perilla frutescens* extract separation with xanthine oxidase enzymatic assay. *Journal of Pharmaceutical and Biomedical Analysis*, **2016**, 124, 347-357 3.5 5
- 29 The metabolic profile of acteoside produced by human or rat intestinal bacteria or intestinal enzyme in vitro employed UPLC-Q-TOF-MS. **2016**, 109, 67-74 33
- 28 A strategy for comprehensive identification of sequential constituents using ultra-high-performance liquid chromatography coupled with linear ion trap-Orbitrap mass spectrometer, application study on chlorogenic acids in *Flos Lonicerae Japonicae*. **2016**, 147, 16-27 68
- 27 Identification of bioactive ingredients with immuno-enhancement and anti-oxidative effects from Fufang-Ejiao-Syrup by LC-MS(n) combined with bioassays. *Journal of Pharmaceutical and Biomedical Analysis*, **2016**, 117, 363-71 3.5 14
- 26 Origin Discrimination of *Osmanthus fragrans* var. *thunbergii* Flowers using GC-MS and UPLC-PDA Combined with Multivariable Analysis Methods. **2017**, 28, 305-315 5
- 25 Ethnomedicinal uses of plants for the treatment of malaria in Soon Valley, Khushab, Pakistan. **2017**, 200, 84-106 21
- 24 Bioactive compounds of Shuang-Huang-Lian prescription and an insight into its binding mechanism by  $\beta$ adrenoceptor chromatography coupled with site-directed molecular docking. **2017**, 40, 4357-4365 7
- 23 Varietal classification and antioxidant activity prediction of *Osmanthus fragrans* Lour. flowers using UPLC-PDA/QTOF-MS and multivariable analysis. **2017**, 217, 490-497 24
- 22 Shuang-Huang-Lian injection induces an immediate hypersensitivity reaction via C5a but not IgE. **2018**, 8, 3572 17
- 21 Qualitative and quantitative analysis of furofuran lignans, iridoid glycosides, and phenolic acids in *Radix Dipsaci* by UHPLC-Q-TOF/MS and UHPLC-PDA. *Journal of Pharmaceutical and Biomedical Analysis*, **2018**, 154, 40-47 3.5 11
- 20 A combination of representative compounds, metabolism platform and diagnostic extraction strategy for characterization of metabolites of Shuang-Huang-Lian oral liquid in vivo by ultra-performance liquid chromatography coupled with time-of-flight mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, **2018**, 175, 216-224 3.5 21
- 19 A target and nontarget strategy for identification or characterization of the chemical ingredients in Chinese herb preparation Shuang-Huang-Lian oral liquid by ultra-performance liquid chromatography-quadrupole time-of-flight mass spectrometry. **2018**, 32, e4110 27
- 18 Ethnomedicinal plants and traditional knowledge among three Chin indigenous groups in Natma Taung National Park (Myanmar). **2018**, 225, 136-158 19
- 17 Determination of the Phenolic Profile and Antioxidant Properties of L. Shoots: A Comparison of Aqueous and Hydroethanolic Extracts. **2018**, 23, 27
- 16 Effect of Different Post-Harvest Processing Methods on the Chemical Constituents of by an UHPLC-QTOF-MS-MS Metabolomics Approach. **2019**, 24, 7
- 15 Identification of absorbed components and their metabolites in rat plasma after oral administration of Shufeng Jiedu capsule using ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry. **2019**, 33, 1494-1501 5
- 14 Rapid identification of herbal toxins using electrospray laser desorption ionization mass spectrometry for emergency care. **2019**, 27, 415-427 5

13	A strategy for the discovery and validation of toxicity quality marker of Chinese medicine based on network toxicology. <b>2019</b> , 54, 365-370		11
12	Application of multi-dimensional and multi-informational (MD-MI) integrated xanthine oxidase and superoxide anion fingerprint in quality evaluation of <i>Scutellariae Radix</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 191, 113595	3-5	3
11	Combination of multi-model statistical analysis and quantitative fingerprinting in quality evaluation of Shuang-huang-lian oral liquid. <b>2020</b> , 412, 7073-7083		1
10	UPLC-Q-TOF-MS Study of the Mechanism of THSWD for Breast Cancer Treatment. <b>2019</b> , 10, 1625		8
9	Analysis of the chemical composition changes of <i>Gardeniae Fructus</i> before and after processing based on ultra-high-performance liquid chromatography quadrupole time-of-flight mass spectrometry. <b>2021</b> , 44, 981-991		7
8	Integrated Network Pharmacology and Metabonomics to Reveal the Myocardial Protection Effect of Huang-Lian-Jie-Du-Tang on Myocardial Ischemia. <b>2020</b> , 11, 589175		6
7	Exploration of ethnomedicinal plants and their practices in human and livestock healthcare in Haripur District, Khyber Pakhtunkhwa, Pakistan. <b>2021</b> , 17, 55		3
6	Descriptive study of plant resources in the context of the ethnomedicinal relevance of indigenous flora: A case study from Toli Peer National Park, Azad Jammu and Kashmir, Pakistan. <b>2017</b> , 12, e0171896		4 <sup>6</sup>
5	Phytochemical and Bioactive Properties of <i>Phelypaea Tournefortii</i> [Effect of Parasitic Lifestyle and Environmental Factors. <b>2020</b> , 24, 113-128		3
4	Ethnobotanical investigation of medicinal plants used in Lingchuan county, Shanxi, China. 82,		1
3	Thermal desorption ambient ionization mass spectrometry for emergency toxicology.		1
2	Metabolomics analyses of traditional Chinese medicine formula Shuang Huang Lian by UHPLC-QTOF-MS/MS. <i>Chinese Medicine</i> , <b>2022</b> , 17,	4-7	
1	Quantitative Analysis of <i>Camellia oleifera</i> Seed Saponins and Aqueous Two-Phase Extraction and Separation. <b>2023</b> , 28, 2132		0