

CITATION REPORT

List of articles citing

Simultaneous quantification of 14 ginsenosides in Panax ginseng C.A. Meyer (Korean red ginseng) by HPLC-ELSD and its application to quality control

DOI: 10.1016/j.jpba.2007.05.001

Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 164-170.

Source: <https://exaly.com/paper-pdf/42735864/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
161	The retention behavior of ginsenosides in HPLC and its application to quality assessment of Radix Ginseng. 2008 , 31, 1265-73		21
160	Chemical markers for the quality control of herbal medicines: an overview. 2008 , 3, 7		134
159	Determination of radix ginseng volatile oils at different ages by comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2008 , 31, 3451-7	3.4	48
158	A reversed-phase high-performance liquid chromatography method with pulsed amperometric detection for the determination of glycosides. <i>Journal of Chromatography A</i> , 2008 , 1185, 251-7	4.5	24
157	Effects of in vitro-digested ginsenosides on lipid accumulation in 3T3-L1 adipocytes. 2009 , 75, 596-601		27
156	HPLC in natural product analysis: the detection issue. 2009 , 75, 719-34		111
155	Silica-based monolithic column with evaporative light scattering detector for HPLC analysis of bacosides and apigenin in <i>Bacopa monnieri</i> . <i>Journal of Separation Science</i> , 2009 , 32, 2812-8	3.4	13
154	Simultaneous quantification of 19 ginsenosides in black ginseng developed from <i>Panax ginseng</i> by HPLC-ELSD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 15-22	3.5	153
153	The retention behavior of ginsenosides in HPLC and its application to quality assessment of Radix Ginseng. 2009 , 32, 667-76		8
152	Isolation and tandem mass fragmentations of an anti-inflammatory compound from <i>Aralia elata</i> . 2009 , 32, 831-40		31
151	In vivo metabolism study of ginsenoside Re in rat using high-performance liquid chromatography coupled with tandem mass spectrometry. 2009 , 395, 1441-51		48
150	Study on ginsenosides in different parts and ages of <i>Panax quinquefolius</i> L.. 2009 , 115, 340-346		90
149	Fast determination of saikosaponins in <i>Bupleurum</i> by rapid resolution liquid chromatography with evaporative light scattering detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 1048-55	3.5	33
148	Rapid method for simultaneous determination of flavonoid, saponins and polyacetylenes in folium ginseng and radix ginseng by pressurized liquid extraction and high-performance liquid chromatography coupled with diode array detection and mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 3825-30	4.5	43
147	Sensitive high-performance liquid chromatography method of non-polar ginsenosides by alkaline-enhanced pulsed amperometric detection. <i>Journal of Chromatography A</i> , 2009 , 1216, 4445-50	4.5	8
146	Quantitative Determination of Eight Major Constituents in the Traditional Chinese Medicinal Yi-Qi-Fu-Mai Preparation by LC. 2009 , 70, 969-974		4
145	Black ginseng inhibits ethanol-induced teratogenesis in cultured mouse embryos through its effects on antioxidant activity. 2009 , 23, 47-52		30

144	Bioactivity-guided identification and cell signaling technology to delineate the immunomodulatory effects of Panax ginseng on human promonocytic U937 cells. 2009 , 7, 34	21
143	In vitro and in vivo anticancer effects of American ginseng berry: exploring representative compounds. 2009 , 32, 1552-8	43
142	Red ginseng saponin extract attenuates murine collagen-induced arthritis by reducing pro-inflammatory responses and matrix metalloproteinase-3 expression. 2010 , 33, 604-10	37
141	Monitoring of roasting-induced changes in ginsenoside composition of ginseng (Panax ginseng C.A. Meyer). 2010 , 19, 151-157	3
140	Change of ginsenoside composition in red ginseng processed with citric acid. 2010 , 19, 647-653	16
139	Physiological activities of ginsenoside-rich fraction isolated from Panax ginseng leaves. 2010 , 19, 803-808	1
138	Certification of a pure reference material for the ginsenoside Rg 1. 2010 , 15, 81-87	6
137	Energy Drinks: An Assessment of Their Market Size, Consumer Demographics, Ingredient Profile, Functionality, and Regulations in the United States. 2010 , 9, 303-317	211
136	Monitoring of mutarotation of monosaccharides by hydrophilic interaction chromatography. <i>Journal of Separation Science</i> , 2010 , 33, 974-81	3-4 24
135	Simultaneous determination of nine ginsenosides in functional foods by high performance liquid chromatography with diode array detector detection. 2010 , 123, 1322-1327	30
134	Enhancement of Exercise Capacity by Black Ginseng Extract in Rats. 2010 , 26, 279	1
133	A Validated RP HPLC-PAD Method for the Determination of Hederacoside C in Ivy-Thyme Cough Syrup. 2010 , 2010,	11
132	Analysis of glycosides in traditional chinese medicine using electrochemical detection. 2010 ,	
131	Ginsenosides contents of forest cultivated Ginseng (Panax ginseng) in Korea. 2010 , 6, 118-121	2
130	Complementary and Alternative Medicine for Vitiligo. 2011 ,	2
129	BITTERNESS REDUCTION AND ENZYMATIC TRANSFORMATION OF GINSENOSES FROM KOREAN RED GINSENG (PANAX GINSENG) EXTRACT. 2011 , 35, 1267-1282	7
128	Isolation and analysis of ginseng: advances and challenges. 2011 , 28, 467-95	247
127	Activity of ginsenoside Rh2 on the growth of mice splenic lymphocytes investigated by microcalorimetry and factor analysis. 2011 , 105, 1037-1041	4

126	Transformation of ginsenoside-rich fraction isolated from ginseng (<i>Panax ginseng</i>) leaves induces compound K. 2011 , 20, 1179-1186		4
125	Repetitious steaming-induced chemical transformations and global quality of black ginseng derived from <i>Panax ginseng</i> by HPLC-ESI-MS/MSn based chemical profiling approach. 2011 , 16, 956-965		13
124	Simultaneous determination of five active hydrolysis ingredients from <i>Panax quinquefolium</i> L. by HPLC-ELSD. <i>Biomedical Chromatography</i> , 2011 , 25, 646-51	1.7	7
123	Red notoginseng: higher ginsenoside content and stronger anticancer potential than Asian and American ginseng. 2011 , 125, 1299-1305		96
122	Strategies for quality control of Chinese medicines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 802-9	3.5	116
121	Antidepressant-like effect of altered Korean red ginseng in mice. 2011 , 37, 42-6		20
120	The Protective Effect of Black Ginseng Against Transient Focal Ischemia-induced Neuronal Damage in Rats. 2011 , 15, 333-8		14
119	Ginseng and ginsenoside Re do not improve β cell function or insulin sensitivity in overweight and obese subjects with impaired glucose tolerance or diabetes. 2011 , 34, 1071-6		61
118	HPLC: Herbal Drugs and Fingerprints. 2012 , 61-81		
117	Individual differences on immunostimulatory activity of raw and black garlic extract in human primary immune cells. 2012 , 34, 651-60		24
116	Ginsenoside Rg5 ameliorates lung inflammation in mice by inhibiting the binding of LPS to toll-like receptor-4 on macrophages. 2012 , 12, 110-6		66
115	Influence of sulphur-fumigation on the quality of white ginseng: a quantitative evaluation of major ginsenosides by high performance liquid chromatography. 2012 , 135, 1141-7		33
114	Steaming-induced chemical transformations and holistic quality assessment of red ginseng derived from <i>Panax ginseng</i> by means of HPLC-ESI-MS/MS(n)-based multicomponent quantification fingerprint. 2012 , 60, 8213-24		69
113	Recent methodology in ginseng analysis. <i>Journal of Ginseng Research</i> , 2012 , 36, 119-34	5.8	60
112	New Method for Simultaneous Quantification of 12 Ginsenosides in Red Ginseng Powder and Extract: In-house Method Validation. <i>Journal of Ginseng Research</i> , 2012 , 36, 205-10	5.8	16
111	Overview of commonly used Chinese herbs. 2012 , 6,		1
110	Comprehensive HILIC [RPLC with mass spectrometry detection for the analysis of saponins in <i>Panax notoginseng</i> . 2012 , 137, 2239-49		45
109	Biochemical and molecular analysis of Ginsenoside biosynthesis in <i>Panax ginseng</i> during flower and berry development. 2012 , 55, 27-34		5

108	Red ginseng and 20(S)-Rg3 control testosterone-induced prostate hyperplasia by deregulating androgen receptor signaling. <i>Journal of Natural Medicines</i> , 2012 , 66, 476-85	3.3	33
107	Simultaneous analysis method for polar and non-polar ginsenosides in red ginseng by reversed-phase HPLC-PAD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 60, 80-5	3.5	13
106	Holistic quality evaluation of commercial white and red ginseng using a UPLC-QTOF-MS/MS-based metabolomics approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 62, 258-73	3.5	123
105	The effects of dynamic changes of malonyl ginsenosides on evaluation and quality control of Panax ginseng C.A. Meyer. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 64-65, 56-63	3.5	34
104	A new application of charged aerosol detection in liquid chromatography for the simultaneous determination of polar and less polar ginsenosides in ginseng products. 2013 , 24, 374-80		15
103	Expeditious identification and semi-quantification of Panax ginseng using near infrared spectral fingerprints and multivariate analysis. 2013 , 5, 857		7
102	UPLC-Q-TOF-MS/MS fingerprinting of Traditional Chinese Formula SiJunZiTang. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 80, 24-33	3.5	61
101	How to use the monographs. 2013 , 353-961		
100	Profiling the ginsenosides of three ginseng products by LC-Q-TOF/MS. 2013 , 78, C653-9		24
99	Application of plant metabonomics in quality assessment for large-scale production of traditional Chinese medicine. 2013 , 79, 897-908		32
98	Anti-inflammatory effect of ginsenoside Rg5 in lipopolysaccharide-stimulated BV2 microglial cells. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9820-33	6.3	51
97	Korean Red Ginseng protects endothelial cells from serum-deprived apoptosis by regulating Bcl-2 family protein dynamics and caspase S-nitrosylation. <i>Journal of Ginseng Research</i> , 2013 , 37, 413-24	5.8	13
96	Simultaneous determination of 30 ginsenosides in Panax ginseng preparations using ultra performance liquid chromatography. <i>Journal of Ginseng Research</i> , 2013 , 37, 457-67	5.8	53
95	Inhibitory effects of total saponin from Korean red ginseng via vasodilator-stimulated phosphoprotein-Ser(157) phosphorylation on thrombin-induced platelet aggregation. <i>Journal of Ginseng Research</i> , 2013 , 37, 176-86	5.8	23
94	Identification and characterization of a ginsenoside-transforming β -glucosidase from <i>Pseudonocardia</i> sp. Gsoil 1536 and its application for enhanced production of minor ginsenoside Rg2(S). 2014 , 9, e96914		23
93	Simultaneous determination of original, degraded ginsenosides and aglycones by ultra high performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry for quantitative evaluation of Du-Shen-Tang, the decoction of ginseng. <i>Molecules</i> , 2014 , 19, 4083-104	4.8	17
92	Inhibitory effect of high temperature- and high pressure-treated red ginseng on exercise-induced oxidative stress in ICR mouse. <i>Nutrients</i> , 2014 , 6, 1003-15	6.7	4
91	HPLC-MS/MS determination of biomarkers of <i>P. quinquefolius</i> in plant materials and commercial products. 2014 , 69, 1323-1329		7

90	Molecular cloning and characterization of mevalonic acid (MVA) pathway genes and triterpene accumulation in <i>Panax ginseng</i> . 2014 , 57, 289-295		6
89	Bioavailability of ginsenosides from white and red ginsengs in the simulated digestion model. 2014 , 62, 10055-63		14
88	Ginsenoside-Rg5 induces apoptosis and DNA damage in human cervical cancer cells. <i>Molecular Medicine Reports</i> , 2015 , 11, 940-6	2.9	32
87	Integrated evaluation of malonyl ginsenosides, amino acids and polysaccharides in fresh and processed ginseng. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 89-97	3.5	58
86	Simultaneous determination of eight ginsenosides in Zibu Pi Yin Recipe using ultra-performance liquid chromatography coupled with triple-quadrupole mass spectrometry (UPLC-MS/MS). 2015 , 7, 7527-7533		
85	Large-scale qualitative and quantitative characterization of components in Shenfu injection by integrating hydrophilic interaction chromatography, reversed phase liquid chromatography, and tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1407, 106-18	4.5	46
84	Development of ELISA for detection of Rh1 and Rg2 and potential method of immunoaffinity chromatography for separation of epimers. 2015 , 985, 197-205		14
83	Preparation of ginsenosides Rg3, Rk1, and Rg5-selectively enriched ginsengs by a simple steaming process. 2015 , 240, 251-256		13
82	Efficient biotransformation of ginsenoside Rb1 to Rd by isolated <i>Aspergillus versicolor</i> , excreting β -glucosidase in the spore production phase of solid culture. 2015 , 108, 1117-27		5
81	A universal quantitative ^1H nuclear magnetic resonance (qNMR) method for assessing the purity of dammarane-type ginsenosides. 2015 , 26, 8-14		20
80	HPLC-ELSD determination of kanamycin B in the presence of kanamycin A in fermentation broth. <i>Biomedical Chromatography</i> , 2015 , 29, 396-401	1.7	12
79	The Application of Vibrational Spectroscopy Techniques in the Qualitative Assessment of Material Traded as Ginseng. <i>Molecules</i> , 2016 , 21, 472	4.8	10
78	Anti-Inflammatory Effects of Ginsenoside Rg3 via NF- κ B Pathway in A549 Cells and Human Asthmatic Lung Tissue. 2016 , 2016, 7521601		30
77	High-Performance Liquid Chromatography with Diode Array Detector and Electrospray Ionization Ion Trap Time-of-Flight Tandem Mass Spectrometry to Evaluate Ginseng Roots and Rhizomes from Different Regions. <i>Molecules</i> , 2016 , 21,	4.8	16
76	Isolation, Purification and Quantification of Ginsenoside F ₁ and F ₁ Isomeric Compounds from Crude Extracts of Flower Buds of <i>Panax ginseng</i> . <i>Molecules</i> , 2016 , 21, 315	4.8	12
75	Variation of Ginsenosides in Ginseng of Different Ages. 2016 , 11, 1934578X1601100		1
74	Red Ginseng as an Ergogenic Aid: A Systematic Review of Clinical Trials. <i>Journal of Exercise Nutrition & Biochemistry</i> , 2016 , 20, 13-19	1.2	6
73	Systematic development of a group quantification method using evaporative light scattering detector for relative quantification of ginsenosides in ginseng products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 128, 158-165	3.5	4

72	Studies on the in vitro and in vivo degradation behavior of amino acid derivative-based organogels. 2016 , 42, 1732-41		9
71	Ginsenoside Rb1 as a neuroprotective agent: A review. 2016 , 125, 30-43		85
70	The inhibition of α -glucosidase and protein tyrosine phosphatase 1B (PTP1B) activities by ginsenosides from <i>Panax ginseng</i> C.A. Meyer and simultaneous determination by HPLC-ELSD. 2016 , 23, 188-197		9
69	Static Adsorption of an Ethoxylated Nonionic Surfactant on Carbonate Minerals. 2016 , 32, 10244-10252		64
68	Remarkable Impact of Acidic Ginsenosides and Organic Acids on Ginsenoside Transformation from Fresh Ginseng to Red Ginseng. 2016 , 64, 5389-99		22
67	Ginsenoside Rg5:Rk1 attenuates TNF- α /IFN- γ -induced production of thymus- and activation-regulated chemokine (TARC/CCL17) and LPS-induced NO production via downregulation of NF- κ B/p38 MAPK/STAT1 signaling in human keratinocytes and macrophages. 2016 , 52, 287-295		51
66	Rb2 inhibits α -glucosidase and regulates glucose metabolism by activating AMPK pathways in HepG2 cells. 2017 , 28, 306-313		64
65	Ginsenoside-Rg5 treatment inhibits apoptosis of chondrocytes and degradation of cartilage matrix in a rat model of osteoarthritis. 2017 , 37, 1497-1502		8
64	A literature update elucidating production of <i>Panax</i> ginsenosides with a special focus on strategies enriching the anti-neoplastic minor ginsenosides in ginseng preparations. <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 4009-4032	5.7	32
63	Application of Charged Aerosol Detection in Traditional Herbal Medicines. 2017 , 341-354		
62	HPLC-ELSD Quantification and Centrifugal Partition Chromatography Isolation of 8-O-Acetylharpagide from <i>Oxera coronata</i> (Lamiaceae). 2017 , 28, 242-246		3
61	A new approach for authentication of four ginseng herbs and their related products based on the simultaneous quantification of 19 ginseng saponins by UHPLC-TOF/MS coupled with OPLS-DA. <i>RSC Advances</i> , 2017 , 7, 46839-46851	3.7	19
60	<i>Panax ginseng</i> extract antagonizes the effect of DKK-1-induced catagen-like changes of hair follicles. <i>International Journal of Molecular Medicine</i> , 2017 , 40, 1194-1200	4.4	9
59	Chemomics-based marker compounds mining and mimetic processing for exploring chemical mechanisms in traditional processing of herbal medicines, a continuous study on <i>Rehmanniae Radix</i> . <i>Journal of Chromatography A</i> , 2017 , 1530, 232-240	4.5	17
58	Study on the separation of triterpene saponins from <i>Panax notoginseng</i> by off-line two-dimensional supercritical fluid chromatography-ultrahigh-performance liquid chromatography. <i>Acta Chromatographica</i> , 2017 , 29, 497-502	1.5	4
57	Anti-diabetic effect of black ginseng extract by augmentation of AMPK protein activity and upregulation of GLUT2 and GLUT4 expression in db/db mice. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 341	4.7	36
56	Fermentation of protopanaxadiol type ginsenosides (PD) with probiotic <i>Bifidobacterium lactis</i> and <i>Lactobacillus rhamnosus</i> . <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 5427-5437	5.7	6
55	Comprehensive Profiling and Quantification of Ginsenosides in the Root, Stem, Leaf, and Berry of <i>Panax ginseng</i> by UPLC-QTOF/MS. <i>Molecules</i> , 2017 , 22,	4.8	52

54	Ginsenoside Rg3 Prevents Oxidative Stress-Induced Astrocytic Senescence and Ameliorates Senescence Paracrine Effects on Glioblastoma. <i>Molecules</i> , 2017 , 22,	4.8	21
53	A Strategy for Simultaneous Isolation of Less Polar Ginsenosides, Including a Pair of New 20-Methoxyl Isomers, from Flower Buds of <i>Panax ginseng</i> . <i>Molecules</i> , 2017 , 22,	4.8	8
52	Mass Spectrometry Based Profiling and Imaging of Various Ginsenosides from <i>Panax ginseng</i> Roots at Different Ages. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	15
51	Review: DNA Barcoding and Chromatography Fingerprints for the Authentication of Botanicals in Herbal Medicinal Products. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 1352948	3.3	19
50	Determination of the transformation of ginsenosides in <i>Ginseng Radix et Rhizoma</i> during decoction with water using ultra-fast liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2018 , 41, 1039-1049	3.4	7
49	Characterizing adsorption of associating surfactants on carbonates surfaces. <i>Journal of Colloid and Interface Science</i> , 2018 , 513, 684-692	9.3	37
48	Quality Analysis of American Ginseng Cultivated in Heilongjiang Using UPLC-ESI-MRM-MS with Chemometric Methods. <i>Molecules</i> , 2018 , 23,	4.8	14
47	UPLC-QTOF/MS-Based Metabolomics Applied for the Quality Evaluation of Four Processed Products. <i>Molecules</i> , 2018 , 23,	4.8	26
46	Development and validation of a UFLC-MS/MS method for simultaneous quantification of sixty-six saponins and their six aglycones: Application to comparative analysis of red ginseng and white ginseng. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 159, 153-165	3.5	15
45	Identification Markers of Adulteration in Korean Red Ginseng (<i>Panax Ginseng</i>) Products Using High-Performance Liquid Chromatography (HPLC) and Liquid Chromatography-Mass Spectrometry (LC-MS). <i>Analytical Letters</i> , 2018 , 51, 2588-2601	2.2	8
44	Determination of glucosamine and monitoring of its mutarotation by hydrophilic interaction liquid chromatography with evaporative light scattering detector. <i>Biomedical Chromatography</i> , 2018 , 32, e4368	1.7	3
43	Comparative Analysis of <i>Panax ginseng</i> Berries from Seven Cultivars Using UPLC-QTOF/MS and NMR-Based Metabolic Profiling. <i>Biomolecules</i> , 2019 , 9,	5.9	7
42	Folic acid-modified ginsenoside Rg5-loaded bovine serum albumin nanoparticles for targeted cancer therapy in vitro and in vivo. <i>International Journal of Nanomedicine</i> , 2019 , 14, 6971-6988	7.3	21
41	Ginsenoside Rg5 induces apoptosis in human esophageal cancer cells through the phosphoinositide-3 kinase/protein kinase B signaling pathway. <i>Molecular Medicine Reports</i> , 2019 , 19, 4019-4026	2.9	12
40	Efficient separation determination of protopanaxatriol ginsenosides Rg1, Re, Rf, Rh1, Rg2 by HPLC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 170, 48-53	3.5	6
39	Polyethyleneimine-functionalized carbon dots and their precursor co-immobilized on silica for hydrophilic interaction chromatography. <i>Journal of Chromatography A</i> , 2019 , 1597, 142-148	4.5	32
38	Protective effect of ginsenoside Rg3 on lung injury in diabetic rats. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 3323-3330	4.7	10
37	Rapid discrimination between red and white ginseng based on unique mass-spectrometric features. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 164, 202-210	3.5	5

36 Panax ginseng: More Than an Adaptogen Remedy. **2019**, 251-256

35	Retention behavior of ginsenosides in a sulfo-based high performance liquid chromatography column. <i>Journal of Chromatography A</i> , 2020 , 1610, 460542	4.5	4
34	Simultaneous quantification of six nonpolar ginsenosides in white ginseng by reverse-phase high-performance liquid chromatography coupled with integrated pulsed amperometric detection. <i>Journal of Ginseng Research</i> , 2020 , 44, 563-569	5.8	4
33	Quadruplex stable isotope derivatization strategy for the determination of panaxadiol and panaxatriol in foodstuffs and medicinal materials using ultra high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1616, 460794	4.5	60
32	Ginsenoside-Rg5 inhibits growth and metastasis of ovarian carcinoma via suppressing expression of fibroblast growth factor-8b (FGF8b). <i>Journal of King Saud University - Science</i> , 2020 , 32, 1162-1167	3.6	3
31	Multi-tissue lipotoxicity caused by high-fat diet feeding is attenuated by the supplementation of Korean red ginseng in mice. <i>Molecular and Cellular Toxicology</i> , 2020 , 16, 39-50	1.6	3
30	Clinical and Preclinical Systematic Review of C. A. Mey and Its Compounds for Fatigue. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1031	5.6	5
29	Research Quality-Based Multivariate Modeling for Comparison of the Pharmacological Effects of Black and Red Ginseng. <i>Nutrients</i> , 2020 , 12,	6.7	3
28	Application of Identification and Evaluation Techniques for Ethnobotanical Medicinal Plant of Genus : A Review. <i>Critical Reviews in Analytical Chemistry</i> , 2021 , 51, 373-398	5.2	7
27	Accumulation of Saponins in Underground Parts of at Different Ages Analyzed by HPLC-UV/ELSD. <i>Molecules</i> , 2020 , 25,	4.8	1
26	The Effect of Korean Red Ginseng on Symptoms and Inflammation in Patients With Allergic Rhinitis. <i>Ear, Nose and Throat Journal</i> , 2021 , 100, 712S-719S	1	3
25	Phytochemical analysis of species: a review. <i>Journal of Ginseng Research</i> , 2021 , 45, 1-21	5.8	20
24	Plasma and intracerebral pharmacokinetics and pharmacodynamics modeling for the acetylcholine releasing effect of ginsenoside Rg1 in mPFC of A model rats. <i>Journal of Asian Natural Products Research</i> , 2021 , 23, 294-306	1.5	
23	Simply built microfluidics for fast screening of CO2 foam surfactants and foam model parameters estimation. <i>Applied Energy</i> , 2021 , 292, 116815	10.7	0
22	Evaluation of the Saponin Content in Acclimatized to Lam Dong Province by HPLC-UV/CAD. <i>Molecules</i> , 2021 , 26,	4.8	0
21	A Study on the Amendment Scheme of Ginsenoside Content Standard Regulation for Red Ginseng Products in Korea. <i>Hanjug Sigpum Wijsaeng Anjeonseong Haghoeji</i> , 2013 , 28, 24-30	0.4	4
20	Changes in Chemical Composition of Korean Red Ginseng (Panax ginseng C.A. Meyer) Extract With Alcohol Extraction. <i>Preventive Nutrition and Food Science</i> , 2008 , 13, 212-218	2.4	1
19	Protective effects of red ginseng according to steaming time on HCl/ethanol-induced acute gastritis. <i>Journal of Applied Biological Chemistry</i> , 2016 , 59, 365-372	0.7	3

18	Rapid Determination of Ginsenosides Rb1, Rf, and Rg1 in Korean Ginseng Using HPLC. <i>Journal of Ginseng Research</i> , 2009 , 33, 8-12	5.8	13
17	Antioxidant Activity and Ginsenoside Pattern of Fermented White Ginseng. <i>Journal of Ginseng Research</i> , 2010 , 34, 168-174	5.8	44
16	Korean Red Ginseng Saponin Fraction Downregulates Proinflammatory Mediators in LPS Stimulated RAW264.7 Cells and Protects Mice against Endotoxic Shock. <i>Journal of Ginseng Research</i> , 2012 , 36, 263-9	5.8	66
15	The effect of Korean red ginseng on allergic inflammation in a murine model of allergic rhinitis. <i>Journal of Ginseng Research</i> , 2013 , 37, 167-75	5.8	32
14	Modulatory Effects of Korean Red Ginseng Extract (Panax ginseng C.A. Meyer) on Cytochrome P450 after Oral Administration to Mice for 14 Days. <i>Journal of Life Science</i> , 2012 , 22, 991-998		7
13	Simultaneous Analysis Method for Polar and Non-polar Ginsenosides in Cultivated Wild Ginseng by Reversed-phase HPLC-CAD. <i>Journal of Life Science</i> , 2016 , 26, 247-252		4
12	Six week swimming followed by acute uptakes of ginsenoside Rg1 may affect aerobic capacity of SD rats. <i>Journal of Exercise Nutrition & Biochemistry</i> , 2015 , 19, 311-7	1.2	1
11	Panax ginseng. 2015 , 510-619		
10	Studies on Immunoregulatory Effects of Bowon-tang in the Immune Cells. <i>The Journal of Korean Medicine Ophthalmology and Otolaryngology and Dermatology</i> , 2015 , 28, 92-110		
9	The Anti-Diabetic Effects and Nephroprotective Effect of Black Ginseng Prosapogenin Extract in Streptozotocin-Induced Mice. <i>Korean Journal of Medicinal Crop Science</i> , 2016 , 24, 115-120	0.7	
8	Standardization of P. ginseng and P. quinquefolius root extracts by liquid chromatography-mass spectrometry. <i>Zavodskaya Laboratoriya Diagnostika Materialov</i> , 2019 , 85, 18-27	0.3	
7	Standardization of P. ginseng and P. quinquefolius Root Extracts by HPLC-MS. <i>Inorganic Materials</i> , 2020 , 56, 1353-1361	0.9	
6	Black Ginseng Extract Attenuates TNF- α -Induced Inflammation via Downregulation of NF- κ B Signaling in Human Keratinocytes. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2021 , 50, 1030-1039	1.5	
5	Plant-derived neuroprotective agents in Parkinson's disease. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 1189-202	3	42
4	Anti-skin-aging effects of tissue-cultured mountain-grown ginseng and quantitative HPLC/ELSD analysis of major ginsenosides. <i>Journal of Natural Medicines</i> ,	3.3	0
3	Respiratory protective effects of Korean red ginseng in a mouse model of particulate matter 4-induced airway inflammation. <i>Journal of Ginseng Research</i> , 2022 ,	5.8	0
2	Traditional processing increases biological activities of Dendrobium officinale Kimura et. Migo in Southeast Yunnan, China. 2022 , 12,		0
1	Ginsenoside and Its Therapeutic Potential for Cognitive Impairment. 2022 , 12, 1310		0

