

CITATION REPORT

List of articles citing

Harmonization of strategies for the validation of quantitative analytical procedures. A SFSTP proposal--part II

DOI: 10.1016/j.jpba.2007.06.013

Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 70-81.

Source: <https://exaly.com/paper-pdf/42735891/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
285	Harmonization of strategies for the validation of quantitative analytical procedures. A SFSTP proposal--part III. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 82-96	3.5	273
284	Harmonization of strategies for the validation of quantitative analytical procedures: a SFSTP proposal part IV. Examples of application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 760-71	3.5	103
283	Validation of a method for the determination of sterols and triterpenes in the aerial part of <i>Justicia anselliana</i> (Nees) T. Anders by capillary gas chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1127-35	3.5	26
282	Heart-cutting two-dimensional liquid chromatography methods for quantification of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole in Class III caramel colours. <i>Journal of Chromatography A</i> , 2008 , 1198-1199, 73-9	4.5	22
281	Validation of a reversed phase high performance thin layer chromatographic-densitometric method for secoisolariciresinol diglucoside determination in flaxseed. <i>Journal of Chromatography A</i> , 2008 , 1207, 155-9	4.5	6
280	Development and validation of a method for quantitative determination of econazole nitrate in cream formulation by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2008 , 1192, 301-5	4.5	13
279	Validation of an Alternative Method for Counting Enterobacteriaceae in Foods Based on Accuracy Profile. <i>Journal of AOAC INTERNATIONAL</i> , 2009 , 92, 527-537	1.7	10
278	Moisture content determination of pharmaceutical pellets by near infrared spectroscopy: method development and validation. 2009 , 642, 186-92		71
277	Development and validation of a gas chromatography-negative chemical ionization tandem mass spectrometry method for the determination of ethyl glucuronide in hair and its application to forensic toxicology. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2297-303	3.2	71
276	Use of Total Error concept in the validation of viral activity in cell cultures. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2407-11	3.2	5
275	Using total error concept for the validation of a liquid chromatography-tandem mass spectrometry method for the determination of budesonide epimers in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2290-300	3.2	12
274	Development and formulation of a 0.2% oral solution of midazolam containing gamma-cyclodextrin. 2009 , 379, 244-50		16
273	Determination of complex polysaccharides by HPAE-PAD in foods: validation using accuracy profile. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2388-95	3.2	36
272	Some important considerations for validation of ligand-binding assays. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2191-7	3.2	13
271	Analytical validation based on total error measurement and cut-off interpretation of a neonatal screening TSH-immunoassay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2412-7	3.2	11
270	LC method for the therapeutic drug monitoring of lamotrigine: evaluation of the assay performance and validation of its application in the routine area. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 547-53	3.5	19
269	Quality of Analytical Measurements: Statistical Methods for Internal Validation. 2009 , 17-76		1

268	QUANTITATIVE DETERMINATION OF EIGHT ORGANOCHLORINE PESTICIDES IN SERUM BY GC COUPLED TO TANDEM MASS SPECTROMETRY. 2010 , 65, 58-64		2
267	VALIDATED QUANTITATIVE SIMULTANEOUS DETERMINATION OF COCAINE, OPIATES AND AMPHETAMINES IN SERUM BY U-HPLC COUPLED TO TANDEM MASS SPECTROMETRY. 2010 , 65, 75-84		8
266	Challenging near infrared spectroscopy discriminating ability for counterfeit pharmaceuticals detection. 2010 , 658, 163-74		57
265	Fit-for-purpose biomarker method validation in anticancer drug development. 2010 , 15, 816-25		38
264	Validation of a method for the quantitation of ghrelin and unacylated ghrelin by HPLC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 633-9	3.5	18
263	Acetaminophen determination in low-dose pharmaceutical syrup by NIR spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 510-6	3.5	58
262	Capillary electrophoresis procedure for the simultaneous analysis and stoichiometry determination of a drug and its counter-ion by using dual-opposite end injection and contactless conductivity detection: application to labetalol hydrochloride. 2010 , 663, 190-7		40
261	Towards a robust water content determination of freeze-dried samples by near-infrared spectroscopy. 2010 , 676, 34-40		30
260	Critical analysis of several analytical method validation strategies in the framework of the fit for purpose concept. <i>Journal of Chromatography A</i> , 2010 , 1217, 3180-92	4.5	55
259	Development and validation of a sensitive solid phase extraction/hydrophilic interaction liquid chromatography/mass spectrometry method for the accurate determination of glucosamine in dog plasma. <i>Journal of Chromatography A</i> , 2010 , 1217, 3275-81	4.5	18
258	LC method for therapeutic drug monitoring of levetiracetam: evaluation of the assay performance and validation of its application in the routine area. 2010 , 43, 473-82		13
257	Validation of an LC Method for Therapeutic Drug Monitoring of Voriconazole in Patients. 2010 , 02,		1
256	Intra-laboratory assessment of method accuracy (trueness and precision) by using validation standards. <i>Talanta</i> , 2010 , 82, 1995-8	6.2	65
255	Building the quality into pellet manufacturing environment--feasibility study and validation of an in-line quantitative near infrared (NIR) method. <i>Talanta</i> , 2010 , 83, 305-11	6.2	31
254	Simultaneous Determination of Artemether and Azithromycin in Suppositories by Reversed Phase HPLC. 2011 , 44, 2732-2743		8
253	Quantification of 4-methylimidazole in class III and IV caramel colors: validation of a new method based on heart-cutting two-dimensional liquid chromatography (LC-LC). 2011 , 59, 3544-50		48
252	Physicochemical characterization of β -CD and β -cyclodextrins bioesterified with decanoate chains used as building blocks of colloidal nanoparticles. 2011 , 12, 3031-8		14
251	Evaluating the reliability of analytical results using a probability criterion: a Bayesian perspective. 2011 , 705, 193-206		11

250	Three optimized and validated (using accuracy profiles) LC methods for the determination of pentamidine and new analogs in rat plasma. <i>Talanta</i> , 2011 , 83, 832-9	6.2	9
249	Composition of structural carbohydrates in biomass: precision of a liquid chromatography method using a neutral detergent extraction and a charged aerosol detector. <i>Talanta</i> , 2011 , 85, 2014-26	6.2	47
248	Development of agar diffusion method for dosage of gramicidin. 2011 , 47, 564-572		
247	Development and validation of a RP-HPLC method for the determination of zidovudine and its related substances in sustained-release tablets. 2011 , 27, 283-9		6
246	Size exclusion chromatography with evaporative light scattering detection as a method for speciation analysis of polydimethylsiloxanes. II. Validation of the method for analysis of pharmaceutical formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 851-8	3.5	14
245	Development and validation of a ultra-high-performance liquid chromatography-UV method for the detection and quantification of erectile dysfunction drugs and some of their analogues found in counterfeit medicines. <i>Journal of Chromatography A</i> , 2011 , 1218, 6439-47	4.5	43
244	Development of a nano-liquid chromatography on chip tandem mass spectrometry method for high-sensitivity hepcidin quantitation. <i>Journal of Chromatography A</i> , 2011 , 1218, 9046-54	4.5	35
243	Automated system for on-line desorption of dried blood spots applied to LC/MS/MS pharmacokinetic study of flurbiprofen and its metabolite. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 359-67	3.5	69
242	Development of an ion-pairing reversed-phase liquid chromatography method using a double detection analysis (UV and evaporative light scattering detection) to monitor the stability of Alimta(®)-pemetrexed preparations: identification and quantification of L-glutamic acid as a potential degradation product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 411-6	3.5	16
241	Optimisation and validation of a fast HPLC method for the quantification of sulindac and its related impurities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 694-700	3.5	22
240	Do placebo based validation standards mimic real batch products behaviour? Case studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 583-90	3.5	4
239	Application of the Expectation tolerance interval to method validation of the M30 and M65 ELISA cell death biomarker assays. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 887-93	3.2	10
238	Total error and uncertainty: Friends or foes?. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 797-806	14.6	26
237	Ensuring the quality of results from food control laboratories: laboratory accreditation, method validation and measurement uncertainty. 2011 , 194-222		1
236	High-Throughput NIR-Chemometric Method for Meloxicam Assay from Powder Blends for Tableting. 2011 , 79, 885-98		6
235	Incurred sample accuracy assessment: design of experiments based on standard addition. 2011 , 3, 983-92		32
234	Validation of alternative methods for the analysis of drinking water and their application to Escherichia coli. 2011 , 77, 3360-7		19
233	Determination and analysis of ustiloxins A and B by LC-ESI-MS and HPLC in false smut balls of rice. 2012 , 13, 11275-87		35

232	Validation of the quantitative determination of tetrahydrocannabinol and its two major metabolites in plasma by ultra-high-performance liquid chromatography-tandem mass spectrometry according to the total error approach. 2012 , 36, 25-9		16
231	Validation of analytical methods-update 2011. 2012 , 37, 439-65		4
230	Distribution of free and conjugated cannabinoids in human bile samples. 2012 , 223, 114-8		34
229	High-throughput NIR-chemometric methods for determination of drug content and pharmaceutical properties of indapamide powder blends for tableting. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 301-9	3.5	28
228	A comprehensive and suitable method for determining major ions from atmospheric particulate matter matrices. <i>Journal of Chromatography A</i> , 2012 , 1266, 17-23	4.5	18
227	Comments on "uncertainty profiles for the validation of analytical methods" by Saffaj and Ihssane. <i>Talanta</i> , 2012 , 88, 769-71	6.2	7
226	Usefulness of capability indices in the framework of analytical methods validation. 2012 , 714, 47-56		10
225	Fast liquid chromatography/tandem mass spectrometry determination of cannabinoids in micro volume blood samples after dabsyl derivatization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 905, 85-95	3.2	37
224	A logical way through the limits of quantitation in inductively coupled plasma spectrochemistry. 2012 , 76, 221-225		19
223	Potential of accuracy profile for method validation in inductively coupled plasma spectrochemistry. 2012 , 76, 214-220		29
222	Validation of Gas Chromatographic Methods. 2012 , 435-449		1
221	Quantitative determination of diosgenin in <i>Dioscorea zingiberensis</i> cell cultures by microplate-spectrophotometry and high-performance liquid chromatography. 2012 , 6,		4
220	A simplified method for busulfan monitoring using dried blood spot in combination with liquid chromatography/tandem mass spectrometry. 2012 , 26, 1437-46		36
219	Flexibility and applicability of Expectation tolerance interval approach to assess the fitness of purpose of pharmaceutical analytical methods. 2012 , 4, 1014-27		4
218	Comparison of the oral bioavailability and tissue disposition of monensin and salinomycin in chickens and turkeys. 2012 , 35, 73-81		10
217	Crucial aspects of high performance thin layer chromatography quantitative validation. The case of determination of rosmarinic acid in different matrices. <i>Journal of Chromatography A</i> , 2012 , 1220, 156-61	4.5	13
216	Quantification of rotenone in seeds of different species of yam bean (<i>Pachyrhizus</i> sp.) by a SPE HPLC-UV method. <i>Food Chemistry</i> , 2012 , 131, 1531-1538	8.5	17
215	Comparison of the quantitative performances and measurement uncertainty estimates obtained during method validation versus routine applications of a novel hydrophilic interaction chromatography method for the determination of cidofovir in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 57, 153-65	3.5	16

214	Simultaneous quantification of L- α -phosphatidylcholine and cholesterol in liposomes using near infrared spectrometry and chemometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 63, 87-94	3.5	9
213	HPTLC methods to assay active ingredients in pharmaceutical formulations: a review of the method development and validation steps. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 66, 11-23	3.5	78
212	Targeted multidimensional gas chromatography using a heart-cutting device and cryogenic focusing for the determination of benzophenone derivatives in foodstuffs. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 4177-85	4.4	11
211	A stability-indicating, ion-pairing, reversed-phase liquid chromatography method for studies of daunorubicin degradation in i.v. infusion fluids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 83, 164-70	3.5	6
210	Fast method for the simultaneous quantification of toxic polyphenols applied to the selection of genotypes of yam bean (<i>Pachyrhizus</i> sp.) seeds. <i>Talanta</i> , 2013 , 117, 94-101	6.2	16
209	Accuracy profiles assessing the validity for routine use of high-performance thin-layer chromatographic assays for drug formulations. <i>Journal of Chromatography A</i> , 2013 , 1293, 159-69	4.5	16
208	Analysis of cannabinoids in oral fluid by liquid chromatography tandem mass spectrometry. 2013 , 31, 151-163		21
207	Scientific Working Group for Forensic Toxicology (SWGTOX) standard practices for method validation in forensic toxicology. 2013 , 37, 452-74		513
206	Validation of the analytical procedure for the determination of the neurotoxin β N-methylamino-L-alanine in complex environmental samples. 2013 , 771, 42-9		34
205	[In search of the true dosage: statistics applied to the analysis of the cocaine]. <i>Annales Pharmaceutiques Francaises</i> , 2013 , 71, 193-200	1.3	1
204	A novel model selection strategy using total error concept. <i>Talanta</i> , 2013 , 107, 248-54	6.2	18
203	High-throughput NIR-chemometric methods for determination of drug content and pharmaceutical properties of indapamide tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 84, 285-92	3.5	21
202	Quantification of clenbuterol at trace level in human urine by ultra-high pressure liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1292, 142-50	4.5	36
201	Hepcidin-25: Measurement by LC-MS/MS in serum and urine, reference ranges and urinary fractional excretion. 2013 , 423, 99-104		32
200	Highly sensitive capillary electrophoresis-mass spectrometry for rapid screening and accurate quantitation of drugs of abuse in urine. 2013 , 780, 101-9		49
199	In vitro pharmacokinetic profile of a benzopyridooxathiazepine derivative using rat microsomes and hepatocytes: identification of phases I and II metabolites. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 80, 69-78	3.5	9
198	Rapid quantification of six β -lactams to optimize dosage regimens in severely septic patients. <i>Talanta</i> , 2013 , 103, 153-60	6.2	44
197	A validated micellar electrokinetic chromatography method for the quantitation of dexamethasone, ondansetron and aprepitant, antiemetic drugs, in organogel. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 86, 40-8	3.5	6

196	Evaluation of physiological amino acids profiling by tandem mass spectrometry. 2014 , 13, 119-28		20
195	Validation of a Liquid Chromatography Tandem Mass Spectrometry Method for Targeted Degradation Compounds of Ethanolamine Used in CO ₂ Capture: Application to Real Samples. 2014 , 69, 821-832		17
194	HPLC Method for Quantification of Halofuginone in Human Ureter: Ex- Vivo Application. 2014 , 06,		
193	Plasma malondialdehyde levels in children on 12-hour cyclic parenteral nutrition: are there health risks?. 2014 , 17, 286-91		3
192	Use of accuracy profile procedure to validate a real-time PCR method to quantify bacteria in feces. <i>Journal of AOAC INTERNATIONAL</i> , 2014 , 97, 573-9	1.7	3
191	Reliability-targeted HPLC-UV method validation--a protocol enrichment perspective. <i>Journal of Separation Science</i> , 2014 , 37, 228-36	3-4	4
190	Bioanalytical method validation and bioanalysis in regulated settings. 2014 , 325-363		1
189	Simultaneous determination of seven azole antifungal drugs in serum by ultra-high pressure liquid chromatography and diode array detection. 2014 , 69, 53-61		4
188	How to minimize toxic exposure to pyridine during continuous infusion of ceftazidime in patients with cystic fibrosis?. 2014 , 58, 2849-55		12
187	Validation of an in-line Raman spectroscopic method for continuous active pharmaceutical ingredient quantification during pharmaceutical hot-melt extrusion. 2014 , 806, 180-7		30
186	The contribution of Raman spectroscopy to the analytical quality control of cytotoxic drugs in a hospital environment: eliminating the exposure risks for staff members and their work environment. 2014 , 470, 70-6		16
185	Novel and sensitive reversed-phase high-pressure liquid chromatography method with electrochemical detection for the simultaneous and fast determination of eight biogenic amines and metabolites in human brain tissue. <i>Journal of Chromatography A</i> , 2014 , 1353, 28-39	4.5	29
184	Application of near-infrared spectroscopy for monitoring the formulation process of low-dose tablets. 2014 , 6, 1905-1913		9
183	Development and validation of a high performance liquid chromatography assay for the determination of temocillin in serum of haemodialysis patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 90, 192-7	3.5	9
182	A Process Analytical Technology (PAT) approach to control a new API manufacturing process: development, validation and implementation. <i>Talanta</i> , 2014 , 120, 114-25	6.2	33
181	Validation of a multipoint near-infrared spectroscopy method for in-line moisture content analysis during freeze-drying. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 95, 229-37	3.5	24
180	Evaluation of the quantitative performances of supercritical fluid chromatography: from method development to validation. <i>Journal of Chromatography A</i> , 2014 , 1353, 78-88	4.5	37
179	Bioanalytical chromatographic method validation according to current regulations, with a special focus on the non-well defined parameters limit of quantification, robustness and matrix effect. <i>Journal of Chromatography A</i> , 2014 , 1353, 10-27	4.5	143

178	Comparison of Raman spectroscopy vs. high performance liquid chromatography for quality control of complex therapeutic objects: model of elastomeric portable pumps filled with a fluorouracil solution. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 91, 176-84	3.5	23
177	Simultaneous determination of some phthalate metabolites, parabens and benzophenone-3 in urine by ultra high pressure liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 949-950, 37-47	3.2	66
176	Liquid chromatography-tandem mass spectrometry assay for therapeutic drug monitoring of the tyrosine kinase inhibitor, midostaurin, in plasma from patients with advanced systemic mastocytosis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 944, 175-81	3.2	10
175	Complementarity of UV-PLS and HPLC for the simultaneous evaluation of antiemetic drugs. <i>Talanta</i> , 2014 , 120, 274-82	6.2	19
174	Routine application of Raman spectroscopy in the quality control of hospital compounded ganciclovir. 2014 , 474, 193-201		21
173	Quantification of five plasticizers used in PVC tubing through high performance liquid chromatographic-UV detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 965, 158-63	3.2	17
172	Survey of pyrrolizidine alkaloids in teas and herbal teas on the Swiss market using HPLC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 7345-54	4.4	35
171	Development of an analytical procedure for quantifying the underivatized neurotoxin EN-methylamino-L-alanine in brain tissues. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 4627-36	4.4	20
170	Development of a targeted GC/MS screening method and validation of an HPLC/DAD quantification method for piperazines&hetamines mixtures in seized material. 2014 , 4, 90-99		3
169	Ultra high performance liquid chromatography method for the determination of pentamidine and analog in rat biological fluids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 95, 54-60	3.5	4
168	Derivation of uncertainty functions from validation studies in biological fluids: application to the analysis of caffeine and its major metabolites in human plasma samples. <i>Journal of Chromatography A</i> , 2014 , 1353, 121-30	4.5	15
167	Free Edicarbonyl compounds in coffee, barley coffee and soy sauce and effects of in vitro digestion. <i>Food Chemistry</i> , 2014 , 164, 259-65	8.5	35
166	Development and validation of NIR-chemometric methods for chemical and pharmaceutical characterization of meloxicam tablets. 2014 , 40, 549-59		22
165	Contribution and limits of a non-intrusive Raman spectroscopic method compared with HPLC for routine application to pre-delivery analytical control of two major camptothecin analogs: irinotecan and topotecan. 2015 , 46, 1283-1290		5
164	[Quantification of physiological aminoacids using aTRAQ() kit: evaluation and implementation of new markers]. 2015 , 73, 427-42		1
163	Validation of an analytical method for the determination in serum of psychotropic drugs by High-Performance Liquid Chromatography with Diode Array Detection. 2015 , 2, 13		1
162	Validation of an analytical method for the determination in serum of psychotropic drugs by High-Performance Liquid Chromatography with Diode Array Detection. 2015 , 2, 13		
161	Ultra High Performance Liquid Chromatography Method for the Determination of Two Recently FDA Approved TKIs in Human Plasma Using Diode Array Detection. <i>Journal of Analytical Methods in Chemistry</i> , 2015 , 2015, 215128	2	18

160	Method validation for the analysis of licorice acid in the blending process by near infrared diffuse reflectance spectroscopy. 2015 , 7, 5830-5837		7
159	Green analytical method development for statin analysis. <i>Journal of Chromatography A</i> , 2015 , 1380, 104-115		24
158	Simultaneous quantification of simvastatin and excipients in liposomes using near infrared spectroscopy and chemometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 40-9	3.5	13
157	A stop-flow two-dimensional liquid chromatography method for determination of food additives in yogurt. 2015 , 7, 2141-2148		11
156	Thorough characterization of a Self-Emulsifying Drug Delivery System with Raman hyperspectral imaging: a case study. 2015 , 484, 85-94		4
155	Blood monitoring of perfluorocarbon compounds (F-tert-butylcyclohexane, perfluoromethyldecalin and perfluorodecalin) by headspace-gas chromatography-tandem mass spectrometry. <i>Talanta</i> , 2015 , 144, 196-203	6.2	3
154	Validation of a liquid chromatography-high-resolution mass spectrometry method for the analysis of ceftiofur in poultry muscle, kidneys and plasma: A unique accuracy profile for each and every matrix. <i>Journal of Chromatography A</i> , 2015 , 1407, 119-29	4.5	10
153	Determination of the antitubercular drug PA-824 in rat plasma, lung and brain tissues by liquid chromatography tandem mass spectrometry: application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 988, 187-94	3.2	14
152	Le dosage du cobalt dans le sang par ICP-MS : application aux patients porteurs de prothèses de hanche en métal. 2015 , 27, 91-98		0
151	Selective microemulsion liquid chromatography analysis of dopamine receptor antagonist LE300 and its N-methyl metabolite in mouse sera by using a monolithic silica column. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 989, 104-11	3.2	8
150	Selective Analysis of Dopamine Receptor Antagonist LE300 and its N-Methyl Metabolite in Mouse Sera at the Trace Level by HPLC-Fluorescence Detection. 2015 , 78, 655-661		4
149	What a validation strategy means for the quantitation of cocaine and heroin?. 2015 , 251, 32-9		
148	Comparison of high-performance liquid chromatography and supercritical fluid chromatography using evaporative light scattering detection for the determination of plasticizers in medical devices. <i>Journal of Chromatography A</i> , 2015 , 1417, 104-15	4.5	20
147	Surrogate matrix: opportunities and challenges for tissue sample analysis. 2015 , 7, 2419-2433		9
146	Active content determination of pharmaceutical tablets using near infrared spectroscopy as Process Analytical Technology tool. <i>Talanta</i> , 2015 , 144, 1352-9	6.2	19
145	Trueness, precision and accuracy: a critical overview of the concepts as well as proposals for revision. 2015 , 20, 33-40		8
144	Validation of Thin Layer Chromatographic Methods. 2015 , 351-373		
143	A simple calibration approach based on film-casting for confocal Raman microscopy to support the development of a hot-melt extrusion process. <i>Talanta</i> , 2016 , 154, 392-9	6.2	4

142	Screening study of SFC critical method parameters for the determination of pharmaceutical compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 339-54	3.5	29
141	Performance Qualification of Two Processor-controlled Dosing Pumps for the Production of Mixed Infusion Solutions in a Closed System. <i>Pharmaceutical Technology in Hospital Pharmacy</i> , 2016 , 1,	0.5	0
140	Validation of a novel and rapid method for the simultaneous determination of some phenolic organohalogens in human serum by GC-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1036-1037, 66-75	3.2	14
139	Discrimination and quantification of two isomeric antineoplastic drugs by rapid and non-invasive analytical control using a handheld Raman spectrometer. <i>Talanta</i> , 2016 , 161, 320-324	6.2	17
138	Application of three-dimensional liquid chromatography for quantification of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole (THI) in caramel colours. 2016 , 8, 6573-6579		3
137	Plasma and intraprostatic concentrations of ertapenem following preoperative single dose administration: a single-centre prospective experience and clinical implications-the ERTAPRO study. 2016 , 48, 168-74		1
136	Comparison of the impact of the Tobacco Heating System 2.2 and a cigarette on indoor air quality. 2016 , 80, 91-101		46
135	Hepcidin on 24-hour urine collection: preanalytical aspects and correlation with ferritin levels. 2016 , 76, 454-9		1
134	An improved microbore UHPLC method with electrochemical detection for the simultaneous determination of low monoamine levels in in vivo brain microdialysis samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 136-46	3.5	18
133	Nonclinical Statistics for Pharmaceutical and Biotechnology Industries. 2016 ,		6
132	Determination of Ribavirin and Moisture in Pharmaceuticals by Near-Infrared Spectroscopy. 2016 , 49, 2077-2091		4
131	Comparison of a triple-quadrupole and a quadrupole time-of-flight mass analyzer to quantify 16 opioids in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 49-59	3.5	9
130	Assay Validation. 2016 , 415-432		2
129	Stability of 10 mg/mL cefuroxime solution for intracameral injection in commonly used polypropylene syringes and new ready-to-use cyclic olefin copolymer sterile vials using the LC-UV stability-indicating method. 2016 , 42, 166-174		5
128	Overall uncertainty measurement for near infrared analysis of cryptotanshinone in tanshinone extract. 2017 , 170, 39-47		2
127	High-throughput NIR-chemometric methods for chemical and pharmaceutical characterization of sustained release tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 1-13	3.5	9
126	Application of design space optimization strategy to the development of LC methods for simultaneous analysis of 18 antiretroviral medicines and 4 major excipients used in various pharmaceutical formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 139, 8-21	3.5	9
125	Rapid discrimination and determination of antibiotics drugs in plastic syringes using near infrared spectroscopy with chemometric analysis: Application to amoxicillin and penicillin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 249-255	3.5	12

124	Analytical Procedures. 2017 , 193-225		1
123	Development, validation and comparison of near infrared and Raman spectroscopic methods for fast characterization of tablets with amlodipine and valsartan. <i>Talanta</i> , 2017 , 167, 333-343	6.2	32
122	Optimization and validation of a fast supercritical fluid chromatography method for the quantitative determination of vitamin D3 and its related impurities. <i>Journal of Chromatography A</i> , 2017 , 1491, 171-181	4.5	31
121	Validation of a SPE HPLC-UV method for the quantification of a new ER-specific photosensitizer OR-141 in blood serum using total error concept. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 141, 87-94	3.5	5
120	Development and validation of HPLC-MS/MS method for the determination of lixivaptan in mouse plasma and its application in a pharmacokinetic study. 2017 , 31, e4007		4
119	Global approach for the validation of an in-line Raman spectroscopic method to determine the API content in real-time during a hot-melt extrusion process. <i>Talanta</i> , 2017 , 171, 45-52	6.2	10
118	Quantitative determination of salbutamol sulfate impurities using achiral supercritical fluid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 134, 170-180	3.5	39
117	Immunoassay quantification of human insulin added to ternary parenteral nutrition containers: comparison of two methods. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 3677-3684	4.4	6
116	Novel approach for the quantitative analysis of MEA degradation products present in gas effluent of CO2 capture process by thermal desorption gas chromatography mass spectrometry: Development and validation. 2017 , 60, 110-119		6
115	Rapid discrimination between buffalo and cow milk and detection of adulteration of buffalo milk with cow milk using synchronous fluorescence spectroscopy in combination with multivariate methods. 2017 , 84, 214-219		16
114	Determination of Galactosidase in tablets by infrared spectroscopy. 2017 , 71, 171-176		2
113	Liquid chromatography-tandem mass spectrometry multiresidue method for the analysis of quaternary ammonium compounds in cheese and milk products: Development and validation using the total error approach. <i>Journal of Chromatography A</i> , 2017 , 1517, 86-96	4.5	15
112	Is supercritical fluid chromatography hyphenated to mass spectrometry suitable for the quality control of vitamin D3 oily formulations?. <i>Journal of Chromatography A</i> , 2017 , 1515, 209-217	4.5	12
111	Full validation using Content, Confidence tolerance interval: Application for LC-MS/MS determination of Doxycycline in human plasma. 2017 , 168, 89-95		4
110	Application of an Accuracy Profile Strategy Based on the Expectation Tolerance Interval for the Validation of a Liquid Chromatography Analytical Method for the Quantification of Benzoic Acid and Its Salts in Different Foodstuffs. <i>Journal of AOAC INTERNATIONAL</i> , 2017 , 100, 241-244	1.7	1
109	State of the art in the validation of screening methods for the control of antibiotic residues: is there a need for further development?. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2017 , 34, 1528-1552	3.2	3
108	Analysis of plasticizers in PVC medical devices: Performance comparison of eight analytical methods. <i>Talanta</i> , 2017 , 162, 604-611	6.2	8
107	Azithromycin assay in drug formulations: Validation of a HPTLC method with a quadratic polynomial calibration model using the accuracy profile approach. <i>Annales Pharmaceutiques Francaises</i> , 2017 , 75, 112-120	1.3	5

106	Simultaneous Quantification of Paracetamol and Caffeine in Powder Blends for Tableting by NIR-Chemometry. 2017 , 2017, 1-8		7
105	Validation of Supercritical Fluid Chromatography Methods. 2017 , 317-344		4
104	Stability of busulfan solutions in polypropylene syringes and infusion bags as determined with an original assay. <i>American Journal of Health-System Pharmacy</i> , 2017 , 74, 1887-1894	2.2	1
103	In-line UV spectroscopy for the quantification of low-dose active ingredients during the manufacturing of pharmaceutical semi-solid and liquid formulations. 2018 , 1013, 54-62		9
102	Comparison of wavelength-dispersive X-ray fluorescence spectrometry and inductively coupled plasma optical emission spectrometry for the elementary determination in plants through the accuracy profile method. 2018 , 47, 287-293		
101	The discrimination threshold: A selection criterion for analytical methods based on measurement uncertainty - Application to animal stress studies. 2018 , 1020, 9-16		2
100	Determination of 16 antineoplastic drugs by capillary electrophoresis with UV detection: Applications in quality control. 2018 , 39, 2512-2520		10
99	Compromise in uncertainty estimation by modelling and validation approaches for an HPLC-UV method for measurement of biochemical indicators of vitamins A and E. 2018 , 143, 1492-1501		4
98	Comparaison de deux techniques du dBistage urinaire du 11-nor-9-carboxy-delta 9-tetrahydrocannabinol. 2018 , 2018, 74-80		
97	Development and validation of an in-line NIR spectroscopic method for continuous blend potency determination in the feed frame of a tablet press. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 151, 274-283	3.5	55
96	From method validation to result assessment: Established facts and pending questions. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 105, 68-74	14.6	17
95	Association between organohalogenated pollutants in cord blood and thyroid function in newborns and mothers from Belgian population. 2018 , 238, 389-396		24
94	Rapid discrimination and quantification analysis of five antineoplastic drugs in aqueous solutions using Raman spectroscopy. <i>European Journal of Pharmaceutical Sciences</i> , 2018 , 111, 158-166	5.1	14
93	Application of analytical quality by design principles for the determination of alkyl p-toluenesulfonates impurities in Aprepitant by HPLC. Validation using total-error concept. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 150, 152-161	3.5	21
92	Physicochemical stability of oxycodone-ketamine solutions in polypropylene syringe and polyvinyl chloride bag for patient-controlled analgesia use. 2018 , 25, 214-217		2
91	Quality by Design Approach for the analysis of impurities in pharmaceutical drug products and drug substances. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 101, 24-33	14.6	51
90	Development of a Stability Indicating Method for Simultaneous Analysis of Five Water-Soluble Vitamins by Liquid Chromatography. <i>Pharmaceutical Technology in Hospital Pharmacy</i> , 2018 , 3, 207-218	0.5	1
89	Discriminative and Quantitative Analysis of Antineoplastic Taxane Drugs Using a Handheld Raman Spectrometer. 2018 , 2018, 8746729		7

88	Validation and Measurement Uncertainty Assessment of a Microbiological Method Using Generalized Pivotal Quantity Procedure and Monte-Carlo Simulation. <i>Journal of AOAC INTERNATIONAL</i> , 2018 , 101, 1205-1211	1.7	1
87	Physicochemical and Microbiological Stability of a New Oral Clonidine Solution for Paediatric Use. <i>Pharmaceutical Technology in Hospital Pharmacy</i> , 2018 , 3, 79-90	0.5	1
86	Development and validation of an HPLC-MS/MS method for the determination of arginine-vasopressin receptor blocker conivaptan in human plasma and rat liver microsomes: application to a metabolic stability study. 2018 , 12, 47		3
85	Simple and fast method for the measurement of legacy and novel brominated flame retardants in human serum. <i>Chemosphere</i> , 2018 , 211, 918-925	8.4	12
84	Validation of Analytical Methods for the Assessment of Hazards in Food. 2018 , 59-90		2
83	Optimization, validation and application of headspace solid-phase microextraction gas chromatography for the determination of 1-nitro-2-phenylethane and methyleugenol from Aniba canelilla (H.B.K.) Mez essential oil in skin permeation samples. <i>Journal of Chromatography A</i> , 2018 , 1554-1563	4.5	8
82	Development and validation of an UHPLC-MS/MS method for simultaneous quantification of ibrutinib and its dihydrodiol-metabolite in human cerebrospinal fluid. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1093-1094, 158-166	3.2	18
81	Near Infra-Red spectroscopy for content uniformity of powder blends - Focus on calibration set development, orthogonality transfer and robustness testing. <i>Talanta</i> , 2018 , 188, 404-416	6.2	9
80	Implementation of a generic SFC-MS method for the quality control of potentially counterfeited medicinal cannabis with synthetic cannabinoids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1092, 332-342	3.2	13
79	Use of Attenuated Total Reflectance-Fourier Transform Infrared (ATR-FTIR) Spectroscopy in Combination with Multivariate Methods for the Rapid Determination of the Adulteration of Grape, Carob and Mulberry Pekmez. <i>Foods</i> , 2019 , 8,	4.9	11
78	Determination of acetaminophen and its main metabolites in urine by capillary electrophoresis hyphenated to mass spectrometry. <i>Talanta</i> , 2019 , 205, 120108	6.2	11
77	Determination of melatonin by a whole cell bioassay in fermented beverages. <i>Scientific Reports</i> , 2019 , 9, 9120	4.9	4
76	Development and validation of a multiplex UHPLC-MS/MS method for the determination of the investigational antibiotic against multi-resistant tuberculosis macozinone (PBTZ169) and five active metabolites in human plasma. <i>PLoS ONE</i> , 2019 , 14, e0217139	3.7	10
75	Simultaneous Extraction and Determination of Preservatives and Antioxidants in Juice Samples by an Optimized Microextraction Method Using Central Composite Design and Validated with Accuracy Profile. <i>Journal of AOAC INTERNATIONAL</i> , 2018 ,	1.7	1
74	Quality control and stability of ketamine, remifentanyl, and sufentanyl syringes in a pediatric operating theater. <i>Paediatric Anaesthesia</i> , 2019 , 29, 193-199	1.8	1
73	Optimization and validation of extraction and quantification methods of antimalarial triterpenic esters in Keetia leucantha plant and plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1104, 109-118	3.2	1
72	Response surface and tolerance analysis approach for optimizing HPLC method. <i>Microchemical Journal</i> , 2019 , 146, 220-226	4.8	1
71	Simultaneous extraction and analysis of preservatives and artificial sweeteners in juices by salting out liquid-liquid extraction method prior to ultra-high performance liquid chromatography. <i>Food Chemistry</i> , 2019 , 277, 586-594	8.5	28

70	Quantification of gemcitabine intravenous drugs by direct measurement in chemotherapy plastic bags using a handheld Raman spectrometer. <i>Talanta</i> , 2019 , 196, 376-380	6.2	11
69	Six Sigma quality approach for HPLC-UV method optimization. <i>Microchemical Journal</i> , 2019 , 144, 303-308.	4.8	5
68	Long-term stability of ganciclovir in polypropylene containers at room temperature. <i>Journal of Oncology Pharmacy Practice</i> , 2017 , 1078155217732629	1.7	3
67	Evaluation of Specific Administering Devices for Antineoplastic Drugs Compounded in Syringes in Paediatrics: Methodology Proposal. <i>Journal of Oncology Pharmacy Practice</i> , 2017 , 1078155217733323	1.7	
66	Chemometrics in the Pharmaceutical Industry. 2020 , 33-68		1
65	Stability of frozen 1% voriconazole eye-drops in both glass and innovative containers. <i>European Journal of Pharmaceutical Sciences</i> , 2020 , 141, 105102	5.1	6
64	Freeze-dried meningococcal vaccine: Total error assessment of a near-infrared method for water content determination. <i>Talanta</i> , 2020 , 211, 120659	6.2	3
63	Robust and fast absolute quantification of a colored wood surface coating by scanning densitometry. <i>Applied Surface Science</i> , 2020 , 505, 144568	6.7	2
62	Homogeneous liquid liquid extraction using salt as mass separating agent for the ultra high pressure liquid chromatographic determination of doxorubicin in human urine. <i>Microchemical Journal</i> , 2020 , 158, 105260	4.8	5
61	Background contamination of perfluoralkyl substances in a Belgian general population. <i>Toxicology Letters</i> , 2020 , 333, 13-21	4.4	1
60	Do Ophthalmic Solutions of Amphotericin B Solubilised in 2-Hydroxypropyl-β-Cyclodextrins Possess an Extended Physicochemical Stability?. <i>Pharmaceutics</i> , 2020 , 12,	6.4	1
59	Green Analytical Methods of Antimalarial Artemether-Lumefantrine Analysis for Falsification Detection Using a Low-Cost Handled NIR Spectrometer with DD-SIMCA and Drug Quantification by HPLC. <i>Molecules</i> , 2020 , 25,	4.8	5
58	Stability of Ophthalmic Atropine Solutions for Child Myopia Control. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
57	Performance parameters for analytical method validation: Controversies and discrepancies among numerous guidelines. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 129, 115913	14.6	31
56	Development and validation of an original magneto-chromatography device for the whole blood determination of hemozoin, the paramagnetic malaria pigment. <i>Microchemical Journal</i> , 2020 , 157, 105043	4.8	3
55	HPLC-UV Method for Standardization of <i>Neorautanenia mitis</i> , an African Plant Used in an Anti-Scabies Ointment. <i>Revista Brasileira De Farmacognosia</i> , 2020 , 30, 582-587	2	
54	Development and Validation of an In-Line API Quantification Method Using AQbD Principles Based on UV-Vis Spectroscopy to Monitor and Optimise Continuous Hot Melt Extrusion Process. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
53	Surface Enhanced Raman Spectroscopy for Quantitative Analysis: Results of a Large-Scale European Multi-Instrument Interlaboratory Study. <i>Analytical Chemistry</i> , 2020 , 92, 4053-4064	7.8	25

52	Linear calibrations in chromatography: The incorrect use of ordinary least squares for determinations at low levels, and the need to redefine the limit of quantification with this regression model. <i>Journal of Separation Science</i> , 2020 , 43, 2708-2717	3.4	4
51	Application of Design Space, Uncertainty, and Risk Profile Strategies to the Development and Validation of UPLC Method for the Characterization of Four Authorized Phosphodiesterase Type 5 Inhibitors to Combat Counterfeit Drugs. <i>Journal of AOAC INTERNATIONAL</i> , 2020 , 103, 715-724	1.7	3
50	Tissue distribution, metabolism, and elimination of Victoria Pure Blue BO in rainbow trout: Main metabolite as an appropriate residue marker. <i>Chemosphere</i> , 2021 , 262, 127636	8.4	2
49	Simultaneous determination of 8 beta-lactams and linezolid by an ultra-performance liquid chromatography method with UV detection and cross-validation with a commercial immunoassay for the quantification of linezolid. <i>Talanta</i> , 2021 , 221, 121641	6.2	6
48	Detection of norovirus, hepatitis A and hepatitis E viruses in multicomponent foodstuffs. <i>International Journal of Food Microbiology</i> , 2021 , 337, 108931	5.8	2
47	Validation of gas chromatographic methods. 2021 , 547-560		
46	Development and Validation of an Automated Zone Fluidics-Based Sensor for In Vitro Dissolution Studies of Captopril Using Total Error Concept. <i>Molecules</i> , 2021 , 26,	4.8	1
45	Validation of routine analytical method for injectable cyclosporine preparation control using HPLC-FIA assay. <i>Annales Pharmaceutiques Francaises</i> , 2021 , 79, 266-274	1.3	
44	Stability study of a compounded oral solution of nifedipine for the treatment of hypertension in children. <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 160, 105738	5.1	3
43	Multi-class analysis of 30 antimicrobial residues in poultry feathers by liquid chromatography tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021 , 38, 1701-1716	3.2	0
42	Pentas longiflora Oliv. (Rubiaceae), a plant used in the treatment of Pityriasis Versicolor in Rwanda: Chemical composition and standardization of leaves and roots. <i>Phytotherapy</i> 2021 , 153, 104974	3.2	
41	Application of the Life Cycle Management of Analytical methods concept to a HPTLC-DPPH assay method for acteoside content in industrial extracts of <i>Plantago lanceolata</i> L. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1181, 122923	3.2	3
40	Machine Learning for Process Monitoring and Control of Hot-Melt Extrusion: Current State of the Art and Future Directions. <i>Pharmaceutics</i> , 2021 , 13,	6.4	0
39	Interspecies comparison of plasma metabolism and sample stabilization for quantitative bioanalyses: Application to (R)-CE3F4 in preclinical development, including metabolite identification by high-resolution mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1183, 122943	3.2	1
38	Perspective: What constitutes a quality paper in drug analysis?. <i>Talanta Open</i> , 2021 , 4, 100054	5.6	0
37	Development and validation of a targeted LC-MS/MS quantitation method to monitor cell culture expression of tetanus neurotoxin during vaccine production. <i>Talanta</i> , 2022 , 236, 122883	6.2	1
36	NIR spectroscopy for monitoring of the critical manufacturing steps and quality attributes of paliperidone prolonged release tablets. <i>Journal of Molecular Structure</i> , 2022 , 1247, 131326	3.4	0
35	Electroanalytical Method Validation in Pharmaceutical Analysis and Their Applications. <i>Monographs in Electrochemistry</i> , 2015 , 235-266	0.8	3

34	Bioanalytical Method Development and Validation for the Determination of Vasopressin Receptor Antagonist Conivaptan in Mouse Plasma at NanoLevel and its Pharmacokinetic Application. <i>Current Analytical Chemistry</i> , 2019 , 15, 591-598	1.7	1
33	Overview of the Analytical Lifecycle of Supercritical Fluid Chromatography Methods. <i>American Journal of Analytical Chemistry</i> , 2016 , 07, 75-91	0.7	11
32	Simple LC Isocratic Methods Development, Validation, and Application in the Analysis of Poor Quality Antimalarial Medicines. <i>American Journal of Analytical Chemistry</i> , 2017 , 08, 582-603	0.7	1
31	Contribution to the Detection of Poor Quality Sildenafil Drugs in Burkina Faso Using High-Performance Thin-Layer Chromatography. <i>Journal of Analytical Methods in Chemistry</i> , 2021 , 2021, 4093859	2	2
30	Discriminative and quantitative analysis of norepinephrine and epinephrine by surface-enhanced Raman spectroscopy with gold nanoparticle suspensions. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 1	4.4	2
29	Quality of Analytical Measurements: Statistical Methods for Internal Validation. 2020 , 1-52		
28	A liquid chromatography coupled to tandem mass spectrometry method for the quantification of spiramycin and its active metabolite neospiramycin in milk of major and minor species: Validation using the accuracy profile. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1187, 123013	3.2	
27	Measurement, analysis and prediction of amoxicillin oral dose stability from integrated molecular description approach and accelerated predictive stability (APS). <i>Pharmaceutical Technology in Hospital Pharmacy</i> , 2020 ,	0.5	0
26	Supercritical fluid chromatography for pharmaceutical quality control: Current challenges and perspectives. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 146, 116486	14.6	4
25	A Validated HPLC-PDA-HRMS Method to Investigate the Biological Stability and Metabolism of Antiparasitic Triterpenic Esters. <i>Molecules</i> , 2021 , 26,	4.8	
24	Separation and determination of cysteine enantiomers in plasma after derivatization with 4-fluoro-7-nitrobenzofurazan.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 209, 114539	3.5	0
23	Determination of contamination levels for multiple endocrine disruptors in hair from a non-occupationally exposed population living in Liege (Belgium).. <i>Science of the Total Environment</i> , 2021 , 815, 152734	10.2	0
22	Multi-element Quantification in Parenteral Nutrition Mixture by MP-AES and Comparison with ICP-AES. <i>Current Pharmaceutical Analysis</i> , 2020 , 17, 159-164	0.6	
21	Physicochemical Stability of a Novel Tacrolimus Ophthalmic Formulation for the Treatment of Ophthalmic Inflammatory Diseases.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	1
20	Towards real time release testing of Shuxuening injection based on near infrared spectroscopy and accuracy profile. <i>Journal of Near Infrared Spectroscopy</i> , 096703352110618	1.5	
19	Stability of 1-unit/mL insulin aspart solution in cyclic olefin copolymer vials and polypropylene syringes.. <i>American Journal of Health-System Pharmacy</i> , 2021 ,	2.2	
18	Development, validation and clinical use of a LC-MS/MS method for the simultaneous determination of the nine main antituberculosis drugs in human plasma.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 215, 114776	3.5	0
17	Method for detecting norovirus, hepatitis A and hepatitis E viruses in tap and bottled drinking water. <i>International Journal of Food Microbiology</i> , 2022 , 109757	5.8	1

16	Behavior of Regular Insulin in a Parenteral Nutrition Admixture: Validation of an LC/MS-MS Assay and the In Vitro Evaluation of Insulin Glycation. <i>Pharmaceutics</i> , 2022 , 14, 1081	6.4
15	Development and validation of global prediction models for monitoring the manufacturing process of herbal medicine by ultraviolet spectroscopy. Publish Ahead of Print,	
14	Human biomonitoring survey (Pb, Cd, As, Cu, Zn, Mo) for urban gardeners exposed to metal contaminated soils. 2022 , 120028	○
13	A quality by design approach for the qualification of automating compounding device for parenteral nutrition. 2022 , 106275	
12	Emerging analytical techniques for pharmaceutical quality control: Where are we in 2022?. 2022 , 221, 115071	○
11	Electrochemical Sensor for Meropenem Therapeutic Monitoring in Human Plasma Based on Carbon Nanotubes Modified Basal Pyrolytic Graphite Electrode. 2022 , 169, 097504	1
10	Validation of a LC-MS/MS method for the quantitative analysis of four antibiotics in pig tissues and plasma to assess the risk of transfer of residues to edible matrices after exposure to cross-contaminated feed. 1-10	○
9	Simultaneous infusion of two incompatible antibiotics: Impact of the choice of infusion device and concomitant simulated fluid volume support on the particulate load and the drug mass flow rates. 2022 , 627, 122220	○
8	Development and Validation of a Near-Infrared Spectroscopy Method for Multicomponent Quantification during the Second Alcohol Precipitation Process of Astragali radix. 2022 , 9, 310	○
7	Optimized LC-MS/MS quantification of tuberculosis drug candidate macozinone (PBTZ169), its dearomatized Meisenheimer Complex and other metabolites, in human plasma and urine. 2023 , 1215, 123555	○
6	Method development approaches for small-molecule analytes. 2022 , 167-219	○
5	Analytical quality-by-design (AQbD) approach for comprehensive analysis of bioactive compounds from Citrus peel wastes by UPLC.	○
4	A Liquid Chromatography Tandem Mass Spectrometry Method for the Simultaneous Estimation of the Dopamine Receptor Antagonist LE300 and Its N-methyl Metabolite in Plasma: Application to a Pharmacokinetic Study. 2023 , 28, 1553	○
3	Validation of thin-layer chromatographic methods. 2023 , 325-359	○
2	Use of an Uncertainty Profile to Validate High-Performance Liquid Chromatography (HPLC) for the Simultaneous Determination of Statins in Synthetic Pharmaceutical Products. 1-14	○
1	Development and Stability of a New Formulation of Pentobarbital Suppositories for Paediatric Procedural Sedation. 2023 , 15, 755	○