Pauses in chest compression and inappropriate shocks: a comparison of manual and semi-automatic defibrillation attempts

DOI: 10.1016/j.resuscitation.2006.09.006
Resuscitation, 2007, 73, 212-20.

#	Paper	IF	Citations
82	Response to Letter Regarding Articles, Increasing Use of Cardiopulmonary Resuscitation During Out-of-Hospital Ventricular Fibrillation Arrest: Survival Implications of Guideline Changes and Measuring Progress in Resuscitation: Its Time for a Better Tool *Circulation*, **2007**, 116,	16.7	7
81	Response to Letter Regarding Article, BIPHASIC Trial: A Randomized Comparison of Fixed Lower Versus Escalating Higher Energy Levels for Defibrillation in Out-of-Hospital Cardiac Arrest *Circulation*, **2007**, 116,	16.7	0
80	Ventricular fibrillation and defibrillation. *Archives of Disease in Childhood*, **2007**, 92, 916-21	2.2	14
79	[New aspects of cardiopulmonary resuscitation]. *Annales Francaises D Anesthesie Et De Reanimation*, **2007**, 26, 1045-55		0
78	A failed attempt to improve quality of out-of-hospital CPR through performance evaluation. *Prehospital Emergency Care*, **2007**, 11, 427-33	2.8	52
77	Uniform reporting of measured quality of cardiopulmonary resuscitation (CPR). *Resuscitation*, **2007**, 74, 406-17	4	159
76	In this issue. *Resuscitation*, **2007**, 73, 171-173	4	1
75	Using within-patient correlation to improve the accuracy of shock outcome prediction for cardiac arrest. *Resuscitation*, **2008**, 78, 46-51	4	16
74	Work of CPR during two different compression to ventilation ratios with real-time feedback. *Resuscitation*, **2008**, 79, 278-82	4	16
73	External artifacts by advanced life support providers misleading automated external defibrillators. *Resuscitation*, **2008**, 79, 482-9	4	6
72	Doing a few things right. *Current Opinion in Anaesthesiology*, **2008**, 21, 191-3	2.9	0
71	Bibliography. Current world literature. Cardiopulmonary resuscitation. *Current Opinion in Critical Care*, **2008**, 14, 367-75	3.5	
70	Minimal interruption of cardiopulmonary resuscitation for a single shock as mandated by automated external defibrillations does not compromise outcomes in a porcine model of cardiac arrest and resuscitation. *Critical Care Medicine*, **2008**, 36, 3048-53	1.4	6
69	Improving cardiopulmonary resuscitation quality to ensure survival. *Current Opinion in Critical Care*, **2008**, 14, 299-304	3.5	36
68	Feedback during cardiopulmonary resuscitation. *Current Opinion in Anaesthesiology*, **2008**, 21, 200-3	2.9	8
67	ILCOR hot topics. *Notfall Und Rettungsmedizin*, **2009**, 12, 28-33	0.4	
66	Is there any room for shortening hands-off time further when using an AED?. *Resuscitation*, **2009**, 80, 231-7	4	17

65	Using ontologies to integrate and share resuscitation data from diverse medical devices. *Resuscitation*, **2009**, 80, 511-6	4	3
64	Defibrillation probability and impedance change between shocks during resuscitation from out-of-hospital cardiac arrest. *Resuscitation*, **2009**, 80, 773-7	4	26
63	Resuscitation training for healthcare workers. *Resuscitation*, **2009**, 80, 841-2	4	9
62	Reply to: Defibrillator type is an important confounding variable in resuscitation research. *Resuscitation*, **2009**, 80, 1440-1441	4	
61	Reply to Letter: The guidelines got it right on defibrillation energy protocol. *Resuscitation*, **2009**, 80, 1438-1440	4	
60	Approaches to improving cardiac arrest resuscitation performance. *Current Opinion in Critical Care*, **2010**, 16, 196-202	3.5	32
59	Improving survival from out-of-hospital cardiac arrest. *Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals*, **2010**, 2, 456-460	0.3	0
58	[Chest compression quality : Can feedback technology help?]. *Der Anaesthesist*, **2010**, 59, 135-9	2.2	9
57	Elektrotherapie: automatisierte externe Defibrillatoren, Defibrillation, Kardioversion und Schrittmachertherapie. *Notfall Und Rettungsmedizin*, **2010**, 13, 543-558	0.4	3
56	Increase in pre-shock pause caused by drug administration before defibrillation: an observational, full-scale simulation study. *Resuscitation*, **2010**, 81, 343-7	4	4
55	Minimizing pre- and post-defibrillation pauses increases the likelihood of return of spontaneous circulation (ROSC). *Resuscitation*, **2010**, 81, 822-5	4	71
54	European Resuscitation Council Guidelines for Resuscitation 2010 Section 3. Electrical therapies: automated external defibrillators, defibrillation, cardioversion and pacing. *Resuscitation*, **2010**, 81, 1293-304	4	101
53	European Resuscitation Council Guidelines for Resuscitation 2010 Section 1. Executive summary. *Resuscitation*, **2010**, 81, 1219-76	4	984
52	Part 6: Defibrillation: 2010 international consensus on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations. *Resuscitation*, **2010**, 81 Suppl 1, e71-85	4	31
51	Resuscitation quality assurance for out-of-hospital cardiac arrest--setting-up an ambulance defibrillator telemetry network. *Resuscitation*, **2010**, 81, 1726-8	4	8
50	DEFI 2005: a randomized controlled trial of the effect of automated external defibrillator cardiopulmonary resuscitation protocol on outcome from out-of-hospital cardiac arrest. *Circulation*, **2010**, 121, 1614-22	16.7	79
49	Part 6: Defibrillation: 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Circulation*, **2010**, 122, S325-37	16.7	59
48	Part 8: adult advanced cardiovascular life support: 2010 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation*, **2010**, 122, S729-67	16.7	1025

47	A new defibrillator mode to reduce chest compression interruptions for health care professionals and lay rescuers: a pilot study in manikins. *Prehospital Emergency Care*, **2011**, 15, 88-97	2.8	9
46	Activities during interruptions in cardiopulmonary resuscitation: a simulator study. *Resuscitation*, **2011**, 82, 1419-23	4	22
45	Automated external defibrillators and in-hospital cardiac arrest: patient survival and device performance at an Australian teaching hospital. *Resuscitation*, **2011**, 82, 1537-42	4	13
44	Standards of resuscitation during inter-hospital transportation: the effects of structured team briefing or guideline review - a randomised, controlled simulation study of two micro-interventions. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, **2011**, 19, 15	3.6	7
43	Performance of an automated external defibrillator during simulated rotor-wing critical care transports. *Resuscitation*, **2011**, 82, 454-8	4	4
42	Perishock pause: an independent predictor of survival from out-of-hospital shockable cardiac arrest. *Circulation*, **2011**, 124, 58-66	16.7	261
41	A meta-analysis of early versus late analysis in out-of-hospital cardiac arrest. *Notfall Und Rettungsmedizin*, **2012**, 15, 494-499	0.4	
40	"Putting it all together" to improve resuscitation quality. *Emergency Medicine Clinics of North America*, **2012**, 30, 105-22	1.9	24
39	Resuscitation feedback and targeted education improves quality of pre-hospital resuscitation in Scotland. *Resuscitation*, **2012**, 83, 70-5	4	37
38	RECOVER evidence and knowledge gap analysis on veterinary CPR. Part 5: Monitoring. *Journal of Veterinary Emergency and Critical Care*, **2012**, 22 Suppl 1, S65-84	1.7	20
37	Evaluation of quantitative debriefing after pediatric cardiac arrest. *Resuscitation*, **2012**, 83, 1124-8	4	43
36	Perhaps crying "clear" should be left to the TV actors?. *Resuscitation*, **2013**, 84, 533-4	4	3
35	Beyond the pre-shock pause: the effect of prehospital defibrillation mode on CPR interruptions and return of spontaneous circulation. *Resuscitation*, **2013**, 84, 575-9	4	13
34	Strategies for improving survival after in-hospital cardiac arrest in the United States: 2013 consensus recommendations: a consensus statement from the American Heart Association. *Circulation*, **2013**, 127, 1538-63	16.7	200
33	Cardiopulmonary resuscitation guidance improves medical students' adherence to guidelines in simulated cardiac arrest: a randomised cross-over study. *European Journal of Anaesthesiology*, **2013**, 30, 752-7	2.3	8
32	The effect of compressor-administered defibrillation on peri-shock pauses in a simulated cardiac arrest scenario. *Western Journal of Emergency Medicine*, **2014**, 15, 246-50	3.3	2
31	. **2014**,		2
30	Rhythm recognition is accountable for the majority of hands-off time during cardiopulmonary resuscitation - a simulation study. *European Journal of Emergency Medicine*, **2014**, 21, 374-6	2.3	

29	[Is automated mechanical reanimation helpful? Putting LUCAS to the test]. *Medizinische Klinik - Intensivmedizin Und Notfallmedizin*, **2014**, 109, 440-2	3.2	0
28	Mechanical chest compressions and simultaneous defibrillation vs conventional cardiopulmonary resuscitation in out-of-hospital cardiac arrest: the LINC randomized trial. *JAMA - Journal of the American Medical Association*, **2014**, 311, 53-61	27.4	248
27	The impact of prehospital resuscitation research on in-hospital care. *Canadian Journal of Emergency Medicine*, **2015**, 17, 551-7	0.6	1
26	Effectiveness of combining manual external defibrillator and automated external defibrillator training for third-year nurse students. *International Journal of Nursing Sciences*, **2015**, 2, 105-109	3.2	
25	Rhythm analysis and charging during chest compressions reduces compression pause time. *Resuscitation*, **2015**, 90, 133-7	4	11
24	The association between manual mode defibrillation, pre-shock pause duration and appropriate shock delivery when employed by basic life support paramedics during out-of-hospital cardiac arrest. *Resuscitation*, **2015**, 90, 61-6	4	5
23	Mechanical chest compressions improved aspects of CPR in the LINC trial. *Resuscitation*, **2015**, 91, 116-21	4	23
22	Association Between Chest Compression Interruptions and Clinical Outcomes of Ventricular Fibrillation Out-of-Hospital Cardiac Arrest. *Circulation*, **2015**, 132, 1030-7	16.7	53
21	Minimizing pre-shock chest compression pauses in a cardiopulmonary resuscitation cycle by performing an earlier rhythm analysis. *Resuscitation*, **2015**, 87, 33-7	4	8
20	Minimizing pre- and post-shock pauses during the use of an automatic external defibrillator by two different voice prompt protocols. A randomized controlled trial of a bundle of measures. *Resuscitation*, **2016**, 106, 1-6	4	8
19	Minor Variations in Electrode Pad Placement Impact Defibrillation Success. *Prehospital Emergency Care*, **2016**, 20, 292-8	2.8	9
18	Sensitivity and specificity of two different automated external defibrillators. *Resuscitation*, **2017**, 120, 108-112	4	7
17	Capnography in the Emergency Department: A Review of Uses, Waveforms, and Limitations. *Journal of Emergency Medicine*, **2017**, 53, 829-842	1.5	31
16	Manual Versus Semiautomatic Rhythm Analysis and Defibrillation for Out-of-Hospital Cardiac Arrest. *Circulation: Cardiovascular Quality and Outcomes*, **2017**, 10,	5.8	4
15	Shocking the system: AEDs in military resuscitation. *Journal of the Royal Army Medical Corps*, **2018**, 164, 297-301	0.8	1
14	CPR Guidance by an Emergency Physician via Video Call: A Simulation Study. *Emergency Medicine International*, **2018**, 2018, 1480726	1.4	5
13	Defibrillator charging before rhythm analysis causes peri-shock pauses exceeding guideline recommended maximum 5 s : A randomized simulation trial. *Der Anaesthesist*, **2019**, 68, 546-554	2.2	5
12	Part 3: Adult Basic and Advanced Life Support: 2020 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation*, **2020**, 142, S366-S468	16.7	251

11	Insufficient quality of public automated external defibrillator recordings in the greater Paris area, a descriptive study. *Emergency Medicine Journal*, **2020**, 37, 623-628	1.5	1
10	Singapore Advanced Cardiac Life Support Guidelines 2021.. *Singapore Medical Journal*, **2021**, 62, 390-403	1.9	1
9	Impact of blended learning on manual defibrillator's use: A simulation-based randomized trial. *Nursing in Critical Care*, **2021**,	2.7	0
8	Feedback to Improve the Quality of CPR. **2009**, 555-564		1
7	Interruption of Chest Compression for Central Venous Catheterization during Cardiopulmonary Resuscitation. *The Korean Journal of Critical Care Medicine*, **2014**, 29, 172		1
6	Feedback to Improve the Quality of CPR. **2009**, 555-564		
5	Two cases of cardiopulmonary arrest patients that AED never indicated shock delivery to shockable ECG rhythm. *Nihon Kyukyu Igakukai Zasshi*, **2011**, 22, 125-132	0	1
4	Paramedic Rhythm Interpretation Misclassification is Associated with Poor Survival from Out-of-Hospital Cardiac Arrest.. *Resuscitation*, **2021**,	4	
3	Assessment of emergency physicians' performance in identifying shockable rhythm in out-of-hospital cardiac arrest: an observational simulation study.. *Emergency Medicine Journal*, **2022**,	1.5	0
2	Shockingly simple? Should you use manual or automated defibrillation in out of hospital cardiac arrest?. *Emergency Medicine Journal*, **2022**,	1.5	
1	In-hospital cardiac arrest rhythm analysis by anesthesiologists: a diagnostic performance study.		0