

CITATION REPORT

List of articles citing

Association of TGFbeta1, TNFalpha, CCR2 and CCR5 gene polymorphisms in type-2 diabetes and renal insufficiency among Asian Indians

DOI: 10.1186/1471-2350-8-20
BMC Medical Genetics, 2007, 8, 20.

Source: <https://exaly.com/paper-pdf/42770805/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
66	Is CCR5-Delta32 mutation associated with diabetic nephropathy in type 2 diabetes?. <i>Annals of Saudi Medicine</i> , 2009 , 29, 413	1.6	21
65	Common variants of inflammatory cytokine genes are associated with risk of nephropathy in type 2 diabetes among Asian Indians. <i>PLoS ONE</i> , 2009 , 4, e5168	3.7	56
64	In vivo and in vitro effects of SREBP-1 on diabetic renal tubular lipid accumulation and RNAi-mediated gene silencing study. <i>Histochemistry and Cell Biology</i> , 2009 , 131, 327-45	2.4	42
63	CCR5Delta32 genotype is associated with outcome in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2009 , 86, 140-5	7.4	24
62	Cytokine (IL-10 -1082 and -819) and chemokine receptor (CCR2 and CCR5) gene polymorphism in North Indian patients with end-stage renal disease. <i>DNA and Cell Biology</i> , 2009 , 28, 177-83	3.6	10
61	Sodium-glucose transport: role in diabetes mellitus and potential clinical implications. <i>Current Opinion in Nephrology and Hypertension</i> , 2010 , 19, 425-31	3.5	42
60	Obesity-dependent association of TNF-LTA locus with type 2 diabetes in North Indians. <i>Journal of Molecular Medicine</i> , 2010 , 88, 515-22	5.5	27
59	Influence of CRP, IL6, and TNFA gene polymorphisms on circulating levels of C-reactive protein in Mexican adolescents. <i>Archives of Medical Research</i> , 2010 , 41, 472-7	6.6	21
58	Association analysis of ADPRT1, AKR1B1, RAGE, GFPT2 and PAI-1 gene polymorphisms with chronic renal insufficiency among Asian Indians with type-2 diabetes. <i>BMC Medical Genetics</i> , 2010 , 11, 52	2.1	31
57	Association of polymorphisms within the transforming growth factor- β gene with diabetic nephropathy and serum cholesterol and triglyceride concentrations. <i>Nephrology</i> , 2010 , 15, 644-8	2.2	23
56	Association of the PPARGC1A gene polymorphism with diabetic nephropathy in an Asian Indian population (CURES-41). <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 119-26	2.6	11
55	Research highlights. Genetics in renal transplantation: a recent tale of chemokines, enzymes, drugs and HLA. <i>Pharmacogenomics</i> , 2010 , 11, 9-12	2.6	
54	Resequencing of the CCL5 and CCR5 genes and investigation of variants for association with diabetic nephropathy. <i>Journal of Human Genetics</i> , 2010 , 55, 248-51	4.3	7
53	Genome-wide association study of diabetic retinopathy in a Taiwanese population. <i>Ophthalmology</i> , 2011 , 118, 642-8	7.3	109
52	Genetics of Type 2 diabetes in Asian Indians. <i>Diabetes Management</i> , 2011 , 1, 309-324	0	5
51	Association between the T869C polymorphism of transforming growth factor-beta 1 and diabetic nephropathy: a meta-analysis. <i>Endocrine</i> , 2011 , 40, 372-8	4	15
50	Transforming growth factor beta1 gene variation Leu10Pro affects secretion and function in hepatic cells. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 2901-9	4	6

49	Genetic variants in the chemokines and chemokine receptors in Chagas disease. <i>Human Immunology</i> , 2012 , 73, 852-8	2.3	32
48	Chemotactic cytokine receptor 5 gene polymorphism: relevance to microvascular complications in type 2 diabetes. <i>Cytokine</i> , 2012 , 58, 213-7	4	14
47	Association of inflammatory chemokine gene CCL21/D with bladder cancer risk in North Indian population. <i>Molecular Biology Reports</i> , 2012 , 39, 9827-34	2.8	12
46	Cytokines in diabetic nephropathy. <i>Advances in Clinical Chemistry</i> , 2012 , 56, 55-74	5.8	35
45	Mycophenolate mofetil inhibits macrophage infiltration and kidney fibrosis in long-term ischemia-reperfusion injury. <i>European Journal of Pharmacology</i> , 2012 , 688, 56-61	5.3	22
44	Impact of CCL2 and Its Receptor CCR2 Gene Polymorphism in North Indian Population: A Comparative Study in Different Ethnic Groups Worldwide. <i>Indian Journal of Clinical Biochemistry</i> , 2013 , 28, 259-64	2.2	3
43	Association between TNF- β 308G/A polymorphism and diabetic nephropathy risk: a meta-analysis. <i>International Urology and Nephrology</i> , 2013 , 45, 1653-9	2.3	6
42	Cellular mechanisms of tissue fibrosis. 1. Common and organ-specific mechanisms associated with tissue fibrosis. <i>American Journal of Physiology - Cell Physiology</i> , 2013 , 304, C216-25	5.4	285
41	The linkage between inflammation and Type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2013 , 99, 85-92	7.4	93
40	Genetic association and gene expression profiles of TGFB1 and the contribution of TGFB1 to otosclerosis susceptibility. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 2490-7	6.3	11
39	The Role of Transforming Growth Factor-Beta in Diabetic Nephropathy. 2014 , 2014, 1-6		19
38	Contribution of genetics and epigenetics to progression of kidney fibrosis. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29 Suppl 4, iv72-9	4.3	55
37	Association of tumor necrosis factor alpha promoter polymorphism (TNF- β 308 G/A and TNF- β 308 G/A) with diabetic mellitus, diabetic retinopathy and diabetic nephropathy: a meta-analysis. <i>Current Eye Research</i> , 2014 , 39, 194-203	2.9	14
36	Meta-analysis of diabetic nephropathy associated genetic variants in inflammation and angiogenesis involved in different biochemical pathways. <i>BMC Medical Genetics</i> , 2014 , 15, 103	2.1	34
35	Diabetes and associated complications in the South Asian population. <i>Current Cardiology Reports</i> , 2014 , 16, 476	4.2	60
34	TNF- β 308 G > A) and ADIPOQ (g. + 45 T > G) gene polymorphisms in type 2 diabetes and microvascular complications in the region of Punjab (North-West India). <i>Current Eye Research</i> , 2014 , 39, 1042-51	2.9	24
33	Variations in CCR5, but not HFE, ELMO1, or SLC12A3, are associated with susceptibility to kidney disease in north Indian individuals with type 2 diabetes. <i>Journal of Diabetes</i> , 2014 , 6, 547-55	3.8	12
32	The eye and the kidney: twin targets in diabetes. <i>International Journal of Diabetes in Developing Countries</i> , 2015 , 35, 299-302	0.8	

31	Association of a Large Panel of Cytokine Gene Polymorphisms with Complications and Comorbidities in Type 2 Diabetes Patients. <i>Journal of Diabetes Research</i> , 2015 , 2015, 605965	3.9	29
30	Association of Transforming Growth Factor Beta-1 (TGF- β 1) Genetic Variation with Type 2 Diabetes and End Stage Renal Disease in Two Large Population Samples from North India. <i>OMICS A Journal of Integrative Biology</i> , 2015 , 19, 306-17	3.8	14
29	Poorly controlled type 2 diabetes is accompanied by significant morphological and ultrastructural changes in both erythrocytes and in thrombin-generated fibrin: implications for diagnostics. <i>Cardiovascular Diabetology</i> , 2015 , 14, 30	8.7	53
28	Association of transforming growth factor- β polymorphisms with the risk of chronic kidney diseases. <i>Renal Failure</i> , 2015 , 37, 304-11	2.9	5
27	Associations of fractalkine receptor (CX3CR1) and CCR5 gene variants with hypertension, diabetes and atherosclerosis in chronic renal failure patients undergoing hemodialysis. <i>International Urology and Nephrology</i> , 2016 , 48, 1163-70	2.3	8
26	Association of chemokine ligand 5/chemokine receptor 5 gene promoter polymorphisms with diabetic microvascular complications: A meta-analysis. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 212-8	3.9	8
25	Chemokine genetic polymorphism in human health and disease. <i>Immunology Letters</i> , 2016 , 176, 128-38	4.1	30
24	Mechanisms of Hypercoagulation and Aberrant Clot Lyses in Type 2 Diabetes. 2017 , 377-393		1
23	Possible Impact of 190G > A CCR2 and β 2 CCR5 Mutations on Decrease of the HBV Vaccine Immunogenicity-A Preliminary Report. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	7
22	Diabetic macular oedema: under-represented in the genetic analysis of diabetic retinopathy. <i>Acta Ophthalmologica</i> , 2018 , 96 Suppl A111, 1-51	3.7	5
21	Increased levels of circulating (TNF- β) is associated with (-308G/A) promoter polymorphism of TNF- β gene in Diabetic Nephropathy. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 2113-2121	7.9	30
20	Role of Endocrine-Disrupting Engineered Nanomaterials in the Pathogenesis of Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2018 , 9, 704	5.7	10
19	Effect of PF-04634817, an Oral CCR2/5 Chemokine Receptor Antagonist, on Albuminuria in Adults with Overt Diabetic Nephropathy. <i>Kidney International Reports</i> , 2018 , 3, 1316-1327	4.1	27
18	Influence of IL-6, IL-10, IFN- γ and TNF- β genetic variants on susceptibility to diabetic kidney disease in type 2 diabetes mellitus patients. <i>Biomarkers</i> , 2019 , 24, 43-55	2.6	31
17	Effects of TNF- β 308G/A Polymorphism on the Risk of Diabetic Nephropathy and Diabetic Retinopathy: An Updated Meta-Analysis. <i>Hormone and Metabolic Research</i> , 2020 , 52, 724-731	3.1	2
16	The role of the TNF- β 308G/A polymorphism in the development of diabetic nephropathy: An updated meta-analysis. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020 , 14, 2123-2129	8.9	2
15	The Role of Chemokines and Chemokine Receptors in Diabetic Nephropathy. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
14	Association of , , and Polymorphisms With Chronic Kidney Disease Susceptibility: A Meta-Analysis. <i>Frontiers in Genetics</i> , 2020 , 11, 79	4.5	4

13	Chemokine Receptor 5, a Double-Edged Sword in Metabolic Syndrome and Cardiovascular Disease. <i>Frontiers in Pharmacology</i> , 2020 , 11, 146	5.6	4
12	Cytokine Polymorphisms and Predisposition to Diabetic Nephropathy: A Meta-Analysis. <i>International Archives of Allergy and Immunology</i> , 2021 , 182, 158-165	3.7	5
11	Association of CCL2, CCR5, ELMO1, and IL8 Polymorphism with Diabetic Nephropathy in Malaysian Type 2 Diabetic Patients. <i>International Journal of Chronic Diseases</i> , 2019 , 2019, 2053015	2.1	12
10	Effects of 59029G/A polymorphism on the risk to diabetic nephropathy. <i>Oncotarget</i> , 2017 , 8, 106926-106934	3.3	3
9	Is CCR5-Δ32 Mutation Associated with Diabetic Nephropathy in Type 2 Diabetes?. <i>Annals of Saudi Medicine</i> , 2009 , 29, 413-413	1.6	
8	Association Study between CCL-2 and CCL-5 Polymorphisms and Clinicopathological Characteristics of Childhood IgA Nephropathy. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2010 , 14, 51		1
7	Association of CCR5 G59029A and RANTES Δ8 C/G polymorphisms in patients with chronic periodontitis and/or Type 2 Diabetes Mellitus, in a Southeastern Mexican population. <i>Investigacion Clinica</i> , 2018 , 59, 135-145	0.3	
6	The effect of bone marrow mesenchymal stem cells on highly metastatic MHCC97-H hepatocellular carcinoma cells following OPN and TGFβ gene silencing. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 3633-3642	2.1	1
5	Immunologische Konsequenzen, Rheuma, Infektionen. 2008 , 111-124		
4	The protective activity of nescapine on renal ischemia-reperfusion injury in male Wistar rat. <i>Iranian Journal of Basic Medical Sciences</i> , 2014 , 17, 244-9	1.8	8
3	Tumor necrosis factor alpha -238 G/A and -308 G/A polymorphisms and soluble TNF-β levels in chronic kidney disease: correlation with clinical variables. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 2111-9		5
2	Table_1.docx. 2020 ,		
1	Diabetic and Nephropathy. 2023 , 81-109		0