

CITATION REPORT

List of articles citing

The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports

DOI: 10.1186/1471-2350-8-s1-s1
BMC Medical Genetics, 2007, 8 Suppl 1, S1.

Source: <https://exaly.com/paper-pdf/42770875/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 157 | A 100K genome-wide association scan for diabetes and related traits in the Framingham Heart Study: replication and integration with other genome-wide datasets. <i>2007</i> , 56, 3063-74 | | 74 |
| 156 | A genome-wide association for kidney function and endocrine-related traits in the NHLBI Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S10 | 2.1 | 71 |
| 155 | Genome-wide association with select biomarker traits in the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S11 | 2.1 | 94 |
| 154 | Genome-wide association and linkage analyses of hemostatic factors and hematological phenotypes in the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S12 | 2.1 | 60 |
| 153 | Genetic correlates of longevity and selected age-related phenotypes: a genome-wide association study in the Framingham Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S13 | 2.1 | 156 |
| 152 | Genome-wide association with bone mass and geometry in the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S14 | 2.1 | 200 |
| 151 | Genetic correlates of brain aging on MRI and cognitive test measures: a genome-wide association and linkage analysis in the Framingham Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S15 | 2.1 | 156 |
| 150 | Genome-wide association with diabetes-related traits in the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S16 | 2.1 | 72 |
| 149 | Genome-wide association to body mass index and waist circumference: the Framingham Heart Study 100K project. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S18 | 2.1 | 128 |
| 148 | Genome-wide association of echocardiographic dimensions, brachial artery endothelial function and treadmill exercise responses in the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S2 | 2.1 | 79 |
| 147 | Framingham Heart Study 100K Project: genome-wide associations for blood pressure and arterial stiffness. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S3 | 2.1 | 216 |
| 146 | Genome-wide association study for subclinical atherosclerosis in major arterial territories in the NHLBI Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S4 | 2.1 | 110 |
| 145 | Framingham Heart Study 100K project: genome-wide associations for cardiovascular disease outcomes. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S5 | 2.1 | 139 |
| 144 | A genome-wide association study of breast and prostate cancer in the NHLBI Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S6 | 2.1 | 94 |
| 143 | Genome-wide association study of electrocardiographic and heart rate variability traits: the Framingham Heart Study. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S7 | 2.1 | 70 |
| 142 | Framingham Heart Study genome-wide association: results for pulmonary function measures. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S8 | 2.1 | 92 |
| 141 | Genome-wide association of sleep and circadian phenotypes. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S9 | 2.1 | 183 |

| | | | |
|-----|---|-----|------|
| 140 | Association of chromosome 9p21 SNPs with cardiovascular phenotypes in morbid obesity using electronic health record data. 2008 , 2, 33-43 | | 17 |
| 139 | Pharmacogenetics of heart failure: evidence, opportunities, and challenges for cardiovascular pharmacogenomics. 2008 , 1, 25-36 | | 3 |
| 138 | Genome-wide association study for renal traits in the Framingham Heart and Atherosclerosis Risk in Communities Studies. <i>BMC Medical Genetics</i> , 2008 , 9, 49 | 2.1 | 26 |
| 137 | Genetic association studies in nursing practice and scholarship. 2008 , 40, 212-8 | | 2 |
| 136 | NYD-SP18 is associated with obesity in the NHLBI Family Heart Study. 2008 , 32, 930-5 | | 8 |
| 135 | 60 years studying heart-disease risk. 2008 , 7, 715 | | |
| 134 | Genome-wide association studies for complex traits: consensus, uncertainty and challenges. 2008 , 9, 356-69 | | 2126 |
| 133 | Using linkage analysis to identify quantitative trait loci for sleep apnea in relationship to body mass index. 2008 , 72, 762-73 | | 25 |
| 132 | Evaluating the performance of Affymetrix SNP Array 6.0 platform with 400 Japanese individuals. <i>BMC Genomics</i> , 2008 , 9, 431 | 4.5 | 49 |
| 131 | Genomics in cardiac metabolism. 2008 , 79, 218-27 | | 17 |
| 130 | Redfinir le gène, une urgence (2) Comment?. 2008 , 2008, 27-28 | | |
| 129 | Vitamin D receptor gene polymorphisms have negligible effect on human height. 2008 , 11, 488-94 | | 11 |
| 128 | Genetics of stroke: a review of recent advances. 2008 , 8, 495-513 | | 47 |
| 127 | Microarray technology and applications in the arena of genome-wide association. 2008 , 54, 1116-24 | | 61 |
| 126 | Modeling genetic inheritance of copy number variations. 2008 , 36, e138 | | 60 |
| 125 | Tectonic shifts in the health information economy. 2008 , 358, 1732-7 | | 110 |
| 124 | Innovation in health, environmental and safety research infrastructure. 2007 , 329-404 | | |
| 123 | Family study designs in the age of genome-wide association studies: experience from the Framingham Heart Study. 2008 , 19, 144-50 | | 11 |

| | | | |
|-----|---|------|-----|
| 122 | New insights into the genetics of body weight. 2008 , 11, 378-84 | | 19 |
| 121 | Association of common polymorphisms in GLUT9 gene with gout but not with coronary artery disease in a large case-control study. <i>PLoS ONE</i> , 2008 , 3, e1948 | 3.7 | 64 |
| 120 | Host genetic and epigenetic factors in toxoplasmosis. 2009 , 104, 162-9 | | 18 |
| 119 | Family-based genome-wide association studies. 2009 , 10, 181-90 | | 53 |
| 118 | From the Cover: Whole-genome association study identifies STK39 as a hypertension susceptibility gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 226-31 | 11.5 | 240 |
| 117 | Conditional tests for localizing trait genes. 2009 , 68, 139-50 | | 3 |
| 116 | Collaborative genome-wide association studies of diverse diseases: programs of the NHGRIS office of population genomics. 2009 , 10, 235-41 | | 36 |
| 115 | Growth mixture modelling in families of the Framingham Heart Study. 2009 , 3 Suppl 7, S114 | | 4 |
| 114 | Genome-wide association analysis of cardiovascular-related quantitative traits in the Framingham Heart Study. 2009 , 3 Suppl 7, S117 | | 8 |
| 113 | Genetics Analysis Workshop 16 Problem 2: the Framingham Heart Study data. 2009 , 3 Suppl 7, S3 | | 45 |
| 112 | The effect of minor allele frequency on the likelihood of obtaining false positives. 2009 , 3 Suppl 7, S41 | | 85 |
| 111 | Epistatic interactions of CDKN2B-TCF7L2 for risk of type 2 diabetes and of CDKN2B-JAZF1 for triglyceride/high-density lipoprotein ratio longitudinal change: evidence from the Framingham Heart Study. 2009 , 3 Suppl 7, S71 | | 9 |
| 110 | Genome-wide association meta-analysis for total serum bilirubin levels. 2009 , 18, 2700-10 | | 177 |
| 109 | Selection of the most informative individuals from families with multiple siblings for association studies. <i>Genetic Epidemiology</i> , 2009 , 33, 299-307 | 2.6 | 1 |
| 108 | Mapping quantitative traits in unselected families: algorithms and examples. <i>Genetic Epidemiology</i> , 2009 , 33, 617-27 | 2.6 | 5 |
| 107 | Use of longitudinal data in genetic studies in the genome-wide association studies era: summary of Group 14. <i>Genetic Epidemiology</i> , 2009 , 33 Suppl 1, S93-8 | 2.6 | 16 |
| 106 | An open access database of genome-wide association results. <i>BMC Medical Genetics</i> , 2009 , 10, 6 | 2.1 | 228 |
| 105 | Complexity in the genetic architecture of leukoaraiosis in hypertensive sibships from the GENOA Study. 2009 , 2, 16 | | 20 |

| | | | |
|-----|--|-----|-----|
| 104 | Genetics and visceral leishmaniasis: of mice and man. 2009 , 31, 254-66 | | 80 |
| 103 | The combined effect of SNP-marker and phenotype attributes in genome-wide association studies. <i>Animal Genetics</i> , 2009 , 40, 149-56 | 2.5 | 19 |
| 102 | Association between SNP heterozygosity and quantitative traits in the Framingham Heart Study. 2009 , 73, 465-73 | | 17 |
| 101 | Genome-wide association and follow-up replication studies identified ADAMTS18 and TGFBR3 as bone mass candidate genes in different ethnic groups. 2009 , 84, 388-98 | | 165 |
| 100 | Genome-wide association analysis identifies PDE4D as an asthma-susceptibility gene. 2009 , 84, 581-93 | | 264 |
| 99 | IL21R and PTH may underlie variation of femoral neck bone mineral density as revealed by a genome-wide association study. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1042-8 | 6.3 | 30 |
| 98 | Hip geometry variation is associated with bone mineralization pathway gene variants: The Framingham Study. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1564-71 | 6.3 | 19 |
| 97 | The HapMap and genome-wide association studies in diagnosis and therapy. 2009 , 60, 443-56 | | 155 |
| 96 | Genome-wide association study in humans. <i>Methods in Molecular Biology</i> , 2009 , 573, 231-58 | 1.4 | 15 |
| 95 | Hardy-Weinberg equilibrium testing of biological ascertainment for Mendelian randomization studies. 2009 , 169, 505-14 | | 777 |
| 94 | Conditional linkage and genome-wide association studies identify UGT1A1 as a major gene for anti-atherogenic serum bilirubin levels--the Framingham Heart Study. 2009 , 206, 228-33 | | 36 |
| 93 | Identification of genetic markers associated with high-density lipoprotein-cholesterol by genome-wide screening in a Japanese population: the Suita study. 2009 , 73, 1119-26 | | 43 |
| 92 | Proteomic biomarkers in plasma that differentiate rapid and slow decline in lung function in adult cigarette smokers with chronic obstructive pulmonary disease (COPD). 2010 , 397, 1809-19 | | 17 |
| 91 | Challenges of molecular nutrition research 6: the nutritional phenotype database to store, share and evaluate nutritional systems biology studies. 2010 , 5, 189-203 | | 58 |
| 90 | Models of population-based analyses for data collected from large extended families. 2010 , 25, 855-65 | | 5 |
| 89 | Beta2-adrenergic receptor gene polymorphisms as systemic determinants of healthy aging in an evolutionary context. 2010 , 131, 338-45 | | 23 |
| 88 | Testing for non-random mating: evidence for ancestry-related assortative mating in the Framingham heart study. <i>Genetic Epidemiology</i> , 2010 , 34, 674-9 | 2.6 | 36 |
| 87 | Asthma-susceptibility variants identified using probands in case-control and family-based analyses. <i>BMC Medical Genetics</i> , 2010 , 11, 122 | 2.1 | 16 |

| | | | |
|----|---|-----|----|
| 86 | HMGA2 is confirmed to be associated with human adult height. 2010 , 74, 11-6 | | 21 |
| 85 | FGF21 signalling pathway and metabolic traits - genetic association analysis. 2010 , 18, 1344-8 | | 18 |
| 84 | Genome-wide association identifies SKIV2L and MYRIP as protective factors for age-related macular degeneration. 2010 , 11, 609-21 | | 53 |
| 83 | TSLP polymorphisms are associated with asthma in a sex-specific fashion. 2010 , 65, 1566-75 | | 91 |
| 82 | Human studies on genetics of the age at natural menopause: a systematic review. 2010 , 16, 364-77 | | 51 |
| 81 | Genome-wide linkage and association scans for quantitative trait Loci of serum lactate dehydrogenase-the Framingham heart study. 2010 , 2010, 905237 | | 3 |
| 80 | Gene-environment interaction for hypertension among African American women across generations. <i>Biological Research for Nursing</i> , 2010 , 12, 149-55 | 2.6 | 25 |
| 79 | Polymorphisms in the ACE and ADRB2 genes and risks of aging-associated phenotypes: the case of myocardial infarction. 2010 , 13, 13-21 | | 19 |
| 78 | Genome-wide germline single nucleotide polymorphisms for cancer classification in the Framingham Heart Study. 2010 , | | |
| 77 | Genome-wide association study identifies ALDH7A1 as a novel susceptibility gene for osteoporosis. 2010 , 6, e1000806 | | 88 |
| 76 | Genome-wide association study of Lp-PLA(2) activity and mass in the Framingham Heart Study. 2010 , 6, e1000928 | | 57 |
| 75 | Runs of homozygosity identify a recessive locus 12q21.31 for human adult height. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3777-82 | 5.6 | 28 |
| 74 | Genetic variants that affect length/height in infancy/early childhood in Vietnamese-Korean families. 2010 , 55, 681-90 | | 7 |
| 73 | The genetic architecture of lipoprotein subclasses in Gullah-speaking African American families enriched for type 2 diabetes: the Sea Islands Genetic African American Registry (Project SuGAR). 2010 , 51, 586-97 | | 7 |
| 72 | Pathway-based genome-wide association analysis identified the importance of EphrinA-EphR pathway for femoral neck bone geometry. <i>Bone</i> , 2010 , 46, 129-36 | 4.7 | 19 |
| 71 | KCNK17 genetic variants in ischemic stroke. 2010 , 208, 203-9 | | 19 |
| 70 | Gene by sex interaction for measures of obesity in the Framingham heart study. 2011 , 2011, 329038 | | 16 |
| 69 | Trade-off in the effects of the apolipoprotein E polymorphism on the ages at onset of CVD and cancer influences human lifespan. 2011 , 10, 533-41 | | 38 |

| | | | |
|----|--|------|-----|
| 68 | Genetic determinants of von Willebrand factor levels and activity in relation to the risk of cardiovascular disease: a review. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 899-908 | 15.4 | 61 |
| 67 | Validity and power of association testing in family-based sampling designs: evidence for and against the common wisdom. <i>Genetic Epidemiology</i> , 2011 , 35, 174-81 | 2.6 | 1 |
| 66 | The use of phenome-wide association studies (PheWAS) for exploration of novel genotype-phenotype relationships and pleiotropy discovery. <i>Genetic Epidemiology</i> , 2011 , 35, 410-22 | 2.6 | 119 |
| 65 | A rapid generalized least squares model for a genome-wide quantitative trait association analysis in families. 2011 , 71, 67-82 | | 26 |
| 64 | Pathway-based genome-wide association analysis of coronary heart disease identifies biologically important gene sets. 2012 , 20, 1168-73 | | 24 |
| 63 | A novel test of informative missingness using inconsistent linkage disequilibrium signals between case-parent triads and incomplete data. 2012 , 57, 601-9 | | 1 |
| 62 | Methods for Analyzing Multivariate Phenotypes in Genetic Association Studies. 2012 , 2012, 652569 | | 68 |
| 61 | The robustness of generalized estimating equations for association tests in extended family data. 2012 , 74, 17-26 | | 6 |
| 60 | Evaluating the evidence for transmission distortion in human pedigrees. <i>Genetics</i> , 2012 , 191, 215-32 | 4 | 34 |
| 59 | The impact of 5,10-methenyltetrahydrofolate synthetase polymorphism on diabetic nephropathy in the Taiwanese population. 2012 , 16, 142-5 | | 1 |
| 58 | Constructing endophenotypes of complex diseases using non-negative matrix factorization and adjusted rand index. <i>PLoS ONE</i> , 2012 , 7, e40996 | 3.7 | 5 |
| 57 | Observ-OM and Observ-TAB: Universal syntax solutions for the integration, search, and exchange of phenotype and genotype information. <i>Human Mutation</i> , 2012 , 33, 867-73 | 4.7 | 16 |
| 56 | von Willebrand factor plasma levels, genetic variations and coronary heart disease in an older population. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1262-9 | 15.4 | 43 |
| 55 | A Polymorphism in a gene encoding Perilipin 4 is associated with height but not with bone measures in individuals from the Framingham Osteoporosis Study. <i>Calcified Tissue International</i> , 2012 , 90, 96-107 | 3.9 | 3 |
| 54 | Genome-wide association study of sleep in <i>Drosophila melanogaster</i> . <i>BMC Genomics</i> , 2013 , 14, 281 | 4.5 | 91 |
| 53 | Gene-gene interaction between RBMS3 and ZNF516 influences bone mineral density. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 828-37 | 6.3 | 14 |
| 52 | Resequencing and clinical associations of the 9p21.3 region: a comprehensive investigation in the Framingham heart study. <i>Circulation</i> , 2013 , 127, 799-810 | 16.7 | 53 |
| 51 | Genetic and BMI risks for predicting blood pressure in three generations of West African Dogon women. <i>Biological Research for Nursing</i> , 2013 , 15, 105-11 | 2.6 | 19 |

| | | | |
|----|--|------|-----|
| 50 | Gene expression signatures of coronary heart disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1418-26 | 9.4 | 80 |
| 49 | Univariate Dynamic Screening System: An Approach For Identifying Individuals With Irregular Longitudinal Behavior. <i>Technometrics</i> , 2014 , 56, 248-260 | 1.4 | 46 |
| 48 | Resampling to Address the Winner's Curse in Genetic Association Analysis of Time to Event. <i>Genetic Epidemiology</i> , 2015 , 39, 518-28 | 2.6 | 8 |
| 47 | Surveillance of cardiovascular diseases using a multivariate dynamic screening system. <i>Statistics in Medicine</i> , 2015 , 34, 2204-21 | 2.3 | 31 |
| 46 | Cohort of birth modifies the association between FTO genotype and BMI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 354-9 | 11.5 | 73 |
| 45 | A genome-wide association study of saturated, mono- and polyunsaturated red blood cell fatty acids in the Framingham Heart Offspring Study. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015 , 94, 65-72 | 2.8 | 51 |
| 44 | A powerful nonparametric statistical framework for family-based association analyses. <i>Genetics</i> , 2015 , 200, 69-78 | 4 | 2 |
| 43 | Functionally Diverse NK-Like T Cells Are Effectors and Predictors of Successful Aging. <i>Frontiers in Immunology</i> , 2016 , 7, 530 | 8.4 | 20 |
| 42 | Association of 3q13.32 variants with hip trochanter and intertrochanter bone mineral density identified by a genome-wide association study. <i>Osteoporosis International</i> , 2016 , 27, 3343-3354 | 5.3 | 11 |
| 41 | Reduced rank regression with possibly non-smooth criterion functions: An empirical likelihood approach. <i>Computational Statistics and Data Analysis</i> , 2016 , 103, 139-150 | 1.6 | |
| 40 | Integrated genome-wide analysis of expression quantitative trait loci aids interpretation of genomic association studies. <i>Genome Biology</i> , 2017 , 18, 16 | 18.3 | 108 |
| 39 | Statistical Process Control Charts as a Tool for Analyzing Big Data. <i>Contributions To Statistics</i> , 2017 , 123-138 | 1.3 | 8 |
| 38 | Robust reduced-rank modeling via rank regression. <i>Journal of Statistical Planning and Inference</i> , 2017 , 180, 1-12 | 0.8 | 8 |
| 37 | Genome-Wide Interaction Study of Omega-3 PUFAs and Other Fatty Acids on Inflammatory Biomarkers of Cardiovascular Health in the Framingham Heart Study. <i>Nutrients</i> , 2017 , 9, | 6.7 | 1 |
| 36 | Genetics of Normal Human Sleep. 2017 , 56-61.e4 | | |
| 35 | Omics research project on prospective cohort studies from the Tohoku Medical Megabank Project. <i>Genes To Cells</i> , 2018 , 23, 406-417 | 2.3 | 24 |
| 34 | Assessing the Associations of Blood Metabolites With Osteoporosis: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1850-1855 | 5.6 | 11 |
| 33 | Diversity of CD28null T Cells in the Elderly: A Glimpse in a Biological Adaptation of Aging. 2018 , 1-33 | | |

| | | | |
|----|--|------|----|
| 32 | Serum C-reactive protein in the prediction of cardiovascular diseases: Overview of the latest clinical studies and public health practice. <i>Journal of Cellular Physiology</i> , 2018 , 233, 8508-8525 | 7 | 74 |
| 31 | A genome-wide association study of red-blood cell fatty acids and ratios incorporating dietary covariates: Framingham Heart Study Offspring Cohort. <i>PLoS ONE</i> , 2018 , 13, e0194882 | 3.7 | 15 |
| 30 | 70-year legacy of the Framingham Heart Study. <i>Nature Reviews Cardiology</i> , 2019 , 16, 687-698 | 14.8 | 63 |
| 29 | Two functional variants at 6p21.1 were associated with lean mass. <i>Skeletal Muscle</i> , 2019 , 9, 28 | 5.1 | 6 |
| 28 | Imputation accuracy of wheat genotyping-by-sequencing (GBS) data using barley and wheat genome references. <i>PLoS ONE</i> , 2019 , 14, e0208614 | 3.7 | 19 |
| 27 | Genome-Wide Association Study of Circadian Behavior in <i>Drosophila melanogaster</i> . <i>Behavior Genetics</i> , 2019 , 49, 60-82 | 3.2 | 14 |
| 26 | Process Monitoring ROC Curve for Evaluating Dynamic Screening Methods. <i>Technometrics</i> , 2020 , 62, 236-248 | 1.4 | 7 |
| 25 | A robust dynamic screening system by estimation of the longitudinal data distribution. <i>Journal of Quality Technology</i> , 2020 , 1-13 | 1.4 | |
| 24 | Detecting rare haplotypes associated with complex diseases using both population and family data: Combined logistic Bayesian Lasso. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 3340-3350 | 2.3 | 1 |
| 23 | Association of 3p27.1 Variants with Whole Body Lean Mass Identified by a Genome-wide Association Study. <i>Scientific Reports</i> , 2020 , 10, 4293 | 4.9 | 2 |
| 22 | Deleterious variants in genes associated with bone mineral density are linked to susceptibility to periodontitis development. <i>Meta Gene</i> , 2020 , 24, 100670 | 0.7 | 2 |
| 21 | Variants in ADIPOQ gene are linked to adiponectin levels and lung function in young males independent of obesity. <i>PLoS ONE</i> , 2020 , 15, e0225662 | 3.7 | 1 |
| 20 | Lipids and vascular disease: a framingham perspective. <i>Global Heart</i> , 2013 , 8, 25-33 | 2.9 | 6 |
| 19 | Translating Cardiovascular Genomics to Clinical Practice. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 613-615 | 3.9 | |
| 18 | Genetics of canine myxomatous mitral valve disease. <i>Animal Genetics</i> , 2021 , 52, 409-421 | 2.5 | 0 |
| 17 | SNP Development in <i>Penaeus vannamei</i> via Next-Generation Sequencing and DNA Pool Sequencing. <i>Fishes</i> , 2021 , 6, 36 | 2.5 | 1 |
| 16 | A transcriptome-wide association study to detect novel genes for volumetric bone mineral density. <i>Bone</i> , 2021 , 153, 116106 | 4.7 | 1 |
| 15 | Diversity of CD28null T Cells in the Elderly: A Glimpse in a Biological Adaptation of Aging. 2019 , 449-481 | | 1 |

| | | | |
|----|--|-----|----|
| 14 | Nothing in Medicine Makes Sense Except in the Light of Evolution: A Review. 2008 , 197-207 | | 3 |
| 13 | Family-based bivariate association tests for quantitative traits. <i>PLoS ONE</i> , 2009 , 4, e8133 | 3.7 | 7 |
| 12 | Correcting for population structure and kinship using the linear mixed model: theory and extensions. <i>PLoS ONE</i> , 2013 , 8, e75707 | 3.7 | 45 |
| 11 | Towards genomewide association studies in osteoporosis [Lessons from early scans. <i>BoneKEY Osteovision</i> , 2007 , 4, 363-366 | | |
| 10 | Coronary artery disease: an example case study. <i>Methods in Molecular Biology</i> , 2011 , 713, 215-25 | 1.4 | |
| 9 | Genetics of Human Longevity and Healthy Aging. 2012 , 215-235 | | 1 |
| 8 | Nutrigenomics Approaches to Control Metabolic Diseases and Challenges to Personalized Nutritional Intervention. 2020 , 287-332 | | |
| 7 | Biomonitoring to Assess Exposures to Mixtures of Environmental Chemicals. 2018 , 15-36 | | 1 |
| 6 | Integration of immunity with physical and cognitive function in definitions of successful aging. 2012 , 3, 34-50 | | 4 |
| 5 | Analyzing metabolomics data for association with genotypes using two-component Gaussian mixture distributions. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2018 , 23, 496-506 | 1.3 | 1 |
| 4 | Mendelian Randomization With Repeated Measures of a Time-varying Exposure: An Application of Structural Mean Models. <i>Epidemiology</i> , 2022 , 33, 84-94 | 3.1 | 0 |
| 3 | Interaction Effects of DRD2 Genetic Polymorphism and Interpersonal Stress on Problematic Gaming in College Students.. <i>Genes</i> , 2022 , 13, | 4.2 | 0 |
| 2 | Weak Association Between Genetic Markers of Hyperuricemia and Cardiorenal Outcomes: Insights From the STANISLAS Study Cohort With a 20-Year Follow-Up.. <i>Journal of the American Heart Association</i> , 2022 , e023301 | 6 | |
| 1 | The Framingham Study on Cardiovascular Disease Risk and Stress-Defenses: A Historical Review. 2023 , 2, 122-164 | | 0 |