

CITATION REPORT

List of articles citing

A genome-wide association for kidney function and endocrine-related traits in the NHLBI's Framingham Heart Study

DOI: 10.1186/1471-2350-8-s1-s10

BMC Medical Genetics, 2007, 8 Suppl 1, S10.

Source: <https://exaly.com/paper-pdf/42770876/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S1 | 2.1 | 152 |
| 72 | Genome-wide association study for renal traits in the Framingham Heart and Atherosclerosis Risk in Communities Studies. <i>BMC Medical Genetics</i> , 2008 , 9, 49 | 2.1 | 26 |
| 71 | Genome-wide scan for estimated glomerular filtration rate in multi-ethnic diabetic populations: the Family Investigation of Nephropathy and Diabetes (FIND). <i>Diabetes</i> , 2008 , 57, 235-43 | 0.9 | 75 |
| 70 | Genetic loci linked to pituitary-thyroid axis set points: a genome-wide scan of a large twin cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3519-23 | 5.6 | 28 |
| 69 | Family study designs in the age of genome-wide association studies: experience from the Framingham Heart Study. <i>Current Opinion in Lipidology</i> , 2008 , 19, 144-50 | 4.4 | 11 |
| 68 | Nephron deficit is not required for progressive proteinuria development in the Munich Wistar Fröhner rat. <i>Physiological Genomics</i> , 2008 , 35, 30-5 | 3.6 | 24 |
| 67 | Family-based genome-wide association studies. <i>Pharmacogenomics</i> , 2009 , 10, 181-90 | 2.6 | 53 |
| 66 | Linkage analysis of albuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 1597-606 | 12.7 | 21 |
| 65 | Investigating the effect of genetic background on proteinuria and renal injury using two hypertensive strains. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 296, F839-46 | 4.3 | 10 |
| 64 | The association of cell cycle checkpoint 2 variants and kidney function: findings of the Family Blood Pressure Program and the Atherosclerosis Risk In Communities study. <i>American Journal of Hypertension</i> , 2009 , 22, 552-8 | 2.3 | 1 |
| 63 | The genetic basis of kidney disease risk in African Americans: MYH9 as a new candidate gene. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 579-83 | 7.4 | 2 |
| 62 | Unravelling the genetic basis of renal diseases; from single gene to multifactorial disorders. <i>Journal of Pathology</i> , 2010 , 220, 198-216 | 9.4 | 25 |
| 61 | Multiple loci associated with indices of renal function and chronic kidney disease. <i>Nature Genetics</i> , 2009 , 41, 712-7 | 36.3 | 469 |
| 60 | Planning and executing a genome wide association study (GWAS). <i>Methods in Molecular Biology</i> , 2009 , 590, 403-18 | 1.4 | 18 |
| 59 | Genetic bases of urinary albumin excretion and related traits in hypertension. <i>Journal of Hypertension</i> , 2010 , 28, 213-25 | 1.9 | 6 |
| 58 | Risk factors for progression of chronic kidney disease. <i>Current Opinion in Pediatrics</i> , 2010 , 22, 161-9 | 3.2 | 38 |
| 57 | Genome-wide association studies in nephrology research. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 743-58 | 7.4 | 70 |

| | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 56 | Inflammation gene variants and susceptibility to albuminuria in the U.S. population: analysis in the Third National Health and Nutrition Examination Survey (NHANES III), 1991-1994. <i>BMC Medical Genetics</i> , 2010 , 11, 155 | 2.1 | 13 |
| 55 | A meta-analysis of genome-wide data from five European isolates reveals an association of COL22A1, SYT1, and GABRR2 with serum creatinine level. <i>BMC Medical Genetics</i> , 2010 , 11, 41 | 2.1 | 39 |
| 54 | Investigation of the association of BMP gene variants with nephropathy in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2010 , 27, 624-30 | 3.5 | 7 |
| 53 | Integrating human and rodent data to identify the genetic factors involved in chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 398-405 | 12.7 | 25 |
| 52 | Cystatin C and long-term mortality among subjects with normal creatinine-based estimated glomerular filtration rates: NHANES III (Third National Health and Nutrition Examination Survey). <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1930-6 | 15.1 | 65 |
| 51 | The relationship of deiodinase 1 genotype and thyroid function to lifetime history of major depression in three independent populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 593-9 | 3.5 | 28 |
| 50 | A meta-analysis of the associations between common variation in the PDE8B gene and thyroid hormone parameters, including assessment of longitudinal stability of associations over time and effect of thyroid hormone replacement. <i>European Journal of Endocrinology</i> , 2011 , 164, 773-80 | 6.5 | 26 |
| 49 | Application of a new method for GWAS in a related case/control sample with known pedigree structure: identification of new loci for nephrolithiasis. <i>PLoS Genetics</i> , 2011 , 7, e1001281 | 6 | 9 |
| 48 | Induction of albuminuria and kidney damage in SHR by transfer of chromosome 8 from Munich Wistar Fröhner rats. <i>Physiological Genomics</i> , 2012 , 44, 110-6 | 3.6 | 6 |
| 47 | Mapping genetic determinants of kidney damage in rat models. <i>Hypertension Research</i> , 2012 , 35, 675-94 | 4.7 | 24 |
| 46 | The impact of 5,10-methenyltetrahydrofolate synthetase polymorphism on diabetic nephropathy in the Taiwanese population. <i>Genetic Testing and Molecular Biomarkers</i> , 2012 , 16, 142-5 | 1.6 | 1 |
| 45 | Epidemiological profiles between equol producers and nonproducers: a genomewide association study of the equol-producing phenotype. <i>Genes and Nutrition</i> , 2012 , 7, 567-74 | 4.3 | 22 |
| 44 | Increased Expression of Rififylin in A . <i>Frontiers in Genetics</i> , 2012 , 3, 138 | 4.5 | 11 |
| 43 | Genetic associations with neonatal thyroid-stimulating hormone levels. <i>Pediatric Research</i> , 2013 , 73, 484-91 | 3.2 | 6 |
| 42 | The new perspectives on genetic studies of type 2 diabetes and thyroid diseases. <i>Current Genomics</i> , 2013 , 14, 33-48 | 2.6 | 3 |
| 41 | A genome-wide search for linkage of estimated glomerular filtration rate (eGFR) in the Family Investigation of Nephropathy and Diabetes (FIND). <i>PLoS ONE</i> , 2013 , 8, e81888 | 3.7 | 23 |
| 40 | Association of a cystatin C gene variant with cystatin C levels, CKD, and risk of incident cardiovascular disease and mortality. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 16-22 | 7.4 | 17 |
| 39 | Genome-Wide Association and Trans-ethnic Meta-Analysis for Advanced Diabetic Kidney Disease: Family Investigation of Nephropathy and Diabetes (FIND). <i>PLoS Genetics</i> , 2015 , 11, e1005352 | 6 | 84 |

| | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 38 | Association of achondroplasia with sagittal synostosis and scaphocephaly in two patients, an underestimated condition?. <i>American Journal of Medical Genetics, Part A</i> , 2015 , 167A, 646-52 | 2.5 | 10 |
| 37 | Genetics of kidney disease and related cardiometabolic phenotypes in Zuni Indians: the Zuni Kidney Project. <i>Frontiers in Genetics</i> , 2015 , 6, 6 | 4.5 | 9 |
| 36 | Sex Steroid Hormone Single-Nucleotide Polymorphisms, Pesticide Use, and the Risk of Prostate Cancer: A Nested Case-Control Study within the Agricultural Health Study. <i>Frontiers in Oncology</i> , 2016 , 6, 237 | 5.3 | 3 |
| 35 | Genetic studies of plasma analytes identify novel potential biomarkers for several complex traits. <i>Scientific Reports</i> , 2016 , 6, | 4.9 | 20 |
| 34 | Cystatin C and Cardiovascular Disease: A Mendelian Randomization Study. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 934-45 | 15.1 | 65 |
| 33 | Familial aggregation of albuminuria and arterial hypertension in an Aboriginal Australian community and the contribution of variants in ACE and TP53. <i>BMC Nephrology</i> , 2016 , 17, 183 | 2.7 | 10 |
| 32 | Genomic Methods in the Diagnosis and Treatment of Pediatric Kidney Disease. 2016 , 499-523 | | |
| 31 | Genetic loci for resistance to podocyte injury caused by the tensin2 gene deficiency in mice. <i>BMC Genetics</i> , 2018 , 19, 24 | 2.6 | 3 |
| 30 | Genome-wide association studies of albuminuria: towards genetic stratification in diabetes?. <i>Journal of Nephrology</i> , 2018 , 31, 475-487 | 4.8 | 11 |
| 29 | The Locus: Insights into the Pathogenesis and Prognosis of Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 713-726 | 12.7 | 34 |
| 28 | point mutations and familial intracranial aneurysms. <i>Neurology</i> , 2018 , 91, e2170-e2181 | 6.5 | 13 |
| 27 | Aberrant cystatin-C expression in blood from patients with breast cancer is a suitable marker for monitoring tumor burden. <i>Oncology Letters</i> , 2018 , 16, 5583-5590 | 2.6 | 5 |
| 26 | Polymorphisms in the 3RUTR of SCD5 gene are associated with hepatocellular carcinoma in Korean population. <i>Molecular Biology Reports</i> , 2018 , 45, 1705-1714 | 2.8 | 2 |
| 25 | Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019 , 27, 1589-1598 | 5.3 | 15 |
| 24 | APOL1 gene variants and kidney disease in whites: the cardiovascular health study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 2155-2156 | 4.3 | |
| 23 | Rabphilin involvement in filtration and molecular uptake in nephrocytes suggests a similar role in human podocytes. <i>DMM Disease Models and Mechanisms</i> , 2020 , 13, | 4.1 | 4 |
| 22 | Dissecting the Genetic Architecture of Cystatin C in Diversity Outbred Mice. <i>G3: Genes, Genomes, Genetics</i> , 2020 , 10, 2529-2541 | 3.2 | 2 |
| 21 | The Rab-Rabphilin system in injured human podocytes stressed by glucose overload and angiotensin II. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F178-F191 | 4.3 | 1 |

| | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 20 | Genome-wide association study identifies new loci for albuminuria in the Japanese population. <i>Clinical and Experimental Nephrology</i> , 2020 , 24, 1-9 | 2.5 | 3 |
| 19 | Deciphering key genes in cardio-renal syndrome using network analysis. <i>Bioinformatics</i> , 2021 , 17, 86-100. | 1.1 | 0 |
| 18 | Genetic loci associated with skin pigmentation in African Americans and their effects on vitamin D deficiency. <i>PLoS Genetics</i> , 2021 , 17, e1009319 | 6 | 3 |
| 17 | Effect of longevity genetic variants on the molecular aging rate. <i>GeroScience</i> , 2021 , 43, 1237-1251 | 8.9 | 3 |
| 16 | Insights into Glomerular Filtration and Albuminuria. <i>New England Journal of Medicine</i> , 2021 , 385, 477 | 59.2 | 0 |
| 15 | Small Rab GTPases in Intracellular Vesicle Trafficking: The Case of Rab3A/Raphillin-3A Complex in the Kidney. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 1 |
| 14 | Spatial transcriptional mapping of the human nephrogenic program. <i>Developmental Cell</i> , 2021 , 56, 2381-2398. | 23.98 | 6 |
| 13 | Genetic Basis of Kidney Disease. 2012 , 1554-1569 | | 2 |
| 12 | Spatial Transcriptional Mapping of the Human Nephrogenic Program. | | 6 |
| 11 | Comprehensive analysis of small RNA profile by massive parallel sequencing in HTLV-1 asymptomatic subjects with monoclonal and polyclonal rearrangement of the T-cell antigen receptor chain. | | 1 |
| 10 | Genome-wide association analysis identifies multiple loci associated with kidney disease-related traits in Korean populations. <i>PLoS ONE</i> , 2018 , 13, e0194044 | 3.7 | 13 |
| 9 | Association analysis of ANK3 gene variants with schizophrenia in a northern Chinese Han population. <i>Oncotarget</i> , 2016 , 7, 85888-85894 | 3.3 | 4 |
| 8 | TMEM196 acts as a novel functional tumour suppressor inactivated by DNA methylation and is a potential prognostic biomarker in lung cancer. <i>Oncotarget</i> , 2015 , 6, 21225-39 | 3.3 | 16 |
| 7 | THYROID HORMONES AS A THIRD LINE OF AUGMENTATION MEDICATION IN TREATMENT-RESISTANT DEPRESSION. <i>Acta Endocrinologica</i> , 2020 , 16, 256-261 | 0.9 | 4 |
| 6 | Genomic Methods in the Diagnosis and Treatment of Pediatric Kidney Disease. 2009 , 441-456 | | |
| 5 | Genomic Methods in the Diagnosis and Treatment of Pediatric Kidney Disease. 2015 , 1-28 | | |
| 4 | KIDNEY DISEASE GENETICS AND THE IMPORTANCE OF DIVERSITY IN PRECISION MEDICINE. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2016 , 21, 285-96 | 1.3 | 3 |
| 3 | Pathway Association Studies Reveal Gene Loci and Pathway Networks that Associated With Plasma Cystatin C Levels.. <i>Frontiers in Genetics</i> , 2021 , 12, 711155 | 4.5 | 0 |

- 2 GWAS in people of Middle Eastern descent reveals a locus protective of kidney function-a cross-sectional study.. *BMC Medicine*, **2022**, 20, 76 11.4 0
- 1 Quantitative trait loci, G_{β} and G_{α} for glyceimic traits: response to metformin and placebo in the Diabetes Prevention Program (DPP).. *Journal of Human Genetics*, **2022**, 43