

CITATION REPORT

List of articles citing

Genome-wide association and linkage analyses of hemostatic factors and hematological phenotypes in the Framingham Heart Study

DOI: 10.1186/1471-2350-8-s1-s12

BMC Medical Genetics, 2007, 8 Suppl 1, S12.

Source: <https://exaly.com/paper-pdf/42770878/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 61 | The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S1 | 2.1 | 152 |
| 60 | Linkage study of fibrinogen levels: the Strong Heart Family Study. <i>BMC Medical Genetics</i> , 2008 , 9, 77 | 2.1 | 9 |
| 59 | Family study designs in the age of genome-wide association studies: experience from the Framingham Heart Study. <i>Current Opinion in Lipidology</i> , 2008 , 19, 144-50 | 4.4 | 11 |
| 58 | Genome-wide association study of biochemical traits in Korcula Island, Croatia. <i>Croatian Medical Journal</i> , 2009 , 50, 23-33 | 1.6 | 47 |
| 57 | Family-based genome-wide association studies. <i>Pharmacogenomics</i> , 2009 , 10, 181-90 | 2.6 | 53 |
| 56 | Identification of quantitative trait loci for fibrin clot phenotypes: the EuroCLOT study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 600-5 | 9.4 | 13 |
| 55 | Genome-wide association studies and the genetic dissection of complex traits. <i>American Journal of Hematology</i> , 2009 , 84, 504-15 | 7.1 | 55 |
| 54 | Multiple loci influence erythrocyte phenotypes in the CHARGE Consortium. <i>Nature Genetics</i> , 2009 , 41, 1191-8 | 36.3 | 285 |
| 53 | Single-nucleotide polymorphism (SNP) genotyping using cationic conjugated polymers in homogeneous solution. <i>Nature Protocols</i> , 2009 , 4, 984-91 | 18.8 | 41 |
| 52 | Influence of genetic polymorphisms of glutathione S-transferase T1 (GSTT1) and M1 (GSTM1) on hematological parameters. <i>Molecular Biology Reports</i> , 2010 , 37, 249-53 | 2.8 | 11 |
| 51 | Genetic modifiers of Hb E/beta0 thalassemia identified by a two-stage genome-wide association study. <i>BMC Medical Genetics</i> , 2010 , 11, 51 | 2.1 | 19 |
| 50 | Deciphering the molecular basis of venous thromboembolism: where are we and where should we go?. <i>British Journal of Haematology</i> , 2010 , 148, 495-506 | 4.5 | 12 |
| 49 | Genome-wide meta-analyses identifies seven loci associated with platelet aggregation in response to agonists. <i>Nature Genetics</i> , 2010 , 42, 608-13 | 36.3 | 204 |
| 48 | Genetic regulation of platelet receptor expression and function: application in clinical practice and drug development. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2372-84 | 9.4 | 20 |
| 47 | MISS: a non-linear methodology based on mutual information for genetic association studies in both population and sib-pairs analysis. <i>Bioinformatics</i> , 2010 , 26, 1811-8 | 7.2 | 27 |
| 46 | Genome-wide association study of blood pressure response to methylphenidate treatment of attention-deficit/hyperactivity disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 466-72 | 5.5 | 21 |
| 45 | Genetic regulation of inflammation-mediated activation of haemostasis: family-based approaches in population studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 857-61 | 4.5 | 4 |

| | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 44 | Novel loci involved in platelet function and platelet count identified by a genome-wide study performed in children. <i>Haematologica</i> , 2011 , 96, 1335-43 | 6.6 | 25 |
| 43 | Genetic determinants of von Willebrand factor levels and activity in relation to the risk of cardiovascular disease: a review. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 899-908 | 15.4 | 61 |
| 42 | The genetics of common variation affecting platelet development, function and pharmaceutical targeting. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9 Suppl 1, 246-57 | 15.4 | 29 |
| 41 | Delineating the Hemostaseome as an aid to individualize the analysis of the hereditary basis of thrombotic and bleeding disorders. <i>Human Genetics</i> , 2011 , 130, 149-66 | 6.3 | 11 |
| 40 | Family- and population-based designs identify different rare causal variants. <i>BMC Proceedings</i> , 2011 , 5 Suppl 9, S36 | 2.3 | 2 |
| 39 | Genetic predictors of fibrin D-dimer levels in healthy adults. <i>Circulation</i> , 2011 , 123, 1864-72 | 16.7 | 47 |
| 38 | What should the genome-wide significance threshold be? Empirical replication of borderline genetic associations. <i>International Journal of Epidemiology</i> , 2012 , 41, 273-86 | 7.8 | 189 |
| 37 | Genome-wide association study for circulating levels of PAI-1 provides novel insights into its regulation. <i>Blood</i> , 2012 , 120, 4873-81 | 2.2 | 65 |
| 36 | Identification of cis-regulatory variation influencing protein abundance levels in human plasma. <i>Human Molecular Genetics</i> , 2012 , 21, 3719-26 | 5.6 | 71 |
| 35 | Blood viscosity as a forgotten factor and its effect on pulmonary flow. <i>Translational Respiratory Medicine</i> , 2013 , 1, 3 | | 2 |
| 34 | Common Genetic Determinants of Coagulation and Fibrinolysis. 2013 , 1-20 | | |
| 33 | Heritability, genetic correlation and linkage to the 9p21.3 region of mixed platelet-leukocyte conjugates in families with and without early myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 684-92 | 4.5 | 8 |
| 32 | Arteriopathy and microvascular impairment in sudden sensorineural hearing loss: Clues from two clinical cases. <i>Hearing, Balance and Communication</i> , 2013 , 11, 87-90 | 0.7 | 1 |
| 31 | Predictors of hemoglobin variability in a population of weaning age (3- to 4-month old) rhesus monkeys. <i>American Journal of Primatology</i> , 2013 , 75, 1139-46 | 2.5 | |
| 30 | Quantitative trait locus linkage analysis in a large Amish pedigree identifies novel candidate loci for erythrocyte traits. <i>Molecular Genetics & Genomic Medicine</i> , 2013 , 1, 131-141 | 2.3 | 6 |
| 29 | Altered expression of Raet1e, a major histocompatibility complex class 1-like molecule, underlies the atherosclerosis modifier locus Ath11 10b. <i>Circulation Research</i> , 2013 , 113, 1054-64 | 15.7 | 16 |
| 28 | Plasma hepcidin of Ethiopian highlanders with steady-state hypoxia. <i>Blood</i> , 2013 , 122, 1989-91 | 2.2 | 21 |
| 27 | Gene-centric association signals for haemostasis and thrombosis traits identified with the HumanCVD BeadChip. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 995-1003 | 7 | 7 |

| | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 26 | Biomarkers for arterial and venous thrombotic disorders. <i>Hamostaseologie</i> , 2014 , 34, 115-20, 122-6, 128-30, passim | 1.9 | 7 |
| 25 | Pleiotropic genes for metabolic syndrome and inflammation. <i>Molecular Genetics and Metabolism</i> , 2014 , 112, 317-38 | 3.7 | 81 |
| 24 | Genome-wide association studies identified novel loci for non-high-density lipoprotein cholesterol and its postprandial lipemic response. <i>Human Genetics</i> , 2014 , 133, 919-30 | 6.3 | 8 |
| 23 | Developmental plasticity of red blood cell homeostasis. <i>American Journal of Hematology</i> , 2014 , 89, 459-661 | | 13 |
| 22 | A genetic association study of D-dimer levels with 50K SNPs from a candidate gene chip in four ethnic groups. <i>Thrombosis Research</i> , 2014 , 134, 462-7 | 8.2 | 5 |
| 21 | Haemostaseome-associated SNPs: has the thrombotic phenotype a greater influence than ethnicity? GMT study from Aquitaine including Basque individuals. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 66-76 | 7 | 1 |
| 20 | Genome-wide admixture and association study of serum iron, ferritin, transferrin saturation and total iron binding capacity in African Americans. <i>Human Molecular Genetics</i> , 2015 , 24, 572-81 | 5.6 | 16 |
| 19 | Finding SNPs that affect microRNA regulation in disease-associated genomic regions. 139-150 | | |
| 18 | Genetic studies of plasma analytes identify novel potential biomarkers for several complex traits. <i>Scientific Reports</i> , 2016 , 6, | 4.9 | 20 |
| 17 | A Genome-Wide Association Study in isolated populations reveals new genes associated to common food likings. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016 , 17, 209-19 | 10.5 | 17 |
| 16 | A Locus at 5q33.3 Confers Resistance to Tuberculosis in Highly Susceptible Individuals. <i>American Journal of Human Genetics</i> , 2016 , 98, 514-524 | 11 | 53 |
| 15 | Genome-wide association studies identify genetic loci for low von Willebrand factor levels. <i>European Journal of Human Genetics</i> , 2016 , 24, 1035-40 | 5.3 | 34 |
| 14 | Single-Cell RNA-Seq Analysis Maps Development of Human Germline Cells and Gonadal Niche Interactions. <i>Cell Stem Cell</i> , 2017 , 20, 858-873.e4 | 18 | 194 |
| 13 | Generalization and fine mapping of red blood cell trait genetic associations to multi-ethnic populations: The PAGE Study. <i>American Journal of Hematology</i> , 2018 , 93, 1061 | 7.1 | 4 |
| 12 | Genetics of Vascular Diseases. <i>Learning Materials in Biosciences</i> , 2019 , 245-269 | 0.3 | |
| 11 | Single-Cell Transcriptome Analysis Maps the Developmental Track of the Human Heart. <i>Cell Reports</i> , 2019 , 26, 1934-1950.e5 | 10.6 | 178 |
| 10 | Genetic parameter estimation and genome-wide association study (GWAS) of red blood cell count at three stages in a DurocErhualian pig population. <i>Journal of Integrative Agriculture</i> , 2020 , 19, 793-799 | 3.2 | 0 |
| 9 | Ancestry-specific associations identified in genome-wide combined-phenotype study of red blood cell traits emphasize benefits of diversity in genomics. <i>BMC Genomics</i> , 2020 , 21, 228 | 4.5 | 8 |

| | | | |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 8 | Mosaic chromosome Y loss is associated with alterations in blood cell counts in UK Biobank men. <i>Scientific Reports</i> , 2020 , 10, 3655 | 4.9 | 15 |
| 7 | Associations between high blood pressure and DNA methylation. <i>PLoS ONE</i> , 2020 , 15, e0227728 | 3.7 | 18 |
| 6 | DNA Methylation and Blood Pressure Phenotypes: A Review of the Literature. <i>American Journal of Hypertension</i> , 2021 , 34, 267-273 | 2.3 | 3 |
| 5 | Kallikrein augments the anticoagulant function of the protein C system in thrombin generation. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , | 15.4 | 1 |
| 4 | Graphical modeling of gene expression in monocytes suggests molecular mechanisms explaining increased atherosclerosis in smokers. <i>PLoS ONE</i> , 2013 , 8, e50888 | 3.7 | 26 |
| 3 | Gene Polymorphisms and Signaling Defects. 2013 , 53-102 | | |
| 2 | Current Study Designs, Methods, and Future Directions of Genetic Association Mapping. <i>Advances in Bioinformatics and Biomedical Engineering Book Series</i> , 2015 , 323-358 | 0.4 | |
| 1 | Genome-Wide Association and Mendelian Randomization Analysis Reveal the Causal Relationship Between White Blood Cell Subtypes and Asthma in Africans.. <i>Frontiers in Genetics</i> , 2021 , 12, 749415 | 4.5 | 0 |