CITATION REPORT List of articles citing

A genome-wide association study for blood lipid phenotypes in the Framingham Heart Study

DOI: 10.1186/1471-2350-8-s1-s17 BMC Medical Genetics, 2007, 8 Suppl 1, S17.

Source: https://exaly.com/paper-pdf/42770883/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
275	The Framingham Heart Study, on its way to becoming the gold standard for Cardiovascular Genetic Epidemiology?. <i>BMC Medical Genetics</i> , 2007 , 8, 63	2.1	25
274	The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S1	2.1	152
273	Sample-size properties of a case-control association analysis of multistage SNP studies for identifying disease susceptibility genes. 2008 , 53, 390-400		1
272	Metabolic syndrome: from epidemiology to systems biology. 2008 , 9, 819-30		233
271	Genetic studies on the APOA1-C3-A5 gene cluster in Asian Indians with premature coronary artery disease. 2008 , 7, 33		30
270	Genetic loci associated with plasma concentration of low-density lipoprotein cholesterol, high-density lipoprotein cholesterol, triglycerides, apolipoprotein A1, and Apolipoprotein B among 6382 white women in genome-wide analysis with replication. 2008 , 1, 21-30		103
269	Family study designs in the age of genome-wide association studies: experience from the Framingham Heart Study. 2008 , 19, 144-50		11
268	Defining the spectrum of alleles that contribute to blood lipid concentrations in humans. 2008 , 19, 122	2-7	40
267	Emerging role of pharmacogenomics in heart failure. 2008 , 23, 261-8		26
266	Genetics and molecular biology: proprotein convertase subtilisin/kexin type 9 and LDL receptoran intriguing story. 2008 , 19, 208-11		
265	Host genetic and epigenetic factors in toxoplasmosis. 2009 , 104, 162-9		18
264	Blood pressure and heart rate QTL in mice of the B6/D2 lineage: sex differences and environmental influences. 2009 , 36, 158-66		11
263	Family-based genome-wide association studies. 2009 , 10, 181-90		53
262	Population-based genomewide genetic analysis of common clinical chemistry analytes. 2009 , 55, 39-51	l	9
261	Admixture mapping of quantitative trait loci for blood lipids in African-Americans. 2009 , 18, 2091-8		27
260	Genome-wide linkage scan for genes influencing plasma triglyceride levels in the Veterans Administration Genetic Epidemiology Study. 2009 , 58, 279-84		21
259	Programs for calculating the statistical powers of detecting susceptibility genes in case-control studies based on multistage designs. 2009 , 25, 272-3		3

(2009-2009)

258	Contrasting identity-by-descent estimators, association studies, and linkage analyses using the Framingham Heart Study data. 2009 , 3 Suppl 7, S102	4
257	The Genetic Analysis Workshop 16 Problem 3: simulation of heritable longitudinal cardiovascular phenotypes based on actual genome-wide single-nucleotide polymorphisms in the Framingham Heart Study. 2009 , 3 Suppl 7, S4	20
256	Meta-analysis of inter-species liver co-expression networks elucidates traits associated with common human diseases. 2009 , 5, e1000616	40
255	A genome-wide association analysis of Framingham Heart Study longitudinal data using multivariate adaptive splines. 2009 , 3 Suppl 7, S119	10
254	Genome-wide association analysis of cardiovascular-related quantitative traits in the Framingham Heart Study. 2009 , 3 Suppl 7, S117	8
253	Evaluation of genetic risk scores for lipid levels using genome-wide markers in the Framingham Heart Study. 2009 , 3 Suppl 7, S46	24
252	Region-based analysis in genome-wide association study of Framingham Heart Study blood lipid phenotypes. 2009 , 3 Suppl 7, S127	7
251	Genetic differences between the determinants of lipid profile phenotypes in African and European Americans: the Jackson Heart Study. 2009 , 5, e1000342	87
250	Congenic strains provide evidence that four mapped loci in chromosomes 2, 4, and 16 influence hypertension in the SHR. 2009 , 37, 52-7	14
249	Genome-wide association analyses of North American Rheumatoid Arthritis Consortium and Framingham Heart Study data utilizing genome-wide linkage results. 2009 , 3 Suppl 7, S103	10
248	Four additional mouse crosses improve the lipid QTL landscape and identify Lipg as a QTL gene. <i>Journal of Lipid Research</i> , 2009 , 50, 2083-94	29
247	Using new tools to define the genetic underpinnings of risky traits associated with coronary artery disease: the SardiNIA study. 2009 , 19, 69-75	
246	Genetic-epidemiological evidence on genes associated with HDL cholesterol levels: a systematic in-depth review. 2009 , 44, 136-60	96
245	A genome-wide scan for quantitative trait loci affecting serum glucose and lipids in a White Duroc x Erhualian intercross F(2) population. 2009 , 20, 386-92	18
244	Genetics and visceral leishmaniasis: of mice and man. 2009 , 31, 254-66	80
243	Common variants at 30 loci contribute to polygenic dyslipidemia. <i>Nature Genetics</i> , 2009 , 41, 56-65 36.3	1095
242	Normal tissue reactions to radiotherapy: towards tailoring treatment dose by genotype. 2009 , 9, 134-42	450
241	Plasma lipoproteins: genetic influences and clinical implications. 2009 , 10, 109-21	304

240	The ClinSeq Project: piloting large-scale genome sequencing for research in genomic medicine. 2009 , 19, 1665-74		209
239	Physical inactivity interacts with an endothelial lipase polymorphism to modulate high density lipoprotein cholesterol in the GOLDN study. 2009 , 206, 500-4		29
238	Hypoalphalipoproteinemia in populations of Native American ancestry: an opportunity to assess the interaction of genes and the environment. 2009 , 20, 92-7		24
237	Using genetic information to select treatment for patients with heart failure: has the time come?. 2009 , 6, 385-392		
236	Lipid-altering gene variants and cardiovascular risk in the older population. 2009, 4, 721-724		
235	Genetics of lipid disorders. 2010 , 25, 238-42		19
234	Strategies for identifying the genetic basis of dyslipidemia: genome-wide association studies vs. the resequencing of extremes. 2010 , 21, 123-7		10
233	Genetics and molecular biology: identification of dyslipidemia genes. 2010 , 21, 548-9		2
232	Genetics of coronary artery disease. 2010 , 11, 91-108		67
231	Association of common DNA sequence variants at 33 genetic loci with blood lipids in individuals of African ancestry from Jamaica. 2010 , 128, 557-61		13
230	A systems biology approach to understanding atherosclerosis. 2010 , 2, 79-89		57
229	Genome-wide association analysis of total cholesterol and high-density lipoprotein cholesterol levels using the Framingham heart study data. <i>BMC Medical Genetics</i> , 2010 , 11, 55	1	64
228	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010 , 466, 707-13	٥.4	2742
227	Genetic determination of triglyceridemia with special focus on apolipoprotein gene variants. 2010 , 5, 543-554		4
226	A genome-wide linkage scan identifies multiple quantitative trait loci for HDL-cholesterol levels in families with premature CAD and MI. <i>Journal of Lipid Research</i> , 2010 , 51, 1442-51	.3	9
225	Considerations for designing a prototype genetic test for use in translational research. 2010 , 13, 155-65		22
224	Genetic variation in APOJ, LPL, and TNFRSF10B affects plasma fatty acid distribution in Alaskan Eskimos. 2010 , 91, 1574-83		22
223	2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2010 , 122, e584-636		451

222	Genetics of the metabolic complications of obesity. 2010 , 94, 349-72	0
221	Serotonin (5-HT) receptor 5A sequence variants affect human plasma triglyceride levels. 2010 , 42, 168-76	20
220	Targeting heart failure therapeutics: a historical perspective. 2010 , 6, 11-23	5
219	2010 ACCF/AHA guideline for assessment of cardiovascular risk in asymptomatic adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2010 , 56, e50-103	976
218	Loci from a genome-wide analysis of bilirubin levels are associated with gallstone risk and composition. 2010 , 139, 1942-1951.e2	74
217	APOE, CETP and LPL genes show strong association with lipid levels in Greek children. 2010 , 20, 26-33	20
216	Genetic causes of high and low serum HDL-cholesterol. <i>Journal of Lipid Research</i> , 2010 , 51, 2032-57 6.3	139
215	Lipoprotein Disorders. 2010 , 269-288	1
214	Ethnicity/race, use of pharmacotherapy, scope of physician-ordered cholesterol screening, and provision of diet/nutrition or exercise counseling during US office-based visits by patients with hyperlipidemia. 2010 , 10, 105-8	12
213	Pharmacogenetics in heart failure trials. 2011 , 7, 553-9	2
212	Clinical implications of pharmacogenetic variation on the effects of statins. 2011 , 34, 1-19	44
211	Genetic predisposition influences plasma lipids of participants on habitual diet, but not the response to reductions in dietary intake of saturated fatty acids. 2011 , 215, 421-7	18
210	Pharmacogenomics and Pharmacogenetics in Heart Failure. 2011 , 626-633	
209	Genetic Influences on Blood Lipids and Cardiovascular Disease Risk. 2011 , 195-201	
208	Knowledge-driven multi-locus analysis reveals gene-gene interactions influencing HDL cholesterol level in two independent EMR-linked biobanks. <i>PLoS ONE</i> , 2011 , 6, e19586	55
207	Medical DNA sequencing. 2011 , 26, 175-80	9
206	Genetic polymorphisms of innate immunity-related inflammatory pathways and their association with factors related to type 2 diabetes. <i>BMC Medical Genetics</i> , 2011 , 12, 95	47
205	The mouse QTL map helps interpret human genome-wide association studies for HDL cholesterol. Journal of Lipid Research, 2011 , 52, 1139-1149	20

204	A review of genetic association studies of obstructive sleep apnea: field synopsis and meta-analysis. 2011 , 34, 1461-8		73
203	Strategic approaches to unraveling genetic causes of cardiovascular diseases. 2011 , 108, 1252-69		68
202	Association of known loci with lipid levels among children and prediction of dyslipidemia in adults. 2011 , 4, 673-80		33
201	Do genetic variations alter the effects of exercise training on cardiovascular disease and can we identify the candidate variants now or in the future?. 2011 , 111, 916-28		10
200	Knowledge-driven analysis identifies a gene-gene interaction affecting high-density lipoprotein cholesterol levels in multi-ethnic populations. 2012 , 8, e1002714		55
199	Elements of Rnissing heritabilityR2012, 27, 197-201		40
198	A confidence set inference method for identifying SNPs that regulate quantitative phenotypes. 2012 , 73, 174-83		3
197	TRIB1 constitutes a molecular link between regulation of sleep and lipid metabolism in humans. 2012 , 2, e97		21
196	Multiple members of the UDP-GalNAc: polypeptide N-acetylgalactosaminyltransferase family are essential for viability in Drosophila. 2012 , 287, 5243-52		47
195	Variants in CXADR and F2RL1 are associated with blood pressure and obesity in African-Americans in regions identified through admixture mapping. 2012 , 30, 1970-6		23
194	Molecular genetic studies of complex phenotypes. 2012 , 159, 64-79		104
193	GeneDiet Interactions on Lipid Levels: Current Knowledge in the Era of Genome-Wide Association Studies. 2012 , 1, 123-131		3
192	Relations of long-term and contemporary lipid levels and lipid genetic risk scores with coronary artery calcium in the framingham heart study. 2012 , 60, 2364-71		26
191	A mixed-model approach for genome-wide association studies of correlated traits in structured populations. <i>Nature Genetics</i> , 2012 , 44, 1066-71	36.3	273
190	Lipase maturation factor 1: a lipase chaperone involved in lipid metabolism. 2012, 1821, 790-4		52
189	Genetic determinants of lipid homeostasis. 2012 , 26, 203-9		1
188	On- and off-target pharmacology of torcetrapib: current understanding and implications for the structure activity relationships (SAR), discovery and development of cholesteryl ester-transfer protein (CETP) inhibitors. 2012 , 72, 491-507		40
187	Heart disease and stroke statistics2012 update: a report from the American Heart Association. 2012 , 125, e2-e220		3532

186	Genome-wide association mapping with longitudinal data. 2012 , 36, 463-71		35
185	PPARA, RXRA, NR1I2 and NR1I3 gene polymorphisms and lipid and lipoprotein levels in a Southern Brazilian population. 2013 , 40, 1241-7		14
184	Nutritional lipidomics: molecular metabolism, analytics, and diagnostics. 2013 , 57, 1319-35		43
183	Sequencing PCR-amplified DNA in lipoprotein and cardiovascular disease research. 2013 , 1027, 139-55		
182	Investigation of gene-by-sex interactions for lipid traits in diverse populations from the population architecture using genomics and epidemiology study. 2013 , 14, 33		20
181	Genetics of Atherosclerotic Cardiovascular Disease. 2013 , 1-37		1
180	Gene-smoking interactions in multiple Rho-GTPase pathway genes in an early-onset coronary artery disease cohort. 2013 , 132, 1371-82		10
179	A nonparametric regression method for multiple longitudinal phenotypes using multivariate adaptive splines. 2013 , 8, 731-743		4
178	MASTOR: mixed-model association mapping of quantitative traits in samples with related individuals. 2013 , 92, 652-66		25
177	Association between PCSK9 and LDLR gene polymorphisms with coronary heart disease: case-control study and meta-analysis. 2013 , 46, 727-32		28
176	A genome-wide association study of chronic otitis media with effusion and recurrent otitis media identifies a novel susceptibility locus on chromosome 2. 2013 , 14, 791-800		34
175	Heart disease and stroke statistics2013 update: a report from the American Heart Association. 2013 , 127, e6-e245		3837
174	The Nß and Oß of Drosophila glycoprotein glycobiology. 2013, 30, 57-66		27
173	Genetic variants in genes related to lipid metabolism and atherosclerosis, dyslipidemia and atorvastatin response. 2013 , 417, 8-11		23
172	Genetic analysis of 16 NMR-lipoprotein fractions in humans, the GOLDN study. 2013, 48, 155-65		29
171	Strategy to control type I error increases power to identify genetic variation using the full biological trajectory. 2013 , 37, 419-30		1
170	Positive association between GCKR rs780093 polymorphism and coronary heart disease in the aged Han Chinese. 2013 , 35, 863-8		6
169	Novel gene-by-environment interactions: APOB and NPC1L1 variants affect the relationship between dietary and total plasma cholesterol. <i>Journal of Lipid Research</i> , 2013 , 54, 1512-20	5.3	30

168	RTN4 and FBXL17 Genes are Associated with Coronary Heart Disease in Genome-Wide Association Analysis of Lithuanian Families. 2013 , 16, 17-22		8
167	A SUPER powerful method for genome wide association study. <i>PLoS ONE</i> , 2014 , 9, e107684	3.7	109
166	Genetic variation modifies risk for neurodegeneration based on biomarker status. 2014 , 6, 183		14
165	Warped linear mixed models for the genetic analysis of transformed phenotypes. 2014 , 5, 4890		35
164	Genome-wide linkage and regional association study of obesity-related phenotypes: the GenSalt study. 2014 , 22, 545-56		8
163	Clinical outcomes and genome-wide association for a brain methylation site in an antidepressant pharmacogenetics study in Mexican Americans. 2014 , 171, 1297-309		29
162	Stromal cell-derived factor 1 as a biomarker of heart failure and mortality risk. 2014 , 34, 2100-5		49
161	Progress in genetics of plasma lipids. 2014 , 25, 99-101		1
160	Pleiotropic genes for metabolic syndrome and inflammation. 2014 , 112, 317-38		81
159	Genome-wide association studies identified novel loci for non-high-density lipoprotein cholesterol and its postprandial lipemic response. 2014 , 133, 919-30		8
158	Correlation between the Xba I polymorphism of apoB gene and serum lipid profiles in Li ethnic group. 2014 , 7, 63-6		5
157	Ordered subset analysis of copy number variation association with age at onset of Alzheimerß disease. 2014 , 41, 1063-71		13
156	Sex- and age-interacting eQTLs in human complex diseases. 2014 , 23, 1947-56		48
155	Polymorphisms of Drug Transporters and Clinical Relevance. 2014 , 389-407		1
154	Gender-specific association between the cytoplasmic poly(A) binding protein 4 rs4660293 single nucleotide polymorphism and serum lipid levels. 2015 , 12, 3476-3486		4
153	Rare-Variant Kernel Machine Test for Longitudinal Data from Population and Family Samples. 2015 , 80, 126-38		7
152	Genome-wide association study and biological pathway analysis of the Eimeria maxima response in broilers. 2015 , 47, 91		12
151	Mitochondrial GWA Analysis of Lipid Profile Identifies Genetic Variants to Be Associated with HDL Cholesterol and Triglyceride Levels. <i>PLoS ONE</i> , 2015 , 10, e0126294	3.7	6

(2016-2015)

150	Pathway-Based Genome-Wide Association Studies for Plasma Triglycerides in Obese Females and Normal-Weight Controls. <i>PLoS ONE</i> , 2015 , 10, e0134923	10
149	Recent Positive Selection Drives the Expansion of a Schizophrenia Risk Nonsynonymous Variant at SLC39A8 in Europeans. 2016 , 42, 178-90	28
148	Interactions of Lipid Genetic Risk Scores With Estimates of Metabolic Health in a Danish Population. 2015 , 8, 465-72	25
147	Heart disease and stroke statistics2015 update: a report from the American Heart Association. 2015 , 131, e29-322	5259
146	Effects of alfalfa saponin extract on mRNA expression of Ldlr, LXR and FXR in BRL cells. 2015 , 16, 479-86	4
145	TRP Gene Polymorphism and Disease Risk. 2015 , 59-87	
144	Whole exome sequencing combined with integrated variant annotation prediction identifies asymptomatic Tangier disease with compound heterozygous mutations in ABCA1 gene. 2015 , 240, 324-9	14
143	Potential relationship between single nucleotide polymorphisms used in forensic genetics and diseases or other traits in European population. 2015 , 129, 435-43	О
142	Variants for HDL-C, LDL-C, and triglycerides identified from admixture mapping and fine-mapping analysis in African American families. 2015 , 8, 106-13	11
141	A common variant in RAB27A gene is associated with fractional exhaled nitric oxide levels in adults. 2015 , 45, 797-806	9
140	Genes involved in muscle contractility and nutrient signaling pathways within celiac disease risk loci show differential mRNA expression. <i>BMC Medical Genetics</i> , 2015 , 16, 44	9
139	Sex-Specific Parental Effects on Offspring Lipid Levels. 2015 , 4,	5
138	SLCO1B1 genetic variants, long-term low-density lipoprotein cholesterol levels and clinical events in patients following cardiac catheterization. 2015 , 16, 449-58	14
137	Genetic Polymorphisms. 2015 , 111-128	
136	The Combined Effect of Common Genetic Risk Variants on Circulating Lipoproteins Is Evident in Childhood: A Longitudinal Analysis of the Cardiovascular Risk in Young Finns Study. <i>PLoS ONE</i> , 2016 , 11, e0146081	20
135	Genetic association of left ventricular mass assessed by M-mode and two-dimensional echocardiography. 2016 , 34, 88-96	4
134	Associations of genetic variants for adult lipid levels with lipid levels in children. The Generation R Study. <i>Journal of Lipid Research</i> , 2016 , 57, 2185-2192	7
133	A Genome-Wide Association Study in isolated populations reveals new genes associated to common food likings. 2016 , 17, 209-19	17

132	The Arg59Trp variant in ANGPTL8 (betatrophin) is associated with total and HDL-cholesterol in American Indians and Mexican Americans and differentially affects cleavage of ANGPTL3. 2016 , 118, 128-37	26
131	Meta-analysis of lipid-traits in Hispanics identifies novel loci, population-specific effects, and tissue-specific enrichment of eQTLs. 2016 , 6, 19429	51
130	A new statistical framework for genetic pleiotropic analysis of high dimensional phenotype data. 2016 , 17, 881	2
129	Impact of TLR5 rs5744174 on stroke risk, gene expression and on inflammatory cytokines, and lipid levels in stroke patients. 2016 , 37, 1537-44	2
128	Serum aminotransferases in nonalcoholic fatty liver disease are a signature of liver metabolic perturbations at the amino acid and Krebs cycle level. 2016 , 103, 422-34	61
127	Multiple microRNA regulation of lipoprotein lipase gene abolished by 3RJTR polymorphisms in a triglyceride-lowering haplotype harboring p.Ser474Ter. 2016 , 246, 280-6	19
126	Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. 2016 , 133, e38-360	4504
125	Discovery of gene-gene interactions across multiple independent data sets of late onset Alzheimer disease from the Alzheimer Disease Genetics Consortium. 2016 , 38, 141-150	31
124	Identification of Rare Variants in ATP8B4 as a Risk Factor for Systemic Sclerosis by Whole-Exome Sequencing. 2016 , 68, 191-200	28
123	Focused Analysis of Exome Sequencing Data for Rare Germline Mutations in Familial and Sporadic Lung Cancer. 2016 , 11, 52-61	18
122	Regional heritability mapping method helps explain missing heritability of blood lipid traits in isolated populations. 2016 , 116, 333-8	15
121	Global and local ancestry in African-Americans: Implications for Alzheimerß disease risk. 2016 , 12, 233-43	27
120	Lipoprotein Metabolism and the Treatment of Lipid Disorders. 2016 , 715-736.e7	3
119	Heart Disease and Stroke Statistics-2017 Update: A Report From the American Heart Association. 2017 , 135, e146-e603	5568
118	Association between genetic loci linked to HDL-C levels and Indian patients with CAD: a pilot study. 2017 , 9, 9-13	
117	Basic Concepts in Molecular Biology Related to Genetics and Epigenetics. 2017 , 70, 744-753	7
116	Influence of SCARB1 gene SNPs on serum lipid levels and susceptibility to coronary heart disease and cerebral infarction in a Chinese population. 2017 , 626, 319-325	16
115	Conceptos blicos en biologil molecular relacionados con la genlica y la epigenlica. 2017 , 70, 744-753	14

114	Joint association analysis of a binary and a quantitative trait in family samples. 2016, 25, 130-136	3
113	The Arg282Ser missense mutation in APOA5 gene determines a reduction of triglyceride and LDL-cholesterol in children, together with low serum levels of apolipoprotein A-V. 2017 , 16, 179	1
112	The function-on-scalar LASSO with applications to longitudinal GWAS. 2017 , 11,	20
111	Pharmacogenetic meta-analysis of baseline risk factors, pharmacodynamic, efficacy and tolerability endpoints from two large global cardiovascular outcomes trials for darapladib. <i>PLoS ONE</i> , 2017 , 12, e01 82715	5 ¹⁰
110	Rare non-coding variants are associated with plasma lipid traits in a founder population. 2017 , 7, 16415	16
109	Insights from population-based analyses of plasma lipids across the allele frequency spectrum. 2018 , 50, 1-6	2
108	Polygenic influences on dyslipidemias. 2018 , 29, 133-143	42
107	Prediction of dyslipidemia using gene mutations, family history of diseases and anthropometric indicators in children and adolescents: The CASPIAN-III study. 2018 , 16, 121-130	10
106	Comprehensive genetic study of fatty acids helps explain the role of noncoding inflammatory bowel disease associated SNPs and fatty acid metabolism in disease pathogenesis. 2018 , 130, 1-10	5
105	Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. 2018 , 23, 1169-1180	24
104	A Bayesian mixed modeling approach for estimating heritability. 2018, 12, 31	7
103	Genome-wide association study: Exploring the genetic basis for responsiveness to ketogenic dietary therapies for drug-resistant epilepsy. 2018 , 59, 1557-1566	6
102	A study of the association of rs12040273 with susceptibility and severity of coronary artery disease in a Chinese Han population. 2018 , 18, 10	3
101	Systematic target function annotation of human transcription factors. 2018 , 16, 4	3
100	Genetic Regulation of PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9) Plasma Levels and Its Impact on Atherosclerotic Vascular Disease Phenotypes. <i>Circulation Genomic and Precision Medicine</i> , 5.2 2018 , 11, e001992	22
99	Deep-coverage whole genome sequences and blood lipids among 16,324 individuals. 2018 , 9, 3391	90
98	Race-ethnic differences in the associations of maternal lipid trait genetic risk scores with longitudinal fetal growth. 2019 , 13, 821-831	4
97	Genetic Affinities among Southern Africa Hunter-Gatherers and the Impact of Admixing Farmer and Herder Populations. 2019 , 36, 1849-1861	15

96	Rare variant significantly alters de novo ceramide synthesis pathway. <i>Journal of Lipid Research</i> , 2019 , 60, 1630-1639	7
95	Coronary Artery Disease Risk and Lipidomic Profiles Are Similar in Hyperlipidemias With Family History and Population-Ascertained Hyperlipidemias. 2019 , 8, e012415	11
94	Associations between lipid profiles of adolescents and their mothers based on a nationwide health and nutrition survey in South Korea. 2019 , 9, e024731	1
93	Regulation of glucose and lipid metabolism in health and disease. 2019 , 62, 1420-1458	65
92	Compositional epistasis detection using a few prototype disease models. <i>PLoS ONE</i> , 2019 , 14, e02132363.7	1
91	Exome chip-driven association study of lipidemia in >14,000 Koreans and evaluation of genetic effect on identified variants between different ethnic groups. 2019 , 43, 617-628	2
90	Lipid metabolism genetic risk score interacts with the Brazilian Healthy Eating Index Revised and its components to influence the odds for dyslipidemia in a cross-sectional population-based survey in Brazil. 2019 , 25, 119-126	1
89	Hepatic posttranscriptional network comprised of CCR4-NOT deadenylase and FGF21 maintains systemic metabolic homeostasis. 2019 , 116, 7973-7981	16
88	TRIB1 and TRPS1 variants, G G and G E interactions on serum lipid levels, the risk of coronary heart disease and ischemic stroke. 2019 , 9, 2376	13
87	Population history and genetic adaptation of the Fulani nomads: inferences from genome-wide data and the lactase persistence trait. 2019 , 20, 915	14
86	Genetics-driven discovery of novel regulators of lipid metabolism. 2019 , 30, 157-164	3
85	Circulating miR-3659 may be a potential biomarker of dyslipidemia in patients with obesity. 2019 , 17, 25	9
84	Methylation in CPT1A, Lipoproteins, and Epigenetics. 2019 , 387-403	
83	Sortilin levels are associated with peripheral arterial disease in type 2 diabetic subjects. 2019 , 18, 5	18
82	Epigenetic methylation in Eosinophilic Esophagitis: Molecular ageing and novel biomarkers for treatment response. 2020 , 50, 1372-1380	3
81	Associations between peroxisome proliferator-activated receptor [[PPAR-]] polymorphisms and serum lipids: Two cross-sectional studies of community-dwelling adults. 2020 , 762, 145019	2
80	Joint association analysis method to dissect complex genetic architecture of multiple genetically related traits. 2020 , 8, 733-744	O
79	Transcriptomic Heterogeneity of Alzheimer & Disease Associated with Lipid Genetic Risk. 2020 , 22, 534-541	O

(2021-2020)

78	Identification of critical genetic variants associated with metabolic phenotypes of the Japanese population. 2020 , 3, 662		3
77	Two robust tools for inference about causal effects with invalid instruments. 2020,		1
76	MAPT haplotype-stratified GWAS reveals differential association for AD risk variants. 2020 , 16, 983-100)2	11
75	Genomics of hypertriglyceridemia. Advances in Clinical Chemistry, 2020, 97, 141-169	5.8	3
74	Association of the Duration of Ideal Cardiovascular Health Through Adulthood With Cardiometabolic Outcomes and Mortality in the Framingham Offspring Study. <i>JAMA Cardiology</i> , 2020 , 5, 549-556	16.2	26
73	Hypercholesterolemia risk-associated GPR146 is an orphan G-protein coupled receptor that regulates blood cholesterol levels in humans and mice. <i>Cell Research</i> , 2020 , 30, 363-365	24.7	7
72	Genome-Wide Selection Scan in an Arabian Peninsula Population Identifies a TNKS Haplotype Linked to Metabolic Traits and Hypertension. <i>Genome Biology and Evolution</i> , 2020 , 12, 77-87	3.9	4
71	Candidate Regulators of Dyslipidemia in Chromosome 1 Substitution Lines Using Liver Co-Expression Profiling Analysis. <i>Frontiers in Genetics</i> , 2019 , 10, 1258	4.5	О
70	The Contribution of the Framingham Heart Study to Gene Identification for Cardiovascular Risk Factors and Coronary Heart Disease. <i>Global Heart</i> , 2013 , 8, 59-65	2.9	2
69	Association of circulating metabolites in plasma or serum and risk of stroke: Meta-analysis from seven prospective cohorts. <i>Neurology</i> , 2020 ,	6.5	9
68	Genetics of 35 blood and urine biomarkers in the UK Biobank. <i>Nature Genetics</i> , 2021 , 53, 185-194	36.3	78
67	An emerging spectrum of variants and clinical features in -linked channelopathy. <i>Channels</i> , 2021 , 15, 447-464	3	10
66	Associations between SNPs, their haplotypes, gene-gene, and gene-environment interactions and dyslipidemia. <i>Aging</i> , 2021 , 13, 5906-5927	5.6	О
65	Approaches to Integrating Metabolomics and Multi-Omics Data: A Primer. <i>Metabolites</i> , 2021 , 11,	5.6	11
64	Machine Learning Prediction of Biomarkers from SNPs and of Disease Risk from Biomarkers in the UK Biobank.		1
63	Challenges of Precision Medicine for Atherosclerotic Cardiovascular Disease Based on Human Genome Information. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 305-313	4	4
62	Machine Learning Prediction of Biomarkers from SNPs and of Disease Risk from Biomarkers in the UK Biobank. <i>Genes</i> , 2021 , 12,	4.2	0
61	Identifying the Lipidomic Effects of a Rare Loss-of-Function Deletion in. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003232	5.2	1

60	Mendelian Randomization of Dyslipidemia on Cognitive Impairment Among Older Americans. <i>Frontiers in Neurology</i> , 2021 , 12, 660212	4.1	2
59	DNA methylation analyses identify an intronic ZDHHC6 locus associated with time to recurrent stroke in the Vitamin Intervention for Stroke Prevention (VISP) clinical trial. <i>PLoS ONE</i> , 2021 , 16, e02545	iĝZ	1
58	Gene networks and pathways for plasma lipid traits via multitissue multiomics systems analysis. <i>Journal of Lipid Research</i> , 2021 , 62, 100019	6.3	2
57	Tractor uses local ancestry to enable the inclusion of admixed individuals in GWAS and to boost power. <i>Nature Genetics</i> , 2021 , 53, 195-204	36.3	26
56	Identifying Pleiotropic Effects: A Two-Stage Approach Using Genome-Wide Association Meta-Analysis Data.		2
55	Tractor: A framework allowing for improved inclusion of admixed individuals in large-scale association studies.		2
54	Identifying tissues implicated in Anorexia Nervosa using Transcriptomic Imputation.		1
53	A linear mixed model approach to study multivariate gene-environment interactions.		8
52	Genetics of 38 blood and urine biomarkers in the UK Biobank.		25
51	A multiethnic replication study of plasma lipoprotein levels-associated SNPs identified in recent GWAS. <i>PLoS ONE</i> , 2013 , 8, e63469	3.7	21
50	Use of systems biology approaches to analysis of genome-wide association studies of myocardial infarction and blood cholesterol in the nursesRhealth study and health professionalsRfollow-up study. <i>PLoS ONE</i> , 2013 , 8, e85369	3.7	7
49	Association of common genetic variants with lipid traits in the Indian population. <i>PLoS ONE</i> , 2014 , 9, e101688	3.7	27
48	Placental genome and maternal-placental genetic interactions: a genome-wide and candidate gene association study of placental abruption. <i>PLoS ONE</i> , 2014 , 9, e116346	3.7	22
47	Comparative Analyses of QTLs Influencing Obesity and Metabolic Phenotypes in Pigs and Humans. <i>PLoS ONE</i> , 2015 , 10, e0137356	3.7	15
46	A Family History of Stroke Is Associated with Increased Intima-Media Thickness in Young Ischemic Stroke - The Norwegian Stroke in the Young Study (NOR-SYS). <i>PLoS ONE</i> , 2016 , 11, e0159811	3.7	5
45	Discovering gene-environment interactions in the post-genomic era. <i>Journal of Preventive Medicine</i> and Public Health, 2009 , 42, 356-9	3.7	1
44	The Relationship Between Coronary Artery Disease and Genetic Polymorphisms of Melanoma Inhibitory Activity 3. <i>Iranian Red Crescent Medical Journal</i> , 2016 , 18, e31146	1.3	1
43	Common and rare genetic markers of lipid variation in subjects with type 2 diabetes from the ACCORD clinical trial. <i>PeerJ</i> , 2017 , 5, e3187	3.1	9

42	Lipoprotein Disorders. 2009, 634-651	
41	Genetic Loci Influencing Plasma High Density Lipoprotein Cholesterol Concentrations in Humans. 2010 , 111-120	
40	Interactive Effects of Genetics and Acute Exercise and Exercise Training on Plasma Lipoprotein-Lipid and Blood Pressure Phenotypes. 2011 , 129-156	
39	QTL Mapping of Molecular Traits for Studies of Human Complex Diseases. <i>Translational Bioinformatics</i> , 2012 , 61-82	O
38	Methylation in CPT1A, Lipoproteins, and Epigenetics. 2017 , 1-17	
37	Rare non-coding variants are associated with plasma lipid traits in a founder population.	
36	Deep-coverage whole genome sequences and blood lipids among 16,324 individuals.	4
35	QTL Mapping of Molecular Traits for Studies of Human Complex Diseases. <i>Translational Bioinformatics</i> , 2018 , 59-80	
34	Coronary artery disease risk and lipidomic profiles are similar in familial and population-ascertained hyperlipidemias.	1
33	Population history and genetic adaptation of the Fulani nomads: Inferences from genome-wide data and the lactase persistence trait.	
32	Host genetic variants near the PAX5 gene locus associate with susceptibility to invasive group A streptococcal disease.	
31	Genome-wide Selection Scan in an Arabian Peninsula Population Identifies a TNKS haplotype Linked to Metabolic Traits and Hypertension.	
30	Hypercholesterolemia risk associated GPR146 is an orphan G-protein coupled receptor that regulates blood cholesterol level in human and mouse.	
29	Gene Networks and Pathways for Plasma Lipid Traits via Multi-tissue Multi-omics Systems Analysis.	
28	Mendelian randomization of dyslipidemia on cognitive impairment among older Americans.	
27	PPARG, AGTR1, CXCL16 and LGALS2 polymorphisms are correlated with the risk for coronary heart disease. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 3138-43	8
26	Association analysis of GWAS and candidate gene loci in a Chinese population with coronary heart disease. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 7497-506	3
25	Association of two polymorphisms in the FADS1/FADS2 gene cluster and the risk of coronary artery disease and ischemic stroke. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 7318-31.4	16

24	Association of Lecithin Cholesterol Acyltransferase rs5923 Polymorphism in Iranian Individuals with Extremely Low High-Density Lipoprotein Cholesterol: Tehran Lipid and Glucose Study. <i>Iranian Biomedical Journal</i> , 2015 , 19, 172-6	2	3
23	Interaction of cholesterol ester transfer protein polymorphisms, body mass index, and birth weight with the risk of dyslipidemia in children and adolescents: the CASPIAN-III study. <i>Iranian Journal of Basic Medical Sciences</i> , 2015 , 18, 1079-85	1.8	3
22	Influence of tissue context on gene prioritization for predicted transcriptome-wide association studies. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2019 , 24, 296-307	1.3	3
21	Association of the rs2929282 polymorphism and serum lipid profiles in two Chinese ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2018 , 11, 3494-3510	1.4	
20	Gestational Age Dependence of the Maternal Circulating Long Non-Coding RNA Transcriptome During Normal Pregnancy Highlights Antisense and Pseudogene Transcripts. <i>Frontiers in Genetics</i> , 2021 , 12, 760849	4.5	1
19	An integrative epi-transcriptomic approach identifies the human cartilage chitinase 3-like protein 2 (as a potential mediator of B12 deficiency in adipocytes. <i>Epigenetics</i> , 2021 , 1-15	5.7	
18	Why is it important to know DNA methylation patterns in people with hypertriglyceridaemia?. Clūica E Investigaciū En Arteriosclerosis, 2022 , 34, 33-35	1.4	
17	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
16	Why is it important to know DNA methylation patterns in people with hypertriglyceridaemia?. Claica E Investigacia En Arteriosclerosis (English Edition), 2022, 34, 33-35	0.3	
15	Common variant rs6564851 near the beta-carotene oxygenase 1´gene is associated with plasma triglycerides levels in middle-aged Mexican men adults <i>Nutrition Research</i> , 2022 , 103, 30-39	4	O
14	Combination of Genomic and Transcriptomic Approaches Highlights Vascular and Circadian Clock Components in Multiple Sclerosis <i>International Journal of Molecular Sciences</i> , 2021 , 23,	6.3	2
13	Implicating genes, pleiotropy and sexual dimorphism at blood lipid loci through multi-ancestry meta-analysis.		1
12	Chapter 8. Mass Spectrometry, Diet and Cardiovascular Disease: What will They Mean for Food?. <i>RSC Food Analysis Monographs</i> , 244-267		
11	, , and SNPs, Gene-Gene and Gene-Environment Interactions on Coronary Artery Disease and Ischemic Stroke <i>Frontiers in Genetics</i> , 2022 , 13, 843661	4.5	0
10	Notable paradoxical phenomena in associations between cardiovascular health score, subclinical and clinical cardiovascular disease in the community: The Framingham Heart Study <i>PLoS ONE</i> , 2022 , 17, e0267267	3.7	
9	Integrative analysis of multi-omics data to detect the underlying molecular mechanisms for obesity in vivo in humans <i>Human Genomics</i> , 2022 , 16, 15	6.8	O
8	Questionnaire-based exposome-wide association studies (ExWAS) reveal expected and novel risk factors associated with cardiovascular outcomes in the Personalized Environment and Genes Study. <i>Environmental Research</i> , 2022 , 212, 113463	7.9	
7	Maternal lipid levels in early pregnancy as a predictor of childhood lipid levels: a prospective cohort study. 2022 , 22,		1

CITATION REPORT

6	Using Machine Learning to Identify Biomarkers Affecting Fat Deposition in Pigs by Integrating Multisource Transcriptome Information. 2022 , 70, 10359-10370	0
5	Polygenic risk scores for dyslipidemia and atherosclerotic cardiovascular disease: progress toward clinical implementation. 2022 , 101702	O
4	Implicating genes, pleiotropy, and sexual dimorphism at blood lipid loci through multi-ancestry meta-analysis. 2022 , 23,	O
3	A fast linkage method for population GWAS cohorts with related individuals. 2023 , 47, 231-248	O
2	Polymorphic Variant rs11206510 in PCSK9 and Risk of Coronary Artery Disease in Bulgarians. 2023,	0
	50, 19-26	