

CITATION REPORT

List of articles citing

A genome-wide association study of breast and prostate cancer in the NHLBI's Framingham Heart Study

DOI: 10.1186/1471-2350-8-s1-s6

BMC Medical Genetics, 2007, 8 Suppl 1, S6.

Source: <https://exaly.com/paper-pdf/42770889/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
102	The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports. <i>BMC Medical Genetics</i> , 2007 , 8 Suppl 1, S1	2.1	152
101	Role of ErbB4 in breast cancer. 2008 , 13, 259-68		102
100	Hereditary breast cancer: new genetic developments, new therapeutic avenues. 2008 , 124, 31-42		233
99	"Sequencing-grade" screening for BRCA1 variants by oligo-arrays. 2008 , 6, 64		1
98	Single nucleotide polymorphisms and haplotypes in the gene for vascular endothelial growth factor and risk of prostate cancer. 2008 , 44, 1572-6		38
97	Association of common PALB2 polymorphisms with breast cancer risk: a case-control study. 2008 , 14, 5931-7		36
96	Population differences in breast cancer severity. 2008 , 9, 323-33		24
95	Family study designs in the age of genome-wide association studies: experience from the Framingham Heart Study. 2008 , 19, 144-50		11
94	Molecular alterations in prostate cancer as diagnostic, prognostic, and therapeutic targets. 2008 , 15, 319-31		46
93	In Search of Breast Cancer Culprits: Suspecting the Suspected and the Unsuspected. 2008 , 1, 117822340800100		
92	Family-based genome-wide association studies. 2009 , 10, 181-90		53
91	A field synopsis on low-penetrance variants in DNA repair genes and cancer susceptibility. 2009 , 101, 24-36		143
90	Association of folate-pathway gene polymorphisms with the risk of prostate cancer: a population-based nested case-control study, systematic review, and meta-analysis. 2009 , 18, 2528-39		75
89	Association of the NPAS3 gene and five other loci with response to the antipsychotic iloperidone identified in a whole genome association study. 2009 , 14, 804-19		126
88	Conserved domains of the class A scavenger receptors: evolution and function. 2009 , 227, 19-31		94
87	Beyond genome-wide association studies: genetic heterogeneity and individual predisposition to cancer. 2010 , 26, 132-41		121
86	Gene expression correlation analysis predicts involvement of high- and low-confidence risk genes in different stages of prostate carcinogenesis. 2010 , 70, 1746-59		2

85	A compendium of genome-wide associations for cancer: critical synopsis and reappraisal. 2010 , 102, 846-58	58
84	Genome-wide germline single nucleotide polymorphisms for cancer classification in the Framingham Heart Study. 2010 ,	
83	Potential of ErbB4 antibodies for cancer therapy. 2010 , 6, 37-53	27
82	Pharmacogenomics of membrane transporters: past, present and future. 2010 , 11, 475-9	42
81	Single and multivariate associations of MSR1, ELAC2, and RNASEL with prostate cancer in an ethnic diverse cohort of men. 2010 , 19, 588-99	39
80	A growing family: adding mutated Erbb4 as a novel cancer target. 2010 , 9, 1487-503	30
79	WWOX tumour suppressor gene polymorphisms and ovarian cancer pathology and prognosis. 2010 , 46, 818-25	22
78	Defining central themes in breast cancer biology by differential proteomics: conserved regulation of cell spreading and focal adhesion kinase. 2010 , 9, 5311-24	29
77	Genomic Evaluation and Management of Prostate Cancer. 2010 , 477-492	
76	Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. 2011 , 103, 1252-63	134
75	Cancer evolution and individual susceptibility. 2011 , 3, 316-28	28
74	Common genetic variants are associated with accelerated bone mineral density loss after hematopoietic cell transplantation. 2011 , 6, e25940	6
73	Potential novel candidate polymorphisms identified in genome-wide association study for breast cancer susceptibility. 2011 , 130, 529-37	39
72	Fine-mapping of prostate cancer aggressiveness loci on chromosome 7q22-35. 2011 , 71, 682-9	9
71	GWAS SNP Replication among African American and European American men in the North Carolina-Louisiana prostate cancer project (PCaP). 2011 , 71, 881-91	26
70	Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. 2012 , 49, 601-8	49
69	Evidence of association between methylenetetrahydrofolate reductase gene and susceptibility to breast cancer: a candidate-gene association study in a South-eastern European population. 2012 , 31, 193-8	22
68	Interactions between genome-wide significant genetic variants and circulating concentrations of insulin-like growth factor 1, sex hormones, and binding proteins in relation to prostate cancer risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. 2012 , 175, 926-35	15

67	A scalable and portable framework for massively parallel variable selection in genetic association studies. 2012 , 28, 719-20	7
66	Gene variants in the angiogenesis pathway and prostate cancer. 2012 , 33, 1259-69	30
65	Evaluating genetic risk for prostate cancer among Japanese and Latinos. 2012 , 21, 2048-58	46
64	A genome-wide association study identifies a breast cancer risk variant in ERBB4 at 2q34: results from the Seoul Breast Cancer Study. 2012 , 14, R56	102
63	The SLC4A7 variant rs4973768 is associated with breast cancer risk: evidence from a case-control study and a meta-analysis. 2012 , 136, 847-57	34
62	What should the genome-wide significance threshold be? Empirical replication of borderline genetic associations. 2012 , 41, 273-86	189
61	Analysis of the specific pathways and networks of prostate cancer for gene expression profiles in the Chinese population. 2012 , 29, 1972-84	20
60	Genetic association analysis of ERBB4 polymorphisms with the risk of schizophrenia and SPEM abnormality in a Korean population. 2012 , 1466, 146-51	11
59	Colon cancer associated transcript-1: a novel RNA expressed in malignant and pre-malignant human tissues. 2012 , 130, 1598-606	219
58	Genetic polymorphism and prostate cancer aggressiveness: a case-only study of 1,536 GWAS and candidate SNPs in African-Americans and European-Americans. 2013 , 73, 11-22	57
57	A novel germline mutation in HOXB13 is associated with prostate cancer risk in Chinese men. 2013 , 73, 169-75	57
56	Breast cancer prediction using genome wide single nucleotide polymorphism data. 2013 , 14 Suppl 13, S3	12
55	Risk of GWAS-identified genetic variants for breast cancer in a Chinese population: a multiple interaction analysis. 2013 , 142, 637-44	17
54	Common breast cancer risk variants in the post-COGS era: a comprehensive review. 2013 , 15, 212	41
53	The SNPs in the human genetic blueprint era. 2013 , 30, 475-84	10
52	Comparison of genetic variation of breast cancer susceptibility genes in Chinese and German populations. 2013 , 21, 1286-92	25
51	Macrophage scavenger receptor a promotes tumor progression in murine models of ovarian and pancreatic cancer. 2013 , 190, 3798-805	83
50	The Functionality of Prostate Cancer Predisposition Risk Regions Is Revealed by AR Enhancers. 2013 , 59-84	1

49	Prostate cancer susceptibility genes on 8p21-23 in a Dutch population. 2013 , 16, 248-53	5
48	Identification of a breast cancer susceptibility locus at 4q31.22 using a genome-wide association study paradigm. 2013 , 8, e62550	11
47	Polymorphisms of an innate immune gene, toll-like receptor 4, and aggressive prostate cancer risk: a systematic review and meta-analysis. 2014 , 9, e110569	17
46	ERBB4 promoter polymorphism is associated with poor distant disease-free survival in high-risk early breast cancer. 2014 , 9, e102388	5
45	Comprehensive functional annotation of 77 prostate cancer risk loci. 2014 , 10, e1004102	132
44	Association of cancer susceptibility variants with risk of multiple primary cancers: The population architecture using genomics and epidemiology study. 2014 , 23, 2568-78	21
43	Post-GWAS gene-environment interplay in breast cancer: results from the Breast and Prostate Cancer Cohort Consortium and a meta-analysis on 79,000 women. 2014 , 23, 5260-70	30
42	The role of single nucleotide polymorphisms in predicting prostate cancer risk and therapeutic decision making. 2014 , 2014, 627510	27
41	Variants at IRX4 as prostate cancer expression quantitative trait loci. 2014 , 22, 558-63	27
40	Significant overlap between human genome-wide association-study nominated breast cancer risk alleles and rat mammary cancer susceptibility loci. 2014 , 16, R14	7
39	Cross-cancer pleiotropic analysis of endometrial cancer: PAGE and E2C2 consortia. 2014 , 35, 2068-73	17
38	Genome-wide association study of breast cancer in Latinas identifies novel protective variants on 6q25. 2014 , 5, 5260	89
37	The prostate cancer susceptibility variant rs2735839 near KLK3 gene is associated with aggressive prostate cancer and can stratify gleason score 7 patients. 2014 , 20, 5133-5139	25
36	Lack of association between methylenetetrahydrofolate dehydrogenase 1 G1958A polymorphism and prostate cancer risk: a meta-analysis. 2014 , 35, 2029-33	1
35	Genetic risk variants associated with in situ breast cancer. 2015 , 17, 82	20
34	An analysis of the association between prostate cancer risk loci, PSA levels, disease aggressiveness and disease-specific mortality. 2015 , 113, 166-72	8
33	Putative linkage signals identified for breast cancer in African American families. 2015 , 24, 442-7	2
32	Associations of Genetic Variants at Nongenetic Susceptibility Loci with Breast Cancer Risk and Heterogeneity by Tumor Subtype in Southern Han Chinese Women. 2016 , 2016, 3065493	4

31	Tumor-promoting function of single nucleotide polymorphism rs1836724 (C3388T) alters multiple potential legitimate microRNA binding sites at the 3' untranslated region of ErbB4 in breast cancer. 2016 , 13, 4494-8	20
30	Genomic Disparities in Breast Cancer Among Latinas. 2016 , 23, 359-372	32
29	rs11895168 C allele and the increased risk of breast cancer in Isfahan population. 2016 , 28, 89-94	20
28	Genetic variations in cancer-related significantly mutated genes and lung cancer susceptibility. 2017 , 28, 1625-1630	13
27	Improving the detection of pathways in genome-wide association studies by combined effects of SNPs from Linkage Disequilibrium blocks. 2017 , 7, 3512	5
26	Previous GWAS hits in relation to young-onset breast cancer. 2017 , 161, 333-344	9
25	Prostate Cancer Germline Variations and Implications for Screening and Treatment. 2018 , 8,	12
24	A single-nucleotide polymorphism (rs1805087) in the methionine synthase (METH) gene increases the risk of prostate cancer. 2018 , 10, 2741-2754	2
23	ErbB4 receptor polymorphism 2368A>C and risk of breast cancer. 2018 , 42, 157-163	14
22	Evaluation of significant genome-wide association studies risk - SNPs in young breast cancer patients. 2019 , 14, e0216997	1
21	Cross-Cancer Pleiotropic Associations with Lung Cancer Risk in African Americans. 2019 , 28, 715-723	8
20	Genetic Epidemiology of Breast Cancer in Latin America. 2019 , 10,	18
19	Update analysis on the association between Methionine synthase rs1805087 A/G variant and risk of prostate cancer. 2020 , 10, 13384	
18	Leveraging genetic ancestry to study health disparities. 2021 , 175, 363-375	12
17	Breast Cancer-Related Low Penetrance Genes. 2021 , 1187, 419-434	1
16	The oncological relevance of fragile sites in cancer. 2021 , 4, 567	0
15	Identifying Pleiotropic Effects: A Two-Stage Approach Using Genome-Wide Association Meta-Analysis Data.	2
14	Association of methylenetetrahydrofolate dehydrogenase 1 polymorphisms with cancer: a meta-analysis. 2013 , 8, e69366	21

- 13 A common variant in the SIAH2 locus is associated with estrogen receptor-positive breast cancer in the Chinese Han population. **2013**, 8, e79365 11
- 12 Breast cancer association studies in a Han Chinese population using 10 European-ancestry-associated breast cancer susceptibility SNPs. **2014**, 15, 85-91 7
- 11 Assessment of the Relationship Between ERBB4 rs13393577 Polymorphism and Breast Cancer Susceptibility in Iranian Population. **2021**, 3,
- 10 Prostate Cancer. **2009**, 898-912
- 9 Integrative Analysis of Microarray Data with Gene Ontology to Select Perturbed Molecular Functions using Gene Ontology Functional Code. **2009**, 7, 122-130
- 8 Predicting High-Risk Disease Using Serum and DNA Biomarkers. **2012**, 35-54
- 7 Malignant Tumors of the Male Reproductive System. **2014**, 423-437
- 6 Cross-cancer pleiotropic associations with lung cancer risk in African Americans.
- 5 Sport Analytics: Science or Alchemy?. **2020**, 9, 57-63 3
- 4 Genetic Polymorphism and Prostate Cancer: An Update.
- 3 In search of breast cancer culprits: suspecting the suspected and the unsuspected. **2008**, 1, 1-5
- 2 Pan-Cancer Study on Variants of Canonical miRNA Biogenesis Pathway Components: A Pooled Analysis. **2023**, 15, 338 1
- 1 Long-Term Simulation of Microgravity Induces Changes in Gene Expression in Breast Cancer Cells. **2023**, 24, 1181 1