

CITATION REPORT

List of articles citing

The new Swedish Prescribed Drug Register--opportunities for pharmacoepidemiological research and experience from the first six months

DOI: 10.1002/pds.1294

Pharmacoepidemiology and Drug Safety, 2007, 16, 726-35.

Source: <https://exaly.com/paper-pdf/42788708/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1181	The relationship between number of drugs and potential drug-drug interactions in the elderly: a study of over 600,000 elderly patients from the Swedish Prescribed Drug Register. 2007 , 30, 911-8		235
1180	Current awareness: Pharmacoepidemiology and drug safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, i-xii	2.6	
1179	Potential drug interactions during a three-decade study period: a cross-sectional study of a prescription register. 2007 , 63, 851-9		26
1178	Medicine-taking behaviour and drug-related problems in adolescents of a Swedish high school. 2008 , 30, 243-50		29
1177	Use of desmopressin and concomitant use of potentially interacting drugs in elderly patients in Sweden. 2008 , 64, 439-44		7
1176	Utilisation of angiotensin receptor blockers in Sweden: combining survey and register data to study adherence to prescribing guidelines. 2008 , 64, 1223-9		22
1175	The association between use of cardiovascular drugs and antidepressants: a nationwide register-based study. 2008 , 64, 1119-24		8
1174	Patient educational level and use of newly marketed drugs: a register-based study of over 600,000 older people. 2008 , 64, 1215-22		20
1173	Prevalence of purchase of antihypertensive and serum lipid-reducing drugs in Sweden--individual data from national registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 37-42	2.6	5
1172	Dispensed volumes of anti-asthmatic drugs related to the prevalence of asthma and COPD in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 461-7	2.6	5
1171	Education and drug use in Sweden--a nationwide register-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 1020-8	2.6	39
1170	Concomitant use of gastroprotective drugs among elderly NSAID/COX-2 selective inhibitor users: a nationwide register-based study. 2008 , 28, 687-95		23
1169	Concurrent use of anticholinergic drugs and cholinesterase inhibitors: register-based study of over 700,000 elderly patients. 2008 , 25, 871-7		44
1168	Insight into recent reforms and initiatives in Austria: implications for key stakeholders. 2008 , 8, 357-71		53
1167	Multi-dose drug dispensing and inappropriate drug use: A nationwide register-based study of over 700,000 elderly. 2008 , 26, 86-91		71
1166	Education and use of dementia drugs: a register-based study of over 600,000 older people. 2008 , 25, 54-9		24
1165	Secondary prevention in a large stroke population: a study of patients' purchase of recommended drugs. 2008 , 39, 2880-5		15

1164	Asthma/COPD drugs reflecting disease prevalence, patient adherence and persistence. 2009 , 3, 93-101	4
1163	Sex differences in inappropriate drug use: a register-based study of over 600,000 older people. 2009 , 43, 1233-8	56
1162	Avoiding drug-drug interactions. 2009 , 55, 215-20	10
1161	PCBaSe Sweden: a register-based resource for prostate cancer research. 2009 , 43, 342-9	50
1160	Assessment of ePrescription quality: an observational study at three mail-order pharmacies. 2009 , 9, 8	33
1159	Use of lithium in the adult populations of Denmark, Norway and Sweden. 2009 , 118, 224-8	14
1158	The use of benzodiazepines and related drugs amongst older people in Sweden: associated factors and concomitant use of other psychotropics. 2009 , 24, 731-8	52
1157	Refill adherence to oral antihyperglycaemic drugs in Sweden. 2009 , 46, 203-8	12
1156	Undertreatment of osteoporosis in the oldest old? A nationwide study of over 700,000 older people. 2009 , 4, 17-23	26
1155	Insulin glargine use and short-term incidence of malignancies-a population-based follow-up study in Sweden. 2009 , 52, 1745-54	328
1154	Aggregated and individual pharmacy record data. Association between antibiotic and antihypertensive drug use. 2009 , 65, 107-8	
1153	To what extent does the indicator "concurrent use of three or more psychotropic drugs" capture use of potentially inappropriate psychotropics among the elderly?. 2009 , 65, 635-42	20
1152	Dispensed drugs and multiple medications in the Swedish population: an individual-based register study. 2009 , 9, 11	39
1151	First evidence of a possible association between gastric acid suppression during pregnancy and childhood asthma: a population-based register study. 2009 , 39, 246-53	59
1150	Co-medication of statins and CYP3A4 inhibitors before and after introduction of new reimbursement policy. 2009 , 67, 234-41	16
1149	Potential savings without compromising the quality of care. 2009 , 63, 1320-6	41
1148	The influence of educational level on polypharmacy and inappropriate drug use: a register-based study of more than 600,000 older people. 2009 , 57, 62-9	149
1147	Adverse drug reactions and impaired renal function in elderly patients admitted to the emergency department: a retrospective study. 2009 , 26, 595-606	53

1146	Multifaceted national and regional drug reforms and initiatives in ambulatory care in Sweden: global relevance. 2009 , 9, 65-83			110
1145	Management of antihypertensive drugs in three European countries. 2009 , 27, 1917-22			20
1144	Regional variation and adherence to guidelines for drug treatment of asthma. 2010 , 66, 187-98			21
1143	ADHD in international adoptees: a national cohort study. 2010 , 19, 37-44			53
1142	Socioeconomic determinants of psychotropic drug utilisation among elderly: a national population-based cross-sectional study. 2010 , 10, 118			17
1141	Forecasting drug utilization and expenditure in a metropolitan health region. 2010 , 10, 128			49
1140	National surveillance of surgical-site infection through register-based analysis of antibiotic use after inguinal hernia repair. 2010 , 97, 1722-9			5
1139	Increasing polypharmacy - an individual-based study of the Swedish population 2005-2008. 2010 , 10, 16			182
1138	Assessment of regional variation in polypharmacy. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 375-83	2.6	19	
1137	There is a trend in the utilization of psychotropics among elderly towards recommended drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1095-9	2.6	2	
1136	The Nordic countries as a cohort for pharmacoepidemiological research. 2010 , 106, 86-94			383
1135	Nationwide drug-dispensing data reveal important differences in adherence to drug label recommendations on CYP2D6-dependent drug interactions. 2010 , 69, 411-7			18
1134	Confirmed association between neonatal phototherapy or neonatal icterus and risk of childhood asthma. 2010 , 21, e733-9			44
1133	Use of hormonal contraceptives in relation to antidepressant therapy: A nationwide population-based study. 2010 , 15, 41-7			15
1132	Sociodemographic differences in antiepileptic drug prescriptions to adult epilepsy patients. 2010 , 74, 295-301			34
1131	A study on utilization of antiasthmatic drugs at a medical college hospital in India. 2010 , 3, 70-73			2
1130	Initial effects of a reimbursement restriction to improve the cost-effectiveness of antihypertensive treatment. 2010 , 94, 221-9			55
1129	Prevalence and therapeutic intensity of dispensed drug groups for individuals with multiple medications: a register-based study of 2.2 million individuals. 2010 , 1, 145-155			5

1128	ADHD after fetal exposure to maternal smoking. 2010 , 12, 408-15	77
1127	Ongoing pharmaceutical reforms in France: implications for key stakeholder groups. 2010 , 8, 7-24	86
1126	Early non-adherence to medication and other risk factors for rehospitalization in schizophrenia and schizoaffective disorder. 2011 , 133, 36-41	60
1125	Delivery outcome after maternal use of drugs for migraine: a register study in Sweden. 2011 , 34, 691-703	30
1124	High concomitant use of interacting drugs and low use of gastroprotective drugs among NSAID users in an unselected elderly population: a nationwide register-based study. 2011 , 28, 469-76	14
1123	Bridging the efficacy-effectiveness gap: a regulator's perspective on addressing variability of drug response. 2011 , 10, 495-506	200
1122	Acquisition cost of dispensed drugs in individuals with multiple medications--a register-based study in Sweden. 2011 , 101, 153-61	10
1121	Insulin glargine use and short-term incidence of malignancies - a three-year population-based observation. 2011 , 50, 685-93	32
1120	Drug use during pregnancy in Sweden - assessed by the Prescribed Drug Register and the Medical Birth Register. 2011 , 3, 43-50	103
1119	Usage, risk, and benefit of weight-loss drugs in primary care. 2011 , 2011, 459263	7
1118	Dopaminergic and serotonergic drug use: a nationwide register-based study of over 1,300,000 older people. 2011 , 6, e23750	1
1117	Maternal obesity and risk of postpartum hemorrhage. 2011 , 118, 561-568	104
1116	Comparison of anti-diabetic drug prescribing in children and adolescents in seven European countries. 2011 , 72, 969-77	11
1115	Migration and asthma medication in international adoptees and immigrant families in Sweden. 2011 , 41, 1108-15	26
1114	Maternal and child outcome after in vitro fertilization--a review of 25 years of population-based data from Sweden. 2011 , 90, 494-500	53
1113	Validity of bipolar disorder hospital discharge diagnoses: file review and multiple register linkage in Sweden. 2011 , 124, 447-53	122
1112	Is there an increased risk for drug treated attention deficit/hyperactivity disorder in children born after in vitro fertilization?. 2011 , 15, 247-53	32
1111	Gender and use of hypnotics or sedatives in old age: a nationwide register-based study. 2011 , 33, 788-93	24

1110	Low persistence of anticholinergic drug use in Sweden. 2011 , 67, 535-6		17
1109	Antidepressant utilization patterns and mortality in Swedish men and women aged 20-34 years. 2011 , 67, 169-78		17
1108	Antidepressant use during pregnancy: comparison of data obtained from a prescription register and from antenatal care records. 2011 , 67, 839-45		37
1107	Use of ATC to describe duplicate medications in primary care prescriptions. 2011 , 67, 1035-44		6
1106	Antiepileptic drug use in community-dwelling and institutionalized elderly: a nationwide study of over 1,300,000 older people. 2011 , 67, 1069-75		36
1105	Gender-related mental health differences between refugees and non-refugee immigrants--a cross-sectional register-based study. 2011 , 11, 180		85
1104	Non-adherence to drug therapy and drug acquisition costs in a national population--a patient-based register study. 2011 , 11, 326		37
1103	Birth outcomes among women exposed to neuraminidase inhibitors during pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1030-4	2.6	23
1102	A comparison of two methods for estimating refill adherence to statins in Sweden: the RARE project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1073-9	2.6	27
1101	Adherence, therapeutic intensity, and the number of dispensed drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1255-61	2.6	1
1100	Maternal and paternal psychopathology increases risk of offspring ADHD equally. 2011 , 20, 367-72		19
1099	Dementia management programme in a community setting and the use of psychotropic drugs in the elderly population. 2011 , 29, 181-6		12
1098	Widowhood and the risk of psychiatric care, psychotropic medication and all-cause mortality: a cohort study of 658,022 elderly people in Sweden. 2011 , 15, 259-66		41
1097	Risks of adverse pregnancy and birth outcomes in women treated or not treated with mood stabilisers for bipolar disorder: population based cohort study. 2012 , 345, e7085		146
1096	Increased risk of systemic lupus erythematosus in 29,000 patients with biopsy-verified celiac disease. 2012 , 39, 1964-70		42
1095	Drug use in centenarians compared with nonagenarians and octogenarians in Sweden: a nationwide register-based study. 2012 , 41, 218-24		45
1094	Institutionalization as a risk factor for inappropriate drug use in the elderly: a Swedish nationwide register-based study. 2012 , 46, 339-46		42
1093	Neonatal complications after maternal concomitant use of SSRI and other central nervous system active drugs during the second or third trimester of pregnancy. 2012 , 32, 608-14		28

1092	Selective serotonin reuptake inhibitors and the risk of acute pancreatitis: a Swedish population-based case-control study. 2012 , 32, 336-40	7
1091	Increased risk of acute pancreatitis among tetracycline users in a Swedish population-based case-control study. 2012 , 61, 873-6	8
1090	Studies of Drug Utilization. 2012 , 377-401	1
1089	East Africans in Sweden have a high risk for type 1 diabetes. 2012 , 35, 597-8	10
1088	Increased risk of epilepsy in biopsy-verified celiac disease: a population-based cohort study. 2012 , 78, 1401-7	53
1087	Effectiveness and safety of metformin in 51 675 patients with type 2 diabetes and different levels of renal function: a cohort study from the Swedish National Diabetes Register. 2012 , 2,	142
1086	How does comorbidity influence healthcare costs? A population-based cross-sectional study of depression, back pain and osteoarthritis. 2012 , 2, e000809	26
1085	Antidopaminergic drugs and acute pancreatitis: a population-based study. 2012 , 2,	4
1084	Medication for attention deficit-hyperactivity disorder and criminality. 2012 , 367, 2006-14	335
1083	Risk of stroke in 28,000 patients with celiac disease: a nationwide cohort study in Sweden. 2012 , 21, 860-7	30
1082	Utilization and costs of lipid modifying therapies following health technology assessment for the new reimbursement scheme in Sweden. 2012 , 104, 84-91	25
1081	Utilization and costs of glucose lowering therapies following health technology assessment for the new reimbursement scheme in Sweden. 2012 , 108, 207-15	3
1080	Complications from inflammatory bowel disease during pregnancy and delivery. 2012 , 10, 1246-52	54
1079	Differences in prescription rates and odds ratios of antidepressant drugs in relation to individual hormonal contraceptives: a nationwide population-based study with age-specific analyses. 2012 , 17, 106-18	15
1078	Anti-androgen prescribing patterns, patient treatment adherence and influencing factors; results from the nationwide PCBaSe Sweden. 2012 , 68, 1619-30	24
1077	Autism spectrum disorders in the Stockholm Youth Cohort: design, prevalence and validity. 2012 , 7, e41280	175
1076	Record linkage for pharmacoepidemiological studies in cancer patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 94-103	2.6 23
1075	Few sex differences in the use of drugs for secondary prevention after stroke: a nationwide observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 911-9	2.6 21

1074	The influence of non-response in a population-based cohort study on type 2 diabetes evaluated by the Swedish Prescribed Drug Register. 2012 , 27, 153-62	7
1073	Antibiotics and asthma medication in a large register-based cohort study - confounding, cause and effect. 2012 , 42, 104-11	40
1072	Being born in Sweden increases the risk for type 1 diabetes - a study of migration of children to Sweden as a natural experiment. 2012 , 101, 73-7	57
1071	Glucose-lowering treatment and clinical results in 163 121 patients with type 2 diabetes: an observational study from the Swedish national diabetes register. 2012 , 14, 717-26	22
1070	Cost-effectiveness analysis of newer anticholinergic drugs for urinary incontinence vs oxybutynin and no treatment using data on persistence from the Swedish prescribed drug registry. 2012 , 110, 240-6	11
1069	Persistence to antihypertensive drug treatment in Swedish primary healthcare. 2013 , 69, 1955-64	42
1068	Different patterns in use of antibiotics for lower urinary tract infection in institutionalized and home-dwelling elderly: a register-based study. 2013 , 69, 665-71	7
1067	The societal cost of bipolar disorder in Sweden. 2013 , 48, 1601-10	39
1066	Antibiotic exposure and the development of coeliac disease: a nationwide case-control study. 2013 , 13, 109	109
1065	Effects of cardiovascular drugs on mortality in severe chronic obstructive pulmonary disease. 2013 , 187, 715-20	100
1064	Drug prescription patterns in patients with Addison's disease: a Swedish population-based cohort study. 2013 , 98, 2009-18	44
1063	Socioeconomic inequalities in drug utilization for Sweden: evidence from linked survey and register data. 2013 , 77, 106-17	24
1062	Socioeconomic status and the quality of prescribing asthma drugs in Sweden. 2013 , 50, 842-9	3
1061	Newly initiated opioid treatment and the risk of fall-related injuries. A nationwide, register-based, case-crossover study in Sweden. 2013 , 27, 155-61	58
1060	Factors influencing the prescription of drugs of different price levels. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 286-93	2.6 4
1059	The impact of interacting drugs on dispensed doses of warfarin in the Swedish population: A novel use of population based drug registers. 2013 , 53, 1322-7	8
1058	Validation of asthma and eczema in population-based Swedish drug and patient registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 850-60	2.6 81
1057	Educational level and use of osteoporosis drugs in elderly men and women: a Swedish nationwide register-based study. 2013 , 24, 433-42	12

1056	The impact of increasing polypharmacy on prescribed drug expenditure-a register-based study in Sweden 2005-2009. 2013 , 109, 166-74		48
1055	Pharmacological treatment and demographic characteristics of pediatric patients with Attention Deficit Hyperactivity Disorder, Sweden. 2013 , 23, 1732-8		17
1054	Risk scoring and thromboprophylactic treatment of patients with atrial fibrillation with and without access to primary healthcare data: experience from the Stockholm health care system. 2013 , 170, 208-14		60
1053	Cardiovascular medication in relation to renal function after coronary artery bypass surgery. 2013 , 168, 4033-8		1
1052	The societal cost of depression: evidence from 10,000 Swedish patients in psychiatric care. 2013 , 150, 790-7		67
1051	Antidepressant use before coronary artery bypass surgery is associated with long-term mortality. 2013 , 167, 2958-62		21
1050	Maternal drug use during pregnancy and asthma risk among children. 2013 , 24, 28-32		43
1049	Impact of the drug-drug interaction database SFINX on prevalence of potentially serious drug-drug interactions in primary health care. 2013 , 69, 565-71		41
1048	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
1047	Asthma incidence in children growing up close to traffic: a registry-based birth cohort. 2013 , 12, 91		13
1046	Association of oral glucocorticoid use with an increased risk of acute pancreatitis: a population-based nested case-control study. 2013 , 173, 444-9		52
1045	Use of non-steroidal anti-inflammatory drugs and proton pump inhibitors in correlation with incidence, recurrence and death of peptic ulcer bleeding: an ecological study. 2013 , 3,		7
1044	Differences in drug utilisation between men and women: a cross-sectional analysis of all dispensed drugs in Sweden. 2013 , 3,		61
1043	Aspirin treatment and risk of first incident cardiovascular diseases in patients with type 2 diabetes: an observational study from the Swedish National Diabetes Register. 2013 , 3,		14
1042	Continuation rates of oral hormonal contraceptives in a cohort of first-time users: a population-based registry study, Sweden 2005-2010. 2013 , 3, e003401		18
1041	Socio-economic determinants of early discontinuation of anti-depressant treatment in young adults. 2013 , 23, 433-40		18
1040	Autoimmune, neurological, and venous thromboembolic adverse events after immunisation of adolescent girls with quadrivalent human papillomavirus vaccine in Denmark and Sweden: cohort study. 2013 , 347, f5906		177
1039	Risk of bipolar disorder and schizophrenia in relatives of people with attention-deficit hyperactivity disorder. 2013 , 203, 103-6		129

1038	Cohort profile: The Stockholm Public Health Cohort. 2013 , 42, 1263-72		110
1037	Clinically diagnosed insomnia and risk of all-cause and diagnosis-specific disability pension: a nationwide cohort study. 2013 , 2013, 209832		3
1036	Severe head injury and amyotrophic lateral sclerosis. 2013 , 14, 267-72		29
1035	Medicine Use Behaviors of People in the City of Adana, Turkey. 2013 , 12, 639		11
1034	Cardiovascular disease and risk of acute pancreatitis in a population-based study. 2013 , 42, 1011-5		14
1033	Antipsychotic prescription filling in patients with schizophrenia or schizoaffective disorder. 2013 , 33, 759-65		8
1032	Large differences between patients with acute myocardial infarction included in two Swedish health registers. 2013 , 41, 637-43		10
1031	Long-term coeliac disease influences risk of death in patients with type 1 diabetes. 2013 , 274, 273-80		36
1030	The use of central nervous system active drugs during pregnancy. 2013 , 6, 1221-86		101
1029	Factors associated with switching and combination use of antidepressants in young Swedish adults. 2013 , 67, 1302-10		3
1028	Stimulant and non-stimulant attention deficit/hyperactivity disorder drug use: total population study of trends and discontinuation patterns 2006-2009. 2013 , 128, 70-7		96
1027	Dose patterns among patients using low-dose buprenorphine patches. 2013 , 14, 1374-80		2
1026	The Nordic prescription databases as a resource for pharmacoepidemiological research--a literature review. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 691-9	2.6	113
1025	Refill adherence and self-reported adverse drug reactions and sub-therapeutic effects: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1317-25	2.6	6
1024	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
1023	Use of serotonin reuptake inhibitors in patients with psoriasis is associated with a decreased need for systemic psoriasis treatment: a population-based cohort study. 2013 , 274, 281-7		26
1022	Treatment and overall survival in renal cell carcinoma: a Swedish population-based study (2000-2008). 2013 , 108, 1541-9		65
1021	Low-dose aspirin use and cancer characteristics: a population-based cohort study. 2013 , 109, 1921-5		38

1020	A population-based study of the risk of diabetic retinopathy in patients with type 1 diabetes and celiac disease. 2013 , 36, 316-21	53
1019	Association between adherence to concomitant proton pump inhibitor therapy in current NSAID users and upper gastrointestinal complications. 2013 , 25, 531-8	9
1018	Does urticaria risk increase in patients with celiac disease? A large population-based cohort study. 2013 , 23, 681-7	20
1017	Opioid rotation in patients initiated on oxycodone or morphine: a register study. 2013 , 6, 379-86	4
1016	Questioning the causal link between maternal smoking during pregnancy and offspring use of psychotropic medication: a sibling design analysis. 2013 , 8, e63420	6
1015	Asthma Heredity, Cord Blood IgE and Asthma-Related Symptoms and Medication in Adulthood: A Long-Term Follow-Up in a Swedish Birth Cohort. 2013 , 8, e66777	4
1014	Adherence to drug label recommendations for avoiding drug interactions causing statin-induced myopathy--a nationwide register study. 2013 , 8, e69545	13
1013	Prevalence and perceived preventability of self-reported adverse drug events--a population-based survey of 7099 adults. 2013 , 8, e73166	30
1012	An association between initiation of selective serotonin reuptake inhibitors and suicide - a nationwide register-based case-crossover study. 2013 , 8, e73973	21
1011	Multi-exposure and clustering of adverse childhood experiences, socioeconomic differences and psychotropic medication in young adults. 2013 , 8, e53551	51
1010	Initiating therapy with antidepressants after discontinuation of hormone therapy. 2013 , 20, 146-51	4
1009	Asthma during pregnancy in a population-based study--pregnancy complications and adverse perinatal outcomes. 2014 , 9, e104755	64
1008	Atrial natriuretic peptide and type 2 diabetes development--biomarker and genotype association study. 2014 , 9, e89201	32
1007	Use of Antiasthmatic Drugs during Pregnancy after the First Trimester and Maternal and Neonatal Outcomes. 2014 , 2014, 1-7	
1006	Use of palivizumab is underestimated in the Swedish Prescribed Drug Register - implications for register-based drug studies. 2015 , 7, 45-51	8
1005	Isotretinoin use and celiac disease: a population-based cross-sectional study. 2014 , 15, 537-42	6
1004	Arterial ligation in anterior resection for rectal cancer: A validation study of the Swedish Colorectal Cancer Registry. 2014 , 53, 892-7	13
1003	Risks for stroke and bleeding with warfarin or aspirin treatment in patients with atrial fibrillation at different CHA(2)DS(2)VASc scores: experience from the Stockholm region. 2014 , 70, 1477-85	39

1002	A limited number of prescribed drugs account for the great majority of drug-drug interactions. 2014 , 70, 1375-83			26
1001	The Swedish Primary Care Cardiovascular Database (SPCCD): 74 751 hypertensive primary care patients. 2014 , 23, 116-25			28
1000	Safety of benzodiazepines and opioids in very severe respiratory disease: national prospective study. 2014 , 348, g445			187
999	Views of healthcare professionals to linkage of routinely collected healthcare data: a systematic literature review. 2014 , 21, e6-10			13
998	Is the level of patient co-payment for medicines associated with refill adherence in Sweden?. 2014 , 24, 85-90			17
997	Socioeconomic inequalities in access to specialized psychotropic prescribing among older Swedes: a register-based study. 2014 , 24, 991-6			5
996	Does health technology assessment affect policy-making and clinical practice in Sweden?. 2014 , 30, 265-72			7
995	Prevalence, nature and potential preventability of adverse drug events - a population-based medical record study of 4970 adults. 2014 , 78, 170-83			47
994	Factors associated with concordance between parental-reported use and dispensed asthma drugs in adolescents: findings from the BAMSE birth cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 942-9	2.6		11
993	Prevalence of postpartum infections: a population-based observational study. 2014 , 93, 1065-8			14
992	Statin treatment reduces the risk of hepatocellular carcinoma but not colon cancer-results from a nationwide case-control study in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1101-6	2.6		24
991	The risk of switch to mania in patients with bipolar disorder during treatment with an antidepressant alone and in combination with a mood stabilizer. 2014 , 171, 1067-73			136
990	Drug prescription for erectile dysfunction before and after diagnosis of localized prostate cancer. 2014 , 11, 2100-8			7
989	Anticoagulant medication at time of needle biopsy for breast cancer in relation to risk of lymph node metastasis. 2014 , 135, 238-41			6
988	Selection bias in pharmacy-based patient surveys. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 128-30			6
987	Relative immaturity and ADHD: findings from nationwide registers, parent- and self-reports. 2014 , 55, 897-904			40
986	Pregabalin is increasingly prescribed for neuropathic pain, generalised anxiety disorder and epilepsy but many patients discontinue treatment. 2014 , 68, 104-10			30
985	Stimulant ADHD medication and risk for substance abuse. 2014 , 55, 878-85			107

984	Use of antibiotics in infancy and childhood and risk of recurrent abdominal pain--a Swedish birth cohort study. 2014 , 26, 841-50	24
983	Familial confounding of the association between maternal smoking during pregnancy and ADHD in offspring. 2014 , 55, 61-8	85
982	Gender differences in antihypertensive drug treatment: results from the Swedish Primary Care Cardiovascular Database (SPCCD). 2014 , 8, 882-90	40
981	Ankylosing spondylitis, psoriatic arthritis, and risk of malignant lymphoma: a cohort study based on nationwide prospectively recorded data from Sweden. 2014 , 66, 1282-90	45
980	Increased cause-specific mortality in patients with mild and severe psoriasis: a population-based Swedish register study. 2015 , 95, 809-15	21
979	Immigrant enclaves and risk of diabetes: a prospective study. 2014 , 14, 1093	3
978	Maternal pre-pregnancy body mass index and offspring attention deficit hyperactivity disorder: a population-based cohort study using a sibling-comparison design. 2014 , 43, 83-90	86
977	Changes in medication preceding out-of-hospital cardiac arrest where resuscitation was attempted. 2014 , 63, 497-503	7
976	Birth outcomes in women with inflammatory bowel disease: effects of disease activity and drug exposure. 2014 , 20, 1091-8	128
975	The heritability of clinically diagnosed attention deficit hyperactivity disorder across the lifespan. 2014 , 44, 2223-9	180
974	Utilization of triptans in Sweden; analyses of over the counter and prescription sales. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1288-93	2.6 9
973	Common etiological factors of attention-deficit/hyperactivity disorder and suicidal behavior: a population-based study in Sweden. 2014 , 71, 958-64	77
972	Hypo- and hypercapnia predict mortality in oxygen-dependent chronic obstructive pulmonary disease: a population-based prospective study. 2014 , 15, 30	34
971	Effects of generic substitution on refill adherence to statin therapy: a nationwide population-based study. 2014 , 14, 626	8
970	Guideline-directed medical therapy for secondary prevention after coronary artery bypass grafting in patients with depression. 2014 , 3, 37-42	4
969	Factors associated with pregabalin dispensing at higher than the approved maximum dose. 2014 , 70, 197-204	34
968	Serious transport accidents in adults with attention-deficit/hyperactivity disorder and the effect of medication: a population-based study. 2014 , 71, 319-25	197
967	Influence of refill adherence method when comparing level of adherence for different dosing regimens. 2014 , 70, 589-97	7

966	Family income in early childhood and subsequent attention deficit/hyperactivity disorder: a quasi-experimental study. 2014 , 55, 428-35	68
965	Target-attainment rates of low-density lipoprotein cholesterol using lipid-lowering drugs one year after acute myocardial infarction in Sweden. 2014 , 113, 17-22	7
964	Use of ondansetron during pregnancy and congenital malformations in the infant. 2014 , 50, 134-7	71
963	Maternal age at childbirth and risk for ADHD in offspring: a population-based cohort study. 2014 , 43, 1815-24	72
962	Glycemic control and excess mortality in type 1 diabetes. 2014 , 371, 1972-82	513
961	Opioid-related mortality and filled prescriptions for buprenorphine and methadone. 2014 , 33, 491-8	31
960	Mortality, attempted suicide, re-hospitalisation and prescription refill for clozapine and other antipsychotics in Sweden—a register-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 290-8 ^{2.6}	48
959	Drug treatment for attention-deficit/hyperactivity disorder and suicidal behaviour: register based study. 2014 , 348, g3769	97
958	Medication and fall injury in the elderly population; do individual demographics, health status and lifestyle matter?. 2014 , 14, 92	39
957	Aspirin intake and breast cancer survival - a nation-wide study using prospectively recorded data in Sweden. 2014 , 14, 391	27
956	The incidence of diabetes among 0-34 year olds in Sweden: new data and better methods. 2014 , 57, 1375-81	75
955	Sex differences in spontaneous reports on adverse bleeding events of antithrombotic treatment. 2014 , 70, 117-26	7
954	Fetal safety of erythromycin. An update of Swedish data. 2014 , 70, 355-60	26
953	Family history of cardiovascular disease and influence on statin therapy persistence. 2014 , 70, 701-7	11
952	Metabolic effects of Basal or premixed insulin treatment in 5077 insulin-naïve type 2 diabetes patients: registry-based observational study in clinical practice. 2014 , 5, 243-54	15
951	Trends in inappropriate drug therapy prescription in the elderly in Sweden from 2006 to 2013: assessment using national indicators. 2014 , 31, 379-86	37
950	Suicide or undetermined intent? A register-based study of signs of misclassification. 2014 , 12, 11	47
949	Use of proton pump inhibitors and subsequent risk of celiac disease. 2014 , 46, 36-40	37

948	Undetectable high-sensitivity cardiac troponin T level in the emergency department and risk of myocardial infarction. 2014 , 63, 2569-2578	210
947	Antipsychotics, mood stabilisers, and risk of violent crime. 2014 , 384, 1206-14	128
946	Nationwide population based study of infections after transrectal ultrasound guided prostate biopsy. 2014 , 192, 1116-22	63
945	Drug treatment in patients with newly diagnosed unprovoked seizures/epilepsy. 2014 , 108, 902-8	29
944	Prevalence of severe childhood asthma according to the WHO. 2014 , 108, 1234-7	39
943	Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. 2015 , 5, e008864	16
942	Cardiovascular Diseases in ~30,000 Patients in the Swedish Dementia Registry. 2015 , 48, 949-58	26
941	Ever dispense of prescribed allergy medication in children growing up close to traffic: a registry-based birth cohort. 2015 , 15, 1023	1
940	The Adult Life After Childhood Cancer in Scandinavia (ALiCCS) Study: Design and Characteristics. 2015 , 62, 2204-10	37
939	Educational disparities in antipsychotic drug use among older people with and without dementia in Sweden. 2015 , 132, 20-8	11
938	High arterial ligation and risk of anastomotic leakage in anterior resection for rectal cancer in patients with increased cardiovascular risk. 2015 , 17, 1018-27	24
937	Unexplained acute chest pain in young adults: disease patterns and medication use 25 years later. 2015 , 77, 567-74	7
936	Antibiotic consumption among a Swedish cohort of children born in 2006. 2015 , 104, 1035-8	7
935	Statin therapy and the risk of intracerebral haemorrhage: a nationwide observational study. 2015 , 10 Suppl A100, 46-9	16
934	Hormone therapy after uterine cervical cancer treatment: a Swedish population-based study. 2015 , 22, 633-9	13
933	The Danish National Prescription Registry in studies of a biological pharmaceutical: palivizumab - validation against two external data sources. 2015 , 7, 305-12	7
932	Children with hemodynamically significant congenital heart disease can be identified through population-based registers. 2015 , 7, 119-27	9
931	Which Medication Is the Patient Taking at Admission to the Emergency Ward? Still Unclear Despite the Swedish Prescribed Drug Register. 2015 , 10, e0128716	1

930	The Participation of HPV-Vaccinated Women in a National Cervical Screening Program: Population-Based Cohort Study. 2015 , 10, e0134185	29
929	Ethical aspects of registry-based research in the Nordic countries. 2015 , 7, 491-508	156
928	Potentially inappropriate drug use in older people: a nationwide comparison of different explicit criteria for population-based estimates. 2015 , 80, 315-24	45
927	How good is the coverage and how accurate are exposure data in the Swedish Biologics Register (ARTIS)?. 2015 , 44, 22-8	34
926	Blockers of Angiotensin Other Than Olmesartan in Patients With Villous Atrophy: A Nationwide Case-Control Study. 2015 , 90, 730-7	11
925	The risk of fall injury in relation to commonly prescribed medications among older people--a Swedish case-control study. 2015 , 25, 527-32	31
924	Follow-up of ischaemic heart disease in patients with coeliac disease. 2015 , 22, 83-90	9
923	Prevalence of Therapeutic Drug Monitoring for Antidepressants and Antipsychotics in Stockholm, Sweden: A Longitudinal Analysis. 2015 , 37, 461-5	5
922	CYP2D6-inhibiting drugs and the increased risk of fall-related injuries due to newly initiated opioid treatment--a Swedish, register-based case-crossover study. 2015 , 116, 134-9	10
921	Concomitant use of two or more antipsychotic drugs is common in Sweden. 2015 , 5, 224-31	8
920	Evaluation of data quality in the National Prostate Cancer Register of Sweden. 2015 , 51, 101-11	61
919	Psychosocial outcomes of fetal alcohol syndrome in adulthood. 2015 , 135, e52-8	60
918	Hormone therapy might be underutilized in women with early menopause. 2015 , 30, 848-52	10
917	Treatment patterns with topicals, traditional systemics and biologics in psoriasis - a Swedish database analysis. 2015 , 29, 215-223	30
916	Cardiovascular risk in post-myocardial infarction patients: nationwide real world data demonstrate the importance of a long-term perspective. 2015 , 36, 1163-70	418
915	Obsessive-Compulsive Disorder, Psychosis, and Bipolarity: A Longitudinal Cohort and Multigenerational Family Study. 2015 , 41, 1076-83	56
914	Attention-deficit/hyperactivity disorder and risk for substance use disorders in relatives. 2015 , 77, 880-6	53
913	The risk of prostate cancer for men on aspirin, statin or antidiabetic medications. 2015 , 51, 725-33	51

912	Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. 2015 , 32, 1319-28	64
911	Recommended drug use after acute myocardial infarction by migration status and education level. 2015 , 71, 499-505	2
910	The Risk of Switch to Mania in Patients With Bipolar Disorder During Treatment With an Antidepressant Alone and in Combination With a Mood Stabilizer. 2015 , 13, 68-74	
909	Design and implementation of a privacy preserving electronic health record linkage tool in Chicago. 2015 , 22, 1072-80	75
908	Remarriage after divorce and depression risk. 2015 , 141, 109-14	12
907	Antihypertensive treatment and control according to gender, education, country of birth and psychiatric disorder: the Swedish Primary Care Cardiovascular Database (SPCCD). 2015 , 29, 385-93	12
906	Varenicline and risk of psychiatric conditions, suicidal behaviour, criminal offending, and transport accidents and offences: population based cohort study. 2015 , 350, h2388	34
905	The use of melatonin in Swedish children and adolescents--a register-based study according to age, gender, and medication of ADHD. 2015 , 71, 877-81	11
904	Predictors of Discontinuation of Adjuvant Hormone Therapy in Patients With Breast Cancer. 2015 , 33, 2262-9	56
903	Antithrombotic Treatment Following Intracerebral Hemorrhage in Patients With and Without Atrial Fibrillation. 2015 , 46, 2094-9	37
902	Dimethylglycine Deficiency and the Development of Diabetes. 2015 , 64, 3010-6	39
901	Psychiatric morbidity and survival after surgery for esophageal cancer: a population-based cohort study. 2015 , 33, 448-54	29
900	Copeptin is an independent predictor of diabetic heart disease and death. 2015 , 169, 549-56.e1	69
899	Quadrivalent HPV vaccination and risk of multiple sclerosis and other demyelinating diseases of the central nervous system. 2015 , 313, 54-61	114
898	Risk of Neuropathy Among 28,232 Patients With Biopsy-Verified Celiac Disease. 2015 , 72, 806-11	53
897	Stress resilience in adolescence and subsequent antidepressant and anxiolytic medication in middle aged men: Swedish cohort study. 2015 , 134, 43-9	19
896	Use of hormone therapy in Swedish women aged 80 years or older. 2015 , 22, 275-8	11
895	Distinct effects of anti-inflammatory and anti-thrombotic drugs on cancer characteristics at diagnosis. 2015 , 51, 751-7	3

894	Risk and timing of cardiovascular disease after androgen-deprivation therapy in men with prostate cancer. 2015 , 33, 1243-51	165
893	Incidence rates of atopic dermatitis, asthma, and allergic rhinoconjunctivitis in Danish and Swedish children. 2015 , 136, 360-6.e2	88
892	Pattern of increasing HbA1c levels in patients with diabetes mellitus before clinical detection of pancreatic cancer - a population-based nationwide case-control study. 2015 , 54, 986-92	13
891	Do socioeconomic factors modify the association between preoperative antidepressant use and survival following coronary artery bypass surgery?. 2015 , 198, 206-12	7
890	Increased use of hypnotics in individuals with celiac disease: a nationwide case-control study. 2015 , 15, 10	10
889	Excess Mortality among Persons with Type 2 Diabetes. 2015 , 373, 1720-32	562
888	Effects of statin use on volumetric mammographic density: results from the KARMA study. 2015 , 15, 435	6
887	Capture rate and representativity of The National Prostate Cancer Register of Sweden. 2015 , 54, 158-63	50
886	Impact of asthma medication and familial factors on the association between childhood asthma and attention-deficit/hyperactivity disorder: a combined twin- and register-based study: Epidemiology of Allergic Disease. 2015 , 45, 964-973	30
885	Review of 103 Swedish Healthcare Quality Registries. 2015 , 277, 94-136	217
884	A nationwide population-based study on the risk of coma, ketoacidosis and hypoglycemia in patients with celiac disease and type 1 diabetes. 2015 , 52, 1167-74	10
883	Durability of oral hypoglycemic agents in drug naïve patients with type 2 diabetes: report from the Swedish National Diabetes Register (NDR). 2015 , 3, e000059	14
882	Potentially inappropriate prescribing and adverse drug reactions in the elderly: a population-based study. 2015 , 71, 1525-33	71
881	Revising the link between proton-pump inhibitors and risk of acute myocardial infarction-a case-crossover analysis. 2015 , 71, 125-9	14
880	Predictors for initiation of pharmacological prophylaxis in patients with newly diagnosed bipolar disorder--A nationwide cohort study. 2015 , 172, 204-10	5
879	Hot flushes, hormone therapy and alternative treatments: 30 years of experience from Sweden. 2015 , 18, 53-62	10
878	Prescription of opioids for breathlessness in end-stage COPD: a national population-based study. 2016 , 11, 2651-2657	33
877	Economic Burden of Psoriasis and Potential Cost Offsets with Biologic Treatment: A Swedish Register Analysis. 2016 , 96, 651-7	11

876	The effect of carbamazepine on warfarin anticoagulation: a register-based nationwide cohort study involving the Swedish population. 2016 , 14, 765-71	12
875	Cardiovascular and antacid treatment and mortality in oxygen-dependent pulmonary fibrosis: A population-based longitudinal study. 2016 , 21, 705-11	15
874	Genetic vasopressin 1b receptor variance in overweight and diabetes mellitus. 2016 , 174, 69-75	35
873	Long-term pattern of opioid prescriptions after femoral shaft fractures. 2016 , 60, 634-41	17
872	Risk of thromboembolic disease in men with prostate cancer undergoing androgen deprivation therapy. 2016 , 118, 391-8	16
871	Cardiovascular safety of glucose-lowering agents as add-on medication to metformin treatment in type 2 diabetes: report from the Swedish National Diabetes Register. 2016 , 18, 990-8	39
870	Risk Factors for Marginal Ulcer After Gastric Bypass Surgery for Obesity: A Population-based Cohort Study. 2016 , 263, 733-7	41
869	Hospitalizations due to allergic reactions in Finnish and Swedish children during 1999-2011. 2016 , 71, 677-83	30
868	Persistence to antihypertensive drug classes: A cohort study using the Swedish Primary Care Cardiovascular Database (SPCCD). 2016 , 95, e4908	21
867	The First Decade with the Swedish Prescribed Drug Register - A Systematic Review of the Output in the Scientific Literature. 2016 , 119, 464-469	92
866	Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. 2016 , 18, 119	29
865	Mental illness and suicide after self-harm among young adults: long-term follow-up of self-harm patients, admitted to hospital care, in a national cohort. 2016 , 46, 3397-3405	40
864	Medication use among pregnant women with systemic lupus erythematosus and general population comparators. 2017 , 56, 561-569	4
863	Utilisation of prescription and over-the-counter triptans: a cross-sectional study in Stockholm, Sweden. 2016 , 72, 747-54	10
862	Cardiovascular Events Associated With Use of Tyrosine Kinase Inhibitors in Chronic Myeloid Leukemia: A Population-Based Cohort Study. 2016 , 165, 161-6	63
861	Hypertension predicts major adverse cardiac events after discharge from the emergency department with unspecified chest pain. 2016 , 5, 441-8	11
860	Recent trends in life expectancy for people with type 1 diabetes in Sweden. 2016 , 59, 1167-76	59
859	The Stockholm CREAtinine Measurements (SCREAM) project: protocol overview and regional representativeness. 2016 , 9, 119-27	58

858	Obstetric mode of delivery and attention-deficit/hyperactivity disorder: a sibling-matched study. 2016 , 45, 532-42		35
857	Antidepressants and mortality risk in a dementia cohort: data from SveDem, the Swedish Dementia Registry. 2016 , 134, 430-440		28
856	Child Health Systems in Sweden. 2016 , 177S, S187-S202		55
855	Palivizumab Exposure and the Risk of Autoimmune Disease: A Cross-National Cohort Study. 2016 , 18, 435-441		1
854	Risk of hospitalisation and death due to bone fractures after breast cancer: a registry-based cohort study. 2016 , 115, 1400-1407		17
853	Adherence to antidepressants among women and men described with trajectory models: a Swedish longitudinal study. 2016 , 72, 1381-1389		8
852	Testosterone prescribing in the population-a short social epidemiological analysis in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 11-5	2.6	4
851	Beliefs about medicines are strongly associated with medicine-use patterns among the general population. 2016 , 70, 277-85		25
850	Validation of data quality in the Swedish National Register for Oesophageal and Gastric Cancer. 2016 , 103, 1326-35		36
849	Incidence of new-onset autoimmune disease in girls and women with pre-existing autoimmune disease after quadrivalent human papillomavirus vaccination: a cohort study. 2016 , 280, 618-626		26
848	Association between duration and type of androgen deprivation therapy and risk of diabetes in men with prostate cancer. 2016 , 139, 2698-2704		20
847	N-Terminal Prosomatostatin as a Risk Marker for Cardiovascular Disease and Diabetes in a General Population. 2016 , 101, 3437-44		5
846	Prevalence of treatment-resistant hypertension and important associated factors-results from the Swedish Primary Care Cardiovascular Database. 2016 , 10, 838-846		12
845	Preterm birth in women with inflammatory bowel disease - the association with disease activity and drug treatment. 2016 , 51, 1462-1469		23
844	Oral Contraceptive Use and Risk of Ulcerative Colitis Progression: A Nationwide Study. 2016 , 111, 1614-1620		9
843	Childhood hospitalisation with infections and later development of ankylosing spondylitis: a national case-control study. 2016 , 18, 240		11
842	Neonatal Morbidity After Maternal Use of Antidepressant Drugs During Pregnancy. 2016 , 138,		33
841	Cohort Profile: The Swedish National March Cohort. 2017 , 46, 795-795e		16

840	Anaphylaxis to foods in a population of adolescents: incidence, characteristics and associated risks. 2016 , 46, 1575-1587	15
839	Association Between Prescription of Major Psychotropic Medications and Violent Reoffending After Prison Release. 2016 , 316, 1798-1807	50
838	Core requirements for successful data linkage: an example of a triangulation method. 2016 , 6, e011879	7
837	Blood pressure and complications in individuals with type 2 diabetes and no previous cardiovascular disease: national population based cohort study. 2016 , 354, i4070	41
836	Sexually transmitted infections after bereavement - a population-based cohort study. 2016 , 16, 419	5
835	Early identification in primary health care of people at risk for sick leave due to work-related stress - study protocol of a randomized controlled trial (RCT). 2016 , 16, 1193	10
834	Real-world data in the United Kingdom: opportunities and challenges. 2016 , 14, 97	23
833	Antidepressants and antipsychotics classified with torsades de pointes arrhythmia risk and mortality in older adults - a Swedish nationwide study. 2016 , 81, 773-83	55
832	Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. 2016 , 33, 1149-50	4
831	How to best assess quality of drug treatment in patients with heart failure. 2016 , 72, 965-75	2
830	Medicine use and disease control among adolescents with asthma. 2016 , 72, 339-47	7
829	Beyond Access: Characteristics of the Food Environment and Risk of Diabetes. 2016 , 183, 1129-37	30
828	Contemporary cardiovascular risk and secondary preventive drug treatment patterns in peripheral artery disease patients undergoing revascularization. 2016 , 64, 1009-1017.e3	73
827	Inequalities in medication adherence to statin treatment after stroke: A nationwide observational study. 2016 , 1, 101-107	14
826	Several type 2 diabetes-associated variants in genes annotated to WNT signaling interact with dietary fiber in relation to incidence of type 2 diabetes. 2016 , 11, 6	18
825	Selective serotonin re-uptake inhibitor use during pregnancy: association with offspring birth size and gestational age. 2016 , 45, 170-7	25
824	Inequity of access to ACE inhibitors in Swedish heart failure patients: a register-based study. 2016 , 70, 97-103	13
823	Non-prescribed use of psychoactive prescription drugs among drug-impaired drivers in Sweden. 2016 , 161, 77-85	14

822	Healthcare Utilisation and Drug Treatment in a Large Cohort of Patients with Inflammatory Bowel Disease. 2016 , 10, 556-65	14
821	Celiac Disease Does Not Influence Fracture Risk in Young Patients with Type 1 Diabetes. 2016 , 169, 49-54	5
820	Ethnic differences in asthma treatment among Swedish adolescents: A multilevel analysis of individual heterogeneity. 2016 , 44, 184-94	1
819	Changes in mood stabilizer prescription patterns in bipolar disorder. 2016 , 195, 50-6	41
818	Polygenic overlap between schizophrenia risk and antipsychotic response: a genomic medicine approach. 2016 , 3, 350-7	77
817	Risk factors for anastomotic dehiscence in colon cancer surgery--a population-based registry study. 2016 , 31, 895-902	17
816	Medication for Attention-Deficit/Hyperactivity Disorder and Risk for Depression: A Nationwide Longitudinal Cohort Study. 2016 , 80, 916-922	59
815	Association Between Long-term Oral Contraceptive Use and Risk of Crohn's Disease Complications in a Nationwide Study. 2016 , 150, 1561-1567.e1	25
814	Oral fluoroquinolone use and serious arrhythmia: bi-national cohort study. 2016 , 352, i843	20
813	Patterns of finasteride use in the male populations of four Nordic countries: A cross-national drug utilization study. 2016 , 50, 220-7	4
812	Incremental Costs for Psoriasis and Psoriatic Arthritis in a Population-based Cohort in Southern Sweden: Is It All Psoriasis-attributable Morbidity?. 2016 , 43, 640-7	10
811	Comparison of the ATRIA, CHADS2, and CHA2DS2-VASc stroke risk scores in predicting ischaemic stroke in a large Swedish cohort of patients with atrial fibrillation. 2016 , 37, 3203-3210	65
810	Depression, anxiety, and antidepressant treatment in women: association with in vitro fertilization outcome. 2016 , 105, 1594-1602.e3	32
809	Comparison of treatment persistence with different oral anticoagulants in patients with atrial fibrillation. 2016 , 72, 329-38	89
808	Risk of revisits to the emergency department in admitted versus discharged patients with chest pain but without myocardial infarction in relation to high-sensitivity cardiac troponin T levels. 2016 , 203, 341-6	7
807	Influence of baseline low-density lipoprotein cholesterol values on statin therapy persistence. 2016 , 72, 349-57	11
806	No association between macrolide treatment in infancy and later pyloric stenosis in Sweden. 2016 , 31, 331-2	8
805	Remaining Life Expectancy With and Without Polypharmacy: A Register-Based Study of Swedes Aged 65 Years and Older. 2016 , 17, 31-5	25

804	Mortality in ankylosing spondylitis: results from a nationwide population-based study. 2016 , 75, 1466-72		56
803	A population-based case-control study on statin exposure and risk of acute diverticular disease. 2016 , 51, 203-10		13
802	Cohort Profile: The Swedish Women's Lifestyle and Health cohort. 2017 , 46, e8		29
801	Use of antipsychotics, benzodiazepine derivatives, and dementia medication among older people with intellectual disability and/or autism spectrum disorder and dementia. 2017 , 62, 50-57		21
800	The effect of amiodarone on warfarin anticoagulation: a register-based nationwide cohort study involving the Swedish population. 2017 , 15, 446-453		15
799	Influence of age, sex and seriousness on reporting of adverse drug reactions in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 335-343	2.6	30
798	Characterization of new users of cilostazol in the UK, Spain, Sweden, and Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 615-624	2.6	10
797	Investigations, findings, and follow-up in patients with chest pain and elevated high-sensitivity cardiac troponin T levels but no myocardial infarction. 2017 , 232, 111-116		18
796	Shared familial risk factors between attention-deficit/hyperactivity disorder and overweight/obesity - a population-based familial coaggregation study in Sweden. 2017 , 58, 711-718		20
795	Palivizumab Exposure and the Risk of Atopic Dermatitis, Asthma and Allergic Rhinoconjunctivitis: A Cross-National, Population-Based Cohort Study. 2017 , 19, 155-164		3
794	Evaluating beneficial drug effects in a non-interventional setting: a review of effectiveness studies based on Swedish Prescribed Drug Register data. 2017 , 83, 1309-1318		7
793	Association between treatment for erectile dysfunction and death or cardiovascular outcomes after myocardial infarction. 2017 , 103, 1264-1270		49
792	Impact of Comorbidity and Prescription Drugs on Haemorrhage in Cholecystectomy. 2017 , 41, 1985-1992		5
791	Smokeless tobacco (snus) is associated with an increased risk of type 2 diabetes: results from five pooled cohorts. 2017 , 281, 398-406		21
790	Non-steroidal anti-inflammatory drugs and blood pressure control in patients treated for hypertension: results from the Swedish primary care cardiovascular database. 2017 , 26, 220-228		3
789	Sociodemographic factors are associated with utilisation of statins after ischaemic stroke/TIA. 2017 , 71, e12936		8
788	Cardiovascular outcomes in patients with peripheral arterial disease as an initial or subsequent manifestation of atherosclerotic disease: Results from a Swedish nationwide study. 2017 , 66, 507-514.e1		43
787	Minority stress factors as mediators of sexual orientation disparities in mental health treatment: a longitudinal population-based study. 2017 , 71, 446-452		45

786	Beta-Blocker Drug Use and Survival among Patients with Pancreatic Adenocarcinoma. 2017 , 77, 3700-3707	47
785	Precursors in adolescence of adult-onset bipolar disorder. 2017 , 218, 353-358	7
784	Use of moist oral snuff (snus) and pancreatic cancer: Pooled analysis of nine prospective observational studies. 2017 , 141, 687-693	17
783	Angiotensin II receptor blockers and risk of acute pancreatitis - a population based case-control study in Sweden. 2017 , 17, 36	8
782	Parental antibiotics and childhood asthma-a population-based study. 2017 , 5, 1451-1454.e4	6
781	High adherence to the 'Wise List' treatment recommendations in Stockholm: a 15-year retrospective review of a multifaceted approach promoting rational use of medicines. 2017 , 7, e014345	59
780	Treatment Restarting After Discontinuation of Adjuvant Hormone Therapy in Breast Cancer Patients. 2017 , 109,	7
779	Thiazide diuretics and the risk of osteoporotic fractures in hypertensive patients. Results from the Swedish Primary Care Cardiovascular Database. 2017 , 35, 188-197	15
778	Maternal obesity, obstetric interventions and post-partum anaemia increase the risk of post-partum sepsis: a population-based cohort study based on Swedish medical health registers. 2017 , 49, 765-771	10
777	Unlicensed and off-label use of drugs in pediatric surgical units at tertiary care hospitals of Pakistan. 2017 , 39, 860-866	4
776	Autism risk following antidepressant medication during pregnancy. 2017 , 47, 2787-2796	34
775	Cohort Profile: The Karolinska Mammography Project for Risk Prediction of Breast Cancer (KARMA). 2017 , 46, 1740-1741g	62
774	Association Between Proton Pump Inhibitor Use and Risk of Progression of Chronic Kidney Disease. 2017 , 153, 702-710	82
773	Are men under-treated and women over-treated with antidepressants? Findings from a cross-sectional survey in Sweden. 2017 , 41, 145-150	21
772	A register-based study: adverse events in colonoscopies performed in Sweden 2001-2013. 2017 , 52, 1042-1047 ₁₂	
771	Reducing the rehospitalization risk after a manic episode: A population based cohort study of lithium, valproate, olanzapine, quetiapine and aripiprazole in monotherapy and combinations. 2017 , 217, 16-23	10
770	Helicobacter pylori eradication in the Swedish population. 2017 , 52, 678-685	13
769	Number of medications and adverse drug events by unintentional poisoning among older adults in consideration of inappropriate drug use: a Swedish population-based matched case-control study. 2017 , 73, 743-749	9

768	Mental-health and educational achievement: the link between poor mental-health and upper secondary school completion and grades. 2017 , 26, 318-325		29
767	Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. 2017 , 91, 244-251		77
766	The impact of socio-economic factors on treatment choice and mortality in chronic myeloid leukaemia. 2017 , 98, 398-406		9
765	Effects of an intervention (SKLK) on prescription of potentially inappropriate medication in elderly patients. 2017 , 34, 213-218		9
764	Optimal Timing of Anticoagulant Treatment After Intracerebral Hemorrhage in Patients With Atrial Fibrillation. 2017 , 48, 314-320		54
763	The Familial Co-Aggregation of Attention-Deficit/Hyperactivity Disorder and Intellectual Disability: A Register-Based Family Study. 2017 , 56, 167-174.e1		34
762	Risk of Clostridium difficile Infection in Patients With Celiac Disease: A Population-Based Study. 2017 , 112, 1878-1884		26
761	Thrombolysis in acute ischemic stroke in patients with dementia: A Swedish registry study. 2017 , 89, 1860-1868		19
760	Refill adherence and persistence to lipid-lowering medicines in patients with type 2 diabetes: A nation-wide register-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1220-1232	2.6	9
759	Pay for performance associated with increased volume of medication reviews but not with less inappropriate use of medications among the elderly - an observational study. 2017 , 35, 271-278		10
758	Glycaemic control and excess risk of major coronary events in persons with type 1 diabetes. 2017 , 103, 1687-1695		27
757	Digitalis use and lung cancer risk by histological type in men. 2017 , 141, 1981-1986		2
756	Anti-TNF treatment in Crohn's disease and risk of bowel resection-a population based cohort study. 2017 , 46, 589-598		28
755	Incidence and determinants of hyperkalemia and hypokalemia in a large healthcare system. 2017 , 245, 277-284		81
754	Menopausal hormone therapy and cancer risk: An overestimated risk?. 2017 , 84, 60-68		57
753	Birth defects after use of antithyroid drugs in early pregnancy: a Swedish nationwide study. 2017 , 177, 369-378		26
752	Educational intervention on medication reviews aiming to reduce acute healthcare consumption in elderly patients with potentially inappropriate medicines-A pragmatic open-label cluster-randomized controlled trial in primary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1347-1356	2.6	12
751	Exploring methods for comparing the real-world effectiveness of treatments for osteoporosis: adjusted direct comparisons versus using patients as their own control. 2017 , 12, 81		2

750	Antibiotic use and bacterial complications following upper respiratory tract infections: a population-based study. 2017 , 7, e016221	23
749	Perinatal Outcomes After Treatment With ADHD Medication During Pregnancy. 2017 , 140,	13
748	Maintenance therapy with proton pump inhibitors and risk of gastric cancer: a nationwide population-based cohort study in Sweden. 2017 , 7, e017739	99
747	Pharmacological agents preceding a diagnosis of immune thrombocytopenia in adult patients developing the chronic form: A Swedish national register study. 2017 , 160, 27-31	1
746	Suicide, Self-harm, and Depression After Gastric Bypass Surgery: A Nationwide Cohort Study. 2017 , 265, 235-243	52
745	Association of Antidepressant Medication Use During Pregnancy With Intellectual Disability in Offspring. 2017 , 74, 1031-1038	25
744	EXPLORING PATENT ACTIVITY AND ITS POTENTIAL ASSOCIATION WITH HEALTHCARE OUTCOMES: A CASE STUDY OF OSTOMY PRODUCTS IN SWEDEN. 2017 , 33, 168-175	
743	Use of Antipsychotic Drugs by Elderly Primary Care Patients and the Effects of Medication Reviews: A Cross-Sectional Study in Sweden. 2017 , 4, 159-165	4
742	Ovarian stimulation and risk of breast cancer in Swedish women. 2017 , 108, 137-144	9
741	Association Between Pregnancy and Perinatal Outcomes Among Women With Epilepsy. 2017 , 74, 983-991	50
740	New, Occasional, and Frequent Use of Zolpidem or Zopiclone (Alone and in Combination) and the Risk of Injurious Road Traffic Crashes in Older Adult Drivers: A Population-Based Case-Control and Case-Crossover Study. 2017 , 31, 711-722	10
739	A register-based 13-year to 43-year follow-up of 70 patients with obsessive-compulsive disorder treated with capsulotomy. 2017 , 7, e013133	8
738	Diabetes in a Large Dementia Cohort: Clinical Characteristics and Treatment From the Swedish Dementia Registry. 2017 , 40, 1159-1166	20
737	Factors associated with antithrombotic treatment decisions for stroke prevention in atrial fibrillation in the Stockholm region after the introduction of NOACs. 2017 , 73, 1315-1322	14
736	High-sensitivity cardiac troponin T levels in the emergency department in patients with chest pain but no myocardial infarction. 2017 , 228, 253-259	21
735	Risk of breast cancer in risperidone users: A nationwide cohort study. 2017 , 182, 98-103	11
734	Worldwide utilization of topical remedies in treatment of psoriasis: a systematic review. 2017 , 28, 374-383	23
733	Direct and indirect costs for adverse drug events identified in medical records across care levels, and their distribution among payers. 2017 , 13, 1151-1158	1

732	Increased Risk for Substance Use-Related Problems in Autism Spectrum Disorders: A Population-Based Cohort Study. 2017 , 47, 80-89		65
731	Psychotropic drugs and the risk of fall injuries, hospitalisations and mortality among older adults. 2017 , 32, 414-420		64
730	Familial aggregation of attention-deficit/hyperactivity disorder. 2017 , 58, 231-239		45
729	Prevalence and comorbidities of chronic hepatitis C: a nationwide population-based register study in Sweden. 2017 , 52, 61-68		11
728	The Risk of Treatment-Emergent Mania With Methylphenidate in Bipolar Disorder. 2017 , 174, 341-348		44
727	Management of Acute Myocardial Infarction in Patients With Dementia: Data From SveDem, the Swedish Dementia Registry. 2017 , 18, 19-23		18
726	Validating inflammatory bowel disease (IBD) in the Swedish National Patient Register and the Swedish Quality Register for IBD (SWIBREG). 2017 , 52, 216-221		89
725	Long-term use of proton pump inhibitors and prevalence of disease- and drug-related reasons for gastroprotection-a cross-sectional population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 9-16	2.6	32
724	Association between preschool eczema and medication for attention-deficit/hyperactivity disorder in school age. 2017 , 28, 44-50		12
723	Menopausal hormone therapy and pancreatic cancer risk in women: a population-based matched cohort study. 2017 , 5, 1123-1128		17
722	Childhood onset inflammatory bowel disease and risk of cancer: a Swedish nationwide cohort study 1964-2014. 2017 , 358, j3951		78
721	Antidepressants and suicide among young women in Sweden 1999-2013. 2017 , 29, 101-106		8
720	Utilization of genetic data can improve the prediction of type 2 diabetes incidence in a Swedish cohort. 2017 , 12, e0180180		2
719	Prevalence and treatment of diabetes mellitus and hypertension among older adults with intellectual disability in comparison with the general population. 2017 , 17, 272		21
718	Do biological disease-modifying antirheumatic drugs reduce the spinal fracture risk related to ankylosing spondylitis? A longitudinal multiregistry matched cohort study. 2017 , 7, e016548		
717	Living Alone with Alzheimer's Disease: Data from SveDem, the Swedish Dementia Registry. 2017 , 58, 1265-1272		29
716	Prevalence, Patient Characteristics, and Pharmacological Treatment of Children, Adolescents, and Adults Diagnosed With ADHD in Sweden. 2018 , 22, 3-13		44
715	Mucosal healing and the risk of serious infections in patients with celiac disease. 2018 , 6, 55-62		10

714	Permanent Hypoparathyroidism After Total Thyroidectomy in Children: Results from a National Registry. 2018 , 42, 2858-2863	29
713	Kidney function and use of nonsteroidal anti-inflammatory drugs among elderly people: a cross-sectional study on potential hazards for an at risk population. 2018 , 40, 870-877	9
712	Epilepsy, antiepileptic drugs, and serious transport accidents: A nationwide cohort study. 2018 , 90, e1111-e1118	7
711	Psychiatric disorders among children of parents with cancer: A Swedish register-based matched cohort study. 2018 , 27, 1854-1860	6
710	Invasive Dental Treatment and Risk for a First Myocardial Infarction. 2018 , 97, 1100-1105	7
709	A register-based case-control study of health care utilization and costs in binge-eating disorder. 2018 , 108, 47-53	23
708	Mortality and nursing home placement of dementia patients in rural and urban areas: a cohort study from the Swedish Dementia Registry. 2018 , 32, 1308-1313	3
707	Older Adults with Autism Spectrum Disorders in Sweden: A Register Study of Diagnoses, Psychiatric Care Utilization and Psychotropic Medication of 601 Individuals. 2018 , 48, 3076-3085	20
706	Plasma Concentration of Caspase-8 Is Associated With Short Sleep Duration and the Risk of Incident Diabetes Mellitus. 2018 , 103, 1592-1600	4
705	Improvement of postpartum depression and psychosis after electroconvulsive therapy: A population-based study with a matched comparison group. 2018 , 235, 258-264	21
704	Introduction of the second-generation direct-acting antivirals (DAAs) in chronic hepatitis C: a register-based study in Sweden. 2018 , 74, 971-978	18
703	Initiation and long-term use of benzodiazepines and Z-drugs in bipolar disorder. 2018 , 20, 634-646	11
702	Reduced Long-Term Risk of Aortic Aneurysm and Aortic Dissection Among Individuals With Type 2 Diabetes Mellitus: A Nationwide Observational Study. 2018 , 7,	37
701	eradication treatment and the risk of gastric adenocarcinoma in a Western population. 2018 , 67, 2092-2096	66
700	Bisphosphonate use after clinical fracture and risk of new fracture. 2018 , 29, 937-945	10
699	Utilization of Antiepileptic Medicines in Swedish Children and Adolescents with Different Diagnoses. 2018 , 123, 94-100	4
698	Patient education-level affects treatment allocation and prognosis in esophageal- and gastroesophageal junctional cancer in Sweden. 2018 , 52, 91-98	15
697	Response by Glaser et al to Letter Regarding Article, "Prosthetic Valve Endocarditis After Surgical Aortic Valve Replacement". 2018 , 137, 312-313	

696	Drug adherence in treatment resistant and in controlled hypertension-Results from the Swedish Primary Care Cardiovascular Database (SPCCD). <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 315-321 ^{2,6}	1
695	Alendronate Use and the Risk of Nonvertebral Fracture During Glucocorticoid Therapy: A Retrospective Cohort Study. 2018 , 103, 306-313	8
694	Polygenic Risk Score for Coronary Heart Disease Modifies the Elevated Risk by Cigarette Smoking for Disease Incidence. 2018 , 11, e001856	15
693	Time latencies of <i>Helicobacter pylori</i> eradication after peptic ulcer and risk of recurrent ulcer, ulcer adverse events, and gastric cancer: a population-based cohort study. 2018 , 88, 242-250.e1	16
692	Treatment of Atrial Fibrillation in Patients with Dementia: A Cohort Study from the Swedish Dementia Registry. 2018 , 61, 1119-1128	35
691	Fluoroquinolone use and risk of aortic aneurysm and dissection: nationwide cohort study. 2018 , 360, k678	117
690	Association between refill adherence to lipid-lowering medications and the risk of cardiovascular disease and mortality in Swedish patients with type 2 diabetes mellitus: a nationwide cohort study. 2018 , 8, e020309	13
689	Differences in associations of antiepileptic drugs and hospitalization due to hyponatremia: A population-based case-control study. 2018 , 59, 28-33	23
688	Acetylcholinesterase inhibitors and risk of stroke and death in people with dementia. 2018 , 14, 944-951	22
687	Secondary adherence to non-vitamin-K antagonist oral anticoagulants in patients with atrial fibrillation in Sweden and the Netherlands. 2018 , 34, 1839-1847	7
686	Relation Between Lipid Profile and New-Onset Atrial Fibrillation in Patients With Systemic Hypertension (From the Swedish Primary Care Cardiovascular Database [SPCCD]). 2018 , 122, 102-107	16
685	Trends in Use of Paracetamol in the Nordic Countries. 2018 , 123, 301-307	19
684	Trends in paediatric asthma hospitalisations - differences between neighbouring countries. 2018 , 73, 185-187	7
683	Association between type 2 diabetes, curative treatment and survival in men with intermediate- and high-risk localized prostate cancer. 2018 , 121, 209-216	2
682	Costs of illness of multiple sclerosis in Sweden: a population-based register study of people of working age. 2018 , 19, 435-446	25
681	The familial co-aggregation of ASD and ADHD: a register-based cohort study. 2018 , 23, 257-262	108
680	Comparing costs of illness of multiple sclerosis in three different years: A population-based study. 2018 , 24, 520-528	14
679	Treatment With Bupropion and Varenicline for Smoking Cessation and the Risk of Acute Cardiovascular Events and Injuries: a Swedish Case-Crossover Study. 2018 , 20, 606-613	5

678	Effectiveness of Drugs in Routine Care: A Model for Sequential Monitoring of New Medicines Using Dronedarone as Example. 2018 , 103, 493-501	7
677	Postpartum infection in relation to maternal characteristics, obstetric interventions and complications. 2018 , 46, 271-278	26
676	Income disparities in healthcare use remain after controlling for healthcare need: evidence from Swedish register data on psoriasis and psoriatic arthritis. 2018 , 19, 447-462	6
675	Cumulative exposure to childhood adversity, and treated attention deficit/hyperactivity disorder: a cohort study of 543 650 adolescents and young adults in Sweden. 2018 , 48, 498-507	34
674	Statins and Angiotensin-Converting Enzyme Inhibitors are Associated with Reduced Mortality and Morbidity in Chronic Liver Disease. 2018 , 122, 104-110	9
673	Cardiovascular outcome in treatment-resistant hypertension: results from the Swedish Primary Care Cardiovascular Database (SPCCD). 2018 , 36, 402-409	18
672	Human papillomavirus vaccination of adult women and risk of autoimmune and neurological diseases. 2018 , 283, 154-165	24
671	Prestroke Mobility and Dementia as Predictors of Stroke Outcomes in Patients Over 65 Years of Age: A Cohort Study From The Swedish Dementia and Stroke Registries. 2018 , 19, 154-161	20
670	Adverse Pregnancy Outcomes in Asthmatic Women: A Population-Based Family Design Study. 2018 , 6, 916-922.e6	16
669	Grandmaternal smoking increases asthma risk in grandchildren: A nationwide Swedish cohort. 2018 , 48, 167-174	33
668	Incidence and Treatment of Patients Diagnosed With Inflammatory Bowel Diseases at 60 Years or Older in Sweden. 2018 , 154, 518-528.e15	98
667	Drug treatment of hypertension in Sweden in relation to sex, age, and comorbidity. 2018 , 20, 106-114	17
666	Patient characteristics influence the choice of biological drug in RA, and will make non-TNFi biologics appear more harmful than TNFi biologics. 2018 , 77, 650-657	27
665	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. 2018 , 83, 1044-1053	93
664	Sociodemographic patterns in pharmacy dispensing of medications for erectile dysfunction in Sweden. 2018 , 74, 209-218	4
663	Incident diabetes mellitus may explain the association between sleep duration and incident coronary heart disease. 2018 , 61, 331-341	11
662	Antidepressants and suicidal behaviour in late life: a prospective population-based study of use patterns in new users aged 75 and above. 2018 , 74, 201-208	4
661	High Prevalence of Drug-Drug Interactions in Primary Health Care is Caused by Prescriptions from other Healthcare Units. 2018 , 122, 512-516	10

660	Persistence with dimethyl fumarate in relapsing-remitting multiple sclerosis: a population-based cohort study. 2018 , 74, 219-226	15
659	Differences in Associations of Antidepressants and Hospitalization Due to Hyponatremia. 2018 , 131, 56-63	33
658	Familial Liability to Epilepsy and Attention-Deficit/Hyperactivity Disorder: A Nationwide Cohort Study. 2018 , 83, 173-180	32
657	Can adoption at an early age protect children at risk from depression in adulthood? A Swedish national cohort study. 2018 , 2, e000353	4
656	The Association of Pre-stroke Psychosis and Post-stroke Levels of Health, Resource Utilization, and Care Process: A Register-Based Study. 2018 , 9, 1042	7
655	miR-483-5p associates with obesity and insulin resistance and independently associates with new onset diabetes mellitus and cardiovascular disease. 2018 , 13, e0206974	28
654	Stroke as a Cause of Death in Death Certificates of Patients with Dementia: A Cohort Study from the Swedish Dementia Registry. 2018 , 15, 1322-1330	10
653	Real-World Use and Outcomes of Olaparib: a Population-Based Cohort Study. 2018 , 13, 725-733	15
652	Oral metronidazole use and risk of acute pancreatitis: a population-based case-control study. 2018 , 10, 1573-1581	2
651	Late-life suicidal behaviours among new users of antidepressants: a prospective population-based study of sociodemographic and gender factors in those aged 75 and above. 2018 , 8, e022703	4
650	Pregnancy outcomes in women with autism: a nationwide population-based cohort study. 2018 , 10, 1817-1826	16
649	Trajectories of work disability and unemployment among young adults with common mental disorders. 2018 , 18, 1228	21
648	Overuse of methylphenidate: an analysis of Swedish pharmacy dispensing data. 2018 , 10, 1657-1665	6
647	Prescription audit in a paediatric sickle cell clinic in South-West Nigeria: A cross-sectional retrospective study. 2017 , 29, 285-289	1
646	Anxiety after coeliac disease diagnosis predicts mucosal healing: a population-based study. 2018 , 48, 1091-1098	29
645	Parental nicotine replacement therapy and offspring bronchitis/bronchiolitis and asthma - a nationwide population-based cohort study. 2018 , 10, 1339-1347	3
644	Sick Leave and Disability Pension in Prevalent Patients With Crohn's Disease. 2018 , 12, 1418-1428	9
643	Gender differences in dispensed analgesics in Sweden during 2006-2015 - an observational, nationwide, whole-population study. 2018 , 10, 55-64	12

642	Hippocampal granule cell loss in human chronic alcohol abusers. 2018 , 120, 63-75		20
641	Daily duration of long-term oxygen therapy and risk of hospitalization in oxygen-dependent COPD patients. 2018 , 13, 2623-2628		1
640	Improved Stroke Prevention in Atrial Fibrillation After the Introduction of Non-Vitamin K Antagonist Oral Anticoagulants. 2018 , 49, 2122-2128		36
639	Sex differences in spontaneous reports on adverse drug events for common antihypertensive drugs. 2018 , 74, 1165-1173		19
638	Comparison of trends in cardiovascular risk factors between two regions with and without a community and primary care prevention programme. 2018 , 25, 1765-1772		12
637	Study Designs for Post-Authorization Safety Studies. 2018 , 107-163		
636	Mortality in treatment-resistant unipolar depression: A register-based cohort study in Sweden. 2018 , 238, 674-679		42
635	Young patients with risk factors prevalent in the elderly - differences in comorbidity depending on severity of psoriasis: a nationwide cross-sectional study in Swedish health registers. 2018 , 10, 705-715		5
634	Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. 2018 , 272, 149-154		10
633	Effectiveness of risk minimization measures for the use of cilostazol in United Kingdom, Spain, Sweden, and Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 953-961	2.6	2
632	Editor's Choice - Effect of More Expedited Carotid Intervention on Recurrent Ischaemic Event Rate: A National Audit. 2018 , 56, 467-474		4
631	Pain and Pain Medication among Older People with Intellectual Disabilities in Comparison with the General Population. 2018 , 6,		7
630	The Effect of Xerostomic Medication on Oral Health in Persons With Dementia. 2018 , 19, 1080-1085.e2		5
629	Costs and quality of life by disability among people with multiple sclerosis: a register-based study in Sweden. 2018 , 4, 2055217318783352		8
628	Trajectories of antidepressant medication use in individuals before and after being granted disability pension due to common mental disorders- a nationwide register-based study. 2018 , 18, 47		8
627	Longitudinal pharmacoepidemiological and health services research for substance users in treatment: protocol of the Belgian TDI-IMA linkage. 2018 , 76, 3		4
626	Patients' knowledge and attitudes to the Wise List - a drug formulary from the Stockholm Drug and Therapeutic committee. 2018 , 18, 176		
625	ADHD medication in offspring of immigrants - does the income level of the country of parental origin matter?. 2018 , 18, 3		8

624	Proneurotensin Predicts Cardiovascular Disease in an Elderly Population. 2018 , 103, 1940-1947		14
623	Estimated prevalence and incidence of diagnosed ADHD and health care utilization in adults in Sweden - a longitudinal population-based register study. 2018 , 14, 1149-1161		20
622	Anticholinergic Burden and Risk of Stroke and Death in People with Different Types of Dementia. 2018 , 65, 589-596		19
621	Hospital admission with pneumonia and subsequent persistent risk of chronic kidney disease: national cohort study. 2018 , 10, 971-979		6
620	Tumor Necrosis Factor Inhibitors and Cancer Recurrence in Swedish Patients With Rheumatoid Arthritis: A Nationwide Population-Based Cohort Study. 2018 , 169, 291-299		29
619	Long-term exposure to insulin and volumetric mammographic density: observational and genetic associations in the Karma study. 2018 , 20, 93		2
618	Benzodiazepine prescribing for children, adolescents, and young adults from 2006 through 2013: A total population register-linkage study. 2018 , 15, e1002635		26
617	The epidemiology of polypharmacy in older adults: register-based prospective cohort study. 2018 , 10, 289-298		137
616	Editor's Choice - Impact of Comorbidity, Medication, and Gender on Amputation Rate Following Revascularisation for Chronic Limb Threatening Ischaemia. 2018 , 56, 681-688		24
615	Agreement between asthma questionnaire and health care register data. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1139-1146	2.6	5
614	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation: a cohort study in primary care. 2018 , 36, 1929-1935		3
613	Non-cardioembolic TIA and ischemic stroke: Implications of severity. 2018 , 138, 369-376		7
612	Fall-risk-increasing drugs and falls requiring health care among older people with intellectual disability in comparison with the general population: A register study. 2018 , 13, e0199218		8
611	Hormonal contraception increases the risk of psychotropic drug use in adolescent girls but not in adults: A pharmacoepidemiological study on 800 000 Swedish women. 2018 , 13, e0194773		37
610	Paternal use of antidepressants and offspring outcomes in Sweden: nationwide prospective cohort study. 2018 , 361, k2233		7
609	Acute kidney injury in patients presenting with chest pain to the emergency department, a descriptive study of the most common discharge diagnoses and mortality. 2019 , 26, 242-248		2
608	Inflammatory Bowel Disease and Parkinson's Disease: A Nationwide Swedish Cohort Study. 2019 , 25, 111-123		73
607	Associations of proton pump inhibitors and hospitalization due to hyponatremia: A population-based case-control study. 2019 , 59, 65-69		27

606	Electronic assessment of cardiovascular potentially inappropriate medications in an administrative population database. 2019 , 124, 62-73		6
605	Prevalence of potential drug-drug interactions in Swedish pediatric outpatients. 2019 , 14, e0220685		4
604	Association of Genetic and Environmental Risks for Attention-Deficit/Hyperactivity Disorder With Hypomanic Symptoms in Youths. 2019 , 76, 1150-1158		9
603	Adherence to clinical guidelines for Barrett's esophagus. 2019 , 54, 945-952		7
602	Polypharmacy and injurious falls in older adults: a nationwide nested case-control study. 2019 , 11, 483-493		24
601	Costs of illness progression for different multiple sclerosis phenotypes: a population-based study in Sweden. 2019 , 5, 2055217319858383		6
600	Opioid-related deaths and previous care for drug use and pain relief in Sweden. 2019 , 201, 253-259		11
599	Association between pharmacotherapy for ADHD in offspring and depression-related specialty care visits by parents with a history of depression. 2019 , 19, 224		0
598	Bisphosphonates and mortality: confounding in observational studies?. 2019 , 30, 1973-1982		11
597	Medication errors in primary health care records; a cross-sectional study in Southern Sweden. 2019 , 20, 110		8
596	The Swedish dental health register - validation study of remaining and intact teeth. 2019 , 19, 116		7
595	Sibship and dispensing patterns of asthma medication in young children-a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1109-1116	2.6	1
594	Statin Use Is Associated With Improved Outcomes of Patients With Primary Sclerosing Cholangitis. 2019 , 17, 1860-1866.e1		15
593	Hypogonadotropic hypogonadism, delayed puberty and risk for neurodevelopmental disorders. 2019 , 31, e12803		5
592	Studies of Drug Utilization. 2019 , 373-410		2
591	Validity of ICD-9 and ICD-10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 965-975	2.6	13
590	Increased schizophrenia family history burden and reduced premorbid IQ in treatment-resistant schizophrenia: a Swedish National Register and Genomic Study. 2021 , 26, 4487-4495		10
589	Investigating the association between neuroticism and adverse obstetric and neonatal outcomes. 2019 , 9, 15470		0

588	Prescription of pain medication among older cancer patients with and without an intellectual disability: a national register study. 2019 , 19, 1040	2
587	Severity of depression, anxious distress and the risk of type 2 diabetes - a population-based cohort study in Sweden. 2019 , 19, 1174	7
586	Survival, cardiovascular morbidity, and reinterventions after elective endovascular aortic aneurysm repair in patients with and without diabetes: A nationwide propensity-adjusted analysis. 2019 , 24, 539-546	4
585	Swedish Inflammatory Bowel Disease Register (SWIBREG) - a nationwide quality register. 2019 , 54, 1089-1101	11
584	Long-term Survival and Cardiovascular Morbidity after Elective Open Aortic Aneurysm Repair in Patients with and without Type 2 Diabetes: A Nationwide Propensity-Adjusted Analysis. 2019 , 59, 110-118	4
583	Maternal anxiety, depression and asthma and adverse pregnancy outcomes - a population based study. 2019 , 9, 13101	17
582	Association of chronic and acute inflammation of the mucosa-associated lymphoid tissue with psychiatric disorders and suicidal behavior. 2019 , 9, 227	2
581	Validation of multiple sclerosis diagnoses in the Swedish National Patient Register. 2019 , 34, 1161-1169	11
580	Venous thromboembolism 2011-2018 in Stockholm: a demographic study. 2019 , 48, 668-673	7
579	Association of Attention-Deficit/Hyperactivity Disorder With Teenage Birth Among Women and Girls in Sweden. 2019 , 2, e1912463	15
578	Metformin - Postmortem fatal and non-fatal reference concentrations in femoral blood and risk factors associated with fatal intoxications. 2019 , 303, 109935	2
577	Metformin use and risk of gastric adenocarcinoma in a Swedish population-based cohort study. 2019 , 121, 877-882	11
576	Menopausal hormone therapy and biliary tract cancer: a population-based matched cohort study in Sweden. 2019 , 58, 290-295	4
575	Antidepressant prescription patterns and CNS polypharmacy with antidepressants among children, adolescents, and young adults: a population-based study in Sweden. 2019 , 28, 1137-1145	19
574	Medication treatment for attention-deficit/hyperactivity disorder and the risk of acute seizures in individuals with epilepsy. 2019 , 60, 284-293	20
573	Letter: you can stare at a vicious circle, but you can also try to break it-psychological health and coeliac disease. Authors' reply. 2019 , 49, 348-349	
572	Comparative effectiveness of abatacept, rituximab, tocilizumab and TNFi biologics in RA: results from the nationwide Swedish register. 2019 ,	13
571	Attitudes and behaviour towards psychotropic drug prescribing in Swedish primary care: a questionnaire study. 2019 , 20, 4	5

570	Rationale for a Swedish cohort consortium. 2019 , 124, 21-28	1
569	Using a Targeted Proteomics Chip to Explore Pathophysiological Pathways for Incident Diabetes-The Malm[Preventive Project. 2019 , 9, 272	14
568	Epinephrine dispensings, allergy hospitalizations and the elimination of co-payments in Sweden. 2019 , 74, 1197-1200	4
567	The effect of simvastatin on warfarin anticoagulation: a Swedish register-based nationwide cohort study. 2019 , 75, 1387-1392	4
566	Methylphenidate and the risk of psychosis in adolescents and young adults: a population-based cohort study. 2019 , 6, 651-658	18
565	Medication persistence to antihypertensive drug treatment - a cross-sectional study of attitudes towards hypertension and medication in persistent and non-persistent patients. 2019 , 28, 309-316	4
564	Risk of cardiovascular event and mortality in relation to refill and guideline adherence to lipid-lowering medications among patients with type 2 diabetes mellitus in Sweden. 2019 , 7, e000639	8
563	Systematic assessment of prescribed medications and short-term risk of myocardial infarction - a pharmacopeia-wide association study from Norway and Sweden. 2019 , 9, 8257	4
562	Basic Diagnostic Work-Up Is More Complete in Rural than in Urban Areas for Patients with Dementia: Results of a Swedish Dementia Registry Study. 2019 , 69, 455-462	4
561	Clozapine Treatment and Offending: A Within-Subject Study of Patients With Psychotic Disorders in Sweden. 2020 , 46, 303-310	8
560	Methylation age acceleration does not predict mortality in schizophrenia. 2019 , 9, 157	9
559	Associations between gabapentinoids and suicidal behaviour, unintentional overdoses, injuries, road traffic incidents, and violent crime: population based cohort study in Sweden. 2019 , 365, l2147	40
558	Clinical relevance of alerts from a decision support system, PHARAO, for drug safety assessment in the older adults. 2019 , 19, 164	5
557	Cohort profile: the Swedish Prescribed Drugs and Health Cohort (SPREDH). 2019 , 9, e023155	5
556	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. 2019 , 86, 577-586	24
555	Monotherapy vs. combination therapy for post mania maintenance treatment: A population based cohort study. 2019 , 29, 691-700	6
554	Antibiotics use and risk of amyotrophic lateral sclerosis in Sweden. 2019 , 26, 1355-1361	19
553	Classification and characteristics of on-label and off-label apixaban use in Denmark and Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 867-878	2.6 3

552	Is tramadol associated to bleeding peptic ulcer? A nationwide case-control study in hospitalized Swedish patients. 2019 , 14, e0215356	1
551	Mortality in IgA Nephropathy: A Nationwide Population-Based Cohort Study. 2019 , 30, 866-876	37
550	Epidemiology of hydrocele and spermatocele; incidence, treatment and complications. 2019 , 53, 134-138	7
549	Use of hormone therapy (HT) among Swedish women with contraindications - A pharmacoepidemiological cohort study. 2019 , 123, 55-60	2
548	Impact of risk factors on the occurrence of arterial thrombosis and venous thromboembolism in adults with primary immune thrombocytopenia - Results from two nationwide cohorts. 2019 , 178, 124-131	11
547	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case-Control Study Using Automated Health Data Sources. 2019 , 33, 383-395	13
546	Marriage and divorce after military deployment to Afghanistan: A matched cohort study from Sweden. 2019 , 14, e0207981	5
545	REgistry-based randomized controlled trial of treatment and Duration and mortality in long-term OXygen therapy (REDOX) study protocol. 2019 , 19, 50	4
544	Early Clinical Indicators of Addison Disease in Adults With Type 1 Diabetes: A Nationwide, Observational, Cohort Study. 2019 , 104, 1148-1157	3
543	Use of statins in the elderly according to age and indication-a cross-sectional population-based register study. 2019 , 75, 959-967	1
542	The prediction of suicide in severe mental illness: development and validation of a clinical prediction rule (OxMIS). 2019 , 9, 98	33
541	Demographic and diagnostic profiles of older people with intellectual disability and prescription of antipsychotics. 2019 , 54, 937-944	6
540	Effects of Childhood-onset Inflammatory Bowel Disease on School Performance: A Nationwide Population-based Cohort Study Using Swedish Health and Educational Registers. 2019 , 25, 1663-1673	6
539	Real-world cost-effectiveness of targeted therapy in metastatic renal cell carcinoma in Sweden: a population-based retrospective analysis. 2019 , 11, 1289-1297	2
538	Comparison of self-reported and register-based hospital medical data on comorbidities in women. 2019 , 9, 3527	7
537	Discontinuation of adjuvant hormone therapy among breast cancer patients not previously attending mammography screening. 2019 , 17, 24	2
536	Mini Review on the Use of Clinical Cancer Registers for Prostate Cancer: The National Prostate Cancer Register (NPCR) of Sweden. 2019 , 6, 51	12
535	Uppsala Longitudinal Adolescent Depression Study (ULADS). 2019 , 9, e024939	20

534	Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. 2019 , 85, 1598-1606	16
533	Treatment-resistant depression as risk factor for substance use disorders-a nation-wide register-based cohort study. 2019 , 114, 1274-1282	11
532	Tobacco and type 2 diabetes: is the association explained by genetic factors?. 2019 , 48, 926-933	2
531	Fracture Risk in Patients With Inflammatory Bowel Disease: A Nationwide Population-Based Cohort Study From 1964 to 2014. 2019 , 114, 291-304	20
530	Cohort profile: ESPRESSO (Epidemiology Strengthened by histoPathology Reports in Sweden). 2019 , 11, 101-114	46
529	Exposure to antimuscarinic medications for treatment of overactive bladder and risk of lung cancer and colon cancer. 2019 , 11, 133-143	3
528	A prediction model for duration of sickness absence due to stress-related disorders. 2019 , 250, 9-15	6
527	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. 2019 , 249, 242-252	26
526	Precision public health: Mapping socioeconomic disparities in opioid dispensations at Swedish pharmacies by Multilevel Analysis of Individual Heterogeneity and Discriminatory Accuracy (MAIHDA). 2019 , 14, e0220322	11
525	Lipophilic Statins and Risk for Hepatocellular Carcinoma and Death in Patients With Chronic Viral Hepatitis: Results From a Nationwide Swedish Population. 2019 , 171, 318-327	51
524	Glycaemic control and excess risk of major coronary events in patients with type 2 diabetes: a population-based study. 2019 , 6, e000967	4
523	Importance of potentially inappropriate medications, number of chronic conditions and medications for the risk of hospitalisation in elderly in Sweden: a case-control study. 2019 , 9, e029477	10
522	Cardiovascular fitness and risk of migraine: a large, prospective population-based study of Swedish young adult men. 2019 , 9, e029147	3
521	Rehospitalization of Postpartum Depression and Psychosis After Electroconvulsive Therapy: A Population-Based Study With a Matched Control Group. 2019 , 35, 264-271	4
520	Understanding the complexity of socioeconomic disparities in type 2 diabetes risk: a study of 4.3 million people in Sweden. 2019 , 7, e000749	15
519	The Uppsala-Stockholm Assisted Reproductive Techniques (UppStART) study. 2019 , 9, e028866	4
518	Tramadol- and codeine-induced severe hyponatremia: A Swedish population-based case-control study. 2019 , 69, 20-24	14
517	Risk Factors for Suicide and Suicide Attempts Among Patients With Treatment-Resistant Depression: Nested Case-Control Study. 2021 , 25, 424-438	12

516	Clinical risk assessment in early pregnancy for preeclampsia in nulliparous women: A population based cohort study. 2019 , 14, e0225716	9
515	Maternal prescribed opioid analgesic use during pregnancy and associations with adverse birth outcomes: A population-based study. 2019 , 16, e1002980	23
514	Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. 2019 , 297, 55-60	0
513	Treatment of hypertension in old patients without previous cardiovascular disease. 2019 , 37, 2269-2279	0
512	Associations of mental health and family background with opioid analgesic therapy: a nationwide Swedish register-based study. 2019 , 160, 2464-2472	9
511	Patient characteristics when starting treatment and patterns of treatment in adults with chronic immune thrombocytopenia. 2019 , 30, 350-356	3
510	Myocardial infarction and peripheral arterial disease: Treatment patterns and long-term outcome in men and women results from a Swedish nationwide study. 2019 , 2047487319893046	8
509	Postoperative Thromboprophylaxis With New Oral Anticoagulants is Superior to LMWH in Hip Arthroplasty Surgery: Findings from the Swedish Registry. 2019 , 477, 1335-1343	4
508	Oxygen titration therapy and hypercapnia risk in COPD. 2019 , 11, 382-388	
507	Attention-deficit/hyperactivity disorder and clinically diagnosed obesity in adolescence and young adulthood: a register-based study in Sweden. 2019 , 49, 1841-1849	14
506	How Chronic Is Polypharmacy in Old Age? A Longitudinal Nationwide Cohort Study. 2019 , 67, 455-462	26
505	Work Loss Before and After Diagnosis of Crohn's Disease. 2019 , 25, 1237-1247	8
504	Deep venous thrombosis and pulmonary embolism after anterior cruciate ligament reconstruction: incidence, outcome, and risk factors. 2019 , 101-B, 34-40	20
503	Cardiovascular event rates in a high atherosclerotic cardiovascular disease risk population: estimates from Swedish population-based register data. 2019 , 5, 225-232	12
502	Association of Hydroxymethyl Glutaryl Coenzyme A Reductase Inhibitors, L-Type Calcium Channel Antagonists, and Biguanides With Rates of Psychiatric Hospitalization and Self-Harm in Individuals With Serious Mental Illness. 2019 , 76, 382-390	28
501	Nonaspirin Nonsteroidal Antiinflammatory Drug Use in the Nordic Countries from a Cardiovascular Risk Perspective, 2000-2016: A Drug Utilization Study. 2019 , 39, 150-160	10
500	Epidemiology of osteonecrosis among older adults in Sweden. 2019 , 30, 965-973	10
499	Mode of HPV vaccination delivery and equity in vaccine uptake: A nationwide cohort study. 2019 , 120, 26-33	13

498	Decrease in loop diuretic treatment from 2005 to 2014 in Swedish real-life patients with chronic heart failure. 2019 , 75, 247-254	3
497	Prevalence of renally inappropriate medicines in older people with renal impairment - A cross-sectional register-based study in a large primary care population. 2019 , 124, 256-265	8
496	Antipsychotics and severe hyponatremia: A Swedish population-based case-control study. 2019 , 60, 71-77	22
495	Use of liraglutide and risk of major cardiovascular events: a register-based cohort study in Denmark and Sweden. 2019 , 7, 106-114	36
494	Fetal and early life antibiotics exposure and very early onset inflammatory bowel disease: a population-based study. 2019 , 68, 218-225	64
493	Extent and quality of drug use in community-dwelling people aged ≥5 years: A Swedish nationwide register-based study. 2020 , 48, 308-315	5
492	Neighborhood Socioeconomic Characteristics and Utilization of ADHD Medication in Schoolchildren: A Population Multilevel Study in Stockholm County. 2020 , 24, 265-276	14
491	Mortality in adult-onset and elderly-onset IBD: a nationwide register-based cohort study 1964-2014. 2020 , 69, 453-461	35
490	Nationwide comparison of long-term survival and cardiovascular morbidity after acute aortic aneurysm repair in patients with and without type 2 diabetes. 2020 , 71, 30-38.e3	12
489	Individual risk and familial liability for suicide attempt and suicide in autism: a population-based study. 2020 , 50, 1463-1474	32
488	Incidence and prevalence of type 2 diabetes by occupation: results from all Swedish employees. 2020 , 63, 95-103	14
487	Infection Risks Among Patients With Multiple Sclerosis Treated With Fingolimod, Natalizumab, Rituximab, and Injectable Therapies. 2020 , 77, 184-191	200
486	Increased Risk of Chronic Myeloid Leukemia Following Gastric Conditions Indicating Infection: A Case-Control Study. 2020 , 29, 151-156	2
485	Exposure to risperidone versus other antipsychotics and risk of osteoporosis-related fractures: a population-based study. 2020 , 141, 74-83	4
484	Initiation of sodium polystyrene sulphonate and the risk of gastrointestinal adverse events in advanced chronic kidney disease: a nationwide study. 2020 , 35, 1518-1526	32
483	Fractures and their sequelae in non-dialysis-dependent chronic kidney disease: the Stockholm CREAinine Measurement project. 2020 , 35, 1908-1915	9
482	Drug information centre queries and responses about drug interactions over 10 years-A descriptive analysis. 2019 , 126, 65	2
481	Do Acetylcholinesterase Inhibitors Prevent or Delay Psychotropic Prescribing in People With Dementia? Analyses of the Swedish Dementia Registry. 2020 , 28, 108-117	10

480	Outcome and presentation of heart failure in breast cancer patients: findings from a Swedish register-based study. 2020 , 6, 147-155		1
479	Real world utilization of EGFR TKIs and prognostic factors for survival in NSCLC during 2010-2016 in Sweden: A nationwide observational study. 2020 , 146, 2510-2517		8
478	Factors of importance for discontinuation of thiazides associated with hyponatremia in Sweden: A population-based register study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 77-83	2.6	3
477	Risk of first stroke in people with type 2 diabetes and its relation to glycaemic control: A nationwide observational study. 2020 , 22, 182-190		15
476	Menopausal hormone therapy treatment options and ovarian cancer risk: A Swedish prospective population-based matched-cohort study. 2020 , 147, 33-44		4
475	Nordic OCD & Related Disorders Consortium: Rationale, design, and methods. 2020 , 183, 38-50		5
474	Concomitant Anticoagulant and Antidepressant Therapy in Atrial Fibrillation Patients and Risk of Stroke and Bleeding. 2020 , 107, 287-294		4
473	Substance use disorders and risk for treatment resistant depression: a population-based, nested case-control study. 2020 , 115, 768-777		12
472	High prescription rate of oral glucocorticoids in children and adults: A retrospective cohort study from Western Sweden. 2020 , 92, 21-28		2
471	Use of medication for attention-deficit/hyperactivity disorder and risk of unintentional injuries in children and adolescents with co-occurring neurodevelopmental disorders. 2020 , 61, 140-147		6
470	Secondary Stroke Prevention After Ischemic Stroke in Patients with Alzheimer's Disease and Other Dementia Disorders. 2020 , 73, 1013-1021		4
469	Microscopic Colitis and Risk of Inflammatory Bowel Disease in a Nationwide Cohort Study. 2020 , 158, 1574-1583.e2		24
468	Inverse association between glucose-lowering medications and severe hyponatremia: a Swedish population-based case-control study. 2020 , 67, 579-586		4
467	Mortality of Patients With Microscopic Colitis in Sweden. 2020 , 18, 2491-2499.e3		6
466	A Post-Authorization Safety Study of Quetiapine as Antidepressant Treatment in Sweden: Nested Case-Control Analyses of Select Outcomes. 2020 , 43, 135-145		3
465	Survival time tool to guide care planning in people with dementia. 2020 , 94, e538-e548		12
464	Risk of Ischemic Stroke and Major Bleeding in Patients with Atrial Fibrillation and Cancer. 2020 , 29, 104560		4
463	Long-term proton pump inhibitor usage and the association with pancreatic cancer in Sweden. 2020 , 55, 453-461		15

462	Risk factors for postoperative myocardial infarct following cholecystectomy: a population-based study. 2020 , 22, 34-40	2
461	Elevated Blood Pressure in the Emergency Department: A Risk Factor for Incident Cardiovascular Disease. 2020 , 75, 229-236	11
460	Increased Mortality Risk in Autoimmune Hepatitis: A Nationwide Population-Based Cohort Study With Histopathology. 2021 , 19, 2636-2647.e13	3
459	Antipsychotic Drugs and Hip Fracture: Associations Before and After the Initiation of Treatment. 2020 , 21, 1636-1642.e6	2
458	Pregnancy outcomes after exposure to interferon beta: a register-based cohort study among women with MS in Finland and Sweden. 2020 , 13, 1756286420951072	8
457	HPV Vaccination and the Risk of Invasive Cervical Cancer. 2020 , 383, 1340-1348	268
456	Country of birth, time period of resettlement and subsequent treated common mental disorders in young refugees in Sweden. 2020 , 30, 1169-1175	2
455	Paternal exposure to antiepileptic drugs and offspring outcomes: a nationwide population-based cohort study in Sweden. 2020 , 91, 907-913	3
454	Healthcare-Related Costs Associated with Switching Subcutaneous Tumor Necrosis Factor- β Inhibitor in the Treatment of Inflammatory Arthritis: a Retrospective Study. 2020 , 37, 3746-3760	1
453	Use of cardiovascular drugs and risk of incident heart failure in patients with atrial fibrillation. 2020 , 22, 1396-1405	1
452	Gastrointestinal perforations in patients with rheumatoid arthritis treated with biological disease-modifying antirheumatic drugs in Sweden: a nationwide cohort study. 2020 , 6,	4
451	Asthma and subsequent school performance at age 15-16 years: A Swedish population-based sibling control study. 2020 , 10, 7661	2
450	Clinical Characteristics and Pharmacological Treatment of Individuals With and Without Intellectual Disability in Pre-trial Assessment-A Population-Based Study. 2020 , 11, 573989	1
449	Sex-Specific Associations Between Bipolar Disorder Pharmacological Maintenance Therapies and Inpatient Rehospitalizations: A 9-Year Swedish National Registry Study. 2020 , 11, 598946	2
448	Parental questionnaires provided reliable data on childhood asthma compared with national registers. 2021 , 32, 917-924	1
447	Incidence of Fractures Before and After Dialysis Initiation. 2020 , 35, 2372-2380	3
446	Pediatric use of prescribed melatonin in Sweden 2006-2017: a register based study. 2021 , 30, 1339-1350	7
445	A register-based approach to identifying treatment-resistant depression-Comparison with clinical definitions. 2020 , 15, e0236434	7

444	Dementia Diagnosis Is Associated with Changes in Antidiabetic Drug Prescription: An Open-Cohort Study of ~130,000 Swedish Subjects over 14 Years. 2020 , 76, 1581-1594		5
443	Costs and Use of Health Care in Patients With Celiac Disease: A Population-Based Longitudinal Study. 2020 , 115, 1253-1263		3
442	The Occurrence of Metabolic Risk Factors Stratified by Psoriasis Severity: A Swedish Population-Based Matched Cohort Study. 2020 , 12, 737-744		1
441	Impact of variable look-back periods on the incidence rates of chronic diseases using real world data. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1086-1092	2.6	1
440	Risk of common infections among individuals with psoriasis in Sweden: A nationwide cohort study comparing secukinumab to ustekinumab. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1562-1569	2.6	5
439	Mortality rates and causes of death in Swedish Myasthenia Gravis patients. 2020 , 30, 815-824		3
438	Assessing Safety of Direct Thrombin Inhibitors, Direct Factor Xa Inhibitors and Vitamin K Antagonists in Patients with Atrial Fibrillation: A Nation-Wide Propensity Score Matched Cohort from Sweden. 2020 , 12, 1029-1038		1
437	The impact of diabetes, education and income on mortality and cardiovascular events in hypertensive patients: A cohort study from the Swedish Primary Care Cardiovascular Database (SPCCD). 2020 , 15, e0237107		3
436	Geographical and sociodemographic differences in discontinuation of medication for Chronic Obstructive Pulmonary Disease - A Cross-Classified Multilevel Analysis of Individual Heterogeneity and Discriminatory Accuracy (MAIHDA). 2020 , 12, 783-796		0
435	Epidemiology of Myasthenia Gravis in Sweden 2006-2016. 2020 , 10, e01819		9
434	Labor market exit around retirement age in Sweden and trajectories of psychotropic drugs in a context of downsizing. 2020 , 20, 618		1
433	Pharmacologic treatment and SUDEP risk: A nationwide, population-based, case-control study. 2020 , 95, e2509-e2518		22
432	Psychiatric care use among migrants to Sweden compared with Swedish-born residents: a longitudinal cohort study of 5 150 753 people. 2020 , 5,		7
431	No association between proton pump inhibitor use and ALS risk: a nationwide nested case-control study. 2020 , 10, 13371		1
430	Antibiotic use and the development of inflammatory bowel disease: a national case-control study in Sweden. 2020 , 5, 986-995		39
429	Healthcare use, work loss and total costs in incident and prevalent Crohn's disease and ulcerative colitis: results from a nationwide study in Sweden. 2020 , 52, 655-668		10
428	Follow-up after surgical treatment for intermittent claudication (FASTIC): a study protocol for a multicentre randomised controlled clinical trial. 2020 , 19, 45		5
427	Drug-disease interactions in Swedish senior primary care patients were dominated by non-steroid anti-inflammatory drugs and hypertension - a population-based registry study. 2020 , 38, 330-339		2

426	Aspirin and other non-steroidal anti-inflammatory drugs and depression, anxiety, and stress-related disorders following a cancer diagnosis: a nationwide register-based cohort study. 2020 , 18, 238	12
425	Psychiatric Disorders in Patients With a Diagnosis of Celiac Disease During Childhood From 1973 to 2016. 2021 , 19, 2093-2101.e13	10
424	Cardiovascular drug treatment, statins and biopsy-confirmed giant cell arteritis: a population-based case-control study. 2020 , 6,	1
423	Childhood-onset seizures: A long-term cohort study of use of antiepileptic drugs, and drugs for neuropsychiatric conditions. 2020 , 168, 106489	1
422	Worse cardiovascular prognosis after endovascular surgery for intermittent claudication caused by infrainguinal atherosclerotic disease in patients with diabetes. 2020 , 11, 2042018820960294	
421	Maternal pre-pregnancy overweight/obesity and the risk of attention-deficit/hyperactivity disorder in offspring: a systematic review, meta-analysis and quasi-experimental family-based study. 2020 , 49, 857-875	10
420	Impact of HPV vaccination on cervical screening performance: a population-based cohort study. 2020 , 123, 155-160	19
419	The use of short-acting beta-2 adrenergic receptor agonists for asthma increased among Finnish and Swedish children from 2006 to 2017. 2020 , 109, 1620-1626	2
418	Burden and prevalence of prognostic factors for severe COVID-19 in Sweden. 2020 , 35, 401-409	27
417	Xerogenic Medications as a Predictor for Dental Health Intervention in People with Dementia. 2020 , 75, 1263-1271	1
416	Beta-Blocker Use and Lung Cancer Mortality in a Nationwide Cohort Study of Patients with Primary Non-Small Cell Lung Cancer. 2020 , 29, 119-126	3
415	Risk and risk factors for disability pension among patients with treatment resistant depression- a matched cohort study. 2020 , 20, 232	4
414	Beta-adrenergic receptor blockers and liver cancer mortality in a national cohort of hepatocellular carcinoma patients. 2020 , 55, 597-605	5
413	Antibiotic Use Associated With Risk of Colorectal Polyps in a Nationwide Study. 2021 , 19, 1426-1435.e6	3
412	Myocardial infarction after noncardiac surgery in Sweden: a national, retrospective observational cohort study. 2020 , 125, 47-54	5
411	Associations between selective serotonin reuptake inhibitors and violent crime in adolescents, young, and older adults - a Swedish register-based study. 2020 , 36, 1-9	8
410	The renal cell cancer database Sweden (RCCBaSe) - a new register-based resource for renal cell carcinoma research. 2020 , 54, 235-240	5
409	Cholinesterase inhibitors in patients with diabetes mellitus and dementia: an open-cohort study of ~23 000 patients from the Swedish Dementia Registry. 2020 , 8,	10

408	A Patient-Level Model to Estimate Lifetime Health Outcomes of Patients With Type 1 Diabetes. 2020 , 43, 1741-1749	5
407	Association of Primary Humoral Immunodeficiencies With Psychiatric Disorders and Suicidal Behavior and the Role of Autoimmune Diseases. 2020 , 77, 1147-1154	10
406	Increased risk of mental health problems after cancer during adolescence: A register-based cohort study. 2020 , 147, 3349-3360	0
405	A Gap Between Asthma Guidelines and Management for Adolescents and Young Adults. 2020 , 8, 3056-3065.e28	
404	Disentangling the contribution of hospitals and municipalities for understanding patient level differences in one-year mortality risk after hip-fracture: A cross-classified multilevel analysis in Sweden. 2020 , 15, e0234041	3
403	Comedication and Polypharmacy With ADHD Medications in Adults: A Swedish Nationwide Study. 2021 , 25, 1519-1528	3
402	What are the sociodemographic and gender determinants of non-fatal self-harm in older adult users and non-users of antidepressants? A national population-based study. 2020 , 20, 764	1
401	Clostridium difficile infection and risk of Parkinson's disease: a Swedish population-based cohort study. 2020 , 27, 2134-2141	5
400	Geographical differences in cancer treatment and survival for patients with oesophageal and gastro-oesophageal junctional cancers. 2020 , 107, 1500-1509	1
399	Impact of chemotherapy, radiotherapy, and endocrine therapy on sick leave in women with early-stage breast cancer during a 5-year period: a population-based cohort study. 2020 , 182, 699-707	3
398	Attention-deficit/hyperactivity disorder and smoking habits in pregnant women. 2020 , 15, e0234561	7
397	Helicobacter pylori eradication treatment and the risk of Barrett's esophagus and esophageal adenocarcinoma. 2020 , 25, e12688	13
396	Do we need to fear methotrexate?. 2020 , 183, 608-609	
395	Risk of Delayed Discharge and Reoperation of Gastric Bypass Patients with Psychiatric Comorbidity-a Nationwide Cohort Study. 2020 , 30, 2511-2518	5
394	Association of Aspirin with Hepatocellular Carcinoma and Liver-Related Mortality. 2020 , 382, 1018-1028	96
393	Risk of neuroinflammatory events in arthritis patients treated with tumour necrosis factor alpha inhibitors: a collaborative population-based cohort study from Denmark and Sweden. 2020 , 79, 566-572	17
392	Adult height in patients with childhood-onset inflammatory bowel disease: a nationwide population-based cohort study. 2020 , 51, 789-800	8
391	Statin use is associated with improved survival in multiple myeloma: A Swedish population-based study of 4315 patients. 2020 , 95, 652-661	11

390	Work Loss in Relation to Pharmacological and Surgical Treatment for Crohn's Disease: A Population-Based Cohort Study. 2020 , 12, 273-285		3
389	Machine-Learning prediction of comorbid substance use disorders in ADHD youth using Swedish registry data. 2020 , 61, 1370-1379		7
388	Socioeconomic Factors, Secondary Prevention Medication, and Long-Term Survival After Coronary Artery Bypass Grafting: A Population-Based Cohort Study From the SWEDEHEART Registry. 2020 , 9, e015491		6
387	Trajectories of healthcare utilization and costs of psychiatric and somatic multimorbidity in adults with childhood ADHD: a prospective register-based study. 2020 , 61, 959-968		12
386	Factors associated with re-initiation of antidepressant treatment following discontinuation during pregnancy: a register-based cohort study. 2020 , 23, 709-717		1
385	Trends in psychiatric diagnoses, medications and psychological therapies in a large Swedish region: a population-based study. 2020 , 20, 328		6
384	Educational achievement and poor mental health in Sweden: the role of family socioeconomic resources. 2020 , 11, 69-87		4
383	Design and baseline data in the BAriatic surgery SUBstitution and Nutrition study (BASUN): a 10-year prospective cohort study. 2020 , 20, 23		4
382	Effectiveness by gender and age of renin-angiotensin system blockade in heart failure-A national register-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 518-529	2.6	1
381	Use of potentially inappropriate medication and polypharmacy in older adults: a repeated cross-sectional study. 2020 , 20, 73		11
380	Associations between cognitive and affective job insecurity and incident purchase of psychotropic drugs: A prospective cohort study of Swedish employees. 2020 , 266, 215-222		5
379	Cancer Risk for Fingolimod, Natalizumab, and Rituximab in Multiple Sclerosis Patients. 2020 , 87, 688-699		43
378	Sex-based differences in ED management of critically ill patients with sepsis: a nationwide cohort study. 2020 , 46, 727-736		12
377	Predicting the duration of sickness absence spells due to back pain: a population-based study from Sweden. 2020 , 77, 115-121		6
376	Current antihypertensive drug therapy in 12,436 Swedish patients, 90 years and above, in relation to sex and comorbidity. 2020 , 29, 168-174		1
375	Methotrexate treatment for patients with psoriasis and risk of cutaneous melanoma: a nested case-control study. 2020 , 183, 684-691		5
374	Beta-blockers to patients with Chronic Obstructive Pulmonary Disease (BRONCHIOLE) - Study protocol from a randomized controlled trial. 2020 , 21, 123		5
373	Validation of serrated polyps (SPs) in Swedish pathology registers. 2019 , 20, 3		5

372	Risk factors for severe bleeding events during warfarin treatment: the influence of sex, age, comorbidity and co-medication. 2020 , 76, 867-876	11
371	Effect of governmental strategies on antibiotic prescription in dentistry. 2020 , 78, 529-534	2
370	Does early identification of high work related stress affect pharmacological treatment of primary care patients? - analysis of Swedish pharmacy dispensing data in a randomised control study. 2020 , 21, 70	2
369	Associations Between Antihypertensive Medications and Severe Hyponatremia: A Swedish Population-Based Case-Control Study. 2020 , 105,	7
368	Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers - a cohort study of the Swedish population. 2020 , 66, 101707	4
367	Adherence to lipid-lowering therapy and risk for cardiovascular disease and death in type 1 diabetes mellitus: a population-based study from the Swedish National Diabetes Register. 2020 , 8,	3
366	Predicting mental health problems in adolescence using machine learning techniques. 2020 , 15, e0230389	21
365	Concordance Between ICD-10 Codes and Clinical Diagnosis of Hypoparathyroidism in Sweden. 2020 , 12, 327-331	1
364	An Increasing Trend in the Prevalence of Polypharmacy in Sweden: A Nationwide Register-Based Study. 2020 , 11, 326	23
363	Long-term persistence and adherence with non-vitamin K oral anticoagulants in patients with atrial fibrillation and their associations with stroke risk. 2021 , 7, F72-F80	12
362	Low-density lipoprotein-cholesterol target attainment according to the 2011 and 2016 ESC/EAS dyslipidaemia guidelines in patients with a recent myocardial infarction: nationwide cohort study, 2013-17. 2021 , 7, 59-67	4
361	Risk of infections in patients with myeloproliferative neoplasms-a population-based cohort study of 8363 patients. 2021 , 35, 476-484	20
360	Low adherence to statin treatment during the 1st year after an acute myocardial infarction is associated with increased 2nd-year mortality risk-an inverse probability of treatment weighted study on 54 872 patients. 2021 , 7, 141-147	9
359	Do borderline personality disorder and attention-deficit/hyperactivity disorder co-aggregate in families? A population-based study of 2 million Swedes. 2021 , 26, 341-349	10
358	Microscopic colitis and risk of cancer - a population-based cohort study. 2020 ,	5
357	The impact of diabetes mellitus on major amputation among patients with chronic limb threatening ischemia undergoing elective endovascular therapy-a nationwide propensity score adjusted analysis. 2021 , 35, 107675	1
356	Neonatal jaundice, attention deficit hyperactivity disorder and familial effects: A Swedish register study with sibling analysis. 2021 , 110, 473-479	3
355	Bleeding and thromboembolism due to drug-drug interactions with non-vitamin K antagonist oral anticoagulants-a Swedish, register-based cohort study in atrial fibrillation outpatients. 2021 , 77, 409-419	6

354	Mortality in biopsy-confirmed nonalcoholic fatty liver disease: results from a nationwide cohort. 2021 , 70, 1375-1382	76
353	Reduced risk for hospitalization due to hyponatraemia in lithium treated patients: A Swedish population-based case-control study. 2021 , 35, 184-189	4
352	The impact of major depressive disorder and antidepressant medication before and during pregnancy on obstetric and neonatal outcomes: A nationwide population-based study. 2021 , 257, 42-50	1
351	Association between lipid-lowering agents and severe hyponatremia: a population-based case-control study. 2021 , 77, 747-755	2
350	Rapid ascertainment of uptake of a new indication for abiraterone by use of three nationwide health care registries in Sweden. 2021 , 60, 56-60	3
349	A population-based study of concurrent prescriptions of opioid analgesic and selective serotonin reuptake inhibitor medications during pregnancy and risk for adverse birth outcomes. 2021 , 35, 184-193	1
348	Serious Transport Accidents in Tourette Syndrome or Chronic Tic Disorder. 2021 , 36, 188-195	11
347	Abandoning resectional intent in patients initially deemed suitable for esophagectomy: a nationwide study of risk factors and outcomes. 2021 , 34,	
346	Mortality in first- and second-generation immigrants to Sweden diagnosed with type 2 diabetes: a 10-year nationwide cohort study. 2021 , 64, 95-108	4
345	Lymphoma risks in patients with rheumatoid arthritis treated with biological drugs-a Swedish cohort study of risks by time, drug and lymphoma subtype. 2021 , 60, 809-819	6
344	Calcium channel blockers, survival and ischaemic stroke in patients with dementia: a Swedish registry study. 2021 , 289, 508-522	4
343	Herpesvirus infections, antiviral treatment, and the risk of dementia-a registry-based cohort study in Sweden. 2021 , 7, e12119	16
342	Morbidity, risk of cancer and mortality in 3645 HFE mutations carriers. 2021 , 41, 545-553	4
341	Safety of Alemtuzumab and Autologous Hematopoietic Stem Cell Transplantation Compared to Noninduction Therapies for Multiple Sclerosis. 2021 , 96, e1574-e1584	2
340	Trajectories of sickness absence and disability pension before and after colorectal cancer: A Swedish longitudinal population-based matched cohort study. 2021 , 16, e0245246	2
339	Low SSRI dosing in clinical practice-a register-based longitudinal study. 2021 , 143, 434-443	1
338	Risk of solid cancers overall and by subtypes in patients with psoriatic arthritis treated with TNF inhibitors - a Nordic cohort study. 2021 , 60, 3656-3668	1
337	Excess deaths in treatment-resistant depression. 2021 , 11, 20451253211006508	2

336	Decrease in tramadol use started in 2011 in Sweden. 2021 , 190, 1643-1644	
335	Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. 2021 , 13, 21-41	12
334	Pharmacoepidemiological Research Data Sources in the Nordic Countries: Administrative Registers in Finland, Sweden, and Norway. 2021 , 91-108	
333	Psychotropic Drugs in Patients with Cushing's Disease Before Diagnosis and at Long-Term Follow-Up: A Nationwide Study. 2021 , 106, 1750-1760	3
332	Combined Use of Aspirin and Selective Serotonin Reuptake Inhibitors Is Associated With Lower Risk of Colorectal Cancer: A Nested Case-Control Study. 2021 , 116, 1313-1321	1
331	Prevalence of adverse pregnancy outcomes after exposure to interferon beta prior to or during pregnancy in women with MS: Stratification by maternal and newborn characteristics in a register-based cohort study in Finland and Sweden. 2021 , 48, 102694	1
330	Antidepressant Use and Suicide Rates in Adults Aged 75 and Above: A Swedish Nationwide Cohort Study. 2021 , 9, 611559	1
329	Beta-Blockers Use and Risk of Breast Cancer in Women with Hypertension. 2021 , 30, 965-973	6
328	Psychotropic and pain medication use in individuals with traumatic brain injury-a Swedish total population cohort study of 240 000 persons. 2021 , 92, 519-527	2
327	Association Between Inflammatory Bowel Disease and Psychiatric Morbidity and Suicide: A Swedish Nationwide Population-Based Cohort Study With Sibling Comparisons. 2021 , 15, 1824-1836	7
326	Intraoperative Hypotension and Myocardial Infarction Development Among High-Risk Patients Undergoing Noncardiac Surgery: A Nested Case-Control Study. 2021 , 133, 6-15	8
325	Comparing effect estimates in randomized trials and observational studies from the same population: an application to percutaneous coronary intervention.	
324	Factors affecting pre-end-stage kidney disease haemoglobin control and outcomes following dialysis initiation: a nationwide study. 2021 , 14, 1780-1788	2
323	Respiratory infections during lithium and valproate medication: a within-individual prospective study of 50,000 patients with bipolar disorder. 2021 , 9, 4	5
322	Assessment of Cesarean Delivery and Neurodevelopmental and Psychiatric Disorders in the Children of a Population-Based Swedish Birth Cohort. 2021 , 4, e210837	6
321	Overall and diagnosis-specific sickness absence and disability pension in colorectal cancer survivors and references in Sweden. 2021 , 1	0
320	Is family history a predictor of response to tumour necrosis factor inhibitors in spondyloarthritis? A Swedish nationwide cohort study. 2021 , 1-11	
319	Inflammatory bowel disease and risk of severe COVID-19: A nationwide population-based cohort study in Sweden. 2021 , 9, 177-192	19

318	Associations between individual antipsychotics and the risk of arrests and convictions of violent and other crime: a nationwide within-individual study of 74 925 persons. 2021 , 1-9	3
317	CYP2D6-inhibiting drugs and risk of fall injuries after newly initiated antidepressant and antipsychotic therapy in a Swedish, register-based case-crossover study. 2021 , 11, 5796	0
316	Implementation of a care manager organisation and its association with antidepressant medication patterns: a register-based study of primary care centres in Sweden. 2021 , 11, e044959	1
315	Risk factors for COVID-19 diagnosis, hospitalization, and subsequent all-cause mortality in Sweden: a nationwide study. 2021 , 36, 287-298	34
314	Epidemiology of biopsy-confirmed giant cell arteritis in southern Sweden - an update on incidence and first prevalence estimate. 2021 ,	4
313	Risk Factors for Septic Arthritis After Anterior Cruciate Ligament Reconstruction: A Nationwide Analysis of 26,014 ACL Reconstructions. 2021 , 49, 1769-1776	3
312	Association Between Microscopic Colitis and Parkinson's Disease in a Swedish Population. 2021 , 36, 1919-1926	4
311	Maternal asthma and early fetal growth, the MAESTRO study. 2021 , 51, 883-891	1
310	Association of Phosphodiesterase-5 Inhibitors Versus Alprostadil With Survival in Men With Coronary Artery Disease. 2021 , 77, 1535-1550	9
309	Association of Early Life Exposure to Antibiotics With Risk of Atopic Dermatitis in Sweden. 2021 , 4, e215245	9
308	Re-examining the link between childhood maltreatment and substance use disorder: a prospective, genetically informative study. 2021 , 26, 3201-3209	7
307	Predictors of Sickness Absence in a Clinical Population With Chronic Pain. 2021 , 22, 1180-1194	4
306	Higher long-term cardiovascular morbidity after open surgery for intermittent claudication caused by infrainguinal atherosclerotic disease in patients with diabetes - a nationwide observational cohort study. 2021 , 50, 224-230	0
305	Prediagnostic use of estrogen-only therapy is associated with improved colorectal cancer survival in menopausal women: a Swedish population-based cohort study. 2021 , 60, 881-887	3
304	The burden of poor glycaemic control in people with newly diagnosed type 2 diabetes in Sweden: A health economic modelling analysis based on nationwide data. 2021 , 23, 1604-1613	1
303	Gastrointestinal Infection and Risk of Microscopic Colitis: A Nationwide Case-Control Study in Sweden. 2021 , 160, 1599-1607.e5	1
302	Prediction of treatment dosage and duration from free-text prescriptions: an application to ADHD medications in the Swedish prescribed drug register. 2021 , 24, 146-152	2
301	Atrial Fibrillation, Oral Anticoagulants, and Concomitant Active Cancer: Benefits and Risks. 2021 , 5, e176-e182	3

300	Comparative Effectiveness of Renin-Angiotensin System Inhibitors and Calcium Channel Blockers in Individuals With Advanced CKD: A Nationwide Observational Cohort Study. 2021 , 77, 719-729.e1	8
299	Trends in blood pressure, blood lipids, and smoking from 259 753 patients with hypertension in a Swedish primary care register: results from QregPV. 2021 ,	0
298	Validating a model for medication-related dental outcomes in older people. 2021 ,	0
297	Mortality trends among hospitalised COVID-19 patients in Sweden: A nationwide observational cohort study. 2021 , 4, 100054	17
296	Improved prognosis in gastric adenocarcinoma among metformin users in a population-based study. 2021 , 125, 277-283	1
295	Comparing continuous subcutaneous insulin infusion and multiple daily injections in children with Type 1 diabetes in Sweden from 2011 to 2016-A longitudinal study from the Swedish National Quality Register (SWEDIABKIDS). 2021 , 22, 766-775	0
294	Diabetes mellitus was not associated with lower amputation-free survival after open revascularization for chronic limb-threatening ischemia - A nationwide propensity score adjusted analysis. 2021 , 26, 507-514	
293	Immunoglobulin A nephropathy and ischemic heart disease: a nationwide population-based cohort study. 2021 , 22, 165	0
292	Burden of in-hospital care in oesophageal cancer: national population-based study. 2021 , 5,	1
291	Non-thiazide diuretics and hospitalization due to hyponatraemia: A population-based case-control study. 2021 , 95, 520-526	0
290	Clinical indications of premenstrual disorders and subsequent risk of injury: a population-based cohort study in Sweden. 2021 , 19, 119	4
289	Opioid Prescriptions in Chronic Pain Rehabilitation. A Prospective Study on the Prevalence and Association between Individual Patient Characteristics and Opioids. 2021 , 10,	1
288	Cost-of-Illness Progression Before and After Diagnosis of Multiple Sclerosis: A Nationwide Register-Based Cohort Study in Sweden of People Newly Diagnosed with Multiple Sclerosis and a Population-Based Matched Reference Group. 2021 , 39, 835-851	2
287	Healthcare utilization and costs of psychiatric and somatic comorbidities associated with newly diagnosed adult ADHD. 2021 , 144, 50-59	2
286	Long-term Outcomes and Prognosis in New-Onset Psoriasis. 2021 ,	2
285	Trajectories of antidepressant use before and after a suicide attempt among refugees and Swedish-born individuals: a cohort study. 2021 , 20, 131	1
284	Assisted Reproductive Techniques, ADHD, and School Performance. 2021 , 148,	0
283	Mortality rates and cardiovascular disease burden in type 2 diabetes by occupation, results from all Swedish employees in 2002-2015. 2021 , 20, 129	3

282	Risk of esophageal and gastric adenocarcinoma in men receiving androgen deprivation therapy for prostate cancer. 2021 , 11, 13486	
281	Comparing Effect Estimates in Randomized Trials and Observational Studies From the Same Population: An Application to Percutaneous Coronary Intervention. 2021 , 10, e020357	2
280	Societal impact for patients with psoriasis: A nationwide Swedish register study. 2021 , 3, 63-75	1
279	Risk Factors for Disability Pension among Young Adults Diagnosed with Attention-deficit Hyperactivity Disorder (ADHD) in Adulthood. 2021 , 10870547211025605	1
278	Anterior uveitis in patients with spondyloarthritis treated with secukinumab or tumour necrosis factor inhibitors in routine care: does the choice of biological therapy matter?. 2021 , 80, 1445-1452	1
277	Cardiovascular Event Rates After Myocardial Infarction or Ischaemic Stroke in Patients with Additional Risk Factors: A Retrospective Population-Based Cohort Study. 2021 , 38, 4695-4708	0
276	Swedish Covid-19 Investigation for Future Insights - A Population Epidemiology Approach Using Register Linkage (SCIFI-PEARL). 2021 , 13, 649-659	6
275	Nordic Health Registry-Based Research: A Review of Health Care Systems and Key Registries. 2021 , 13, 533-554	26
274	Intra-Individual Variability in Self-Reported Use of Non-Steroidal Anti-Inflammatory and Analgesic Medicines Depending on Mode of Data Collection - Observations from the Population Study of Women in Gothenburg, Sweden. 2021 , 14, 3243-3250	
273	Statin use and survival in 16 098 patients with non-Hodgkin lymphoma or chronic lymphocytic leukaemia treated in the rituximab era. 2021 , 195, 552-560	1
272	Trajectories of antidepressant use and characteristics associated with trajectory groups among young refugees and their Swedish-born peers with diagnosed common mental disorders-findings from the REMAIN study. 2021 , 1	0
271	Non-alcoholic fatty liver disease in children and young adults is associated with increased long-term mortality. 2021 , 75, 1034-1041	11
270	Risk of depression in multiple sclerosis across disease-modifying therapies. 2021 , 13524585211031128	1
269	Predicting the duration of sickness absence due to knee osteoarthritis: a prognostic model developed in a population-based cohort in Sweden. 2021 , 22, 603	0
268	Impact of Socioeconomic Factors and Gender on Refill Adherence and Persistence to Lipid-Lowering Therapy in Type 1 Diabetes. 2021 , 12, 2371-2386	1
267	Electroconvulsive Therapy and the Risk of Suicide in Hospitalized Patients With Major Depressive Disorder. 2021 , 4, e2116589	9
266	Impact of pneumococcal conjugate vaccines on healthcare utilization and direct costs for otitis media in children 0-9 years of age in two Swedish regions. 2021 , 1-9	1
265	Women With Chronic Hypoparathyroidism Have Low Risk of Adverse Pregnancy Outcomes. 2021 , 106, 3312-3319	2

264	The value of interdisciplinary treatment for sickness absence in chronic pain: A nationwide register-based cohort study. 2021 , 25, 2190-2201	5
263	Association of selective serotonin re-uptake inhibitor (SSRI) treatment with acute substance misuse outcomes. 2022 , 117, 234-242	1
262	A drug comorbidity index to predict mortality in men with castration resistant prostate cancer. 2021 , 16, e0255239	0
261	Association Between Proton Pump Inhibitor Use and Biliary Tract Cancer Risk: A Swedish Population-Based Cohort Study. 2021 , 74, 2021-2031	5
260	Use of Melatonin Is Associated With Lower Risk of Colorectal Cancer in Older Adults. 2021 , 12, e00396	0
259	Mortality in Eosinophilic Esophagitis - a nationwide, population-based matched cohort study from 2005 to 2017. 2021 , 126,	0
258	Cancer Risk in Patients With Biopsy-Confirmed Nonalcoholic Fatty Liver Disease: A Population-Based Cohort Study. 2021 , 74, 2410-2423	23
257	Early Risk of Stroke in Patients Undergoing Acute Versus Elective Cardioversion for Atrial Fibrillation. 2021 , 10, e021716	0
256	The association between postpartum hemorrhage and postpartum depression: A Swedish national register-based study. 2021 , 16, e0255938	0
255	Non-adherence and sub-optimal treatment with asthma medications in young adults: a population-based cohort study. 2021 , 1-9	0
254	Diagnosis-Specific Work Disability before and after Lumbar Spine Decompression Surgery-A Register Study from Sweden. 2021 , 18,	
253	Mammographic features are associated with cardiometabolic disease risk and mortality. 2021 , 42, 3361-3370	1
252	Oral fluoroquinolone use and the risk of acute liver injury: a nationwide cohort study. 2021 ,	0
251	Selective serotonin reuptake inhibitors and suicidal behaviour: a population-based cohort study. 2021 ,	5
250	Attention-deficit/hyperactivity disorder and Alzheimer's disease and any dementia: A multi-generation cohort study in Sweden. 2021 ,	2
249	Time on treatment with abiraterone and enzalutamide in the Patient-overview Prostate Cancer in The National Prostate Cancer Register of Sweden. 2021 , 60, 1589-1596	1
248	Increased Risks of Death and Hospitalization in Influenza/Pneumonia and Sepsis for Individuals Affected by Psychotic Disorders, Bipolar Disorders, and Single Manic Episodes: A Retrospective Cross-Sectional Study. 2021 , 10,	0
247	Attention deficit hyperactivity and autism spectrum disorders in patients with anorectal malformations. 2021 , 110, 3131-3136	0

246	Antibiotics Use and Subsequent Risk of Colorectal Cancer: A Swedish Nationwide Population-Based Study. 2021 ,	5
245	Non-alcoholic fatty liver disease and incident major adverse cardiovascular events: results from a nationwide histology cohort. 2021 ,	11
244	Mapping phenotypic and aetiological associations between ADHD and physical conditions in adulthood in Sweden: a genetically informed register study. 2021 , 8, 774-783	10
243	Extending treatment effects from a randomized trial using observational data: an application to coronary thrombus aspiration.	
242	Doxycycline exposure during adolescence and future risk of non-affective psychosis and bipolar disorder: a total population cohort study. 2021 , 11, 468	0
241	Postpartum haemorrhage trends in Sweden using the Robson ten group classification system: a population-based cohort study. 2021 ,	2
240	Data Resource Profile: Breast Cancer Data Base Sweden (BCBaSe 2.0). 2021 ,	0
239	Treatment Persistence in Patients Cycling on Subcutaneous Tumor Necrosis Factor-Alpha Inhibitors in Inflammatory Arthritis: A Retrospective Study. 2021 , 1	1
238	Healthcare use, sickness absence, and disability pension among colorectal cancer survivors and population references in Sweden. 2021 , 60, 1643-1650	
237	Patterns of chronic and transient hyperkalaemia and clinically important outcomes in patients with chronic kidney disease.. 2022 , 15, 153-161	2
236	Replication of Oncology Randomized Trial Results using Swedish Registry Real World-Data: A Feasibility Study. 2021 , 110, 1613-1621	0
235	Similar periprosthetic joint infection rates after and before a national infection control program: a study of 45,438 primary total knee arthroplasties. 2021 , 1-7	1
234	Use of classifiers to optimise the identification and characterisation of metastatic breast cancer in a nationwide administrative registry. 2021 , 60, 1604-1610	0
233	Routinely collected antenatal data for longitudinal prediction of preeclampsia in nulliparous women: a population-based study. 2021 , 11, 17973	2
232	COVID-19 in Pregnancy and Early Childhood (COPE): study protocol for a prospective, multicentre biobank, survey and database cohort study. 2021 , 11, e049376	2
231	Aromatase inhibitors use and risk for cardiovascular disease in breast cancer patients: A population-based cohort study. 2021 , 59, 157-164	5
230	The use of uncertain exposure-A method to define switching and add-on in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 ,	2.6 0
229	Risk of respiratory infection in patients with plaque psoriasis. 2021 , 85, 1013-1015	

228	Antiepileptic medicines in men and women with stroke in Sweden, a registry-based study. 2021 , 4, e405	0
227	Treatment and adherence to antihypertensive therapy in France: the roles of socioeconomic factors and primary care medicine in the ESTEBAN survey. 2021 , 44, 550-560	0
226	Familial co-aggregation of attention-deficit/hyperactivity disorder and autoimmune diseases: a cohort study based on Swedish population-wide registers. 2021 ,	1
225	Cancer in myasthenia gravis subtypes in relation to immunosuppressive treatment and acetylcholine receptor antibodies: A Swedish nationwide register study. 2021 , 28, 1706-1715	2
224	Nationwide paediatric cohort study of a protective association between allergy and complicated appendicitis. 2021 , 108, 1491-1497	1
223	Pharmacy-Based Medical Record Linkage Systems. 270-286	33
222	Sex-specific risk of emergency department revisits and early readmission following myocardial infarction. 2017 , 243, 54-58	7
221	Decomposition of income-related inequality in upper secondary school completion in Sweden by mental health, family conditions and contextual characteristics. 2020 , 11, 100566	2
220	Distribution of Pharmaceutical Residues in the Environment. 2015 , 34-69	4
219	Association Between Statin Use and Inflammatory Bowel Diseases: Results from a Swedish, Nationwide, Population-based Case-control Study. 2021 , 15, 757-765	2
218	The Patterns of Use of Medications for Inflammatory Bowel Disease During Pregnancy in the US and Sweden Are Changing. 2021 , 27, 1427-1434	0
217	Country of birth and mortality risk in hypertension with and without diabetes: the Swedish primary care cardiovascular database. 2021 , 39, 1155-1162	1
216	A genetic investigation of sex bias in the prevalence of attention deficit hyperactivity disorder.	3
215	Spousal bereavement, mortality and risk of negative health outcomes among older adults: a population-based study.	1
214	Respiratory infection during lithium and valproate medication: a within-individual prospective study of 50,000 patients with bipolar disorder.	3
213	Machine-Learning Prediction of Comorbid Substance Use Disorders in ADHD Youth Using Swedish Registry Data.	2
212	Drug survival of anti-TNF agents compared with vedolizumab as a second-line biological treatment in inflammatory bowel disease: results from nationwide Swedish registers. 2021 , 53, 471-483	7
211	Course of DISease In patients reported to the Swedish CPAP Oxygen and VEntilator RegistrY (DISCOVERY) with population-based controls. 2020 , 10, e040396	4

210	The economic burden of prostate cancer - a Swedish prevalence-based register study. 2020 , 20, 448	9
209	Selective Serotonin Reuptake Inhibitors and Violent Crime: A Cohort Study. 2015 , 12, e1001875	34
208	Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data. 2020 , 17, e1003416	15
207	Clinical use and effectiveness of lipid lowering therapies in diabetes mellitus--an observational study from the Swedish National Diabetes Register. 2011 , 6, e18744	23
206	Adherence to guidelines for avoiding drug interactions associated with warfarin--a Nationwide Swedish Register Study. 2014 , 9, e97388	7
205	Prevalence and incidence of diabetes in Stockholm County 1990-2010. 2014 , 9, e104033	25
204	Type, number or both? A population-based matched case-control study on the risk of fall injuries among older people and number of medications beyond fall-inducing drugs. 2015 , 10, e0123390	44
203	Adherence to Antihypertensive Therapy and Elevated Blood Pressure: Should We Consider the Use of Multiple Medications?. 2015 , 10, e0137451	31
202	Does Use of Low-Molecular-Weight Heparin during Pregnancy Influence the Risk of Prolonged Labor: A Population-Based Cohort Study. 2015 , 10, e0140422	2
201	Diabetes Prevalence in Sweden at Present and Projections for Year 2050. 2015 , 10, e0143084	51
200	An Original Stepwise Multilevel Logistic Regression Analysis of Discriminatory Accuracy: The Case of Neighbourhoods and Health. 2016 , 11, e0153778	115
199	Use of Fall-Risk Inducing Drugs in Patients Using Anti-Parkinson Drugs (APD): A Swedish Register-Based Study. 2016 , 11, e0161246	3
198	Long-Term Oxygen Therapy 24 vs 15 h/day and Mortality in Chronic Obstructive Pulmonary Disease. 2016 , 11, e0163293	17
197	Antibiotic Treatment and Length of Hospital Stay in Relation to Delivery Mode and Prematurity. 2016 , 11, e0164126	2
196	Psychotropic drug use as indicator of mental health in adolescents affected by a plexus injury at birth: A large population-based study in Sweden. 2018 , 13, e0193635	2
195	Observational study on time on treatment with abiraterone and enzalutamide. 2020 , 15, e0244462	5
194	Co-aggregation and heritability of organ-specific autoimmunity: a population-based twin study. 2020 , 182, 473-480	17
193	Stopping Renin-Angiotensin System Inhibitors in Patients with Advanced CKD and Risk of Adverse Outcomes: A Nationwide Study. 2021 , 32, 424-435	14

192	Digitalis use and risk of gastrointestinal cancers: A nationwide population-based cohort study. 2017 , 8, 34727-34735	9
191	Psychiatric morbidity and its impact on surgical outcomes for esophageal and gastric cancer patients: A nationwide cohort study. 2017 , 8, 81305-81314	6
190	Incidence of ICD-Based Diagnoses of Alcohol-Related Disorders and Diseases from Swedish Nationwide Registers and Suggestions for Coding. 2020 , 12, 1433-1442	4
189	Does the number of siblings affect health in midlife? Evidence from the Swedish Prescribed Drug Register. 35, 1259-1302	4
188	Use of nephrotoxic medications in adults with chronic kidney disease in Swedish and US routine care.. 2022 , 15, 442-451	1
187	Pregnancy outcomes in women with psoriatic arthritis with respect to presence and timing of antirheumatic treatment. 2021 ,	0
186	A population-based linked cohort of cancer and primary care data: A new source to study the management of cancer in primary care. 2021 , 31, e13529	1
185	Association of severe childhood infections with depression and intentional self-harm in adolescents and young adults. 2022 , 99, 247-255	0
184	Desloratadine Exposure and Incidence of Seizure: A Nordic Post-authorization Safety Study Using a New-User Cohort Study Design, 2001-2015. 2021 , 44, 1231-1242	0
183	Nationwide prevalence and characteristics of transthyretin amyloid cardiomyopathy in Sweden. 2021 , 8,	4
182	HMG-CoA reductase inhibitors and COVID-19 mortality in Stockholm, Sweden: A registry-based cohort study. 2021 , 18, e1003820	3
181	Validation of the 4-Item PRECISE-DAPT Score: A SWEDEHEART Study. 2021 , 10, e020974	0
180	Insomnia in Tourette Syndrome and Chronic Tic Disorder. 2021 ,	1
179	Analgesic prescriptions received by patients before commencing the BOA model of care for osteoarthritis: a Swedish national registry study with matched reference and clinical guideline benchmarking. 2021 , 1-8	
178	Multigenerational health research using population-based linked databases: an international review. 2021 , 6, 1686	
177	Use of antidepressants and risk of repeat self-harm in older adults 75+ with nonfatal self-harm: A 1-year prospective national study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 ,	2.6 0
176	Refill Adherence in Relation to Substitution and the Use of Multiple Medications: A Nationwide Population Based Study on New ACE-Inhibitor Users. 2016 , 11, e0155465	0
175	Risk Factors for Fatal Hyperglycaemia Confirmed by Forensic Postmortem Examination - A Nationwide Cohort in Sweden. 2016 , 11, e0164950	1

174	What are the sociodemographic and gender determinants of non-fatal self-harm in older adult users and non-users of antidepressants? A national population-based study.		
173	Glycemic Control and Risk of Sepsis and Subsequent Mortality in Type 2 Diabetes. 2021 ,		0
172	Neurodevelopmental and psychiatric disorders in females with Turner syndrome: a population-based study. 2021 , 13, 51		2
171	Types of working-life sequences among people recently diagnosed with multiple sclerosis in Sweden: a nationwide register-based cohort study. 2020 , 10, e039228		2
170	Prognostic significance of body temperature in the emergency department vs the ICU in Patients with severe sepsis or septic shock: A nationwide cohort study. 2020 , 15, e0243990		8
169	Burden and prevalence of prognostic factors for severe covid-19 disease in sweden.		2
168	Assessing short-term risk of ischemic stroke in relation to all prescribed medications. 2021 , 11, 21673		1
167	Associations between off-label low-dose olanzapine or quetiapine and cardiometabolic mortality. 2021 ,		2
166	Decline in mortality among hospitalised covid-19 patients in Sweden: a nationwide observational study.		1
165	Influence of statin-potency on the risk of kidney disease - A nationwide cohort study using laboratory data. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 210-219	2.6	0
164	Pregnancy outcomes in relation to disease activity and anti-rheumatic treatment strategies in women with rheumatoid arthritis. 2021 ,		1
163	Routine use of LMWH prophylaxis is associated with a lower incidence of venous thromboembolic events following an ankle fracture. 2021 ,		
162	Socioeconomic status affects achievement of blood pressure target in hypertension: contemporary results from the Swedish primary care cardiovascular database. 2021 , 1-8		0
161	Timing of dialysis initiation to reduce mortality and cardiovascular events in advanced chronic kidney disease: nationwide cohort study. 2021 , 375, e066306		2
160	Hit-and-run: a Swedish nationwide cohort study of serious transport accidents and convictions due to traffic offenses in obsessive-compulsive disorder. 2021 , 1		1
159	Exposure to duloxetine during pregnancy and risk of congenital malformations and stillbirth: A nationwide cohort study in Denmark and Sweden. 2021 , 18, e1003851		0
158	Circulating lipids and breast cancer prognosis in the Malmö diet and cancer study. 2021 , 1		1
157	There is no association between combined oral hormonal contraceptives and depression: a Swedish register-based cohort study. 2021 ,		0

156	Health-Care and Societal Costs Associated with Non-Persistence with Subcutaneous TNF- β Inhibitors in the Treatment of Inflammatory Arthritis (IA): A Retrospective Observational Study. 2021 , 1	0
155	The association of antidiabetic medications and Mini-Mental State Examination scores in patients with diabetes and dementia. 2021 , 13, 197	2
154	Health care utilisation in treatment-resistant depression: a Swedish population-based cohort study. 2021 , 1-8	3
153	Utilization of healthcare and prescription medicines after non-pharmacological interventions for depression - A 3-year register follow-up of an RCT in primary care.. 2022 , 25, 101658	1
152	Statin use and patterns of breast cancer recurrence in the Malmö Diet and Cancer Study.. 2022 , 61, 123-128	2
151	Oxycodone-Related Deaths: The Significance of Pharmacokinetic and Pharmacodynamic Drug Interactions.. 2022 , 47, 259	0
150	Use of antibiotics and risk of psychiatric disorders in newly diagnosed cancer patients: a population-based cohort study in Sweden.. 2022 ,	0
149	Antibiotic Therapy and Risk of Early-Onset Colorectal Cancer: A National Case-Control Study.. 2022 , 13,	0
148	Maternal smoking during pregnancy and type 1 diabetes in the offspring: A nationwide register-based study with family-based designs.	
147	Periodontal conditions and incident dementia: A nationwide Swedish cohort study.. 2022 ,	1
146	Prevalence and Implications of Frailty in Older Adults with Incident Inflammatory Bowel Diseases: a Nationwide Cohort Study.. 2022 ,	1
145	Adverse outcomes in chronic myeloid leukemia patients treated with tyrosine kinase inhibitors: Follow-up of patients diagnosed 2002-2017 in a complete coverage and nationwide agnostic register study.. 2022 ,	0
144	Real-world effectiveness of anti-resorptive treatment in patients with incident fragility fractures - The STORM cohort - A Swedish retrospective observational study.. 2022 ,	0
143	Glucose-Lowering Medications and Post-Dementia Survival in Patients with Diabetes and Dementia.. 2022 ,	
142	NSAID use and unnatural deaths after cancer diagnosis: a nationwide cohort study in Sweden.. 2022 , 22, 75	
141	TNF inhibitors in Crohn's disease and the effect on surgery rates.. 2021 ,	2
140	Long-term Follow-up of Psychiatric Disorders in Children and Adolescents Conceived by Assisted Reproductive Techniques in Sweden.. 2021 ,	0
139	Association of Etiological Factors for Hypomanic Symptoms, Bipolar Disorder, and Other Severe Mental Illnesses.. 2021 ,	

138	Primary Non-Adherence to Preventive Drugs and Associations with Beliefs About Medicines in Stroke Survivors.. 2022 , 16, 343-352	0
137	Association between menopausal hormone therapy use and mortality risk: a Swedish population-based matched cohort study.. 2022 , 1-9	
136	Initiation of Opioid Prescription and Risk of Suicidal Behavior Among Youth and Young Adults.. 2022 ,	
135	Pregnancy, perinatal and childhood outcomes in women with and without polycystic ovary syndrome and metformin during pregnancy: a nationwide population-based study.. 2022 , 20, 30	3
134	Association Between Antiseizure Drug Monotherapy and Mortality for Patients With Poststroke Epilepsy.. 2021 ,	1
133	Self-reported medication adherence and pharmacy refill adherence among persons with ischemic stroke: a cross-sectional study.. 2022 , 78, 869	0
132	Aspirin use in relation to long-term survival after gastrectomy for gastric adenocarcinoma.. 2022 , 25, 652	
131	Antipsychotic Use During Pregnancy and Risk for Gestational Diabetes: A National Register-Based Cohort Study in Sweden.. 2022 ,	1
130	Association of Tourette Syndrome and Chronic Tic Disorder With Violent Assault and Criminal Convictions.. 2022 ,	1
129	Neuropsychiatric Comorbidity in Primary Hyperparathyroidism Before and After Parathyroidectomy: A Population Study.. 2022 , 1	0
128	Lipidomic risk scores are independent of polygenic risk scores and can predict incidence of diabetes and cardiovascular disease in a large population cohort.. 2022 , 20, e3001561	1
127	Antibiotic use during pregnancy and the risk of preterm birth: a population-based Swedish cohort study.. 2022 ,	1
126	Cohort profile: decoding the epidemiology of liver disease in Sweden (DELIVER).. 2022 , 1-6	0
125	Association of intellectual disability with violent and sexual crime and victimization: a population-based cohort study.. 2022 , 1-9	1
124	Adjuvant Hormone Therapy-Related Hot Flashes Predict Treatment Discontinuation and Worse Breast Cancer Prognosis.. 2022 , 1-7	
123	Shared etiology of type 1 diabetes and Hashimoto's thyroiditis: A population-based twin study.. 2022 ,	
122	Nationwide data on home care and care home residence: presentation of the Swedish Social Service Register, its content and coverage.. 2021 , 14034948211061016	0
121	The profile of the COvid-19 VACcination register SAFETy study in Sweden (CoVacSafe-SE).. 2021 , 126,	1

120	Alterations in Biomarkers Related to Glycemia, Lipid Metabolism, and Inflammation up to 20 Years Before Diagnosis of Type 1 Diabetes in Adults: Findings From the AMORIS Cohort. 2021,		1
119	Patient characteristics and safety outcomes in new users of ticagrelor and clopidogrel-An observational cohort study in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2021,	2.6	0
118	Individuals with eosinophilic esophagitis are at greater risk of later psychiatric disorder.. 2022,		0
117	The role of ADHD genetic risk in mid-to-late life somatic health conditions.. 2022, 12, 152		0
116	Table_1.docx. 2018,		
115	Image_1.jpeg. 2020,		
114	Data_Sheet_1.docx. 2020,		
113	Exposure to Allergen-Specific Immunotherapy in Pregnancy and Risk of Congenital Malformations and Other Adverse Pregnancy Outcomes.. 2022,		0
112	Psychotropic medication use in parents of survivors of adolescent cancer: A register-based cohort study.. 2022,		0
111	Association Between Pharmacological Treatment of Attention-Deficit/Hyperactivity Disorder and Long-term Unemployment Among Working-Age Individuals in Sweden.. 2022, 5, e226815		0
110	Economic Burden of Generalized Pustular Psoriasis in Sweden: A Population-Based Register Study.. 2022, 12, 89-98		1
109	Method of Hormonal Contraception and Protective Effects Against Ectopic Pregnancy.. 2022, 139, 764-770		1
108	Melatonin usage in children and young adults, a registry-based cohort study. 2022,		1
107	Newly initiated cardiovascular medication and short-term risk of unintentional poisoning among Swedish middle-aged and older adults: A national register-based case-crossover study. 2022, 151, 113152		
106	Lipid-lowering treatment intensity, persistence, adherence and goal attainment in patients with coronary heart disease. 2022, 251, 78-78		0
105	Benchmarking observational analyses before using them to address questions trials do not answer: an application to coronary thrombus aspiration.		0
104	Cohort profile: the Swedish Pancreatitis Cohort (SwePan). 2022, 12, e059877		
103	Potentially Inappropriate Medications Pre- and Post-Diagnosis of Major Neurocognitive Disorders Among Older People in Sweden: A Register-Based, 6-Year Longitudinal Study.		0

102	Long-term time trends in reactivated herpes simplex infections and treatment in Sweden. 2022 , 22,	0
101	Low-dose aspirin use and colorectal cancer survival in 32,195 patients—A national cohort study.	2
100	Initiation of antihypertensive drugs to patients with confirmed COVID-19 - a population-based cohort study in Sweden.	0
99	Risk of fractures in individuals with eosinophilic esophagitis: nationwide population-based cohort study.	
98	Prevalence of potentially inappropriate medications among old people with major neurocognitive disorder in 2012 and 2017. 2022 , 22,	
97	Neonatal morbidity after fetal exposure to antipsychotics: a national register-based study. 2022 , 12, e061328	1
96	Long-term Survival After Sleeve Gastrectomy Versus Gastric Bypass in a Binational Cohort Study.	1
95	Prevalence and initiation of statin therapy in the oldest old—longitudinal population-based study.	
94	Childhood symptoms of Attention-Deficit /Hyperactivity Disorder and Borderline Personality Disorder.	1
93	Factors influencing quality of life in patients with osteoarthritis: analyses from the BISCUITS study. 2022 ,	
92	Intensity of and Adherence to Lipid-Lowering Therapy as Predictors of Major Adverse Cardiovascular Outcomes in Patients With Coronary Heart Disease.	1
91	Dental implant procedures contribution to the total antibiotic use in Swedish dentistry. A register-based study. 1-8	
90	Self-employment, sickness absence, and disability pension in multiple sclerosis.	
89	High Mortality Rate in Oral Glucocorticoid Users: A Population-Based Matched Cohort Study. 13,	0
88	Use of guideline-recommended medical therapy in patients with heart failure and chronic kidney disease: from physician's prescriptions to patient's dispensations, medication adherence and persistence.	1
87	Beta-blocker use and urothelial bladder cancer survival: a Swedish register-based cohort study. 1-9	0
86	Mortality and cancer in eosinophilic gastrointestinal disorders distal to the esophagus: nationwide cohort study 1990–2017.	0
85	Proton pump inhibitors for infants in three Scandinavian countries increased from 2007 to 2020 despite international recommendations.	0

84	Registry-based randomised clinical trials: a remedy for evidence-based diabetes care?.	0
83	Kidney Complications and Hospitalization in Patients With Chronic Hypoparathyroidism: A Cohort Study in Sweden.	
82	Maternal smoking during pregnancy and type 1 diabetes in the offspring: a nationwide register-based study with family-based designs. 2022 , 20,	0
81	Covid-19 and comedications in atrial fibrillation: a case-control study in Stockholm.	
80	Exposure to oestrogen and risk of anastomotic leakage after colorectal cancer surgery: a clue to the different leak rates in men and women.	2
79	Side effects of labor market policies.	0
78	Does persistence to methotrexate treatment in early rheumatoid arthritis have a familial component?. 2022 , 24,	
77	Determinants and effectiveness of extending the duration of adjuvant hormone therapy beyond 5 years in breast cancer patients.	0
76	COVID -19 clinical outcomes and DMT of MS patients and population-based controls.	0
75	Kidney function and prescribed dose in middle-aged and older patients starting selective serotonin reuptake inhibitors.	
74	Effects of a person-centred, nurse-led follow-up programme on adherence to prescribed medication among patients surgically treated for intermittent claudication: randomized clinical trial. 2022 , 109, 846-856	0
73	Bleeding events among patients concomitantly treated with direct oral anticoagulants and macrolide or fluoroquinolone antibiotics.	0
72	Genetic and environmental etiology of the broad avoidant restrictive food intake disorder phenotype in 6- to-12-year-old Swedish twins.	0
71	Attention-deficit/hyperactivity disorder as a risk factor for cardiovascular diseases: a nationwide population-based cohort study. 2022 , 21, 452-459	1
70	Familial autoimmunity in patients with idiopathic inflammatory myopathies.	0
69	Healthcare costs of adverse drug reactions and potentially inappropriate prescribing in older adults: a population-based study. 2022 , 12, e062589	2
68	Low-dose aspirin use in pregnancy and the risk of preterm birth: a Swedish register-based cohort study. 2022 ,	0
67	Hormone replacement in premenopausal women treated with bilateral oophorectomy for ovarian cancer: a nationwide population-based study. 2022 ,	0

- 66 Cohort profile: the Swedish Maternal Microbiome project (SweMaMi) [Assessing the dynamic associations between the microbiome and maternal and neonatal adverse events. **2022**, 12, e065825 ○
- 65 The significance of chronic kidney disease, heart failure and cardiovascular disease for mortality in type 1 diabetes: nationwide observational study. **2022**, 12, ○
- 64 Use of benzodiazepines and benzodiazepine-related drugs in the Nordic Countries between 2000 and 2020. ○
- 63 Risk of gastric and oesophageal adenocarcinoma following discontinuation of long-term proton-pump inhibitor therapy. ○
- 62 Early-Onset Type 2 Diabetes and Mood, Anxiety, and Stress-Related Disorders: A Genetically Informative Register-Based Cohort Study. ○
- 61 Losing a child to adolescent cancer: A register-based cohort study of psychotropic medication use in bereaved parents. ○
- 60 Pulmonary embolism in menopausal hormone therapy: a population-based register study. 1-7 ○
- 59 Risk of pre-eclampsia and impact of disease activity and antirheumatic treatment in women with rheumatoid arthritis, axial spondylarthritis and psoriatic arthritis: a collaborative matched cohort study from Sweden and Denmark. **2022**, 8, e002445 ○
- 58 Hormonal Contraceptive Use and Risk of Depression Among Young Women With Attention-Deficit/Hyperactivity Disorder. **2022**, ○
- 57 The relation of body mass index, body height, and parity to pyelonephritis: A nationwide population-based cohort study of over one million parous women (1997-2018). **2022**, 125, 67-73 ○
- 56 Mental health by native-immigrant intermarriage in Sweden: a register-based retrospective cohort study. ○
- 55 Time-dependent association between omeprazole and esomeprazole and hospitalization due to hyponatremia. ○
- 54 Effect of CYP2C19 polymorphisms on antidepressant prescription patterns and treatment emergent mania in bipolar disorder. ○
- 53 Duloxetine Exposure During Pregnancy [and the Risk of Offspring Being Born Small for Gestational Age or Prematurely: A Nationwide Danish and Swedish Safety Study. ○
- 52 Histological remission in inflammatory bowel disease and risk of adverse pregnancy outcomes: A nationwide study. **2022**, 101722 ○
- 51 Cohort profile: Nordic Helicobacter Pylori eradication project (NordHePEP). 1-7 ○
- 50 Use of central nervous system drugs in combination with selective serotonin reuptake inhibitor treatment: A Bayesian screening study for risk of suicidal behavior. 13, ○
- 49 Prevalence of Drugs and Drug Combinations that Increase Risk of Prolonged QT Time Among People with Major Neurocognitive Disorder Living in Sweden: A Cross-Sectional Registry Study. ○

- 48 Antibiotic use and the development of depression: A systematic review. **2023**, 164, 111113 ○
- 47 Predictors of Patient-Reported Fatigue Symptom Severity in a Nationwide Multiple Sclerosis Cohort. **2022**, 104481 ○
- 46 Adherence to CPAP therapy in Down syndrome: the population-based DISCOVERY study. ○
- 45 Population-based cohort study: proton pump inhibitor use during pregnancy in Sweden and the risk of maternal and neonatal adverse events. **2022**, 20, ○
- 44 Haematological malignancies in patients with psoriatic arthritis overall and treated with TNF inhibitors: a Nordic cohort study. **2022**, 8, e002776 ○
- 43 Potential overtreatment in end-of-life care in adults 65 years or older dying from cancer: applying quality indicators on nationwide registries. 1-9 1
- 42 Use of hormonal contraceptives and antidepressants and risks of suicidal behavior and accidents among women with premenstrual disorders: a nationwide cohort study. **2022**, 20, ○
- 41 Spasticity treatment patterns among people with multiple sclerosis: a Swedish cohort study. jnnp-2022-329886 ○
- 40 One versus two biological parents with mental disorders: Relationship to educational attainment in the next generation. 1-17 ○
- 39 Cardiovascular disease risk in paediatric and young adult non-alcoholic fatty liver disease. gutjnl-2022-328105 1
- 38 TRENDS IN TREATMENTS WITH DISEASE-SPECIFIC AND INTERFERING DRUGS IN PATIENTS WITH HEREDITARY ANGIOEDEMA IN SWEDEN. **2022**, ○
- 37 The Stockholm Gotland perinatal cohort: A population-based cohort including longitudinal data throughout pregnancy and the postpartum period. ○
- 36 Economic Burden of Palmoplantar Pustulosis in Sweden: A Population-based Register Study. 103, adv00843 ○
- 35 Long-term outcome after closure of an atrial shunt in patients aged 60 years or older with ischemic stroke: A nationwide, registry-based, case-control study. **2023**, 100438 ○
- 34 Mode of delivery and offspring atopic dermatitis in a Swedish nationwide study. **2023**, 34, ○
- 33 In-utero antibiotic exposure and subsequent infections in infancy: A register-based cohort study with sibling analysis. **2023**, 100860 ○
- 32 Paediatric asthma hospitalisations continue to decrease in Finland and Sweden between 2015 and 2020. thorax-2022-219539 ○
- 31 Use of sodium-glucose co-transporter 2 inhibitors and glucagon-like peptide-1 receptor agonists according to the 2019 ESC guidelines and the 2019 ADA/EASD consensus report in a national population of patients with type 2 diabetes. ○

- 30 Associations between β -blockers and psychiatric and behavioural outcomes: A population-based cohort study of 1.4 million individuals in Sweden. **2023**, 20, e1004164 ○
- 29 A prognostic model for predicting the duration of 20,049 sickness absence spells due to shoulder lesions in a population-based cohort in Sweden. **2023**, 18, e0280048 ○
- 28 Predominant Antibody Deficiency and Risk of Microscopic Colitis: A Nationwide Case-Control Study in Sweden. ○
- 27 COVID-19 and comedications in atrial fibrillation: a case-control study in Stockholm. ○
- 26 Use of Nonsteroidal Anti-Inflammatory Drugs and Risk of Breast Cancer: Evidence from a General Female Population and a Mammographic Screening Cohort in Sweden. **2023**, 15, 692 ○
- 25 Association of pre-existing maternal cardiovascular diseases with neurodevelopmental disorders in offspring: a cohort study in Sweden and British Columbia, Canada. ○
- 24 Risk of dementia and mild cognitive impairment in older adults with a criminal background: a population-based register study in Sweden. **2023**, 13, ○
- 23 Depression and anxiety disorders during the postpartum period in women diagnosed with attention deficit hyperactivity disorder. **2023**, 325, 817-823 ○
- 22 Longitudinal associations between use of antihypertensive, antidiabetic, and lipid-lowering medications and biological aging. ○
- 21 Long-term stability in obsessive thoughts and compulsive behavior in the general population: a longitudinal study in Sweden. 1-7 ○
- 20 Prolonged opioid use after distal radius fracture. ○
- 19 Percutaneous atrial shunt closure and the risk of recurrent ischemic stroke: A register-based, nationwide cohort study. **2023**, 32, 107084 ○
- 18 Autoimmune and Metabolic Diseases and the Risk of Early-Onset Colorectal Cancer, a Nationwide Nested Case-Control Study. **2023**, 15, 688 1
- 17 Glucagon-like peptide-1 receptor agonists and diabetic retinopathy: nationwide cohort and Mendelian randomization studies. **2023**, 21, ○
- 16 Swedish Snuff (Snus), Cigarette Smoking, and Risk of Type 2 Diabetes. **2023**, ○
- 15 Regional variations in excessive polypharmacy and potentially inappropriate drug use among older adults in Sweden: Trends from 2006 to 2020. 14, ○
- 14 Profile of psychotropic agents used in autism spectrum disorder according to comorbidities in Turkey: A 4-year evaluation. Publish Ahead of Print, ○
- 13 Estrogen therapy after breast cancer diagnosis and breast cancer mortality risk. **2023**, 198, 361-368 ○

- | | | |
|----|--|---|
| 12 | Use of proton pump inhibitors in scandinavian children and adolescents: An observational study. 11, | ○ |
| 11 | Healthcare visits for mental disorders and use of psychotropic medications before and after self-harm in a cohort aged 75+. 1-9 | ○ |
| 10 | Glucocorticoid exposure and the risk of serious infections in rheumatoid arthritis: a marginal structural model application. | ○ |
| 9 | Association between obstructive sleep apnoea and cancer: a cross-sectional, population-based study of the DISCOVERY cohort. 2023 , 13, e064501 | ○ |
| 8 | Neurodegenerative disease among male elite football (soccer) players in Sweden: a cohort study. 2023 , 8, e256-e265 | ○ |
| 7 | Ustekinumab Versus Anti-tumour Necrosis Factor Alpha Agents as Second-Line Biologics in Crohn's Disease. | ○ |
| 6 | Celiac disease and risk of microscopic colitis: A nationwide population-based matched cohort study. 2023 , 11, 189-201 | ○ |
| 5 | Melatonin use and the risk of self-harm and unintentional injuries in youths with and without psychiatric disorders. | ○ |
| 4 | Invasive cervical cancer, precancerous lesions, and cervical screening participation among women with mental illness in Sweden: a population-based observational study. 2023 , 8, e266-e275 | ○ |
| 3 | Rheumatoid arthritis and the risk of postpartum psychiatric disorders: a Nordic population-based cohort study. 2023 , 21, | ○ |
| 2 | Multiple sclerosis, disease-modifying drugs and risk for adverse perinatal and pregnancy outcomes: Results from a population-based cohort study. 135245852311614 | ○ |
| 1 | Labour market integration among young adults diagnosed with attention-deficit/hyperactivity disorder (ADHD) at working age. 1-11 | ○ |