
CITATION REPORT List of articles citing



DOI: 10.1002/pds.1335 Pharmacoepidemiology and Drug Safety, 2007, 16, 393-401.

Source: https://exaly.com/paper-pdf/42788737/citation-report.pdf

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
509	A comprehensive analysis of adverse obstetric and pediatric complications in women with asthma. 2007 , 175, 991-7		71
508	Combining population health and baseline risk strategy by determining an age cutoff for initiating statins in patients with diabetes: a population-based study. 2007 , 30, 2025-9		5
507	Comparative safety of long-acting inhaled bronchodilators: a cohort study using the UK THIN primary care database. 2007 , 30, 1151-60		31
506	Current awareness: Pharmacoepidemiology and drug safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, i-xii	2.6	
505	[Validation of secondary data. Strengths and limitations]. 2008 , 51, 1118-26		22
504	Response to van Staa and Parkinson. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 104-104	2.6	O
503	Response to: Validation studies of the health improvement network (THIN) database for pharmacoepidemiology research by Lewis et al. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 103-4; author reply 104	2.6	4
502	Validating the effects of drug treatment on blood pressure in the General Practice Research Database. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 535-45	2.6	20
501	Association between serious ischemic cardiac outcomes and medications used to treat diabetes. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 753-9	2.6	84
500	Use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDS) in UK and USA populations. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 1037	2.6	2
499	Databases for pediatric medicine research in Europeassessment and critical appraisal. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 1155-67	2.6	26
498	Declining public health burden of digoxin toxicity from 1991 to 2004. 2008 , 84, 90-4		27
497	Proton pump inhibitors reduce the long-term risk of recurrent upper gastrointestinal bleeding: an observational study. 2008 , 28, 629-37		28
496	Role of dose potency in the prediction of risk of myocardial infarction associated with nonsteroidal anti-inflammatory drugs in the general population. 2008 , 52, 1628-36		238
495	Effect of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study. 2008 , 63, 981-7		66
494	Association between renal failure and foot ulcer or lower-extremity amputation in patients with diabetes. 2008 , 31, 1331-6		133
493	Bullous pemphigoid and pemphigus vulgarisincidence and mortality in the UK: population based cohort study. 2008 , 337, a180		382

492	Age threshold for vascular prophylaxis by aspirin in patients without diabetes. 2008 , 94, 1429-32	9
491	Early head injury and attention deficit hyperactivity disorder: retrospective cohort study. 2008, 337, a1984	37
490	Discontinuation rates of anticholinergic medications used for the treatment of lower urinary tract symptoms. 2008 , 112, 1311-1318	93
489	Trends in the prevalence and incidence of diabetes in the UK: 1996-2005. 2009 , 63, 332-6	194
488	Statins in heart failure: retrospective cohort study using routine primary care data. 2009 , 41, 490-6	5
487	Influenza but not pneumococcal vaccination protects against all-cause mortality in patients with COPD. 2009 , 64, 567-72	51
486	The influence of glucose-lowering therapies on cancer risk in type 2 diabetes. 2009 , 52, 1766-77	870
485	Cancer incidence in The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2.6 2.6	58
484	Validity of The Health Improvement Network (THIN) for epidemiologic studies of hepatitis C virus infection. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 807-14	51
483	Positive predictive value of computerized medical records for uncomplicated and complicated upper gastrointestinal ulcer. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 900-9	33
482	Access to linked administrative healthcare utilization data for pharmacoepidemiology and pharmacoeconomics research in Canada: anti-viral drugs as an example. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1072-9	7
481	Uncomplicated peptic ulcer in the UK: trends from 1997 to 2005. 2009 , 30, 1039-48	36
480	A population-based study of acute medical conditions associated with bullous pemphigoid. 2009 , 161, 1149-52	33
479	Effect of statins on a wide range of health outcomes: a cohort study validated by comparison with randomized trials. 2009 , 67, 99-109	175
478	Prescribing trends and drug budget impact of the ARBs in the UK. 2009 , 12, 302-8	8
477	Role of diabetes mellitus and gastro-oesophageal reflux in the aetiology of idiopathic pulmonary fibrosis. 2009 , 103, 927-31	94
476	Do oral antimuscarinic drugs carry an increased risk of acute urinary retention?. 2009, 182, 1442-8	51
475	Use of angiotensin II receptor blockers and the risk of acute pancreatitis: a nested case-control study. 2009 , 9, 786-92	16

474	The incidence of pneumonia using data from a computerized general practice database. 2009 , 137, 709-16	22
473	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study. 2009 , 338, b1279	39
472	Acid-suppressive drugs and community-acquired pneumonia. 2009 , 20, 800-6	51
471	The clinical impact of identifying metabolic syndrome in patients with diabetes: a cross-sectional study. 2009 , 6, 21-4	3
470	Case validation in research using large databases. 2010 , 60, 160-1	15
469	The epidemiology of osteonecrosis: findings from the GPRD and THIN databases in the UK. 2010 , 21, 569-77	82
468	[Incidence rate of community acquired pneumonia in a population cohort registered in BIFAP]. 2010 , 42, 543-9	7
467	Validation of ischemic cerebrovascular diagnoses in the health improvement network (THIN). Pharmacoepidemiology and Drug Safety, 2010 , 19, 579-85	65
466	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 586-90	27
465	The differential effect of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers with respect to foot ulcer and limb amputation in those with diabetes. 2010 , 18, 445-51	9
464	Depression and treatment with antidepressants are associated with the development of gastro-oesophageal reflux disease. 2010 , 31, 1132-40	30
463	Ascertainment bias increases estimate of risk of GERD in depressed patients. 2010 , 32, 508-9	
462	Erythropoietin adjuvant therapy and sustained virological response in HCV-infected patients. 2010 , 32, 509-10	
461	Incidence of cancer in the general population and in patients with or without atopic dermatitis in the U.K. 2010 , 163, 1036-43	54
460	Predictors of responders to insulin therapy at 1 year among adults with type 2 diabetes. 2010 , 12, 865-70	19
459	Estimation of primary care treatment costs and treatment efficacy for people with Type 1 and Type 2 diabetes in the United Kingdom from 1997 to 2007*. 2010 , 27, 938-48	44
458	Risk of Upper Gastrointestinal Bleeding in a Cohort of New Users of Low-Dose ASA for Secondary Prevention of Cardiovascular Outcomes. 2010 , 1, 126	27
457	Risk of falls associated with antihypertensive medication: population-based case-control study. 2010 , 39, 592-7	69

(2011-2010)

456	Estimation of health care costs as a function of disease severity in people with psoriatic arthritis in the UK. 2010 , 49, 1949-56	37
455	Evaluation of varenicline as an aid to smoking cessation in UK general practice - a THIN database study. 2010 , 26, 861-70	21
454	Gastroesophageal reflux disease in children and adolescents in primary care. 2010, 45, 139-46	60
453	The inflammatory bowel diseases and ambient air pollution: a novel association. 2010 , 105, 2412-9	155
452	Acute pancreatitis in association with type 2 diabetes and antidiabetic drugs: a population-based cohort study. 2010 , 33, 2580-5	105
451	Prevalence, incidence, morbidity and treatment patterns in a cohort of patients diagnosed with anxiety in UK primary care. 2010 , 27, 9-16	62
450	Association between perinatal depression in mothers and the risk of childhood infections in offspring: a population-based cohort study. 2010 , 10, 799	45
449	Identifying the clinical characteristics of older people living in care homes using a novel approach in a primary care database. 2010 , 39, 617-23	30
448	Cardiovascular and metabolic risk profiles in young and old patients with type 2 diabetes. 2010 , 103, 881-4	29
447	Survival of people with clinical diagnosis of dementia in primary care: cohort study. 2010 , 341, c3584	141
446	Increased risk of myocardial infarction and stroke following exacerbation of COPD. 2010, 137, 1091-7	275
445	Anaphylaxis epidemiology in patients with and patients without asthma: a United Kingdom database review. 2010 , 125, 1098-1104.e1	135
444	Potential association between the oral tetracycline class of antimicrobials used to treat acne and inflammatory bowel disease. 2010 , 105, 2610-6	108
443	Follow-up of a cohort of children and adolescents with gastro-esophageal reflux disease who were free of reflux esophagitis at initial diagnosis. 2010 , 45, 814-21	6
442	Overview of Guidelines and Recommendations for the Planning, Conduct and Reporting of Company-Sponsored Observational, Noninterventional Studies in Europe. 2011 , 25, 235-244	
441	Risk of upper gastrointestinal bleeding with low-dose acetylsalicylic acid alone and in combination with clopidogrel and other medications. 2011 , 123, 1108-15	135
440	A comparison of duration of first prescribed insulin therapy in uncontrolled type 2 diabetes. 2011 , 94, 442-8	7
439	[Description of oral glucocorticoid prescriptions in general population]. 2011 , 32, 594-9	17

438	Acid suppressants reduce risk of gastrointestinal bleeding in patients on antithrombotic or anti-inflammatory therapy. 2011 , 141, 71-9		74
437	Atrial fibrillation and the use of oral bisphosphonates. 2011 , 7, 131-44		8
436	Effect of statin treatment on short term mortality after pneumonia episode: cohort study. 2011 , 342, d1642		62
435	Quality of chronic disease care for older people in care homes and the community in a primary care pay for performance system: retrospective study. 2011 , 342, d912		41
434	Prevalence and detection rate of underlying disease in men with erectile dysfunction receiving phosphodiesterase type 5 inhibitors in the United Kingdom: a retrospective database study. 2011 , 65, 797-806		13
433	Can primary care data be used to monitor regional smoking prevalence? An analysis of The Health Improvement Network primary care data. 2011 , 11, 773		20
432	Exposure to CYP3A4-inducing and CYP3A4-non-inducing antiepileptic agents and the risk of fractures. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 619-25	2.6	14
431	Confounding adjustment via a semi-automated high-dimensional propensity score algorithm: an application to electronic medical records. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 849-57	2.6	66
430	Hospitalised ischaemic cerebrovascular accident and risk factors in a primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1050-6	2.6	3
429	Antipsychotic prescribing to older people living in care homes and the community in England and Wales. 2011 , 26, 423-34		43
428	Prevalence of long-term oral glucocorticoid prescriptions in the UK over the past 20 years. 2011 , 50, 1982-90		155
427	Effect of pay for performance on the management and outcomes of hypertension in the United Kingdom: interrupted time series study. 2011 , 342, d108		172
426	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care. 2011 , 343, d4094		97
425	Increased risk of stroke after discontinuation of acetylsalicylic acid: a UK primary care study. 2011 , 76, 740-6		88
424	Frequency and risk factors of gout flares in a large population-based cohort of incident gout. 2011 , 50, 973-81		76
423	Study of the incremental cost and clinical burden of hip fractures in postmenopausal women in the United Kingdom. 2011 , 14, 99-107		28
422	Constituent country inequalities in myocardial infarction incidence and case fatality in men and women in the United Kingdom, 1996-2005. 2011 , 33, 131-8		10
421	The impact of dementia on influenza vaccination uptake in community and care home residents. 2012 , 41, 64-9		22

(2012-2012)

Gastroesophageal reflux disease in primary care: using changes in proton pump inhibitor therapy as an indicator of partial response. 2012 , 47, 751-61	14
Association between thiazolidinedione treatment and risk of macular edema among patients with type 2 diabetes. 2012 , 172, 1005-11	59
Obesity and the risk of psoriatic arthritis: a population-based study. 2012 , 71, 1273-7	195
Antibiotic exposure and IBD development among children: a population-based cohort study. 2012 , 130, e794-803	257
Opioid prescribing for cancer pain during the last 3 months of life: associated factors and 9-year trends in a nationwide United Kingdom cohort study. 2012 , 30, 4373-9	51
Do good health and material circumstances protect older people from the increased risk of death after bereavement?. 2012 , 176, 689-98	31
GRAPPA Trainees Symposium 2010: a report from the GRAPPA 2010 annual meeting. 2012 , 39, 394-7	5
Antihypertensive drugs and risk of incident gout among patients with hypertension: population based case-control study. 2012 , 344, d8190	143
Epidemiology of meningioma in the United Kingdom. 2012 , 39, 27-34	53
Risk factors for pseudogout in the general population. 2012 , 51, 2070-4	37
Association between longer therapy with thiazolidinediones and risk of bladder cancer: a cohort study. 2012 , 104, 1411-21	89
Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database. 2012 , 35, 762-7	27
A new user cohort study comparing the safety of long-acting inhaled bronchodilators in COPD. 2012 , 2,	22
Observational cohort study of the safety of digoxin use in women with heart failure. 2012 , 2, e000888	17
Quality of prescribing in care homes and the community in England and Wales. 2012, 62, e329-36	36
Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. 2012 , 62, e671-8	47
Body mass index and obstructive sleep apnoea in the UK: a cross-sectional study of the over-50s. 2012 , 21, 371-6	32
Use of antidepressant serotoninergic medications and cardiac valvulopathy: a nested case-control study in the health improvement network (THIN) database. 2012 , 74, 536-44	5
	Association between thiazolidinedione treatment and risk of macular edema among patients with type 2 diabetes. 2012, 172, 1005-11 Obesity and the risk of psoriatic arthritis: a population-based study. 2012, 71, 1273-7 Antibiotic exposure and IBD development among children: a population-based cohort study. 2012, 130, e794-803 Opioid prescribing for cancer pain during the last 3 months of life: associated factors and 9-year trends in a nationwide United Kingdom cohort study. 2012, 30, 4373-9 Do good health and material circumstances protect older people from the increased risk of death after bereavement?. 2012, 176, 689-98 GRAPPA Trainees Symposium 2010: a report from the GRAPPA 2010 annual meeting. 2012, 39, 394-7 Antihypertensive drugs and risk of incident gout among patients with hypertension: population based case-control study. 2012, 344, d8190 Epidemiology of meningioma in the United Kingdom. 2012, 39, 27-34 Risk factors for pseudogout in the general population. 2012, 51, 2070-4 Association between longer therapy with thiazolidinediones and risk of bladder cancer: a cohort study. 2012, 104, 1411-21 Validation of diabetic retinopathy and maculopathy diagnoses recorded in a U.K. primary care database. 2012, 35, 762-7 A new user cohort study comparing the safety of long-acting inhaled bronchodilators in COPD. 2012, 2, Observational cohort study of the safety of digoxin use in women with heart failure. 2012, 2, e000888 Quality of prescribing in care homes and the community in England and Wales. 2012, 62, e329-36 Impact of socioeconomic deprivation on maternal perinatal mental illnesses presenting to UK general practice. 2012, 62, e671-8 Body mass index and obstructive sleep apnoea in the UK: a cross-sectional study of the over-50s. 2012, 21, 371-6

402	Prevalence of metabolic syndrome in patients with psoriasis: a population-based study in the United Kingdom. 2012 , 132, 556-62		286
401	Antidepressant prescribing in older primary care patients in community and care home settings in England and Wales. 2012 , 13, 41-7		21
400	Clinical burden and incremental cost of fractures in postmenopausal women in the United Kingdom. 2012 , 51, 324-31		18
399	Hormonal therapies and meningioma: is there a link?. 2012 , 36, 198-205		54
398	The epidemiology of pharmacologically treated attention deficit hyperactivity disorder (ADHD) in children, adolescents and adults in UK primary care. 2012 , 12, 78		150
397	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study. 2012 , 35, 159-71		37
396	Validity of cancer diagnosis in a primary care database compared with linked cancer registrations in England. Population-based cohort study. 2012 , 36, 425-9		99
395	The risk of new onset heart failure associated with dopamine agonist use in Parkinson's disease. 2012 , 65, 358-64		43
394	[SIDIAP database: electronic clinical records in primary care as a source of information for epidemiologic research]. 2012 , 138, 617-21		135
393	Persistence of pharmacological treatment into adulthood, in UK primary care, for ADHD patients who started treatment in childhood or adolescence. 2012 , 12, 219		32
392	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care. 2012 , 7, e41670		44
391	Live and non-live pregnancy outcomes among women with depression and anxiety: a population-based study. 2012 , 7, e43462		36
390	Observational study of the association of first insulin type in uncontrolled type 2 diabetes with macrovascular and microvascular disease. 2012 , 7, e49908		7
389	The risks in risk prediction. 2012 , 344, e4215		1
388	Discontinuation of low-dose acetylsalicylic acid therapy in UK primary care: incidence and predictors in patients with cardiovascular disease. 2012 , 3, 1-9		5
387	Prescription patterns for diabetes mellitus and therapeutic implications: a population-based analysis. 2012 , 56, 120-7		8
386	Risk of cardiovascular events in people prescribed glucocorticoids with iatrogenic Cushing's syndrome: cohort study. 2012 , 345, e4928		61
385	Macrovascular and microvascular outcomes after beginning of insulin versus additional oral glucose-lowering therapy in people with type 2 diabetes: an observational study. Pharmacoepidemiology and Drug Safety, 2012, 21, 305-13	2.6	13

(2013-2012)

384	Predictors and time trends in clopidogrel and proton pump inhibitor coprescription with low-dose acetylsalicylic acid. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 463-9	5 1
383	Clinical importance of the drug interaction between statins and CYP3A4 inhibitors: a retrospective cohort study in The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 2.6 21, 494-506	5 34
382	Analyzing partially missing confounder information in comparative effectiveness and safety research of therapeutics. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21 Suppl 2, 13-20	ó 21
381	An algorithm to identify medical practices common to both the General Practice Research Database and The Health Improvement Network database. <i>Pharmacoepidemiology and Drug Safety</i> , 2.6 2012 , 21, 770-774	ó 24
380	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies. Pharmacoepidemiology and Drug Safety, 2012 , 21, 1202-15	ó 20
379	Incidence of infections in patients with giant cell arteritis: a cohort study. 2012 , 64, 581-8	39
378	Risk of first venous thromboembolism in and around pregnancy: a population-based cohort study. 2012 , 156, 366-73	133
377	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study. 2012 , 19, 271-7	51
376	A retrospective database study of insulin initiation in patients with Type 2 diabetes in UK primary care. 2012 , 29, e191-8	49
375	Type 2 diabetes mellitus and survival in pancreatic adenocarcinoma: a retrospective cohort study. 2013 , 119, 404-10	31
374	Management of adult attention deficit hyperactivity disorder in UK primary care: a survey of general practitioners. 2013 , 11, 22	19
373	An evaluation of the THIN database in the OMOP Common Data Model for active drug safety surveillance. 2013 , 36, 119-34	52
372	Psoriasis severity and the prevalence of major medical comorbidity: a population-based study. 2013 , 149, 1173-9	323
371	Managing data quality for a drug safety surveillance system. 2013 , 36 Suppl 1, S49-58	14
370	Treatment and referral patterns for psoriasis in United Kingdom primary care: a retrospective cohort study. 2013 , 13, 9	18
369	The risk of pulmonary embolism and deep vein thrombosis in rheumatoid arthritis: a UK population-based outpatient cohort study. 2013 , 72, 1182-7	84
368	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study. 2013 , 72, 1188-93	8 89
367	The impact of benzodiazepines on occurrence of pneumonia and mortality from pneumonia: a nested case-control and survival analysis in a population-based cohort. 2013 , 68, 163-70	100

366	A new "Comparative Effectiveness" assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 86-97	2.6	17
365	Effect of baseline gastrointestinal risk and use of proton pump inhibitors on frequency of discontinuation of aspirin for secondary cardiovascular prevention in United kingdom primary care. 2013 , 112, 1075-82		14
364	Occurrence of fertility problems presenting to primary care: population-level estimates of clinical burden and socioeconomic inequalities across the UK. 2013 , 28, 960-8		19
363	Prevalence and treatment patterns of psoriatic arthritis in the UK. 2013 , 52, 568-75		87
362	Mortality in older care home residents in England and Wales. 2013 , 42, 209-15		63
361	Childhood epilepsy recorded in primary care in the UK. 2013 , 98, 195-202		40
360	Trajectories of social engagement and depressive symptoms among long-term care facility residents in Hong Kong. 2013 , 42, 215-22		34
359	Risk of moderate to advanced kidney disease in patients with psoriasis: population based cohort study. 2013 , 347, f5961		114
358	Risk factors for falls with use of acid-suppressive drugs. 2013 , 24, 600-7		11
357	Observational data for comparative effectiveness research: an emulation of randomised trials of statins and primary prevention of coronary heart disease. 2013 , 22, 70-96		124
356	Mortality after hemorrhagic stroke: data from general practice (The Health Improvement Network). 2013 , 81, 559-65		81
355	Metformin and survival in pancreatic cancer: a retrospective cohort study. 2013, 42, 1054-9		50
354	Challenges of using primary care electronic medical records in the UK to study medications in pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 977-85	2.6	19
353	Association between body mass index and suicide, and suicide attempt among British adults: the health improvement network database. 2013 , 21, E334-42		28
352	Responders to insulin therapy at 18 Imonths in adults with newly diagnosed diabetes: which insulin regimen?. 2013 , 30, e95-100		8
351	Incidence of hemorrhagic stroke in the general population: validation of data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 176-82	2.6	36
350	Risk factors for first venous thromboembolism around pregnancy: a population-based cohort study from the United Kingdom. 2013 , 121, 3953-61		138
349	Cardiovascular and upper gastrointestinal bleeding consequences of low-dose acetylsalicylic acid discontinuation. 2013 , 110, 1298-304		25

348	Use of long-term antibiotic treatment in COPD patients in the UK: a retrospective cohort study. 2013 , 22, 271-7	17
347	The effect of unexpected bereavement on mortality in older couples. 2013 , 103, 1140-5	45
346	Use of clopidogrel and proton pump inhibitors after a serious acute coronary event: risk of coronary events and peptic ulcer bleeding. 2013 , 110, 1014-24	13
345	Use of primary care data for detecting impetigo trends, United kingdom, 1995-2010. 2013 , 19, 1646-8	10
344	Initiation of psychotropic medication after partner bereavement: a matched cohort study. 2013, 8, e77734	16
343	Refining Adverse Drug Reactions Using Association Rule Mining for Electronic Healthcare Data. 2014 ,	2
342	Risk of uncomplicated peptic ulcer disease in a cohort of new users of low-dose acetylsalicylic acid for secondary prevention of cardiovascular events. 2014 , 14, 205	8
341	Digoxin use and the risk for colorectal cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1147-532.6	16
340	The UK prevalence of hereditary haemorrhagic telangiectasia and its association with sex, socioeconomic status and region of residence: a population-based study. 2014 , 69, 161-7	51
339	Use of proton pump inhibitors and the risk of coronary events in new users of low-dose acetylsalicylic acid in UK primary care. 2014 , 111, 131-9	8
338	Refining Adverse Drug Reactions Using Association Rule Mining for Electronic Healthcare Data. 2014 ,	4
337	Incorporating Spontaneous Reporting System Data to Aid Causal Inference in Longitudinal Healthcare Data. 2014 ,	
336	The overlap of atopy and functional gastrointestinal disorders among 23,471 patients in primary care. 2014 , 40, 382-91	68
335	Women with celiac disease present with fertility problems no more often than women in the general population. 2014 , 147, 1267-74.e1; quiz e13-4	23
334	Validity of psoriatic arthritis and capture of disease modifying antirheumatic drugs in the health improvement network. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 918-22	38
333	The incidence of Barrett's oesophagus and oesophageal adenocarcinoma in the United Kingdom and The Netherlands is levelling off. 2014 , 39, 1321-30	34
332	Prescription of antihypertensive medications during pregnancy in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1051-8	13
331	Study of the association between hip fracture and acid-suppressive drug use in a UK primary care setting. 2014 , 34, 570-81	30

330	Maternal depression, antidepressant prescriptions, and congenital anomaly risk in offspring: a population-based cohort study. 2014 , 121, 1471-81	63
329	Diagnosis of pernicious anemia and the risk of pancreatic cancer. 2014 , 43, 422-6	4
328	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom. 2014 , 21, 566-75	5
327	First trimester exposure to anxiolytic and hypnotic drugs and the risks of major congenital anomalies: a United Kingdom population-based cohort study. 2014 , 9, e100996	46
326	Use of long-acting reversible contraceptives in the UK from 2004 to 2010: analysis using The Health Improvement Network Database. 2014 , 19, 439-47	12
325	Height as an independent anthropomorphic risk factor for colorectal cancer. 2014 , 26, 1422-7	6
324	Low-dose aspirin and upper gastrointestinal bleeding in primary versus secondary cardiovascular prevention: a population-based, nested case-control study. 2014 , 7, 70-7	12
323	Endometrial cancer after endometrial ablation vs medical management of abnormal uterine bleeding. 2014 , 21, 744-52	34
322	Professional Search in the Modern World. 2014 ,	2
321	Autoimmune thyroiditis as a risk factor for stroke: a historical cohort study. 2014 , 82, 1643-52	25
320	Increased prevalence of autoimmune diseases in functional gastrointestinal disorders: case-control study of 23471 primary care patients. 2014 , 40, 827-34	24
319	Incidence of bladder cancer in patients with type 2 diabetes treated with metformin or sulfonylureas. 2014 , 37, 1910-7	57
318	A Systematic Statistical Approach to Evaluating Evidence from Observational Studies. 2014 , 1, 11-39	40
317	Patterns in the use of low-dose acetylsalicylic acid and other therapies following upper gastrointestinal bleeding. 2014 , 14, 443-50	5
316	Risk of mortality in patients with psoriatic arthritis, rheumatoid arthritis and psoriasis: a longitudinal cohort study. 2014 , 73, 149-53	74
315	Use of prescription contraceptive methods in the UK general population: a primary care study. 2014 , 121, 53-60; discussion 60-1	29
314	Represcription of low-dose acetylsalicylic acid after discontinuation in patients receiving treatment for secondary cardiovascular disease prevention in the UK. 2014 , 14, 319-26	4
313	Limited risks of major congenital anomalies in children of mothers with IBD and effects of medications. 2014 , 146, 76-84	60

312	Trends in management and outcomes of COPD patients in primary care, 2000-2009: a retrospective cohort study. 2014 , 24, 14015		23
311	Evidence for increasing severity of community-onset boils and abscesses in UK General Practice. 2015 , 143, 2426-9		7
310	- Analysis of Medical Claims Data. 2015 , 224-265		
309	Limited risks of major congenital anomalies in children of mothers with coeliac disease: a population-based cohort study. 2015 , 122, 1833-41		5
308	The continuation rates of long-acting reversible contraceptives in UK general practice using data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 52-8	2.6	16
307	Monitoring of patients on long-term glucocorticoid therapy: a population-based cohort study. 2015 , 94, e647		22
306	Use of demographic and pharmacy data to identify patients included within both the Clinical Practice Research Datalink (CPRD) and The Health Improvement Network (THIN). <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 999-1003	2.6	16
305	Risk of community-acquired pneumonia in patients with a diagnosis of pernicious anemia: a population-based retrospective cohort study. 2015 , 27, 1259-64		6
304	Body mass index and all-cause mortality in patients with hypertension. 2015 , 23, 1712-20		12
303	Decreased fertility rates in 9639 women diagnosed with inflammatory bowel disease: a United Kingdom population-based cohort study. 2015 , 42, 855-66		50
302	Association between antibiotic prescribing in pregnancy and cerebral palsy or epilepsy in children born at term: a cohort study using the health improvement network. 2015 , 10, e0122034		28
301	The REporting of studies Conducted using Observational Routinely-collected health Data (RECORD) statement. 2015 , 12, e1001885		1647
300	Congenital Anomalies in Children of Mothers Taking Antiepileptic Drugs with and without Periconceptional High Dose Folic Acid Use: A Population-Based Cohort Study. 2015 , 10, e0131130		29
299	A Supervised Adverse Drug Reaction Signalling Framework Imitating Bradford Hill's Causality Considerations. 2015 ,		
298	Health Information Science. 2015 ,		2
297	Use of proton pump inhibitors is associated with fractures in young adults: a population-based study. 2015 , 26, 2501-7		72
296	The effect of past antibiotic exposure on diabetes risk. 2015 , 172, 639-48		107
295	NSAIDs, statins, low-dose aspirin and PPIs, and the risk of oesophageal adenocarcinoma among patients with Barrett's oesophagus: a population-based case-control study. 2015 , 5, e006640		38

294	Patterns of Antiplatelet Therapy in Patients Who Have Experienced an Acute Coronary Event: A Descriptive Study in UK Primary Care. 2015 , 20, 378-86	2
293	Determinants of saxagliptin use among patients with type 2 diabetes mellitus treated with oral anti-diabetic drugs. 2015 , 16, 8	5
292	Predictive modeling for incident and prevalent diabetes risk evaluation. 2015, 10, 277-284	3
291	New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer. 2015 , 113, 1607-14	44
290	What characteristics of primary care and patients are associated with early death in patients with lung cancer in the UK?. 2015 , 70, 161-8	44
289	A supervised adverse drug reaction signalling framework imitating Bradford Hill's causality considerations. 2015 , 56, 356-68	12
288	Incidence and Predictors of Hemorrhagic Stroke in Users of Low-Dose Acetylsalicylic Acid. 2015 , 24, 2321-8	4
287	Septic arthritis in gout patients: a population-based cohort study. 2015 , 54, 2095-9	12
286	Comparative Efficacy of Adding Sitagliptin to Metformin, Sulfonylurea or Dual Therapy: A Propensity Score-Weighted Cohort Study. 2015 , 6, 213-26	4
285	Antibiotic Exposure and Juvenile Idiopathic Arthritis: A Case-Control Study. 2015 , 136, e333-43	77
284	Use of Acid Suppression Medication is Associated With Risk for C. difficile Infection in Infants and Children: A Population-based Study. 2015 , 61, 912-7	56
283	Risk factors for hyperkalaemia in a cohort of patients with newly diagnosed heart failure: a nested case-control study in UK general practice. 2015 , 17, 205-13	46
282	Optimal systolic blood pressure target, time to intensification, and time to follow-up in treatment of hypertension: population based retrospective cohort study. 2015 , 350, h158	91
281	Cardiovascular events and all-cause mortality in a cohort of 57,946 patients with type 2 diabetes: associations with renal function and cardiovascular risk factors. 2015 , 14, 38	47
280	Thyroid dysfunction, thyroid hormone replacement and colorectal cancer risk. 2015, 107, djv084	25
279	Impact of antibiotic exposure on the risk of colorectal cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 534-42	57
278	Validation of a coding algorithm to identify bladder cancer and distinguish stage in an electronic medical records database. 2015 , 24, 303-7	13
277	Prescribed therapy for asthma: therapeutic ratios and outcomes. 2015 , 16, 49	21

276	Anti-depressant therapy and cancer risk: a nested case-control study. 2015 , 25, 1147-57	14
275	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. 2015 , 100, 466-73	30
274	Nicotine replacement therapy in pregnancy and major congenital anomalies in offspring. 2015 , 135, 859-67	31
273	A cost comparison of long-acting insulin analogs vs NPH insulin-based treatment in patients with type 2 diabetes using routinely collected primary care data from the UK. 2015 , 18, 273-82	5
272	Complications and mortality in hereditary hemorrhagic telangiectasia: A population-based study. 2015 , 84, 1886-93	55
271	Synthetic Glucocorticoids and Early Variations of Blood Pressure: A Population-Based Cohort Study. 2015 , 100, 2777-83	7
270	Recurrent antibiotic exposure may promote cancer formationAnother step in understanding the role of the human microbiota?. 2015 , 51, 2655-64	154
269	Can different primary care databases produce comparable estimates of burden of disease: results of a study exploring venous leg ulceration. 2015 , 32, 374-80	8
268	Drug treatment patterns for the management of men with lower urinary tract symptoms associated with benign prostatic hyperplasia who have both storage and voiding symptoms: a study using the health improvement network UK primary care data. 2015 , 31, 43-50	18
267	Risk of major cardiovascular events in patients with psoriatic arthritis, psoriasis and rheumatoid arthritis: a population-based cohort study. 2015 , 74, 326-32	281
266	Disentangling the Association between Statins, Cholesterol, and Colorectal Cancer: A Nested Case-Control Study. 2016 , 13, e1002007	35
265	Common Infections in Patients Prescribed Systemic Glucocorticoids in Primary Care: A Population-Based Cohort Study. 2016 , 13, e1002024	77
264	Carpal Tunnel Syndrome Associated with Oral Bisphosphonates. A Population-Based Cohort Study. 2016 , 11, e0146772	4
263	Heart failure hospitalization: An important prognostic factor for heart failure re-admission and mortality. 2016 , 220, 855-61	19
262	Analysis of the effect of sentiment analysis on extracting adverse drug reactions from tweets and forum posts. 2016 , 62, 148-58	96
261	Incidence and risk factors for atrial fibrillation in patients with newly diagnosed heart failure. 2016 , 17, 608-15	5
260	Increasing use of prescription drugs in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 628-36	20
259	The mental health and mortality impact of death of a partner with dementia. 2016 , 31, 929-37	9

258	The Association of Smoking and Surgery in Inflammatory Bowel Disease is Modified by Age at Diagnosis. 2016 , 7, e165	12
257	Reappraisal of risk factors for monoclonal gammopathy of undetermined significance. 2016 , 91, 581-4	10
256	Exposure to acid-suppressing drugs during pregnancy and the risk of asthma in childhood: an observational cohort study. 2016 , 43, 427-37	7
255	Using Prescription Patterns in Primary Care to Derive New Quality Indicators for Childhood Community Antibiotic Prescribing. 2016 , 35, 1317-1323	36
254	Cardiovascular events and all-cause mortality with insulin versus glucagon-like peptide-1 analogue in type 2 diabetes. 2016 , 102, 1581-7	25
253	Automatic identification of type 2 diabetes, hypertension, ischaemic heart disease, heart failure and their levels of severity from Italian General Practitioners' electronic medical records: a validation study. 2016 , 6, e012413	17
252	What Can Big Data Offer the Pharmacovigilance of Orphan Drugs?. 2016 , 38, 2533-2545	17
251	Serum glucose and hemoglobin A1C levels at cancer diagnosis and disease outcome. 2016 , 59, 90-98	10
250	Parkinson's disease and colorectal cancer risk-A nested case control study. 2016 , 43, 9-14	15
249	[The REporting of studies Conducted using Observational Routinely-collected health Data (RECORD) statement]. 2016 , 115-116, 33-48	32
248	Pernicious anemia and colorectal cancer risk - A nested case-control study. 2016 , 48, 1386-1390	6
247	Duration of oral tetracycline-class antibiotic therapy and use of topical retinoids for the treatment of acne among general practitioners (GP): A retrospective cohort study. 2016 , 75, 1142-1150.e1	22
246	Risk of seizure associated with use of acid-suppressive drugs: An observational cohort study. 2016 , 62, 72-80	6
245	Risk of bleeding after hospitalization for a serious coronary event: a retrospective cohort study with nested case-control analyses. 2016 , 16, 164	8
244	The Effect of Safety Warnings on Antipsychotic Drug Prescribing in Elderly Persons with Dementia in the United Kingdom and Italy: A Population-Based Study. 2016 , 30, 1097-1109	29
243	Ion channel blockers and glioblastoma risk and outcome: a nested case-control and retrospective cohort studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1179-1185	1
242	Type 2 diabetes, high blood pressure and acute pancreatitis. 2016 , 15, 443-5	2
241	An association between newly diagnosed cutaneous T cell lymphoma and prior impetigo: a nested case-control study. 2016 , 308, 661-664	2

240	Core requirements for successful data linkage: an example of a triangulation method. 2016 , 6, e011879	7
239	Royal College of General Practitioners Research and Surveillance Centre (RCGP RSC) sentinel network: a cohort profile. 2016 , 6, e011092	123
238	Data Resource Profile: The Danish National Prescription Registry. 2017, 46, 798-798f	397
237	Validation of a coding algorithm for intra-abdominal surgeries and adhesion-related complications in an electronic medical records database. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 405-12	3
236	Factors Associated with Upper Gastrointestinal Cancer Occurrence After Endoscopy that Did Not Diagnose Cancer. 2016 , 61, 2674-84	8
235	Predicting dementia risk in primary care: development and validation of the Dementia Risk Score using routinely collected data. 2016 , 14, 6	59
234	Impact of hyperkalaemia definition on incidence assessment: implications for epidemiological research based on a large cohort study in newly diagnosed heart failure patients in primary care. 2016 , 17, 51	6
233	Considerations for the analysis of longitudinal electronic health records linked to claims data to study the effectiveness and safety of drugs. 2016 , 100, 147-59	34
232	Pregabalin prescriptions in the United Kingdom: a drug utilisation study of The Health Improvement Network (THIN) primary care database. 2016 , 70, 380-8	27
231	Incidence and risk factors for severe renal impairment after first diagnosis of heart failure: A cohort and nested case-control study in UK general practice. 2016 , 207, 252-7	8
230	Refining adverse drug reaction signals by incorporating interaction variables identified using emergent pattern mining. 2016 , 69, 61-70	7
229	Is environmental radon gas associated with the incidence of neurodegenerative conditions? A retrospective study of multiple sclerosis in radon affected areas in England and Wales. 2016 , 154, 1-14	13
228	Association between low-dose acetylsalicylic acid reinitiation and the risk of myocardial infarction or coronary heart disease death. 2016 , 23, 1029-36	O
227	Assessing the risk of incident hypertension and chronic kidney disease after exposure to shock wave lithotripsy and ureteroscopy. 2016 , 89, 185-92	38
226	Administration of Antibiotics to Children Before Age 2 Years Increases Risk for Childhood Obesity. 2016 , 151, 120-129.e5	118
225	Association of Itraconazole, a Hedgehog Inhibitor, and Bladder Cancer. 2016 , 196, 343-8	7
224	A Risk Prediction Model for Sporadic CRC Based on Routine Lab Results. 2016 , 61, 2076-86	8
223	Determinants of Glycemic Response to Add-On Therapy with a Dipeptidyl Peptidase-4 Inhibitor: A Retrospective Cohort Study Using a United Kingdom Primary Care Database. 2016 , 18, 85-92	6

222	Designing and incorporating a real world data approach to international drug development and use: what the UK offers. 2016 , 21, 400-5	21
221	Antibiotic Exposure, Infection, and the Development of Pediatric Psoriasis: A Nested Case-Control Study. 2016 , 152, 191-9	21
220	Use of oral contraceptives in three European countries: a population-based multi-database study. 2016 , 21, 81-7	11
219	Statin use and mortality in rheumatoid arthritis: a general population-based cohort study. 2016 , 75, 1315-20	41
218	Development of an algorithm for determining smoking status and behaviour over the life course from UK electronic primary care records. 2017 , 17, 2	14
217	The Association between Age-Related Macular Degeneration and Renal Cell Carcinoma: A Nested Case-Control Study. 2017 , 26, 743-747	3
216	Proton pump inhibitors on pancreatic cancer risk and survival. 2017, 46, 80-84	33
215	Mood and Anxiety Disorders Precede Development of Functional Gastrointestinal Disorders in Patients but Not in the Population. 2017 , 15, 1014-1020.e4	69
214	Retrospective examination of lipid-lowering treatment patterns in a real-world high-risk cohort in the UK in 2014: comparison with the National Institute for Health and Care Excellence (NICE) 2014 lipid modification guidelines. 2017 , 7, e013255	23
213	Association of Depression and Treated Depression With Epilepsy and Seizure Outcomes: A Multicohort Analysis. 2017 , 74, 533-539	93
212	A tutorial on the use of instrumental variables in pharmacoepidemiology. <i>Pharmacoepidemiology</i> and <i>Drug Safety</i> , 2017 , 26, 357-367	39
211	Primary Prevention of Myocardial Infarction in Rheumatoid Arthritis Using Aspirin: A Case-crossover Study and a Propensity Score-matched Cohort Study. 2017 , 44, 418-424	5
210	The risk of fracture among patients with psoriatic arthritis and psoriasis: a population-based study. 2017 , 76, 882-885	45
209	Antibiotic prescribing frequency amongst patients in primary care: a cohort study using electronic health records. 2017 , 72, 1818-1824	35
208	Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs: The CVD-REAL Study (Comparative Effectiveness of Cardiovascular Outcomes in New Users of Sodium-Glucose Cotransporter-2 Inhibitors). 2017 ,	519
207	136, 249-259 Characteristics of children and adolescents first prescribed proton pump inhibitors or histamine-2-receptor antagonists: an observational cohort study. 2017 , 33, 2251-2259	2
206	Incidence of intracranial bleeds in new users of low-dose aspirin: a cohort study using The Health Improvement Network. 2017 , 15, 1055-1064	10
205	Effectiveness of Liraglutide and Lixisenatide in the Treatment of Type 2 Diabetes: Real-World Evidence from The Health Improvement Network (THIN) Database in the United Kingdom. 2017 , 8, 417-431	16

(2017-2017)

204	Mortality in patients who discontinue low-dose acetylsalicylic acid therapy after upper gastrointestinal bleeding. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 215-222	2.6	3
203	Temporal Trends of Venous Thromboembolism Risk Before and After Diagnosis of Giant Cell Arteritis. 2017 , 69, 176-184		13
202	A Clinical Prediction Model to Assess Risk for Pancreatic Cancer Among Patients With New-Onset Diabetes. 2017 , 152, 840-850.e3		78
201	Prescribing of cyproterone acetate/ethinylestradiol in UK general practice: a retrospective descriptive study using The Health Improvement Network. 2017 , 95, 299-305		6
200	Statins and the Risk of Intracerebral Hemorrhage in Patients With Previous Ischemic Stroke or Transient Ischemic Attack. 2017 , 48, 3245-3251		12
199	Incidence, treatment and recurrence of endometriosis in a UK-based population analysis using data from The Health Improvement Network and the Hospital Episode Statistics database. 2017 , 22, 334-343	3	14
198	Incidence of colorectal cancer in new users and non-users of low-dose aspirin without existing cardiovascular disease: A cohort study using The Health Improvement Network. 2017 , 248, 376-381		4
197	Low-dose aspirin and risk of intracranial bleeds: An observational study in UK general practice. 2017 , 89, 2280-2287		25
196	Meloxicam and risk of myocardial infarction: a population-based nested case-control study. 2017 , 37, 2071-2078		9
195	Cardiovascular outcomes for patients with symptomatic peripheral artery disease: A cohort study in The Health Improvement Network (THIN) in the UK. 2017 , 24, 1927-1937		17
194	Metabolically Healthy Obese and Incident Cardiovascular Disease Events Among 3.5 Million Men and Women. 2017 , 70, 1429-1437		237
193	Validation and incidence of community-acquired pneumonia in patients with type 2 diabetes in the BIFAP database. 2017 , 145, 3056-3064		7
192	Relationship between initial therapy and blood pressure control for high-risk hypertension patients in the UK: a retrospective cohort study from the THIN general practice database. 2017 , 7, e015527		9
191	Prescription rates of adrenaline auto-injectors for children in UK general practice: a retrospective cohort study. 2017 , 67, e300-e305		14
190	Utilization and safety of proton-pump inhibitors and histamine-2 receptor antagonists in children and adolescents: an observational cohort study. 2017 , 33, 2201-2209		5
189	Survival benefit of statin use in ankylosing spondylitis: a general population-based cohort study. 2017 , 76, 1737-1742		21
188	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000-2014. 2017 , 211, 175-181		197
187	Incidence and Management of Cardiovascular Risk Factors in Psoriatic Arthritis and Rheumatoid Arthritis: A Population-Based Study. 2017 , 69, 51-57		68

186	Intermittent Nitrate Use and Risk of Hip Fracture. 2017 , 130, 229.e15-229.e20		8
185	Identifying clinical features in primary care electronic health record studies: methods for codelist development. 2017 , 7, e019637		27
184	Postauthorization safety study of the DPP-4 inhibitor saxagliptin: a large-scale multinational family of cohort studies of five outcomes. 2017 , 5, e000400		13
183	The effectiveness of varenicline versus nicotine replacement therapy on long-term smoking cessation in primary care: a prospective cohort study of electronic medical records. 2017 , 46, 1948-1957		35
182	Effects of chronic exposure of hydroxychloroquine/chloroquine on the risk of cancer, metastasis, and death: a population-based cohort study on patients with connective tissue diseases. 2017 , 9, 545-554		8
181	Time Series Disturbance Detection for Hypothesis-Free Signal Detection in Longitudinal Observational Databases. 2018 , 41, 565-577		7
180	Clinically meaningful and lasting HbA improvement rarely occurs after 5 lyears of type 1 diabetes: an argument for early, targeted and aggressive intervention following diagnosis. 2018 , 61, 1064-1070		25
179	Safety of non-insulin glucose-lowering drugs in pregnant women with pre-gestational diabetes: A cohort study. 2018 , 20, 1642-1651		9
178	Risk of myocardial infarction with use of selected non-steroidal anti-inflammatory drugs in patients with spondyloarthritis and osteoarthritis. 2018 , 77, 1137-1142		28
177	Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. 2018 , 118, 461-470		14
176	Medication class enrichment analysis: a novel algorithm to analyze multiple pharmacologic exposures simultaneously using electronic health record data. 2018 , 25, 780-789		2
175	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. 2018 , 41, 523-536		9
175 174	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case		9
	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. 2018 , 41, 523-536		
174	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. 2018 , 41, 523-536 Do not hesitate: Peripheral artery disease is a fatal condition!. 2018 , 25, 260-262 Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a		1
174 173	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. 2018, 41, 523-536 Do not hesitate: Peripheral artery disease is a fatal condition!. 2018, 25, 260-262 Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a cohort study in The Health Improvement Network in the UK. 2018, 8, e018184		30
174 173 172	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. 2018, 41, 523-536 Do not hesitate: Peripheral artery disease is a fatal condition!. 2018, 25, 260-262 Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a cohort study in The Health Improvement Network in the UK. 2018, 8, e018184 Statin use and mortality in gout: A general population-based cohort study. 2018, 48, 449-455 Risk of Serious Infection, Opportunistic Infection, and Herpes Zoster among Patients with Psoriasis in the UnitedIKingdom. 2018, 138, 1726-1735	.6	1 30 6

168	Risk of Incident Liver Disease in Patients with Psoriasis, Psoriatic Arthritis, and Rheumatoid Arthritis: A Population-Based Study. 2018 , 138, 760-767	47
167	A standardized methodology for the surveillance of antimicrobial prescribing linked to clinical indications in primary care. 2018 , 40, 630-638	
166	Effects of obesity on metabolic and cardiovascular outcomes following insulin initiation in patients with type 2 diabetes. 2018 , 12, 72-84	4
165	Sociodemographic inequalities in the management of depression in adults aged 55 and over: an analysis of English primary care data. 2018 , 48, 1504-1513	15
164	Effect of adding GLP-1RA on mortality, cardiovascular events, and metabolic outcomes among insulin-treated patients with type 2 diabetes: A large retrospective UK cohort study. 2018 , 196, 18-27	13
163	Psoriasis and the risk of diabetes: A prospective population-based cohort study. 2018 , 78, 315-322.e1	57
162	Smoking paradox in the development of psoriatic arthritis among patients with psoriasis: a population-based study. 2018 , 77, 119-123	45
161	Patterns of glycaemic control in patients with type 2 diabetes mellitus initiating second-line therapy after metformin monotherapy: Retrospective data for 10 256 individuals from the United Kingdom and Germany. 2018 , 20, 389-399	31
160	Impact and longevity of measles-associated immune suppression: a matched cohort study using data from the THIN general practice database in the UK. 2018 , 8, e021465	20
159	Bayesian hierarchical vector autoregressive models for patient-level predictive modeling. 2018 , 13, e0208082	2
158	Antibiotic use in children with asthma: cohort study in UK and Dutch primary care databases. 2018 , 8, e022979	10
157	Posttraumatic Stress Disorder and Cancer Risk: A Nested Case-Control Study. 2018 , 31, 919-926	2
156	Association of Chronic Kidney Disease With Allopurinol Use in Gout Treatment. 2018 , 178, 1526-1533	26
155	Risk of acute myocardial infarction during use of individual NSAIDs: A nested case-control study from the SOS project. 2018 , 13, e0204746	29
154	Clinical Text Mining. 2018,	39
153	Hormonal contraception is not associated with increased risk for seizures in the general population: results from a cohort study using The Health Improvement Network. 2018 , 74, 1175-1180	3
152	The impact of depression and antidepressant usage on primary biliary cholangitis clinical outcomes. 2018 , 13, e0194839	13
151	Trends in the contemporary incidence of colorectal cancer and patient characteristics in the United Kingdom: a population-based cohort study using The Health Improvement Network. 2018 , 18, 402	11

150	Real world management of pregestational diabetes not achieving glycemic control for many patients in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 940-948	2.6	3
149	Trends in dementia diagnosis rates in UK ethnic groups: analysis of UK primary care data. 2018 , 10, 949-9	60	40
148	Response to: 'Association between use of non-steroidal anti-inflammatory drugs and risk of myocardial infarction in patients with spondyloarthritis and osteoarthritis'. 2019 , 78, e79		1
147	Ascertainment and validation of major bleeding events in a primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 148-155	2.6	10
146	Association Between Idiopathic Intracranial Hypertension and Risk of Cardiovascular Diseases in Women in the United Kingdom. 2019 , 76, 1088-1098		41
145	The Danish health care system and epidemiological research: from health care contacts to database records. 2019 , 11, 563-591		349
144	Electronic Health Record Databases. 2019 , 241-289		2
143	Development of hypotension in patients newly diagnosed with heart failure in UK general practice: retrospective cohort and nested case-control analyses. 2019 , 9, e028750		2
142	The effect of low-dose aspirin on colorectal cancer prevention and gastrointestinal bleeding according to bodyweight and body mass index: Analysis of UK primary care data. 2019 , 297, 135-139		3
141	Thiazide diuretics and risk of knee replacement surgery among patients with knee osteoarthritis: a general population-based cohort study. 2019 , 27, 1454-1461		2
140	Decreasing Risk of First and Subsequent Surgeries in Patients With Crohn's Disease in England From 1994 through 2013. 2019 , 17, 2042-2049.e4		22
139	Association Between Peripheral Neuropathy and Exposure to Oral Fluoroquinolone or Amoxicillin-Clavulanate Therapy. 2019 , 76, 827-833		28
138	. 2019 , 191, E216-E230		O
137	Seizure frequency, healthcare resource utilisation and mortality in childhood epilepsy: a retrospective cohort study using the THIN database. 2019 , 104, 1070-1076		2
136	Appropriateness of initial dose of non-vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation in the UK. 2019 , 9, e031341		21
135	Discontinuation of non-Vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation: a population-based cohort study using primary care data from The Health Improvement Network in the UK. 2019 , 9, e031342		9
134	Incidence of Upper and Lower Gastrointestinal Bleeding in New Users of Low-Dose Aspirin. 2019 , 17, 887-895.e6		16
133	Relative and Absolute Risk of Tendon Rupture with Fluoroquinolone and Concomitant Fluoroquinolone/Corticosteroid Therapy: Population-Based Nested Case-Control Study. 2019 , 39, 205-2	13	26

(2020-2019)

132	Predictors of Over-Anticoagulation in Warfarin Users in the UK General Population: A Nested Case-Control Study in a Primary Health Care Database. 2019 , 119, 66-76	10
131	Relationship between HbA1c and all-cause mortality in older patients with insulin-treated type 2 diabetes: results of a large UK Cohort Study. 2019 , 48, 235-240	9
130	Depression increases the risk of inflammatory bowel disease, which may be mitigated by the use of antidepressants in the treatment of depression. 2019 , 68, 1606-1612	77
129	Cardiovascular, thromboembolic and renal outcomes in IgA vasculitis (Henoch-Schilein purpura): a retrospective cohort study using routinely collected primary care data. 2019 , 78, 261-269	29
128	Contemporary epidemiology of systemic sclerosis: A population-based cohort study in the United Kingdom. 2019 , 49, 105-111	6
127	Stillbirth Among Women Prescribed Nicotine Replacement Therapy in Pregnancy: Analysis of a Large UK Pregnancy Cohort. 2019 , 21, 409-415	12
126	Propensity score analysis with partially observed covariates: How should multiple imputation be used?. 2019 , 28, 3-19	92
125	Risk of bleeding events among patients with systemic sclerosis and the general population in the UK: a large population-based cohort study. 2020 , 39, 19-26	O
124	Drug databases and their contributions to drug repurposing. 2020 , 112, 1087-1095	38
123	Increased Infection Risk in Addison's Disease and Congenital Adrenal Hyperplasia. 2020 , 105,	30
122	Association of tramadol with risk of myocardial infarction among patients with osteoarthritis. 2020 , 28, 137-145	7
121	Treatment patterns in UK adult patients with atopic dermatitis treated with systemic immunosuppressants: data from The Health Improvement Network (THIN). 2020 , 31, 815-820	1
120	Impact of risk minimisation measures on the use of strontium ranelate in Europe: a multi-national cohort study in 5 EU countries by the EU-ADR Alliance. 2020 , 31, 721-755	6
119	Safety and Effectiveness of Direct Oral Anticoagulants vs Warfarin in People With Atrial Fibrillation and Dementia. 2020 , 21, 1058-1064.e6	13
118	Oral anticoagulant and reduced risk of dementia in patients with atrial fibrillation: A population-based cohort study. 2020 , 17, 706-713	26
117	Psychotropic Medication Prescribing for Neuropsychiatric Comorbidities in Individuals Diagnosed with Autism Spectrum Disorder (ASD) in the UK. 2020 , 50, 625-633	8
116	Impact of chronic kidney disease definition on assessment of its incidence and risk factors in patients with newly diagnosed type 1 and type 2 diabetes in the UK: A cohort study using primary care data from the United Kingdom. 2020 , 14, 381-387	7
115	Prescribing Pathways to Triple Therapy: A Multi-Country, Retrospective Observational Study of Adult Patients with Chronic Obstructive Pulmonary Disease. 2020 , 6, 333-350	6

114	Diuretics and risk of lower extremity amputation amongst patients with insulin-treated type 2 diabetes - exploring the mechanism of possible sodium glucose co-transporter 2 inhibitor induced risk of lower extremity amputations. 2020 , 36, 1985-1989		4
113	Feasibility study to identify women of childbearing age at risk of pregnancy not using any contraception in The Health Improvement Network (THIN) database. 2020 , 20, 164		О
112	Association between hydrochlorothiazide exposure and different incident skin, lip and oral cavity cancers: A series of population-based nested case-control studies. 2020 , 86, 1336-1345		17
111	Development, validation and effectiveness of diagnostic prediction tools for colorectal cancer in primary care: a systematic review. 2020 , 20, 1084		3
110	Delayed Denosumab Injections and Fracture Risk Among Patients With Osteoporosis : A Population-Based Cohort Study. 2020 , 173, 516-526		19
109	Rationale and design of a European epidemiological post-authorization safety study (PASS) program: rivaroxaban use in routine clinical practice. 2020 , 19, 1513-1520		2
108	Impact of variable look-back periods on the incidence rates of chronic diseases using real world data. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1086-1092	2.6	1
107	Media content analysis of general practitioners' reactions to care.data expressed in the media: what lessons can be learned for future NHS data-sharing initiatives?. 2020 , 10, e038006		2
106	Risk of venous thromboembolism in knee, hip and hand osteoarthritis: a general population-based cohort study. 2020 , 79, 1616-1624		9
105	Prevalence and Incidence of Dementia in People with Diabetes Mellitus. 2020 , 75, 607-615		9
104	Big Data and Atrial Fibrillation: Current Understanding and New Opportunities. 2020, 13, 944-952		5
103	The comorbid patient: does your heart sink?. 2020 , 106, 790		1
102	Trends in oral anticoagulant prescribing in individuals with type 2 diabetes mellitus: a population-based study in the UK. 2020 , 10, e034573		9
101	Identification of potentially undiagnosed patients with nontuberculous mycobacterial lung disease using machine learning applied to primary care data in the UK. 2020 , 56,		5
100	Application of Healthcare 'Big Data' in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). 2020 , 34, 897-913		5
99	Health service use by patients with heart failure living in a community setting: a cross-sectional analysis in North West London. 2020 , 70, e563-e572		2
98	Using clinical registries, administrative data and electronic medical records to improve medication safety and effectiveness in dementia. 2020 , 33, 163-169		2
97	Assessing the effects of beta-blockers on pancreatic cancer risk: A nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 599-604	2.6	4

(2021-2020)

96	Association between proton pump inhibitors use and risk of hip fracture: A general population-based cohort study. 2020 , 139, 115502	3
95	Impact of obesity and metabolic health status in the development of non-alcoholic fatty liver disease (NAFLD): A United Kingdom population-based cohort study using the health improvement network (THIN). 2020 , 20, 96	5
94	Association of Tramadol Use With Risk of Hip Fracture. 2020 , 35, 631-640	8
93	No association between use of phosphodiesterase 5 inhibitors and colorectal cancer in men with erectile dysfunction. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 605-608	4
92	Changing patterns in the epidemiology and outcomes of inflammatory bowel disease in the United Kingdom: 2000-2018. 2020 , 51, 922-934	20
91	Temporal trends in incidence of Rolandic epilepsy, prevalence of comorbidities and prescribing trends: birth cohort study. 2020 , 105, 569-574	O
90	Low-dose aspirin and risk of gastric and oesophageal cancer: A population-based study in the United Kingdom using The Health Improvement Network. 2020 , 147, 2394-2404	6
89	Development and validation of data quality rules in administrative health data using association rule mining. 2020 , 20, 75	4
88	Oral corticosteroid prescription patterns for asthma in France, Germany, Italy and the UK. 2020 , 55,	12
87	Methotrexate and relative risk of dementia amongst patients with rheumatoid arthritis: a multi-national multi-database case-control study. 2020 , 12, 38	5
86	Cost-effectiveness of superabsorbent wound dressing versus standard of care in patients with moderate-to-highly exuding leg ulcers. 2020 , 29, 235-246	1
85	Effect of Proton Pump Inhibitors on Risks of Upper and Lower Gastrointestinal Bleeding among Users of Low-Dose Aspirin: A Population-Based Observational Study. 2020 , 9,	3
84	Treatment pathway analysis of newly diagnosed dementia patients in four electronic health record databases in Europe. 2021 , 56, 409-416	1
83	Patterns and factors influencing oral anticoagulant prescription in people with atrial fibrillation and dementia: Results from UK primary care. 2021 , 87, 1056-1068	1
82	Initial analgesic prescriptions for osteoarthritis in the United Kingdom, 2000-2016. 2021 , 60, 147-159	8
81	Digoxin use is associated with pancreatic cancer risk but does not affect survival. 2021 , 32, 41-46	O
80	Development and Validation of a Method to Estimate COPD Severity in Multiple Datasets: A Retrospective Study. 2021 , 7, 119-132	
79	Long-term systemic glucocorticoid therapy and weight gain: a population-based cohort study. 2021 , 60, 1502-1511	2

78	Cardiovascular and Renal Morbidity in Takayasu Arteritis: A Population-Based Retrospective Cohort Study From the United Kingdom. 2021 , 73, 504-511	5
77	A clinical prediction model to assess risk for pancreatic cancer among patients with prediabetes. 2022 , 34, 33-38	4
76	Changes in prescribing rates of sodium-containing medications in the UK from 2009 to 2018: a cross-sectional study with interrupted time series analysis. 2021 , 11, e043566	1
75	Association of Metformin with Susceptibility to COVID-19 in People with Type 2 Diabetes. 2021 , 106, 1255-1268	16
74	Association Between Statin Use at the Time of Intra-abdominal Surgery and Postoperative Adhesion-Related Complications and Small-Bowel Obstruction. 2021 , 4, e2036315	3
73	Temporal trends in co-morbidities and cardiometabolic risk factors at the time of type 2 diabetes diagnosis in the UK. 2021 , 23, 1150-1161	3
72	Does smoking cessation increase risk of knee replacement? a general population-based cohort study. 2021 , 29, 697-706	5
71	The Role of Advanced Technologies Supplemented with Traditional Methods in Pharmacovigilance Sciences. 2021 , 15, 34-50	3
70	Impact of major depression and antidepressant use on alcoholic and non-alcoholic fatty liver disease: A population-based study. 2021 , 41, 2308-2317	1
69	Obesity Without Metabolic Abnormality and Incident CKD: A Population-Based British Cohort Study. 2021 ,	2
68	Incidence of Lyme disease in the United Kingdom and association with fatigue: a population-based, historical cohort study.	
67	Mortality of People with Parkinson's Disease in a Large UK-Based Cohort Study: Time Trends and Relationship to Disease Duration. 2021 ,	1
66	Incidence of cardiometabolic diseases in people living with and without HIV in the UK: a population-based matched cohort study. 2021 ,	1
65	Body surface area affected by psoriasis and the risk for psoriatic arthritis: a prospective population-based cohort study. 2021 ,	2
64	The Risk of Later Diagnosis of Inflammatory Bowel Disease in Patients With Dermatological Disorders Associated With Inflammatory Bowel Disease. 2021 , 27, 1731-1739	1
63	Medical Record Databases. 224-243	22
62	Association between insulin-induced weight change and CVD mortality: Evidence from a historic cohort study of 18,814 patients in UK primary care. 2018 , 34, e2945	4
61	Impact of the black triangle label on prescribing of new drugs in the United Kingdom: lessons for the United States at a time of deregulation. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1307-1313 ^{2.6}	3

60	Clinical Text Retrieval - An Overview of Basic Building Blocks and Applications. 2014, 147-165	5
59	Identifying Candidate Risk Factors for Prescription Drug Side Effects Using Causal Contrast Set Mining. 2015 , 45-55	1
58	Characteristics of Patient Records and Clinical Corpora. 2018, 21-34	4
57	Oral glucocorticoid use and osteonecrosis in children and adults with chronic inflammatory diseases: a population-based cohort study. 2017 , 7, e016788	20
56	Prevalence of anal fistula in the United Kingdom. 2019 , 7, 1795-1804	13
55	Availability and quality of coronary heart disease family history in primary care medical records: implications for cardiovascular risk assessment. 2014 , 9, e81998	21
54	Risk factors associated with uncomplicated peptic ulcer and changes in medication use after diagnosis. 2014 , 9, e101768	13
53	The Protective Effect of Low-Dose Aspirin against Colorectal Cancer Is Unlikely Explained by Selection Bias: Results from Three Different Study Designs in Clinical Practice. 2016 , 11, e0159179	24
52	Bell's palsy and influenza(H1N1)pdm09 containing vaccines: A self-controlled case series. 2017 , 12, e0175539	5
51	Glucocorticoid management of adrenal insufficiency in the United Kingdom: assessment using real-world data. 2019 , 8, 20-31	15
50	Refining Adverse Drug Reaction Signals by Incorporating Interaction Variables Identified Using Emergent Pattern Mining.	1
49	Evaluating the Representativeness of US Centricity Electronic Medical Records With Reports From the Centers for Disease Control and Prevention: Comparative Study on Office Visits and Cardiometabolic Conditions. 2020 , 8, e17174	4
48	Cancer diagnostic tools to aid decision-making in primary care: mixed-methods systematic reviews and cost-effectiveness analysis. 2020 , 24, 1-332	5
47	Study of a cohort of patients newly diagnosed with depression in general practice: prevalence, incidence, comorbidity, and treatment patterns. 2010 , 12, PCC.08m00764	27
46	The epidemiology of atopic dermatitis in older adults: A population-based study in the United Kingdom. 2021 , 16, e0258219	О
45	Antibiotic use but not gastrointestinal infection frequently precedes first diagnosis of functional gastrointestinal disorders. 2021 , 9, 1074-1080	1
44	Examples of Existing Automated Databases. 123-177	
43	Incorporating Spontaneous Reporting System Data to Aid Causal Inference in Longitudinal Healthcare Data.	

42	Identifying Candidate Risk Factors for Prescription Drug Side Effects Using Causal Contrast Set Mining.	
41	Increased infection risk in Addison disease and congenital adrenal hyperplasia: a primary care database cohort study.	
40	Evaluating the Representativeness of US Centricity Electronic Medical Records With Reports From the Centers for Disease Control and Prevention: Comparative Study on Office Visits and Cardiometabolic Conditions (Preprint).	0
39	Risk of herpesvirus, serious, and opportunistic infections in atopic dermatitis: a population-based cohort study. 2021 ,	2
38	Electronic Health Record Databases. 2021 , 174-191	
37	Antipsychotic Medication and Risk of Incident Seizure in People with Autism Spectrum Disorder: Analyses with Cohort and Within Individual Study Designs. 2021 , 1	0
36	Digoxin targets low density lipoprotein receptor-related protein 4 and protects against osteoarthritis. 2021 ,	1
35	Association of Metformin with Risk of Venous Thromboembolism in Adults with Type 2 Diabetes: A General Population-Based Cohort Study 2022 ,	
34	Proton pump inhibitor therapy and risk of knee replacement surgery: a general population-based cohort study 2022 ,	0
33	Sodium-containing acetaminophen and cardiovascular outcomes in individuals with and without hypertension 2022 ,	3
32	Allopurinol Initiation and All-Cause Mortality Among Patients With Gout and Concurrent Chronic Kidney Disease: A Population-Based Cohort Study 2022 ,	1
31	The risk of mental illness in people living with HIV in the UK: a propensity score-matched cohort study 2022 ,	3
30	Change in the incidence of Parkinson's disease in a large UK primary care database 2022 , 8, 23	О
29	Incidence of Lyme disease in the United Kingdom and association with fatigue: A population-based, historical cohort study 2022 , 17, e0265765	0
28	Adult atopic eczema and the risk of dementia: A population-based cohort study 2022,	0
27	On the survival of individuals diagnosed with type 2 diabetes mellitus in the United Kingdom: A retrospective matched cohort study. 2022 , 6, 100065	0
26	A comparison of regression discontinuity and propensity score matching to estimate the causal effects of statins using electronic health records.	
25	Association between tramadol use and risk of pneumonia in the middle-aged and elderly populations: a propensity-score matched cohort study 2022 ,	

24	On the survival of individuals diagnosed with type 2 diabetes mellitus in the United Kingdom: a retrospective matched cohort study.	
23	Acute kidney injury in patients with non-valvular atrial fibrillation treated with rivaroxaban or warfarin: a population-based study from the United Kingdom.	
22	Denosumab and risk of community-acquired pneumonia: A population-based cohort study 2022,	0
21	Risk of a subsequent diagnosis of inflammatory bowel disease in subjects with ophthalmic disorders associated with inflammatory bowel disease: a retrospective cohort analysis of UK primary care data 2022 , 12, e052833	O
20	Peptic Ulcer Disease and Risk of Hip Fracture: A General Population-based Cohort Study.	O
19	The association between inflammatory bowel disease and mental ill health: A retrospective cohort study using data from UK primary care.	O
18	Long term survival after a first transient ischaemic attack in England: A retrospective matched cohort study. 2022 , 31, 106663	
17	Atopic dermatitis and risk of major neuropsychiatric disorders in children: a population-based cohort study.	0
16	Concurrent Use of Oral Anticoagulants and Sulfonylureas in Individuals With Type 2 Diabetes and Risk of Hypoglycemia: A UK Population-Based Cohort Study. 9,	
15	Anterior cruciate ligament tear increases the risk of venous thromboembolism: a population-based cohort study.	
14	Gout and Excess Risk of Severe SARS-CoV -2 Infection Among Vaccinated Individuals: A General Population Study.	O
13	Sodium-glucose cotransporter-2 inhibitors and the risk of gout in patients with type 2 diabetes mellitus: A propensity-score-matched, new-user design study with an active comparator using the IQVIA Medical Research Data UK database.	Ο
12	Angiotensin receptor blockade is associated with increased risk of giant cell arteritis.	0
11	Using primary care data to assess comparative effectiveness and safety of apixaban and rivaroxaban in patients with nonvalvular atrial fibrillation in the UK: an observational cohort study. 2022 , 12, e064662	O
10	Acute Kidney Injury in Patients with Non-Valvular Atrial Fibrillation Treated with Rivaroxaban or Warfarin: A Population-Based Study from the United Kingdom. Volume 14, 1281-1291	O
9	Long-Term Adherence and Persistence to Low-Dose Aspirin for the Prevention of Cardiovascular Disease: A Population-Based Cohort Study. 2022 , 2022, 1-9	O
8	Association of bisphosphonates with diabetes risk and glycemic control: a meta-analysis.	О
7	Identification of polypharmacy patterns in new-users of metformin using the Apriori algorithm: A novel framework for investigating concomitant drug utilization through association rule mining.	Ο

6	Impact of depression and antidepressant use on clinical outcomes of hepatitis B and C: a population-based study. 2023 , 7, e0062-e0062	0
5	Comparative effectiveness of BNT162b2 and ChAdOx1 nCoV-19 vaccines against COVID-19. 2023 , 21,	1
4	Risk of COVID-19 among unvaccinated and vaccinated patients with systemic lupus erythematosus: a general population study. 2023 , 9, e002839	0
3	Regression discontinuity design to evaluate the effect of statins on myocardial infarction in electronic health records. 2023 , 38, 393-402	O
2	The association of melatonin use and hip fracture: a matched cohort study.	0
1	Denosumab and incidence of type 2 diabetes among adults with osteoporosis: population based cohort study. e073435	O