

CITATION REPORT

List of articles citing

Nanoelectronics from the bottom up

DOI: 10.1038/nmat2028

Nature Materials, 2007, 6, 841-50.

Source: <https://exaly.com/paper-pdf/42810431/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1355	Relationship between Plasma Parameters and Carbon Atom Coordination in a-C:H Films Prepared by RF Glow Discharge Decomposition. 1988 , 27, 1415-1421		19
1354	Synthesis of Aliphatic Polyurea Films by Vapor Deposition Polymerization and Their Piezoelectric Properties. 1994 , 33, 4647-4651		17
1353	Phase-change materials for rewriteable data storage. <i>Nature Materials</i> , 2007 , 6, 824-32	27	2537
1352	Nanoionics-based resistive switching memories. <i>Nature Materials</i> , 2007 , 6, 833-40	27	3976
1351	Heterointerfaces in semiconductor nanowires. 2008 , 4, 1872-93		113
1350	Effect of humidity on the hysteresis of single walled carbon nanotube field-effect transistors. 2008 , 245, 2315-2318		35
1349	A shuttling molecular machine with reversible brake function. 2008 , 14, 3427-33		69
1348	Resistance switching in amorphous and crystalline binary oxides grown by electron beam evaporation and atomic layer deposition. 2008 , 85, 2414-2419		52
1347	Tomographic analysis of dilute impurities in semiconductor nanostructures. 2008 , 181, 1642-1649		57
1346	Nanowire sensors for multiplexed detection of biomolecules. 2008 , 12, 522-8		131
1345	Semiconducting Nanowire Field-Effect Transistor Biomolecular Sensors. 2008 , 55, 3119-3130		115
1344	Exciton energy transfer in pairs of single-walled carbon nanotubes. <i>Nano Letters</i> , 2008 , 8, 1363-7	11.5	107
1343	Understanding and Controlling the Growth of Monodisperse CdS Nanowires in Solution. 2008 , 20, 5444-5452		41
1342	Controlled self-assembly of functional metal octaethylporphyrin 1 D nanowires by solution-phase precipitative method. 2008 , 3, 1968-78		27
1341	Nanowire Transistor Performance Limits and Applications. 2008 , 55, 2859-2876		250
1340	Photochemical Synthesis of Monodisperse Size-Controlled Silver Decahedral Nanoparticles and Their Remarkable Optical Properties. 2008 , 20, 5186-5190		251
1339	High-yield of memory elements from carbon nanotube field-effect transistors with atomic layer deposited gate dielectric. 2008 , 10, 103019		20

1338	Ultrathin Au nanowires and their transport properties. 2008 , 130, 8902-3		410
1337	p-Type ZnO nanowire arrays. <i>Nano Letters</i> , 2008 , 8, 2591-7	11.5	223
1336	Synthesis of DNA-organic molecule-DNA triblock oligomers using the amide coupling reaction and their enzymatic amplification. 2008 , 130, 12854-5		25
1335	Controlling orientation of V(2)O(5) nanowires within micropatterns via microcontact printing combined with the gluing Langmuir-Blodgett technique. <i>Nanotechnology</i> , 2008 , 19, 395303	3-4	21
1334	A nickel silicide nanowire microscopy tip obtains nanoscale information. <i>Nanotechnology</i> , 2008 , 19, 48571-4	3-4	15
1333	Ex situ doping of silicon nanowires with boron. 2008 , 103, 104302		32
1332	Alligator clips to molecular dimensions. 2008 , 20, 374116		23
1331	The impact of nanocontact on nanowire based nanoelectronics. <i>Nano Letters</i> , 2008 , 8, 3146-50	11.5	99
1330	Assembly of Superparamagnetic Nanoparticles under Unidirectional External Magnetic Flux: Experimental and Model Establishments. 2008 , 112, 7599-7604		4
1329	Core-shell heterostructured phase change nanowire multistate memory. <i>Nano Letters</i> , 2008 , 8, 2056-62	11.5	96
1328	Gold nanoparticle-based assays for the detection of biologically relevant molecules. 2008 , 3, 543-53		29
1327	Si/a-Si core/shell nanowires as nonvolatile crossbar switches. <i>Nano Letters</i> , 2008 , 8, 386-91	11.5	211
1326	Single crystalline PtSi nanowires, PtSi/Si/PtSi nanowire heterostructures, and nanodevices. <i>Nano Letters</i> , 2008 , 8, 913-8	11.5	156
1325	Growth behavior of epitaxial semiconductor axial nanowire heterostructures. 2008 ,		
1324	Honeycomb pattern array of vertically standing core-shell nanorods: Its application to Li energy electrodes. 2008 , 93, 103104		17
1323	Direct Formation of SiO ₂ Nanohole Arrays via Iron Nanoparticle-Induced Carbothermal Reduction. 2008 , 20, 6600-6605		4
1322	CMOS compatible nanoscale nonvolatile resistance switching memory. <i>Nano Letters</i> , 2008 , 8, 392-7	11.5	338
1321	Atomic Layer Deposition of TiO ₂ to Bond Free-Standing Nanoporous Alumina Templates to Gold-Coated Substrates as Planar Optical Waveguide Sensors. 2008 , 112, 17576-17580		24

1320	Synthesis of Aligned Carbon Nanofibers on Electrochemically Preroughened Silicon. 2008 , 112, 9247-9252	2
1319	Single-walled MoO ₃ nanotubes. 2008 , 130, 8126-7	162
1318	Chiral-angle distribution for separated single-walled carbon nanotubes. <i>Nano Letters</i> , 2008 , 8, 3151-4	11.5 60
1317	Visualizing the local optical response of semiconducting carbon nanotubes to DNA-wrapping. <i>Nano Letters</i> , 2008 , 8, 2706-11	11.5 47
1316	Controlled synthesis of millimeter-long silicon nanowires with uniform electronic properties. <i>Nano Letters</i> , 2008 , 8, 3004-9	11.5 176
1315	Heat- and electron-beam-induced transport of gold particles into silicon oxide and silicon studied by in situ high-resolution transmission electron microscopy. 2008 , 57, 83-9	17
1314	Gate Controlled Negative Differential Resistance and Photoconductivity Enhancement in Carbon Nanotube Addressable Intra-Connects. 2008 , 1142, 151401	
1313	GROWTH OF HIGH QUALITY ZINC OXIDE NANOWIRES BY SIMPLE OXIDATION OF ZINC POWDER IN AIR. 2008 , 03, 477-482	2
1312	Commentary: Memristor and memristive switch mechanism. 2008 , 2, 020304	4
1311	Are conductance plateaus independent events in atomic point contact measurements? A statistical approach. <i>Nanotechnology</i> , 2008 , 19, 355401	3.4 5
1310	Encoding information into precipitation structures. 2008 , 2008, P12003	2
1309	Growth of one-dimensional Si/SiGe heterostructures by thermal CVD. <i>Nanotechnology</i> , 2008 , 19, 335603	3.4 17
1308	Synthesis of Assembled Nanocrystalline Si Dots Film by the Langmuir-Blodgett Technique. 2008 , 47, 3731-3734	6
1307	Simple, low-cost technique for photolithographic self-aligned top metal contacts to nanowires and nanotubes. <i>Nanotechnology</i> , 2008 , 19, 455305	3.4 1
1306	HOTPLATE TECHNIQUE FOR NANOMATERIALS. 2008 , 04, 235-255	5
1305	Twin formation during SiC nanowire synthesis. 2008 , 104, 063511	33
1304	Plasma-enabled growth of ultralong straight, helical, and branched silica photonic nanowires. 2008 , 104, 033301	13
1303	Toward conductive traces: Dip Pen Nanolithography of silver nanoparticle-based inks. 2008 , 93, 143105	41

1302 . **2008**,1301 Synthesis and Properties of Templated Si-based Nanowires for Electrical Transport. **2008**,1300 Polarity driven formation of InAs/GaAs hierarchical nanowire heterostructures. **2008**, 93, 201908 361299 Exciton decay dynamics in individual carbon nanotubes at room temperature. **2008**, 92, 153116 351298 Coarsening of precipitation patterns in a moving reaction-diffusion front. **2009**, 80, 055102 101297 Nano-Net. **2009**, 21296 Dielectric screening versus quantum confinement of phosphorus donors in silicon nanocrystals investigated by magnetic resonance. **2009**, 79, 331295 Crossbar heterojunction field effect transistors of CdSe:In nanowires and Si nanoribbons. **2009**, 95, 253107 101294 Vertically integrated, three-dimensional nanowire complementary metal-oxide-semiconductor circuits. **2009**, 106, 21035-8 1051293 CHEMICAL DESIGN OF COMPLEX NANOSTRUCTURED METAL OXIDES IN SOLUTION. **2009**, 08, 571-588 31292 Effects of spin-orbit coupling on the conductance of molecules contacted with gold electrodes. **2009**, 21, 335301 61291 Self-sustained n-type memory transistor devices based on natural cellulose paper fibers. **2009**, 10, 149-157 41290 Chemistry. Squeezing the water out of HCl(aq). **2009**, 324, 1522-3 201289 Electrical transport measurements of the side-contacts and embedded-end-contacts of platinum leads on the same single-walled carbon nanotube. *Nanotechnology*, **2009**, 20, 195202 3-4 101288 Single-molecule electrocatalysis by single-walled carbon nanotubes. *Nano Letters*, **2009**, 9, 3968-73 11.5 921287 Controlled Synthesis of CdSe Nanowires by Solution-Liquid-Solid Method. **2009**, 19, 3650-3661 891286 Self-Organization of a Highly Integrated Silicon Nanowire Network on a Si(110) $\sqrt{6} \times \sqrt{2}$ Surface by Controlling Domain Growth. **2009**, 19, 3389-3395 181285 Shape-Controlled Nanoarchitectures Using Nanowalls. **2009**, 21, 222-226 57

1284	Tunable Memory Characteristics of Nanostructured, Nonvolatile Charge Trap Memory Devices Based on a Binary Mixture of Metal Nanoparticles as a Charge Trapping Layer. 2009 , 21, 178-183	87
1283	Ultrathin Films of Single-Walled Carbon Nanotubes for Electronics and Sensors: A Review of Fundamental and Applied Aspects. 2009 , 21, 29-53	919
1282	Single-Crystalline ZnS Nanobelts as Ultraviolet-Light Sensors. 2009 , 21, 2034-2039	479
1281	Towards Entire-Carbon-Nanotube Circuits: The Fabrication of Single-Walled-Carbon-Nanotube Field-Effect Transistors with Local Multiwalled-Carbon-Nanotube Interconnects. 2009 , 21, 1339-1343	26
1280	Hybrid Complementary Logic Circuits of One-Dimensional Nanomaterials with Adjustment of Operation Voltage. 2009 , 21, 2156-2160	29
1279	A Family of Electronically Reconfigurable Nanodevices. 2009 , 21, 3754-3758	195
1278	Fabrication of Advanced Functional Devices Combining Soft Chemistry with X-ray Lithography in One Step. 2009 , 21, 4932-4936	56
1277	Selective Removal of DNA-Labeled Nanoparticles from Planar Substrates by DNA Displacement Reactions. 2009 , 121, 124-128	6
1276	Formation of Hierarchical InAs Nanoring / GaAs Nanowire Heterostructures. 2009 , 121, 794-797	9
1275	Biom mineralization Nanolithography: Combination of Bottom-Up and Top-Down Fabrication To Grow Arrays of Monodisperse Gold Nanoparticles Along Peptide Lines. 2009 , 121, 2584-2586	4
1274	Synthesis of Pure Phosphorus Nanostructures. 2009 , 121, 3670-3675	20
1273	Synthesis of Zinc Glycerolate Microstacks from a ZnO Nanorod Sacrificial Template. 2009 , 2009, 3622-3627	24
1272	Directionally Integrated VLS Nanowire Growth in a Local Temperature Gradient. 2009 , 121, 7502-7506	2
1271	High-Yield Synthesis of Ultrathin Metal Nanowires in Carbon Nanotubes. 2009 , 121, 8448-8452	3
1270	Tube-in-Tube and Wire-in-Tube Nano Building Blocks: Towards the Realization of Multifunctional Nanoelectronic Devices. 2009 , 121, 8855-8858	5
1269	Selective removal of DNA-labeled nanoparticles from planar substrates by DNA displacement reactions. 2009 , 48, 118-22	16
1268	Formation of hierarchical InAs nanoring/GaAs nanowire heterostructures. 2009 , 48, 780-3	40
1267	Biom mineralization nanolithography: combination of bottom-up and top-down fabrication to grow arrays of monodisperse gold nanoparticles along peptide lines. 2009 , 48, 2546-8	30

1266	Synthesis of pure phosphorus nanostructures. 2009 , 48, 3616-21	54
1265	Directionally integrated VLS nanowire growth in a local temperature gradient. 2009 , 48, 7366-70	17
1264	High-yield synthesis of ultrathin metal nanowires in carbon nanotubes. 2009 , 48, 8298-302	75
1263	Tube-in-tube and wire-in-tube nano building blocks: towards the realization of multifunctional nanoelectronic devices. 2009 , 48, 8699-702	20
1262	First-principles calculation on the conductance of ruthenium-quasi cumulene-ruthenium molecular junctions. 2009 , 4, 398-402	
1261	Design of a carbon nanotube/magnetic nanoparticle-based peroxidase-like nanocomplex and its application for highly efficient catalytic oxidation of phenols. 2009 , 2, 617-623	129
1260	Challenges and prospects of nanopillar-based solar cells. 2009 , 2, 829-843	199
1259	Effects of processing parameters on the synthesis of TiO ₂ nanofibers by electrospinning. 2009 , 15, 95-99	24
1258	Directed assembly of nanowires. 2009 , 12, 34-43	150
1257	Ultrafast carrier dynamics in semiconductor nanowires. 2009 , 246, 1973-1995	66
1256	Two-dimensional self-organization of an ordered Au silicide nanowire network on a Si(110)-16 x 2 surface. 2009 , 5, 1855-61	14
1255	Biotemplated metal nanowires using hyperthermophilic protein filaments. 2009 , 5, 2038-42	31
1254	Sculpturing nanowires with ion beams. 2009 , 5, 2687-91	15
1253	Photon-assisted tunneling in GaN nanowire white light emitting diodes. 2009 , 6, S538-S540	3
1252	Manipulating single-wall carbon nanotubes by chemical doping and charge transfer with perylene dyes. 2009 , 1, 243-9	201
1251	Placement and orientation of individual DNA shapes on lithographically patterned surfaces. 2009 , 4, 557-61	314
1250	Catalyst preparation for CMOS-compatible silicon nanowire synthesis. 2009 , 4, 654-7	66
1249	Programming the detection limits of biosensors through controlled nanostructuring. 2009 , 4, 844-8	320

1248	Single-crystalline kinked semiconductor nanowire superstructures. 2009 , 4, 824-9		325
1247	Direct measurement of dopant distribution in an individual vapour-liquid-solid nanowire. 2009 , 4, 315-9		358
1246	Growth of Nanograins in Electrospun ZnO Nanofibers. 2009 , 92, 1691-1694		79
1245	Synthesis and Gas Sensing Properties of TiO ₂ /ZnO Core-Shell Nanofibers. 2009 , 92, 2551-2554		170
1244	The Effects of Growth Temperature on the Field-Emission Properties of ZnO Nanoneedle Arrays. 2009 , 92, 2982-2986		5
1243	Synthesis of monodisperse CdS nanowires and their photovoltaic applications. 2009 , 517, 6430-6434		25
1242	Phthalocyanine molecular nanowires that were prepared using porous alumina as a template: Development in the sample preparation procedure to evaluate electronic properties. 2009 , 518, 692-694		6
1241	Effect of oxygen partial pressure on the growth of zinc micro and nanostructures. 2009 , 311, 4329-4333		9
1240	The spontaneous metal-sitting structure on carbon nanotube arrays positioned by inkjet printing for wafer-scale production of high sensitive gas sensor units. 2009 , 135, 587-591		20
1239	DNA origami as a nanoscale template for protein assembly. <i>Nanotechnology</i> , 2009 , 20, 235305	3.4	94
1238	Synthesis of size-controlled faceted pentagonal silver nanorods with tunable plasmonic properties and self-assembly of these nanorods. <i>ACS Nano</i> , 2009 , 3, 21-6	16.7	274
1237	Facile synthesis of ultrathin and single-crystalline Au nanowires. 2009 , 4, 1028-34		43
1236	Structural investigations of core-shell nanowires using grazing incidence X-ray diffraction. <i>Nano Letters</i> , 2009 , 9, 1877-82	11.5	45
1235	Semiconductor nanowhiskers: Synthesis, properties, and applications. 2009 , 43, 1539-1584		146
1234	High-density crossbar arrays based on a Si memristive system. <i>Nano Letters</i> , 2009 , 9, 870-4	11.5	441
1233	Cobalt Silicide Nanostructures: Synthesis, Electron Transport, and Field Emission Properties. 2009 , 9, 4514-4518		35
1232	Conformational transitions of immobilized DNA chains driven by pH with electrochemical output. 2009 , 113, 894-6		14
1231	Ordering fullerenes at the nanometer scale on solid surfaces. 2009 , 109, 2081-91		105

1230	Defect-induced photoluminescence from dark excitonic states in individual single-walled carbon nanotubes. <i>Nano Letters</i> , 2009 , 9, 2010-4	11.5	70
1229	Bicrystalline CdS Nanoribbons. 2009 , 9, 1375-1377		27
1228	Cavity-enhanced stimulated raman scattering from short GaP nanowires. <i>Nano Letters</i> , 2009 , 9, 3252-7	11.5	31
1227	Ferromagnetic GaAs/GaMnAs core-shell nanowires grown by molecular beam epitaxy. <i>Nano Letters</i> , 2009 , 9, 3860-6	11.5	83
1226	Multiple Hydrogen-Bond-Assisted Self-Assembly of Semiconductor Nanocrystals on Silicon Surfaces and Nanowires. 2009 , 113, 21389-21395		5
1225	Electric Conductivity of Phosphorus Nanowires. 2009 , 26, 056101		
1224	Macroscopic-scale carbon nanotube alignment via self-assembly in lyotropic liquid crystals. 2009 , 159, 2177-2179		16
1223	Exciton dynamics of a single quantum dot embedded in a nanowire. 2009 , 80,		39
1222	Aptamer fiber anchored on the edge of a protein pattern: a template for nanowire fabrication. <i>ACS Nano</i> , 2009 , 3, 3475-84	16.7	6
1221	50 nm DNA nanoarrays generated from uniform oligonucleotide films. <i>ACS Nano</i> , 2009 , 3, 2376-82	16.7	29
1220	Application of quantum chemistry to nanotechnology: electron and spin transport in molecular devices. 2009 , 38, 2319-33		109
1219	Programmable resistance switching in nanoscale two-terminal devices. <i>Nano Letters</i> , 2009 , 9, 496-500	11.5	235
1218	Multilength-scale chemical patterning of self-assembled monolayers by spatially controlled plasma exposure: nanometer to centimeter range. 2009 , 131, 10984-91		51
1217	Iron spin-crossover compounds: from fundamental studies to practical applications. 2009 , 7845-53		207
1216	Silver nanoparticles with planar twinned defects: effect of halides for precise tuning of plasmon resonance maxima from 400 to >900 nm. 2009 , 7170-2		60
1215	Nature of Glasses. 2009 , 39-62		1
1214	Selective electroless metallization of patterned polymeric films for lithography applications. 2009 , 1, 4-25		101
1213	Electrical recording from hearts with flexible nanowire device arrays. <i>Nano Letters</i> , 2009 , 9, 914-8	11.5	186

1212	Catalyst-free growth of single-crystal silicon and germanium nanowires. <i>Nano Letters</i> , 2009 , 9, 864-9	11.5	86
1211	Two-terminal nonvolatile memories based on single-walled carbon nanotubes. <i>ACS Nano</i> , 2009 , 3, 4122-66.7		53
1210	Orientated Langmuir-Blodgett assembly of VO(2) nanowires. <i>Nano Letters</i> , 2009 , 9, 826-30	11.5	64
1209	Synthesis of SnO ₂ -ZnO core-shell nanofibers via a novel two-step process and their gas sensing properties. <i>Nanotechnology</i> , 2009 , 20, 465603	3.4	226
1208	QUANTUM CHEMICAL STUDY OF ELECTRONIC TRANSPORT PROPERTIES OF BIPHENYLDITHIOL MOLECULAR JUNCTION. 2009 , 23, 3341-3351		2
1207	Large-scale fabrication of 4-nm-channel vertical protein-based ambipolar transistors. <i>Nano Letters</i> , 2009 , 9, 1296-300	11.5	43
1206	Negative differential resistance: gate controlled and photoconductance enhancement in carbon nanotube intraconnects. <i>Nano Letters</i> , 2009 , 9, 1369-73	11.5	18
1205	Controlled fabrication of epitaxial (Fe,Mn)3O ₄ artificial nanowire structures and their electric and magnetic properties. <i>Nano Letters</i> , 2009 , 9, 1962-6	11.5	22
1204	InAs nanowire transistors as gas sensor and the response mechanism. <i>Nano Letters</i> , 2009 , 9, 4348-51	11.5	119
1203	Nd-doped silicon nanowires with room temperature ferromagnetism and infrared photoemission. 2009 , 94, 263117		5
1202	Nanowire based electronics: Challenges and prospects. 2009 ,		2
1201	Programmed assembly of DNA-coated nanowire devices. 2009 , 323, 352		93
1200	Challenges in scalable fault tolerance. 2009 ,		5
1199	Shaping Nanoelectrodes for High-Precision Dielectrophoretic Assembly of Carbon Nanotubes. 2009 , 8, 449-456		37
1198	Fully room-temperature-fabricated nonvolatile resistive memory for ultrafast and high-density memory application. <i>Nano Letters</i> , 2009 , 9, 1636-43	11.5	718
1197	Converting an insulating silicon nanochain to a conducting carbon nanotube by electrical breakdown. <i>Nanotechnology</i> , 2009 , 20, 335602	3.4	12
1196	Facile synthesis of vesicle templated hollow germania nanospheres. 2009 , 6, 1096		2
1195	HOTPLATE TECHNIQUE FOR NANOMATERIALS. 2009 , 149-169		1

1194	Preparation of NiSi ₂ Nanowires with Low Resistivity by Reaction Between Ni Coating and Silicon Nanowires. 2009 , 2, 075005		3
1193	Semiconductor Nanowires. 2009 ,		
1192	Potential Applications of Molecular Logic. 2010 , 367-375		
1191	Stress-Driven Nucleation of Three-Dimensional Crystal Islands: From Quantum Dots to Nanoneedles. 2010 , 10, 3949-3955		43
1190	Nanoparticle and Biomolecular Nanoparticle Hybrid Supramolecular Complexes for Electrochemical Signaling. 2010 , 271-296		
1189	Resistive switches and memories from silicon oxide. <i>Nano Letters</i> , 2010 , 10, 4105-10	11.5	255
1188	Three-dimensional, flexible nanoscale field-effect transistors as localized bioprobes. 2010 , 329, 830-4		656
1187	Nanoscale memristor device as synapse in neuromorphic systems. <i>Nano Letters</i> , 2010 , 10, 1297-301	11.5	2772
1186	Tunable band gaps and excitons in doped semiconducting carbon nanotubes made possible by acoustic plasmons. 2010 , 104, 177402		75
1185	Single-walled carbon nanotube as an effective quencher. 2010 , 396, 73-83		98
1184	Immobilization of biomolecules on nanostructured films for biosensing. 2010 , 25, 1254-63		178
1183	Variation and defect tolerance for diode-based nano crossbars. 2010 , 1, 264-272		2
1182	One-dimensional nanostructures for electronic and optoelectronic devices. 2010 , 3, 125-138		21
1181	Nanocomposite ZnO-SnO ₂ Nanofibers Synthesized by Electrospinning Method. 2010 , 5, 747-52		36
1180	Nonvolatile resistive switching memories-characteristics, mechanisms and challenges. 2010 , 20, 1-15		151
1179	. 2010 , 57, 3115-3122		34
1178	An Organic Nanoparticle Transistor Behaving as a Biological Spiking Synapse. 2010 , 20, 330-337		264
1177	An Efficient Way to Assemble ZnS Nanobelts as Ultraviolet-Light Sensors with Enhanced Photocurrent and Stability. 2010 , 20, 500-508		206

1176	Recent Developments in One-Dimensional Inorganic Nanostructures for Photodetectors. 2010 , 20, 4233-4248	277
1175	Role of water in directing diphenylalanine assembly into nanotubes and nanowires. 2010 , 22, 583-7	156
1174	Multilevel biomemory device consisting of recombinant azurin/cytochrome C. 2010 , 22, 510-4	98
1173	Plasma-assisted approaches in inorganic nanostructure fabrication. 2010 , 22, 1451-73	137
1172	Diffusion of adhesion layer metals controls nanoscale memristive switching. 2010 , 22, 4034-8	95
1171	Cluster-based self-assembly route toward MoO ₃ single-walled nanotubes. 2010 , 16, 1889-96	39
1170	Direct conversion of commercial silver foils into high aspect ratio AgBr nanowires with enhanced photocatalytic properties. 2010 , 16, 10327-31	79
1169	Peptidbasierte Verfahren zur Herstellung nanostrukturierter anorganischer Materialien. 2010 , 122, 1968-1986	38
1168	A Flexible Nonporous Heterogeneous Catalyst for Size-Selective Oxidation through a Bottom-Up Approach. 2010 , 122, 10168-10172	13
1167	Peptide-based methods for the preparation of nanostructured inorganic materials. 2010 , 49, 1924-42	381
1166	A flexible nonporous heterogeneous catalyst for size-selective oxidation through a bottom-up approach. 2010 , 49, 9972-6	52
1165	Laser precision engineering: from microfabrication to nanoprocessing. 2010 , 4, 123-143	162
1164	Fabrication and electrical properties of graphene nanoribbons. 2010 , 70, 341-353	68
1163	Band structure of infinite linear metallic chains. 2010 , 42, 1387-1392	3
1162	Synthesis of silver nanostructures of varying morphologies through seed mediated growth approach. 2010 , 153, 170-173	12
1161	Emerging synergy between nanotechnology and implantable biosensors: a review. 2010 , 25, 1553-65	284
1160	Electrode effect on resistive switching of Ti-added amorphous SiO _x films. 2010 , 518, 7352-7355	7
1159	Verification of surfactant CHAPS effect using AFM for making biomemory device consisting of recombinant azurin monolayer. 2010 , 110, 712-7	5

1158	Encapsulation-induced stabilization of dimensionally restricted metallic alloy wires. 2010 , 58, 5332-5341	2
1157	Signal processing with multicomponent systems based on metal complexes. 2010 , 254, 2267-2280	59
1156	Nanostructures Enabled by On-Wire Lithography (OWL). 2010 , 486, 89-98	33
1155	Optical modification of the vibrational distribution of the iodine molecule. 2010 , 493, 170-172	
1154	Photoassisted formation of an atomic switch. 2010 , 6, 1745-8	30
1153	A nanoelectronic enzyme-linked immunosorbent assay for detection of proteins in physiological solutions. 2010 , 6, 232-8	47
1152	Characterization of dilute species within CVD-grown silicon nanowires doped using trimethylboron: protected lift-out specimen preparation for atom probe tomography. 2010 , 239, 92-8	13
1151	Complementary resistive switches for passive nanocrossbar memories. <i>Nature Materials</i> , 2010 , 9, 403-6	27 1057
1150	Cold welding of ultrathin gold nanowires. 2010 , 5, 218-24	370
1149	Graphene nanomesh. 2010 , 5, 190-4	1155
1148	One-dimensional nanostructures for photodetectors. 2010 , 4, 20-31	44
1147	Materiomics: biological protein materials, from nano to macro. 2010 , 3, 127-48	38
1146	Nanoelectronic Devices from Nanowire Heterostructures. 2010 , 33, 3-11	
1145	Formation of highly conductive composite coatings and their applications to broadband antennas and mechanical transducers. 2010 , 25, 1741-1747	10
1144	Density-controllable nonvolatile memory devices having metal nanocrystals through chemical synthesis and assembled by spin-coating technique. 2010 , 31, 124011	
1143	Application of nanomaterials in two-terminal resistive-switching memory devices. 2010 , 1,	37
1142	Hierarchical self-assembly of 1D and 2D ordered silver nanoparticle arrays on block copolymer templates. 2010 ,	
1141	Diameter dependence of the minority carrier diffusion length in individual ZnO nanowires. 2010 , 96, 253115	67

1140	Radiation Hardness of TiO_2 Memristive Junctions. 2010 , 57, 1640-1643	58
1139	Development of a functional model for the Nanoparticle-Organic Memory transistor. 2010 ,	3
1138	Ge instability and the growth of Ge epitaxial layers in nanochannels on patterned Si (001) substrates. 2010 , 108, 123517	14
1137	Step-flow kinetics in nanowire growth. 2010 , 105, 195502	71
1136	Variation tolerant logic mapping for crossbar array nano architectures. 2010 ,	9
1135	Electron transport properties of ZnO, InP, GaP, and $\text{Pb}_{1-x}\text{MnxSe}$ nanowires by two-probe measurements. 2010 ,	
1134	Synthesis and characterization of templated Si-based nanowires via vapor-liquid-solid (VLS) growth for electrical transport. 2010 ,	
1133	Understanding the epitaxial growth of $\text{SexTe}_{y@}\text{Te}$ core-shell nanorods and the generation of periodic defects. <i>ACS Nano</i> , 2010 , 4, 7283-92	16.7 13
1132	Fabrication of vertically aligned Si nanowires on Si (100) substrates utilizing metal-assisted etching. 2010 , 28, 735-740	10
1131	Integration of horizontal carbon nanotube devices on silicon substrate using liquid evaporation. 2010 ,	5
1130	Anisotropic magnetoconductance of a InAs nanowire: Angle-dependent suppression of one-dimensional weak localization. 2010 , 81,	17
1129	Fabrication of Biomemory Device Composed of Myoglobin on DTSSP Layer. 2010 , 519, 19-26	6
1128	ZnO nanostructures with controlled morphologies on a glass substrate. <i>Nanotechnology</i> , 2010 , 21, 2656034	12
1127	Damage of low-energy ion irradiation on copper nanowire: molecular dynamics simulation. 2010 , 19, 036102	11
1126	Controlled crystallinity and crystallographic orientation of Cu nanowires fabricated in ion-track templates. <i>Nanotechnology</i> , 2010 , 21, 365605	3-4 28
1125	Spin filter effect of manganese phthalocyanine contacted with single-walled carbon nanotube electrodes. 2010 , 132, 054703	44
1124	Biomolecular Memory Device Composed of Cytochrome c on a Self-Assembled 11-Mercaptoundecanoic Acid Layer. 2010 , 49, 01AG01	1
1123	Formation of Ge Nanosheets Decorated Hierarchical ZnSe/GeSe Nanowire Heterostructures. 2010 , 49, 025001	6

1122	Controlling nanowire structures through real time growth studies. 2010 , 73, 114501		152
1121	Oxide nanowire networks and their electronic and optoelectronic characteristics. 2010 , 2, 1984-98		56
1120	"Drawing with nanotubes": creating nanowires with complex geometries by pulsed electrodeposition on self-organized carbon nanotube patterns. <i>Nano Letters</i> , 2010 , 10, 4742-9	11.5	10
1119	Optimizing single-molecule conductivity of conjugated organic oligomers with carbodithioate linkers. 2010 , 132, 7946-56		90
1118	Facile Synthesis of Bismuth Sulfide Nanostructures and Morphology Tuning by a Biomolecule. 2010 , 114, 9634-9639		48
1117	Vacuum-free self-powered parallel electron lithography with sub-35-nm resolution. <i>Nano Letters</i> , 2010 , 10, 2197-201	11.5	18
1116	Epitaxial graphene electronic structure and transport. 2010 , 43, 374007		104
1115	Synthesis and supramolecular organization of regioregular polythiophene block oligomers. 2010 , 75, 1561-8		41
1114	Molecular Machines Based on Rotaxanes and Catenanes. 2010 , 157-212		3
1113	Electrokinetic assembly of selenium and silver nanowires into macroscopic fibers. <i>ACS Nano</i> , 2010 , 4, 2607-14	16.7	29
1112	Heteroleptic copper switches. 2010 , 132, 15987-96		18
1111	Potential controlled electrochemical conversion of AgCN and Cu(OH) ₂ nanofibers into metal nanoparticles, nanoprisms, nanofibers, and porous networks. 2010 , 2, 3745-58		4
1110	Design and Implementation of Functional Nanoelectronic Interfaces With Biomolecules, Cells, and Tissue Using Nanowire Device Arrays. 2010 , 9, 269-280		91
1109	One-pot synthesis of Ag@SiO ₂ @Ag sandwich nanostructures. <i>Nanotechnology</i> , 2010 , 21, 245602	3.4	26
1108	Adsorption of nucleotides on the rutile (110) surface. 2010 , 101, 758-764		18
1107	Nanoscale heterostructures with molecular-scale single-crystal metal wires. 2010 , 132, 20-1		33
1106	Controlled in Situ n-Doping of Silicon Nanowires during VLS Growth and Their Characterization by Scanning Spreading Resistance Microscopy. 2010 , 114, 760-765		22
1105	Electrostatic field force directed gold nanowires from anion exchange resin. 2010 , 26, 17419-26		11

1104	Hexagonal superlattice of chiral conducting polymers self-assembled by mimicking beta-sheet proteins with anisotropic electrical transport. 2010 , 132, 12006-12		59
1103	Silicon nanowire circuits fabricated by AFM oxidation nanolithography. <i>Nanotechnology</i> , 2010 , 21, 24530-4		55
1102	Agent-based modeling for the 2D molecular self-organization of realistic molecules. 2010 , 114, 10151-9		10
1101	Single-wall carbon nanotube latexes. 2010 , 2, 649-53		46
1100	Strong micro-dielectric environment effect on the band gaps of (n,m)single-walled carbon nanotubes. 2010 , 132, 13072-7		44
1099	Solution-based fabrication of single-crystalline arrays of organic nanowires. 2010 , 26, 1130-6		48
1098	Hole Opening of Carbon Nanotubes and Their Capacitor Performance□ 2010 , 24, 3373-3377		32
1097	Surface Interactions between Molecules and Nanocrystals in Copper Oxalate Nanostructures. 2010 , 114, 10677-10682		11
1096	Semiconductor nanowire: what's next?. <i>Nano Letters</i> , 2010 , 10, 1529-36	11.5	643
1095	Nanotube devices based crossbar architecture: toward neuromorphic computing. <i>Nanotechnology</i> , 2010 , 21, 175202	3-4	53
1094	Flexible organic bistable devices based on graphene embedded in an insulating poly(methyl methacrylate) polymer layer. <i>Nano Letters</i> , 2010 , 10, 2441-7	11.5	257
1093	Knocking down highly-ordered large-scale nanowire arrays. <i>Nano Letters</i> , 2010 , 10, 1202-8	11.5	79
1092	Trapping of metal atoms in vacancies of carbon nanotubes and graphene. <i>ACS Nano</i> , 2010 , 4, 3422-8	16.7	244
1091	Applications of peptide and protein-based materials in bionanotechnology. 2010 , 39, 3499-509		246
1090	Growth of Ge Nanowires from AuCu Alloy Nanoparticle Catalysts Synthesized from Aqueous Solution. 2010 , 1, 3360-3365		22
1089	Rational synthesis of heterostructured nanoparticles with morphology control. 2010 , 132, 6524-9		134
1088	Mesostructured assemblies of ultrathin superlong tellurium nanowires and their photoconductivity. 2010 , 132, 8945-52		205
1087	Self-catalyzed, pure zincblende GaAs nanowires grown on Si(111) by molecular beam epitaxy. 2010 , 82,		179

1086	Single beta-AgVO ₃ nanowire H ₂ S sensor. <i>Nano Letters</i> , 2010 , 10, 2604-8	11.5	132
1085	Integration of nanowire devices in out-of-plane geometry. <i>Nano Letters</i> , 2010 , 10, 2126-32	11.5	20
1084	Defect-induced junctions between single- or double-wall carbon nanotubes and metal crystals. 2010 , 2, 901-5		18
1083	Simple and versatile methods to integrate directed self-assembly with optical lithography using a polarity-switched photoresist. <i>ACS Nano</i> , 2010 , 4, 4815-23	16.7	206
1082	A New Twist on Nanowire Formation: Screw-Dislocation-Driven Growth of Nanowires and Nanotubes. 2010 , 1, 1472-1480		127
1081	Kinking-induced structural evolution of metal oxide nanowires into single-crystalline nanorings. <i>ACS Nano</i> , 2010 , 4, 5350-6	16.7	27
1080	Polarized Raman scattering from single GaP nanowires. 2010 , 81,		30
1079	New Trends in Nanotechnology and Fractional Calculus Applications. 2010 ,		253
1078	Chemically Synthesized Semiconductor Nanowires for High-Performance Electronics and Optoelectronics. 2010 , 27-66		2
1077	Carbon Nanotubes. 2010 ,		3
1076	Assembly of gold nanowires by sedimentation from suspension: Experiments and simulation. 2010 , 114, 7346-7355		16
1075	Resistive switching multistate nonvolatile memory effects in a single cobalt oxide nanowire. <i>Nano Letters</i> , 2010 , 10, 1359-63	11.5	210
1074	Defect and Variation Issues on Design Mapping of Reconfigurable Nanoscale Crossbars. 2010 ,		8
1073	Novel nonvolatile memory with multibit storage based on a ZnO nanowire transistor. <i>Nano Letters</i> , 2010 , 10, 4316-20	11.5	87
1072	Chemical Functionalization of Silicon Nanowires by an Electroactive Group: A Direct Spectroscopic Characterization of the Hybrid Nanomaterial. 2010 , 114, 3924-3931		15
1071	Rapid microwave-assisted deposition of microwire patterns of nanoaluminum and nanosilver from colloids. 2010 , 2, 28-34		12
1070	Thermodynamic stability analysis of isometric and elongated epitaxial Ce _{1-x} Gd _x O ₂ nanostructures on perovskite substrates. 2010 , 82,		11
1069	Si Memristive devices applied to memory and neuromorphic circuits. 2010 ,		21

1068	On-the-fly variation tolerant mapping in crossbar nano-architectures. 2010 ,	4
1067	Electron transport in high-resistance semiconductor nanowires through two-probe measurements. 2010 , 12, 10928-32	10
1066	Semiconductor nanowires: A platform for nanoscience and nanotechnology. 2010 ,	1
1065	Large-Scale Nanorods Nanomanufacturing by Electric-Field-Directed Assembly for Nanoscale Device Applications. 2010 , 9, 653-658	12
1064	. 2011 ,	
1063	Ultrahigh-Density $\text{In-doped Ga}_2\text{O}_3$ Schottky and p-n Nanowire Junctions: Synthesis and Electrical Transport Properties. 2011 , 158, D136	10
1062	Controllable growth of hierarchical AlN nanostructures based on dynamic equilibrium. 2011 , 13, 6337	1
1061	High index, reactive facet-controlled synthesis of one-dimensional single crystalline rare earth hydroxide nanobelts. 2011 , 13, 5367	3
1060	Direct nano-in-micropatterning of TiO_2 thin layers and TiO_2/Pt nanoelectrode arrays by deep X-ray lithography. 2011 , 21, 3597	34
1059	Highly dispersed ultrafine Pt and PtRu nanoparticles on graphene: formation mechanism and electrocatalytic activity. 2011 , 3, 569-71	141
1058	Controlling the length and location of in situ formed nanowires by means of microfluidic tools. 2011 , 11, 753-7	21
1057	An Integrated Optimization Approach for Nanohybrid Circuit Cell Mapping. 2011 , 10, 1275-1284	11
1056	Variation-aware logic mapping for crossbar nano-architectures. 2011 ,	8
1055	Hybrid complementary metal-oxide-semiconductor inverters based on single nanowires. 2011 , 21, 2858	6
1054	Progress in non-volatile memory devices based on nanostructured materials and nanofabrication. 2011 , 21, 14097	99
1053	Rapid, simultaneous activation of thin nanowire growth in low-temperature, low-pressure chemically active plasmas. 2011 , 21, 8183	14
1052	Defect and variation tolerance logic mapping for crossbar nanoarchitectures as a multi-objective problem. 2011 ,	3
1051	Engineering light absorption in single-nanowire solar cells with metal nanoparticles. 2011 , 13, 123026	23

1050	Oxide Nanoparticle Thin Films Created Using Molecular Templates. 2011 , 115, 13151-13157		1
1049	Self-timed nano-PLA. 2011 ,		1
1048	Surface and Electronic Properties of Hydrogen Terminated Si [001] Nanowires. 2011 , 115, 12586-12591		4
1047	Orbital-Free DFT Simulations of Elastic Response and Tensile Yielding of Ultrathin [111] Al Nanowires. 2011 , 115, 6269-6276		21
1046	Enzyme-mimic activity of ferric nano-core residing in ferritin and its biosensing applications. 2011 , 83, 8611-6		52
1045	Heterogeneous and Homogeneous Nucleation of Epitaxial NiSi ₂ in [110] Si Nanowires. 2011 , 115, 397-401		21
1044	The shear flow processing of controlled DNA tethering and stretching for organic molecular electronics. <i>ACS Nano</i> , 2011 , 5, 275-82	16.7	9
1043	A top-down approach to fabrication of high quality vertical heterostructure nanowire arrays. <i>Nano Letters</i> , 2011 , 11, 1646-50	11.5	35
1042	Efficient quantum dot-quantum dot and quantum dot-dye energy transfer in biotemplated assemblies. <i>ACS Nano</i> , 2011 , 5, 1761-8	16.7	31
1041	A microsphere coupler for a nanowire waveguide plasmonic probe for molecular imaging. <i>Nanotechnology</i> , 2011 , 22, 045203	3.4	3
1040	Role of hexahistidine in directed nanoassemblies of tobacco mosaic virus coat protein. <i>ACS Nano</i> , 2011 , 5, 1606-16	16.7	57
1039	Abnormal Anodic Aluminum Oxide Formation in Confined Structures for Lateral Pore Arrays. 2011 , 158, C71		23
1038	Structural and Electrical Properties of Flip Chip Laminated Metal/Molecule/Silicon Structures Varying Molecular Backbone and Atomic Tether. 2011 , 115, 24353-24365		8
1037	Self-Assembly of Gold Nanowires along Carbon Nanotubes for Ultrahigh-Aspect-Ratio Hybrids. 2011 , 23, 2760-2765		17
1036	Axial p <i>n</i> Nanowire Gated Diodes as a Direct Probe of Surface-Dominated Charge Dynamics in Semiconductor Nanomaterials. 2011 , 115, 23552-23557		6
1035	Interdigitating organic bilayers direct the short interlayer spacing in hybrid organic-inorganic layered vanadium oxide nanostructures. 2011 , 115, 14518-25		17
1034	Design and Synthesis of Novel Single-Crystalline Hierarchical CdS Nanostructures Generated by Thermal Evaporation Processes. 2011 , 11, 2172-2176		35
1033	Measurement of the Surface Recombination Velocity in Organically Functionalized Silicon Nanostructures: The Case of Silicon on Insulator. 2011 , 115, 22265-22270		4

1032	Functionalization of selectively grown networked SnO ₂ nanowires with Pd nanodots by γ radiolysis. <i>Nanotechnology</i> , 2011 , 22, 225501	3-4	47
1031	Electrons, photons, and force: quantitative single-molecule measurements from physics to biology. <i>ACS Nano</i> , 2011 , 5, 693-729	16.7	79
1030	Organization of inorganic nanomaterials via programmable DNA self-assembly and peptide molecular recognition. <i>ACS Nano</i> , 2011 , 5, 2200-5	16.7	45
1029	Functionalized graphene for high-performance two-dimensional spintronics devices. <i>ACS Nano</i> , 2011 , 5, 2601-10	16.7	101
1028	Carbon-Based Materials: Growth, Properties, MEMS/NEMS Technologies, and MEM/NEM Switches. 2011 , 36, 66-101		48
1027	Semiconductor Nanowires. 2011 ,		
1026	Nonvolatile resistive switching in single crystalline ZnO nanowires. 2011 , 3, 1917-21		111
1025	Chapter 3:Inorganic Nanowires. <i>RSC Nanoscience and Nanotechnology</i> , 2011 , 343-530		
1024	Synthesis, assembly and applications of semiconductor nanomembranes. 2011 , 477, 45-53		526
1023	Semiconductor nanowires: A platform for nanoscience and nanotechnology. 2011 , 36, 1052-1063		171
1022	New mode of vapor-liquid-solid nanowire growth. <i>Nano Letters</i> , 2011 , 11, 1247-53	11.5	125
1021	Carbon nanotube field-effect transistors with molecular interface. 2011 , 98, 123110		3
1020	Nonvolatile memory functionality of ZnO nanowire transistors controlled by mobile protons. <i>ACS Nano</i> , 2011 , 5, 558-64	16.7	38
1019	Scanning Probe-Based Lithography for Production of Biological and Organic Nanostructures on Surfaces. 2011 , 1-34		1
1018	Orientation-Dependent Room-Temperature Ferromagnetism of FeSi Nanowires and Applications in Nonvolatile Memory Devices. 2011 , 115, 15592-15597		22
1017	Recent Research on One-Dimensional Silicon-Based Semiconductor Nanomaterials: Synthesis, Structures, Properties and Applications. 2011 , 36, 148-173		20
1016	Electrical failure behaviors of semiconductor oxide nanowires. <i>Nanotechnology</i> , 2011 , 22, 405703	3-4	19
1015	Nanotechnology Research Directions for Societal Needs in 2020. 2011 ,		151

1014	Self-aligned coupled nanowire transistor. <i>ACS Nano</i> , 2011 , 5, 6910-5	16.7	11
1013	DNA nanofabrication by scanning near-field photolithography of oligo(ethylene glycol) terminated SAMs: Controlled scan-rate dependent switching between head group oxidation and tail group degradation. 2011 , 21, 14173		6
1012	Electronic transport in natively oxidized silicon nanowires. <i>ACS Nano</i> , 2011 , 5, 2839-46	16.7	11
1011	Spin polarization measurement of homogeneously doped Fe(1-x)Co(x)Si nanowires by Andreev reflection spectroscopy. <i>Nano Letters</i> , 2011 , 11, 4431-7	11.5	33
1010	Silicon nanotube field effect transistor with core-shell gate stacks for enhanced high-performance operation and area scaling benefits. <i>Nano Letters</i> , 2011 , 11, 4393-9	11.5	101
1009	Real-time observation of impurity diffusion in silicon nanowires. <i>Nano Letters</i> , 2011 , 11, 3803-8	11.5	17
1008	Bi-stability, hysteresis, and memory of voltage-gated lysenin channels. 2011 , 1808, 2933-9		21
1007	Charge trapping process of nonvolatile memory devices based on CdTe and CdTe/InSe core-shell nanoparticles/poly(methylmethacrylate) nanocomposites. 2011 , 98, 243306		11
1006	Nanomechanics of functional and pathological amyloid materials. 2011 , 6, 469-79		590
1005	Growth of polygonal rings and wires of CuS on structured surfaces. 2011 , 13, 1077-1080		11
1004	Nano-electronics and spintronics with nanoparticles. 2011 , 292, 012002		28
1003	Silver nanowire embedded in P3HT:PCBM for high-efficiency hybrid photovoltaic device applications. <i>ACS Nano</i> , 2011 , 5, 3319-25	16.7	165
1002	Two-terminal resistive switches (memristors) for memory and logic applications. 2011 ,		68
1001	Electrochemical synthesis of Ag(0)/Ag ₂ S heterojunctions templated on pre-formed Ag ₂ S nanowires. 2011 , 3, 1838-44		11
1000	Direct growth of FeSi ₂ nanowires with infrared emission, ferromagnetism at room temperature and high magnetoresistance via a spontaneous chemical reaction method. 2011 , 21, 5704		23
999	Fullerenes, carbon nanotubes, and graphene for molecular electronics. 2012 , 312, 127-74		19
998	Non-Volatile Resistive Switching in Graphene Oxide Thin Films. 2011 ,		
997	Different Chiral Selective Recognition/Extraction of (n,m)Single-walled Carbon Nanotubes Using Copolymers Carrying a Carbazole or Fluorene Moiety. 2011 , 40, 470-472		24

996	Self-assembly of one-dimensional nanomaterials for cost-effective photovoltaics. 2011 , 4, 164	10
995	Large-Area Parallel Ce Silicide Nanowire Array Self-Organized on Si(110) $\sqrt{16}$ times $2\sqrt{5}$ Template. 2011 , 4, 115003	4
994	Epitaxial VO ₂ /Cr ₂ O ₃ /sapphire heterostructure for multifunctional applications. 2011 , 98, 022105	17
993	Programmable nanowire circuits for nanoprocessors. 2011 , 470, 240-4	47 ¹
992	Wavelength-Independent Optical Polarizer Based on Metallic Nanowire Arrays. 2011 , 3, 1083-1092	10
991	Electrical and Optical Characteristics of UV Photodetector With Interlaced ZnO Nanowires. 2011 , 17, 990-995	42
990	Three-Dimensional Integration Approach to High-Density Memory Devices. 2011 , 58, 3820-3828	16
989	Processing Chemical and Photonic Signals by Artificial Multicomponent Molecular Systems. 2011 , 51, 23-35	9
988	Superparamagnetic nanosystems based on iron oxide nanoparticles for biomedical imaging. 2011 , 6, 519-28	67
987	Nanoparticles in liquid crystals and liquid crystalline nanoparticles. 2012 , 318, 331-93	138
986	One-dimensional Sb ₂ Se ₃ nanostructures: solvothermal synthesis, growth mechanism, optical and electrochemical properties. 2011 , 13, 2369	63
985	Modular engineering of H-bonded supramolecular polymers for reversible functionalization of carbon nanotubes. 2011 , 133, 15412-24	74
984	Arrays of indefinitely long uniform nanowires and nanotubes. <i>Nature Materials</i> , 2011 , 10, 494-501	27 122
983	Growth kinetics of GaAs nanoneedles on silicon and sapphire substrates. 2011 , 98, 153113	6
982	Significant FRET between SWNT/DNA and rare earth ions: a signature of their spatial correlations. <i>ACS Nano</i> , 2011 , 5, 6052-9	16.7 11
981	Resistive switching of crossbar memories with carbon nanotube electrodes. 2011 , 5, 205-207	3
980	Multicomponent periodic nanoparticle superlattices. 2011 , 13, 15-32	27
979	Large scale synthesis of silicon nanowires. 2011 , 13, 1737-1745	5

978	Multifunctional 4-bit biomemory chip consisting of recombinant azurin variants. 2011 , 32, 3815-21	27
977	Multifunctional DNA-based biomemory device consisting of ssDNA/Cu heterolayers. 2011 , 26, 2304-10	10
976	Growth behavior and sensing properties of nanograins in CuO nanofibers. 2011 , 172, 550-556	88
975	Quantitative in-situ nanomechanical characterization of metallic nanowires. 2011 , 63, 35-42	41
974	Effects of silver impurity on the structural, electrical, and optical properties of ZnO nanowires. 2011 , 6, 552	18
973	Thin-film-based nanoarchitectures for soft matter: controlled assemblies into two-dimensional worlds. 2011 , 7, 1288-308	150
972	Solution-liquid-solid synthesis of semiconductor nanowires using clusters as single-source precursors. 2011 , 7, 2464-8	17
971	Resistive-switching crossbar memory based on Ni-NiO core-shell nanowires. 2011 , 7, 2899-905	66
970	Protein-based memristive nanodevices. 2011 , 7, 3016-20	59
969	Ovonic Memory Switching in Multimaterial Fibers. 2011 , 21, 1095-1101	24
968	Fracture of Sub-20nm Ultrathin Gold Nanowires. 2011 , 21, 3982-3989	93
967	Self-assembled transparent conductive electrodes from Au nanoparticles in surfactant monolayer templates. 2011 , 23, 4327-31	28
966	In Vitro Biocompatibility of n-Type and Undoped Silicon Nanowires. 2011 , 13, B3-B9	20
965	The role of oxidative etching in the synthesis of ultrathin single-crystalline Au nanowires. 2011 , 17, 9503-7	19
964	Mechanism of nonvolatile resistive switching in graphene oxide thin films. 2011 , 49, 3796-3802	124
963	Electric tweezers. 2011 , 6, 339-354	62
962	Electrical characteristics of nickel silicide-silicon heterojunction in suspended silicon nanowires. 2011 , 56, 130-134	8
961	Quasi unidimensional growth of Co nanostructures on a strained Au(111) surface. 2011 , 605, 1165-1169	10

960	Variation-immune quasi delay-insensitive implementation on nano-crossbar arrays. 2011 ,	1
959	Defect-Aware Nanocrossbar Logic Mapping through Matrix Canonization Using Two-Dimensional Radix Sort. 2011 , 7, 1-16	10
958	Heterogeneous integration of carbon nanotubes and graphene microassemblies for environmental and breath sensing. 2011 ,	0
957	Polarized and resonant Raman spectroscopy on single InAs nanowires. 2011 , 84,	53
956	Current-induced energy barrier suppression for electromigration from first principles. 2011 , 84,	22
955	Gentle cold welding between gold nano objects driven by electrical field and atomic rearrangement. 2011 , 110, 104310	10
954	Method for probing the magnetic state of nanomaterials encapsulated in carbon nanotubes. 2011 , 98, 073109	4
953	Diversity mapping scheme for defect and fault tolerance in nanoelectronic crossbar. 2011 ,	1
952	Second-layer induced island morphologies in thin-film growth of fullerenes. 2011 , 107, 016101	43
951	Integration of Nanowires in New Devices and Circuit Architectures: Recent Developments and Challenges. 2011 , 575-639	
950	X-ray nanotomography of SiO ₂ -coated Pt90Ir10 tips with sub-micron conducting apex. 2011 , 99, 173102	21
949	Growth of single-crystalline cobalt silicide nanowires with excellent physical properties. 2011 , 110, 074302	16
948	Determination of Mechanical Properties of Single-Crystal CdS Nanowires from Dynamic Flexural Measurements of Nanowire Mechanical Resonators. 2011 , 4, 065004	6
947	Novel growth mode of solid-liquid-solid (SLS) silica nanowires. 2011 , 26, 2232-2239	7
946	Synthesis of CdS Quantum Dots for Detection of Copper (II) Using Fluorescence Spectroscopy. 2011 , 306-307, 1334-1337	1
945	Thermal-gradient-induced interaction energy ramp and actuation of relative axial motion in short-sleeved double-walled carbon nanotubes. <i>Nanotechnology</i> , 2011 , 22, 485702	3-4 15
944	A low time complexity defect-tolerance algorithm for nanoelectronic crossbar. 2011 ,	5
943	Guided growth of millimeter-long horizontal nanowires with controlled orientations. 2011 , 333, 1003-7	193

942	Design, synthesis, and characterization of novel nanowire structures for photovoltaics and intracellular probes. 2011 , 83, 2153-2169	36
941	Quantitative in situ TEM tensile testing of an individual nickel nanowire. <i>Nanotechnology</i> , 2011 , 22, 3557-3564	57
940	Electrochemically grown metallic nanocomb structures on nanoporous alumina templates. 2011 , 98, 223105	
939	Room-Temperature ZnO Nanoparticle Ethanol Gas Sensors under UV Illumination. 2012 , 486, 39-43	2
938	Zinc Oxide Nanoparticle Photodetector. 2012 , 2012, 1-5	7
937	Reliable logic mapping on Nano-PLA architectures. 2012 ,	3
936	Mechanical and electrical properties of epitaxial Si nanowires grown by pulsed laser deposition. 2012 , 24, 445008	2
935	Localized photo-induced voltage with controlled polarity in single K enriched MoO ₃ nanobundle. <i>Nanotechnology</i> , 2012 , 23, 475204	3-4 1
934	Observation of room-temperature negative differential resistance in Gd-doped Si nanowires on Si(110) surface. 2012 , 101, 53113	10
933	Capacitance of metallic and semiconducting nanowires examined by first-principles calculations. 2012 , 86,	2
932	Dynamical Coulomb blockade observed in nanosized electrical contacts. 2012 , 108, 126802	30
931	Resistive switching behavior of a thin amorphous rare-earth scandate: Effects of oxygen content. 2012 , 101, 012102	17
930	Oxygen migration induced resistive switching effect and its thermal stability in W/TaO _x /Pt structure. 2012 , 100, 253509	87
929	Four-dimensional spectral low-loss energy-filtered transmission electron tomography of silicon nanowire-based capacitors. 2012 , 101, 063108	12
928	Length-dependent mechanical properties of gold nanowires. 2012 , 112, 114314	23
927	Carbon Nanotube- and Graphene Based Devices, Circuits and Sensors for VLSI Design. 2012 ,	8
926	Nanowires. 2012 , 253-270	
925	Seed concentration control of metal nanowire diameter. <i>Nano Letters</i> , 2012 , 12, 5552-8	11.5 31

924	Radically enhanced molecular switches. 2012 , 134, 16275-88	73
923	Science and Engineering Beyond Moore's Law. 2012 , 100, 1720-1749	160
922	Electronics and optoelectronics of two-dimensional transition metal dichalcogenides. 2012 , 7, 699-712	10871
921	Enhanced photoconductive properties of a simple composite coaxial nanostructure of zinc oxide and polypyrrole. 2012 , 22, 21195	15
920	Nano meets beetles from wing to tiptoe: Versatile tools for smart and reversible adhesions. 2012 , 7, 496-513	41
919	Macroporous nanowire nanoelectronic scaffolds for synthetic tissues. <i>Nature Materials</i> , 2012 , 11, 986-9427	494
918	Carbon as a hard template for nano material catalysts. 2012 , 21, 215-232	37
917	Morphology-Controlled Synthesis and Applications of Silver Halide Photocatalytic Materials. 2012 , 16, 210-230	49
916	Coverage Optimization for Defect-Tolerance Logic Mapping on Nanoelectronic Crossbar Architectures. 2012 , 27, 979-988	1
915	Various metallic nano-sized patterns fabricated using an Ag ink printing technique. 2012 , 8, 485-489	10
914	Nanotechnology: The "Top-Down" and "Bottom-Up" Approaches. 2012 ,	45
913	Graphene quantum resistive sensing skin for the detection of alteration biomarkers. 2012 , 22, 21754	109
912	Effect of CdSe nanoparticles in polymethylmethacrylate tunneling layer on the performance of nonvolatile organic memory device. 2012 , 98, 305-308	14
911	Effect of pH on the capacitive behavior of microgap sensor. 2012 ,	5
910	Controllable synthesis of corrugated CdS nanoribbons of high quality by vapor-liquid-solid method. 2012 , 14, 585-589	11
909	Confining grains of textured Cu ₂ O films to single-crystal nanowires and resultant change in resistive switching characteristics. 2012 , 4, 2029-33	30
908	Multilevel conductance switching of memory device through photoelectric effect. 2012 , 134, 20053-9	99
907	Initial strategy for design and fabrication of microgap electrodes. 2012 ,	2

906 Quantification of the zinc dopant concentration in GaAs nanowires. **2012**,

905 Surface ferromagnetic p-type ZnO nanowires through charge transfer doping. **2012**, 4, 1365-70

5

904 Correlation of polarity and crystal structure with optoelectronic and transport properties of GaN/AlN/GaN nanowire sensors. *Nano Letters*, **2012**, 12, 5691-6

11.5 68

903 Fabrication of self-masked InP nanopillars by electron cyclotron resonance ion etching. **2012**, 44, 1644-1648

7

902 Gas sensors, thermistor and photodetector based on ZnS nanowires. **2012**, 22, 6845

118

901 CuO nanoparticle decorated ZnO nanorod sensor for low-temperature HS detection. **2012**, 32, 2079-2085

107

900 Vectorial nanowire growth by local kinetic manipulation. **2012**, 345, 56-60

2

899 Composite MetalOxide Nanocatalysts. **2012**, 4, 1462-1484

57

898 Hierarchical three-dimensional layer-by-layer assembly of carbon nanotube wafers for integrated nanoelectronic devices. *Nano Letters*, **2012**, 12, 4540-5

11.5 19

897 Design, growth, and characterization of morphology-tunable Cd_xZn_{1-x}S nanostructures generated by a one-step thermal evaporation process. **2012**, 14, 4298

15

896 Nano- and Biotechniques for Electronic Device Packaging. **2012**, 49-76

1

895 The extremely narrow hysteresis width of phase transition in nanocrystalline VO₂ thin films with the flake grain structures. *Applied Surface Science*, **2012**, 261, 83-87

6.7 29

894 Controllable synthesis of floatable nanocrystalline Ag₂S and Ag by a silane coupling agent-modified solvothermal method. **2012**, 47, 3732-3737

7

893 Exciton-phonon coupling efficiency in CdSe quantum dots embedded in ZnSe nanowires. **2012**, 85,

9

892 DNA-linker-induced surface assembly of ultra dense parallel single walled carbon nanotube arrays. *Nano Letters*, **2012**, 12, 1129-35

11.5 44

891 Materials self-assembly and fabrication in confined spaces. **2012**, 22, 10389

67

890 Preparation of high aspect ratio nickel oxide nanowires and their gas sensing devices with fast response and high sensitivity. **2012**, 22, 8327

81

889 Welding of gold nanoparticles on graphitic templates for chemical sensing. **2012**, 134, 3472-9

64

888	Logic circuit function realization by one transistor. <i>Nano Letters</i> , 2012 , 12, 5954-6	11.5	11
887	Electric field guided assembly of one-dimensional nanostructures for high performance sensors. 2012 , 12, 5725-51		24
886	Tuning quantum corrections and magnetoresistance in ZnO nanowires by ion implantation. <i>Nano Letters</i> , 2012 , 12, 666-72	11.5	38
885	Smartly aligning nanowires by a stretching strategy and their application as encoded sensors. <i>ACS Nano</i> , 2012 , 6, 9005-12	16.7	16
884	Ultra high density three dimensional capacitors based on Si nanowires array grown on a metal layer. 2012 , 101, 083110		19
883	Inorganic semiconductor nanomaterials for flexible and stretchable bio-integrated electronics. 2012 , 4, e15-e15		116
882	Oxide nanowires for solar cell applications. 2012 , 4, 1436-45		57
881	Nanoscale programmable sequence-specific patterning of DNA scaffolds using RecA protein. <i>Nanotechnology</i> , 2012 , 23, 365301	3.4	9
880	Confinement-guided shaping of semiconductor nanowires and nanoribbons: "writing with nanowires". <i>Nano Letters</i> , 2012 , 12, 7-12	11.5	66
879	Electrical memory devices based on inorganic/organic nanocomposites. 2012 , 4, e18-e18		143
878	Molecular Rotors as Switches. 2012 , 12, 11612-11637		20
877	Vertical Silicon Nanowire Platform for Low Power Electronics and Clean Energy Applications. 2012 , 2012, 1-21		28
876	Single-Electron Transistor made by Au Nanoparticles and Nanogap Electrodes. 2012 , 55, 328-332		3
875	Secondary electron image formation of a freestanding Si_3N_4 nanobelt. 2012 , 111, 054316		
874	Beyond DNA origami: the unfolding prospects of nucleic acid nanotechnology. 2012 , 4, 139-52		30
873	Direct gravure printing of silicon nanowires using entropic attraction forces. 2012 , 8, 1614-21		12
872	Towards nano-organic chemistry: perspectives for a bottom-up approach to the synthesis of low-dimensional carbon nanostructures. 2012 , 4, 369-79		23
871	Size dependent mechanical properties of single crystalline nickel nanowires. 2012 , 111, 063524		31

870	Top-down fabrication of single crystal silicon nanowire using optical lithography. 2012 , 112, 024309		20
869	Guided growth of horizontal ZnO nanowires with controlled orientations on flat and faceted sapphire surfaces. <i>ACS Nano</i> , 2012 , 6, 6433-45	16.7	87
868	Dislocation-driven CdS and CdSe nanowire growth. <i>ACS Nano</i> , 2012 , 6, 4461-8	16.7	54
867	Reversible Switch Memory Effect in Hydrogen-Terminated Ultrananocrystalline Diamond. 2012 , 22, 1827-1834		5
866	Fabrication of graphene nanomesh by using an anodic aluminum oxide membrane as a template. 2012 , 24, 4138-42		169
865	Ferroelectric tunnel junction memory devices made from monolayers of vinylidene fluoride oligomers. 2012 , 24, 4163-9		39
864	Hybrid nanostructures for energy storage applications. 2012 , 24, 5045-64		408
863	Optically directed mesoscale assembly and patterning of electrically conductive organic-inorganic hybrid structures. 2012 , 24, OP242-6		5
862	Small molecular nanowire arrays assisted by superhydrophobic pillar-structured surfaces with high adhesion. 2012 , 24, 2780-5		71
861	One-step interfacial synthesis and assembly of ultrathin luminescent AuNPs/silica membranes. 2012 , 24, 3218-22		29
860	Bipolar resistive switching with self-rectifying effects in Al/ZnO/Si structure. 2012 , 111, 013702		93
859	Macroscopic-scale assembled nanowire thin films and their functionalities. 2012 , 112, 4770-99		242
858	Synthesis of monolithic graphene-graphite integrated electronics. <i>Nature Materials</i> , 2011 , 11, 120-5	27	192
857	Giant spin splitting in optically active ZnMnTe/ZnMgTe core/shell nanowires. <i>Nano Letters</i> , 2012 , 12, 3404-9	11.5	27
856	A chemical route to control molecular mobility on graphene. 2012 , 14, 10533-9		12
855	Tailoring the electrical properties of tellurium nanowires via surface charge transfer doping. 2012 , 14, 1		12
854	Batch welding of aligned carbon nanotube onto metal electrodes. 2012 , 18, 679-682		5
853	An explicit solution for bending of nanowires lying on Winkler-Bernoulli elastic substrate medium based on the Euler-Bernoulli beam theory. 2012 , 52, 115-128		38

852	Low temperature nanointegration for emerging biomedical applications. 2012 , 52, 361-374	7
851	Room temperature CO sensing of selectively grown networked ZnO nanowires by Pd nanodot functionalization. 2012 , 168, 8-13	66
850	Combining scanning tunneling microscopy and synchrotron radiation for high-resolution imaging and spectroscopy with chemical, electronic, and magnetic contrast. 2012 , 112, 22-31	35
849	Welding of gold nanowires with different joining procedures. 2012 , 14, 1	10
848	Tunable self-assembly of triazole-linked porphyrin-polymer conjugates. 2013 , 19, 12759-70	33
847	Nanoelectronics-biology frontier: From nanoscopic probes for action potential recording in live cells to three-dimensional cyborg tissues. 2013 , 8, 351-373	101
846	Preparation of ceramic nanoparticles via cellulose-assisted glycine nitrate process: a review. 2013 , 3, 2873-2884	31
845	Cotunneling transport in ultra-narrow gold nanowire bundles. 2013 , 6, 644-651	11
844	A study of the size-dependent elastic properties of CdSe nanowires. 2013 , 77, 245-249	7
843	Chemical vapor deposition based tungsten disulfide (WS ₂) thin film transistor. 2013 ,	5
842	Dually active silicon nanowire transistors and circuits with equal electron and hole transport. <i>Nano Letters</i> , 2013 , 13, 4176-81	11.5 107
841	Combined in situ quartz crystal microbalance with dissipation monitoring, indirect nanoplasmonic sensing, and vibrational sum frequency spectroscopic monitoring of alkanethiol-protected copper corrosion. 2013 , 29, 7151-61	21
840	Study of ultrafine grains formed on the micro-sized catalyst surface induced growth of aligned SiO ₂ nanowires. 2013 , 24, 3805-3811	3
839	Light-Emitting Electrospun Nanofibers for Nanophotonics and Optoelectronics. 2013 , 298, 487-503	94
838	Nanoelectronics meets biology: from new nanoscale devices for live-cell recording to 3D innervated tissues. 2013 , 8, 2304-14	18
837	Additive manufacturing (AM) and nanotechnology: promises and challenges. 2013 , 19, 353-364	290
836	The effect of hydrogen passivation on Si nanocrystals: Surface and spin states. 2013 , 1019, 125-131	3
835	Amyloid-Like Fibrils: Origin, Structure, Properties, and Potential Technological Applications. 2013 , 233-282	1

834	Nanostructural anisotropy underlies anisotropic electrical bistability. 2013 , 25, 1623-8		6
833	Performance limitations for nanowire/nanoribbon biosensors. 2013 , 5, 629-45		34
832	Biodegradable mesostructured polymer membranes. <i>Nano Letters</i> , 2013 , 13, 4410-5	11.5	6
831	Transparent, conductive gold nanowire networks assembled from soluble Au thiocyanate. 2013 , 49, 8552-4		29
830	Relativistic electron transport through an oscillating barrier: Wave-packet generation and Fano-type resonances. 2013 , 88,		12
829	Synthesis of silver nanoparticles using reducing agents obtained from natural sources (<i>Rumex hymenosepalus</i> extracts). 2013 , 8, 318		171
828	From nanoscience to solutions in electrochemical energy storage. 2013 , 31, 058503		14
827	Guided growth of epitaxially coherent GaN nanowires on SiC. <i>Nano Letters</i> , 2013 , 13, 5491-6	11.5	34
826	Forming free resistive switching in graphene oxide thin film for thermally stable nonvolatile memory applications. 2013 , 114, 124508		72
825	Effect of biointerfacing linker chemistries on the sensitivity of silicon nanowires for protein detection. 2013 , 85, 9493-500		12
824	Single-handed helical wrapping of single-walled carbon nanotubes by chiral, ionic, semiconducting polymers. 2013 , 135, 16220-34		62
823	Synthesis, characterization, and nonvolatile ternary memory behavior of a larger heteroacene with nine linearly fused rings and two different heteroatoms. 2013 , 135, 14086-9		175
822	Evolution of AgX nanowires into Ag derivative nano/microtubes for highly efficient visible-light photocatalysts. 2013 , 5, 11225-33		22
821	Directed evolution of bacteriorhodopsin for applications in bioelectronics. 2013 , 10, 20130197		54
820	Diagnosing nanoelectronic components using coherent electrons. <i>Nano Letters</i> , 2013 , 13, 4815-9	11.5	3
819	Polycrystalline nanowires of gadolinium-doped ceria via random alignment mediated by supercritical carbon dioxide. <i>Scientific Reports</i> , 2013 , 3, 1606	4.9	5
818	Improvement of DNA Origami's adsorption on silicon substrate. 2013 ,		
817	Thermodynamic-enabled synthesis of Bi/Bi ₁₄ Te ₆ axial heterostructure nanowires. 2013 , 1, 2395		9

816	Sequential growth at the sub-10 nm scale of cyanide bridged coordination networks on inorganic surfaces. 2013 , 42, 15835-45	15
815	Anisotropic surface strain in single crystalline cobalt nanowires and its impact on the diameter-dependent Young's modulus. 2013 , 5, 11643-8	13
814	Ultrasensitive visible light photoresponse and electrical transportation properties of nonstoichiometric indium oxide nanowire arrays by electrospinning. 2013 , 1, 6463	26
813	Transparent, conductive, and SERS-active Au nanofiber films assembled on an amphiphilic peptide template. 2013 , 5, 10487-93	23
812	Nanorobotic Strategies for Handling and Characterization of Metal-Assisted Etched Silicon Nanowires. 2013 , 18, 887-894	3
811	Synthesis of monoclinic potassium niobate nanowires that are stable at room temperature. 2013 , 135, 6-9	66
810	SiBiC core-shell nanowires. 2013 , 363, 158-163	27
809	One-Dimensional Nanostructures for Energy Harvesting. 2013 , 237-270	3
808	Enhanced sensing performances of networked SnO ₂ nanowires by surface modification with atmospheric pressure Ar/O ₂ plasma. 2013 , 177, 654-658	25
807	Semiconductor nanowire lasers. 2013 , 5, 216	101
806	Metal-Seeded Growth Mechanism of ZnO Nanowires. 2013 , 13, 572-580	24
805	Room temperature H ₂ sensing using functionalized GaN nanotubes with ultra low activation energy. 2013 , 38, 3513-3520	30
804	Binary Logic with Synthetic Molecular and Supramolecular Species. 2013 , 25-52	3
803	Synthetic nanoelectronic probes for biological cells and tissues. 2013 , 6, 31-51	76
802	Nanowire Field-Effect Transistors for Electrical Interfacing with Cells and Tissue. 2013 , 515-529	
801	Imaging Impurities in Semiconductor Nanostructures. 2013 , 25, 1332-1350	22
800	All zinc-blende GaAs/(Ga,Mn)As core-shell nanowires with ferromagnetic ordering. <i>Nano Letters</i> , 2013 , 13, 1572-7	11,5 40
799	Biosensors Based on Field-Effect Devices. 2013 , 67-86	2

798	Synthesis and applications of organic nanorods, nanowires and nanotubes. 2013 , 109, 211		40
797	A nanoscale combing technique for the large-scale assembly of highly aligned nanowires. 2013 , 8, 329-35		228
796	The chemistry of pristine graphene. 2013 , 49, 3721-35		190
795	Hydrothermal synthetic strategies of inorganic semiconducting nanostructures. 2013 , 42, 5714-43		364
794	Formation of Functionalized Nanowires by Control of Self-Assembly Using Multiple Modified Amyloid Peptides. 2013 , 23, 4881-4887		23
793	Understanding self-aligned planar growth of InAs nanowires. <i>Nano Letters</i> , 2013 , 13, 2786-91	11.5	41
792	Nanoscale devices: untangling nanowire assembly. 2013 , 8, 312-3		15
791	Magnetic resonance imaging: silicon for the future. 2013 , 8, 313-5		3
790	Self-assembly of well-defined ferrocene triblock copolymers and their template synthesis of ordered iron oxide nanoparticles. 2013 , 49, 4373-5		40
789	Steady state vibration analysis and mitigation of single-walled carbon nanotubes based on nonlocal Timoshenko beam theory. 2013 , 71, 38-46		5
788	Thermal conductivity of silicon nanowires: From fundamentals to phononic engineering. 2013 , 7, 754-766		54
787	Nanowire-based resistive switching memories: devices, operation and scaling. 2013 , 46, 074006		43
786	Lipid nanotechnology. 2013 , 14, 4242-82		147
785	A general method to measure the Hall effect in nanowires: examples of FeS ₂ and MnSi. <i>Nano Letters</i> , 2013 , 13, 2704-9	11.5	37
784	Reproducible resistive switching in hydrothermal processed TiO ₂ nanorod film for non-volatile memory applications. 2013 , 194, 135-139		11
783	Influence of metal deposition on exciton-surface plasmon polariton coupling in GaAs/AlAs/GaAs core-shell nanowires studied with time-resolved cathodoluminescence. <i>Nano Letters</i> , 2013 , 13, 1602-10	11.5	13
782	Exciton dynamics in semiconductor nanocrystals. 2013 , 25, 2878-96		150
781	Ultrafast spectroscopy of quantum confined states in a single CdSe nanowire. <i>Nano Letters</i> , 2013 , 13, 1706-10	11.5	14

780	Microwave-Assisted Solution Synthesis of Nanomaterials. 2013 , 107-143	1
779	Sequential growth of bistable copper-molybdenum coordination nanolayers on inorganic surfaces. 2013 , 42, 8034-40	8
778	Patterned Transparent Conductive Au Films through Direct Reduction of Gold Thiocyanate. 2013 , 23, 5663-5668	23
777	25th anniversary article: The evolution of electronic skin (e-skin): a brief history, design considerations, and recent progress. 2013 , 25, 5997-6038	1622
776	ILP formulations for variation/defect-tolerant logic mapping on crossbar nano-architectures. 2013 , 9, 1-21	10
775	ZnO nanorods: morphology control, optical properties, and nanodevice applications. 2013 , 56, 2243-2265	13
774	A Pathway to Type-I Band Alignment in Ge/Si Core-Shell Nanowires. 2013 , 4, 121-6	14
773	Negative differential resistance by molecular resonant tunneling between neutral tribenzosubporphine anchored to a Au(111) surface and tribenzosubporphine cation adsorbed on to a tungsten tip. 2013 , 135, 14159-66	27
772	Facet-selective growth on nanowires yields multi-component nanostructures and photonic devices. 2013 , 135, 18354-7	39
771	Nanowire nanoelectronics: Building interfaces with tissue and cells at the natural scale of biology. 2013 , 85, 883-901	21
770	In situ switching layer-by-layer assembly: one-pot rapid layer assembly via alternation of reductive and oxidative electropolymerization. 2013 , 49, 6879-81	33
769	Covalent Coupling of Nanoparticles with Low-Density Functional Ligands to Surfaces via Click Chemistry. 2013 , 14, 3705-17	9
768	Roles of iron and copper salts for controlling morphology of silver nanostructures. 2013 , 104, 561-566	
767	SiC-based 1D Nanostructures. 2013 , 1551, 23-28	
766	Elaboration of Core Si/Shell SiC Nanowires. 2013 , 740-742, 306-310	
765	Low Cost Detection of pH and its Effect on the Capacitive Behavior of Micro-Gap Sensor. 2013 , 832, 73-78	1
764	Hydride VPE: the unexpected process for the fast growth of GaAs and GaN nanowires with record aspect ratio and polytypism-free crystalline structure. 2013 ,	
763	Photoresponses in Gold Nanoparticle Single-Electron Transistors with Molecular Floating Gates. 2013 , 52, 110102	12

762	Multifunctional three-dimensional macroporous nanoelectronic networks for smart materials. 2013 , 110, 6694-9	72
761	Field Emissions from Organic Nanorods Armored with Metal Nanoparticles. 2013 , 52, 120203	0
760	Closed Fluid Cell with Liquid-Sealing Mechanism for Stable and Flexible Operation of Liquid-Environment Atomic Force Microscopy. 2013 , 52, 110109	2
759	Contact printing of horizontally-aligned p-type ZnO nanowire arrays for rigid and flexible photodetectors. <i>Nanotechnology</i> , 2013 , 24, 095703	3-4 21
758	DFT calculations of phonons in GaAs with zinc blende and wurtzite structures. 2013 , 250, 2141-2144	3
757	Recent advances in flexible sensors for wearable and implantable devices. 2013 , 130, 1429-1441	316
756	Defect states and disorder in charge transport in semiconductor nanowires. 2013 , 114, 043711	8
755	Nanoscale organization by elastic interactions between H and He platelets in Si. 2013 , 114, 073517	5
754	Strain rate dependent mechanical properties in single crystal nickel nanowires. 2013 , 102, 083102	35
753	Stochastic memristive nature in Co-doped CeO ₂ nanorod arrays. 2013 , 103, 253504	21
752	Factors affecting performance of CNT FET as a switch in memory cell. 2013 ,	2
751	Fast Ionic Diffusion-Enabled Nanoflake Electrode by Spontaneous Electrochemical Pre-Intercalation for High-Performance Supercapacitor. <i>Scientific Reports</i> , 2013 , 3,	4-9 159
750	Engineered core-shell Si _{1-x} Gex/Ge nanowires fabricated by focused ion beam and oxido-reduction. 2013 , 114, 034301	6
749	Molecular switches from benzene derivatives adsorbed on metal surfaces. <i>Nature Communications</i> , 2013 , 4, 2569	17-4 73
748	Absorption enhancement using nanoneedle array for solar cell. 2013 , 103, 211110	8
747	Spontaneous growth of gallium-filled microcapillaries on ion-bombarded GaN. 2013 , 111, 135503	5
746	CHAPTER 3:Structured Materials for Photoelectrochemical Water Splitting. 52-82	9
745	A guide for nanowire growth. 2013 , 110, 15171-2	11

744	Oriented assembly of polyhedral plasmonic nanoparticle clusters. 2013 , 110, 6640-5		108
743	Self-integration of nanowires into circuits via guided growth. 2013 , 110, 15195-200		54
742	Biomechanics of DNA structures visualized by 4D electron microscopy. 2013 , 110, 2822-7		30
741	Semiconductor nanostructure properties. Molecular Dynamic Simulations. 2013 , 461, 012004		
740	Silicon nanowires as a versatile technology platform. 2013 , 7, 793-799		47
739	Hierarchically nanostructured materials for sustainable environmental applications. 2013 , 1, 18		55
738	Empirical prediction of electronic potentials of single-walled carbon nanotubes with a specific chirality (n,m). <i>Scientific Reports</i> , 2013 , 3, 2959	4.9	45
737	Metal-Catalyzed Growth of ZnO Nanowires. 2013 , 51-66		
736	Bright photoluminescence from ordered arrays of SiGe nanowires grown on Si(111). 2014 , 5, 2498-504		4
735	. 2014 ,		25
734	Nanopatterned Graphene Field Effect Transistor Fabricated Using Block Co-polymer Lithography. 2014 , 2, 131-139		10
733	Local Current-Activated Growth of Individual Nanostructures with High Aspect Ratios. 2014 , 2, 10-15		4
732	Investigating the impact of source/drain doping dependent effective masses on the transport characteristics of ballistic Si-nanowire field-effect-transistors. 2014 , 115, 124502		8
731	Self-assembled nanowire array capacitors: capacitance and interface state profile. <i>Nanotechnology</i> , 2014 , 25, 135201	3.4	7
730	A Fast Extraction Algorithm for Defect-Free Subcrossbar in Nanoelectronic Crossbar. 2014 , 10, 1-19		14
729	Self-organization and Emergence of Dynamical Structures in Neuromorphic Atomic Switch Networks. 2014 , 173-209		12
728	Negative differential resistance effect in ITO/TiO ₂ /ITO based RRAM sandwich structures. 2014 ,		
727	In situ controlled modification of the helium density in single helium-filled nanobubbles. 2014 , 115, 123508		21

726	A New Memetic Algorithm With Fitness Approximation for the Defect-Tolerant Logic Mapping in Crossbar-Based Nanoarchitectures. 2014 , 18, 846-859	26
725	Surface optical phonons in GaAs nanowires grown by Ga-assisted chemical beam epitaxy. 2014 , 115, 034307	19
724	Extremely compliant and highly stretchable patterned graphene. 2014 , 104, 173103	35
723	Intrinsically Conductive Organosilver Linear Chain Polymers [SAgSBiphenyl]n Assembled on Roughened Elemental Silver. 2014 , 118, 29287-29293	3
722	Magnetic field controllable nonvolatile resistive switching effect in silicon device. 2014 , 104, 243511	10
721	A Native Stochastic Computing Architecture Enabled by Memristors. 2014 , 13, 283-293	67
720	Synthesis of silver nanoparticles and of self assembled supramolecules from marine humic acid. 2014 , 9, 719-727	3
719	Enhanced conductivity and gating effect of p-type Li-doped NiO nanowires. 2014 , 6, 688-92	51
718	Oxygen adsorbates on the Si(111)41-In metallic atomic wire: Scanning tunneling microscopy and density-functional theory calculations. 2014 , 90,	6
717	Bioengineered tunable memristor based on protein nanocage. 2014 , 10, 277-83	59
716	Chapter 4:Nanowire Biosensors. 2014 , 167-199	
715	A resistance-switchable and ferroelectric metal-organic framework. 2014 , 136, 17477-83	85
714	Formation of bimetallic core-shell nanowires along vortices in superfluid He nanodroplets. 2014 , 90,	63
713	Chapter 2:High Performance, Low Power Nanowire Transistor Devices. 2014 , 54-110	1
712	Chapter 1:Semiconductor Nanowire Growth and Integration. 2014 , 1-53	12
711	Voltage-driven reversible insertion into and leaving from a lipid bilayer: tuning transmembrane transport of artificial channels. 2014 , 53, 4578-81	135
710	Nanostructure synthesis at the solid-water interface: spontaneous assembly and chemical transformations of tellurium nanorods. 2014 , 15, 3026-31	5
709	Morphology and Microstructure of InAs Nanowires on GaAs Substrates Grown by Molecular Beam Epitaxy. 2014 , 31, 098101	3

708	Graphene nano-objects tailored by interference lithography. 2014 ,			
707	Anisotropic hard mask block copolymer approach for the fabrication of ordered, large scale, horizontally aligned, Si nanowire arrays on Si substrate. 2014 ,			
706	. 2014 ,			6
705	Features of the integration of graphenes in microelectronic technology. 2014 , 43, 477-482			1
704	Confinement-modulated junctionless nanowire transistors for logic circuits. 2014 , 6, 13446-50			5
703	ITRS Assessment and Benchmarking of Emerging Logic Devices. 2014 , 405-416			2
702	Improvement in electron-beam lithography throughput by exploiting relaxed patterning fidelity requirements with directed self-assembly. 2014 ,			
701	SOI-Nanowire Biosensors for High-Sensitivity Protein and Gene Detection. 2014 , 445-467			2
700	Raman scattering study of InAs nanowires under high pressure. <i>Nanotechnology</i> , 2014 , 25, 465704	3-4		8
699	Self-controlled fabrication of single-crystalline silicon nanobeams using conventional micromachining. <i>Nanotechnology</i> , 2014 , 25, 315303	3-4		1
698	Structural, nanomechanical, field emission and ammonia gas sensing properties of nitrogenated amorphous carbon films deposited by filtered anodic jet carbon arc technique. 2014 , 125, 276-83			23
697	Silicon nanowires fabricated by porous gold thin film assisted chemical etching and their photoelectrochemical properties. 2014 , 125, 28-31			13
696	Room-temperature epitaxial electrodeposition of single-crystalline germanium nanowires at the wafer scale from an aqueous solution. <i>Nano Letters</i> , 2014 , 14, 847-52	11.5		45
695	Macroscopic free-standing hierarchical 3D architectures assembled from silver nanowires by ice templating. 2014 , 53, 4561-6			158
694	Mobility enhancement of SnO ₂ nanowire transistors gated with a nanogranular SiO ₂ solid electrolyte. 2014 , 16, 1084-8			9
693	Graphene based non-volatile memory devices. 2014 , 26, 5496-503			77
692	Impact of n-type doping on the carrier dynamics of silicon nanowires studied using optical-pump terahertz-probe spectroscopy. 2014 , 89,			13
691	Extrusion of YAG Tubes Shows that Bottom-up Processing is Not Always Optimal. 2014 , 24, 1125-1132			12

690	Titanium oxide nanosheets: graphene analogues with versatile functionalities. 2014 , 114, 9455-86	482
689	In-situ synthesis of carbon nanotube-graphite electronic devices and their integrations onto surfaces of live plants and insects. <i>Nano Letters</i> , 2014 , 14, 2647-54	11.5 74
688	Silicon nanowires as field-effect transducers for biosensor development: a review. 2014 , 825, 1-25	88
687	Synthesis, characterization, and non-volatile memory device application of an N-substituted heteroacene. 2014 , 9, 779-83	112
686	Modulating the thermal conductivity of silicon nanowires via surface amorphization. 2014 , 57, 699-705	10
685	Measuring size dependent electrical properties from nanoneedle structures: Pt/ZnO Schottky diodes. 2014 , 104, 153105	5
684	25th anniversary article: scalable multiscale patterned structures inspired by nature: the role of hierarchy. 2014 , 26, 675-700	167
683	Nanowire nanocomputer as a finite-state machine. 2014 , 111, 2431-5	72
682	Angular momentum dependent orbital-free density functional theory: Formulation and implementation. 2014 , 89,	15
681	Synthesis and crystal structures of gold nanowires with Gemini surfactants as directing agents. 2014 , 15, 3979-86	9
680	Substrate control of anisotropic resistivity in heteroepitaxial nanostructured arrays of cryptomelane manganese oxide on strontium titanate. 2014 , 10, 66-72	3
679	Large arrays and properties of 3-terminal graphene nanoelectromechanical switches. 2014 , 26, 1571-6	46
678	Modification of silver iodide particles caused by a flow of electrons. 2014 , 40, 453-456	
677	Electrochemical Nanowire Devices for Energy Storage. 2014 , 13, 10-15	7
676	WITHDRAWN: Synthesis and characterization of magnesium oxide nanoparticles with 1:1 M ratio via sol-gel technique. 2014 ,	
675	Free-standing graphene-based nanohybrid paper electrode as an anode for lithium-ion batteries. 2014 , 4, 38310-38315	3
674	An ordered array based on vapor-processed phthalocyanine nanoribbons. 2014 , 2, 5667-5672	6
673	Controlled assembly and single electron charging of monolayer protected Au ₁₄₄ clusters: an electrochemistry and scanning tunneling spectroscopy study. 2014 , 6, 15117-26	9

672	Growth and properties of GaAs nanowires on fused quartz substrate. 2014 , 35, 093002		1
671	Encoding abrupt and uniform dopant profiles in vapor-liquid-solid nanowires by suppressing the reservoir effect of the liquid catalyst. <i>ACS Nano</i> , 2014 , 8, 11790-8	16.7	37
670	The conquest of middle-earth: combining top-down and bottom-up nanofabrication for constructing nanoparticle based devices. 2014 , 6, 14605-16		29
669	Original Anisotropic Growth Mode of Copper Nanorods by Vapor Phase Deposition. 2014 , 14, 6350-6356		12
668	Self-bridging of vertical silicon nanowires and a universal capacitive force model for spontaneous attraction in nanostructures. <i>ACS Nano</i> , 2014 , 8, 11261-7	16.7	10
667	Exohedral physisorption of ambient moisture scales non-monotonically with fiber proximity in aligned carbon nanotube arrays. <i>ACS Nano</i> , 2014 , 8, 4591-9	16.7	17
666	Intraband absorption in self-assembled Ge-doped GaN/AlN nanowire heterostructures. <i>Nano Letters</i> , 2014 , 14, 1665-73	11.5	29
665	Metallic glass nanostructures: fabrication, properties, and applications. 2014 , 6, 2027-36		35
664	An Integrated Framework Toward Defect-Tolerant Logic Implementation Onto Nanocrossbars. 2014 , 33, 64-75		10
663	Current Induced Non-Volatile Resistive Switching Effect in Silicon Devices with Large Magnetoresistance. 2014 , 31, 077201		
662	p-Type dopant incorporation and surface charge properties of catalyst-free GaN nanowires revealed by micro-Raman scattering and X-ray photoelectron spectroscopy. 2014 , 6, 9970-6		21
661	A review of helical nanostructures: growth theories, synthesis strategies and properties. 2014 , 6, 9366-400		106
660	Nonplanar conductive surfaces via "bottom-up" nanostructured gold coating. 2014 , 6, 3341-6		15
659	Electrodeposition from supercritical fluids. 2014 , 16, 9202-19		36
658	Direct growth of germanium and silicon nanowires on metal films. 2014 , 2, 1869		20
657	Ag nanoparticles decorated CuO nanowire arrays for efficient plasmon enhanced photoelectrochemical water splitting. 2014 , 609, 59-64		41
656	Electronic charge transport through ZnO nanoribbons. 2014 , 75, 1223-1228		4
655	Effect of copper oxide on the resistive switching responses of graphene oxide film. 2014 , 14, 1301-1303		8

654	Integrated one diode-one resistor architecture in nanopillar SiOx resistive switching memory by nanosphere lithography. <i>Nano Letters</i> , 2014 , 14, 813-8	11.5	85
653	Graphene nanoelectronic heterodyne sensor for rapid and sensitive vapour detection. <i>Nature Communications</i> , 2014 , 5, 4376	17.4	141
652	Epitaxy-enabled vapor-liquid-solid growth of tin-doped indium oxide nanowires with controlled orientations. <i>Nano Letters</i> , 2014 , 14, 4342-51	11.5	39
651	Direct ultrasensitive electrical detection of prostate cancer biomarkers with CMOS-compatible n- and p-type silicon nanowire sensor arrays. 2014 , 6, 13036-42		44
650	Molecular interactions driving the layer-by-layer assembly of multilayers. 2014 , 114, 8883-942		585
649	Synthesis and electrochemical properties of vanadium oxide materials and structures as Li-ion battery positive electrodes. 2014 , 267, 831-873		114
648	Mechanism of formation of supramolecular DNA-templated polymer nanowires. 2014 , 136, 6649-55		36
647	DNA-templated lithography and nanofabrication for the fabrication of nanoscale electronic circuitry. 2014 , 44, 354-70		22
646	Transparent, conductive polystyrene in three dimensional configurations. 2014 , 55, 5095-5101		9
645	Mechanically induced self-propagating reaction and consequent consolidation for the production of fully dense nanocrystalline Ti55C45 bulk material. 2014 , 97, 92-100		14
644	Programmable resistive-switch nanowire transistor logic circuits. <i>Nano Letters</i> , 2014 , 14, 5430-6	11.5	30
643	Comparative study of the self-assembly of gold and silver nanoparticles onto thiophene oil. 2014 , 30, 11520-7		18
642	Ion transport-related resistive switching in film sandwich structures. 2014 , 59, 2363-2382		9
641	Three-dimensional nanofabrication by block copolymer self-assembly. 2014 , 26, 4386-96		141
640	The Bottom Up Approach is Not Always the Best Processing Method: Dense $\text{Al}_2\text{O}_3/\text{NiAl}_2\text{O}_4$ Composites. 2014 , 24, 3392-3398		13
639	Assembly and densification of nanowire arrays via shrinkage. <i>Nano Letters</i> , 2014 , 14, 3304-8	11.5	16
638	Record pure zincblende phase in GaAs nanowires down to 5 nm in radius. <i>Nano Letters</i> , 2014 , 14, 3938-44	11.5	72
637	Selective growth and ordering of SiGe nanowires for band gap engineering. <i>Nanotechnology</i> , 2014 , 25, 335303	3.4	5

636	Mechanical properties of silicon carbide nanowires: effect of size-dependent defect density. <i>Nano Letters</i> , 2014 , 14, 754-8	11.5	130
635	Unintentional high-density p-type modulation doping of a GaAs/AlAs core-multishell nanowire. <i>Nano Letters</i> , 2014 , 14, 2807-14	11.5	37
634	Functional Nanomaterials and Devices for Electronics, Sensors and Energy Harvesting. 2014 ,		8
633	Quantitative electromechanical characterization of materials using conductive ceramic tips. 2014 , 71, 153-163		12
632	Low-cost synthesis of single-walled carbon nanotubes by low-pressure air arc discharge. 2014 , 50, 23-25		38
631	Modeling adsorption and reactions of organic molecules at metal surfaces. 2014 , 47, 3369-77		177
630	Heterojunctions and optical properties of ZnO/SnO ₂ nanocomposites adorned with quantum dots. 2014 , 128, 254-259		27
629	Fusion protein bilayer fabrication composed of recombinant azurin/cytochrome P450 by the sortase-mediated ligation method. 2014 , 120, 215-21		3
628	Effect of nanofiber proximity on the mechanical behavior of high volume fraction aligned carbon nanotube arrays. 2014 , 104, 023117		17
627	Voltage-Driven Reversible Insertion into and Leaving from a Lipid Bilayer: Tuning Transmembrane Transport of Artificial Channels. 2014 , 126, 4666-4669		29
626	Macroscopic Free-Standing Hierarchical 3D Architectures Assembled from Silver Nanowires by Ice Templating. 2014 , 126, 4649-4654		23
625	Large-scale density functional theory simulation of inorganic nanotubes: a case study on Imogolite nanotubes. 2015 , 19, S272-S282		15
624	Morphological Transformation Reactions of Photocatalytic Metalloporphyrin-Containing Coordination Polymer Particles from Seed Structures. 2015 , 4, 438-42		3
623	Semiconductor Nanowires. 2015 , 1-33		2
622	Ionization of a P-doped Si(111) nanofilm using two-dimensional periodic boundary conditions. 2015 , 91,		
621	Quantitative Prediction of Molecular Adsorption: Structure and Binding of Benzene on Coinage Metals. 2015 , 115, 036104		80
620	Nanocontact Disorder in Nanoelectronics for Modulation of Light and Gas Sensitivities. <i>Scientific Reports</i> , 2015 , 5, 13035	4.9	8
619	Energetics, diffusion, and magnetic properties of cobalt atom in a monolayer graphene: An ab initio study. 2015 , 118, 115703		1

618	Oxygen assisted interconnection of silver nanoparticles with femtosecond laser radiation. 2015 , 118, 223101	0
617	Magnonic crystalsProspective structures for shaping spin waves in nanoscale. 2015 , 41, 745-759	25
616	In situ study of the endotaxial growth of hexagonal CoSi ₂ nanoplatelets in Si(001). 2015 , 107, 223101	6
615	VLS growth mechanism of Si-nanowires for flexible electronics. 2015 ,	1
614	Effect of reinforcement shape on the stressStrain behavior of aluminum reinforced with SiC nanowire. 2015 , 88, 1015-1020	15
613	(S)-BINOL Immobilized onto Multiwalled Carbon Nanotubes through Covalent Linkage: A New Approach for Hybrid Nanomaterials Characterization. 2015 , 1, 178-187	5
612	Fabrication of Nanoscale Circuits on Inkjet-Printing Patterned Substrates. 2015 , 27, 3928-33	96
611	Guided Growth of Horizontal ZnSe Nanowires and their Integration into High-Performance Blue-UV Photodetectors. 2015 , 27, 3999-4005	58
610	Assembly of colloidal molecules, polymers, and crystals in acoustic and magnetic fields. 2015 , 27, 4725-31	26
609	Integrated nanotubes, etch tracks, and nanoribbons in crystallographic alignment to a graphene lattice. 2015 , 27, 813-8	3
608	Position-Controlled Selective Growth of ZnO Nanostructures and Their Heterostructures. 2015 , 173-229	2
607	Synthesis, Characterization, and Memory Performance of Two Phenazine/Triphenylamine-Based Organic Small Molecules through Donor-Acceptor Design. 2015 , 4, 646-651	10
606	Multilevel conductance switching of a memory device induced by enhanced intermolecular charge transfer. 2015 , 27, 5968-73	70
605	Single-Step Assembly of Large-Area, Transparent Conductive Patterns Induced Through Edge Adsorption of Template-Confined Au-Thiocyanate. 2015 , 2, 1400430	5
604	Structural identification of the novel 3 way-junction motif. 2015 , 2,	4
603	Electrical properties of single CdTe nanowires. 2015 , 6, 444-50	5
602	Nanoelectromechanical Switches for Low-Power Digital Computing. 2015 , 6, 1046-1065	54
601	Magneto-Plasmonics and Resonant Interaction of Light with Dynamic Magnetisation in Metallic and All-Magneto-Dielectric Nanostructures. <i>Nanomaterials</i> , 2015 , 5, 577-613	5.4 64

600	Surface-mediated electrical transport in single GaAs nanowires. 2015 ,		1
599	Nanotechnology in the real world: Redeveloping the nanomaterial consumer products inventory. 2015 , 6, 1769-80		1226
598	Nanomaterials for Energy-Efficient Applications. 2015 , 2015, 1-2		3
597	A Study on the Stoichiometry of One-Dimensional Nanostructures. 2015 , 2015, 1-6		
596	Graphene, Nanotube, and NANOWIRE-Based Electronics. 2015 , 413-500		
595	Utilizing Nearest-Neighbor Interactions To Alter Charge Transport Mechanisms in Molecular Assemblies of Porphyrins on Surfaces. 2015 , 119, 13569-13579		14
594	Nanothermometer Based on Resonant Tunneling Diodes: From Cryogenic to Room Temperatures. <i>ACS Nano</i> , 2015 , 9, 6271-7	16.7	18
593	Transient EPR Reveals Triplet State Delocalization in a Series of Cyclic and Linear π -Conjugated Porphyrin Oligomers. 2015 , 137, 8284-93		49
592	Full-Band 3-D Monte Carlo Simulation of InAs Nanowires and High Frequency Analysis. 2015 , 62, 1848-1854		
591	Amyloid-directed assembly of nanostructures and functional devices for bionanoelectronics. 2015 , 3, 4953-4958		23
590	On-Chip Universal Supervised Learning Methods for Neuro-Inspired Block of Memristive Nanodevices. 2015 , 11, 1-20		6
589	Nanoelectronics Research Gaps and Recommendations: A Report from the International Planning Working Group on Nanoelectronics (IPWGN) [Commentary]. 2015 , 34, 21-30		4
588	Synthesis and characterization of SnS nanowires. 2015 ,		
587	The Role of Surface Passivation in Controlling Ge Nanowire Faceting. <i>Nano Letters</i> , 2015 , 15, 8211-6	11.5	16
586	Toward Anisotropic Hybrid Materials: Directional Crystallization of Amphiphilic Polyoxazoline-Based Triblock Terpolymers. <i>ACS Nano</i> , 2015 , 9, 10085-98	16.7	26
585	Nanometre scale 3D nanomechanical imaging of semiconductor structures from few nm to sub-micrometre depths. 2015 ,		
584	Nano-nanomanipulation of CdSe nanowires using nano-tweezers based on shape memory alloys. 2015 ,		3
583	Spatially resolved optical properties of ZnO sub-microstructures on a graphene monolayer. 2015 , 67, 1634-1638		

582	Position Controlled Growth of Single Crystal Cu ₃ Si Nanostructures. 2015 , 15, 5355-5359		7
581	A protocol of self-assembled monolayers of fluorescent block molecules for trace Zn(II) sensing: structures and mechanisms. 2015 , 5, 106061-106067		10
580	A novel micro/nano fabrication process based on the combined use of dielectrophoresis, electroosmotic flow, and electrodeposition for surface patterning. 2015 , 25, 115007		8
579	Graphene oxide thin films for resistive memory switches. 2015 , 9, 428-433		13
578	Interparticle Forces Underlying Nanoparticle Self-Assemblies. 2015 , 11, 5984-6008		85
577	Heterogeneous nucleation and high orientation of ZnO nanorods on graphene. 2015 , 67, 1819-1823		4
576	Nanoscience and the nano-bioelectronics frontier. 2015 , 8, 1-22		90
575	A modular DNA origami-based enzyme cascade nanoreactor. 2015 , 51, 5351-4		152
574	Cross-stacked single-crystal organic nanowire p-n nanojunction arrays by nanotransfer printing. <i>Nano Letters</i> , 2015 , 15, 289-93	11.5	34
573	Hierarchically porous carbon nanosheets from waste coffee grounds for supercapacitors. 2015 , 7, 3684-90		213
572	Enzymatic synthesis of a DNA triblock copolymer that is composed of natural and unnatural nucleotides. 2015 , 10, 455-60		8
571	Variable noninnocence of substituted azobis(phenylcyanamido)diruthenium complexes. 2015 , 54, 1508-17		2
570	Origin of axial and radial expansions in carbon nanotubes revealed by ultrafast diffraction and spectroscopy. <i>ACS Nano</i> , 2015 , 9, 1721-9	16.7	20
569	An order of magnitude increase in the quantum efficiency of (Al)GaAs nanowires using hybrid photonic-plasmonic modes. <i>Nano Letters</i> , 2015 , 15, 307-12	11.5	18
568	On the diameter dependence of metal-nanowire Schottky barrier height. 2015 , 117, 034308		13
567	Electrochemical synthesis, characterisation and phytogetic properties of silver nanoparticles. 2015 , 5, 983-991		54
566	Bipolar electrochemical method for dynamic in situ control of single metal nanowire growth. <i>ACS Nano</i> , 2015 , 9, 2454-64	16.7	28
565	Cylindrical confinement of semiflexible polymers. 2015 , 91, 063203		10

564	Starch based biodegradable graft copolymer for the preparation of silver nanoparticles. 2015 , 81, 83-90	14
563	Uniformly Nanopatterned Graphene Field-Effect Transistors with Enhanced Properties. 2015 , 10, 976	5
562	Bacterially Antiadhesive, Optically Transparent Surfaces Inspired from Rice Leaves. 2015 , 7, 19274-81	42
561	Patterning of metallic glasses using polymer templates. 2015 , 108, 15-18	16
560	Designing three-dimensional ordered structures from directed self-assembly of block copolymer films in topographical templates. 2015 , 72, 10-20	11
559	Electrochemical actuation of multiwall carbon nanotube fiber with embedded carbide-derived carbon particles. 2015 , 94, 911-918	16
558	Fabrication of Sub-25 nm Diameter GaSb Nanopillar Arrays by Nanoscale Self-Mask Effect. <i>Nano Letters</i> , 2015 , 15, 4993-5000	11.5 8
557	Large-Area Semiconducting Graphene Nanomesh Tailored by Interferometric Lithography. <i>Scientific Reports</i> , 2015 , 5, 11463	4.9 22
556	Construction of RNA-Quantum Dot Chimera for Nanoscale Resistive Biomemory Application. <i>ACS Nano</i> , 2015 , 9, 6675-82	16.7 43
555	Ab Initio Molecular-Dynamics Simulation of Neuromorphic Computing in Phase-Change Memory Materials. 2015 , 7, 14223-30	22
554	Atomically precise self-organization of perfectly ordered gadolinium silicide nanomeshes controlled by anisotropic electromigration-induced growth on Si(1 1 0)-16 \times 8 surfaces. <i>Applied Surface Science</i> , 2015 , 349, 49-58	6.7 5
553	Hierarchical ZnO Nanowire Growth with Tunable Orientations on Versatile Substrates Using Atomic Layer Deposition Seeding. 2015 , 27, 4799-4807	30
552	Anisotropic optical properties of large-scale aligned silver nanowire films via controlled coffee ring effects. 2015 , 5, 39103-39109	25
551	Solution growth of single crystal methylammonium lead halide perovskite nanostructures for optoelectronic and photovoltaic applications. 2015 , 137, 5810-8	323
550	Electrical interfacing of nanowire devices with cells and tissues. 2015 , 521-542	
549	Nanograins in electrospun oxide nanofibers. 2015 , 21, 213-221	14
548	Toward rational and modular molecular design in soft matter engineering. 2015 , 33, 797-814	37
547	Double layer lift-off nanofabrication controlled gaps of nanoelectrodes with sub-100 nm by nanoimprint lithography. <i>Nanotechnology</i> , 2015 , 26, 185301	3.4 2

546	Gap separation-controlled nanogap electrodes by molecular ruler electroless gold plating. 2015 , 5, 22160-22167	70
545	Control the polarization state of light with symmetry-broken metallic metastructures. 2015 , 358, 129-158	8
544	Atomic origin of ultrafast resistance switching in nanoscale electrometallization cells. <i>Nature Materials</i> , 2015 , 14, 440-6	27 135
543	Silver nanoparticles deposited on TiO ₂ -coated cicada and butterfly wings as naturally inspired SERS substrates. 2015 , 3, 5721-5726	20
542	Microstructure characterization of SiC nanowires as reinforcements in composites. 2015 , 103, 37-41	29
541	Ab initio study of domain structures in half-metallic CoTi _{1-x} Mn _x Sb and thermoelectric CoTi _{1-x} Bi _x Sb half-Heusler alloys. 2015 , 650, 728-740	13
540	RNA as a stable polymer to build controllable and defined nanostructures for material and biomedical applications. 2015 , 10, 631-655	82
539	CdSe nanowires grown by using chemical bath deposition. 2015 , 67, 1222-1227	2
538	Size- and structure-dependence of thermal and mechanical behaviors of single-crystalline and polytypic superlattice ZnS nanowires. 2015 , 117, 214307	3
537	Hierarchical manipulation of uniform multi-nanoparticles by electrochemical coupling assembly. 2015 , 3, 5214-5219	3
536	Application of Nanoparticles in Manufacturing. 2015 , 1-53	2
535	Two-Dimensional Atomic Crystals: Paving New Ways for Nanoelectronics. 2015 , 44, 4080-4097	5
534	Directed Assembly of Ultrathin Gold Nanowires over Large Area by Dielectrophoresis. 2015 , 31, 9246-52	19
533	Strengthening behavior in high content SiC nanowires reinforced Al composite. 2015 , 648, 41-46	18
532	Atomic-scale tomography of semiconductor nanowires. 2015 , 40, 896-909	7
531	Crystallographic Characterization of II-VI Semiconducting Nanostructures via Optical Second Harmonic Generation. <i>Nano Letters</i> , 2015 , 15, 7341-6	11.5 37
530	Ab initio study of strained wurtzite InAs nanowires: engineering an indirect→direct band gap transition through size and uniaxial strain. 2015 , 5, 89993-90000	9
529	Role of Long-Range Interactions for the Structure and Energetics of Olympocene Radical Adsorbed on Au(111) and Pt(111) Surfaces. 2015 , 119, 25408-25419	15

528	Galvanic Deposition of Gold on GaAs: A Tip-Induced Lithography Approach. 2015 , 162, D486-D489		1
527	Defect tolerance in diode, FET, and four-terminal switch based nano-crossbar arrays. 2015 ,		3
526	Microporous carbon nanosheets with redox-active heteroatoms for pseudocapacitive charge storage. 2015 , 7, 15051-8		55
525	A centimeter-scale sub-10 nm gap plasmonic nanorod array film as a versatile platform for enhancing light-matter interactions. 2015 , 7, 15392-403		20
524	Mass Production of Carbon Nanotubes and its Future Applications: A Review. 2015 , 1109, 83-87		1
523	Preparation of silver nanowires and their application in conducting polymer nanocomposites. 2015 , 166, 1-15		51
522	Resistive switching phenomena: A review of statistical physics approaches. 2015 , 2, 031303		243
521	Synthesis of 1D Sn-doped ZnO hierarchical nanorods with enhanced gas sensing characteristics. 2015 , 41, 13676-13684		22
520	Molecular computing: paths to chemical Turing machines. 2015 , 6, 6050-6058		28
519	Functional materials from cellulose-derived liquid-crystal templates. 2015 , 54, 2888-910		269
518	Fabrication and optical properties of GaAs/InGaAs/GaAs nanowire core-multishell quantum well heterostructures. 2015 , 7, 1110-5		20
517	Funktionsmaterialien mit Cellulose-basierten Flüssigkristall-Templaten. 2015 , 127, 2930-2953		10
516	High integrity interconnection of silver submicron/nanoparticles on silicon wafer by femtosecond laser irradiation. <i>Nanotechnology</i> , 2015 , 26, 025303	3-4	8
515	Recent developments and directions in printed nanomaterials. 2015 , 7, 3338-55		97
514	Silica biomineralization via the self-assembly of helical biomolecules. 2015 , 27, 479-97		68
513	Conducting carbon quantum dots as nascent nanomaterial. 2015 , 3, 1580-1586		33
512	Immobilization of phosphomolybdic acid nanoparticles on imidazole functionalized Fe ₃ O ₄ @SiO ₂ : a novel and reusable nanocatalyst for one-pot synthesis of Biginelli-type 3,4-dihydro-pyrimidine-2-(1H)-ones/thiones under solvent-free conditions. 2015 , 5, 308-315		55
511	Memory impedance in TiO ₂ based metal-insulator-metal devices. <i>Scientific Reports</i> , 2014 , 4, 4522	4-9	67

510	Tailoring self-organized nanostructured morphologies in kilometer-long polymer fiber. <i>Scientific Reports</i> , 2014 , 4, 4864	4.9	8
509	Diameter-driven crossover in resistive behaviour of heavily doped self-seeded germanium nanowires. 2016 , 7, 1284-1288		1
508	Bottom-Up Synthesis and Sensor Applications of Biomimetic Nanostructures. 2016 , 9,		36
507	Aggregation and Colloidal Stability of Commercially Available AlO ₃ Nanoparticles in Aqueous Environments. <i>Nanomaterials</i> , 2016 , 6,	5.4	31
506	Silver Nanowire-Based Stretchable and Transparent Electrodes. 2016 , 19, 228-233		1
505	A synaptic device built in one diode-one resistor (1D ₁ R) architecture with intrinsic SiO _x -based resistive switching memory. 2016 , 1,		
504	Guided Growth of Horizontal p-Type ZnTe Nanowires. 2016 , 120, 17087-17100		33
503	Electronic Properties of Complex Self-Assembled InAs Nanowire Networks. 2016 , 2, 1500460		9
502	Ultrafine Metal-Organic Right Square Prism Shaped Nanowires. 2016 , 128, 6558-6561		7
501	Ultrafine Metal-Organic Right Square Prism Shaped Nanowires. 2016 , 55, 6448-51		29
500	RRAMs with One-Dimensional and Two-Dimensional Materials. 2016 , 77-93		
499	HEOM-QUICK: a program for accurate, efficient, and universal characterization of strongly correlated quantum impurity systems. 2016 , 6, 608-638		63
498	Nondestructive Complete Mechanical Characterization of Zinc Blende and Wurtzite GaAs Nanowires Using Time-Resolved Pump-Probe Spectroscopy. <i>Nano Letters</i> , 2016 , 16, 4792-8	11.5	20
497	Simple, Inexpensive, and Rapid Approach to Fabricate Cross-Shaped Memristors Using an Inorganic-Nanowire-Digital-Alignment Technique and a One-Step Reduction Process. 2016 , 28, 527-32		30
496	Scalable ZnO nanotube arrays grown on CVD-graphene films. 2016 , 4, 106104		16
495	Memory operations in Au nanoparticle single-electron transistors with floating gate electrodes. 2016 , 109, 223106		7
494	3D interconnected macrostructure based on nano-scale pyroprotein units for energy storage. 2016 , 222, 1887-1894		2
493	Synthesis of freestanding cupric oxide nanotubes with close ends from copper nanowires by the Kirkendall effect. 2016 , 34, 051802		2

492	Nanocolumnar association and domain formation in porous thin films grown by evaporation at oblique angles. <i>Nanotechnology</i> , 2016 , 27, 395702	3-4	20
491	Multilevel resistance in ZnO nanowire memristors enabled by hydrogen annealing treatment. 2016 , 6, 125010		17
490	Evaluation of copper, aluminum, and nickel interatomic potentials on predicting the elastic properties. 2016 , 119, 244304		43
489	Selection of Suitable Biological Method for the Synthesis of Silver Nanoparticles. 2016 , 6, 29		33
488	Electrospinning for nano- to mesoscale photonic structures. 2016 , 6, 765-787		9
487	Isolierung und vielseitige Derivatisierung eines ungesättigten anionischen Siliciumclusters (Silicoid). 2016 , 128, 2959-2963		26
486	Cu and Cu-Based Nanoparticles: Synthesis and Applications in Catalysis. 2016 , 116, 3722-811		1452
485	MOVPE growth of in situ Ga catalyzed AlGaAs nanowires on sapphire substrate. 2016 , 27, 2335-2341		3
484	Joint defect- and variation-aware logic mapping of multi-outputs crossbar-based nanoarchitectures. 2016 , 15, 959-967		2
483	Synthesis of Composition Tunable and Highly Luminescent Cesium Lead Halide Nanowires through Anion-Exchange Reactions. 2016 , 138, 7236-9		327
482	Designing multi-layer graphene-based assemblies for enhanced toughness in nacre-inspired nanocomposites. 2016 , 1, 40-47		33
481	Isolation and Versatile Derivatization of an Unsaturated Anionic Silicon Cluster (Siliconoid). 2016 , 55, 2907-10		44
480	Determination of the Optimal Shell Thickness for Self-Catalyzed GaAs/AlGaAs Core-Shell Nanowires on Silicon. <i>Nano Letters</i> , 2016 , 16, 3426-33	11.5	18
479	Optimizing the structure and yield of vanadium oxide nanotubes by periodic 2D layer scrolling. 2016 , 6, 40932-40944		16
478	Atomistic simulations of electrochemical metallization cells: mechanisms of ultra-fast resistance switching in nanoscale devices. 2016 , 8, 14037-47		17
477	Controllable synthesis of ultrathin gold nanomembranes. 2016 , 6, 45031-45035		2
476	Synthesis, Properties, and Applications of Hollow Micro-/Nanostructures. 2016 , 116, 10983-1060		996
475	UV Photosensing Characteristics of Nanowire-Based GaN/AlN Superlattices. <i>Nano Letters</i> , 2016 , 16, 3260-7.5		41

474	High-throughput electrical measurement and microfluidic sorting of semiconductor nanowires. 2016 , 16, 2126-34	13
473	OddEven Structural Sensitivity on Dynamics in Network-Forming Ionic Liquids. 2016 , 28, 3227-3233	13
472	Investing the effectiveness of retention performance in a non-volatile floating gate memory device with a core-shell structure of CdSe nanoparticles. 2016 , 12, 276-280	5
471	Recent advances in engineered graphene and composites for detection of volatile organic compounds (VOCs) and non-invasive diseases diagnosis. 2016 , 110, 97-129	95
470	Wave-Tunable Lattice Equivalents toward Micro- and Nanomanipulation. <i>Nano Letters</i> , 2016 , 16, 6472-6479	6
469	Driving nanocars and nanomachines at interfaces: From concept of nanoarchitectonics to actual use in world wide race and hand operation. 2016 , 55, 1102A2	34
468	Nanoelectronic Heterodyne Sensor: A New Electronic Sensing Paradigm. 2016 , 49, 2578-2586	20
467	Introduction to Plasmonics, Templated Electrochemical Synthesis, and On-Wire Lithography. <i>Springer Theses</i> , 2016 , 1-10	0.1
466	Barrierless Switching between a Liquid and Superheated Solid Catalyst during Nanowire Growth. 2016 , 7, 4236-4242	7
465	Proton exchange reactions in SiO _x -based resistive switching memory: Review and insights from impedance spectroscopy. 2016 , 44, 75-85	42
464	Metallic Nanowires and Their Application. 2016 , 6, 1733-1751	24
463	Unusual impact of electron-phonon scattering in Si nanowire field-effect-transistors: A possible route for energy harvesting. 2016 , 97, 548-555	3
462	A Simple and Sensitive Assay for Protein Kinase a Using Single-walled Carbon Nanotube Field-Effect Transistor. 2016 , 37, 1167-1168	5
461	Enhanced photocatalytic performance of morphologically tuned Bi ₂ S ₃ NPs in the degradation of organic pollutants under visible light irradiation. 2016 , 483, 49-59	51
460	Controlling the Interface Areas of Organic/Inorganic Semiconductor Heterojunction Nanowires for High-Performance Diodes. 2016 , 8, 21563-9	21
459	Nanoelectronics, Circuits and Nanoprocessors. 2016 , 103-142	3
458	Facile fabrication and application of SnO ₂ /ZnO nanocomposites: insight into chain-like frameworks, heterojunctions and quantum dots. 2016 , 6, 82096-82102	13
457	Investigation of multilevel data memory using filament and polarization control. 2016 , 6, 81789-81793	1

456	Equivalent Resistance from the Quantum to the Classical Transport Limit. 2016 , 117, 226601		3
455	Synthesis, Assembly, and Applications of Semiconductor Nanomembranes. 2016 , 1-36		1
454	Bottom-Up Approaches for Resistive Switching Memories. 2016 , 661-694		1
453	Amylopectin-g-poly(methylacrylate-co-sodium acrylate): An efficient Cd(II) binder. 2016 , 91, 934-45		8
452	Modulation of physical properties of oxide thin films by multiple fields. 2016 , 25, 067303		2
451	Hierarchical Directed Self-Assembly of Diblock Copolymers for Modified Pattern Symmetry. 2016 , 26, 6462-6470		14
450	Shape-Controlled Assembly of Nanowires for Photonic Elements. <i>ACS Photonics</i> , 2016 , 3, 2285-2290	6.3	12
449	Demonstration of Synaptic Behaviors and Resistive Switching Characterizations by Proton Exchange Reactions in Silicon Oxide. <i>Scientific Reports</i> , 2016 , 6, 21268	4.9	73
448	Nanoelectromagnetism. 2016 ,		
447	Molecular Switches and Machines with Mechanical Bonds. 2016 , 555-733		1
446	Synthesis and Performance Optimization of a Switching Nano-Crossbar Computer. 2016 ,		4
445	Single-crystalline ZnO sheet Source-Gated Transistors. <i>Scientific Reports</i> , 2016 , 6, 19232	4.9	29
444	Spin-orbital effects in metal-dichalcogenide semiconducting monolayers. <i>Scientific Reports</i> , 2016 , 6, 240939	4.3	44
443	Boron distributions in individual core-shell Ge/Si and Si/Ge heterostructured nanowires. 2016 , 8, 19811-19815		7
442	Power-Delay-Area Performance Modeling and Analysis for Nano-Crossbar Arrays. 2016 ,		3
441	RKKY Interactions in a Bilayer Olympicene Structure: A Monte Carlo Study. 2016 , 29, 2793-2798		3
440	Role of a-Si:H in lateral growth of crystalline silicon nanowires using Pb and In catalysts. 2016 , 213, 1821-1825		2
439	Oriented Growth of Pb _{1-x} Sn _x Te Nanowire Arrays for Integration of Flexible Infrared Detectors. 2016 , 28, 3596-601		31

- 438 Robust control over morphologies and grain interfaces of three-dimensional well-ordered superstructures programmed by hybrid topographical-chemical templates. **2016**, 1, 169-174
- 437 Enhancing magnetoresistance in tetrathiafulvalene carboxylate modified iron oxide nanoparticle assemblies. **2016**, 8, 12128-33 9
- 436 Selective modification of nanoparticle arrays by laser-induced self assembly (MONA-LISA): putting control into bottom-up plasmonic nanostructuring. **2016**, 8, 8236-44 36
- 435 Femtosecond laser-controlled self-assembly of amorphous-crystalline nanogratings in silicon. *Nanotechnology*, **2016**, 27, 265602 3-4 32
- 434 Fine-structured oxide ceramics from a novel replication method. **2016**, 42, 10872-10878 4
- 433 A hybrid evolutionary algorithm for multiobjective variation tolerant logic mapping on nanoscale crossbar architectures. **2016**, 38, 955-966 7
- 432 Fluorinated alkyne-derived monolayers on oxide-free silicon nanowires via one-step hydrosilylation. *Applied Surface Science*, **2016**, 387, 1202-1210 6-7 10
- 431 . **2016**, 35, 187-196
- 430 Electrically charged selectivity of poly-para-xylylene deposition. **2016**, 52, 3022-5 7
- 429 Rhombic Coulomb diamonds in a single-electron transistor based on an Au nanoparticle chemically anchored at both ends. **2016**, 8, 4720-6 14
- 428 Stabilization of Ni, Fe, and Co nanoparticles through modified Stober method to obtain excellent catalytic performance: Preparation, characterization, and catalytic activity for methane decomposition. **2016**, 61, 247-260 22
- 427 Citrus-Peel-Derived, Nanoporous Carbon Nanosheets Containing Redox-Active Heteroatoms for Sodium-Ion Storage. **2016**, 8, 3175-81 68
- 426 Influence of Waviness on the Elastic Properties of Aligned Carbon Nanotube Polymer Matrix Nanocomposites. **2016**, 1 1
- 425 Mechanics of aligned carbon nanotube polymer matrix nanocomposites simulated via stochastic three-dimensional morphology. *Nanotechnology*, **2016**, 27, 035701 3-4 13
- 424 Vertical Ge/Si Core/Shell Nanowire Junctionless Transistor. *Nano Letters*, **2016**, 16, 420-6 11-5 33
- 423 Spatially orthogonal chemical functionalization of a hierarchical pore network for catalytic cascade reactions. *Nature Materials*, **2016**, 15, 178-82 27 86
- 422 Shape-Controlled Deterministic Assembly of Nanowires. *Nano Letters*, **2016**, 16, 2644-50 11-5 46
- 421 Recent developments in nanowires for bio-applications from molecular to cellular levels. **2016**, 16, 1126-38 35

420	Tunable nanoporous silicon oxide templates by swift heavy ion tracks technology. <i>Nanotechnology</i> , 2016 , 27, 115305	3-4	52
419	Solution-Liquid-Solid Synthesis, Properties, and Applications of One-Dimensional Colloidal Semiconductor Nanorods and Nanowires. 2016 , 116, 10888-933		119
418	Effects of Electrode-Molecule Binding and Junction Geometry on the Single-Molecule Conductance of bis-2,2':6',2''-Terpyridine-based Complexes. 2016 , 55, 2691-700		19
417	Laser induced photothermal effects on InAs nanowires: tuning the hole density. 2016 , 4, 2339-2344		5
416	Defect- and Variation-Tolerant Logic Mapping in Nanocrossbar Using Bipartite Matching and Memetic Algorithm. 2016 , 24, 2813-2826		7
415	Maleimide-functionalized poly(2-ethyl-2-oxazoline): synthesis and reactivity. 2016 , 7, 2419-2426		8
414	Observation of ambipolar switching in a silver nanoparticle single-electron transistor with multiple molecular floating gates. 2016 , 55, 03DC02		2
413	Electrical Probing and Tuning of Molecular Physisorption on Graphene. <i>Nano Letters</i> , 2016 , 16, 695-700	11.5	18
412	Synthesis and Three-Dimensional Magnetic Field Mapping of Co ₂ FeGa Heusler Nanowires at 5 nm Resolution. <i>Nano Letters</i> , 2016 , 16, 114-20	11.5	31
411	Effect of silver doping on the current-voltage characteristic of PbS nanorods. 2016 , 79, 147-151		7
410	Germanium-catalyzed growth of single-crystal GaN nanowires. 2016 , 439, 28-32		4
409	Insertion of conjugated bridges in organic backbone for better multilevel memory performance: The role of alkynyl group. 2016 , 28, 155-162		16
408	Nanotechnology and regenerative therapeutics in plastic surgery: The next frontier. 2016 , 69, 1-13		13
407	Organic linkers on oxide surfaces: Adsorption and chemical bonding of phthalic anhydride on MgO(100). 2016 , 646, 90-100		6
406	Single-crystal microplates of two-dimensional organic-inorganic lead halide layered perovskites for optoelectronics. 2017 , 10, 2117-2129		89
405	Structural and Optical Properties of Si-Core/SiO _x -Shell Nanowires. 2017 , 46, 3422-3426		
404	Selective strain incorporation and retention into Si-substrate through VLS growth of TiO ₂ nano-islands. 2017 , 4, 025005		5
403	Nanomaterials: Basic Concepts and Quantum Models. 2017 , 43-105		1

402	Bias-dependent spectral tuning in InP nanowire-based photodetectors. <i>Nanotechnology</i> , 2017 , 28, 1140064	9
401	Nondiffusive thermal transport and prediction of the breakdown of Fourier's law in nanograting experiments. 2017 , 7, 015108	3
400	Well-Organized Inorganic Nanowire Films. <i>Springer Theses</i> , 2017 ,	0.1
399	Rapid Assembly of Large Scale Transparent Circuit Arrays Using PDMS Nanofilm Shaped Coffee Ring. 2017 , 27, 1606045	22
398	Growing low-dimensional supramolecular crystals directly from 3D particles. 2017 , 19, 1417-1426	4
397	Large-Scale Highly Aligned Nanowire Printing. 2017 , 302, 1600507	19
396	Weak localization and the approach to metal-insulator transition in single crystalline germanium nanowires. 2017 , 29, 115301	3
395	Resistive Switching Performance Improvement via Modulating Nanoscale Conductive Filament, Involving the Application of Two-Dimensional Layered Materials. 2017 , 13, 1604306	105
394	Process Principles for Large-Scale Nanomanufacturing. 2017 , 8, 201-226	8
393	Ein achtkerniger metallosupramolekularer Würfel mit Spin-Crossover-Eigenschaften. 2017 , 129, 5012-5017	13
392	Reliable Design for Crossbar Nano-architectures. 2017 , 421-444	
391	Surface-Guided Core-Shell ZnSe@ZnTe Nanowires as Radial p-n Heterojunctions with Photovoltaic Behavior. <i>ACS Nano</i> , 2017 , 11, 6155-6166	16.7 26
390	Coverage-Dependent Anchoring of 4,4'-Biphenyl Dicarboxylic Acid to CoO(111) Thin Films. 2017 , 33, 4178-4188	11
389	High-Performance Asymmetric Li-Ion Pseudocapacitors Based on Pyroprotein Nanowebs. 2017 , 4, 2079-2083	1
388	Synthesis and thermal study of SnS nanoflakes. 2017 , 5, 193-198	8
387	Revealing Large-Scale Homogeneity and Trace Impurity Sensitivity of GaAs Nanoscale Membranes. <i>Nano Letters</i> , 2017 , 17, 2979-2984	11.5 11
386	Effect of magnetic field on electronic transport in a bilayer graphene nanomesh. <i>Nanotechnology</i> , 2017 , 28, 235303	3.4 11
385	Lessons learned from nanoscale specimens tested by MEMS-based apparatus. 2017 , 50, 243001	11

384	Bipolar resistive switching in PVDF and Graphene Oxide hetero-structure thin films. 2017 , 722, 579-584	8
383	Long-Range Coherent Tunneling in Physisorbed Molecular Ensembles. 2017 , 121, 16673-16681	19
382	From single-site tantalum complexes to nanoparticles of Ta N and TaO N supported on silica: elucidation of synthesis chemistry by dynamic nuclear polarization surface enhanced NMR spectroscopy and X-ray absorption spectroscopy. 2017 , 8, 5650-5661	9
381	Nanoscale phase-change materials and devices. 2017 , 50, 243002	13
380	Reaction Kinetics of Germanium Nanowire Growth on Inductively Heated Copper Surfaces. 2017 , 29, 4792-4800	3
379	Progress of crystallization in microfluidic devices. 2017 , 17, 2167-2185	46
378	Considering Symmetry Properties of InP Nanowire/Light Incidence Systems to Gain Broadband Absorption. 2017 , 9, 1-10	3
377	Electrochemically deposited copper nanotubes. 2017 , 11, 270-275	23
376	Sulfur-doped, reduced graphene oxide nanoribbons for sodium-ion batteries. 2017 , 198, 106-109	17
375	Self-Exfoliated Metal-Organic Nanosheets through Hydrolytic Unfolding of Metal-Organic Polyhedra. 2017 , 23, 7361-7366	43
374	Tuning Electron-Transfer Properties in 5,10,15,20-Tetra(1'-hexanoylferrocenyl)porphyrins as Prospective Systems for Quantum Cellular Automata and Platforms for Four-Bit Information Storage. 2017 , 56, 4717-4728	14
373	One-step fabrication of crystalline metal nanostructures by direct nanoimprinting below melting temperatures. <i>Nature Communications</i> , 2017 , 8, 14910	17.4 40
372	Chemical tuning of Coulomb blockade at room-temperature in ultra-small platinum nanoparticle self-assemblies. 2017 , 4, 487-492	12
371	Bottom-up vs reactive sintering of Al ₂ O ₃ /AG/SZ composites via one or three-phase nanoparticles (NPs). Bottom-up processing wins this time. 2017 , 100, 2429-2438	4
370	An Octanuclear Metallosupramolecular Cage Designed To Exhibit Spin-Crossover Behavior. 2017 , 56, 4930-4935	59
369	Stiffening of Metallic Gallium Particles by Entrapment of Organic Molecules. 2017 , 17, 2041-2045	2
368	Synthesis of p-n junctions in ZnO nanorods by O ⁺ ion implantation. 2017 , 409, 143-146	4
367	Flexible Organic/Inorganic Hybrid Field-Effect Transistors with High Performance and Operational Stability. 2017 , 9, 573-584	24

366	Bottom-Up Electrochemical Fabrication of Conjugated Ultrathin Layers with Tailored Switchable Properties. 2017 , 9, 610-617		7
365	Thermal conductivity of bulk and nanowire of cubic-SiC from ab initio calculations. 2017 , 128, 249-256		15
364	Atomic origin of the traps in memristive interface. 2017 , 10, 1924-1931		4
363	Modulation of electronic properties of tin oxide nanobelts via thermal control of surface oxygen defects. <i>Nanotechnology</i> , 2017 , 28, 055701	3-4	2
362	Block Copolymer Directed Nanostructured Surfaces as Templates for Confined Surface Reactions. <i>Macromolecules</i> , 2017 , 50, 542-549	5-5	13
361	Field-Switchable Broadband Polarizer Based on Reconfigurable Nanowire Assemblies. 2017 , 27, 1604703		22
360	Stretchable Substrates for the Assembly of Polymeric Microstructures. 2017 , 13, 1603350		8
359	Multilevel data storage memory based on polycrystalline SrTiO ₃ ultrathin film. 2017 , 7, 49753-49758		6
358	Analytical Solutions of Enhanced Gray Boltzmann Transport Equation on Transient Thermal Grating and Time-Domain Thermoreflectance Experiments. 2017 ,		1
357	Near-Infrared Intersubband Photodetection in GaN/AlN Nanowires. <i>Nano Letters</i> , 2017 , 17, 6954-6960	11-5	27
356	Conductive-probe atomic force microscopy as a characterization tool for nanowire-based solar cells. 2017 , 41, 566-572		25
355	Nanopatterning of Crystalline Transition Metal Oxides by Surface Templated Nucleation on Block Copolymer Mesosstructures. 2017 , 17, 5775-5782		5
354	Metal nanoarchitecture fabrication using DNA as a biotemplate. 2017 , 49, 815-824		9
353	Inorganic semiconducting materials for flexible and stretchable electronics. 2017 , 1,		107
352	(Invited) Area-Selective Atomic Layer Deposition: Role of Surface Chemistry. 2017 , 80, 39-48		9
351	Monolithic technology for silicon nanowires in high-topography architectures. 2017 , 183-184, 42-47		8
350	Effect of Thiolated Ligands in Au Nanowire Synthesis. 2017 , 13, 1702121		9
349	Logic synthesis and testing techniques for switching nano-crossbar arrays. 2017 , 54, 14-25		12

348	Doping graphene via organic solid-solid wetting deposition. 2017 , 125, 84-92		2
347	Acceleration of diffusive molecular dynamics simulations through mean field approximation and subcycling time integration. 2017 , 350, 470-492		8
346	Nanogauges gratings for strain determination at nanoscale. 2017 , 114, 268-278		7
345	Catching the electron in action in real space inside a Ge-Si core-shell nanowire transistor. 2017 , 9, 13425-134318		
344	Current progress and scientific challenges in the advancement of organic/inorganic lead halide perovskite solar cells. 2017 , 41, 10508-10527		19
343	A review of III/V planar nanowire arrays: selective lateral VLS epitaxy and 3D transistors. 2017 , 50, 393001		16
342	Effect of top electrode material on resistive switching properties of WN based thin films for non volatile memory application. 2017 , 726, 693-697		19
341	Interpretation of x-ray absorption spectroscopy in the presence of surface hybridization. 2017 , 146, 214701		24
340	Hydrogen thermal reductive Cu nanowires in low temperature Cu/Cu bonding. 2017 , 27, 075019		3
339	Fabrication of crystalline selenium microwire. 2017 , 26, 048101		2
338	Band-Engineered Local Cooling in Nanoscale Junctions. <i>Scientific Reports</i> , 2017 , 7, 42647	4.9	1
337	Ternary Resistance Switching Memory Behavior Based on Graphene Oxide Embedded in a Polystyrene Polymer Layer. <i>Scientific Reports</i> , 2017 , 7, 3938	4.9	35
336	Spin transport properties and spin logic gates in manganese phthalocyanine-based molecular combinational circuits. 2017 , 5, 8862-8868		15
335	Molecular Patterning and Directed Self-Assembly of Gold Nanoparticles on GaAs. 2017 , 9, 43363-43369		4
334	Enhancement of Light Absorption in Silicon Nanowire Photovoltaic Devices with Dielectric and Metallic Grating Structures. <i>Nano Letters</i> , 2017 , 17, 7731-7736	11.5	13
333	Medicinal Plant Leaf Extract and Pure Flavonoid Mediated Green Synthesis of Silver Nanoparticles and their Enhanced Antibacterial Property. <i>Scientific Reports</i> , 2017 , 7, 15867	4.9	287
332	Chemical functionalization and characterization of graphene-based materials. 2017 , 46, 4464-4500		285
331	Solid Conical Cap-closing Hollow Tube Growth by Axial Screw Dislocations. <i>Scientific Reports</i> , 2017 , 7, 2803	4.9	3

330	Permeation and optical properties of YAG:Er ³⁺ fiber membrane scintillators prepared by novel sol-gel/electrospinning method. 2017 , 83, 35-43	10
329	Electrical characterization of triple barrier GaAs/AlGaAs RTD with dependence of operating temperature and barrier lengths. 2017 , 58, 89-95	5
328	Effect of extrusion treatment on the microstructure and mechanical behavior of SiC nanowires reinforced Al matrix composites. 2017 , 682, 38-44	28
327	Hybrid Nanostructures for Photodetectors. 2017 , 5, 1600468	32
326	Upgrading Electroresistive Memory from Binary to Ternary Through Single-Atom Substitution in the Molecular Design. 2017 , 12, 45-51	16
325	Correlated Functional Oxides. 2017 ,	1
324	Material Design of Metal Oxide Nanowires and Their Promises. 2017 , 195-204	
323	Carbon nanotube-based interconnections. 2017 , 52, 643-662	6
322	Nanoscale topographical control of capillary assembly of nanoparticles. 2017 , 12, 73-80	209
321	Photoluminescence emission from GaAs nanodisks in GaAs/AlGaAs nanopillar arrays fabricated by neutral beam etching. 2017 , 56, 050308	3
320	Threshold switching in SiGeAsTeN chalcogenide glass prepared by As ion implantation into sputtered SiGeTeN film. 2017 , 111, 252102	10
319	Fuel Cells: Hydrogen and Ethanol Technologies. 2017 ,	2
318	Amorphous Silicon Nanowires Grown on Silicon Oxide Film by Annealing. 2017 , 12, 487	1
317	Nanoscale Surface Photovoltage Mapping of 2D Materials and Heterostructures by Illuminated Kelvin Probe Force Microscopy. 2018 , 122, 13564-13571	23
316	>1000-Fold Lifetime Extension of a Nickel Electromechanical Contact Device via Graphene. 2018 , 10, 9085-9093	17
315	Low-friction nanojoint prototype. <i>Nanotechnology</i> , 2018 , 29, 195707	3-4 1
314	Simultaneous formation of multiscale hierarchical surface morphologies through sequential wrinkling and folding. 2018 , 112, 081602	7
313	Talking to cells: semiconductor nanomaterials at the cellular interface. 2018 , 2, 1700242	12

312	Porous Si/TiO ₂ nanowire photoanode for photoelectric catalysis under simulated solar light irradiation. 2018 , 32, e4356		5
311	Electric field mediated elastic contact lithography of thin viscoelastic films for miniaturized and multiscale patterns. 2018 , 14, 3963-3977		3
310	Automated characterization and assembly of individual nanowires for device fabrication. 2018 , 18, 1494-1503	12	
309	Mechanically Assisted Self-Healing of Ultrathin Gold Nanowires. 2018 , 14, e1704085		14
308	Controllable synthetic ion channels. 2018 , 5, 1728-1736		36
307	High-Temperature Plateau-Rayleigh Growth of Beaded SiC/SiO ₂ Nanochain Heterostructures. 2018 , 18, 2941-2947		16
306	Stable unsaturated silicon clusters (siliconoids). 2018 , 47, 7104-7112		37
305	Shell Thickness-Dependent Tunable Threshold Voltage Single Quantum Dot Rectification Diode. 2018 , 122, 3176-3181		
304	Lattice Wigner equation. 2018 , 97, 013308		4
303	Diameter-tailored telecom-band luminescence in InP/InAs heterostructure nanowires grown on InP (111)B substrate with continuously-modulated diameter from microscale to nanoscale. <i>Nanotechnology</i> , 2018 , 29, 155202	3-4	6
302	Emerging Novel Metal Electrodes for Photovoltaic Applications. 2018 , 14, e1703140		56
301	Palladium-Decorated Silicon Nanomesh Fabricated by Nanosphere Lithography for High Performance, Room Temperature Hydrogen Sensing. 2018 , 14, 1703691		35
300	Optoelectronic fowl adenovirus detection based on local electric field enhancement on graphene quantum dots and gold nanobundle hybrid. 2018 , 103, 45-53		26
299	Photochromism into nanosystems: towards lighting up the future nanoworld. 2018 , 47, 1044-1097		373
298	Three-Dimensional Macroporous Nanoelectronics Scaffold Innervated Synthetic Tissue. <i>Springer Theses</i> , 2018 , 39-63	0.1	1
297	Controlled growth of gold nanocrystals on biogenic As-S nanotubes by galvanic displacement. <i>Nanotechnology</i> , 2018 , 29, 055604	3-4	1
296	Revealing the Physicochemical Basis of Organic Solid-Solid Wetting Deposition: Casimir-like Forces, Hydrophobic Collapse, and the Role of the Zeta Potential. 2018 , 140, 1327-1336		4
295	Ceramic nanowelding. <i>Nature Communications</i> , 2018 , 9, 96	17.4	18

294	Size-Dependent Grain-Boundary Structure with Improved Conductive and Mechanical Stabilities in Sub-10-nm Gold Crystals. 2018 , 120, 186102	19
293	Hydrogen-Bonded Liquid Crystals in Confined Spaces Toward Photonic Hybrid Materials. 2018 , 28, 1800207	20
292	Fault detection and analysis of bistable rotaxane molecular electronic switch - A simulation approach. 2018 , 13, 144-159	2
291	Theoretical and experimental investigation of conjugation of 1,6-hexanedithiol on MoS ₂ . 2018 , 5, 036415	6
290	Phosphonic Acids on an Atomically Defined Oxide Surface: The Binding Motif Changes with Surface Coverage. 2018 , 9, 1937-1943	9
289	Capillary assembly as a tool for the heterogeneous integration of micro- and nanoscale objects. 2018 , 14, 2978-2995	52
288	Toward non-volatile photonic memory: concept, material and design. 2018 , 5, 641-654	67
287	Study of irradiation effect of Xe and Kr ions on structural properties of Zn nanotubes. 2018 , 30, 125301	6
286	Trap-assisted transition between Schottky emission and Fowler-Nordheim tunneling in the interfacial-memristor based on Bi ₂ S ₃ nano-networks. 2018 , 8, 035105	10
285	Effects of C ³⁺ ion irradiation on structural, electrical and magnetic properties of Ni nanotubes. 2018 , 5, 035021	5
284	Click Synthesis of 1-Aryl-1,2,3-Triazole Derivatives Catalyzed by Recyclable Ligand Complex of Copper(II) Supported on Superparamagnetic Fe ₃ O ₄ @SiO ₂ Nanoparticles. 2018 , 42, 487-496	0
283	Analytical Modelling of Breakdown Effect in Graphene Nanoribbon Field Effect Transistor. 2018 ,	1
282	Toward chemical communication between nanodevices. 2018 , 18, 8-11	13
281	Cesium Lead Halide Perovskite Nanostructures: Tunable Morphology and Halide Composition. 2018 , 18, 230-238	13
280	Basic Concept of Field-Effect Transistors. 2018 , 9-43	
279	Significantly enhanced antibacterial activity of Ag-doped TiO ₂ nanofibers synthesized by electrospinning. 2018 , 33, 220-226	13
278	Effect of ionizing radiation on structural and conductive properties of copper nanotubes. 2018 , 382, 175-179	14
277	Argon ion irradiation effect on Zn nanotubes. 2018 , 29, 3621-3630	19

276	Development, optimization and characterization of a two step sol-gel synthesis route for ZnO/SnO ₂ nanocomposite. 2018 , 29, 4128-4135	12
275	Three-dimensional vertical Si nanowire MOS capacitor model structure for the study of electrical versus geometrical Si nanowire characteristics. 2018 , 143, 77-82	2
274	Advanced System for Nanofabrication and Nanomanipulation Based on Shape Memory Alloy. 2018 , 135-154	9
273	Ternary Self-Catalyzed GaAsP Nanowire Grown by Molecular Beam Epitaxy. 2018 , 170, 042049	1
272	Guided Assembly of Block Copolymers in Three-Dimensional Woodpile Scaffolds. 2018 , 10, 42933-42940	5
271	One-Dimensional Nanostructures: Microfluidic-Based Synthesis, Alignment and Integration towards Functional Sensing Devices. 2018 , 18,	16
270	Structural properties of silicon-germanium and germanium-silicon core-shell nanowires. 2018 , 30, 465303	6
269	Modifying spin current filtering and magnetoresistance in a molecular spintronic device.. 2018 , 8, 41587-41593	2
268	A multi-level memristor based on atomic layer deposition of iron oxide. <i>Nanotechnology</i> , 2018 , 29, 495201	20
267	Lithography-Free Electrochemical Patterning of Conductive Substrates with Metal Oxides. 2018 , 14, e1801134	1
266	Direct observation of the wrapping/unwrapping of ssDNA around/from a SWCNT at the single-molecule level: towards tuning the binding mode and strength. 2018 , 10, 18586-18596	16
265	Enhanced field emission from copper nanowires synthesized using ion track-etch membranes as scaffolds. 2018 , 29, 19013-19027	8
264	Resistive switching device with highly asymmetric current-voltage characteristics: a solution to backward sneak current in passive crossbar arrays. <i>Nanotechnology</i> , 2018 , 29, 455201	3-4 11
263	Radial multi-quantum well ZnO nanorod arrays for nanoscale ultraviolet light-emitting diodes. 2018 , 10, 14812-14818	27
262	Common Principles of Molecular Electronics and Nanoscale Electrochemistry. 2018 , 90, 7095-7106	31
261	Controlling the Growth of Single Nanowires in a Nanowire Forest for near-Infrared Photodetection. 2018 , 1, 3035-3041	2
260	Canonical Schottky barrier heights of transition metal dichalcogenide monolayers in contact with a metal. 2018 , 97,	4
259	Phototunable Biomemory Based on Light-Mediated Charge Trap. 2018 , 5, 1800714	75

258	An Overview of Metal Oxide Nanostructures. 2018 , 19-57		22
257	Length measurement and spatial orientation reconstruction of single nanowires. <i>Nanotechnology</i> , 2018 , 29, 375704	3-4	0
256	Intersubband absorption in GaN nanowire heterostructures at mid-infrared wavelengths. <i>Nanotechnology</i> , 2018 , 29, 385201	3-4	5
255	Supramolecular Assemblies on Surfaces: Nanopatterning, Functionality, and Reactivity. <i>ACS Nano</i> , 2018 , 12, 7445-7481	16.7	146
254	. 2018 , 4, 522-532		3
253	Advances in Bamboo Biotechnology: Present Status and Future Perspective. 2018 , 243-265		6
252	Pillar[n]arenes for Construction of Artificial Transmembrane Channels. 2018 , 58, 1209-1218		17
251	Functional Two- and Three-Dimensional Architectures of Immobilized Metal Nanoparticles. 2018 , 4, 2301-2328	11	
250	Struktur von [HSi9]30m Festkörper und sein unerwartet hochdynamisches Verhalten in Lösung. 2018 , 130, 13138-13142		13
249	Novel Electronics for Flexible and Neuromorphic Computing. 2018 , 28, 1801690		74
248	Site-Controlled Epitaxy of InAs Quantum Dots on Nanoimprint Lithography Patterns. 2018 , 277-292		1
247	In situ synthesis and macroscale alignment of CsPbBr perovskite nanorods in a polymer matrix. 2018 , 10, 15436-15441		56
246	Novel Nano-Materials and Nano-Fabrication Techniques for Flexible Electronic Systems. 2018 , 9,		24
245	Direct Observation of Inner-Layer Inward Contractions of Multiwalled Boron Nitride Nanotubes upon in Situ Heating. <i>Nanomaterials</i> , 2018 , 8,	5-4	6
244	Electrically Conductive Copper Core-Shell Nanowires through Benzenethiol-Directed Assembly. <i>Nano Letters</i> , 2018 , 18, 4900-4907	11.5	3
243	Phonon coherence and its effect on thermal conductivity of nanostructures. 2018 , 3, 1480417		58
242	The Structure of [HSi] in the Solid State and Its Unexpected Highly Dynamic Behavior in Solution. 2018 , 57, 12956-12960		30
241	Phosphonic Acids on Well-Ordered CoO Surfaces: The Binding Motif Depends on the Surface Structure. 2018 , 122, 16221-16233		3

240	Association Between Gold Grain Orientation and Its Periodic Steps Formed at the Gold/Substrate Interface. 2018 , 122, 11364-11370		0
239	Review Organic-Inorganic Hybrid Functional Materials: An Integrated Platform for Applied Technologies. 2018 , 165, B3137-B3156		199
238	Atomistic Framework for Time-Dependent Thermal Transport. 2018 , 122, 21062-21068		1
237	Review of Recently Progress on Neural Electronics and Memcomputing Applications in Intrinsic SiOx-Based Resistive Switching Memory. 2018 ,		1
236	p-GaAs Nanowire Metal-Semiconductor Field-Effect Transistors with Near-Thermal Limit Gating. <i>Nano Letters</i> , 2018 , 18, 5673-5680	11.5	5
235	Curvature contribution on anodic aluminium oxide pore formation: a detailed analytical study. <i>Nanotechnology</i> , 2018 , 29, 435601	3-4	3
234	Extreme IR absorption in group IV-SiGeSn core-shell nanowires. 2018 , 123, 223102		5
233	Magnetic field-directed hybrid anisotropic nanocomposites. <i>Nanotechnology</i> , 2018 , 29, 345602	3-4	5
232	Controlling the Light Absorption in a Photodetector Via Nanowire Waveguide Resonances for Multispectral and Color Imaging. 2018 , 24, 1-12		9
231	Graphene as superior material for detection of volatile organic compounds. 2019 , 183-193		1
230	Design of memristor based low power and highly reliable ReRAM cell. 2019 , 1		6
229	Deterministic Assembly of Three-Dimensional Suspended Nanowire Structures. <i>Nano Letters</i> , 2019 , 19, 5647-5652	11.5	4
228	Synaptic learning behavior of a TiO nanowire memristor. <i>Nanotechnology</i> , 2019 , 30, 425202	3-4	21
227	Effect of Sn Addition on Epitaxial GaAs Nanowire Grown at Different Temperatures in MetalOrganic Chemical Vapor Deposition. 2019 , 19, 5314-5319		3
226	Nanowire Electronics: From Nanoscale to Macroscale. 2019 , 119, 9074-9135		105
225	A Triode Device with a Gate Controllable Schottky Barrier: Germanium Nanowire Transistors and Their Applications. 2019 , 15, e1900865		1
224	Non-Polar and Complementary Resistive Switching Characteristics in Graphene Oxide devices with Gold Nanoparticles: Diverse Approach for Device Fabrication. <i>Scientific Reports</i> , 2019 , 9, 15103	4-9	15
223	Numerical investigation on a new designed hollow-core photonic crystal fiber with large modal separation. 2019 , 51, 1		2

222	Electrochemical memristive devices based on submonolayer metal deposition. 2019 , 7, 101121	3
221	Graphene-Based Scroll Structures: Optical Characterization and Its Application in Resistive Switching Memory Devices. 2019 , 261-283	
220	Carbon-Related Bilayers: Nanoscale Building Blocks for Self-Assembly Nanomanufacturing. 2019 , 123, 23195-23204	1
219	Cellulose nanocrystals in nanoarchitectonics ¶owards photonic functional materials. 2019 , 4, 29-48	40
218	Softening gold for elastronics. 2019 , 48, 1668-1711	96
217	Morphology-controlled copper nanowire synthesis and magnetic field assisted self-assembly. 2019 , 11, 2679-2686	8
216	Area-selective atomic layer deposition of cobalt oxide to generate patterned cobalt films. 2019 , 37, 020905	11
215	High-performance field emission based on nanostructured tin selenide for nanoscale vacuum transistors. 2019 , 11, 3129-3137	29
214	Size and shape control of a variety of metallic nanostructures using tilted, rotating evaporation and lithographic lift-off techniques. <i>Scientific Reports</i> , 2019 , 9, 7682	4.9 8
213	Manufacturing of 3D multifunctional microelectronic devices: challenges and opportunities. 2019 , 11,	15
212	Low-dimensional nanomaterial/Si heterostructure-based photodetectors. 2019 , 1, 140	38
211	Ballistic phonon thermal transport across nano-junctions on aluminum and platinum nanowires. 2019 ,	
210	Analysis of complexes formed by small gold nanoparticles in low concentration in cell culture media. 2019 , 14, e0218211	12
209	Atomic rheology of gold nanojunctions. 2019 , 569, 393-397	9
208	Infrared Plasmonics via Self-Organized Anisotropic Wrinkling of Au/PDMS Nanoarrays. 2019 , 1, 1334-1340	11
207	Nanowire photodetectors based on wurtzite semiconductor heterostructures. 2019 , 34, 053002	18
206	Elusive Zintl Ions [EHSi ₄] ³⁻ and [Si ₅] ²⁻ in Liquid Ammonia: Protonation States, Sites, and Bonding Situation Evaluated by NMR and Theory. 2019 , 131, 3165-3169	7
205	Graphene nanomesh and polymeric material at cutting edge. 2019 , 58, 803-820	2

204	Nanowired Bioelectric Interfaces. 2019 , 119, 9136-9152		63
203	Optical Cavity Based on GaN Planar Nanowires Grown by Selective Area Metal-Organic Vapor Phase Epitaxy. 2019 , 256, 1800631		4
202	Recent Developments and Perspectives for Memristive Devices Based on Metal Oxide Nanowires. 2019 , 5, 1800909		58
201	A nanoscale redox-active composite as a low-fouling interface for capacitive assaying. 2019 , 291, 493-501		6
200	Facile synthesis of graphene-tin oxide nanocomposite derived from agricultural waste for enhanced antibacterial activity against <i>Pseudomonas aeruginosa</i> . <i>Scientific Reports</i> , 2019 , 9, 4170	4.9	28
199	Influence of Homopolymer Addition in Templated Assembly of Cylindrical Block Copolymers. <i>ACS Nano</i> , 2019 , 13, 4073-4082	16.7	3
198	Nanomechanical properties of single- and double-layer graphene spirals: a molecular dynamics simulation. 2019 , 125, 1		8
197	The controlled synthesis of complex hollow nanostructures and prospective applications. 2019 , 475, 20180677		19
196	Successes and Issues in the Growth of MoS ₂ and MoSe ₂ on Ag(111) by the E-ALD Method. 2019 , 9, 122		3
195	Facile one-pot sonochemical synthesis of Ni doped bismuth sulphide for the electrochemical determination of promethazine hydrochloride. 2019 , 54, 68-78		22
194	Junction properties of single ZnO nanowires with asymmetrical Pt and Cu contacts. <i>Nanotechnology</i> , 2019 , 30, 244001	3.4	11
193	1D Semiconducting Nanostructures for Flexible and Large-Area Electronics: Growth Mechanisms and Suitability. 2019 ,		9
192	Molecular anchoring to oxide surfaces in ultrahigh vacuum and in aqueous electrolytes: phosphonic acids on atomically-defined cobalt oxide. 2019 , 21, 23364-23374		4
191	Structural evolution and the role of native defects in subnanometer MoS nanowires. 2019 , 100,		4
190	Programming DNA origami patterning with non-canonical DNA-based metallization reactions. <i>Nature Communications</i> , 2019 , 10, 5597	17.4	42
189	From the Bottom-Up: Toward Area-Selective Atomic Layer Deposition with High Selectivity. 2019 , 31, 2-12		149
188	From nanofibers to ordered ZnO/NiO heterojunction arrays for self-powered and transparent UV photodetectors. 2019 , 7, 223-229		167
187	Electrically-Transduced Chemical Sensors Based on Two-Dimensional Nanomaterials. 2019 , 119, 478-598		294

186	Nanoscale Nucleic Acid Recognition at the Solid-Liquid Interface Using Xeno Nucleic Acid Probes. 2019 , 35, 8875-8888	5
185	Elusive Zintl Ions [H ⁻ Si ⁻] and [Si ⁻] in Liquid Ammonia: Protonation States, Sites, and Bonding Situation Evaluated by NMR and Theory. 2019 , 58, 3133-3137	11
184	Optimal and heuristic algorithms to synthesize lattices of four-terminal switches. 2019 , 64, 60-70	7
183	Synthetic Cells: Colloidal-sized state machines. 2019 , 361-386	0
182	Recent progress on fabrication methods of polymeric thin film gas separation membranes for CO ₂ capture. 2019 , 572, 38-60	115
181	Role of Nanocomposites in Future Nanoelectronic Information Storage Devices. 2019 , 399-431	4
180	Nitrogen ion implanted ultrananocrystalline diamond films: A better electrostatic charge storage medium. 2019 , 141, 123-133	6
179	A Fast Logic Mapping Algorithm for Multiple-Type-Defect Tolerance in Reconfigurable Nano-Crossbar Arrays. 2019 , 7, 518-529	
178	Controlled Microstructural Architectures Based on Smart Fabrication Strategies. 2020 , 30, 1901760	22
177	Anisotropic nature of thermal conductivity in graphene spirals revealed by molecular dynamics simulations. 2020 , 137, 109228	7
176	Enhanced linear magneto-resistance near the Dirac point in topological insulator Bi ₂ (Te _{1-x} Se _x) ₃ nanowires. 2020 , 13, 1332-1338	3
175	Wireless Monitoring Using a Stretchable and Transparent Sensor Sheet Containing Metal Nanowires. 2020 , 32, e1902684	34
174	Rational design of type-II nano-heterojunctions for nanoscale optoelectronics. 2020 , 15, 100262	20
173	Atomic-resolution structure imaging of defects and interfaces in compound semiconductors. 2020 , 66, 100498	9
172	Bactericidal activity of silver nanoparticles: A mechanistic review. 2020 , 3, 756-769	53
171	Folding Graphene into a Chern Insulator with Light Irradiation. <i>Nano Letters</i> , 2020 , 20, 5860-5865	11.5 0
170	Doping Dependent Magnetic Behavior in MBE Grown GaAsSb Nanowires. <i>Scientific Reports</i> , 2020 , 10, 8995	4.9 0
169	Gold Nanowires from Nanorods. 2020 , 36, 15030-15038	6

168	Polarity Control in Ge Nanowires by Electronic Surface Doping. 2020 , 124, 19858-19863	7
167	Unimolecular Electrical Rectification Understood Through Electron Deformation Orbitals. 2020 , 124, 17924-17931	
166	Seeding, Plating and Electrical Characterization of Gold Nanowires Formed on Self-Assembled DNA Nanotubes. 2020 , 25,	3
165	Hierarchically Nanoporous 3D Assembly Composed of Functionalized Onion-Like Graphitic Carbon Nanospheres for Anode-Minimized Li Metal Batteries. 2020 , 16, e2003918	12
164	All-Passive Hardware Implementation of Multilayer Perceptron Classifiers. 2021 , 32, 4086-4095	3
163	Template-Assisted Electrochemical Synthesis of CdSe Quantum Dots/Polypyrrole Composite Nanorods. 2020 , 10, 5966	
162	First principle study of structural, electronic and vibrational properties of 3C-SiC. 2020 ,	1
161	High-performance printed electronics based on inorganic semiconducting nano to chip scale structures. 2020 , 7, 33	34
160	Atomic Investigation on the Facet-Dependent Melting of Ceramic Nanostructures via In Situ Electron Irradiation. 2020 , 7, 2000288	0
159	Perovskite Flash Memory with a Single-Layer Nanofloating Gate. <i>Nano Letters</i> , 2020 , 20, 5081-5089	11.5 9
158	Shrinking tension-compression asymmetry of Au nanowires by designed nanotwin boundaries. 2020 , 252, 123267	0
157	Controllable growth and flexible optoelectronic devices of regularly-assembled Bi ₂ S ₃ semiconductor nanowire bifurcated junctions and crosslinked networks. 2020 , 13, 2226-2232	5
156	Surface Initiated Polymer Thin Films for the Area Selective Deposition and Etching of Metal Oxides. <i>ACS Nano</i> , 2020 , 14, 4276-4288	16.7 11
155	Radial Nanowire Assemblies under Rotating Magnetic Field Enabled Efficient Charge Separation. <i>Nano Letters</i> , 2020 , 20, 2763-2769	11.5 7
154	Challenges in engineering conductive protein fibres: Disentangling the knowledge. 2020 , 98, 2081-2095	2
153	The Nanomechanical Bit. 2020 , 16, e2001580	4
152	Carrier Dynamics in Ultrathin Gold Nanowires: Role of Auger Processes. 2020 , 15, 1151-1158	2
151	Formation of nanoparticles from thin silver films under a liquid layer by single-shot nanosecond laser action. 2020 , 52, 1	1

150	Growth of n-Ga doped ZnO nanowires interconnected with disks over p-Si substrate and their heterojunction diode application. 2020 , 10, 21-28		2
149	Engineering Long-Range Order in Supramolecular Assemblies on Surfaces: The Paramount Role of Internal Double Bonds in Discrete Long-Chain Naphthalenediimides. 2020 , 142, 4070-4078		9
148	Characterization and Anti-Cancerous Effect of Seed Extract Mediated Silver Nanoparticles on Human Colon (HCT-116), Pancreatic (PANC-1) and Breast (MDA-MB 231) Cancer Cell Lines: A Comparative Study. 2020 , 15, 573-585		12
147	DNA-Guided Assemblies toward Nanoelectronic Applications.. 2020 , 3, 2702-2722		17
146	Atomic level deposition to extend Moore's law and beyond. 2020 , 2, 022002		22
145	Diamond membranes for photonic devices. 2021 , 104, 173-217		0
144	Unveiling the pseudocapacitive effects of ultramesopores on nanoporous carbon. <i>Applied Surface Science</i> , 2021 , 537, 148037	6.7	3
143	Resonance structures and aromaticity in capped carbon nanotubes. 2021 , 173, 1082-1092		0
142	The optical and elastic properties of strained ZnO by first principle calculations. 2021 , 26, e00525		3
141	Direct Assembly of Vertically Oriented, Gold Nanorod Arrays. 2021 , 31, 2006753		14
140	Application of Biotechnological Tool in Bamboo Improvement. 2021 , 291-312		
139	Flexible Artificial Sensory Systems Based on Neuromorphic Devices. <i>ACS Nano</i> , 2021 , 15, 3875-3899	16.7	44
138	Hydrogenation of diamond nanowire surfaces for effective electrostatic charge storage. 2021 , 13, 7308-7321		2
137	An investigation of secondary electron emission from ZnO based nanomaterials for future applications in radiation detectors. <i>Scientific Reports</i> , 2021 , 11, 737	4.9	1
136	Molecular Magnetism. 2021 , 1-31		0
135	Transport at the nanoscale. 2021 , 363-460		
134	The influence of alloying on the stacking fault energy of gold from density functional theory calculations. 2021 , 188, 110236		3
133	Borophene-Functionalized Magnetic Nanoparticles: Synthesis and Memory Device Application. 2021 , 3, 1133-1141		6

132	Si nanomebranes: Material properties and applications. 2021 , 14, 3010-3032	2
131	Three-dimensional nanolithography guided by DNA modular epitaxy. <i>Nature Materials</i> , 2021 , 20, 683-690.	9
130	Multifunctional Properties of a Zn(II) Coordination Complex. 2021 , 21, 3401-3408	4
129	Silicon Nanowire GAA-MOSFET: a Workhorse in Nanotechnology for Future Semiconductor Devices. 1	4
128	Molecular Silicon Clusters. 2021 , 121, 9674-9718	6
127	MOCVD Growth of GeTe/Sb ₂ Te ₃ Core/Shell Nanowires. 2021 , 11, 718	2
126	Complementary switching in single Nb ₃ O ₇ (OH) nanowires. 2021 , 9, 071105	0
125	Voltage-Driven Flipping of Zwitterionic Artificial Channels in Lipid Bilayers to Rectify Ion Transport. 2021 , 143, 11332-11336	7
124	A Novel Approach to the Facile Growth and Organization of Photothermal Prussian Blue Nanocrystals on Different Surfaces. <i>Nanomaterials</i> , 2021 , 11, 5-4	1
123	Understanding Nanoscale Plasticity by Quantitative In Situ Conductive Nanoindentation. 2021 , 23, 2001494	4
122	Nanowelding in Whole-Lifetime Bottom-Up Manufacturing: From Assembly to Service.. 2021 , 5, e2100654	2
121	Spin glass behavior and oxidative catalytic property of Zn ₂ MnO ₄ from a metathesis driven metastable precursor. 2021 , 157, 110206	1
120	A comprehensive review of template-synthesized multi-component nanowires: From interfacial design to sensing and actuation applications. 2021 , 3, 100029	5
119	Freeing Organic Semiconductor Nanowires from Nanoporous Aluminum Oxide Templates: Effects on Morphology, Crystal Structure, and Molecular Aggregation. 2021 , 21, 721-728	1
118	Two-Dimensional (2D) Materials for Next-Generation Nanoelectronics and Optoelectronics: Advances and Trends. 2021 , 65-96	
117	Terbium(III) bis-phthalocyaninato single-molecule magnet encapsulated in a single-walled carbon nanotube. 2021 , 9, 10697-10704	0
116	Manufacturability and Nanoelectronic Performance. 133-138	1
115	Novel Deposition Methods. 2009 , 227-248	4

114	Oxide Based Memristive Nanodevices. 2014 , 219-256	1
113	Temperature and pH-responsive "smart" carbon nanotube dispersions. 2010 , 625, 27-38	6
112	Biomedical nanotechnology. 2011 , 726, 1-13	4
111	Introduction. 2009 , 1-5	1
110	Application of Nanoparticles in Manufacturing. 2016 , 1219-1278	2
109	Introduction. 2016 , 1-12	2
108	Nanostructured Chalcogenides. 2017 , 105-157	3
107	Carbothermal Reduction Synthesis: An Alternative Approach to Obtain Single-Crystalline Metal Oxide Nanostructures. 2017 , 43-67	4
106	Interelectrode Stretched Photoelectro-Functional DNA Nanowire. 2017 , 321-339	1
105	Towards Post-CMOS Molecular Logic Devices. 2013 , 13-24	1
104	Potentialities of Molecular Nanomagnets for Information Technologies. 2014 , 249-273	3
103	Morphology-controlled synthesis and characterization of CdTe micro-/nanoscale structures by electrodeposition method. 2017 , 52, 10431-10438	5
102	Unified Design Strategies for Particulate Products. 2015 , 1-81	19
101	Hierarchical micro- and nanofabrication by pattern-directed contact instabilities of thin viscoelastic films. 2017 , 2,	6
100	(E)-3-(2,3,4,5,6-Penta-fluoro-styr-yl)thio-phenes. 2010 , 66, o896-7	2
99	Extraordinary anisotropic thermal expansion in photosalient crystals. 2020 , 7, 83-89	23
98	Fabrication and analysis of metallic nanoslit structures: advancements in the nanomasking method. 2018 , 17, 1	3
97	Introduction. 2014 , 1-16	2

- 96 Metal Nanowire Formation by Solid-Electrochemical Reaction and Its Device Application. **2009**, 52, 340-346 1
- 95 Facile Method for the Synthesis of Copper Nanoparticles Supported on the Organoclay Material. **2017**, 08, 144-158 2
- 94 GaN Nanowire Growth on Si Substrate by Utilizing MOCVD Methods. **2010**, 23, 848-853 1
- 93 Synthesis and Applications of Noble Metal and Metal Silicide and Germanide 1-Dimensional Nanostructures. **2012**, 33, 2830-2844 2
- 92 Effect of Tributylphosphine for the Solution-Liquid-Solid Synthesis of CdSe Nanowires. **2013**, 34, 590-594 1
- 91 Fabrication of Metal Nanobridge Arrays using Sacrificial Silicon Nanowire. **2012**, 7, 396-400 2
- 90 UV Illumination Room-Temperature ZnO Nanoparticle Ethanol Gas Sensors. **2012**, 2012, 1-5 14
- 89 Wigner Crystal Stability in Nanowires under a Longitudinal Electric Field. **2021**, 125, 22044-22051 0
- 88 Functional Model of Carbon Nanotube Programmable Resistors for Hybrid Nano/CMOS Circuit Design. **2009**, 105-110 1
- 87 Novel Molecular Diodes Developed by Chemical Conjugation of Carbon Nanotubes with Peptide Nucleic Acid. **2010**, 3-15
- 86 Silicon Nanowires: From Empirical to First Principles Modeling. **2010**, 173-191
- 85 Hierarchical 3D Nanostructure Organization for Next-Generation Devices. **2011**, 205-248 1
- 84 Logic Equivalent Transformation for Nano-meter CMOS Hybrid Circuits. **2011**, 33, 1733-1737
- 83 Electrical Recording from Cardiac Cells and Tissue Using Nanowire Transistors. **2011**, 141-163
- 82 Synthesis and Design. **2012**, 399-424
- 81 Beyond Conventional CMOS Technology: Challenges for New Design Concepts. **2012**, 279-301
- 80 Sensing of Biomolecules. **2012**, 57-105
- 79 Introduction to the World of Nanotechnology. **2012**, 1-31

- 78 References. 177-198
- 77 Nanowires and Nanotubes. 961-993 1
- 76 General Introduction. *Springer Theses*, **2013**, 1-16 0.1
- 75 One-Dimensional Inorganic Semiconductor Nanostructures. **2012**, 37-70
- 74 Peptide-Based Carbon Nanotube Dispersal Agents. 217-245
- 73 Directional Alignment and Printing of One Dimensional Nanomaterials Using the Combination of Microstructure and Hydrodynamic Force. **2013**, 23, 586-591
- 72 Design Challenges and Considerations for Nanomedical Electronic Entities and Infrastructure. **2013**, 207-258
- 71 Computing with Emerging Nanotechnologies. **2016**, 635-660 1
- 70 Development of Nanowire Patterning Process Using Microcontact Printing. **2016**, 29, 571-575
- 69 Applications of Carbon-Based Nanomaterials in Biofuel Cell. **2017**, 39-58
- 68 Introduction. *Springer Theses*, **2017**, 1-31 0.1
- 67 Electronic structures, magnetic properties and spin-orbital coupling effects of aluminum nitride monolayers doped by 5d transition metal atoms: possible two-dimensional long-range magnetic orders. **2017**, 66, 063102
- 66 Three-Dimensional Macroporous Nanoelectronics Network. *Springer Theses*, **2018**, 15-25 0.1
- 65 Introduction to Fundamental Concepts. **2018**, 1-26
- 64 Self-organization and Emergence of Dynamical Structures in Neuromorphic Atomic Switch Networks. **2019**, 391-427 2
- 63 Interfacing Biology Systems with Nanoelectronics for Nanodevices. **2019**, 701-759 1
- 62 Uptake, Accumulation, and Toxicity of Metal Nanoparticles in Autotrophs. **2019**, 101-120
- 61 2D Hollow Nanomaterials. **2020**, 211-248

60	Effect of different parameters on the carrier mobility in NWTFET. 2020 , 23, 141-145		
59	Ge quantum wire memristor. <i>Nanotechnology</i> , 2020 , 31, 445204	3.4	2
58	Defect-Tolerant Mapping of CMOL Circuit Targeting Delay Optimization. 2021 , 36, 1118-1132		
57	Aspects of nanomaterials for civil and military applications. Part 2. Their use and concerns arising from their release into the natural environment. <i>Materiały Wysokoenergetyczne / High Energy Materials</i> , 2020 , 17-36	0.1	
56	Aspects of nanomaterials for civil and military applications. Part 1. Origins, characteristics and fabrication methods. <i>Materiały Wysokoenergetyczne / High Energy Materials</i> , 2020 , 5-16	0.1	
55	Enhanced photocatalytic activity of TiO ₂ -CdS composite nanofibers under sunlight irradiation**. <i>Journal of the Mechanical Behavior of Materials</i> , 2021 , 30, 213-219	1.9	0
54	CHAPTER 10:Functionalization and Useful Properties and Potential Applications of Nanowires. <i>RSC Nanoscience and Nanotechnology</i> , 2021 , 541-584		
53	Dose dependent crystallographic structure of InAs nanowires. 2008 , 131-132		
52	Defect-Tolerant Mapping of CMOL Circuits with Delay Optimization. 2020 ,		1
51	Field emission from AlGaN nanowires with low turn-on field. <i>Nanotechnology</i> , 2020 , 31, 475702	3.4	5
50	Performance Analysis of MoS ₂ FET for Electronic and Spintronic Application. <i>Lecture Notes in Electrical Engineering</i> , 2021 , 489-495	0.2	
49	Crystal phase induced direct band-gap modifications in bulk GaP and GaAsP. <i>Solid State Communications</i> , 2022 , 341, 114584	1.6	0
48	Memristive applications of metal oxide nanofibers. 2022 , 247-275		
47	Bias-Switchable Photoconductance in a Nanoscale Ge Photodetector Operated in the Negative Differential Resistance Regime. <i>ACS Photonics</i> ,	6.3	2
46	Fluorine-containing polymeric inhibitor for highly selective and durable area-selective atomic layer deposition. <i>Applied Surface Science</i> , 2021 , 578, 152056	6.7	0
45	Single-Molecule Magnets and Molecular Quantum Spintronics. 2021 , 979-1009		
44	Introduction. <i>Springer Theses</i> , 2022 , 1-38	0.1	
43	Hierarchical Wrinkle-Structured Catalyst Layer/Membrane Interface for Ultralow Pt-Loading Polymer Electrolyte Membrane Fuel Cells (PEMFCs).. <i>Nano Letters</i> , 2022 ,	11.5	1

42	Superior electron transport of ultra-thin SiC nanowires with one impending tensile monatomic chain. <i>Vacuum</i> , 2022 , 199, 110950	3.7	0
41	Observation of Proposed Triple Barrier Doped Resonant Tunneling Diode. <i>Lecture Notes on Data Engineering and Communications Technologies</i> , 2022 , 687-694	0.4	
40	Three Millennia of Nanocrystals.. <i>ACS Nano</i> , 2022 ,	16.7	8
39	Tunneling between parallel one-dimensional Wigner crystals.. <i>Scientific Reports</i> , 2022 , 12, 4470	4.9	0
38	Flexible substrates enabled highly integrated patterns with submicron precision toward intrinsically stretchable circuits. <i>SmartMat</i> ,	22.8	1
37	A Symmetric Novel 8T3R Non-Volatile SRAM Cell for Embedded Applications. <i>Symmetry</i> , 2022 , 14, 768	2.7	2
36	Inhibitor-free area-selective atomic layer deposition of SiO ₂ through chemoselective adsorption of an aminodisilane precursor on oxide versus nitride substrates. <i>Applied Surface Science</i> , 2022 , 589, 152939	6.7	3
35	A Microcolumn DC Graphene Sensor for Rapid, Sensitive, and Universal Chemical Vapor Detection. <i>Nano Letters</i> , 2021 ,	11.5	0
34	Modeling and characterization of stochastic resistive switching in single AgS nanowires.. <i>Scientific Reports</i> , 2022 , 12, 6754	4.9	0
33	Математическое моделирование. <i>Математическое моделирование</i> , 2022 , 34, 111-119	0.2	
32	Manipulation of a Single Polymer Chain: From the Nanomechanical Properties to Dynamic Structure Evolution. <i>Macromolecules</i> ,	5.5	2
31	Multi-Level Resistive Switching in SnSe/SrTiO ₃ Heterostructure Based Memristor Device. <i>Nanomaterials</i> , 2022 , 12, 2128	5.4	
30	A novel read decoupled 8T1M nvSRAM cell for near threshold operation. <i>Microelectronics Journal</i> , 2022 , 126, 105496	1.8	0
29	In situ atomic-scale observation of dislocation climb and grain boundary evolution in nanostructured metal. <i>Nature Communications</i> , 2022 , 13,	17.4	1
28	Beyond CMOS. 2021 ,		0
27	Surface Acidity-Induced Inherently Selective Atomic Layer Deposition of Tantalum Oxide on Dielectrics.		2
26	Biochemical synthesis, characterization and electrodeposition of silver nanoparticles on a gold substrate. 796		0
25	An empirical relationship for ionization coefficient for microscale gaps and high reduced electric fields. 2022 , 132, 073302		

24	A Universal Pick-and-Place Assembly for Nanowires. 2201968	
23	Selective-area fabrication of bulk metallic glass nanowires on silicon. 2022 , 326, 132966	
22	Fabrication of transparent ultrathin films with ordered solid luminescence by LBL assembly of CdTe quantum dots with exfoliated vermiculite. 2022 , 230, 106710	0
21	Morphological evolution driven semiconducting nanostructures for emerging solar, biological and nanogenerator applications.	0
20	Enhancement of SO ₂ sensing performance of micro-ribbon graphene sensors using nitrogen doping and light exposure. 2022 , 155059	1
19	Magnetic Properties of Nanosized Fe and FeCo Systems on Trenched Mo Templates. 2022 , 12, 1366	1
18	The impact of cell culture media on the interaction of biopolymer-functionalized gold nanoparticles with cells: mechanical and toxicological properties. 2022 , 12,	0
17	Rare-earth based tetrapyrrolic sandwiches: chemistry, materials and applications.	3
16	High-Throughput Electrospinning of Biomaterials. 2022 , 341-352	0
15	Transitions between field emission and vacuum breakdown in nanoscale gaps. 2022 , 40, 062805	0
14	First principle calculations on tuning the charge transport properties of C3B nanoribbon device by manipulating the edge state. 2023 , 147, 115600	0
13	Size dependent magnetic and magnetoresistance properties of Co ₂ FeGa nanowires.	0
12	Orthogonal Grade-Separated Nanowiring of Molecular Single Chains.	0
11	Multicomponent nanoparticle superlattices. 2022 ,	0
10	Self-Assembly of Nanocrystalline Structures from Freestanding Oxide Membranes. 2210989	0
9	State-of-the-art on Silicon Nanowires Array Photodetectors. 2023 , 0	0
8	Nanowire memristor as artificial synapse in random networks. 2023 , 219-246	0
7	Recent advances in fermionic hierarchical equations of motion method for strongly correlated quantum impurity systems. 2023 , 53, 0302	0

- 6 Halogen-Bonded Thiophene Derivatives Prepared by Solution and/or Mechanochemical Synthesis. Evidence of N \cdots S Chalcogen Bonds in Homo- and Cocrystals. **2023**, 23, 2442-2454 ○
- 5 Synapse-Mimetic Hardware-Implemented Resistive Random-Access Memory for Artificial Neural Network. **2023**, 23, 3118 ○
- 4 Experimental observation of geometric effect on the electron diffraction of quasi-one-dimensional nanostructures. **2023**, 33, 101048 ○
- 3 Spherical Packing Superlattices in Self-Assembly of Homogenous Soft Matter: Progresses and Potentials. ○
- 2 Creation of ordered 3D tubes out of DNA origami lattices. ○
- 1 Highly Enhanced Polarization Switching Speed in HfO₂-based Ferroelectric Thin Films via a Composition Gradient Strategy. ○