

Improved broadband and quasi-omnidirectional anti-reflection silicon nanostructures

Nature Nanotechnology

2, 770-774

DOI: [10.1038/nnano.2007.389](https://doi.org/10.1038/nnano.2007.389)

Citation Report

#	ARTICLE	IF	CITATIONS
3	Motion Picture Sets<!--<xref ref-type="other" rid="fn1-10.5594_J07510">*</xref>-->. Journal of the Society of Motion Picture Engineers, 1931, 17, 789-791.	0.2	1
4	Tracking in Control Systems Described by Nonlinear Differential-Algebraic Equations with Applications to Constrained Robot Systems. , 1993, , .		13
5	Biomimetic Antireflective Si Nanopillar Arrays. Small, 2008, 4, 1972-1975.	5.2	113
6	Bioinspired Self-Cleaning Antireflection Coatings. Advanced Materials, 2008, 20, 3914-3918.	11.1	482
7	Towards the dark side. Nature Photonics, 2008, 2, 215-216.	15.6	18
8	Large-scale assembly of colloidal nanoparticles and fabrication of periodic subwavelength structures. Nanotechnology, 2008, 19, 475604.	1.3	92
9	Tunable reflection minima of nanostructured antireflective surfaces. Applied Physics Letters, 2008, 93, .	1.5	284
10	Wafer-scale silicon nanopillars and nanocones by Langmuir-Blodgett assembly and etching. Applied Physics Letters, 2008, 93, .	1.5	341
11	Biomimetic subwavelength antireflective gratings on GaAs. Optics Letters, 2008, 33, 2224.	1.7	79
12	Realization of a near-perfect antireflection coating for silicon solar energy utilization. Optics Letters, 2008, 33, 2527.	1.7	221
13	Biomimetic Interfaces for High-Performance Optics in the Deep-UV Light Range. Nano Letters, 2008, 8, 1429-1433.	4.5	146
14	Gallium nitride nanorod arrays as low-refractive-index transparent media in the entire visible spectral region. Optics Express, 2008, 16, 8106.	1.7	39
15	Synthesis, morphology and compositional evolution of silicon nanowires directly grown on SnO ₂ substrates. Nanotechnology, 2008, 19, 485605.	1.3	50
16	Silicon multiple exciton generation/pn junction hybrid solar cell. Conference Record of the IEEE Photovoltaic Specialists Conference, 2008, , .	0.0	3
17	Nanostructured multilayer graded-index antireflection coating for Si solar cells with broadband and omnidirectional characteristics. Applied Physics Letters, 2008, 93, .	1.5	273
18	Wide angle and broadband antireflection properties for a silicon nanotip array. , 2008, , .		2
19	Optical circuits from anisotropic films. Physical Review B, 2009, 79, .	1.1	10
20	Optical anisotropy of semiconductor nanowires. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
21	Si nanopillar array optimization on Si thin films for solar energy harvesting. Applied Physics Letters, 2009, 95, .	1.5	245
22	Broadband and omnidirectional antireflection from conductive indium-tin-oxide nanocolumns prepared by glancing-angle deposition with nitrogen. Applied Physics Letters, 2009, 94, .	1.5	75
23	Design of a Third-Harmonic Gyrotron Oscillator Using a Photonic Crystal Cavity. Japanese Journal of Applied Physics, 2009, 48, 074502.	0.8	2
24	Large-scale assembly of periodic nanostructures with metastable square lattices. Journal of Vacuum Science & Technology B, 2009, 27, 1043.	1.3	17
25	Efficiency Enhancement of GaAs Photovoltaics Employing Antireflective Indium Tin Oxide Nanocolumns. Advanced Materials, 2009, 21, 1618-1621.	11.1	165
26	Broadband and Omnidirectional Antireflection Coatings Based on Semiconductor Nanorods. Advanced Materials, 2009, 21, 973-978.	11.1	243
27	Biomimetic Surfaces for High-Performance Optics. Advanced Materials, 2009, 21, 4731-4734.	11.1	84
28	Investigation of geometrical effects of antireflective subwavelength grating structures for optical device applications. Optical and Quantum Electronics, 2009, 41, 771-777.	1.5	14
29	Optimization of an anti-reflective layer of solar panels based on ab initio calculations. Russian Physics Journal, 2009, 52, 1128-1134.	0.2	4
30	Terahertz phase modulator. Nature Photonics, 2009, 3, 130-131.	15.6	11
31	Langmuir-Blodgett Monolayer Masked Chemical Etching: An Approach to Broadband Antireflective Surfaces. Chemistry of Materials, 2009, 21, 1802-1805.	3.2	21
32	Tunable broadband antireflection structures for silicon at terahertz frequency. Applied Physics Letters, 2009, 94, .	1.5	59
33	Broadband antireflective poly-Si nanosponge for thin film solar cells. Optics Express, 2009, 17, 4646.	1.7	34
34	Light-extraction enhancement of red AlGaInP light-emitting diodes with antireflective subwavelength structures. Optics Express, 2009, 17, 20991.	1.7	59
35	Nanocones as antireflection coating. SPIE Newsroom, 2009, , .	0.1	0
36	Spectroscopic ellipsometry analysis of silicon nanotips obtained by electron cyclotron resonance plasma etching. Applied Optics, 2009, 48, 4996.	2.1	4
37	Morphology and Wettability Control of Silicon Cone Arrays Using Colloidal Lithography. Langmuir, 2009, 25, 7375-7382.	1.6	103
38	Efficiency Enhancement and Beam Shaping of GaN-InGaN Vertical-Injection Light-Emitting Diodes via High-Aspect-Ratio Nanorod Arrays. IEEE Photonics Technology Letters, 2009, 21, 257-259.	1.3	81

#	ARTICLE	IF	CITATIONS
39	Broadband moth-eye antireflection coatings fabricated by low-cost nanoimprinting. Applied Physics Letters, 2009, 94, .	1.5	208
40	Surface nanostructure optimization for solar energy harvesting in Si thin film based solar cells. , 2009, , .		16
41	Photonics with Multiwall Carbon Nanotube Arrays. ACS Nano, 2009, 3, 1238-1248.	7.3	82
42	Bioinspired silicon hollow-tip arrays for high performance broadband anti-reflective and water-repellent coatings. Journal of Materials Chemistry, 2009, 19, 1806.	6.7	104
43	High-temperature anisotropic silicon-etching steered synthesis of horizontally aligned silicon-based Zn ₂ SiO ₄ nanowires. Chemical Communications, 2009, , 3786.	2.2	10
44	Surface profile-controlled close-packed Si nanorod arrays for self-cleaning antireflection coatings. Journal of Applied Physics, 2009, 106, 114310.	1.1	49
45	Optical Absorption Enhancement in Amorphous Silicon Nanowire and Nanocone Arrays. Nano Letters, 2009, 9, 279-282.	4.5	1,225
46	Electroluminescence from ZnO/Si-Nanotips Light-Emitting Diodes. Nano Letters, 2009, 9, 1839-1843.	4.5	83
47	Fabrication of antireflection nanostructures on GaAs by holographic lithography for device applications. , 2009, , .		0
48	Optical modeling of needle like silicon surfaces produced by an ICP-RIE process. Proceedings of SPIE, 2010, , .	0.8	29
49	Effect of etching parameters on antireflection properties of Si subwavelength grating structures for solar cell applications. Applied Physics B: Lasers and Optics, 2010, 100, 891-896.	1.1	32
50	Antireflective surfaces based on biomimetic nanopillared arrays. Nano Today, 2010, 5, 117-127.	6.2	273
51	Biomimetic corrugated silicon nanocone arrays for self-cleaning antireflection coatings. Nano Research, 2010, 3, 520-527.	5.8	99
52	Periodically Aligned Si Nanopillar Arrays as Efficient Antireflection Layers for Solar Cell Applications. Nanoscale Research Letters, 2010, 5, 1721-1726.	3.1	60
53	Harvesting and Transferring Vertical Pillar Arrays of Single-Crystal Semiconductor Devices to Arbitrary Substrates. IEEE Transactions on Electron Devices, 2010, 57, 1856-1864.	1.6	40
54	Tunable Guided-Mode Resonance Grating Filter. Advanced Functional Materials, 2010, 20, 2053-2062.	7.8	40
55	Colloidal Self-Assembly Meets Nanofabrication: From Two-Dimensional Colloidal Crystals to Nanostructure Arrays. Advanced Materials, 2010, 22, 4249-4269.	11.1	577
56	Nanoporous Films with Low Refractive Index for Large-Surface Broad-Band Anti-Reflection Coatings. Macromolecular Materials and Engineering, 2010, 295, 628-636.	1.7	29

#	ARTICLE	IF	CITATIONS
57	Biomimetic hierarchical ZnO structure with superhydrophobic and antireflective properties. Journal of Colloid and Interface Science, 2010, 350, 344-347.	5.0	76
58	A facile processing way of silica needle arrays with tunable orientation by tube arrays fabrication and etching method. Journal of Solid State Chemistry, 2010, 183, 595-599.	1.4	17
59	Fabrication and measurement of large-area sub-wavelength structures with broadband and wide-angle antireflection effect. Microelectronic Engineering, 2010, 87, 1323-1327.	1.1	8
60	Anti-reflecting and photonic nanostructures. Materials Science and Engineering Reports, 2010, 69, 1-35.	14.8	531
61	Nanostructured photon management for high performance solar cells. Materials Science and Engineering Reports, 2010, 70, 330-340.	14.8	151
62	Electrochemical synthesis and applications of oriented and hierarchically quasi-1D semiconducting nanostructures. Coordination Chemistry Reviews, 2010, 254, 1135-1150.	9.5	66
63	Optimization of moth-eye antireflection schemes for silicon solar cells. Progress in Photovoltaics: Research and Applications, 2010, 18, 195-203.	4.4	139
64	Bioinspired Parabola Subwavelength Structures for Improved Broadband Antireflection. Small, 2010, 6, 984-987.	5.2	150
65	Antireflection Behavior of Multidimensional Nanostructures Patterned Using a Conformable Elastomeric Phase Mask in a Single Exposure Step. Small, 2010, 6, 1981-1985.	5.2	37
66	Silicon nanowire/poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate) heterojunction solar cells. , 2010, , .		0
67	Nanopillars by cesium chloride self-assembly and dry etching. Nanotechnology, 2010, 21, 465302.	1.3	26
68	Si nanocone array optimization on crystalline Si thin films for solar energy harvesting. Journal Physics D: Applied Physics, 2010, 43, 255101.	1.3	43
69	Fabrication of dimension-tunable Si nanopillar arrays with antireflection and self-cleaning properties. , 2010, , .		0
70	Effective recombination velocity of textured surfaces. Applied Physics Letters, 2010, 96, 193107.	1.5	19
71	Ordered/disordered broadband antireflective structures for near-infrared detector applications. , 2010, , .		0
72	Mimicking moth's eyes for photovoltaic applications with tapered GaP nanorods. , 2010, , .		1
73	Investigation of light absorption properties and acceptance angles of nanopatterned GZO/a-Si/p⁺/⁻-Si photodiodes. Nanotechnology, 2010, 21, 215201.	1.3	12
74	Disordered antireflective nanostructures on GaN-based light-emitting diodes using Ag nanoparticles for improved light extraction efficiency. Applied Physics Letters, 2010, 97, .	1.5	68

#	ARTICLE	IF	CITATIONS
75	Hybrid Moth-Eye Structures for Enhanced Broadband Antireflection Characteristics. <i>Applied Physics Express</i> , 2010, 3, 102602.	1.1	32
76	The structure and growth mechanism of Si nanoneedles prepared by plasma-enhanced chemical vapor deposition. <i>Nanotechnology</i> , 2010, 21, 415604.	1.3	21
77	Antireflection effect of ZnO nanorod arrays. <i>Journal of Materials Chemistry</i> , 2010, 20, 8134.	6.7	94
78	High-Efficiency Ordered Silicon Nano-Conical-Frustum Array Solar Cells by Self-Powered Parallel Electron Lithography. <i>Nano Letters</i> , 2010, 10, 4651-4656.	4.5	211
79	Vacuum-Free Self-Powered Parallel Electron Lithography with Sub-35-nm Resolution. <i>Nano Letters</i> , 2010, 10, 2197-2201.	4.5	21
80	Large-Scale and Rapid Synthesis of Ultralong ZnO Nanowire Films via Anodization. <i>Journal of Physical Chemistry C</i> , 2010, 114, 881-889.	1.5	60
81	Morphology Dependence of Silicon Nanowire/Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) Heterojunction Solar Cells. <i>Chemistry of Materials</i> , 2010, 22, 3108-3113.	3.2	241
82	Cones fabricated by 3D nanoimprint lithography for highly sensitive surface enhanced Raman spectroscopy. <i>Nanotechnology</i> , 2010, 21, 255502.	1.3	87
83	Hollow Silica Nanoparticles in UV~Visible Antireflection Coatings for Poly(methyl methacrylate) Substrates. <i>ACS Nano</i> , 2010, 4, 4308-4316.	7.3	240
84	Nanodome Solar Cells with Efficient Light Management and Self-Cleaning. <i>Nano Letters</i> , 2010, 10, 1979-1984.	4.5	874
85	Investigation of Carrier Transient Response of Nanopatterned n-ZnO/a-Si(i)/p ⁺ -Si Photodiodes. <i>IEEE Photonics Technology Letters</i> , 2010, 22, 1589-1591.	1.3	2
86	Broadband Antireflection Coating Covering from Visible to Near Infrared Wavelengths by Using Multilayered Nanoporous Block Copolymer Films. <i>Langmuir</i> , 2010, 26, 5110-5114.	1.6	58
87	Nanoscale of biomimetic moth eye structures exhibiting inverse polarization phenomena at the Brewster angle. <i>Nanoscale</i> , 2010, 2, 799.	2.8	92
88	pH-Induced Antireflection Coatings Derived From Hydrogen-Bonding-Directed Multilayer Films. <i>Langmuir</i> , 2010, 26, 17749-17755.	1.6	25
89	Bioinspired Silica Surfaces with Near-Infrared Improved Transmittance and Superhydrophobicity by Colloidal Lithography. <i>Langmuir</i> , 2010, 26, 9842-9847.	1.6	99
90	Large-Area Oblique-Aligned ZnO Nanowires through a Continuously Bent Columnar Buffer: Growth, Microstructure, and Antireflection. <i>Crystal Growth and Design</i> , 2010, 10, 3297-3301.	1.4	18
91	Design of Artificial Hollow Moth-Eye Structures Using Anodic Nanocones for High-Performance Optics. <i>Chemistry of Materials</i> , 2010, 22, 6583-6589.	3.2	14
92	Tailored Silicon Nanopost Arrays for Resonant Nanophotonic Ion Production. <i>Journal of Physical Chemistry C</i> , 2010, 114, 4835-4840.	1.5	79

#	ARTICLE	IF	CITATIONS
93	Black Ge Based on Crystalline/Amorphous Core/Shell Nanoneedle Arrays. Nano Letters, 2010, 10, 520-523.	4.5	68
94	Face Selection in One-Step Bending of Janus Nanopillars. Langmuir, 2010, 26, 9198-9201.	1.6	23
95	Fabrication and characterization of subwavelength nanostructures on freestanding GaN slab. Optics Express, 2010, 18, 2940.	1.7	11
96	Design of highly transparent glasses with broadband antireflective subwavelength structures. Optics Express, 2010, 18, 13063.	1.7	102
97	Femtosecond laser induced surface nanostructuring and simultaneous crystallization of amorphous thin silicon film. Optics Express, 2010, 18, 19379.	1.7	45
98	Optical absorption enhancement in nanopore textured-silicon thin film for photovoltaic application. Optics Letters, 2010, 35, 40.	1.7	64
99	Design and optimization of broadband wide-angle antireflection structures for binary diffractive optics. Optics Letters, 2010, 35, 907.	1.7	10
100	Three-dimensional inverted photonic grating with engineerable refractive indices for broadband antireflection of terahertz waves. Optics Letters, 2010, 35, 3159.	1.7	8
101	Improved optical transmission and current matching of a triple-junction solar cell utilizing sub-wavelength structures. Optics Express, 2010, 18, A308.	1.7	43
102	Using autocloning effects to develop broad-bandwidth, omnidirectional antireflection structures for silicon solar cells. Optics Express, 2010, 18, A421.	1.7	1
103	Phonon thermal conductivity suppression of bulk silicon nanowire composites for efficient thermoelectric conversion. Optics Express, 2010, 18, A467.	1.7	15
104	Recent developments in bio-inspired special wettability. Chemical Society Reviews, 2010, 39, 3240.	18.7	922
105	Application of Silicon Micropyramid Structures for Antireflection of Terahertz Waves. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 338-343.	1.9	9
106	ZnO Pyramidal Arrays: Novel Functionality in Antireflection. Journal of Physical Chemistry C, 2010, 114, 10265-10269.	1.5	29
107	Subwavelength antireflection structures and their device applications. , 2010, , .		2
108	Quasicontinuous refractive index tailoring of SiNx and SiOxNy for broadband antireflective coatings. Applied Physics Letters, 2010, 96, 141116.	1.5	27
109	Efficiently Harvesting Sun Light for Silicon Solar Cells through Advanced Optical Couplers and A Radial p-n Junction Structure. Energies, 2010, 3, 784-802.	1.6	20
110	Fabrication of Antireflection and Antifogging Polymer Sheet by Partial Photopolymerization and Dry Etching. Langmuir, 2010, 26, 2240-2243.	1.6	71

#	ARTICLE	IF	CITATIONS
111	Slope-tunable Si nanorod arrays with enhanced antireflection and self-cleaning properties. <i>Nanoscale</i> , 2010, 2, 2765.	2.8	65
112	Subwavelength Si nanowire arrays for self-cleaning antireflection coatings. <i>Journal of Materials Chemistry</i> , 2010, 20, 10924.	6.7	81
113	Biomimetic bi-functional silicon nanospire-array structures prepared by using self-organized honeycomb templates and reactive ion etching. <i>Journal of Materials Chemistry</i> , 2010, 20, 10804.	6.7	47
114	Si/PEDOT:PSS core/shell nanowire arrays for efficient hybrid solar cells. <i>Nanoscale</i> , 2011, 3, 3631.	2.8	126
115	Fabrication of highly ordered silicon pin-in-a-hole nanostructures via chemical etching of nanopatterned polymer masks. <i>Journal of Materials Chemistry</i> , 2011, 21, 11996.	6.7	8
116	Nanowire arrays with controlled structure profiles for maximizing optical collection efficiency. <i>Energy and Environmental Science</i> , 2011, 4, 2863.	15.6	95
117	Fabrication of tilted nanostructures for omnidirectional transmission in solar modules. , 2011, , .		0
118	Biomimetic broadband antireflection gratings on solar-grade multicrystalline silicon wafers. <i>Applied Physics Letters</i> , 2011, 99, 191103.	1.5	42
119	Superhydrophobic nanostructured silicon surfaces with controllable broadband reflectance. <i>Chemical Communications</i> , 2011, 47, 6108.	2.2	38
120	Subwavelength Antireflective Si Nanostructures Fabricated by Using the Self-Assembled Silver Metal-Nanomask. <i>Journal of Physical Chemistry C</i> , 2011, 115, 8983-8987.	1.5	17
121	Nanofabrication of Broad-Band Antireflective Surfaces Using Self-Assembly of Block Copolymers. <i>ACS Nano</i> , 2011, 5, 1860-1864.	7.3	45
122	Biomimetic Antireflective Hierarchical Arrays. <i>Langmuir</i> , 2011, 27, 4963-4967.	1.6	51
123	Modeling Light Trapping in Nanostructured Solar Cells. <i>ACS Nano</i> , 2011, 5, 10055-10064.	7.3	205
124	Material design and structural color inspired by biomimetic approach. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 064709.	2.8	85
125	Conversion Efficiency Enhancement of GaN/In _{0.11} Ga _{0.89} N Solar Cells With Nano Patterned Sapphire and Biomimetic Surface Antireflection Process. <i>IEEE Photonics Technology Letters</i> , 2011, 23, 1304-1306.	1.3	15
126	Light confinement-induced antireflection of ZnO nanocones. <i>Applied Physics Letters</i> , 2011, 99, 153113.	1.5	11
127	17.1%-Efficient multi-scale-textured black silicon solar cells without dielectric antireflection coating. , 2011, , .		5
128	Macroscopic invisibility cloaking of visible light. <i>Nature Communications</i> , 2011, 2, 176.	5.8	377

#	ARTICLE	IF	CITATIONS
129	ZnO nanorod array/CuAlO ₂ nanofiber heterojunction on Ni substrate: synthesis and photoelectrochemical properties. <i>Nanotechnology</i> , 2011, 22, 295706.	1.3	5
130	Ultrahigh Throughput Silicon Nanomanufacturing by Simultaneous Reactive Ion Synthesis and Etching. <i>ACS Nano</i> , 2011, 5, 8002-8012.	7.3	48
131	Zinc oxide nanostructures with metal particles based on surface plasmons for optoelectronic device applications. <i>Proceedings of SPIE</i> , 2011, , .	0.8	0
132	Light scattering by nanostructured anti-reflection coatings. <i>Energy and Environmental Science</i> , 2011, 4, 3436.	15.6	94
133	Low-concentration mechanical biosensor based on a photonic crystal nanowire array. <i>Nature Communications</i> , 2011, 2, 578.	5.8	45
134	Nanoporous black silicon photocathode for H ₂ production by photoelectrochemical water splitting. <i>Energy and Environmental Science</i> , 2011, 4, 1690.	15.6	221
135	Plasma-made silicon nanograss and related nanostructures. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 174010.	1.3	31
136	Self-assembly of an antireflective moth-like structure using antibody-functionalized nanowires and nanopore arrays. <i>Nanotechnology</i> , 2011, 22, 475601.	1.3	0
137	Unidirectional arrays of vertically standing graphenes in reactive plasmas. <i>Nanoscale</i> , 2011, 3, 4296.	2.8	20
138	Plasma nanoscience: setting directions, tackling grand challenges. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 174001.	1.3	172
139	Biomimetic microlens array with antireflective "moth-eye" surface. <i>Soft Matter</i> , 2011, 7, 6404.	1.2	127
140	Three-Dimensional Nanoarchitectures. , 2011, , .		19
141	Large Scale Single-Crystal Cu(In,Ga)Se ₂ Nanotip Arrays For High Efficiency Solar Cell. <i>Nano Letters</i> , 2011, 11, 4443-4448.	4.5	54
142	Combined micro- and nano-scale surface textures for enhanced near-infrared light harvesting in silicon photovoltaics. <i>Nanotechnology</i> , 2011, 22, 095201.	1.3	31
143	Multiform structures with silicon nanopillars by cesium chloride self-assembly and dry etching. <i>Applied Surface Science</i> , 2011, 257, 10489-10493.	3.1	5
144	Fabrication of highly ordered CuInSe ₂ films with hollow nanocones for anti-reflection. <i>Applied Surface Science</i> , 2011, 257, 10893-10897.	3.1	3
145	Minimizing light reflection from dielectric textured surfaces. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2011, 28, 770.	0.8	136
146	Experimental observation of extremely weak optical scattering from an interlocking carbon nanotube array. <i>Applied Optics</i> , 2011, 50, 1850.	2.1	47

#	ARTICLE	IF	CITATIONS
147	Enhanced conversion efficiency of a crystalline silicon solar cell with frustum nanorod arrays. Optics Express, 2011, 19, A28.	1.7	56
148	Enhancement of optical transmission with random nanohole structures. Optics Express, 2011, 19, A35.	1.7	35
149	Antireflective property of thin film a-Si solar cell structures with graded refractive index structure. Optics Express, 2011, 19, A108.	1.7	31
150	Multifunctional light escaping architecture inspired by compound eye surface structures: From understanding to experimental demonstration. Optics Express, 2011, 19, A157.	1.7	51
151	Enhancement of the optical transmission by mixing the metallic and dielectric nanoparticles atop the silicon substrate. Optics Express, 2011, 19, A80.	1.7	8
152	Enhanced angular characteristics of indium tin oxide nanowisker-coated silicon solar cells. Optics Express, 2011, 19, A219.	1.7	13
153	Embedded biomimetic nanostructures for enhanced optical absorption in thin-film solar cells. Optics Express, 2011, 19, A757.	1.7	22
154	Antireflection effect of femtosecond laser-induced periodic surface structures on silicon. Optics Express, 2011, 19, A1031.	1.7	105
155	Enhanced efficiency for c-Si solar cell with nanopillar array via quantum dots layers. Optics Express, 2011, 19, A1141.	1.7	60
156	Optimal design of aperiodic, vertical silicon nanowire structures for photovoltaics. Optics Express, 2011, 19, A1148.	1.7	90
157	Biomimetic nanostructured antireflection coating and its application on crystalline silicon solar cells. Optics Express, 2011, 19, 14411.	1.7	87
158	Terahertz Brewster lenses. Optics Express, 2011, 19, 25151.	1.7	11
159	Antireflective properties of porous Si nanocolumnar structures with graded refractive index layers. Optics Letters, 2011, 36, 253.	1.7	22
160	Nanostructured gradient-index antireflection diffractive optics. Optics Letters, 2011, 36, 2354.	1.7	66
161	Slanted S-shaped nano-columnar thin films for broadband and wide-angle polarization conversion. Optical Materials Express, 2011, 1, 525.	1.6	5
162	Origin and tuning of surface optic and long wavelength phonons in biomimetic GaAs nanotip arrays. Optical Materials Express, 2011, 1, 535.	1.6	2
163	Anti-reflective coatings: A critical, in-depth review. Energy and Environmental Science, 2011, 4, 3779.	15.6	1,067
164	Optimized Spatial Correlations for Broadband Light Trapping Nanopatterns in High Efficiency Ultrathin Film a-Si:H Solar Cells. Nano Letters, 2011, 11, 4239-4245.	4.5	350

#	ARTICLE	IF	CITATIONS
165	OPTICAL ANTIREFLECTION OF A MEDIUM BY NANOSTRUCTURAL LAYERS. Progress in Electromagnetics Research B, 2011, 31, 45-66.	0.7	9
166	SECOND-ORDER SCATTERING INDUCED REFLECTION DIVERGENCE AND NONLINEAR DEPOLARIZATION ON RANDOMLY CORRUGATED SEMICONDUCTOR NANO-PILLARS. Progress in Electromagnetics Research, 2011, 117, 67-81.	1.6	8
167	Indium-tin-oxide nanowhiskers crystalline silicon photovoltaics combining micro- and nano-scale surface textures. Proceedings of SPIE, 2011, , .	0.8	4
168	High efficiency triple-junction solar cells employing biomimetic antireflective structures. Proceedings of SPIE, 2011, , .	0.8	0
169	Wideband anti-reflective micro/nano dual-scale structures: fabrication and optical properties. Micro and Nano Letters, 2011, 6, 947.	0.6	35
170	Compound Semiconductor Nanowire Solar Cells. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1033-1049.	1.9	45
171	Surface profile optimization of antireflection gratings for solar cells. Optik, 2011, 122, 2078-2082.	1.4	12
172	Broadband polarization-independent resonant light absorption using ultrathin plasmonic super absorbers. Nature Communications, 2011, 2, 517.	5.8	1,464
173	Fabrication of large area high density, ultra-low reflection silicon nanowire arrays for efficient solar cell applications. Nano Research, 2011, 4, 1136-1143.	5.8	50
174	Manipulation of terahertz radiation using metamaterials. Laser and Photonics Reviews, 2011, 5, 513-533.	4.4	141
175	Non-Reflecting Silicon and Polymer Surfaces by Plasma Etching and Replication. Advanced Materials, 2011, 23, 122-126.	11.1	149
176	Broadband Optical Antireflection Enhancement by Integrating Antireflective Nanoislands with Silicon Nanoconical-Frustum Arrays. Advanced Materials, 2011, 23, 5796-5800.	11.1	89
177	Rationally Designed, Three-Dimensional Carbon Nanotube Back-Contacts for Efficient Solar Devices. Advanced Energy Materials, 2011, 1, 1040-1045.	10.2	27
178	Influence of pre-surface treatment on the morphology of silicon nanowires fabricated by metal-assisted etching. Applied Surface Science, 2011, 257, 1829-1834.	3.1	39
179	Direct creation of black silicon using femtosecond laser pulses. Applied Surface Science, 2011, 257, 7291-7294.	3.1	134
180	Bio-inspired design of multiscale structures for function integration. Nano Today, 2011, 6, 155-175.	6.2	655
181	Angle-resolved characteristics of silicon photovoltaics with passivated conical-frustum nanostructures. Solar Energy Materials and Solar Cells, 2011, 95, 2610-2615.	3.0	28
182	Effect of polyvinyl butyral on the microstructure and laser damage threshold of antireflective silica films. Thin Solid Films, 2011, 519, 2483-2487.	0.8	20

#	ARTICLE	IF	CITATIONS
183	Broadband and wide-angle antireflection subwavelength structures of Si by inductively coupled plasma etching using dewetted nanopatterns of Au thin films as masks. Thin Solid Films, 2011, 519, 3792-3797.	0.8	25
184	Enhanced Conversion Efficiency for c-Si Solar Cell via Photon Down-Conversion and Antireflection of CdS Quantum Dots. , 2011, , .		0
185	Highly efficient LED lens biologically inspired from cuticle nanostructures of firefly light organs. , 2011, , .		0
186	Fabrication of cone-shaped subwavelength structures by utilizing a confined convective self-assembly technique and inductively coupled-plasma reactive-ion etching. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, 020602.	0.6	10
187	Effect of ultrashort silicon nanowires on Si/organic solar cells. , 2011, , .		0
188	Giant room temperature electric-field-assisted magnetoresistance in La _{0.7} Sr _{0.3} MnO ₃ /n-Si nanotip heterojunctions. Nanotechnology, 2011, 22, 125701.	1.3	3
189	Optical properties of metal coated nanoscrew Si. , 2011, , .		0
190	Multilayer Antireflection Coating for Triple Junction Solar Cells. Chinese Physics Letters, 2011, 28, 047802.	1.3	8
191	Realization of effective light trapping and omnidirectional antireflection in smooth surface silicon nanowire arrays. Nanotechnology, 2011, 22, 065704.	1.3	69
192	Effect of nanowire length to silicon nanowire/PEDOT:PSS solar cells. , 2011, , .		3
193	Fabrication and Optical Property of Periodic Sn Patterned by the Polystyrene Mic. Journal of Nanomaterials, 2011, 2011, 1-7.		7
194	Fabrication of Nanocone Subwavelength Antireflection Structures on Quartz Substrates. Japanese Journal of Applied Physics, 2012, 51, 06FF06.	0.8	3
195	High-Efficiency $6\mu\text{m}^2$ Multicrystalline Black Solar Cells Based on Metal-Nanoparticle-Assisted Chemical Etching. International Journal of Photoenergy, 2012, 2012, 1-7.	1.4	14
196	Localized surface plasmon resonance with broadband ultralow reflectivity from metal nanoparticles on glass and silicon subwavelength structures. Optics Express, 2012, 20, 17448.	1.7	35
197	Combining micro- and nano-texture to fabricate an antireflective layer. Journal of Micro/Nanolithography, MEMS, and MOEMS, 2012, 11, 013011.	1.0	3
198	Biomimetic nanostructures for anti-reflection (AR) devices. , 2012, , 108-146.		1
199	Modeling and Optimization of Sub-Wavelength Grating Nanostructures on $\text{Cu}(\text{In,Ga})\text{Se}_2$ Solar Cell. Japanese Journal of Applied Physics, 2012, 51, 10NC14.	0.8	3
200	Rapid fabrication of nanostructured surfaces using nanocoining. Nanotechnology, 2012, 23, 415303.	1.3	8

#	ARTICLE	IF	CITATIONS
201	Monolithic polymer microlens arrays with antireflective nanostructures. Applied Physics Letters, 2012, 101, 203102.	1.5	29
202	Efficiency enhancement of silicon solar cells using a nano-scale honeycomb broadband anti-reflection structure. Optics Express, 2012, 20, A85.	1.7	41
203	Use of two-dimensional nanorod arrays with slanted ITO film to enhance optical absorption for photovoltaic applications. Optics Express, 2012, 20, 3479.	1.7	16
204	Surface plasmon effects in the absorption enhancements of amorphous silicon solar cells with periodical metal nanowall and nanopillar structures. Optics Express, 2012, 20, A104.	1.7	30
205	Enhanced power generation in concentrated photovoltaics using broadband antireflective coverglasses with moth eye structures. Optics Express, 2012, 20, A916.	1.7	50
206	Ultrahigh infrared normal spectral emissivity of microstructured silicon coating Au film. Optics Letters, 2012, 37, 299.	1.7	15
207	Lithography-free sub-100 nm nanocone array antireflection layer for low-cost silicon solar cell. Applied Optics, 2012, 51, 4430.	0.9	17
208	Simple fabrication of an antireflective hemispherical surface structure using a self-assembly method for the terahertz frequency range. Optics Letters, 2012, 37, 2742.	1.7	10
209	Self-assembled nanoparticle antiglare coatings. Optics Letters, 2012, 37, 4380.	1.7	20
210	Design of highly efficient transmission gratings with deep etched triangular grooves. Applied Optics, 2012, 51, 7920.	0.9	19
211	Enhanced transmittance and hydrophilicity of nanostructured glass substrates with antireflective properties using disordered gold nanopatterns. Optics Express, 2012, 20, 4056.	1.7	72
212	Enhancement in broadband and quasi-omnidirectional antireflection of nanopillar arrays by ion milling. Nanotechnology, 2012, 23, 275703.	1.3	12
213	Broadband optical absorption enhancement in silicon nanofunnel arrays for photovoltaic applications. Applied Physics Letters, 2012, 100, .	1.5	29
214	Influence of the pattern shape on the efficiency of front-side periodically patterned ultrathin crystalline silicon solar cells. Journal of Applied Physics, 2012, 112, .	1.1	30
215	Fabrication of ultra high aspect ratio silica nanocone arrays by multiple shrinking mask etching. , 2012, , .		1
216	Tapered and aperiodic silicon nanostructures with very low reflectance for solar hydrogen evolution. Applied Physics Letters, 2012, 101, .	1.5	7
217	Design criteria to optimize the near perfect anti-reflection coating. , 2012, , .		0
219	Effect of aperiodicity on the broadband reflection of silicon nanorod structures for photovoltaics. Optics Express, 2012, 20, A125.	1.7	34

#	ARTICLE	IF	CITATIONS
220	Size-dependent optical behavior of disordered nanostructures on glass substrates. Applied Optics, 2012, 51, 5890.	0.9	9
221	Biologically inspired LED lens from cuticular nanostructures of firefly lantern. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 18674-18678.	3.3	105
222	An effective reflectance method for designing broadband antireflection films coupled with solar cells. Chinese Physics B, 2012, 21, 037802.	0.7	6
223	Optimized biomimetic antireflection nanostructure for photovoltaic applications. , 2012, , .		0
224	Semiconductor nanostructures towards optoelectronic device applications. Proceedings of SPIE, 2012, , .	0.8	1
225	Plasma enables edge-to-center-oriented graphene nanoarrays on Si nanograss. Applied Physics Letters, 2012, 100, .	1.5	16
226	Monolithic Integrations of Slanted Silicon Nanostructures on 3D Microstructures and Their Application to Surface-Enhanced Raman Spectroscopy. Journal of Physical Chemistry C, 2012, 116, 24161-24170.	1.5	31
227	Silicon nanowires for photovoltaic applications: The progress and challenge. Nano Energy, 2012, 1, 654-673.	8.2	108
228	One-step synthesis of lightly doped porous silicon nanowires in HF/AgNO ₃ /H ₂ O ₂ solution at room temperature. Journal of Solid State Chemistry, 2012, 196, 596-600.	1.4	63
229	Ultrananocrystalline diamond nano-pillars synthesized by microwave plasma bias-enhanced nucleation and bias-enhanced growth in hydrogen-diluted methane. Journal of Applied Physics, 2012, 112, .	1.1	15
230	Biomimetic soft lithography on curved nanostructured surfaces. Microelectronic Engineering, 2012, 97, 269-271.	1.1	12
231	Nanoscale photon management in silicon solar cells. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2012, 30, .	0.9	36
232	Improved antireflection properties of moth eye mimicking nanopillars on transparent glass: flat antireflection and color tuning. Nanoscale, 2012, 4, 4603.	2.8	126
233	Broadband and wide angle antireflection of sub-20 nm GaAs nanograss. Energy and Environmental Science, 2012, 5, 7601.	15.6	25
234	Robustly nano-tailored honeycomb structure for high-throughput antireflection polymer films. Journal of Materials Chemistry, 2012, 22, 17037.	6.7	22
235	Minimizing reflection losses from metallic electrodes and enhancing photovoltaic performance using the Si-micrograting solar cell with vertical sidewall electrodes. Applied Physics Letters, 2012, 101, .	1.5	8
236	Large scale two-dimensional nanobowl array high efficiency polymer solar cell. RSC Advances, 2012, 2, 1314.	1.7	15
237	Application of ZnO Single Crystal Rods as Anti-Reflective Material for PV Cells. Molecular Crystals and Liquid Crystals, 2012, 565, 68-77.	0.4	2

#	ARTICLE	IF	CITATIONS
238	Fabrication and optical characterization of light trapping silicon nanopore and nanoscrew devices. <i>Nanotechnology</i> , 2012, 23, 125202.	1.3	11
239	Temperature-Responsive One-Dimensional Nanogels Formed by the Cross-Linker-Aided Single Particle Nanofabrication Technique. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 5492-5497.	4.0	15
240	A Gene-Networked Gel Matrix-Supported Lipid Bilayer as a Synthetic Nucleus System. <i>Langmuir</i> , 2012, 28, 17036-17042.	1.6	6
241	Enhancing phonon transmission across a Si/Ge interface by atomic roughness: First-principles study with the Green's function method. <i>Physical Review B</i> , 2012, 86, .	1.1	232
242	Hybrid solar cells with conducting polymers and vertically aligned silicon nanowire arrays: The effect of silicon conductivity. <i>Physica B: Condensed Matter</i> , 2012, 407, 3059-3062.	1.3	19
243	High-Rotational Symmetry Lattices Fabricated by Moiré Nanolithography. <i>Nano Letters</i> , 2012, 12, 4948-4952.	4.5	50
244	Three-Dimensional a-Si:H Solar Cells on Glass Nanocone Arrays Patterned by Self-Assembled Sn Nanospheres. <i>ACS Nano</i> , 2012, 6, 265-271.	7.3	60
245	Broadband omnidirectional antireflection coating based on subwavelength surface Mie resonators. <i>Nature Communications</i> , 2012, 3, 692.	5.8	734
246	3D branched nanowire heterojunction photoelectrodes for high-efficiency solar water splitting and H ₂ generation. <i>Nanoscale</i> , 2012, 4, 1515.	2.8	167
247	Morphology-tunable assembly of periodically aligned Si nanowire and radial pn junction arrays for solar cell applications. <i>Applied Surface Science</i> , 2012, 258, 6169-6176.	3.1	17
248	In situ formation of indium catalysts to synthesize crystalline silicon nanowires on flexible stainless steel substrates by PECVD. <i>Journal of Crystal Growth</i> , 2012, 347, 7-10.	0.7	17
249	Silica Î-shape wedge arrays fabrication and interspace tuning via hot embossing and sol-gel replication. <i>Journal of Non-Crystalline Solids</i> , 2012, 358, 1345-1349.	1.5	2
250	Nanotextured Silica Surfaces with Robust Superhydrophobicity and Omnidirectional Broadband Supertransmissivity. <i>ACS Nano</i> , 2012, 6, 3789-3799.	7.3	378
251	Broadband and Omnidirectional, Nearly zero reflective Photovoltaic Glass. <i>Advanced Materials</i> , 2012, 24, 6318-6322.	11.1	67
252	Radial n-i-p structure SiNW-based microcrystalline silicon thin-film solar cells on flexible stainless steel. <i>Nanoscale Research Letters</i> , 2012, 7, 621.	3.1	11
253	Power conversion efficiency enhancement based on the bio-inspired hierarchical antireflection layer in dye sensitized solar cells. <i>Nanoscale</i> , 2012, 4, 4464.	2.8	20
254	An alternative approach for femtosecond laser induced black silicon in ambient air. <i>Applied Surface Science</i> , 2012, 261, 722-726.	3.1	32
255	Advanced antireflective nanostructures etched down from nanosilver colloid-transformed island mask. <i>Optics Communications</i> , 2012, 285, 5475-5479.	1.0	2

#	ARTICLE	IF	CITATIONS
256	Optimizing textured structures possessing both optical gradient and diffraction properties to increase the extraction efficiency of light-emitting diodes. Photonics and Nanostructures - Fundamentals and Applications, 2012, 10, 523-533.	1.0	15
257	Localized control of light-matter interactions by using nanoscale asymmetric TiO ₂ . Nanotechnology, 2012, 23, 465704.	1.3	9
258	Self-cleaning, broadband and quasi-omnidirectional antireflective structures based on mesocrystalline rutile TiO ₂ nanorod arrays. Energy and Environmental Science, 2012, 5, 7575.	15.6	122
259	Solar energy harnessing in hexagonally arranged Si nanowire arrays and effects of array symmetry on optical characteristics. Nanotechnology, 2012, 23, 194010.	1.3	48
260	Nanostructured ZnO as biomimetic anti-reflective coatings on textured silicon using a continuous solution process. Journal of Materials Chemistry, 2012, 22, 22906.	6.7	31
261	One-Step Index-Tunable Antireflection Coatings from Aggregated Silica Nanoparticles. ACS Applied Materials & Interfaces, 2012, 4, 6426-6431.	4.0	42
262	Broadband photonic crystal antireflection. Journal of the European Optical Society-Rapid Publications, 0, 7, .	0.9	10
263	Self-Organization of a Hybrid Nanostructure consisting of a Nanoneedle and Nanodot. Small, 2012, 8, 2807-2811.	5.2	12
264	Hybrid Silicon Nanoneedle-Polymer Solar Cells. Nano Letters, 2012, 12, 2971-2976.	4.5	402
265	Tailoring Broadband Antireflection on a Silicon Surface through Two-Step Silver-Assisted Chemical Etching. ChemPhysChem, 2012, 13, 1415-1420.	1.0	20
266	Laser-nanostructure interactions for ion production. Physical Chemistry Chemical Physics, 2012, 14, 8453.	1.3	97
267	Self-organized TiO ₂ nanorod arrays on glass substrate for self-cleaning antireflection coatings. Journal of Colloid and Interface Science, 2012, 365, 308-313.	5.0	42
268	Fabrication of biomimetic high performance antireflective and antifogging film by spin-coating. Journal of Colloid and Interface Science, 2012, 374, 89-95.	5.0	18
269	Nanopillars by calcium chloride self-assembly and dry etching. Materials Letters, 2012, 67, 323-326.	1.3	3
270	Silicon nanowire/organic hybrid solar cell with efficiency of 8.40%. Solar Energy Materials and Solar Cells, 2012, 98, 267-272.	3.0	121
271	Disordered submicron structures integrated on glass substrate for broadband absorption enhancement of thin-film solar cells. Solar Energy Materials and Solar Cells, 2012, 101, 73-78.	3.0	22
272	Broadband and omnidirectional anti-reflection layer for III/V multi-junction solar cells. Solar Energy Materials and Solar Cells, 2012, 101, 308-314.	3.0	75
273	Optimization of 1D photonic crystals to minimize the reflectance of silicon solar cells. Photonics and Nanostructures - Fundamentals and Applications, 2012, 10, 46-53.	1.0	32

#	ARTICLE	IF	CITATIONS
274	Haze and Polarization Scrambling of Nonlinearly Scattered Light From Antiglare Si Nanorod Surface. IEEE Photonics Journal, 2012, 4, 163-173.	1.0	2
275	Ultra-low reflectance, high absorption microcrystalline silicon nanostalagmite. Nanoscale Research Letters, 2012, 7, 171.	3.1	17
276	Hybridizing ZnO Nanowires with Micropyramid Silicon Wafers as Superhydrophobic High Efficiency Solar Cells. Advanced Energy Materials, 2012, 2, 47-51.	10.2	89
277	Nanostructure surface design for broadband and angle-independent antireflection. Journal of Nanophotonics, 2013, 7, 073594.	0.4	31
278	Robust and durable polyhedral oligomeric silsesquioxane-based anti-reflective nanostructures with broadband quasi-omnidirectional properties. Energy and Environmental Science, 2013, 6, 1929.	15.6	98
279	Bio-inspired functional surfaces for advanced applications. CIRP Annals - Manufacturing Technology, 2013, 62, 607-628.	1.7	198
280	Improving efficiency of InGaN/GaN multiple quantum well solar cells using CdS quantum dots and distributed Bragg reflectors. Solar Energy Materials and Solar Cells, 2013, 117, 531-536.	3.0	31
281	Large scale antireflective glass texturing using grid contacts in anodization methods. Solar Energy Materials and Solar Cells, 2013, 116, 9-13.	3.0	8
282	Non-antireflective Scheme for Efficiency Enhancement of Cu(In,Ga)Se ₂ Nanotip Array Solar Cells. ACS Nano, 2013, 7, 7318-7329.	7.3	28
283	Vertical nanostructure arrays by plasma etching for applications in biology, energy, and electronics. Nano Today, 2013, 8, 265-289.	6.2	84
284	Optical Properties of Silicon Nanowires. , 2013, , 357-385.		5
285	Antireflective silicon nanostructures with hydrophobicity by metal-assisted chemical etching for solar cell applications. Nanoscale Research Letters, 2013, 8, 159.	3.1	34
286	Single Layer Broadband Anti-Reflective Coatings for Plastic Substrates Produced by Full Wafer and Roll-to-Roll Step-and-Flash Nano-Imprint Lithography. Materials, 2013, 6, 3710-3726.	1.3	53
287	Silicon-based Nanomaterials. Springer Series in Materials Science, 2013, , .	0.4	12
288	Surface Passivation of Efficient Nanotextured Black Silicon Solar Cells Using Thermal Atomic Layer Deposition. ACS Applied Materials & Interfaces, 2013, 5, 9752-9759.	4.0	101
289	Ultrawideband Dispersion Control of a Metamaterial Surface for Perfectly-Matched-Layer-Like Absorption. Physical Review Letters, 2013, 111, 187402.	2.9	166
290	Self-assembled self-cleaning broadband anti-reflection coatings. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2013, 439, 84-100.	2.3	92
291	Broadband antireflective structures with hole for highly transparent glasses. Optik, 2013, 124, 3799-3803.	1.4	1

#	ARTICLE	IF	CITATIONS
292	Developing controllable anisotropic wet etching to achieve silicon nanorods, nanopencils and nanocones for efficient photon trapping. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9942.	5.2	77
293	Femtosecond laser induced nanocone structure and simultaneous crystallization of 1.6 μm amorphous silicon thin film for photovoltaic application. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 195109.	1.3	11
294	Resistance memory device of $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ on Si nanotips template. <i>Applied Physics Letters</i> , 2013, 103, 211606.	1.5	6
295	Fabrication of Broadband Antireflective Plasmonic Gold Nanocone Arrays on Flexible Polymer Films. <i>Nano Letters</i> , 2013, 13, 6164-6169.	4.5	94
296	Optimal Moth Eye Nanostructure Array on Transparent Glass Towards Broadband Antireflection. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 10731-10737.	4.0	141
297	Metal-insulator-silicon semiconductor photodetectors using ZnO nanocones as an efficient anti-reflective coating. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 2510-2514.	0.8	3
298	Design and fabrication of antireflective GaN subwavelength grating structures using periodic silica sphere monolayer array patterning. <i>Applied Physics B: Lasers and Optics</i> , 2013, 113, 567-573.	1.1	9
299	Transmittance design of internal reflection triangular-groove grating at large dimension domain. <i>Optics and Lasers in Engineering</i> , 2013, 51, 402-409.	2.0	4
300	Assessing individual radial junction solar cells over millions on VLS-grown silicon nanowires. <i>Nanotechnology</i> , 2013, 24, 275401.	1.3	23
301	Highly efficient poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate)/Si hybrid solar cells with imprinted nanopyramid structures. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	29
302	Metal Oxide Composite Enabled Nanotextured Si Photoanode for Efficient Solar Driven Water Oxidation. <i>Nano Letters</i> , 2013, 13, 2064-2072.	4.5	92
303	Low-temperature plasmas in carbon nanostructure synthesis. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2013, 31, .	0.6	63
304	Non-Drude Behavior in Indium-Tin-Oxide Nanowhiskers and Thin Films Investigated by Transmission and Reflection THz Time-Domain Spectroscopy. <i>IEEE Journal of Quantum Electronics</i> , 2013, 49, 677-690.	1.0	42
305	A novel precursor-derived one-step growth approach to fabrication of highly antireflective, mechanically robust and self-healing nanoporous silica thin films. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4655.	2.7	37
306	Transparent double-period electrode with effective light management for thin film solar cells. <i>RSC Advances</i> , 2013, 3, 208-214.	1.7	13
307	Texture design of electrodes for efficiency enhancement of organic solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2379.	5.2	26
308	Size effects on phonon localization and Raman enhancement in silicon nanotips. <i>Journal of Raman Spectroscopy</i> , 2013, 44, 81-85.	1.2	5
309	Preparation and characterization of $\text{SiO}_2:\text{Sm}^{3+}$ nanotube arrays with 1.06 μm laser antireflective property. <i>Journal of Solid State Chemistry</i> , 2013, 201, 13-17.	1.4	2

#	ARTICLE	IF	CITATIONS
310	Nanostructure fabrication on germanium and silicon by nanocoating imprint technique. Precision Engineering, 2013, 37, 871-879.	1.8	5
311	Bimaterial microcantilevers with black silicon nanocone arrays. Sensors and Actuators A: Physical, 2013, 199, 143-148.	2.0	13
312	Mid-infrared absorptance of silicon hyperdoped with chalcogen via fs-laser irradiation. Journal of Applied Physics, 2013, 113, .	1.1	37
313	UV-VIS and Photoluminescence Spectroscopy for Nanomaterials Characterization. , 2013, , .		46
314	Fabrication of Fe-wings used for micro imprinting with a natural butterfly wing structure by in situ carbothermic reduction. Journal of Materials Chemistry B, 2013, 1, 1673.	2.9	13
315	Adaptive fluid-infused porous films with tunable transparency and wettability. Nature Materials, 2013, 12, 529-534.	13.3	481
316	Biomimetic optical materials: Integration of nature's design for manipulation of light. Progress in Materials Science, 2013, 58, 825-873.	16.0	172
317	Antireflection effects at nanostructured material interfaces and the suppression of thin-film interference. Nanotechnology, 2013, 24, 235202.	1.3	60
318	Si Microwire Solar Cells: Improved Efficiency with a Conformal SiO ₂ Layer. ACS Nano, 2013, 7, 5539-5545.	7.3	42
319	Role of mask patterns in fabrication of Si nanotip arrays. Micro and Nano Letters, 2013, 8, 27-31.	0.6	1
320	Two-dimensional subwavelength meta-nanopillar array for efficient visible light absorption. Applied Physics Letters, 2013, 102, .	1.5	42
321	Plasma nanoscience: from nano-solids in plasmas to nano-plasmas in solids. Advances in Physics, 2013, 62, 113-224.	35.9	486
322	Metal/dielectric/metal sandwich film for broadband reflection reduction. Scientific Reports, 2013, 3, 1672.	1.6	16
323	Silicon nanowires with controlled sidewall profile and roughness fabricated by thin-film dewetting and metal-assisted chemical etching. Nanotechnology, 2013, 24, 225305.	1.3	60
324	High <i>k</i> Nanophase Zinc Oxide on Biomimetic Silicon Nanotip Array as Supercapacitors. Nano Letters, 2013, 13, 1422-1428.	4.5	27
325	Nanostructures for photon management in solar cells. Nanophotonics, 2013, 2, 187-210.	2.9	82
326	Hybrid structure for efficiency enhancement of photodetectors. Applied Surface Science, 2013, 264, 1-6.	3.1	7
327	Enhanced performance for solar cells with moth-eye structure fabricated by UV nanoimprint lithography. Microelectronic Engineering, 2013, 103, 126-130.	1.1	44

#	ARTICLE	IF	CITATIONS
328	Buried Nanoantenna Arrays: Versatile Antireflection Coating. Nano Letters, 2013, 13, 6040-6047.	4.5	27
329	Fabrication of Antireflective Compound Eyes by Imprinting. ACS Applied Materials & Interfaces, 2013, 5, 12799-12803.	4.0	52
330	Carbon nanowalls: the next step for physical manifestation of the black body coating. Scientific Reports, 2013, 3, 3328.	1.6	64
331	Optical interference coatings for optics and photonics [Invited]. Applied Optics, 2013, 52, 73.	0.9	13
332	Enhanced Omnidirectional Photovoltaic Performance of Solar Cells Using Multiple Discrete Layer Tailored and Low Refractive Index Anti-Reflection Coatings. Advanced Functional Materials, 2013, 23, 583-590.	7.8	104
333	Enhanced Conversion Efficiency for Solar Cells With Periodic Grating of Nanowires. IEEE Photonics Journal, 2013, 5, 8400709-8400709.	1.0	7
334	Broadband and wide-angle antireflection realized by multireflection effect in a micro- δ -shape array. Applied Optics, 2013, 52, 5585.	0.9	3
335	High-efficiency light-trapping effect using silver nanoparticles on thin amorphous silicon subwavelength structure. Optics Letters, 2013, 38, 4943.	1.7	8
336	Optimal broadband antireflective taper. Optics Letters, 2013, 38, 646.	1.7	13
337	Large-area omnidirectional antireflection coating on low-index materials. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 2584.	0.9	14
338	Vertical-cavity and randomly scattered lasing from different thicknesses of epitaxial ZnO films grown on Y ₂ O ₃ -buffered Si (111). Optics Express, 2013, 21, 1857.	1.7	2
339	A nanoscale conical polymethyl methacrylate (PMMA) sub-wavelength structure with a high aspect ratio realized by a stamping method. Optics Express, 2013, 21, 8450.	1.7	11
340	Enhanced broadband and omni-directional performance of polycrystalline Si solar cells by using discrete multilayer antireflection coatings. Optics Express, 2013, 21, A157.	1.7	31
341	An interference coating of metamaterial as an ultrathin light absorber in the violet-to-infrared regime. Optics Express, 2013, 21, 10259.	1.7	9
342	Flat-top and patterned-topped cone gratings for visible and mid-infrared antireflective properties. Optics Express, 2013, 21, 16043.	1.7	10
343	Composite structure of SiO ₂ @AgNPs@p-SiNWs for enhanced broadband optical antireflection. Optics Express, 2013, 21, 17484.	1.7	3
344	Antireflective surface structures in glass by self-assembly of SiO ₂ nanoparticles and wet etching. Optics Express, 2013, 21, 20254.	1.7	9
345	The versatile designs and optimizations for cylindrical TiO ₂ -based scatterers for solar cell anti-reflection coatings. Optics Express, 2013, 21, A1052.	1.7	5

#	ARTICLE	IF	CITATIONS
346	Fabrication of subwavelength periodic nanostructures using liquid immersion Lloyd's mirror interference lithography. <i>Optics Letters</i> , 2013, 38, 2531.	1.7	36
347	Vibration driven vehicle inspired from grass spike. <i>Scientific Reports</i> , 2013, 3, 1851.	1.6	9
348	Enhanced Efficiency of GaAs Single-Junction Solar Cells with Inverted-Cone-Shaped Nanoholes Fabricated Using Anodic Aluminum Oxide Masks. <i>International Journal of Photoenergy</i> , 2013, 2013, 1-5.	1.4	5
349	Influences of InGaP Conical Frustum Nanostructures on the Characteristics of GaAs Solar Cells. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-6.	1.5	4
350	Antireflection characteristics of inverted nanopyramid arrays fabricated by low-cost nanosphere lithography technology. <i>Proceedings of the Institution of Mechanical Engineers, Part N: Journal of Nanoengineering and Nanosystems</i> , 2013, 227, 57-62.	0.1	0
351	One-Step Fabrication of Hierarchically Structured Silicon Surfaces and Modification of Their Morphologies Using Sacrificial Layers. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-8.	1.5	4
352	Direct integration of subwavelength structure on a GaAs solar cell by using colloidal lithography and dry etching process. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2013, 31, .	0.6	5
353	Biomimetic Antireflection Surfaces. , 2013, , 305-331.		12
354	Fabrication of antireflection subwavelength gratings at the tips of optical fibers using UV nanoimprint lithography. <i>Optics Express</i> , 2013, 21, 322.	1.7	45
355	Three-Dimensional Antireflective Hemispherical Lens Covered by Nanoholes for Enhancement of Light Transmission. <i>Applied Physics Express</i> , 2013, 6, 115202.	1.1	10
356	Anti-reflection properties of spherical top nanowire arrays for solar cell applications. <i>Proceedings of SPIE</i> , 2013, , .	0.8	0
357	Indium Phosphide Core-Shell Nanowire Array Solar Cells with Lattice-Mismatched Window Layer. <i>Applied Physics Express</i> , 2013, 6, 052301.	1.1	34
358	Light trapping in thin-film solar cells via scattering by nanostructured antireflection coatings. <i>Journal of Applied Physics</i> , 2013, 114, 044310.	1.1	38
359	Enhanced light extraction of Bi ₃ Ge ₄ O ₁₂ scintillator by graded-refractive-index antireflection coatings. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	10
360	Realization of radial p-n junction silicon nanowire solar cell based on low-temperature and shallow phosphorus doping. <i>Nanoscale Research Letters</i> , 2013, 8, 544.	3.1	23
361	Ultralow Reflection from Si Nanograss/Si Nanofrustum Double Layers. <i>Advanced Materials</i> , 2013, 25, 1724-1728.	11.1	21
362	Formation of self-assembled large droplet-epitaxial GaAs islands for the application to reduced reflection. <i>Journal of Applied Physics</i> , 2013, 113, 154308.	1.1	8
363	TURN A HIGHLY-REFLECTIVE METAL INTO AN OMNIDIRECTIONAL BROADBAND ABSORBER BY COATING A PURELY-DIELECTRIC THIN LAYER OF GRATING. <i>Progress in Electromagnetics Research</i> , 2013, 134, 95-109.	1.6	12

#	ARTICLE	IF	CITATIONS
364	An ultrabroad band omni-directional anti-reflective coating with quasi-gradient refractive index distribution based on Si _x N _y SiO ₂ materials system. Japanese Journal of Applied Physics, 2014, 53, 021501.	0.8	9
365	Highly efficient terahertz wave filter for high-power laser beam separation. Applied Physics Letters, 2014, 105, 221108.	1.5	2
366	Static and Dynamic Aspects of Black Silicon Formation. Physical Review Letters, 2014, 113, 265502.	2.9	18
367	BIOINSPIRED FABRICATION OF NANOSTRUCTURES FROM TISSUE SLICES. World Scientific Series in Nanoscience and Nanotechnology, 2014, , 1-16.	0.1	5
368	Plasmon management in index engineered 2.5D hybrid nanostructures for surface-enhanced Raman scattering. NPG Asia Materials, 2014, 6, e123-e123.	3.8	7
369	Hybrid Microstructures on Si Surface Formed by Nanosecond Pulse Laser for Broadband Antireflection. Advanced Materials Research, 0, 983, 84-89.	0.3	0
370	Si Substrate-Based Metamaterials for Ultrabroadband Perfect Absorption in Visible Regime. Journal of Nanomaterials, 2014, 2014, 1-5.	1.5	1
371	Formation of an Anti-Contamination Layer with Polystyrene Nanobeads over Cover Glass for Solar Cells. Molecular Crystals and Liquid Crystals, 2014, 602, 226-233.	0.4	0
372	Periodic Nanopillar N-I-P Amorphous Si Photovoltaic Cells Using Carbon Nanotube Scaffolds. IEEE Nanotechnology Magazine, 2014, 13, 997-1004.	1.1	3
373	Surface Antireflection Studies of GaN Nanostructures with Various Effective Refractive Index Profiles. , 2014, , .		0
374	Black silicon photovoltaics. , 2014, , .		3
375	Condition for perfect antireflection by optical resonance at material interface. Optica, 2014, 1, 388.	4.8	51
376	Optical reflectionless potentials for broadband, omnidirectional antireflection. Optics Express, 2014, 22, 17382.	1.7	23
377	Nanothermoforming of hierarchical optical components utilizing shape memory polymers as active molds. Optical Materials Express, 2014, 4, 1895.	1.6	13
378	Effect of beam size, finite number of lines, and rotational misalignment on coupled subwavelength gratings. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2014, 31, 2603.	0.8	0
379	Low-cost fabrication of large area sub-wavelength anti-reflective structures on polymer film using a soft PUA mold. Optics Express, 2014, 22, 1842.	1.7	36
380	Bilayer metallic nanofilms as broadband antireflection coatings in terahertz optical systems. Optics Express, 2014, 22, 2174.	1.7	16
381	Compound biomimetic structures for efficiency enhancement of Ga _{0.5} In _{0.5} P/GaAs/Ge triple-junction solar cells. Optics Express, 2014, 22, A295.	1.7	10

#	ARTICLE	IF	CITATIONS
382	Surface antireflection properties of GaN nanostructures with various effective refractive index profiles. <i>Optics Express</i> , 2014, 22, 31907.	1.7	30
383	The structural and optical properties of black silicon by inductively coupled plasma reactive ion etching. <i>Journal of Applied Physics</i> , 2014, 116, .	1.1	97
384	Nanowires for Photovoltaics and Artificial Photosynthesis. <i>RSC Smart Materials</i> , 2014, , 277-311.	0.1	2
385	Tailoring room temperature photoluminescence of antireflective silicon nanofacets. <i>Journal of Applied Physics</i> , 2014, 116, 114309.	1.1	13
386	Light Capture. <i>RSC Energy and Environment Series</i> , 2014, , 247-296.	0.2	0
387	Fabrication of double-sided self-supporting antireflection-structured film by ultraviolet nanoimprint lithography. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 06JK03.	0.8	7
388	Bio-Inspired High-Performance Antireflection and Antifogging Polymer Films. <i>Small</i> , 2014, 10, 2578-2582.	5.2	72
389	Comparison of nano-structured solar cell anti-reflection coating based on graded-index or mode coupling approach. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2014, 12, 493-500.	1.0	3
390	Fabrication and enhanced light-trapping properties of three-dimensional silicon nanostructures for photovoltaic applications. <i>Pure and Applied Chemistry</i> , 2014, 86, 557-573.	0.9	9
391	Silicon nano-fabrication by using silica nanosphere lithography technique for enhanced light management. , 2014, , .		1
392	Omnidirectional study of nanostructured glass packaging for solar modules. <i>Progress in Photovoltaics: Research and Applications</i> , 2014, 22, 356-361.	4.4	11
393	Optical and photoelectrochemical performance study based on n-ZnO nanorod arrays/p-CuAlO ₂ laminar films/Ni heterojunction. <i>Superlattices and Microstructures</i> , 2014, 70, 33-38.	1.4	2
394	Photon management in nanostructured solar cells. <i>Journal of Materials Chemistry C</i> , 2014, 2, 3144.	2.7	64
395	Broadband antireflective silicon nanostructures produced by spin-coated Ag nanoparticles. <i>Nanoscale Research Letters</i> , 2014, 9, 54.	3.1	5
396	Enhanced Light Harvesting in Organic Solar Cells Featuring a Biomimetic Active Layer and a Self-Cleaning Antireflective Coating. <i>Advanced Energy Materials</i> , 2014, 4, 1301777.	10.2	104
397	Light management for photovoltaics using high-index nanostructures. <i>Nature Materials</i> , 2014, 13, 451-460.	13.3	796
398	Production and Storage of Energy with One-Dimensional Semiconductor Nanostructures. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2014, 39, 109-153.	6.8	9
399	Simulation analysis of GaN microdomes with broadband omnidirectional antireflection for concentrator photovoltaics. <i>Journal of Applied Physics</i> , 2014, 115, 133102.	1.1	9

#	ARTICLE	IF	CITATIONS
400	25th Anniversary Article: Semiconductor Nanowires – Synthesis, Characterization, and Applications. <i>Advanced Materials</i> , 2014, 26, 2137-2184.	11.1	759
401	25th Anniversary Article: Scalable Multiscale Patterned Structures Inspired by Nature: the Role of Hierarchy. <i>Advanced Materials</i> , 2014, 26, 675-700.	11.1	212
402	Hierarchical robust textured structures for large scale self-cleaning black silicon solar cells. <i>Nano Energy</i> , 2014, 3, 127-133.	8.2	71
404	Recent progress in antireflection and self-cleaning technology – From surface engineering to functional surfaces. <i>Progress in Materials Science</i> , 2014, 61, 94-143.	16.0	350
405	Anti-reflection In ₂ O ₃ nanocones for silicon solar cells. <i>Solar Energy</i> , 2014, 106, 102-108.	2.9	26
406	Optical and IR absorption of multilayer carbon nanowalls. <i>Carbon</i> , 2014, 70, 111-118.	5.4	56
407	Hemispherical Arrays of Colloidal Crystals Fabricated by Transfer Printing. <i>Langmuir</i> , 2014, 30, 103-109.	1.6	18
408	Ultrabroadband strong light absorption based on thin multilayered metamaterials. <i>Laser and Photonics Reviews</i> , 2014, 8, 946-953.	4.4	125
409	Responsivity enhancement of mid-infrared PbSe detectors using CaF ₂ nano-structured antireflective coatings. <i>Applied Physics Letters</i> , 2014, 104, 021109.	1.5	45
410	Blue light absorption enhancement based on vertically channelling modes in nano-holes arrays. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	21
411	Three-dimensionally designed anti-reflective silicon surfaces for perfect absorption of light. <i>Chemical Communications</i> , 2014, 50, 15710-15713.	2.2	18
412	Refractive index engineering of metal-dielectric nanocomposite thin films for optical super absorber. <i>Applied Physics Letters</i> , 2014, 104, 203112.	1.5	30
413	Spontaneous formation of light-trapping nano-structures for top-illumination organic solar cells. <i>Nanoscale</i> , 2014, 6, 2316.	2.8	14
414	Plasma-surface interactions at nanoscales: a combinatorial theoretical, process diagnostics and surface microanalysis approach. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 224009.	1.3	9
415	Bioinspired Multifunctional Vanadium Dioxide: Improved Thermochromism and Hydrophobicity. <i>Langmuir</i> , 2014, 30, 10766-10771.	1.6	131
416	A one-step template-free approach to achieve tapered silicon nanowire arrays with controllable filling ratios for solar cell applications. <i>RSC Advances</i> , 2014, 4, 1794-1798.	1.7	33
417	The role of metal layers in the formation of metal-silicon hybrid nanoneedle arrays. <i>Nanoscale</i> , 2014, 6, 3078-3082.	2.8	2
418	Inorganic/organic hybrid solar cells: optimal carrier transport in vertically aligned silicon nanowire arrays. <i>Nanoscale</i> , 2014, 6, 6092.	2.8	59

#	ARTICLE	IF	CITATIONS
419	Black silicon: fabrication methods, properties and solar energy applications. <i>Energy and Environmental Science</i> , 2014, 7, 3223-3263.	15.6	396
420	Quasi-isotropic Surface Plasmon Polariton Generation through Near-Field Coupling to a Penrose Pattern of Silver Nanoparticles. <i>ACS Nano</i> , 2014, 8, 9286-9294.	7.3	8
421	Rational Design of Inverted Nanopencil Arrays for Cost-Effective, Broadband, and Omnidirectional Light Harvesting. <i>ACS Nano</i> , 2014, 8, 3752-3760.	7.3	106
422	Extremely Efficient White Organic Light-Emitting Diodes for General Lighting. <i>Advanced Functional Materials</i> , 2014, 24, 7249-7256.	7.8	140
423	Multifunctional Inverted Nanocone Arrays for Non-Wetting, Self-Cleaning Transparent Surface with High Mechanical Robustness. <i>Small</i> , 2014, 10, 2487-2494.	5.2	75
424	Magnetic reflectometry of heterostructures. <i>Journal of Physics Condensed Matter</i> , 2014, 26, 363201.	0.7	65
425	Optical Phenomena and Antifrosting Property on Biomimetics Slippery Fluid-Infused Antireflective Films via Layer-by-Layer Comparison with Superhydrophobic and Antireflective Films. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 13985-13993.	4.0	126
426	Enabling Silicon for Solar-Fuel Production. <i>Chemical Reviews</i> , 2014, 114, 8662-8719.	23.0	329
427	Antireflective amorphous carbon nanocone arrays inspired from compound eyes. <i>Bioinspired, Biomimetic and Nanobiomaterials</i> , 2014, 3, 29-37.	0.7	5
428	Bioinspired Materials: from Low to High Dimensional Structure. <i>Advanced Materials</i> , 2014, 26, 6994-7017.	11.1	198
429	Plasmonic and metamaterial structures as electromagnetic absorbers. <i>Laser and Photonics Reviews</i> , 2014, 8, 495-520.	4.4	489
430	Fabrication of novel hybrid antireflection structures for solar cells. <i>Solar Energy</i> , 2014, 107, 489-494.	2.9	5
431	Enhancing photovoltaics with broadband high-transparency glass using porosity-tuned multilayer silica nanoparticle anti-reflective coatings. <i>RSC Advances</i> , 2014, 4, 31188-31195.	1.7	15
432	Three dimensional a-Si:H thin-film solar cells with silver nano-rod back electrodes. <i>Current Applied Physics</i> , 2014, 14, 637-640.	1.1	17
433	Efficiency enhancement in $\text{Cu}_2\text{ZnSnS}_4$ solar cells with subwavelength grating nanostructures. <i>Nanoscale</i> , 2014, 6, 7553-7559.	2.8	20
434	The hybrid concept for realization of an ultra-thin plasmonic metamaterial antireflection coating and plasmonic rainbow. <i>Nanoscale</i> , 2014, 6, 6037-6045.	2.8	52
435	Design and fabrication of broadband ultralow reflectivity black Si surfaces by laser micro/nanoprocessing. <i>Light: Science and Applications</i> , 2014, 3, e185-e185.	7.7	257
436	Tunable antireflection from conformal Al-doped ZnO films on nanofaceted Si templates. <i>Nanoscale Research Letters</i> , 2014, 9, 192.	3.1	15

#	ARTICLE	IF	CITATIONS
437	Mechanically Robust, Thermally Stable, Broadband Antireflective, and Superhydrophobic Thin Films on Glass Substrates. ACS Applied Materials & Interfaces, 2014, 6, 9029-9035.	4.0	103
438	Bioinspired Fabrication of High-Quality 3D Artificial Compound Eyes by Voxel-Modulation Femtosecond Laser Writing for Distortion-Free Wide-Field-of-View Imaging. Advanced Optical Materials, 2014, 2, 751-758.	3.6	134
439	Diffraction Interference Design Using Front and Rear Surface Metal and Dielectric Nanoparticle Arrays for Photocurrent Enhancement in Thin Crystalline Silicon Solar Cells. ACS Photonics, 2014, 1, 871-877.	3.2	12
440	Films with Tunable Graded Refractive Index Consisting of Spontaneously Formed Mesoporous Silica Nanopinnacles. ACS Photonics, 2014, 1, 47-52.	3.2	25
441	Study of an antireflection surface constructed of controlled ZnO nanostructures. Thin Solid Films, 2014, 570, 504-509.	0.8	12
442	Improving solar radiation absorbance of high refractory sintered ceramics by fs Ti:sapphire laser surface treatment. Applied Surface Science, 2014, 302, 177-183.	3.1	8
443	Low-temperature plasma processing for Si photovoltaics. Materials Science and Engineering Reports, 2014, 78, 1-29.	14.8	44
444	Fabrication and photoelectrochemical properties of ordered Si nanohole arrays. Applied Surface Science, 2014, 292, 86-92.	3.1	10
445	Textured conducting glass by nanosphere lithography for increased light absorption in thin-film solar cells. Journal Physics D: Applied Physics, 2014, 47, 085105.	1.3	13
446	A review on "self-cleaning and multifunctional materials"™. Journal of Materials Chemistry A, 2014, 2, 14773-14797.	5.2	387
447	Double grating antireflection nanostructure based on nano-cone. , 2014, , .		0
448	Micro-Fresnel-Zone-Plate Array on Flexible Substrate for Large Field-of-View and Focus Scanning. Scientific Reports, 2015, 5, 15861.	1.6	39
449	Formation of broadband antireflective and superhydrophilic subwavelength structures on fused silica using one-step self-masking reactive ion etching. Scientific Reports, 2015, 5, 13023.	1.6	52
450	Orderly Nanopatterned Indium Tin Oxide Electrode Combined with Atomic-Layer-Deposited Metal Oxide Interlayer for Inverted Organic Solar Cells. Energy Technology, 2015, 3, 906-912.	1.8	4
451	Subwavelength nanostructures integrated with polymer-packaged iii-v solar cells for omnidirectional, broad-spectrum improvement of photovoltaic performance. Progress in Photovoltaics: Research and Applications, 2015, 23, 1398-1405.	4.4	16
452	Fundamental limits of concentration in luminescent solar concentrators revised: the effect of reabsorption and nonunity quantum yield. Optica, 2015, 2, 841.	4.8	38
453	Taming the Electromagnetic Boundaries via Metasurfaces: From Theory and Fabrication to Functional Devices. International Journal of Antennas and Propagation, 2015, 2015, 1-80.	0.7	29
454	Improved Light Absorption of GaInP/GaAs/Ge Solar Cell Modules With Micro/Nanoengineered Coverglasses. IEEE Journal of Photovoltaics, 2015, 5, 1130-1136.	1.5	4

#	ARTICLE	IF	CITATIONS
455	Sufficient condition for perfect antireflection by optical resonance at dielectric interface. , 2015, , .		0
456	Antireflection Coatings on Au Plasmonic Gratings for Infrared Photodetection. Plasmonics, 2015, 10, 1519-1524.	1.8	5
457	Fabrication of broadband omnidirectional non-reflective gold surfaces by electrodeposition. International Journal of Higher Education Management, 2015, 1, 11-16.	1.0	3
458	Direct measurement of dopant distribution depth in an individual silicon micropillar. , 2015, , .		0
459	Integration of subwavelength optical nanostructures for improved antireflection performance of mechanically flexible GaAs solar cells fabricated by epitaxial lift-off. Solar Energy Materials and Solar Cells, 2015, 143, 567-572.	3.0	7
460	Femtosecond laser fabricating black silicon in alkaline solution. Applied Physics A: Materials Science and Processing, 2015, 118, 1197-1203.	1.1	10
461	Optical properties of high aspect ratio plasma etched silicon nanowires: fabrication-induced variability dramatically reduces reflectance. Nanotechnology, 2015, 26, 085301.	1.3	32
462	Design for Approaching Cicada-Wing Reflectance in Low- and High-Index Biomimetic Nanostructures. ACS Nano, 2015, 9, 301-311.	7.3	86
463	Indium Tin Oxide Nanowire Networks as Effective UV/Vis Photodetection Platforms. Journal of Physical Chemistry C, 2015, 119, 14483-14489.	1.5	22
464	Antireflective downconversion ZnO:Er ³⁺ ,Yb ³⁺ thin film for Si solar cell applications. Journal of Applied Physics, 2015, 117, .	1.1	22
465	Achieving graded refractive index by use of ZnO nanorods/TiO ₂ layer to enhance omnidirectional photovoltaic performances of InGaP/GaAs/Ge triple-junction solar cells. Solar Energy Materials and Solar Cells, 2015, 136, 17-24.	3.0	21
466	Sub-50-nm self-assembled nanotextures for enhanced broadband antireflection in silicon solar cells. Nature Communications, 2015, 6, 5963.	5.8	230
467	Broadband optical absorption by tunable Mie resonances in silicon nanocone arrays. Scientific Reports, 2015, 5, 7810.	1.6	126
468	Formation mechanism of multi-functional black silicon based on optimized deep reactive ion etching technique with SF ₆ /C ₄ F ₈ . Science China Technological Sciences, 2015, 58, 381-389.	2.0	9
469	Low-cost & low-temperature curable solution-processed silica-based nanostructured antireflective coatings on CuIn _{1-x} Ga _x Se ₂ thin film solar cells. RSC Advances, 2015, 5, 24712-24717.	1.7	10
470	Broadband low reflectance stepped-cone nanostructures by nanosphere lithography. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2015, 33, 021207.	0.9	0
471	Template-directed construction of nanostructure arrays for highly-efficient energy storage and conversion. Nano Energy, 2015, 13, 790-813.	8.2	95
472	Superior broadband antireflection from buried Mie resonator arrays for high-efficiency photovoltaics. Scientific Reports, 2015, 5, 8915.	1.6	19

#	ARTICLE	IF	CITATIONS
473	Self-organized antireflection $\text{CuIn}(\text{S},\text{Se})_2$ nano-protrusions on flexible substrates by ion erosion based on CuInS_2 nanocrystal precursor inks. <i>Applied Surface Science</i> , 2015, 354, 36-41.	3.1	2
474	Enhanced photovoltaics inspired by the fovea centralis. <i>Scientific Reports</i> , 2015, 5, 8570.	1.6	50
475	Origin of order in bionanostructures. <i>RSC Advances</i> , 2015, 5, 63521-63527.	1.7	13
476	Fabrication of Sub-25 nm Diameter GaSb Nanopillar Arrays by Nanoscale Self-Mask Effect. <i>Nano Letters</i> , 2015, 15, 4993-5000.	4.5	10
477	Exploring the effective absorption length of Si nanohole array for photovoltaic by plasmonic enhanced Raman scattering. , 2015, , .		0
478	Tailoring material properties induced by laser surface processing. , 2015, , 317-357.		4
479	Angle resolved characterization of nanostructured and conventionally textured silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015, 140, 134-140.	3.0	20
480	Efficiency Enhancement of Nanotextured Black Silicon Solar Cells Using $\text{Al}_2\text{O}_3/\text{TiO}_2$ Dual-Layer Passivation Stack Prepared by Atomic Layer Deposition. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 10228-10237.	4.0	52
481	Enhanced light-extraction efficiency of GaN-based light-emitting diodes with hybrid Photonic Crystals. <i>Optical and Quantum Electronics</i> , 2015, 47, 2593-2604.	1.5	6
482	The role of random nanostructures for the omnidirectional anti-reflection properties of the glasswing butterfly. <i>Nature Communications</i> , 2015, 6, 6909.	5.8	244
483	Antireflection subwavelength gratings on optical fiber tips fabricated by a dedicated UV nano imprint lithography system. , 2015, , .		1
484	In-Situ Fabrication of a Self-Aligned Selective Emitter Silicon Solar Cell Using the Gold Top Contacts To Facilitate the Synthesis of a Nanostructured Black Silicon Antireflective Layer Instead of an External Metal Nanoparticle Catalyst. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 11802-11814.	4.0	6
485	Black silicon solar cells with interdigitated back-contacts achieve 22.1% efficiency. <i>Nature Nanotechnology</i> , 2015, 10, 624-628.	15.6	512
486	Fabrication of silsesquioxane-based nano-wrinkled structures by coupling the polymeric surface onto rigid templates assembled from unique deca-silsesquioxane. <i>Journal of Materials Chemistry C</i> , 2015, 3, 2897-2908.	2.7	7
487	Micro- and Nanostructured Surfaces for Selective Solar Absorption. <i>Advanced Optical Materials</i> , 2015, 3, 852-881.	3.6	154
488	Hemi-Shell Arrays Harvesting Ultra-Broadband Light. <i>Advanced Optical Materials</i> , 2015, 3, 931-936.	3.6	8
489	Large-Scale Micro- and Nanopatterns of $\text{Cu}(\text{In},\text{Ga})\text{Se}_2$ Thin Film Solar Cells by Mold-Assisted Chemical-Etching Process. <i>ACS Nano</i> , 2015, 9, 3907-3916.	7.3	14
490	High Efficiency Solar-to-Hydrogen Conversion on a Monolithically Integrated InGaN/GaN/Si Adaptive Tunnel Junction Photocathode. <i>Nano Letters</i> , 2015, 15, 2721-2726.	4.5	98

#	ARTICLE	IF	CITATIONS
491	Dispersion engineering of plasmonic nanocomposite for ultrathin broadband optical absorber. Optics Express, 2015, 23, 2328.	1.7	24
492	Boosting light emission from Si-based thin film over Si and SiO ₂ nanowires architecture. Optics Express, 2015, 23, 5388.	1.7	8
493	How tilting and cavity-mode-resonant absorption contribute to light harvesting in 3D radial junction solar cells. Optics Express, 2015, 23, A1288.	1.7	15
494	Anti-reflection textured structures by wet etching and island lithography for surface-enhanced Raman spectroscopy. Applied Surface Science, 2015, 357, 615-621.	3.1	20
495	Bendable, ultra-black absorber based on a graphite nanocone nanowire composite structure. Optics Express, 2015, 23, 20115.	1.7	13
496	Experimentally-implemented genetic algorithm (Exp-GA): toward fully optimal photovoltaics. Optics Express, 2015, 23, A1324.	1.7	7
497	A luminescent down-shifting and moth-eyed anti-reflective film for highly efficient photovoltaic devices. Nanoscale, 2015, 7, 18642-18650.	2.8	39
498	Bioinspired hierarchical structures of firefly light organ. , 2015, , .		0
499	Improved structural features of Au-catalyzed silicon nanoneedles. Superlattices and Microstructures, 2015, 85, 849-858.	1.4	5
500	Nano-structured silicon surfaces with broadband and wide-angle antireflective properties for solar cells. , 2015, , .		0
501	III-V nanowires and nanowire optoelectronic devices. Journal Physics D: Applied Physics, 2015, 48, 463001.	1.3	132
502	Antireflective coatings with adjustable transmittance and high laser-induced damage threshold prepared by deposition of magnesium fluoride nanoparticles. Applied Surface Science, 2015, 356, 593-598.	3.1	32
503	A fair comparison between ultrathin crystalline-silicon solar cells with either periodic or correlated disorder inverted pyramid textures. Optics Express, 2015, 23, A657.	1.7	21
504	Broadband High-Performance Infrared Antireflection Nanowires Facilely Grown on Ultrafast Laser Structured Cu Surface. Nano Letters, 2015, 15, 5988-5994.	4.5	68
505	Interface engineering and efficiency improvement of monolayer graphene-silicon solar cells by inserting an ultra-thin LiF interlayer. RSC Advances, 2015, 5, 46480-46484.	1.7	20
506	Robust anti-reflective silica nanocoatings: abrasion resistance enhanced via capillary condensation of APTES. Journal of Materials Chemistry C, 2015, 3, 4254-4259.	2.7	10
507	Diverse set of Turing nanopatterns coat corneae across insect lineages. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 10750-10755.	3.3	65
508	Optical reflection and absorption of carbon nanotube forest films on substrates. Journal of Applied Physics, 2015, 118, 013106.	1.1	25

#	ARTICLE	IF	CITATIONS
509	Multiscale Micro-“Nano Nested Structures: Engineered Surface Morphology for Efficient Light Escaping in Organic Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2015, 7, 26989-26998.	4.0	35
510	Efficiency Enhancement of Cu(In,Ga)Se ₂ Solar Cells by Applying SiO ₂ “PEG/PVP Antireflection Coatings. Journal of Materials Science and Technology, 2015, 31, 229-234.	5.6	16
511	Light Manipulation for Organic Optoelectronics Using Bio-inspired Moth's Eye Nanostructures. Scientific Reports, 2014, 4, 4040.	1.6	119
512	Black Silicon Photovoltaics. Advanced Optical Materials, 2015, 3, 147-164.	3.6	169
513	Single-junction Polymer Solar Cells Exceeding 10% Power Conversion Efficiency. Advanced Materials, 2015, 27, 1035-1041.	11.1	1,004
514	Visually tolerable tiling (VTT) for making a large-area flexible patterned surface. Materials Horizons, 2015, 2, 86-90.	6.4	22
515	Broadband Light Out-coupling Enhancement of Flexible Organic Light-emitting Diodes Using Biomimetic Quasirandom Nanostructures. Advanced Optical Materials, 2015, 3, 203-210.	3.6	43
516	Under- and over-water halves of Gyrinidae beetle eyes harbor different corneal nanocoatings providing adaptation to the water and air environments. Scientific Reports, 2014, 4, 6004.	1.6	28
517	Recent advances in antireflective surfaces based on nanostructure arrays. Materials Horizons, 2015, 2, 37-53.	6.4	306
518	Bio-inspired, nanostructured anti-reflective surfaces for laser applications. , 2016, , .		0
519	Bright Single-Photon Sources Based on Anti-Reflection Coated Deterministic Quantum Dot Microlenses. Technologies, 2016, 4, 1.	3.0	21
520	Antireflective Coatings: Conventional Stacking Layers and Ultrathin Plasmonic Metasurfaces, A Mini-Review. Materials, 2016, 9, 497.	1.3	119
521	Hexagonal periodic motheye photonic structure as broadband anti-reflector. , 2016, , .		1
522	Large-scale cauliflower-shaped hierarchical copper nanostructures for efficient photothermal conversion. Nanoscale, 2016, 8, 14617-14624.	2.8	106
523	Flower Power: Exploiting Plants' Epidermal Structures for Enhanced Light Harvesting in Thin-film Solar Cells. Advanced Optical Materials, 2016, 4, 1487-1493.	3.6	54
524	High-Efficiency Nanowire Solar Cells with Omnidirectionally Enhanced Absorption Due to Self-Aligned Indium“Tin“Oxide Mie Scatterers. ACS Nano, 2016, 10, 11414-11419.	7.3	150
525	Anti-reflective surfaces: Cascading nano/microstructuring. APL Photonics, 2016, 1, .	3.0	52
526	Effect of reflection losses on stationary dielectric-filled nonimaging concentrators. Journal of Photonics for Energy, 2016, 6, 047002.	0.8	3

#	ARTICLE	IF	CITATIONS
527	Theoretical analysis and experiment of subwavelength structure-integrated red AlGaInP light-emitting diodes for uniform field distribution and enhanced light extraction efficiency. <i>AIP Advances</i> , 2016, 6, 035104.	0.6	5
528	Black-Silicon on Micropillars with Minimal Surface Area Enlargement to Enhance the Performance of Silicon Solar Cells. <i>Nanoscale Research Letters</i> , 2016, 11, 489.	3.1	10
529	Visible light broadband perfect absorbers. <i>Physics of Plasmas</i> , 2016, 23, .	0.7	11
530	Bioinspired broadband midwavelength infrared antireflection coatings on silicon. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2016, 34, 041807.	0.6	9
531	Novel dynamic tuning of broadband visible metamaterial perfect absorber using graphene. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	20
532	Surface Engineering, Tailored Wettability, and Applications. , 2016, , 3917-3924.		0
533	Antireflective surface inspired from biology: A review. <i>Biosurface and Biotribology</i> , 2016, 2, 137-150.	0.6	83
534	Interfacial structure designs with impedance-matching for ideal broadband antireflections. <i>Journal of Applied Physics</i> , 2016, 119, 243103.	1.1	2
535	Visible wavelength-independent anti-reflection coatings generated from assembled SiO ₂ particles modified with tetraethoxysilane. <i>Journal of Sol-Gel Science and Technology</i> , 2016, 79, 520-524.	1.1	6
536	A numerical study of dynamic tunability of perfect absorption with temperature in the visible region based on a nanostructure containing multilayer graphene. <i>Optics Communications</i> , 2016, 372, 172-179.	1.0	8
537	Hierarchical forest-like photoelectrodes with ZnO nanoleaves on a metal dendrite array. <i>Journal of Materials Chemistry A</i> , 2016, 4, 9816-9821.	5.2	15
538	Polymer nanopillar array with Au nanoparticle inlays as a flexible and transparent SERS substrate. <i>RSC Advances</i> , 2016, 6, 35527-35531.	1.7	23
539	Strongly enhanced light trapping in a two-dimensional silicon nanowire random fractal array. <i>Light: Science and Applications</i> , 2016, 5, e16062-e16062.	7.7	97
540	Anodic aluminum oxide gratings for enhanced light trapping in thin film silicon solar cells. <i>Journal of Optics (India)</i> , 2016, 45, 114-119.	0.8	0
541	Controllable Broadband Optical Transparency and Wettability Switching of Temperature-Activated Solid/Liquid-Infused Nanofibrous Membranes. <i>ACS Nano</i> , 2016, 10, 9387-9396.	7.3	121
542	Influence of pyramids and inverted pyramids on silicon optical properties. , 2016, , .		4
543	Nanostructured Stealth Surfaces for Visible and Near-Infrared Light. <i>Nano Letters</i> , 2016, 16, 6610-6616.	4.5	62
544	Rhodamine-doped nanoporous polymer films as high-performance anti-reflection coatings and optical filters. <i>Nanoscale</i> , 2016, 8, 17675-17685.	2.8	9

#	ARTICLE	IF	CITATIONS
545	Broadband Nanostructured Antireflection Coating for Enhancing GaAs Solar Cell Performance. IEEE Journal of Photovoltaics, 2016, 6, 1509-1514.	1.5	12
546	Photon management of GaN-based optoelectronic devices via nanoscaled phenomena. Progress in Quantum Electronics, 2016, 49, 1-25.	3.5	27
547	Lifetime improvement of organic light-emitting diodes with a butterfly wing's scale-like nanostructure as a flexible encapsulation layer. Organic Electronics, 2016, 37, 453-457.	1.4	14
548	Nanowire-Enabled Energy Conversion. Nanoscience and Technology, 2016, , 227-254.	1.5	0
549	Superhydrophobic surfaces with antireflection properties for solar applications: A critical review. Solar Energy Materials and Solar Cells, 2016, 157, 604-623.	3.0	118
550	Bidirectional invisibility in Kramers's Kronig optical media. Optics Letters, 2016, 41, 3727.	1.7	36
551	Enhanced Photocurrent in PbS Quantum Dot Photovoltaics via ZnO Nanowires and Band Alignment Engineering. Advanced Energy Materials, 2016, 6, 1600848.	10.2	66
552	Single etch fabrication and characterization of robust nanoparticle tipped bi-level superhydrophobic surfaces. RSC Advances, 2016, 6, 81852-81861.	1.7	8
553	Loss/gain-induced ultrathin antireflection coatings. Scientific Reports, 2016, 6, 28681.	1.6	9
554	Lithography-free wide-angle antireflective self-cleaning silicon nanocones. Optics Letters, 2016, 41, 3575.	1.7	18
555	Single-step optical realization of bio-inspired dual-periodic motheye and gradient-index-array photonic structures. Optics Letters, 2016, 41, 3579.	1.7	36
556	Transparency in nonlinear frequency conversion. Physical Review A, 2016, 93, .	1.0	3
557	Moth-eye effect in hierarchical carbon nanotube anti-reflective coatings. Carbon, 2016, 108, 262-267.	5.4	21
558	Fabrication of Black Silicon With Thermostable Infrared Absorption by Femtosecond Laser. IEEE Photonics Journal, 2016, 8, 1-9.	1.0	19
559	Optimized 2D array of thin silicon pillars for efficient antireflective coatings in the visible spectrum. Scientific Reports, 2016, 6, 24947.	1.6	28
560	Improved broadband and omnidirectional light absorption in silicon nanopillars achieved through gradient mesoporosity induced leaky waveguide modulation. RSC Advances, 2016, 6, 109157-109167.	1.7	16
561	Manipulating and trapping light with photonic crystals from fundamental studies to practical applications. Journal of Materials Chemistry C, 2016, 4, 11032-11049.	2.7	15
562	ZnSe hollow nanospheres in mechanically stable near-IR antireflection coatings for ZnSe substrates. Nanotechnology, 2016, 27, 365604.	1.3	1

#	ARTICLE	IF	CITATIONS
563	Design and fabrication of silicon nanowires towards efficient solar cells. <i>Nano Today</i> , 2016, 11, 704-737.	6.2	163
564	Self-assembly of highly efficient, broadband plasmonic absorbers for solar steam generation. <i>Science Advances</i> , 2016, 2, e1501227.	4.7	1,025
565	Enhanced light harvesting in flexible polymer solar cells: synergistic simulation of a plasmonic meta-mirror and a transparent silver mesowire electrode. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18952-18962.	5.2	37
566	Chapter 1 Multifunctional Coatings for Solar Energy Applications. , 2016, , 1-88.		0
567	Chitin Nanofibers Extracted from Crab Shells in Broadband Visible Antireflection Coatings with Controlling Layer-by-Layer Deposition and the Application for Durable Antifog Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 31951-31958.	4.0	46
568	Combinatorial synthesis of BaClF-ReF ₃ (Re = La, Pr, Er, Sm) layers with graded-index as antireflection coatings in the thermal infrared. <i>Materials and Design</i> , 2016, 107, 302-310.	3.3	9
569	Large-area ordered P-type Si nanohole arrays as photocathode for highly efficient hydrogen production by photoelectrochemical water splitting. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 5468-5474.	1.1	0
570	Tunable morphological evolution of in situ gold catalysts mediated silicon nanoneedles. <i>Materials Science in Semiconductor Processing</i> , 2016, 50, 36-42.	1.9	4
571	Broadband and wide angle anti-reflective nanoporous surface on poly (ethylene terephthalate) substrate using a single step plasma etching for applications in flexible electronics. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 184-193.	3.0	12
572	Enhanced Optical Transmission through MacEtchâ€Fabricated Buried Metal Gratings. <i>Advanced Materials</i> , 2016, 28, 1441-1448.	11.1	21
573	Nano/Microâ€Manufacturing of Bioinspired Materials: a Review of Methods to Mimic Natural Structures. <i>Advanced Materials</i> , 2016, 28, 6292-6321.	11.1	332
574	Optical Functional Materials Inspired by Biology. <i>Advanced Optical Materials</i> , 2016, 4, 195-224.	3.6	67
575	Films Consisting of Innumerable Tapered Nanopillars of Mesoporous Silica for Universal Antireflection Coatings. <i>Chemistry - an Asian Journal</i> , 2016, 11, 1618-1623.	1.7	1
576	Broadband anti-reflective properties of grown ZnO nanopyramidal structure on Si substrate via low-temperature electrochemical deposition. <i>Ceramics International</i> , 2016, 42, 5136-5140.	2.3	49
577	Fabrication of ordered Si nanopillar arrays for ultralow reflectivity. <i>RSC Advances</i> , 2016, 6, 15803-15807.	1.7	13
578	Wavelength-Scale Structures as Extremely High Haze Films for Efficient Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 5990-5997.	4.0	24
579	Formation of GaP nanocones and micro-mesas by metal-assisted chemical etching. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 3402-3408.	1.3	11
580	Photonic Materials for Sensing, Biosensing and Display Devices. <i>Springer Series in Materials Science</i> , 2016, , .	0.4	17

#	ARTICLE	IF	CITATIONS
581	Pulsed laser deposition of refractive-index-graded broadband antireflection coatings for silicon solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 147, 37-45.	3.0	33
582	Photonic Crystals Fabricated via Facile Methods and Their Applications. <i>Springer Series in Materials Science</i> , 2016, , 101-158.	0.4	4
583	Performance Boosting of Flexible ZnO UV Sensors with Rational Designed Absorbing Antireflection Layer and Humectant Encapsulation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 381-389.	4.0	23
584	Broadband bidirectional visible light absorber with wide angular tolerance. <i>Journal of Materials Chemistry C</i> , 2016, 4, 391-397.	2.7	33
585	All-dielectric metamaterials. <i>Nature Nanotechnology</i> , 2016, 11, 23-36.	15.6	1,556
586	Black silicon laser-doped selective emitter solar cell with 18.1% efficiency. <i>Solar Energy Materials and Solar Cells</i> , 2016, 144, 740-747.	3.0	61
587	Asymmetric Superhydrophobic/Superhydrophilic Cotton Fabrics Designed by Spraying Polymer and Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 651-659.	4.0	171
588	Broadband terahertz anti-reflective structure fabricated by femtosecond laser drilling technique. <i>Optics Communications</i> , 2016, 361, 148-152.	1.0	16
589	Efficient luminescence extraction strategies and anti-reflective coatings to enhance optical refrigeration of semiconductors. <i>Journal of Luminescence</i> , 2016, 170, 841-854.	1.5	4
590	Harnessing structural darkness in the visible and infrared wavelengths for a new source of light. <i>Nature Nanotechnology</i> , 2016, 11, 60-66.	15.6	125
591	Absorption Enhancement in Ultrathin Structures Based on Crystalline-Si/Ag Parabola Nanocones Periodic Arrays with Broadband Antireflection Property. <i>Silicon</i> , 2017, 9, 25-29.	1.8	5
592	A Photoexcited Broadband Absorption Based on Au Nano Cross Elliptical Disks Structure with Polarization-Insensitive and Wide-Angle for Visible Light. <i>Plasmonics</i> , 2017, 12, 165-170.	1.8	0
593	Densely packed aluminum-silver nanohelices as an ultra-thin perfect light absorber. <i>Scientific Reports</i> , 2017, 7, 39791.	1.6	18
594	High rotational symmetry photonic structures fabricated with multiple exposure Displacement Talbot Lithography. <i>Microelectronic Engineering</i> , 2017, 177, 9-12.	1.1	5
595	One-dimensional Si/Ge nanowires and their heterostructures for multifunctional applicationsâ€”a review. <i>Nanotechnology</i> , 2017, 28, 092001.	1.3	64
596	Fabrication and optical behavior of graded-index, moth-eye antireflective structures in CdTe. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2017, 35, .	0.6	13
597	Preparation of structured surfaces for full-spectrum photon management in photovoltaic-thermoelectric systems. <i>Solar Energy Materials and Solar Cells</i> , 2017, 169, 47-55.	3.0	12
598	Fabrication of Large Area Broadband and Omnidirectional Antireflective Transparent Foils by Rollâ€”toâ€”Roll Extrusion Coating. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1700027.	1.7	3

#	ARTICLE	IF	CITATIONS
599	Rational Design and Construction of Well-Organized Macro-Mesoporous SiO ₂ /TiO ₂ Nanostructure toward Robust High-Performance Self-Cleaning Antireflective Thin Films. ACS Applied Materials & Interfaces, 2017, 9, 17466-17475.	4.0	40
600	Scalable fabrication of flexible transparent heaters comprising continuously created metallic micromesh patterns incorporated with biomimetic anti-reflection layers. International Journal of Precision Engineering and Manufacturing - Green Technology, 2017, 4, 177-181.	2.7	20
601	Design Rules for Tailoring Antireflection Properties of Hierarchical Optical Structures. Advanced Optical Materials, 2017, 5, 1700080.	3.6	14
602	Antifibrinogen, Antireflective, Antifogging Surfaces with Biocompatible Nano-Ordered Hierarchical Texture Fabricated by Layer-by-Layer Self-Assembly. Chemistry of Materials, 2017, 29, 4745-4753.	3.2	62
603	Multi-scale investigation on the absorbed irradiance distribution of the nanostructured front surface of the concentrated PV-TE device by a MC-FDTD coupled method. Applied Energy, 2017, 207, 18-26.	5.1	30
604	Enhancing light trapping of macroporous silicon by alkaline etching: application for the fabrication of black Si nanospire arrays. Materials Chemistry Frontiers, 2017, 1, 1881-1887.	3.2	9
605	Fabrication of 3D biomimetic composite coating with broadband antireflection, superhydrophilicity, and double p-n heterojunctions. Nano Research, 2017, 10, 2377-2385.	5.8	38
606	Porous Nanomaterials for Ultrabroadband Omnidirectional Anti-Reflection Surfaces with Applications in High Concentration Photovoltaics. Advanced Energy Materials, 2017, 7, 1601992.	10.2	27
607	Ultrathin Film Broadband Terahertz Antireflection Coating Based on Impedance Matching Method. IEEE Journal of Selected Topics in Quantum Electronics, 2017, 23, 1-8.	1.9	8
608	Efficient Color-Stable Inverted White Organic Light-Emitting Diodes with Outcoupling-Enhanced ZnO Layer. ACS Applied Materials & Interfaces, 2017, 9, 2767-2775.	4.0	44
609	Self-Templated Fabrication of Robust Moth-Eye-Like Nanostructures with Broadband and Quasi-Omnidirectional Antireflection Properties. ACS Photonics, 2017, 4, 188-196.	3.2	23
610	Nanopost array laser desorption ionization mass spectrometry (NAPA-LDI MS): Gathering moss?. TrAC - Trends in Analytical Chemistry, 2017, 97, 96-103.	5.8	12
611	Preparation and properties of five-layer graded-refractive-index antireflection coating nanostructured by solid and hollow silica particles. Thin Solid Films, 2017, 642, 174-181.	0.8	22
612	Biomimetic nanostructures in ZnS and ZnSe provide broadband anti-reflectivity. Journal of Optics (United Kingdom), 2017, 19, 114007.	1.0	17
613	Broadband antireflection property of silicon nanocone arrays with porous sidewalls fabricated by Ag-catalyzed etching. AIP Advances, 2017, 7, 095006.	0.6	4
614	Bio-inspired nanostructures for enhanced light management. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2017, 35, 06GJ02.	0.6	6
615	Texture of the Viola Flower for Light Harvesting in Photovoltaics. ACS Photonics, 2017, 4, 2687-2692.	3.2	43
616	High Solar Desalination Efficiency Achieved with 3D Cu ₂ ZnSnS ₄ Nanosheet-Assembled Membranes. Advanced Sustainable Systems, 2017, 1, 1700064.	2.7	25

#	ARTICLE	IF	CITATIONS
617	Engineering Light at the Nanoscale: Structural Color Filters and Broadband Perfect Absorbers. <i>Advanced Optical Materials</i> , 2017, 5, 1700368.	3.6	141
618	Flexible film broadband absorber based on diamond-graphite mixture and polyethylene. <i>Optical Materials</i> , 2017, 73, 388-392.	1.7	5
619	Strong light absorption capability directed by structured profile of vertical Si nanowires. <i>Optical Materials</i> , 2017, 73, 449-458.	1.7	16
620	Correlating Light Absorption with Various Nanostructure Geometries in Vertically Aligned Si Nanowire Arrays. <i>ACS Photonics</i> , 2017, 4, 2587-2594.	3.2	8
621	Bio-Optics and Bio-Inspired Optical Materials. <i>Chemical Reviews</i> , 2017, 117, 12705-12763.	23.0	286
622	Realization of Quasi-Omnidirectional Solar Cells with Superior Electrical Performance by All-Solution-Processed Si Nanopyramids. <i>Advanced Science</i> , 2017, 4, 1700200.	5.6	26
623	Enhanced Light Harvesting in Perovskite Solar Cells by a Bioinspired Nanostructured Back Electrode. <i>Advanced Energy Materials</i> , 2017, 7, 1700492.	10.2	79
624	Rapid fabrication of bio-inspired nanostructure with hydrophobicity and antireflectivity on polystyrene surface replicating from cicada wings. <i>Nanoscale</i> , 2017, 9, 11951-11958.	2.8	78
625	Broadband antireflection film with moth-eye-like structure for flexible display applications. <i>Optica</i> , 2017, 4, 678.	4.8	122
626	Anti-reflective coating for visible light using a silver nanodisc metasurface with a refractive index of less than 1.0. <i>Applied Physics Letters</i> , 2017, 111, .	1.5	6
627	Silicon nanostructures for solar-driven catalytic applications. <i>Nano Today</i> , 2017, 17, 96-116.	6.2	63
628	Impact of Nanostructuring on the Photoelectrochemical Performance of Si ₃ N ₅ Nanowire Photoanodes. <i>Journal of Physical Chemistry C</i> , 2017, 121, 27295-27302.	1.5	9
629	Thin randomly aligned hierarchical carbon nanotube arrays as ultrablack metamaterials. <i>Physical Review B</i> , 2017, 96, .	1.1	11
630	General Strategy toward Dual-Scale-Controlled Metallic Micro-Nano Hybrid Structures with Ultralow Reflectance. <i>ACS Nano</i> , 2017, 11, 7401-7408.	7.3	117
631	Direct fabrication of cone array microstructure on monocrystalline silicon surface by femtosecond laser texturing. <i>Optical Materials</i> , 2017, 72, 508-512.	1.7	14
632	Study on silicon nanopillars with ultralow broadband reflectivity via maskless reactive ion etching at room temperature. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2017, 223, 153-158.	1.7	7
633	Design and deposition of a metal-like and admittance-matching metamaterial as an ultra-thin perfect absorber. <i>Scientific Reports</i> , 2017, 7, 3076.	1.6	16
634	Metal-assisted nano-textured solar cells with SiO ₂ /Si ₃ N ₄ passivation. <i>Solar Energy Materials and Solar Cells</i> , 2017, 160, 269-274.	3.0	22

#	ARTICLE	IF	CITATIONS
635	Super- ϵ Antireflective Structure Films with Precisely Controlled Refractive Index Profile. <i>Advanced Optical Materials</i> , 2017, 5, 1600616.	3.6	16
636	Ultra-low reflection CuO nanowire array in-situ grown on copper sheet. <i>Materials and Design</i> , 2017, 113, 297-304.	3.3	21
637	Sol-gel approaches to thermochromic vanadium dioxide coating for smart glazing application. <i>Solar Energy Materials and Solar Cells</i> , 2017, 159, 52-65.	3.0	86
638	Transparent organic light-emitting diodes with balanced white emission by minimizing waveguide and surface plasmonic loss. <i>Optics Express</i> , 2017, 25, 15662.	1.7	18
639	Plasma nanotexturing of silicon surfaces for photovoltaics applications: influence of initial surface finish on the evolution of topographical and optical properties. <i>Optics Express</i> , 2017, 25, A1057.	1.7	6
640	Tungsten based anisotropic metamaterial as an ultra-broadband absorber. <i>Optical Materials Express</i> , 2017, 7, 606.	1.6	65
641	Electromagnetically induced transparency and one-dimensional near-unity-refractive-index metamaterials. <i>Optical Materials Express</i> , 2017, 7, 3885.	1.6	0
642	Nano-Photonic Structures for Light Trapping in Ultra-Thin Crystalline Silicon Solar Cells. <i>Nanomaterials</i> , 2017, 7, 17.	1.9	46
643	Increased Efficiency of Solar Cells Protected by Hydrophobic and Hydrophilic Anti-Reflecting Nanostructured Glasses. <i>Nanomaterials</i> , 2017, 7, 437.	1.9	26
644	Ultra-Broadband THz Antireflective Coating with Polymer Composites. <i>Polymers</i> , 2017, 9, 574.	2.0	9
645	Nano/micro dual-textured antireflective subwavelength structures in anisotropically etched GaAs. <i>Optics Letters</i> , 2017, 42, 3105.	1.7	14
646	Fabrication of an anti-reflective microstructure on sapphire by femtosecond laser direct writing. <i>Optics Letters</i> , 2017, 42, 543.	1.7	57
647	Fabrication of submicron structures on transparent quartz glasses with improved optical properties. , 2017, , .		0
648	Transparent Antireflective Layers of Oxide Nanowires Grown from Thin Films by Pressurized Contact Interdiffusion Processes. <i>ECS Journal of Solid State Science and Technology</i> , 2017, 6, N227-N235.	0.9	0
649	Superhydrophobic Microstructure Imprinted Rubber Sheet by Hot Vulcanization Press. <i>Nippon Gomu Kyokaishi</i> , 2017, 90, 277-282.	0.0	1
650	Preliminary study on broadband antireflection coatings for large aperture telescopes. <i>Research in Astronomy and Astrophysics</i> , 2017, 17, 124.	0.7	1
651	Dual-functional broadband antireflective and hydrophobic films for solar and optical applications. <i>Solar Energy</i> , 2018, 163, 425-433.	2.9	22
652	Universal impedance matching and the perfect transmission of white light. <i>Nature Photonics</i> , 2018, 12, 143-149.	15.6	52

#	ARTICLE	IF	CITATIONS
653	Biomimetic Moth-eye Nanofabrication: Enhanced Antireflection with Superior Self-cleaning Characteristic. Scientific Reports, 2018, 8, 5438.	1.6	93
654	Improved antireflection based on biomimetic nanostructures at material interface. Journal of Optics (United Kingdom), 2018, 20, 025104.	1.0	0
655	Surface-Nanostructured Al ³⁺ /AlN Composite Thin Films with Excellent Broad-Band Antireflection Properties Fabricated by Limited Reactive Sputtering. ACS Applied Nano Materials, 2018, 1, 1124-1130.	2.4	7
656	Moldable biomimetic nanoscale optoelectronic platforms for simultaneous enhancement in optical absorption and charge transport. Nanoscale, 2018, 10, 3730-3737.	2.8	11
657	The optoelectronic properties of developed p-n junction on the textured silicon surface for improving the solar cell performance. Optik, 2018, 156, 778-783.	1.4	2
658	Bioinspired Artificial Eyes: Optic Components, Digital Cameras, and Visual Prostheses. Advanced Functional Materials, 2018, 28, 1705202.	7.8	174
659	Increased omnidirectional light absorbance by using hollow silica nanoparticles in an anti-reflective pattern for efficient organic photovoltaic devices. Organic Electronics, 2018, 53, 315-319.	1.4	1
660	Interaction between confined phonons and photons in periodic silicon resonators. Physical Review B, 2018, 97, .	1.1	4
661	Preparation of composite micro/nano structure on the silicon surface by reactive ion etching: Enhanced anti-reflective and hydrophobic properties. Superlattices and Microstructures, 2018, 117, 144-154.	1.4	26
662	Fabrication solar cell of $\text{CdTe}_{0.65}\text{P}_{0.35}/\text{Si}$ with high efficiency using double-layer antireflection. Electrical Engineering, 2018, 100, 1003-1007.	1.2	2
663	Biomimetic Amorphous Lasers through Light-Scattering Surfaces Assembled by Electrospun Fiber Templates. Laser and Photonics Reviews, 2018, 12, 1700224.	4.4	6
664	Bioinspired Photonic Materials: Prototypes and Structural Effect Designs for Applications in Solar Energy Manipulation. Advanced Functional Materials, 2018, 28, 1705309.	7.8	117
665	Stretch-induced Wettability Changes of the Superhydrophobic Microstructured Vulcanized Rubber Surface. Vacuum and Surface Science, 2018, 61, 348-353.	0.0	1
666	Transfer Tiling of Nanostructures for Large-Area Fabrication. Micromachines, 2018, 9, 569.	1.4	2
667	SCALABLE PREPARATION OF BROADBAND ULTRABLACK GRAPHITE NANONEEDLE SURFACES THROUGH SELF-MASKED ETCHING. Progress in Electromagnetics Research C, 2018, 81, 191-197.	0.6	1
668	Mapping the transition to superwetting state for nanotextured surfaces templated from block-copolymer self-assembly. Nanoscale, 2018, 10, 20652-20663.	2.8	14
669	Two-Dimensional Numerical Analysis of Phosphorus Diffused Emitters on Black Silicon Surfaces. , 2018, , .		0
670	Direct and stand-off fabrication of black silicon with enhanced absorbance in the short-wavelength infrared region using femtosecond laser filament. Applied Physics B: Lasers and Optics, 2018, 124, 1.	1.1	15

#	ARTICLE	IF	CITATIONS
671	The material supply chain management in a construction project: A current scenario in the procurement process. AIP Conference Proceedings, 2018, , .	0.3	3
672	Light Trapping with Silicon Light Funnel Arrays. Materials, 2018, 11, 445.	1.3	14
673	Advanced colloidal lithography: From patterning to applications. Nano Today, 2018, 22, 36-61.	6.2	120
674	Broadband absorption of the solar radiation with surface arrays of subwavelength light funnels. Nano Energy, 2018, 54, 447-452.	8.2	26
675	Solution processes for ultrabroadband and omnidirectional graded-index glass lenses with near-zero reflectivity in high concentration photovoltaics. Scientific Reports, 2018, 8, 14907.	1.6	4
676	Durable Broadband and Omnidirectional Ultra-antireflective Surfaces. ACS Applied Materials & Interfaces, 2018, 10, 40180-40188.	4.0	21
677	Subwavelength Nano-Pyramids 3D Printed Directly on Optical Fiber Tip Serving as Anti-Reflection Coating. , 2018, , .		0
678	A DESIGN OF BROADBAND AND LOW-LOSS MULTILAYER ANTIREFLECTION COATING IN THZ REGION. Progress in Electromagnetics Research C, 2018, 88, 117-131.	0.6	1
679	Design of Low Power and High Speed VLSI Domino Logic Circuit. , 2018, , .		0
680	Compact Slot-Loaded Ultra-Wideband Antenna with Stable Radiation Pattern. , 2018, , .		0
681	Ancillary Service for Frequency Regulation based on Multi-energy Virtual Power Plant Aggregating Factory Load. , 2018, , .		1
682	Achieving sub-50nm controlled diameter of aperiodic Si nanowire arrays by ultrasonic catalyst removal for photonic applications. AIP Conference Proceedings, 2018, , .	0.3	0
683	Light Harvesting in Organic Solar cells. , 2018, , 292-308.		0
684	Fabrication of Bioinspired Hierarchical Functional Structures by Using Honeycomb Films as Templates. Advanced Functional Materials, 2018, 28, 1803194.	7.8	28
685	Atmospheric-Window-Matching Hierarchical Broadband Infrared Absorber Realized by Lithography-Free Fabrication. Frontiers in Energy Research, 2018, 6, .	1.2	3
686	Chemical and Physical Pathways for Fabricating Flexible Superamphiphobic Surfaces with High Transparency. Coatings, 2018, 8, 47.	1.2	21
687	Fabrication of an Anti-Reflective and Super-Hydrophobic Structure by Vacuum Ultraviolet Light-Assisted Bonding and Nanoscale Pattern Transfer. Micromachines, 2018, 9, 186.	1.4	10
688	Patternable fabrication of hyper-hierarchical metal surface structures for ultrabroadband antireflection and self-cleaning. Applied Surface Science, 2018, 457, 991-999.	3.1	30

#	ARTICLE	IF	CITATIONS
689	Generation of micro- and nano-morphologies on a stainless steel surface irradiated with 257Ånm femtosecond laser pulses. RSC Advances, 2018, 8, 16082-16087.	1.7	32
690	Giant optical pathlength enhancement in plasmonic thin film solar cells using core-shell nanoparticles. Journal Physics D: Applied Physics, 2018, 51, 295106.	1.3	42
691	Plasma-nano-interface in perspective: from plasma-for-nano to nano-plasmas. Plasma Physics and Controlled Fusion, 2019, 61, 014028.	0.9	9
692	Enhancing optical transmission of multilayer composites using interfacial nanostructures. Journal of Applied Physics, 2019, 126, 063101.	1.1	7
693	Releasing the Trapped Light for Efficient Silver Nanowires-Based White Flexible Organic Light-Emitting Diodes. Advanced Optical Materials, 2019, 7, 1900985.	3.6	32
694	Double-Sided Anti-Reflection Nanostructures on Optical Convex Lenses for Imaging Applications. Coatings, 2019, 9, 404.	1.2	14
695	Far-Field Analysis on Reflecting Colors of Dielectric Nanosphere Metasurface. Journal of Nanomaterials, 2019, 2019, 1-8.	1.5	1
696	Optical Properties of Au-Doped Titanium Nitride Nanostructures: a Connection Between Density Functional Theory and Finite-Difference Time-Domain Method. Plasmonics, 2019, 14, 1871-1879.	1.8	4
697	Nanowire Photoelectrochemistry. Chemical Reviews, 2019, 119, 9221-9259.	23.0	158
698	Electrochemical Synthesis of Poly(3,4-ethylenedioxythiophene) Film Having Dot Structures for Diffraction Grating. ACS Applied Materials & Interfaces, 2019, 11, 30163-30175.	4.0	6
699	High performance III-V photoelectrodes for solar water splitting via synergistically tailored structure and stoichiometry. Nature Communications, 2019, 10, 3388.	5.8	42
700	High-transparency polymer-silicon nano-particle composites for broadband anti-reflection of terahertz waves. Applied Physics Express, 2019, 12, 092004.	1.1	7
701	Hierarchical TiO ₂ -Ag composite with three-dimensional hot spots for trace detection. Journal of Alloys and Compounds, 2019, 811, 151994.	2.8	3
702	Surface Roughness Effects on the Broadband Reflection for Refractory Metals and Polar Dielectrics. Materials, 2019, 12, 3090.	1.3	16
703	Fabrication of nanocones by RIE on GaP. Journal of Physics: Conference Series, 2019, 1319, 012017.	0.3	0
704	Broadband omnidirectional anti-reflection property of V-groove textured silicon. Solar Energy, 2019, 193, 132-138.	2.9	9
705	Morphology-dependent high antireflective surfaces via anodic aluminum oxide nanostructures. Applied Surface Science, 2019, 496, 143697.	3.1	15
706	Fabrication of Randomly Stopped Polymer Nanohairs Using Scattered Electron Flood under Ambient Condition. Macromolecular Research, 2019, 27, 739-742.	1.0	0

#	ARTICLE	IF	CITATIONS
707	Guaranteed global optimization of thin-film optical systems. <i>New Journal of Physics</i> , 2019, 21, 073050.	1.2	10
708	Order-of-Magnitude, Broadband-Enhanced Light Emission from Quantum Dots Assembled in Multiscale Phase-Separated Block Copolymers. <i>Nano Letters</i> , 2019, 19, 6827-6838.	4.5	21
709	Nanoscale Photovoltaic Responses in 3D Radial Junction Solar Cells Revealed by High Spatial Resolution Laser Excitation Photoelectric Microscopy. <i>ACS Nano</i> , 2019, 13, 10359-10365.	7.3	6
710	Synthesis and Characterization of FITC Labelled Ruthenium Dendrimer as a Prospective Anticancer Drug. <i>Biomolecules</i> , 2019, 9, 411.	1.8	19
711	Antifreeze Liquid-Infused Surface with High Transparency, Low Ice Adhesion Strength, and Antifrosting Properties Fabricated through a Spray Layer-by-Layer Method. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 2225-2234.	1.8	41
712	Fully Solution-Processed Photonic Structures from Inorganic/Organic Molecular Hybrid Materials and Commodity Polymers. <i>Advanced Functional Materials</i> , 2019, 29, 1808152.	7.8	14
713	Approaching the Yablonovitch limit with free-floating arrays of subwavelength trumpet non-imaging light concentrators driven by extraordinary low transmission. <i>Nanoscale</i> , 2019, 11, 3681-3688.	2.8	12
714	Ascendant bioinspired antireflective materials: Opportunities and challenges coexist. <i>Progress in Materials Science</i> , 2019, 103, 1-68.	16.0	89
715	Experimental realization of ultra-broadband and extremely low reflectance in surface modified glasses. <i>Nano Energy</i> , 2019, 62, 588-593.	8.2	3
716	Silicon nanowire-based solar cells. , 2019, , 325-348.		1
717	Biomimetic Omnidirectional Antireflective Glass via Direct Ultrafast Laser Nanostructuring. <i>Advanced Materials</i> , 2019, 31, e1901123.	11.1	103
718	Chemical vapor deposition growth of broadband tunable light absorption and anti-reflection properties of VS2 nanostructure films. <i>Materials Letters</i> , 2019, 252, 227-230.	1.3	7
719	A review on the fabrication and applications of sub-wavelength anti-reflective surfaces based on biomimetics. <i>Applied Spectroscopy Reviews</i> , 2019, 54, 719-735.	3.4	16
720	Multi-field coupled color-changing devices and structures. <i>Science China Technological Sciences</i> , 2019, 62, 1065-1066.	2.0	3
721	Subwavelength nonimaging light concentrators for the harvesting of the solar radiation. <i>Nano Energy</i> , 2019, 61, 275-283.	8.2	29
722	Electrochemical nanoimprinting of silicon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 10264-10269.	3.3	22
723	Biomimetic non-uniform nanostructures reduce broadband reflectivity in transparent substrates. <i>MRS Communications</i> , 2019, 9, 637-643.	0.8	3
724	High-Efficiency Perovskite Light-Emitting Diodes with Synergetic Outcoupling Enhancement. <i>Advanced Materials</i> , 2019, 31, e1901517.	11.1	188

#	ARTICLE	IF	CITATIONS
725	Perfect blackbody sheets from nano-precision microtextured elastomers for light and thermal radiation management. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5418-5425.	2.7	36
726	Microstructured rubber and its wettability. <i>Polymer Journal</i> , 2019, 51, 721-730.	1.3	10
727	Bio-Inspired Flexible Fluoropolymer Film for All-Mode Light Extraction Enhancement. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 19623-19630.	4.0	16
728	Gold coated Cicada wings: Anti-reflective micro-environment for plasmonic enhancement of fluorescence from upconversion nanoparticles. <i>Materials Science and Engineering C</i> , 2019, 102, 569-577.	3.8	13
729	Synergetic Transparent Electrode Architecture for Efficient Non-Fullerene Flexible Organic Solar Cells with >12% Efficiency. <i>ACS Nano</i> , 2019, 13, 4686-4694.	7.3	86
730	Highly efficient and stable solar-powered desalination by tungsten carbide nanoarray film with sandwich wettability. <i>Science Bulletin</i> , 2019, 64, 391-399.	4.3	32
731	Quantitative analysis of gradient effective refractive index in silicon nanowires for broadband light trapping and anti-reflective properties. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	11
732	Unpacking the toolbox of two-dimensional nanostructures derived from nanosphere templates. <i>Materials Horizons</i> , 2019, 6, 1380-1408.	6.4	16
733	Design of novel TiO ₂ @SiO ₂ core-shell helical nanostructured anti-reflective coatings on Cu(In,Ga)Se ₂ solar cells with enhanced power conversion efficiency. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11452-11459.	5.2	13
734	Optimization of broadband omnidirectional antireflection coatings for solar cells. <i>Journal of Semiconductors</i> , 2019, 40, 032702.	2.0	10
735	Thermal transport through fishbone silicon nanoribbons: unraveling the role of Sharvin resistance. <i>Nanoscale</i> , 2019, 11, 8196-8203.	2.8	17
736	Natural History Collections as Inspiration for Technology. <i>BioEssays</i> , 2019, 41, e1700238.	1.2	9
737	Enhanced spectral response of CIGS solar cells with anti-reflective subwavelength structures and quantum dots. <i>Solar Energy Materials and Solar Cells</i> , 2019, 194, 177-183.	3.0	24
738	Moth-eye-like antireflection coatings based on close-packed solid/hollow silica nanospheres. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 90, 330-338.	1.1	14
739	Optical absorption beyond the Yablonovitch limit with light funnel arrays. <i>Nano Energy</i> , 2019, 59, 321-326.	8.2	18
740	Evaluating crop phenology retrieving accuracies based on ground observations. , 2019, , .		1
741	Attenuation Characteristic Study of Terahertz Electromagnetic Wave in a Nonuniform Magnetized Plasma Using SMM Method. , 2019, , .		0
742	A Real-time Vehicle Detection for Traffic Surveillance System Using a Neural Decision Tree. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
743	Characterization of Microchamber Arrays for Targeted Drug Delivery. , 2019, , .		4
744	Application of Intelligent Algorithms in UAV Geomagnetic Navigation Modeling. , 2019, , .		0
745	SIW Cavity-Backed U-Shaped Slot Antenna for 5G Applications. , 2019, , .		10
746	To Experimental Imitations of Evolutional Scenarios in Local Climate Dynamics. , 2019, , .		1
747	An Overview of Data Visualization. , 2019, , .		12
748	Cyber Situation Awareness with Active Learning for Intrusion Detection. , 2019, , .		1
749	Analyzing and Predicting the Popularity of Online Content Using the Weak Ties Theory. , 2019, , .		0
750	A Patch Model Based on Numerical Solutions of Maxwell Equations for GNSS-R Land Applications. , 2019, , .		1
751	Evaluation of Gridded CO ₂ Emissions from Night-Time Lights Compared with Geospatially-Derived Population Distributions for Vietnam, Cambodia, and Laos. , 2019, , .		1
752	Applying the stimulus-organism-response model to consumer purchasing behavior in social commerce. , 2019, , .		0
753	Toward Optimum Resiliency: Practical Alignment of BCM and ERM Processes. , 2019, , .		1
754	Application Research of NB-IoT Technology Based on Fog Computing in Intelligent Parking System. , 2019, , .		1
755	Modeling Methodology for Determining Energy Collection Potential of Photovoltaics Applied To Curved Surfaces. , 2019, , .		1
756	How to Improve CNN-Based 6-DoF Camera Pose Estimation. , 2019, , .		7
757	AEx: Automated Customization of Exposed Datapath Soft-Cores. , 2019, , .		2
758	SketchyCoreSVD: SketchySVD from Random Subsampling of the Data Matrix. , 2019, 2019, 26-35.		1
759	Pre-Research of Updated Criteria for Recovery State Processes within Integrated Flight Preparation and Training. , 2019, , .		1
760	Kernel Stochastic Separation Theorems and Separability Characterizations of Kernel Classifiers. , 2019, , .		5

#	ARTICLE	IF	CITATIONS
761	A Message Clustering Method Based on Rough Set Theory. , 2019, , .		0
762	Hyaline: A Transparent Distributed Computing Framework for CUDA. , 2019, , .		0
763	Artificial Neural Network based Automatic Speech Recognition Engine for Voice Controlled Micro Air Vehicles. , 2019, , .		2
764	Wireless Signal Service Type Identification Based on Convolutional Neural Network. , 2019, , .		0
765	Unbalanced Modelling of STATCOM and SVC in Hybrid Load Flow Method. , 2019, , .		3
766	Big Data: Evaluation of the Basic Trends of the Russian Market. , 2019, , .		0
768	Optimal Estimation for Linear Coupled PDE Systems. , 2019, , .		1
769	Two-dimensional deceptive jamming mitigation algorithm for SAR imaging using frequency diverse array. Journal of Engineering, 2019, 2019, 8022-8026.	0.6	0
770	On the Solution of Poisson's Equation using Deep Learning. , 2019, , .		3
771	Novel Concept of the Transistor Variation Directed Toward the Circuit Implementation of Physical Unclonable Function (PUF) and True-random-number Generator (TRNG). , 2019, , .		8
772	Performance Analysis of Double Gate Heterojunction Tunnel Field Effect Transistor. , 2019, , .		4
773	Current Conveyor based Novel Gyration filter for Biomedical Sensor Applications. , 2019, , .		1
774	Advanced Density Peak and K-means Clustering on Image Segmentation. , 2019, , .		2
775	Comparison of Super-resolution Reconstruction Algorithms Based on Texture Feature Classification. , 2019, , .		0
776	Towards Semantic Action Analysis via Emergent Language. , 2019, , .		3
777	Implementation of Sobel Edge Detection algorithm and VGA display based on FPGA. , 2019, , .		7
778	Word Recognition for Color Classification Using Convolutional Neural Network. , 2019, , .		0
779	Global Power-rate Stability of Complex-valued Neural Networks with Delays and Impulses. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
780	A Dynamic Map-based Framework for Real-Time Mapping of Vehicles and their Surroundings. , 2019, , .		1
781	Atomic Layer Deposition of Inorganic Films for the Synthesis of Vertically Aligned Carbon Nanotube Arrays and Their Hybrids. <i>Coatings</i> , 2019, 9, 806.	1.2	4
782	Biomimetic Moth-eye Anti-reflective Poly-(methyl methacrylate) Nanostructural Coating. <i>Journal of Bionic Engineering</i> , 2019, 16, 1030-1038.	2.7	6
783	Geometry-driven carrier extraction enhancement in photovoltaic cells based on arrays of subwavelength light funnels. <i>Nanoscale Advances</i> , 2019, 1, 4755-4763.	2.2	8
784	Bioinspired Controllable Electrochromic Chemomechanical Coloration Films. <i>Advanced Functional Materials</i> , 2019, 29, 1806383.	7.8	34
785	Effective light polarization insensitive and omnidirectional properties of Si nanowire arrays developed on different crystallographic planes. <i>Nanotechnology</i> , 2019, 30, 124002.	1.3	14
786	Artificial Compound Eyes Prepared by a Combination of Air-Assisted Deformation, Modified Laser Swelling, and Controlled Crystal Growth. <i>ACS Nano</i> , 2019, 13, 114-124.	7.3	89
787	Review of Recent Advances in Block-Copolymer Nanostructured Subwavelength Antireflective Surfaces. <i>Journal of the Electrochemical Society</i> , 2020, 167, 037502.	1.3	16
788	Growth and morphology tuning of ordered nickel nanocones routed by one-step pulse electrodeposition. <i>Applied Surface Science</i> , 2020, 508, 145291.	3.1	18
789	Broadband anti-reflection in Si substrate via Ag nanospheres on Si nanopillar arrays. <i>Optics Communications</i> , 2020, 460, 125133.	1.0	6
790	Ultra-Broadband and Omnidirectional Perfect Absorber Based on Copper Nanowire/Carbon Nanotube Hierarchical Structure. <i>ACS Photonics</i> , 2020, 7, 366-374.	3.2	12
791	Self-Assembly of Carbon Black/AAO Templates on Nanoporous Si for Broadband Infrared Absorption. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 4081-4087.	4.0	25
792	Nanoimprint lithography: Emergent materials and methods of actuation. <i>Nano Today</i> , 2020, 31, 100838.	6.2	81
793	PDMS-based subwavelength structures for broadband and wide-angle anti-reflection. <i>Physica B: Condensed Matter</i> , 2020, 580, 411943.	1.3	5
794	Reducing the Surface Area of Black Silicon by Optically Equivalent Structures. <i>IEEE Journal of Photovoltaics</i> , 2020, 10, 41-45.	1.5	2
795	Black silicon back-contact module with wide light acceptance angle. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 210-216.	4.4	8
796	Cu(In,Ga)Se ₂ Solar Cells Integrated with Subwavelength Structured Cover Glass Fabricated by One-Step Self-Masked Etching. <i>Micromachines</i> , 2020, 11, 877.	1.4	2
797	Fabrication of quasi-hexagonal Si nanostructures and its application for flexible crystalline ultrathin Si solar cells. <i>Solar Energy</i> , 2020, 208, 957-965.	2.9	14

#	ARTICLE	IF	CITATIONS
798	Fabrication of durable superhydrophilic silicon surfaces using nanosecond laser pulses. <i>Journal of Applied Physics</i> , 2020, 128, .	1.1	9
799	From nature: Optics, nanotechnology, and nano-optics. , 2020, , 1-18.		0
800	Nanostructured silicon for antireflection and light trapping in crystalline silicon solar cells. , 2020, , 149-173.		0
801	Controlling the Doping Depth in Silicon Micropillars. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 4581.	1.3	0
802	New Schottky-Type Wire-Based Solar Cell with NiSi _x Nanowire Contacts. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 37464-37469.	4.0	1
803	Strong Omnidirectional and Broadband Absorption of the Solar Light with Arrays of Submicrometer-Scaled Compound Parabolic Light Concentrators. <i>Solar Rrl</i> , 2020, 4, 2000561.	3.1	2
804	Broadband omnidirectional antireflection coatings inspired by embroidered ball-like structures on leafhoppers. <i>Applied Surface Science</i> , 2020, 532, 147397.	3.1	8
805	Metal-Assisted Chemical Etching of Silicon in Oxidizing HF Solutions: Origin, Mechanism, Development, and Black Silicon Solar Cell Application. <i>Advanced Functional Materials</i> , 2020, 30, 2005744.	7.8	83
806	Spacer-Defined Intrinsic Multiple Patterning. <i>ACS Nano</i> , 2020, 14, 12091-12100.	7.3	10
807	Fabrication of Anti-Reflective Surface with Superhydrophobicity/High Oleophobicity and Enhanced Mechanical Durability via Nanosecond Laser Surface Texturing. <i>Materials</i> , 2020, 13, 5691.	1.3	6
808	Ultralow Optical and Electrical Losses via Metal-Assisted Chemical Etching of Antireflective Nanoglass in Conductive Mesh Electrodes. <i>Advanced Optical Materials</i> , 2020, 8, 2000143.	3.6	6
809	Light-trapping mechanism of subwavelength nanorod arrays. <i>Optik</i> , 2020, 216, 164862.	1.4	0
810	Anti-Reflective Coating Materials: A Holistic Review from PV Perspective. <i>Energies</i> , 2020, 13, 2631.	1.6	95
811	Zeta Potential Dependent Self-Assembly for Very Large Area Nanosphere Lithography. <i>Nano Letters</i> , 2020, 20, 5090-5096.	4.5	26
812	Autogenic single p/n-junction solar cells from black-Si nano-grass structures of p-to-n type self-converted electronic configuration. <i>Nanoscale</i> , 2020, 12, 15371-15382.	2.8	20
813	Broadband solar absorption with silicon metamaterials driven by strong proximity effects. <i>Nanoscale Advances</i> , 2020, 2, 1913-1920.	2.2	8
814	Transfer durability of high aspect ratio moth-eye structure on glassy carbon mold using release agent. <i>Japanese Journal of Applied Physics</i> , 2020, 59, S11J12.	0.8	1
815	Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. <i>IEEE Transactions on Power Electronics</i> , 2020, 35, 9046-9056.	5.4	34

#	ARTICLE	IF	CITATIONS
816	Enhancing the quasi-theoretical photocurrent density of ZnO nanorods <i>via</i> a lukewarm hydrothermal method. <i>Nanoscale</i> , 2020, 12, 12292-12299.	2.8	8
817	Reversibly Erasable Broadband Omnidirectional Antireflection Coatings Inspired by Inclined Conical Structures on Blue-Tailed Forest Hawk Dragonfly Wings. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10883-10892.	4.0	11
818	Newly Developed Broadband Antireflective Nanostructures by Coating a Low-Index MgF ₂ Film onto a SiO ₂ Moth-Eye Nanopattern. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10626-10636.	4.0	39
819	Single-step plasma-induced hierarchical structures for tunable water adhesion. <i>Scientific Reports</i> , 2020, 10, 874.	1.6	18
820	A Practical Secondary Frequency Control Strategy for Virtual Synchronous Generator. <i>IEEE Transactions on Smart Grid</i> , 2020, 11, 2734-2736.	6.2	48
821	Harnessing hierarchical architectures to trap light for efficient photoelectrochemical cells. <i>Energy and Environmental Science</i> , 2020, 13, 660-684.	15.6	43
822	Biologically inspired artificial eyes and photonics. <i>Reports on Progress in Physics</i> , 2020, 83, 047101.	8.1	27
823	Synthesis of silicon nanowalls exhibiting excellent antireflectivity and near super-hydrophobicity. <i>Nano Structures Nano Objects</i> , 2020, 21, 100424.	1.9	14
824	An efficient and deterministic photon management using deep subwavelength features. <i>Nano Energy</i> , 2020, 70, 104521.	8.2	10
825	Broadband omnidirectional perfect absorber based on carbon nanotube films. <i>Carbon</i> , 2020, 161, 510-516.	5.4	15
826	Multi-scale micro-nano structures prepared by laser cleaning assisted laser ablation for broadband ultralow reflectivity silicon surfaces in ambient air. <i>Applied Surface Science</i> , 2020, 509, 145182.	3.1	39
827	Opportunities for enhanced omnidirectional broadband absorption of the solar radiation using deep subwavelength structures. <i>Nano Energy</i> , 2020, 70, 104553.	8.2	10
828	Self-Cleaned Photonic-Enhanced Solar Cells with Nanostructured Parylene. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000264.	1.9	19
829	Silicon Nanocone Arrays via Pattern Transfer of Mushroomlike SiO ₂ Nanopillars for Broadband Antireflective Surfaces. <i>ACS Applied Nano Materials</i> , 2020, 3, 4231-4240.	2.4	19
830	Recent progress in periodic patterning fabricated by self-assembly of colloidal spheres for optical applications. <i>Science China Materials</i> , 2020, 63, 1418-1437.	3.5	16
831	Highly Stable and Efficient Mesoporous and Hollow Silica Antireflection Coatings for Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 4484-4491.	2.5	23
832	Giant Broadband One Way Transmission Based on Directional Mie Scattering and Asymmetric Grating Diffraction Effects [*] . <i>Chinese Physics Letters</i> , 2020, 37, 044205.	1.3	4
833	Bioinspired Microstructured Materials for Optical and Thermal Regulation. <i>Advanced Materials</i> , 2021, 33, e2000697.	11.1	81

#	ARTICLE	IF	CITATIONS
834	Weakening heat accumulation behavior caused by femtosecond pulses for high-performance antireflection micro-nano porous structures. <i>International Journal of Heat and Mass Transfer</i> , 2021, 164, 120532.	2.5	9
835	Sprayable perfluoropolyether / poly(ethylene glycol) segmented polyurethane coatings with micron-scale phase separated 3D structure. <i>Polymer</i> , 2021, 212, 123279.	1.8	2
836	Composition-driven transition from amorphous to crystalline films enables bottom-up design of functional surfaces. <i>Applied Surface Science</i> , 2021, 538, 148133.	3.1	8
837	An Ultrasensitive Gateless Photodetector Based on the 2D Bilayer MoS ₂ / 1D Si Nanowire / 1D Ag Nanoparticle Hybrid Structure. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 4126-4132.	4.0	19
838	A highly ordered and damage-free Ge inverted pyramid array structure for broadband antireflection in the mid-infrared. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9884-9891.	2.7	10
839	Omnidirectional and Broadband Antireflection Effect with Tapered Silicon Nanostructures Fabricated with Low-Cost and Large-Area Capable Nanosphere Lithography. <i>Micromachines</i> , 2021, 12, 119.	1.4	6
840	Photo-Thermoelectric Conversion Using Black Silicon with Enhanced Light Trapping Performance far beyond the Band Edge Absorption. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 1818-1826.	4.0	28
841	Polarization- and angle-insensitive ultrabroadband perfect metamaterial absorber for thermophotovoltaics. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2021, 38, 327.	0.9	30
842	A Laser-Processed Silicon Solar Cell with Photovoltaic Efficiency in the Infrared. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2021, 218, 2000550.	0.8	15
843	Characterization of a silicon nanowire array using reflected images captured by a smartphone camera. <i>Instrumentation Science and Technology</i> , 2021, 49, 487-498.	0.9	0
845	Optical properties of one-dimensional photonic crystal and light absorption enhancement in planar a-Si:H solar cell. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1046, 012014.	0.3	1
846	Broadband Absorption in Thin Films Motivated by Strong Light Bending. <i>Advanced Photonics Research</i> , 2021, 2, 2000120.	1.7	2
847	High-Efficiency Optical Filters Based on Nanophotonics. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , 2021, 16, 662-672.	0.8	4
848	Ultrathin, broadband, omnidirectional, and polarization-independent infrared absorber using all-dielectric refractory materials. <i>Nanophotonics</i> , 2021, 10, 1683-1690.	2.9	16
849	Solution Processed Organic/Silicon Nanowires Hybrid Heterojunction Solar Cells Using Organosilane Incorporated Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) as Hole Transport Layers. <i>ACS Nano</i> , 2021, 15, 6296-6304.	7.3	20
850	On the Enhanced Phosphorus Doping of Nanotextured Black Silicon. <i>IEEE Journal of Photovoltaics</i> , 2021, 11, 298-305.	1.5	13
851	High-Efficiency Photothermal Water Evaporation using Broadband Solar Energy Harvesting by Ultrablack Silicon Structures. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2000083.	2.8	22
852	Polarization dependent structural colors from tilted metallo-dielectric nanopillars. <i>Materials Research Express</i> , 2021, 8, 046202.	0.8	0

#	ARTICLE	IF	CITATIONS
853	Nanoarray Structures for Artificial Photosynthesis. <i>Small</i> , 2021, 17, e2006530.	5.2	32
854	Fabrication of antireflective hydrophobic periodic micro-hole structures on ZnS surface by femtosecond laser direct writing. <i>Journal of Physics: Conference Series</i> , 2021, 1885, 032080.	0.3	2
855	Dielectric Properties of BaTiO ₃ –Epoxy Nanocomposites in the Microwave Regime. <i>Polymers</i> , 2021, 13, 1391.	2.0	12
856	A universal robust bottom-up approach to engineer Greta-oto-inspired anti-reflective structure. <i>Cell Reports Physical Science</i> , 2021, 2, 100479.	2.8	7
857	Moth eye–inspired highly efficient, robust, and neutral–colored semitransparent perovskite solar cells for building–integrated photovoltaics. <i>EcoMat</i> , 2021, 3, e12117.	6.8	28
858	Ordered arrays of Si nanopillars with alternating diameters fabricated by nanosphere lithography and metal-assisted chemical etching. <i>Materials Science in Semiconductor Processing</i> , 2021, 128, 105746.	1.9	8
859	High symmetry nano-photonic quasi-crystals providing novel light management in silicon solar cells. <i>Nano Energy</i> , 2021, 84, 105874.	8.2	18
860	Design and preparation of superhydrophobic, broadband and double-layer antireflective coatings. <i>Surfaces and Interfaces</i> , 2021, 24, 101135.	1.5	7
861	Double-Sided, Omnidirectional TiO_2 -Al ₂ O ₃ Hierarchical Nanostructures: Imparting Enhanced Antireflective Properties with Self-Cleaning Capacity for Optical Devices. <i>Langmuir</i> , 2021, 37, 6953-6966.	1.6	1
862	Spray coating of a perfect absorber based on carbon nanotube multiscale composites. <i>Carbon</i> , 2021, 178, 616-624.	5.4	22
863	Fabrication of height-modulated carbon nanotube forests: Morphologies and prospects for broadband absorption. <i>Carbon Trends</i> , 2021, 4, 100070.	1.4	2
864	Overcoming the Challenge of High Surface Recombination in Thin–Film Photovoltaic Cells Based on Subwavelength Arrays for Elevated Light Trapping. <i>Solar Rrl</i> , 2021, 5, 2100379.	3.1	6
865	Optimized two-layer motheye structures for MgAl ₂ O ₄ spinel ceramic windows. <i>OSA Continuum</i> , 2021, 4, 2143.	1.8	5
866	Enhancement in photoelectric performance of dye-sensitized solar cells with inverted pyramid structures based on nanoimprint lithography. <i>AIP Advances</i> , 2021, 11, .	0.6	5
867	Hot embossing of moth eye-like nanostructure array on transparent glass with enhanced antireflection for solar cells. <i>Ceramics International</i> , 2021, 47, 18367-18375.	2.3	10
868	Up-conversion hybrid nanomaterials for light- and heat-driven applications. <i>Progress in Materials Science</i> , 2021, 121, 100838.	16.0	34
869	Effect of Diameter, Length, and Chirality on the Properties of Silicon Nanotubes. <i>Silicon</i> , 0, , 1.	1.8	5
871	Microstructured antireflective encapsulant on concentrator solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2022, 30, 132-140.	4.4	4

#	ARTICLE	IF	CITATIONS
872	A novel scheme to enhance both electromagnetic wave transmission and compressive properties of PMI foam sandwich structures. <i>Composite Structures</i> , 2021, 277, 114582.	3.1	11
873	High-Performance Back-Illuminated Ge _{0.92} Sn _{0.08} /Ge Multiple-Quantum-Well Photodetector on Si Platform For SWIR Detection. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022, 28, 1-9.	1.9	14
874	Layered Aluminum for Electromagnetic Wave Absorber with Near-Zero Reflection. <i>Nano Letters</i> , 2021, 21, 1132-1140.	4.5	20
875	Nanostructured Black Aluminum Prepared by Laser Direct Writing as a High-Performance Plasmonic Absorber for Photothermal/Electric Conversion. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 4305-4315.	4.0	29
876	Broadband and Omnidirectional Anti-reflection Coating for III/V Multi-junction Solar Cells. <i>Springer Series in Materials Science</i> , 2014, , 571-595.	0.4	4
877	Thin Film Optical Coatings. <i>Topics in Applied Physics</i> , 2015, , 3-33.	0.4	6
878	Thin films on silicon. , 2020, , 133-213.		4
879	Deposited ultra-thin titanium nitride nanorod array as a plasmonic near-perfect light absorber. <i>Scientific Reports</i> , 2020, 10, 22269.	1.6	8
880	Photonic crystal light trapping: Beyond 30% conversion efficiency for silicon photovoltaics. <i>APL Photonics</i> , 2020, 5, .	3.0	29
881	Self-assembled antireflection coatings for light trapping based on SiGe random metasurfaces. <i>Physical Review Materials</i> , 2018, 2, .	0.9	13
882	Antireflective moth-eye structures on curved surfaces fabricated by nanoimprint lithography. , 2019, , .		4
883	Fabrication of hierarchical moth-eye structures with durable superhydrophobic property for ultra-broadband visual and mid-infrared applications. <i>Applied Optics</i> , 2019, 58, 6706.	0.9	15
884	Simulations and Experiments of Tunable GaN Microdomes for Broadband Omnidirectional Antireflection. , 2013, , .		1
885	Structural coloration with hourglass-shaped vertical silicon nanopillar arrays. <i>Optics Express</i> , 2018, 26, 30952.	1.7	15
886	Hyperspectral imaging for high-throughput, spatially resolved spectroscopic scatterometry of silicon nanopillar arrays. <i>Optics Express</i> , 2020, 28, 14209.	1.7	11
887	Large-area perfect blackbody sheets having aperiodic array of surface micro-cavities for high-precision thermal imager calibration. <i>Optics Express</i> , 2020, 28, 22606.	1.7	7
888	Surface plasticizing of chalcogenide glasses: a route for direct nanoimprint with multifunctional antireflective and highly hydrophobic structures. <i>Optics Express</i> , 2020, 28, 28352.	1.7	9
889	Plasmonic wavy surface for ultrathin semiconductor black absorbers. <i>Optics Express</i> , 2020, 28, 27764.	1.7	16

#	ARTICLE	IF	CITATIONS
890	Broadband light absorber property of metal-coated pillars on cicada wings. <i>Optical Materials Express</i> , 2019, 9, 2761.	1.6	7
891	Fabrication of Moth-Eye Pattern on a Lens Using Nano Imprint Lithography and PVA Template. <i>Journal of the Korean Institute of Surface Engineering</i> , 2009, 42, 59-62.	0.1	5
892	Antireflection coatings based on subwavelength artificial engineering microstructures. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2019, 68, 147802.	0.2	3
893	Fabrication of Nanocone Subwavelength Antireflection Structures on Quartz Substrates. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FF06.	0.8	5
894	Modeling and Optimization of Sub-Wavelength Grating Nanostructures on Cu(In,Ga)Se ₂ Solar Cell. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 10NC14.	0.8	4
895	Broadband and Omnidirectional Antireflection Surfaces Based on Deep Subwavelength Features for Harvesting of the Solar Energy. <i>Solar Rrl</i> , 2021, 5, 2100548.	3.1	8
896	Omnidirectional and Wideband Absorption of Solar Radiation with Light Funnel Arrays Incorporated with Quasi-Nanolenses. <i>ACS Applied Energy Materials</i> , 0, , .	2.5	2
897	Enhancement mechanisms of sub-bandgap broadband absorption in pyramid-structured silicon. <i>Journal of Applied Physics</i> , 2021, 130, .	1.1	1
901	Bio-inspired Broadband and Omni-directional Antireflective Surface based on Semiconductor Nanorods. , 2010, , .		0
903	Gradient-Index Adiabatic Impedance Matching (GRIN-AIM) Antireflective Diffractive Optics. , 2011, , .		0
904	Silicon Nanowire/Poly(3,4-ethylenedioxythiophene): Poly(styrenesulfonate) Core-Sheath Heterojunction Solar Cells. , 2011, , .		0
905	Terahertz broadband antireflection photonic device with graded refractive indices. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2012, 61, 088401.	0.2	3
906	Effect of aperiodicity on the broadband reflection of silicon nanorod structures for photovoltaics. , 2012, , .		1
907	Selective Etching-Assisted Construction of Novel Low-Dimensional Nanostructures. , 2012, , 71-108.		0
908	Design of hybrid plasmonic-dielectric subwavelength gratings for polarization-dependent wavelength-selective filters. <i>Transactions of the Materials Research Society of Japan</i> , 2013, 38, 163-166.	0.2	0
909	High Fabrication Tolerance Anti-Reflection Coating Based on Nano Pyramid Gratings. , 2013, , .		0
911	Nanowires array designed by means of two-dimension closed-form solution for antireflection. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2013, 62, 157801.	0.2	3
912	Stimuli-Responsive Nanomaterials. <i>Springer Briefs in Molecular Science</i> , 2015, , 41-52.	0.1	0

#	ARTICLE	IF	CITATIONS
914	Effect of Atomic Layer Deposited Al ₂ O ₃ Thin Films on the Mechanical Properties of Anti-reflective Moth Eye Nanostructured Films. Journal of the Korean Institute of Surface Engineering, 2015, 48, 50-55.	0.1	0
915	Fabrication Method for Moth-eye Structure Made of Glass Using Vacuum Ultraviolet Light Vitrification of Silicone. IEJ Transactions on Sensors and Micromachines, 2016, 136, 488-492.	0.0	0
916	Chapter 14: III-V Nanowires: Transistor and Photovoltaic Applications. , 2016, , 465-516.		0
917	Nanotechnology: Plasma-Based. , 2016, , 874-886.		0
918	Photonic nanostructure design for high efficiency light absorber. , 2017, , .		0
919	III-V Nitride-Based Photodetection. Series in Optics and Optoelectronics, 2017, , 597-613.	0.0	0
920	Broadband anti-reflection structures on lenses applicable to visible-NIR microscope. , 2018, , .		0
921	Polymorphous Nano-Si and Radial Junction Solar Cells. , 2018, , 1-53.		0
922	Random textured silicon oxide nanocones for high-performance thin silicon solar cells. , 2018, , .		0
923	Nanostructured Anti-Reflection Coatings for Enhancing Transmission of Light. Journal of Applied Mathematics and Physics, 2019, 07, 3083-3100.	0.2	5
924	Anti-reflective nanostructures and coatings on sapphire substrates for extreme temperature applications. , 2019, , .		1
925	Polymorphous Nano-Si and Radial Junction Solar Cells. , 2019, , 879-931.		0
926	Irradiation effect on Ag-dispersed amorphous silicon thin films by femtosecond laser. , 2019, , .		1
927	Simulation on antireflection of the oxide nanosphere monolayer film. Applied Optics, 2019, 58, 4926.	0.9	3
928	Recent Advances in Structuring and Patterning Silicon Nanowire Arrays for Engineering Light Absorption in Three Dimensions. ACS Applied Energy Materials, 2022, 5, 5307-5317.	2.5	13
929	Recent Developments in Fabrication and Performance of Solar Cell. Journal of Physics: Conference Series, 2021, 2044, 012150.	0.3	0
930	Ultrafast Laser Enabling Versatile Fabrication of Surface Micro-nano Structures. Springer Series in Materials Science, 2020, , 75-112.	0.4	0
931	Quasi-omnidirectional crystalline silicon solar cells. Journal Physics D: Applied Physics, 2020, 53, 483001.	1.3	3

#	ARTICLE	IF	CITATIONS
932	Field-Effect Sensors Using Biomaterials for Chemical Sensing. <i>Sensors</i> , 2021, 21, 7874.	2.1	5
933	Boosting photoelectric performance of thin film GaAs solar cell based on multi-objective optimization for solar energy utilization. <i>Solar Energy</i> , 2021, 230, 1122-1132.	2.9	25
935	Ultrawide-Angle Optical Elements With Enhanced Transmittance Obtained by a Half-Etched Moth-Eye Structure Coating on Infrared Substrates. <i>IEEE Photonics Journal</i> , 2022, 14, 1-7.	1.0	0
936	Effect of nanowall bunching on surface reflectance and wetting behaviour of silicon nanowall architectures. <i>Nano Structures Nano Objects</i> , 2022, 29, 100833.	1.9	4
937	Smart surfaces with reversibly switchable wettability: Concepts, synthesis and applications. <i>Advances in Colloid and Interface Science</i> , 2022, 300, 102584.	7.0	33
938	Broadband Low Reflection Surfaces with Silicon Nano-pillar Square Arrays for Energy Harvesting. <i>Balkan Journal of Electrical and Computer Engineering</i> , 2022, 10, 30-34.	0.4	0
939	Polarization-insensitive broadband omni-directional anti-reflection in ZnO nanoneedle array for efficient solar energy harvesting. <i>Nanoscale Advances</i> , 2022, 4, 1074-1079.	2.2	2
940	Biomimetic sapphire windows enabled by inside-out femtosecond laser deep-scribing. <i>PhotoniX</i> , 2022, 3, .	5.5	75
941	Wafer-Scale Fabrication of Silicon Nanocones via Controlling Catalyst Evolution in All-Wet Metal-Assisted Chemical Etching. <i>ACS Omega</i> , 2022, 7, 2234-2243.	1.6	7
942	Mid-long wavelength infrared absorptance of hyperdoped silicon via femtosecond laser microstructuring. <i>Optics Express</i> , 2022, 30, 1808.	1.7	5
943	Extraordinary broadband impedance matching in highly dispersive media - the white light cavity approach. <i>Optics Express</i> , 2022, 30, 5192.	1.7	4
944	Colloidal assembly to antireflection coatings. , 2022, , .		0
945	Sharp-edged nanoflakes array of CuO with enhanced optical and charge transport properties for Bias-Free tandem solar Water-splitting. <i>Applied Surface Science</i> , 2022, 585, 152632.	3.1	11
948	Biomimetic advances in photovoltaics with potential aerospace applications. , 2022, , 291-329.		1
949	Pitch-Black surface stemming from self-standing ZnFe ₂ O ₄ nanowalls. <i>Nano Select</i> , 0, , .	1.9	0
950	Improved omnidirectional polarisation-insensitive optical absorption and photoelectrochemical water splitting using aperiodic and tapered slanted, kinked and straight silicon nanowires. <i>International Journal of Energy Research</i> , 2022, 46, 9281-9292.	2.2	6
951	Angle-dependent photocurrent response of pyramid-textured silicon. <i>AIP Advances</i> , 2022, 12, 035249.	0.6	0
952	Broadband Low Reflection Surfaces With Silicon Nano-tube Square Arrays And Quantum Dot Layers. <i>European Journal of Science and Technology</i> , 0, , .	0.5	0

#	ARTICLE	IF	CITATIONS
953	Thermoplasmonics in Solar Energy Conversion: Materials, Nanostructured Designs, and Applications. <i>Advanced Materials</i> , 2022, 34, e2107351.	11.1	45
954	Thin film block copolymer self-assembly for nanophotonics. <i>Nanotechnology</i> , 2022, 33, 292001.	1.3	15
955	Scalable Nanofabrication of T-Shape Nanopillars Based on Polystyrene/Polyphenylsilsequioxane Films Showing Broadband Antireflection and Super-omniphobicity. <i>ACS Applied Nano Materials</i> , 2022, 5, 3973-3982.	2.4	1
956	The Optical Properties of Metal-Free Polymer Films with Self-Assembled Nanoparticles. <i>Polymers</i> , 2021, 13, 4230.	2.0	2
957	Hierarchical Artificial Compound Eyes with Wide Field-of-View and Antireflection Properties Prepared by Nanotip-Focused Electrohydrodynamic Jet Printing. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60625-60635.	4.0	13
958	Large Area Nanosphere Self-Assembly Monolayers for Periodic Surface Nanostructures with Ultrasensitive and Spatially Uniform SERS Sensing. <i>Small</i> , 2022, 18, e2104202.	5.2	24
959	Chirality of Fingerprints: Pattern- and Curvature-Induced Emerging Chiroptical Properties of Elastomeric Grating Meta-Skin. <i>ACS Nano</i> , 2022, 16, 6103-6110.	7.3	3
960	The effect of dopant on light trapping characteristics in random silicon nanowires for solar cell applications. <i>Physica B: Condensed Matter</i> , 2022, 638, 413953.	1.3	9
963	A review on high performance photovoltaic cells and strategies for improving their efficiency. <i>Frontiers in Energy</i> , 2022, 16, 548-580.	1.2	3
964	Photonic Nanostructures Mimicking Floral Epidermis for High Efficiency Perovskite Solar Cells with Excellent Ultraviolet Light Stability. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
965	Photocurrent Enhancement with Arrays of Silicon Light Nanotowers for Photovoltaic Applications. <i>ACS Applied Nano Materials</i> , 0, , .	2.4	1
966	Optical Metasurfaces for Energy Conversion. <i>Chemical Reviews</i> , 2022, 122, 15082-15176.	23.0	52
967	Evaluating the Optical Response of Heavily Decorated Black Silicon Based on a Realistic 3D Modeling Methodology. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 36189-36199.	4.0	5
968	Broadband Low Reflection Surfaces with Silicon Nanopillar Hexagonal Arrays for Energy Harvesting in Photovoltaics. <i>Silicon</i> , 0, , .	1.8	0
969	Large-area patterning for broadband, quasi-omnidirectional low-reflectance glass. <i>Journal of Micromechanics and Microengineering</i> , 2022, 32, 085009.	1.5	0
970	Characterization of anti-reflection structures fabricated via laser micro/nano-processing. <i>Optical Materials</i> , 2022, 131, 112686.	1.7	6
971	Black Silicon Solar Cell Passivated by SiO ₂ Thin Film Using Liquid Phase Deposition Process. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1
972	Inverse-Designed Metaphotonics for Hypersensitive Detection. <i>ACS Nanoscience Au</i> , 2022, 2, 422-432.	2.0	4

#	ARTICLE	IF	CITATIONS
973	Photonic nanostructures mimicking floral epidermis for perovskite solar cells. <i>Cell Reports Physical Science</i> , 2022, 3, 101019.	2.8	3
974	Super broadband mid-infrared absorbers with ultrathin folded highly-lossy films. <i>Journal of Colloid and Interface Science</i> , 2023, 629, 254-262.	5.0	0
975	Rectifying Nonreciprocal Perfect Absorber Based on Generalized Effective-Medium Theory for Composite Magnetic Metamaterials. <i>Photonics</i> , 2022, 9, 699.	0.9	4
976	Inverse design paradigm for fast and accurate prediction of a functional metasurface via deep convolutional neural networks. <i>Optical Materials Express</i> , 2022, 12, 4104.	1.6	2
977	Monolithic perovskite/black-silicon tandems based on tunnel oxide passivated contacts. <i>Joule</i> , 2022, 6, 2644-2661.	11.7	31
978	Diffraction-driven laser surface nanostructuring: Towards patterning with curved periodic surface structures. <i>Applied Surface Science</i> , 2023, 610, 155486.	3.1	5
979	Synergistically designed antireflective cover for improving wide-angle photovoltaic efficiencies. <i>Optics Express</i> , 2022, 30, 42406.	1.7	3
980	Sculptured thin films: Overcoming the limitations of surface-enhanced Raman scattering substrates. <i>Applied Surface Science Advances</i> , 2022, 12, 100322.	2.9	9
981	Hollowing of nanoparticle membrane by sacrificing phase-inversion-formed nanohydrogel to enhance solar steam generation efficiency. <i>Desalination</i> , 2023, 546, 116230.	4.0	3
982	Biomimetic Superhydrophobic Materials Construct from Binary Structure: A Review on Design, Properties, and Applications. <i>Advanced Materials Interfaces</i> , 2023, 10, .	1.9	5
983	Supreme-black levels enabled by touchproof microcavity surface texture on anti-backscatter matrix. <i>Science Advances</i> , 2023, 9, .	4.7	5
984	Studies on Femtosecond Laser Textured Broadband Anti-reflective Hierarchical a-SiNx:H Thin Films for Photovoltaic Applications. <i>ACS Applied Energy Materials</i> , 2023, 6, 2039-2048.	2.5	1
985	Metal micro/nanostructure enhanced laser-induced breakdown spectroscopy. <i>Analytica Chimica Acta</i> , 2023, 1241, 340802.	2.6	5
986	Structure, materials, and preparation of photoelectrodes. , 2023, , 83-174.		1
987	Broadband multispectral compatible absorbers for radar, infrared and visible stealth application. <i>Progress in Materials Science</i> , 2023, 135, 101088.	16.0	147
988	Magnetically Assembled Ultrablack Surface with Omnidirectional and Broadband Light Absorption. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 11369-11378.	4.0	2
989	Refractive Index Adaptive Nanoporous Chiral Photonic Crystal Film for Chemical Detection Visualized via Selective Reflection. <i>Small</i> , 2023, 19, .	5.2	5
990	Ultrawide-Angle Broadband Electromagnetic Window for Both TM- and TE-Polarizations by Synergy of Multimechanism Resonances. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2023, 71, 3701-3711.	2.9	0

#	ARTICLE	IF	CITATIONS
991	Hierarchical Waterweed-like Photoanodes for Sustainable Photoelectrochemical Hydrogen Production. ACS Applied Energy Materials, 2023, 6, 3460-3467.	2.5	0
992	Comparison between effective-medium and structure-distribution models for antireflective nanostructures on functional diffractive optics. , 2023, , .		0
993	Numerical study of feature-distribution effects for anti-reflection structured surfaces on binary gratings. Applied Optics, 0, , .	0.9	0
994	Laser etching ultra-black coating with novel anti-icing performance. Chemical Engineering Journal, 2023, 466, 143067.	6.6	6
1005	Promising thermal photonic management materials for sustainable human habitat. Nano Research, 2024, 17, 112-131.	5.8	1
1011	Broadband anti-reflection coating with diamond and PTFE for terahertz detectors. , 2023, , .		0