Snail, Zeb and bHLH factors in tumour progression: an aphenotype?

Nature Reviews Cancer 7, 415-428

DOI: 10.1038/nrc2131

Citation Report

| #              | Article   | IF                       | Citations             |
|----------------|---|--------------------------|-----------------------|
| 1              | Autocrine loop for IGF-I receptor signaling in SLUG-mediated epithelial-mesenchymal transition. International Journal of Oncology, 1992, 34, 329.   | 3.3                      | 13                    |
| 2              | SNAI1 Is Required for Tumor Growth and Lymph Node Metastasis of Human Breast Carcinoma MDA-MB-231 Cells. Cancer Research, 2007, 67, 11721-11731.  | 0.9                      | 184                   |
| 3              | Bypassing cellular EGF receptor dependence through epithelial-to-mesenchymal-like transitions. Clinical and Experimental Metastasis, 2008, 25, 685-693.   | 3.3                      | 186                   |
| 4              | Epithelial mesenchymal transition traits in human breast cancer cell lines. Clinical and Experimental Metastasis, 2008, 25, 629-642.  | 3.3                      | 283                   |
| 5              | Phenotypic plasticity of neoplastic ovarian epithelium: unique cadherin profiles in tumor progression. Clinical and Experimental Metastasis, 2008, 25, 643-655.   | 3.3                      | 163                   |
| 6              | Kinase switching in mesenchymal-like non-small cell lung cancer lines contributes to EGFR inhibitor resistance through pathway redundancy. Clinical and Experimental Metastasis, 2008, 25, 843-854.   | 3.3                      | 174                   |
| 7              | Expression of the ZEB1 (ÎEF1) transcription factor in human: additional insights. Molecular and Cellular Biochemistry, 2008, 318, 89-99.  | 3.1                      | 50                    |
| 8              | The urokinase receptor and integrins in cancer progression. Cellular and Molecular Life Sciences, 2008, 65, 1916-1932.  | 5.4                      | 67                    |
| 9              | The cell-cell adhesion molecule E-cadherin. Cellular and Molecular Life Sciences, 2008, 65, 3756-3788.  | 5.4                      | 1,037                 |
| 10             | The vignette for V15 N3 issue. Journal of Biomedical Science, 2008, 15, 271-274.  | 7.0                      | O                     |
| 11             | Epithelial-mesenchymal transition downregulates laminin α5 chain and upregulates laminin α4 chain in oral squamous carcinoma cells. Histochemistry and Cell Biology, 2008, 130, 509-525.  | 1.7                      | 47                    |
|                |   | 1.7                      | .,                    |
| 12             | Molecular and pathological signatures of epithelial–mesenchymal transitions at the cancer invasion front. Histochemistry and Cell Biology, 2008, 130, 481-94.   | 1.7                      | 206                   |
| 12             | Molecular and pathological signatures of epithelial–mesenchymal transitions at the cancer invasion front. Histochemistry and Cell Biology, 2008, 130, 481-94.  Cadherin–catenin complex and transcription factor Snail-1 in spindle cell carcinoma of the head and neck. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008, 453, 267-274.  |                          |                       |
|                | front. Histochemistry and Cell Biology, 2008, 130, 481-94.  Cadherin–catenin complex and transcription factor Snail-1 in spindle cell carcinoma of the head and neck. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008,   | 1.7                      | 206                   |
| 13             | front. Histochemistry and Cell Biology, 2008, 130, 481-94.  Cadherin–catenin complex and transcription factor Snail-1 in spindle cell carcinoma of the head and neck. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008, 453, 267-274.  Switching in discoid domain receptor expressions in SLUGâ€induced epithelialâ€mesenchymal transition.  | 2.8                      | 206                   |
| 13             | front. Histochemistry and Cell Biology, 2008, 130, 481-94.  Cadherin–catenin complex and transcription factor Snail-1 in spindle cell carcinoma of the head and neck. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008, 453, 267-274.  Switching in discoid domain receptor expressions in SLUGâ€induced epithelialâ€mesenchymal transition. Cancer, 2008, 113, 2823-2831.  A comparative analysis of the transcriptome and signal pathways in hepatic differentiation of human   | 1.7<br>2.8<br>4.1        | 206<br>49<br>45       |
| 13<br>14<br>15 | Cadherin–catenin complex and transcription factor Snail-1 in spindle cell carcinoma of the head and neck. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008, 453, 267-274.  Switching in discoid domain receptor expressions in SLUGâ€induced epithelialâ€mesenchymal transition. Cancer, 2008, 113, 2823-2831.  A comparative analysis of the transcriptome and signal pathways in hepatic differentiation of human adipose mesenchymal stem cells. FEBS Journal, 2008, 275, 1260-1273.  Receptor activator of NF-ήB Ligand (RANKL) expression is associated with epithelial to mesenchymal | 1.7<br>2.8<br>4.1<br>4.7 | 206<br>49<br>45<br>64 |

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 19 | A reciprocal repression between ZEB1 and members of the miRâ€200 family promotes EMT and invasion in cancer cells. EMBO Reports, 2008, 9, 582-589.  | 4.5          | 1,567     |
| 20 | A new regulatory loop in cancer-cell invasion. EMBO Reports, 2008, 9, 521-522.  | 4.5          | 11        |
| 21 | ZEB1 expression in type I vs type II endometrial cancers: a marker of aggressive disease. Modern Pathology, 2008, 21, 912-923.  | 5 <b>.</b> 5 | 123       |
| 22 | Snail is a repressor of RKIP transcription in metastatic prostate cancer cells. Oncogene, 2008, 27, 2243-2248.  | 5.9          | 179       |
| 23 | Changes in regulation of cellâ€"cell adhesion during tumor transformation. Biochemistry (Moscow), 2008, 73, 742-750.  | 1.5          | 38        |
| 24 | Snail and Snai2 collaborate on tumor growth and metastasis properties of mouse skin carcinoma cell lines. Oncogene, 2008, 27, 4690-4701.  | 5.9          | 101       |
| 25 | The epithelial polarity program: machineries involved and their hijacking by cancer. Oncogene, 2008, 27, 6939-6957.   | 5.9          | 150       |
| 26 | Transcriptional regulation of cell polarity in EMT and cancer. Oncogene, 2008, 27, 6958-6969.   | 5.9          | 528       |
| 27 | The transcription factor snail represses Crumbs3 expression and disrupts apico-basal polarity complexes. Oncogene, 2008, 27, 3875-3879.   | 5.9          | 151       |
| 28 | A hypoxic twist in metastasis. Nature Cell Biology, 2008, 10, 253-254.  | 10.3         | 46        |
| 29 | Direct regulation of TWIST by HIF-1α promotes metastasis. Nature Cell Biology, 2008, 10, 295-305.   | 10.3         | 1,187     |
| 30 | From cells to organs: building polarized tissue. Nature Reviews Molecular Cell Biology, 2008, 9, 887-901.   | 37.0         | 695       |
| 31 | Coordinated protein sorting, targeting and distribution in polarized cells. Nature Reviews Molecular Cell Biology, 2008, 9, 833-845.  | 37.0         | 448       |
| 32 | Advanced spot quality analysis in two-colour microarray experiments. BMC Research Notes, 2008, 1, 80.   | 1.4          | 10        |
| 33 | Peroxisome proliferatorâ€activated receptor gamma coactivatorâ€1 alpha (PGCâ€1α) upregulated Eâ€cadherin expression in HepG2 cells. FEBS Letters, 2008, 582, 627-634.                               | 2.8          | 14        |
| 34 | Non-coding RNAs take centre stage in epithelial-to-mesenchymal transition. Trends in Cell Biology, 2008, 18, 357-359.   | 7.9          | 101       |
| 35 | Epigenetic Changes Induced by Reactive Oxygen Species in Hepatocellular Carcinoma: Methylation of the E-cadherin Promoter. Gastroenterology, 2008, 135, 2128-2140.e8.                               | 1.3          | 338       |
| 36 | Proteomic analysis of tumor necrosis factor-α resistant human breast cancer cells reveals a MEK5/Erk5-mediated epithelial-mesenchymal transition phenotype. Breast Cancer Research, 2008, 10, R105. | 5.0          | 91        |

| #  | Article  | IF          | CITATIONS |
|----|--|-------------|-----------|
| 37 | PAI-1 and functional blockade of SNAI1 in breast cancer cell migration. Breast Cancer Research, 2008, 10, R100.  | 5.0         | 23        |
| 38 | Epigenetic mapping and functional analysis in a breast cancer metastasis model using whole-genome promoter tiling microarrays. Breast Cancer Research, 2008, 10, R62.  | 5.0         | 62        |
| 39 | Variant HNF1 Modulates Epithelial Plasticity of Normal and Transformed Ovary Cells. Neoplasia, 2008, 10, 1481-IN14.  | <b>5.</b> 3 | 23        |
| 40 | The Transcriptional Repressor ZEB1 Promotes Metastasis and Loss of Cell Polarity in Cancer. Cancer Research, 2008, 68, 537-544.  | 0.9         | 484       |
| 41 | Cadherins in development and cancer. Molecular BioSystems, 2008, 4, 835.   | 2.9         | 184       |
| 42 | Zeb1 links epithelial-mesenchymal transition and cellular senescence. Development (Cambridge), 2008, 135, 579-588.   | 2.5         | 275       |
| 43 | Epithelial–mesenchymal transition and the invasive potential of tumors. Trends in Molecular Medicine, 2008, 14, 199-209.   | 6.7         | 304       |
| 44 | Novel therapeutic applications of nitric oxide donors in cancer: Roles in chemo- and immunosensitization to apoptosis and inhibition of metastases. Nitric Oxide - Biology and Chemistry, 2008, 19, 152-157. | 2.7         | 142       |
| 45 | Transitions between epithelial and mesenchymal states in development and disease. Seminars in Cell and Developmental Biology, 2008, 19, 294-308.   | 5.0         | 360       |
| 46 | Twist is an essential regulator of the skeletogenic gene regulatory network in the sea urchin embryo.<br>Developmental Biology, 2008, 319, 406-415.  | 2.0         | 45        |
| 47 | The miR-200 family determines the epithelial phenotype of cancer cells by targeting the E-cadherin repressors ZEB1 and ZEB2. Genes and Development, 2008, 22, 894-907.                                       | 5.9         | 2,007     |
| 48 | Metastasis suppressors genes in cancer. International Journal of Biochemistry and Cell Biology, 2008, 40, 874-891.   | 2.8         | 140       |
| 49 | Molecular signature and therapeutic perspective of the epithelial-to-mesenchymal transitions in epithelial cancers. Drug Resistance Updates, 2008, 11, 123-151.  | 14.4        | 282       |
| 50 | Transmembrane proteins of tight junctions. Biochimica Et Biophysica Acta - Biomembranes, 2008, 1778, 588-600.  | 2.6         | 373       |
| 51 | Twist is a transcriptional repressor of E-cadherin gene expression in breast cancer. Biochemical and Biophysical Research Communications, 2008, 367, 235-241.  | 2.1         | 318       |
| 52 | Cloning and functional analysis of the promoter region of the human Disc large gene. Gene, 2008, 424, 87-95.   | 2.2         | 11        |
| 53 | The Epithelial-Mesenchymal Transition Generates Cells with Properties of Stem Cells. Cell, 2008, 133, 704-715.   | 28.9        | 7,695     |
| 54 | Epithelial-Mesenchymal Transition: At the Crossroads of Development and Tumor Metastasis.<br>Developmental Cell, 2008, 14, 818-829.  | 7.0         | 2,653     |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Innovative genomic-based model for personalized treatment of gastric cancer: integrating current standards and new technologies. Expert Review of Molecular Diagnostics, 2008, 8, 29-39.                                       | 3.1 | 82        |
| 56 | Inhibition of CCN6 (Wnt-1-Induced Signaling Protein 3) Down-Regulates E-Cadherin in the Breast Epithelium through Induction of Snail and ZEB1. American Journal of Pathology, 2008, 172, 893-904.                              | 3.8 | 60        |
| 57 | Breaching the basement membrane: who, when and how?. Trends in Cell Biology, 2008, 18, 560-574.  | 7.9 | 387       |
| 58 | Lysyl Oxidase–Like 2 as a New Poor Prognosis Marker of Squamous Cell Carcinomas. Cancer Research, 2008, 68, 4541-4550.   | 0.9 | 192       |
| 59 | Keratin down-regulation in vimentin-positive cancer cells is reversible by vimentin RNA interference, which inhibits growth and motility. Molecular Cancer Therapeutics, 2008, 7, 2894-2903.                                   | 4.1 | 87        |
| 60 | Insulin-like Growth Factor-l–Dependent Up-regulation of ZEB1 Drives Epithelial-to-Mesenchymal Transition in Human Prostate Cancer Cells. Cancer Research, 2008, 68, 2479-2488.   | 0.9 | 336       |
| 61 | Breast carcinomas that co-express E- and P-cadherin are associated with p120-catenin cytoplasmic localisation and poor patient survival. Journal of Clinical Pathology, 2008, 61, 856-862.                                     | 2.0 | 60        |
| 62 | Complex genome-wide transcription dynamics orchestrated by Blimp1 for the specification of the germ cell lineage in mice. Genes and Development, 2008, 22, 1617-1635.  | 5.9 | 301       |
| 63 | Repression of PTEN Phosphatase by Snail1 Transcriptional Factor during Gamma Radiation-Induced Apoptosis. Molecular and Cellular Biology, 2008, 28, 1528-1540.   | 2.3 | 171       |
| 64 | A natural antisense transcript regulates Zeb2/Sip1 gene expression during Snail1-induced epithelial–mesenchymal transition. Genes and Development, 2008, 22, 756-769.  | 5.9 | 592       |
| 65 | BMP4 induces an epithelial–mesenchymal transition-like response in adult airway epithelial cells. Growth Factors, 2008, 26, 12-22.   | 1.7 | 59        |
| 66 | Roles of Achaete-Scute Homologue 1 in DKK1 and E-cadherin Repression and Neuroendocrine Differentiation in Lung Cancer. Cancer Research, 2008, 68, 1647-1655.  | 0.9 | 91        |
| 67 | Epithelial-Mesenchymal Transition in Breast Cancer Relates to the Basal-like Phenotype. Cancer Research, 2008, 68, 989-997.  | 0.9 | 934       |
| 68 | Loss of Singleminded-2s in the Mouse Mammary Gland Induces an Epithelial-Mesenchymal Transition<br>Associated with Up-Regulation of Slug and Matrix Metalloprotease 2. Molecular and Cellular Biology,<br>2008, 28, 1936-1946. | 2.3 | 82        |
| 69 | IKK& alpha; enhances human keratinocyte differentiation and determines the histological variant of epidermal squamous cell carcinomas. Cell Cycle, 2008, 7, 2021-2029.   | 2.6 | 25        |
| 70 | Aberrant Expression of E-cadherin in Lobular Carcinomas of the Breast. American Journal of Surgical Pathology, 2008, 32, 773-783.  | 3.7 | 160       |
| 71 | A Role for TAZ in Migration, Invasion, and Tumorigenesis of Breast Cancer Cells. Cancer Research, 2008, 68, 2592-2598.   | 0.9 | 425       |
| 72 | Snail is required for $TGF\hat{1}^2$ -induced endothelial-mesenchymal transition of embryonic stem cell-derived endothelial cells. Journal of Cell Science, 2008, 121, 3317-3324.  | 2.0 | 276       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | HMGA2 and Smads Co-regulate SNAIL1 Expression during Induction of Epithelial-to-Mesenchymal Transition. Journal of Biological Chemistry, 2008, 283, 33437-33446.  | 3.4  | 310       |
| 74 | Silibinin Inhibits Established Prostate Tumor Growth, Progression, Invasion, and Metastasis and Suppresses Tumor Angiogenesis and Epithelial-Mesenchymal Transition in Transgenic Adenocarcinoma of the Mouse Prostate Model Mice. Clinical Cancer Research, 2008, 14, 7773-7780. | 7.0  | 146       |
| 75 | Cadherin switching. Journal of Cell Science, 2008, 121, 727-735.  | 2.0  | 734       |
| 76 | Methylation of the TWIST1 Promoter, TWIST1 mRNA Levels, and Immunohistochemical Expression of TWIST1 in Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3325-3330.  | 2.5  | 87        |
| 77 | Hypoxic Regulation of Metastasis via Hypoxia-Inducible Factors. Current Molecular Medicine, 2008, 8, 60-67.   | 1.3  | 121       |
| 78 | Control of Apoptosis by Asymmetric Cell Division. PLoS Biology, 2008, 6, e84.   | 5.6  | 74        |
| 79 | Anchoring Junctions As Drug Targets: Role in Contraceptive Development. Pharmacological Reviews, 2008, 60, 146-180.   | 16.0 | 140       |
| 80 | Mechanisms of malignant progression. Carcinogenesis, 2008, 29, 1092-1095.   | 2.8  | 152       |
| 81 | Hereditary diffuse gastric cancer and lost cell polarity: a short path to cancer. Future Oncology, 2008, 4, 229-239.  | 2.4  | 13        |
| 82 | Caveolin-1 Up-regulation during Epithelial to Mesenchymal Transition Is Mediated by Focal Adhesion Kinase. Journal of Biological Chemistry, 2008, 283, 13714-13724.   | 3.4  | 94        |
| 83 | Slug (SNAI2) Down-Regulation by RNA Interference Facilitates Apoptosis and Inhibits Invasive Growth in Neuroblastoma Preclinical Models. Clinical Cancer Research, 2008, 14, 4622-4630.   | 7.0  | 59        |
| 84 | Genome-wide B1 retrotransposon binds the transcription factors dioxin receptor and Slug and regulates gene expression <i>in vivo</i> Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 1632-1637.                                       | 7.1  | 64        |
| 85 | p70 S6 Kinase Promotes Epithelial to Mesenchymal Transition through Snail Induction in Ovarian Cancer Cells. Cancer Research, 2008, 68, 6524-6532.  | 0.9  | 107       |
| 86 | TWIST activation by hypoxia inducible factor-1 (HIF-1): Implications in metastasis and development. Cell Cycle, 2008, 7, 2090-2096.   | 2.6  | 266       |
| 87 | Repression of the Desmocollin 2 Gene Expression in Human Colon Cancer Cells Is Relieved by the Homeodomain Transcription Factors Cdx1 and Cdx2. Molecular Cancer Research, 2008, 6, 1478-1490.  | 3.4  | 35        |
| 88 | Polycomb Complex 2 Is Required for <i>E-cadherin</i> Repression by the Snail1 Transcription Factor. Molecular and Cellular Biology, 2008, 28, 4772-4781.  | 2.3  | 390       |
| 89 | The emerging role of miR-200 family of MicroRNAs in epithelial-mesenchymal transition and cancer metastasis. RNA Biology, 2008, 5, 115-119.   | 3.1  | 344       |
| 90 | A distinct role in breast cancer for two LIV-1 family zinc transporters. Biochemical Society Transactions, 2008, 36, 1247-1251.   | 3.4  | 41        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Down-regulation of TCF8 is involved in the leukemogenesis of adult T-cell leukemia/lymphoma. Blood, 2008, 112, 383-393.  | 1.4 | 66        |
| 92  | Keratinocyte-specific Smad2 ablation results in increased epithelial-mesenchymal transition during skin cancer formation and progression. Journal of Clinical Investigation, 2008, 118, 2722-32.                               | 8.2 | 164       |
| 93  | Microenvironmental regulation of E-cadherin-mediated adherens junctions. Frontiers in Bioscience - Landmark, 2008, Volume, 3975.   | 3.0 | 58        |
| 94  | Zeb1 Mutant Mice as a Model of Posterior Corneal Dystrophy. , 2008, 49, 1843.  |     | 51        |
| 95  | The tumor antigen epcam: tetraspanins and the tight junction protein claudin-7, new partners, new functions. Frontiers in Bioscience - Landmark, 2008, Volume, 5847.   | 3.0 | 27        |
| 96  | Gamma-Secretase-Dependent and -Independent Effects of Presenilin1 on β-Catenin·Tcf-4 Transcriptional Activity. PLoS ONE, 2008, 3, e4080.   | 2.5 | 17        |
| 97  | The microRNA-200 Family Regulates Epithelial to Mesenchymal Transition. Scientific World Journal, The, 2008, 8, 901-904.   | 2.1 | 69        |
| 98  | Activation and Molecular Targets of Peroxisome Proliferator-Activated Receptor- <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>γ</mml:mi></mml:math> Ligands in Lung Cancer. PPAR Research, 2008, 2008, 1-8. | 2.4 | 25        |
| 99  | Article Commentary: Should We Consider Cancers as Embryonic Diseases or as Consequences of Stem-Cell Deregulation?. Clinical Medicine Oncology, 2008, 2, CMO.S603.   | 0.3 | 1         |
| 100 | Epithelial-Mesenchymal Transitions in development and disease: old views and new perspectives. International Journal of Developmental Biology, 2009, 53, 1541-1547.  | 0.6 | 197       |
| 101 | Zeb1 Represses <i>Mitf</i> and Regulates Pigment Synthesis, Cell Proliferation, and Epithelial Morphology., 2009, 50, 5080.  |     | 47        |
| 102 | Histone deacetylase HDAC1/HDAC2-controlled embryonic development and cell differentiation. International Journal of Developmental Biology, 2009, 53, 275-289.  | 0.6 | 149       |
| 103 | Phosphatase of regenerating liver-3 as a prognostic biomarker in histologically node-negative gastric cancer. Oncology Reports, 2009, 21, 1467-75.   | 2.6 | 23        |
| 104 | ZEB1 Links p63 and p73 in a Novel Neuronal Survival Pathway Rapidly Induced in Response to Cortical Ischemia. PLoS ONE, 2009, 4, e4373.  | 2.5 | 44        |
| 105 | Snail1 Protein in the Stroma as a New Putative Prognosis Marker for Colon Tumours. PLoS ONE, 2009, 4, e5595.   | 2.5 | 93        |
| 106 | miR-200 Enhances Mouse Breast Cancer Cell Colonization to Form Distant Metastases. PLoS ONE, 2009, 4, e7181.   | 2.5 | 282       |
| 107 | Epithelial–mesenchymal transition in mouse mammary tumorigenesis. Future Oncology, 2009, 5, 1113-1127.   | 2.4 | 16        |
| 108 | Mesenchymal cells reactivate Snail1 expression to drive three-dimensional invasion programs. Journal of Cell Biology, 2009, 184, 399-408.  | 5.2 | 140       |

| #   | Article  | IF  | CITATIONS  |
|-----|--|-----|------------|
| 109 | Epithelial to Mesenchymal Transition Contributes to Drug Resistance in Pancreatic Cancer. Cancer Research, 2009, 69, 5820-5828.  | 0.9 | 771        |
| 110 | Prognostic significance of hypoxia-inducible factor-1Â, TWIST1 and Snail expression in resectable non-small cell lung cancer. Thorax, 2009, 64, 1082-1089.   | 5.6 | 185        |
| 111 | Small C-terminal Domain Phosphatase Enhances Snail Activity through Dephosphorylation. Journal of Biological Chemistry, 2009, 284, 640-648.  | 3.4 | 97         |
| 112 | p110 CUX1 Homeodomain Protein Stimulates Cell Migration and Invasion in Part through a Regulatory Cascade Culminating in the Repression of E-cadherin and Occludin. Journal of Biological Chemistry, 2009, 284, 27701-27711.                 | 3.4 | 61         |
| 113 | ERα as ligand-independent activator of CDH-1 regulates determination and maintenance of epithelial morphology in breast cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7420-7425. | 7.1 | 43         |
| 114 | Mechanisms of the epithelial–mesenchymal transition by TGF-β. Future Oncology, 2009, 5, 1145-1168.   | 2.4 | 290        |
| 115 | Integral Role of Transcription Factor 8 in the Negative Regulation of Tumor Angiogenesis. Cancer Research, 2009, 69, 1678-1684.  | 0.9 | 19         |
| 116 | Characterization of Snail nuclear import pathways as representatives of C2H2 zinc finger transcription factors. Journal of Cell Science, 2009, 122, 1452-1460.   | 2.0 | 54         |
| 117 | Induction of a MT1-MMP and MT2-MMP-dependent basement membrane transmigration program in cancer cells by Snail1. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20318-20323.                    | 7.1 | 194        |
| 118 | Hypoxia, Snail and incomplete epithelial–mesenchymal transition in breast cancer. British Journal of Cancer, 2009, 101, 1769-1781.   | 6.4 | 138        |
| 119 | Snail2 cooperates with Snail1 in the repression of vitamin D receptor in colon cancer. Carcinogenesis, 2009, 30, 1459-1468.  | 2.8 | 119        |
| 120 | Junctional Music that the Nucleus Hears: Cell-Cell Contact Signaling and the Modulation of Gene Activity. Cold Spring Harbor Perspectives in Biology, 2009, 1, a002923-a002923.  | 5.5 | <b>7</b> 5 |
| 121 | SIP1 protein protects cells from DNA damage-induced apoptosis and has independent prognostic value in bladder cancer. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 14884-14889.               | 7.1 | 168        |
| 122 | Cystatin D is a candidate tumor suppressor gene induced by vitamin D in human colon cancer cells. Journal of Clinical Investigation, 2009, 119, 2343-2358.   | 8.2 | 96         |
| 123 | Hypoxia-Inducible Factor-1α Suppresses Squamous Carcinogenic Progression and Epithelial-Mesenchymal Transition. Cancer Research, 2009, 69, 2638-2646.  | 0.9 | 62         |
| 124 | Expression Profiling of Stationary and Migratory Intestinal Epithelial Cells After <i>in vitro</i> Wounding: Restitution is Accompanied by Cell Differentiation. Cellular Physiology and Biochemistry, 2009, 24, 125-132.                    | 1.6 | 7          |
| 125 | A Twist-Snail Axis Critical for TrkB-Induced Epithelial-Mesenchymal Transition-Like Transformation, Anoikis Resistance, and Metastasis. Molecular and Cellular Biology, 2009, 29, 3722-3737.   | 2.3 | 194        |
| 126 | A new means to deal with ends: Heat shock protein regulation of the DNA damage response protein Apollo. Cell Cycle, 2009, 8, 2138-2142.  | 2.6 | 0          |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 127 | The COP9 signalosome-cyclosome connection. Cell Cycle, 2009, 8, 2138-2142.   | 2.6  | 0         |
| 128 | Opening the treasure chest of miR-200s family members. Cell Cycle, 2009, 8, 2138-2142.   | 2.6  | 10        |
| 129 | Catching chromatin relaxation in act by flow cytometry. Cell Cycle, 2009, 8, 2138-2142.  | 2.6  | 0         |
| 130 | Suppression of Androgen-Independent Prostate Cancer Cell Aggressiveness by FTY720: Validating Runx2 as a Potential Antimetastatic Drug Screening Platform. Clinical Cancer Research, 2009, 15, 4322-4335.  | 7.0  | 53        |
| 131 | A developmentally regulated inducer of EMT, LBX1, contributes to breast cancer progression. Genes and Development, 2009, 23, 1737-1742.  | 5.9  | 95        |
| 132 | Inflammation: A driving force speeds cancer metastasis. Cell Cycle, 2009, 8, 3267-3273.  | 2.6  | 289       |
| 133 | Regulation of the E-Cadherin Adhesion Complex in Tumor Cell Migration and Invasion. Translational Research in Biomedicine, 2009, , 120-135.  | 0.4  | 0         |
| 134 | Hypoxia-induced alveolar epithelial-mesenchymal transition requires mitochondrial ROS and hypoxia-inducible factor 1. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2009, 297, L1120-L1130.   | 2.9  | 189       |
| 135 | Oncogenic K-Ras Regulates Proliferation and Cell Junctions in Lung Epithelial Cells through Induction of Cyclooxygenase-2 and Activation of Metalloproteinase-9. Molecular Biology of the Cell, 2009, 20, 791-800.   | 2.1  | 48        |
| 136 | Insulin Receptor Substrate-1 Suppresses Transforming Growth Factor-β1–Mediated Epithelial-Mesenchymal Transition. Cancer Research, 2009, 69, 7180-7187.  | 0.9  | 41        |
| 137 | The class I bHLH factors E2-2A and E2-2B regulate EMT. Journal of Cell Science, 2009, 122, 1014-1024.  | 2.0  | 110       |
| 138 | The cardiotonic steroid hormone marinobufagenin induces renal fibrosis: implication of epithelial-to-mesenchymal transition. American Journal of Physiology - Renal Physiology, 2009, 296, F922-F934.  | 2.7  | 61        |
| 139 | Hypoxia-inducible factor- $\hat{\Pi}$ induces Twist expression in tubular epithelial cells subjected to hypoxia, leading to epithelial-to-mesenchymal transition. Kidney International, 2009, 75, 1278-1287.   | 5.2  | 188       |
| 140 | The C. elegans Snail homolog CES-1 can activate gene expression in vivo and share targets with bHLH transcription factors. Nucleic Acids Research, 2009, 37, 3689-3698.  | 14.5 | 36        |
| 141 | miR-205 Exerts Tumor-Suppressive Functions in Human Prostate through Down-regulation of Protein Kinase Cε. Cancer Research, 2009, 69, 2287-2295.   | 0.9  | 334       |
| 142 | Thyroid Transcription Factor-1 Inhibits Transforming Growth Factor-β–Mediated<br>Epithelial-to-Mesenchymal Transition in Lung Adenocarcinoma Cells. Cancer Research, 2009, 69,<br>2783-2791.   | 0.9  | 123       |
| 143 | Phosphoglucose Isomerase/Autocrine Motility Factor Mediates Epithelial and Mesenchymal Phenotype Conversions in Breast Cancer. Cancer Research, 2009, 69, 5349-5356.   | 0.9  | 69        |
| 144 | Delta-Crystallin Enhancer Binding Factor $1$ Controls the Epithelial to Mesenchymal Transition Phenotype and Resistance to the Epidermal Growth Factor Receptor Inhibitor Erlotinib in Human Head and Neck Squamous Cell Carcinoma Lines. Clinical Cancer Research, 2009, 15, 532-542. | 7.0  | 76        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Role of Ras Signaling in the Induction of Snail by Transforming Growth Factor- $\hat{l}^2$ . Journal of Biological Chemistry, 2009, 284, 245-253.   | 3.4  | 195       |
| 146 | p21 <sup>CIP1 </sup> attenuates Ras- and c-Myc-dependent breast tumor epithelial mesenchymal transition and cancer stem cell-like gene expression in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19035-19039. | 7.1  | 163       |
| 147 | Involvement of Members of the Cadherin Superfamily in Cancer. Cold Spring Harbor Perspectives in Biology, 2009, 1, a003129-a003129.   | 5.5  | 526       |
| 148 | Acquisition of Epithelial-Mesenchymal Transition Phenotype of Gemcitabine-Resistant Pancreatic Cancer Cells Is Linked with Activation of the Notch Signaling Pathway. Cancer Research, 2009, 69, 2400-2407.   | 0.9  | 576       |
| 149 | Snail Promotes CXCR2 LigandDependent Tumor Progression in NonSmall Cell Lung Carcinoma. Clinical Cancer Research, 2009, 15, 6820-6829.  | 7.0  | 109       |
| 150 | Epithelial-to-Mesenchymal Transition and Ovarian Tumor Progression Induced by Tissue Transglutaminase. Cancer Research, 2009, 69, 9192-9201.  | 0.9  | 114       |
| 151 | Evolutionary history of the Snail/Scratch superfamily. Trends in Genetics, 2009, 25, 248-252.   | 6.7  | 64        |
| 152 | Staurosporine augments EGF-mediated EMT in PMC42-LA cells through actin depolymerisation, focal contact size reduction and Snail1 induction – A model for cross-modulation. BMC Cancer, 2009, 9, 235.   | 2.6  | 25        |
| 153 | Nuclear expression of Snail1 in borderline and malignant epithelial ovarian tumours is associated with tumour progression. BMC Cancer, 2009, 9, 289.  | 2.6  | 30        |
| 154 | Functional characterization of E- and P-cadherin in invasive breast cancer cells. BMC Cancer, 2009, 9, 74.  | 2.6  | 61        |
| 155 | ERK and PI3K regulate different aspects of the epithelial to mesenchymal transition of mammary tumor cells induced by truncated MUC1. Experimental Cell Research, 2009, 315, 1490-1504.   | 2.6  | 40        |
| 156 | Podosomeâ€like structures of nonâ€invasive carcinoma cells are replaced in epithelialâ€mesenchymal transition by actin cometâ€embedded invadopodia. Journal of Cellular and Molecular Medicine, 2010, 14, 1569-1593.  | 3.6  | 62        |
| 157 | Epithelial–mesenchymal transition in cancer metastasis: Mechanisms, markers and strategies to overcome drug resistance in the clinic. Biochimica Et Biophysica Acta: Reviews on Cancer, 2009, 1796, 75-90.  | 7.4  | 463       |
| 158 | Zeb1â€mediated Tâ€cadherin repression increases the invasive potential of gallbladder cancer. FEBS Letters, 2009, 583, 430-436.   | 2.8  | 43        |
| 159 | Stabilization of Snail by NF-κB Is Required for Inflammation-Induced Cell Migration and Invasion. Cancer Cell, 2009, 15, 416-428.   | 16.8 | 719       |
| 160 | Translational Activation of Snail1 and Other Developmentally Regulated Transcription Factors by YB-1 Promotes an Epithelial-Mesenchymal Transition. Cancer Cell, 2009, 15, 402-415.   | 16.8 | 400       |
| 161 | A Gene Expression Signature Associated with "K-Ras Addiction―Reveals Regulators of EMT and Tumor Cell Survival. Cancer Cell, 2009, 15, 489-500.   | 16.8 | 735       |
| 162 | Mechanism of TGF-β signaling to growth arrest, apoptosis, and epithelial–mesenchymal transition. Current Opinion in Cell Biology, 2009, 21, 166-176.  | 5.4  | 587       |

| #   | Article  | IF           | CITATIONS |
|-----|--|--------------|-----------|
| 163 | Clusterin silencing in human lung adenocarcinoma cells induces a mesenchymal-to-epithelial transition through modulating the ERK/Slug pathway. Cellular Signalling, 2009, 21, 704-711.   | 3.6          | 86        |
| 164 | Role of hypoxia in the hallmarks of human cancer. Journal of Cellular Biochemistry, 2009, 107, 1053-1062.  | 2.6          | 418       |
| 165 | Slug is a downstream mediator of transforming growth factor $\hat{e}^2 1 \hat{a} \in \mathbb{N}$ induced matrix metalloproteinase $\hat{a} \in \mathbb{N}$ expression and invasion of oral cancer cells. Journal of Cellular Biochemistry, 2009, 108, 726-736. | 2.6          | 75        |
| 166 | IGFâ€1 released by corneal epithelial cells induces upâ€regulation of Nâ€cadherin in corneal fibroblasts.<br>Journal of Cellular Physiology, 2009, 221, 254-261.   | 4.1          | 21        |
| 167 | Transcription factors Snail, Slug, Twist, and SIP1 in spindle cell carcinoma of the head and neck.<br>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2009, 454,<br>549-555.   | 2.8          | 43        |
| 168 | Down-regulation of miR-141 in gastric cancer and its involvement in cell growth. Journal of Gastroenterology, 2009, 44, 556-561.   | 5.1          | 170       |
| 169 | EMT, the cytoskeleton, and cancer cell invasion. Cancer and Metastasis Reviews, 2009, 28, 15-33.   | <b>5.</b> 9  | 1,521     |
| 170 | E-cadherin, $\hat{l}^2$ -catenin, and ZEB1 in malignant progression of cancer. Cancer and Metastasis Reviews, 2009, 28, 151-166.   | 5.9          | 718       |
| 171 | Role of epithelial-to-mesenchymal transition (EMT) in drug sensitivity and metastasis in bladder cancer. Cancer and Metastasis Reviews, 2009, 28, 335-344.   | 5.9          | 324       |
| 172 | A molecular signature for Epithelial to Mesenchymal transition in a human colon cancer cell system is revealed by large-scale microarray analysis. Clinical and Experimental Metastasis, 2009, 26, 569-587.  | 3.3          | 51        |
| 173 | The Epithelial-to-Mesenchymal Transition and Cancer Stem Cells: A Coalition Against Cancer Therapies. Journal of Mammary Gland Biology and Neoplasia, 2009, 14, 29-43.   | 2.7          | 325       |
| 174 | The multifaceted role of periostin in tumorigenesis. Cellular and Molecular Life Sciences, 2009, 66, 2219-2230.  | 5.4          | 285       |
| 175 | The role of microRNAs in metastasis and epithelial-mesenchymal transition. Cellular and Molecular Life Sciences, 2009, 66, 1682-1699.  | 5.4          | 116       |
| 176 | Microenvironment driven invasion: a multiscale multimodel investigation. Journal of Mathematical Biology, 2009, 58, 579-624.   | 1.9          | 92        |
| 177 | miR-200 Regulates PDGF-D-Mediated Epithelial–Mesenchymal Transition, Adhesion, and Invasion of Prostate Cancer Cells. Stem Cells, 2009, 27, 1712-1721.   | 3.2          | 292       |
| 178 | A Mesenchymal-Like ZEB1+ Niche Harbors Dorsal Radial Glial Fibrillary Acidic Protein-Positive Stem Cells in the Spinal Cord. Stem Cells, 2009, 27, 2722-2733.  | 3.2          | 93        |
| 179 | Complete reversal of epithelial to mesenchymal transition requires inhibition of both ZEB expression and the Rho pathway. BMC Cell Biology, 2009, 10, 94.  | 3.0          | 89        |
| 180 | Novel sequential ChIP and simplified basic ChIP protocols for promoter co-occupancy and target gene identification in human embryonic stem cells. BMC Biotechnology, 2009, 9, 59.  | 3 <b>.</b> 3 | 17        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | Hereditary diffuse gastric cancer: A manifestation of lost cell polarity. Cancer Science, 2009, 100, 1151-1157.   | 3.9  | 78        |
| 182 | Gene expression profiling of advancedâ€stage serous ovarian cancers distinguishes novel subclasses and implicates <i>ZEB2</i> in tumor progression and prognosis. Cancer Science, 2009, 100, 1421-1428. | 3.9  | 168       |
| 183 | TGF-Î <sup>2</sup> -induced epithelial to mesenchymal transition. Cell Research, 2009, 19, 156-172.   | 12.0 | 2,285     |
| 184 | Snail1 controls bone mass by regulating Runx2 and VDR expression during osteoblast differentiation. EMBO Journal, 2009, 28, 686-696.  | 7.8  | 58        |
| 185 | S100A4 mediates endometrial cancer invasion and is a target of TGF- $\hat{l}^21$ signaling. Laboratory Investigation, 2009, 89, 937-947.  | 3.7  | 45        |
| 186 | p53 controls cancer cell invasion by inducing the MDM2-mediated degradation of Slug. Nature Cell Biology, 2009, 11, 694-704.  | 10.3 | 414       |
| 187 | The EMT-activator ZEB1 promotes tumorigenicity by repressing stemness-inhibiting microRNAs. Nature Cell Biology, 2009, 11, 1487-1495.   | 10.3 | 1,547     |
| 188 | The morphological and molecular features of the epithelial-to-mesenchymal transition. Nature Protocols, 2009, 4, 1591-1613.   | 12.0 | 185       |
| 189 | MicroRNAs â€" the micro steering wheel of tumour metastases. Nature Reviews Cancer, 2009, 9, 293-302.   | 28.4 | 740       |
| 190 | Transitions between epithelial and mesenchymal states: acquisition of malignant and stem cell traits. Nature Reviews Cancer, 2009, 9, 265-273.  | 28.4 | 2,951     |
| 191 | SNAI1 expression in colon cancer related with CDH1 and VDR downregulation in normal adjacent tissue. Oncogene, 2009, 28, 4375-4385.   | 5.9  | 61        |
| 192 | Reversibility and recurrence of IGF-IR-induced mammary tumors. Oncogene, 2009, 28, 2152-2162.   | 5.9  | 50        |
| 193 | Blockade of Cripto binding to cell surface GRP78 inhibits oncogenic Cripto signaling via MAPK/PI3K and Smad2/3 pathways. Oncogene, 2009, 28, 2324-2336.   | 5.9  | 166       |
| 194 | Decreased expression of neurofibromin contributes to epithelial $\hat{a} \in \text{``mesenchymal transition' in neurofibromatosis type 1. Experimental Dermatology, 2010, 19, e136-41.}$                | 2.9  | 42        |
| 195 | Pathophysiological Consequences of HIF Activation. Annals of the New York Academy of Sciences, 2009, 1177, 57-65.   | 3.8  | 68        |
| 196 | Epithelial–Mesenchymal Transition as a Mechanism of Metastasis. , 2009, , 65-92.  |      | 0         |
| 197 | MyoD and E-protein heterodimers switch rhabdomyosarcoma cells from an arrested myoblast phase to a differentiated state. Genes and Development, 2009, 23, 694-707.                                      | 5.9  | 84        |
| 198 | Remodeling Epithelial Cell Organization: Transitions Between Front-Rear and Apical-Basal Polarity. Cold Spring Harbor Perspectives in Biology, 2009, 1, a000513-a000513.                                | 5.5  | 234       |

| #   | Article   | IF   | CITATIONS  |
|-----|---|------|------------|
| 199 | Nontoxic Chemical Interdiction of the Epithelial-to-Mesenchymal Transition by Targeting Cap-Dependent Translation. ACS Chemical Biology, 2009, 4, 367-377.  | 3.4  | 80         |
| 200 | Efficient mouse transgenesis using Gateway-compatible ROSA26 locus targeting vectors and F1 hybrid ES cells. Nucleic Acids Research, 2009, 37, e55-e55.   | 14.5 | 99         |
| 201 | Snail1 Down-Regulation using Small Interfering RNA Complexes Delivered through Collagen Scaffolds. Bioconjugate Chemistry, 2009, 20, 2262-2269.   | 3.6  | 31         |
| 202 | Pharmaceutical Perspectives of Cancer Therapeutics., 2009,,.  |      | 15         |
| 203 | Epithelial-Mesenchymal Transitions in Development and Disease. Cell, 2009, 139, 871-890.  | 28.9 | 8,592      |
| 204 | Transcription factor 8 activates R-Ras to regulate angiogenesis. Biochemical and Biophysical Research Communications, 2009, 379, 510-513.   | 2.1  | 27         |
| 205 | Regulation of the stability of cell surface E-cadherin by the proteasome. Biochemical and Biophysical Research Communications, 2009, 381, 560-565.  | 2.1  | 25         |
| 206 | Molecular mechanisms controlling E-cadherin expression in breast cancer. Biochemical and Biophysical Research Communications, 2009, 384, 6-11.  | 2.1  | 202        |
| 207 | Time-resolved analysis of transcriptional events during SNAI1-triggered epithelial to mesenchymal transition. Biochemical and Biophysical Research Communications, 2009, 385, 485-491.                          | 2.1  | 22         |
| 208 | Mouse Fibroblasts Lacking RB1 Function Form Spheres and Undergo Reprogramming to a Cancer Stem Cell Phenotype. Cell Stem Cell, 2009, 4, 336-347.  | 11.1 | 89         |
| 209 | miR-17 family of microRNAs controls FGF10-mediated embryonic lung epithelial branching morphogenesis through MAPK14 and STAT3 regulation of E-Cadherin distribution. Developmental Biology, 2009, 333, 238-250. | 2.0  | 162        |
| 210 | Characterization of CRTAM gene promoter: AP-1 transcription factor control its expression in human T CD8 lymphocytes. Molecular Immunology, 2009, 46, 3379-3387.  | 2.2  | 12         |
| 211 | Contextual extracellular cues promote tumor cell EMT and metastasis by regulating miR-200 family expression. Genes and Development, 2009, 23, 2140-2151.  | 5.9  | 435        |
| 212 | Global gene expression analysis reveals specific patterns of cell junctions in non-small cell lung cancer subtypes. Lung Cancer, 2009, 63, 32-38.   | 2.0  | 161        |
| 213 | Fibroblast activation and myofibroblast generation in obstructive nephropathy. Nature Reviews Nephrology, 2009, 5, 319-328.   | 9.6  | 242        |
| 214 | E-Cadherin Regulates Metastasis of Pancreatic Cancer In Vivo and Is Suppressed by a SNAIL/HDAC1/HDAC2 Repressor Complex. Gastroenterology, 2009, 137, 361-371.e5.   | 1.3  | 315        |
| 215 | The Cancer Stem Cell Hypothesis. , 2009, , 3-14.  |      | 6          |
| 216 | Detachment of captured cancer cells under flow acceleration in a bio-functionalized microchannel.<br>Lab on A Chip, 2009, 9, 1721.  | 6.0  | <b>7</b> 3 |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Navigating ECM Barriers at the Invasive Front: The Cancer Cell–Stroma Interface. Annual Review of Cell and Developmental Biology, 2009, 25, 567-595.   | 9.4 | 172       |
| 218 | Blocking of p53-Snail Binding, Promoted by Oncogenic K-Ras, Recovers p53 Expression and function.<br>Neoplasia, 2009, 11, 22-IN6.  | 5.3 | 76        |
| 219 | The Epithelial–Mesenchymal Transition Promotes Transdifferentiation of Subcutaneously Implanted Hepatic Oval Cells Into Mesenchymal Tumor Tissue. Stem Cells and Development, 2009, 18, 1293-1298.   | 2.1 | 13        |
| 220 | Epithelial Mesenchymal Transition in Human Ocular Chronic Graft-Versus-Host Disease. American Journal of Pathology, 2009, 175, 2372-2381.  | 3.8 | 61        |
| 221 | Oxygen regulates epithelial-to-mesenchymal transition: insights into molecular mechanisms and relevance to disease. Kidney International, 2009, 76, 492-499.   | 5.2 | 91        |
| 222 | Epithelial-Mesenchymal Transition and Cell Cooperativity in Metastasis. Cancer Research, 2009, 69, 7135-7139.  | 0.9 | 379       |
| 223 | Overexpression of Twist in colorectal adenocarcinoma. Basic and Applied Pathology, 2009, 2, 15-20.   | 0.2 | 6         |
| 224 | ZEB-1, a Repressor of the Semaphorin 3F Tumor Suppressor Gene in Lung Cancer Cells. Neoplasia, 2009, 11, 157-IN5.  | 5.3 | 52        |
| 226 | Tobacco-Specific Carcinogen Enhances Colon Cancer Cell Migration Through α7-Nicotinic Acetylcholine Receptor. Annals of Surgery, 2009, 249, 978-985.   | 4.2 | 66        |
| 227 | Three-dimensional culture using a radial flow bioreactor induces matrix metalloprotease 7-mediated EMT-like process in tumor cells via TGF $\hat{l}^21/S$ mad pathway. International Journal of Oncology, 2009, , .  | 3.3 | 8         |
| 228 | HPV E6 oncoprotein prevents recovery of stalled replication forks independently of p53 degradation. Cell Cycle, 2009, 8, 2138-2142.  | 2.6 | 5         |
| 229 | Integrative genomic analyses on GLI1: Positive regulation of GLI1 by Hedgehog-GLI, TGFβ-Smads, and RTK-PI3K-AKT signals, and negative regulation of GLI1 by Notch-CSL-HES/HEY, and GPCR-Gs-PKA signals. International Journal of Oncology, 2009, 35, 187-92. | 3.3 | 74        |
| 230 | The SNAIL family member SCRATCH1 is not expressed in human tumors. Oncology Reports, 2009, 23, .   | 2.6 | 1         |
| 231 | Induction of E-Cadherin in Lung Cancer and Interaction with Growth Suppression by Histone Deacetylase Inhibition. Journal of Thoracic Oncology, 2009, 4, 1455-1465.  | 1.1 | 40        |
| 232 | Immune Processes and Pathogenic Fibrosis in Ocular Chronic Graft-Versus-Host Disease and Clinical Manifestations after Allogeneic Hematopoietic Stem Cell Transplantation. Cornea, 2010, 29, S68-S77.  | 1.7 | 22        |
| 233 | Expression of Slug Is Regulated by c-Myb and Is Required for Invasion and Bone Marrow Homing of Cancer Cells of Different Origin. Journal of Biological Chemistry, 2010, 285, 29434-29445.   | 3.4 | 51        |
| 235 | Epithelial-Mesenchymal Transition Induced by Hepatitis C Virus Core Protein in Cholangiocarcinoma. Annals of Surgical Oncology, 2010, 17, 1937-1944.   | 1.5 | 38        |
| 236 | Posttranscriptional regulation of cancer traits by HuR. Wiley Interdisciplinary Reviews RNA, 2010, 1, 214-229.   | 6.4 | 361       |

| #   | Article  | IF  | CITATIONS  |
|-----|--|-----|------------|
| 237 | Molecular signaling of the epithelial to mesenchymal transition in generating and maintaining cancer stem cells. Cellular and Molecular Life Sciences, 2010, 67, 2605-2618.  | 5.4 | 88         |
| 238 | The transcription factor EGR1 regulates metastatic potential of v-src transformed sarcoma cells.<br>Cellular and Molecular Life Sciences, 2010, 67, 3557-3568.   | 5.4 | 21         |
| 239 | A Digest on the Role of the Tumor Microenvironment in Gastrointestinal Cancers. Cancer Microenvironment, 2010, 3, 167-176.   | 3.1 | 33         |
| 240 | Epithelial-to-Mesenchymal Transitions and Circulating Tumor Cells. Journal of Mammary Gland Biology and Neoplasia, 2010, 15, 261-273.  | 2.7 | 201        |
| 241 | Snail Family Regulation and Epithelial Mesenchymal Transitions in Breast Cancer Progression. Journal of Mammary Gland Biology and Neoplasia, 2010, 15, 135-147.  | 2.7 | 205        |
| 242 | Cell Polarity in Motion: Redefining Mammary Tissue Organization Through EMT and Cell Polarity<br>Transitions. Journal of Mammary Gland Biology and Neoplasia, 2010, 15, 149-168.   | 2.7 | 70         |
| 243 | The Pathophysiology of Epithelial-Mesenchymal Transition Induced by Transforming Growth Factor- $\hat{l}^2$ in Normal and Malignant Mammary Epithelial Cells. Journal of Mammary Gland Biology and Neoplasia, 2010, 15, 169-190. | 2.7 | 202        |
| 244 | Four human breast cancer cell lines with biallelic inactivating $\hat{l}_{\pm}$ -catenin gene mutations. Breast Cancer Research and Treatment, 2010, 122, 125-133.   | 2.5 | 38         |
| 245 | Mesenchymal-to-epithelial transition determinants as characteristics of ovarian carcinoma effusions. Clinical and Experimental Metastasis, 2010, 27, 161-172.  | 3.3 | 63         |
| 246 | Mode of action of the retrogene product SNAI1P, a SNAIL homolog, in human breast cancer cells. Molecular Biology Reports, 2010, 37, 1221-1227.   | 2.3 | 11         |
| 247 | Identification of the role of Smad interacting protein 1 (SIP1) in glioma. Journal of Neuro-Oncology, 2010, 97, 225-232.   | 2.9 | 38         |
| 248 | Hyaluronic Acid/Chitosan-g-Poly(ethylene glycol) Nanoparticles for Gene Therapy: An Application for pDNA and siRNA Delivery. Pharmaceutical Research, 2010, 27, 2544-2555.   | 3.5 | 83         |
| 249 | Cadherins in the human placenta – epithelial–mesenchymal transition (EMT) and placental development. Placenta, 2010, 31, 747-755.  | 1.5 | 168        |
| 250 | Tumour-microenvironmental interactions: paths to progression and targets for treatment. Seminars in Cancer Biology, 2010, 20, 128-138.   | 9.6 | <b>7</b> 5 |
| 251 | Cancer stem cells and telomerase as potential biomarkers in veterinary oncology. Veterinary Journal, 2010, 185, 15-22.   | 1.7 | 28         |
| 252 | Heat shock protein 70 protects against bleomycin-induced pulmonary fibrosis in mice. Biochemical Pharmacology, 2010, 80, 920-931.  | 4.4 | 72         |
| 253 | The nuts and bolts of germ-cell migration. Current Opinion in Cell Biology, 2010, 22, 715-721.   | 5.4 | 46         |
| 254 | Rac1 modulates TGFâ€Î²1â€mediated epithelial cell plasticity and MMP9 production in transformed keratinocytes. FEBS Letters, 2010, 584, 2305-2310.   | 2.8 | 44         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 255 | p53 inhibits tumor cell invasion via the degradation of snail protein in hepatocellular carcinoma. FEBS Letters, 2010, 584, 2231-2236.   | 2.8 | 84        |
| 256 | Glucocorticoid induces mesenchymalâ€toâ€epithelial transition and inhibits TGFâ€Î²1â€induced epithelialâ€toâ€mesenchymal transition and cell migration. FEBS Letters, 2010, 584, 4646-4654.  | 2.8 | 47        |
| 257 | SNAIL induces epithelial-to-mesenchymal transition in a human pancreatic cancer cell line (BxPC3) and promotes distant metastasis and invasiveness in vivo. Experimental and Molecular Pathology, 2010, 89, 149-157.                       | 2.1 | 54        |
| 258 | Annexin A1 attenuates EMT and metastatic potential in breast cancer. EMBO Molecular Medicine, 2010, 2, 401-414.  | 6.9 | 71        |
| 259 | A smac mimetic reduces TNF Related Apoptosis Inducing Ligand (TRAIL)-induced invasion and metastasis of cholangiocarcinoma cells. Hepatology, 2010, 52, 550-561.   | 7.3 | 57        |
| 260 | Upregulation of myosin Va by Snail is involved in cancer cell migration and metastasis. International Journal of Cancer, 2010, 126, 53-64.   | 5.1 | 72        |
| 261 | Alterations of microRNAs and their targets are associated with acquired resistance of MCFâ€7 breast cancer cells to cisplatin. International Journal of Cancer, 2010, 127, 1785-1794.  | 5.1 | 301       |
| 262 | ALCAM is associated with chemoresistance and tumor cell adhesion in pancreatic cancer. Journal of Surgical Oncology, 2010, 101, 564-569.   | 1.7 | 39        |
| 263 | SNAI1 expression and the mesenchymal phenotype: an immunohistochemical study performed on 46 cases of oral squamous cell carcinoma. BMC Clinical Pathology, 2010, 10, 1.   | 1.8 | 25        |
| 264 | Quantitative proteomics study of breast cancer cell lines isolated from a single patient: Discovery of TIMM17A as a marker for breast cancer. Proteomics, 2010, 10, 1374-1390.   | 2.2 | 61        |
| 265 | Permanently Blocked Stem Cells Derived From Breast Cancer Cell Lines. Stem Cells, 2010, 28, 1008-1018.   | 3.2 | 47        |
| 266 | Alcohol Stimulates Activation of Snail, Epidermal Growth Factor Receptor Signaling, and Biomarkers of Epithelial–Mesenchymal Transition in Colon and Breast Cancer Cells. Alcoholism: Clinical and Experimental Research, 2010, 34, 19-31. | 2.4 | 73        |
| 267 | Hypoxia stimulates hepatocyte epithelial to mesenchymal transition by hypoxia-inducible factor and transforming growth factor-l <sup>2</sup> -dependent mechanisms. Liver International, 2010, 30, 669-682.                                | 3.9 | 137       |
| 268 | Epithelial–mesenchymal transition in cancer development and its clinical significance. Cancer Science, 2010, 101, 293-299.   | 3.9 | 691       |
| 269 | Downregulation of E-cadherin is an essential event in activating $\hat{l}^2$ -catenin/Tcf-dependent transcription and expression of its target genes in Pdcd4 knockdown cells. Oncogene, 2010, 29, 128-138.                                | 5.9 | 79        |
| 270 | Transcriptome profiling of a TGF- $\hat{l}^2$ -induced epithelial-to-mesenchymal transition reveals extracellular clusterin as a target for therapeutic antibodies. Oncogene, 2010, 29, 831-844.   | 5.9 | 78        |
| 271 | ZEB1 represses E-cadherin and induces an EMT by recruiting the SWI/SNF chromatin-remodeling protein BRG1. Oncogene, 2010, 29, 3490-3500.   | 5.9 | 406       |
| 272 | Increased cell migration and plasticity in Nrf2-deficient cancer cell lines. Oncogene, 2010, 29, 3703-3714.  | 5.9 | 88        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 273 | p140Cap dual regulation of E-cadherin/EGFR cross-talk and Ras signalling in tumour cell scatter and proliferation. Oncogene, 2010, 29, 3677-3690.  | 5.9 | 59        |
| 274 | Evidence for mesenchymal-like sub-populations within squamous cell carcinomas possessing chemoresistance and phenotypic plasticity. Oncogene, 2010, 29, 4170-4182.                               | 5.9 | 51        |
| 275 | miR-661 expression in SNAI1-induced epithelial to mesenchymal transition contributes to breast cancer cell invasion by targeting Nectin-1 and StarD10 messengers. Oncogene, 2010, 29, 4436-4448. | 5.9 | 119       |
| 276 | EMT, cancer stem cells and drug resistance: an emerging axis of evil in the war on cancer. Oncogene, 2010, 29, 4741-4751.  | 5.9 | 2,263     |
| 277 | Critical role for transcriptional repressor Snail2 in transformation by oncogenic RAS in colorectal carcinoma cells. Oncogene, 2010, 29, 4658-4670.  | 5.9 | 106       |
| 278 | SPROUTY-2 and E-cadherin regulate reciprocally and dictate colon cancer cell tumourigenicity. Oncogene, 2010, 29, 4800-4813.   | 5.9 | 63        |
| 279 | Requirement of the histone demethylase LSD1 in Snail-mediated transcriptional repression during epithelial-mesenchymal transition. Oncogene, 2010, 29, 4896-4904.                                | 5.9 | 233       |
| 280 | Differential roles of ERK and Akt pathways in regulation of EGFR-mediated signaling and motility in prostate cancer cells. Oncogene, 2010, 29, 4947-4958.  | 5.9 | 242       |
| 281 | Hypoxia potentiates Notch signaling in breast cancer leading to decreased E-cadherin expression and increased cell migration and invasion. British Journal of Cancer, 2010, 102, 351-360.        | 6.4 | 292       |
| 282 | TNF-α/NF-κB/Snail pathway in cancer cell migration and invasion. British Journal of Cancer, 2010, 102, 639-644.  | 6.4 | 618       |
| 283 | Methyl-H3K9-binding protein MPP8 mediates E-cadherin gene silencing and promotes tumour cell motility and invasion. EMBO Journal, 2010, 29, 3673-3687.   | 7.8 | 108       |
| 284 | Snail1 is stabilized by O-GlcNAc modification in hyperglycaemic condition. EMBO Journal, 2010, 29, 3787-3796.  | 7.8 | 153       |
| 285 | Crucial function of histone deacetylase 1 for differentiation of teratomas in mice and humans. EMBO Journal, 2010, 29, 3992-4007.  | 7.8 | 40        |
| 286 | The SNAG domain of Snail1 functions as a molecular hook for recruiting lysine-specific demethylase 1. EMBO Journal, 2010, 29, 1803-1816.   | 7.8 | 297       |
| 287 | Snail1 links transcriptional control with epigenetic regulation. EMBO Journal, 2010, 29, 1787-1789.  | 7.8 | 23        |
| 288 | The ZEB/miRâ€200 feedback loop—a motor of cellular plasticity in development and cancer?. EMBO Reports, 2010, 11, 670-677.   | 4.5 | 716       |
| 289 | The Ste20 kinase <i>misshapen</i> is essential for the invasive behaviour of ovarian epithelial cells in <i>Drosophila</i> . EMBO Reports, 2010, 11, 943-949.                                    | 4.5 | 23        |
| 290 | Local overexpression of interleukin-1 family, member 6 relates to the development of tubulointerstitial lesions. Laboratory Investigation, 2010, 90, 459-475.                                    | 3.7 | 47        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 291 | Epithelial-mesenchymal Transition and Cell Invasion. Toxicological Research, 2010, 26, 245-252.  | 2.1 | 230       |
| 292 | Epithelial-mesenchymal transition in osteogenic sarcoma of the neck following oral squamous cell carcinoma. Journal of the Korean Association of Oral and Maxillofacial Surgeons, 2010, 36, 172. | 0.8 | 1         |
| 293 | Cleavage of E-Cadherin by Matrix Metalloproteinase-7 Promotes Cellular Proliferation in Nontransformed Cell Lines via Activation of RhoA. Journal of Oncology, 2010, 2010, 1-11.                 | 1.3 | 47        |
| 294 | Molecular Genetic Markers in Female Reproductive Cancers. Journal of Oncology, 2010, 2010, 1-2.  | 1.3 | 1         |
| 295 | Loss of miR-200c: A Marker of Aggressiveness and Chemoresistance in Female Reproductive Cancers. Journal of Oncology, 2010, 2010, 1-12.  | 1.3 | 145       |
| 296 | Novel Snail1 Target Proteins in Human Colon Cancer Identified by Proteomic Analysis. PLoS ONE, 2010, 5, e10221.  | 2.5 | 29        |
| 297 | Suppression of $TGF\hat{l}^2$ -Induced Epithelial-Mesenchymal Transition Like Phenotype by a PIAS1 Regulated Sumoylation Pathway in NMuMG Epithelial Cells. PLoS ONE, 2010, 5, e13971.           | 2.5 | 45        |
| 298 | Taz-Tead1 Links Cell-Cell Contact to Zeb1 Expression, Proliferation, and Dedifferentiation in Retinal Pigment Epithelial Cells., 2010, 51, 3372.   |     | 61        |
| 299 | The dual kinase complex FAK-Src as a promising therapeutic target in cancer. OncoTargets and Therapy, 2010, 3, 83.   | 2.0 | 147       |
| 300 | Epithelial-to-Mesenchymal Transition in Pancreatic Adenocarcinoma. Scientific World Journal, The, 2010, 10, 1947-1957.   | 2.1 | 55        |
| 301 | Tumor initiation via loss of cell contact inhibition versus Ras mutation: Do all roads lead to EMT?. Cell Cycle, 2010, 9, 897-900.   | 2.6 | 21        |
| 302 | p38 maintains E-cadherin expression by modulating TAK1–NF-κB during epithelial-to-mesenchymal transition. Journal of Cell Science, 2010, 123, 4321-4331.   | 2.0 | 84        |
| 303 | The Lysyl Oxidases LOX and LOXL2 Are Necessary and Sufficient to Repress E-cadherin in Hypoxia. Journal of Biological Chemistry, 2010, 285, 6658-6669.   | 3.4 | 213       |
| 304 | Protein Acetylation in the Cardiorenal Axis. Circulation Research, 2010, 106, 272-284.   | 4.5 | 122       |
| 305 | Gain of oncogenic function of p53 mutants regulates E-cadherin expression uncoupled from cell invasion in colon cancer cells. Journal of Cell Science, 2010, 123, 1295-1305.                     | 2.0 | 92        |
| 306 | E-Cadherin Expression Is Regulated by miR-192/215 by a Mechanism That Is Independent of the Profibrotic Effects of Transforming Growth Factor- $\hat{l}^2$ . Diabetes, 2010, 59, 1794-1802.      | 0.6 | 235       |
| 307 | Downregulation of Thrombomodulin, a Novel Target of Snail, Induces Tumorigenesis through Epithelial-Mesenchymal Transition. Molecular and Cellular Biology, 2010, 30, 4767-4785.                 | 2.3 | 44        |
| 308 | MicroRNAs: a complex regulatory network drives the acquisition of malignant cell phenotype. Endocrine-Related Cancer, 2010, 17, F51-F75.   | 3.1 | 53        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 309 | Podoplanin Associates with CD44 to Promote Directional Cell Migration. Molecular Biology of the Cell, 2010, 21, 4387-4399.   | 2.1 | 115       |
| 310 | Epidermal Growth Factor Receptor and Mutant p53 Expand an Esophageal Cellular Subpopulation Capable of Epithelial-to-Mesenchymal Transition through ZEB Transcription Factors. Cancer Research, 2010, 70, 4174-4184.                       | 0.9 | 128       |
| 311 | Current data on predictive markers for anti-angiogenic therapy in thoracic tumours. European Respiratory Journal, 2010, 36, 915-924.   | 6.7 | 15        |
| 312 | Either ZEB1 or ZEB2/SIP1 Can Play a Central Role in Regulating the Epstein-Barr Virus Latent-Lytic Switch in a Cell-Type-Specific Manner. Journal of Virology, 2010, 84, 6139-6152.  | 3.4 | 53        |
| 313 | Krýppel-like Factor 4 Inhibits Epithelial-to-Mesenchymal Transition through Regulation of E-cadherin Gene Expression. Journal of Biological Chemistry, 2010, 285, 16854-16863.   | 3.4 | 141       |
| 314 | IKKα controls canonical TGFβ–SMAD signaling to regulate genes expressing SNAIL and SLUG during EMT in Panc1 cells. Journal of Cell Science, 2010, 123, 4231-4239.  | 2.0 | 113       |
| 315 | BRCA1-Associated Epigenetic Regulation of p73 Mediates an Effector Pathway for Chemosensitivity in Ovarian Carcinoma. Cancer Research, 2010, 70, 7155-7165.  | 0.9 | 46        |
| 316 | Loss of miR-200c Expression Induces an Aggressive, Invasive, and Chemoresistant Phenotype in Non–Small Cell Lung Cancer. Molecular Cancer Research, 2010, 8, 1207-1216.  | 3.4 | 289       |
| 317 | Metformin against $TGF\hat{1}^2$ -induced epithelial-to-mesenchymal transition (EMT): From cancer stem cells to aging-associated fibrosis. Cell Cycle, 2010, 9, 4461-4468.   | 2.6 | 202       |
| 318 | Role of androgens and the androgen receptor in epithelialâ€mesenchymal transition and invasion of prostate cancer cells. FASEB Journal, 2010, 24, 769-777.   | 0.5 | 198       |
| 319 | Protein Kinase D1 Suppresses Epithelial-to-Mesenchymal Transition through Phosphorylation of Snail. Cancer Research, 2010, 70, 7810-7819.  | 0.9 | 139       |
| 320 | Phosphorylation of Serine 11 and Serine 92 as New Positive Regulators of Human Snail1 Function: Potential Involvement of Casein Kinase-2 and the cAMP-activated Kinase Protein Kinase A. Molecular Biology of the Cell, 2010, 21, 244-253. | 2.1 | 68        |
| 321 | Multiple Roles and Interaction Factors of an E-Box Element in <i>Chlamydomonas reinhardtii</i> Plant Physiology, 2010, 152, 2243-2257.   | 4.8 | 11        |
| 322 | Axl is an essential epithelial-to-mesenchymal transition-induced regulator of breast cancer metastasis and patient survival. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 1124-1129.        | 7.1 | 503       |
| 323 | The RhoA Activator GEF-H1/Lfc Is a Transforming Growth Factor-β Target Gene and Effector That Regulates α-Smooth Muscle Actin Expression and Cell Migration. Molecular Biology of the Cell, 2010, 21, 860-870.                             | 2.1 | 83        |
| 324 | Transcriptional crosstalk between $TGF\hat{l}^2$ and stem cell pathways in tumor cell invasion: Role of EMT promoting Smad complexes. Cell Cycle, 2010, 9, 2363-2374.  | 2.6 | 303       |
| 325 | Modulation of gene expression in ovarian cancer by active and repressive histone marks. Epigenomics, 2010, 2, 39-51.   | 2.1 | 5         |
| 326 | Human ovarian cancer stem cells. Reproduction, 2010, 140, 33-41.   | 2.6 | 90        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 327 | The Hypoxia-controlled FBXL14 Ubiquitin Ligase Targets SNAIL1 for Proteasome Degradation. Journal of Biological Chemistry, 2010, 285, 3794-3805.   | 3.4 | 143       |
| 328 | Cellular MicroRNAs 200b and 429 Regulate the Epstein-Barr Virus Switch between Latency and Lytic Replication. Journal of Virology, 2010, 84, 10329-10343.  | 3.4 | 73        |
| 329 | The Pathophysiology of the Peritoneal Membrane. Journal of the American Society of Nephrology: JASN, 2010, 21, 1077-1085.  | 6.1 | 221       |
| 330 | Epithelial-Mesenchymal Transition in Pancreatic Carcinoma. Cancers, 2010, 2, 2058-2083.  | 3.7 | 59        |
| 331 | Knockdown of Snail Sensitizes Pancreatic Cancer Cells to Chemotherapeutic Agents and Irradiation. International Journal of Molecular Sciences, 2010, 11, 4891-4904.  | 4.1 | 22        |
| 332 | The importance of endothelin axis in initiation, progression, and therapy of ovarian cancer. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 299, R395-R404.                                 | 1.8 | 25        |
| 333 | Endothelial progenitor cells undergo an endothelial-to-mesenchymal transition-like process mediated by TGFβRI. Cardiovascular Research, 2010, 88, 502-511.   | 3.8 | 83        |
| 334 | HIVAN phenotype: consequence of epithelial mesenchymal transdifferentiation. American Journal of Physiology - Renal Physiology, 2010, 298, F734-F744.  | 2.7 | 31        |
| 335 | PAI-1 Mediates the TGF-β1+EGF-Induced "Scatter―Response in Transformed Human Keratinocytes. Journal of Investigative Dermatology, 2010, 130, 2179-2190.  | 0.7 | 44        |
| 336 | PTP-PEST controls motility, adherens junction assembly, and Rho GTPase activity in colon cancer cells. American Journal of Physiology - Cell Physiology, 2010, 299, C454-C463.   | 4.6 | 42        |
| 337 | Insulin-like growth factor-binding protein-3 promotes transforming growth factor- $\hat{l}^21$ -mediated epithelial-to-mesenchymal transition and motility in transformed human esophageal cells. Carcinogenesis, 2010, 31, 1344-1353. | 2.8 | 72        |
| 338 | Roles of E3 ubiquitin ligases in cell adhesion and migration. Cell Adhesion and Migration, 2010, 4, 10-18.   | 2.7 | 59        |
| 339 | The roles of CUX1 homeodomain proteins in the establishment of a transcriptional program required for cell migration and invasion. Cell Adhesion and Migration, 2010, 4, 348-352.  | 2.7 | 17        |
| 340 | Snail. Cell Adhesion and Migration, 2010, 4, 199-203.  | 2.7 | 217       |
| 341 | Role of reactive oxygen species-dependent protein aggregation in metabolic stress-induced necrosis. International Journal of Oncology, 2010, 37, 97-102.   | 3.3 | 14        |
| 342 | SNAI2 as a Novel Radioprotector of Normal Tissue by Gene Transfer Using a Lentiviral Bicistronic SIN Vector. Radiation Research, 2010, 173, 612-619.   | 1.5 | 21        |
| 343 | Nuclear Janus-Activated Kinase 2/Nuclear Factor 1-C2 Suppresses Tumorigenesis and Epithelial-to-Mesenchymal Transition by Repressing Forkhead Box F1. Cancer Research, 2010, 70, 2020-2029.  | 0.9 | 60        |
| 344 | An emerging role for class I bHLH E2-2 proteins in EMT regulation and tumor progression. Cell Adhesion and Migration, 2010, 4, 56-60.  | 2.7 | 33        |

| #   | Article   | lF   | CITATIONS |
|-----|---|------|-----------|
| 345 | Relation between proinflammatory mediators and epithelial-mesenchymal transition in head and neck squamous cell carcinoma. Experimental and Therapeutic Medicine, 2010, 1, 885-891.   | 1.8  | 14        |
| 346 | ZEB proteins link cell motility with cell cycle control and cell survival in cancer. Cell Cycle, 2010, 9, 886-891.  | 2.6  | 88        |
| 347 | ASK-ing EMT not to spread cancer. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 2731-2732.  | 7.1  | 14        |
| 348 | Hydrogen Peroxide Mediates EGF-Induced Down-Regulation of E-Cadherin Expression via p38 MAPK and Snail in Human Ovarian Cancer Cells. Molecular Endocrinology, 2010, 24, 1569-1580.   | 3.7  | 69        |
| 349 | <i>FZD4</i> as a Mediator of <i>ERG</i> Oncogene–Induced WNT Signaling and Epithelial-to-Mesenchymal Transition in Human Prostate Cancer Cells. Cancer Research, 2010, 70, 6735-6745. | 0.9  | 229       |
| 350 | Peroxisome Proliferator-Activated Receptor-γ Inhibits Transformed Growth of Non-Small Cell Lung Cancer Cells through Selective Suppression of Snail. Neoplasia, 2010, 12, 224-IN4.    | 5.3  | 36        |
| 351 | MicroRNAs and prostate cancer. Endocrine-Related Cancer, 2010, 17, F1-F17.  | 3.1  | 139       |
| 352 | Enrichment for Breast Cancer Cells with Stem/Progenitor Properties by Differential Adhesion. Stem Cells and Development, 2010, 19, 1175-1182.   | 2.1  | 31        |
| 353 | MicroRNAâ€204/211 alters epithelial physiology. FASEB Journal, 2010, 24, 1552-1571.   | 0.5  | 218       |
| 354 | Silibinin reverses epithelial-to-mesenchymal transition in metastatic prostate cancer cells by targeting transcription factors. Oncology Reports, 2010, 23, .                         | 2.6  | 18        |
| 355 | Molecular Characterization of Pancreatic Cancer Cell Lines. , 2010, , 457-469.  |      | 3         |
| 356 | Diversity in the molecular and cellular strategies of epithelium-to-mesenchyme transitions: Insights from the neural crest. Cell Adhesion and Migration, 2010, 4, 458-482.            | 2.7  | 39        |
| 357 | Dithiolethione modified valproate and diclofenac increase E-cadherin expression and decrease proliferation of non-small cell lung cancer cells. Lung Cancer, 2010, 68, 154-160.       | 2.0  | 35        |
| 358 | Gene expression profiling of mouse p53-deficient epidermal carcinoma defines molecular determinants of human cancer malignancy. Molecular Cancer, 2010, 9, 193.                       | 19.2 | 22        |
| 359 | P-cadherin counteracts myosin II-B function: implications in melanoma progression. Molecular Cancer, 2010, 9, 255.  | 19.2 | 19        |
| 360 | Epithelial–Mesenchymal Transition: From Molecular Mechanisms, Redox Regulation to Implications in Human Health and Disease. Antioxidants and Redox Signaling, 2010, 12, 1383-1430.    | 5.4  | 226       |
| 361 | Molecular Anatomy of Breast Cancer Stroma and Its Prognostic Value in Estrogen Receptor–Positive and –Negative Cancers. Journal of Clinical Oncology, 2010, 28, 4316-4323.            | 1.6  | 193       |
| 362 | Roles of small RNAs in tumor formation. Trends in Molecular Medicine, 2010, 16, 257-267.  | 6.7  | 236       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 363 | Solitary cell infiltration is a novel indicator of poor prognosis and epithelial-mesenchymal transition in pancreatic cancer. Human Pathology, 2010, 41, 1061-1068.   | 2.0 | 65        |
| 364 | The transcription factors Snail1 and Snail2 repress vitamin D receptor during colon cancer progression. Journal of Steroid Biochemistry and Molecular Biology, 2010, 121, 106-109.  | 2.5 | 49        |
| 365 | Histone deacetylase 1 is required for transforming growth factor-β1-induced epithelial–mesenchymal transition. International Journal of Biochemistry and Cell Biology, 2010, 42, 1489-1497.   | 2.8 | 75        |
| 366 | Snail transcription factors in keratinocytes: Enough to make your skin crawl. International Journal of Biochemistry and Cell Biology, 2010, 42, 1940-1944.  | 2.8 | 20        |
| 367 | $TGF\hat{l}^2$ and EGF synergistically induce a more invasive phenotype of epithelial ovarian cancer cells. Biochemical and Biophysical Research Communications, 2010, 401, 376-381.  | 2.1 | 46        |
| 368 | The role of ZEB1Âin the inflammationâ€induced promotion of EMT in HNSCC. Otolaryngology - Head and Neck Surgery, 2010, 142, 753-759.  | 1.9 | 40        |
| 369 | The expression of syndecan-1 and -2 is associated with Gleason score and epithelial-mesenchymal transition markers, E-cadherin and β-catenin, in prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2010, 28, 534-540. | 1.6 | 63        |
| 370 | Molecular genetics of bladder cancer: Emerging mechanisms of tumor initiation and progression. Urologic Oncology: Seminars and Original Investigations, 2010, 28, 429-440.  | 1.6 | 188       |
| 371 | Cell migration during morphogenesis. Developmental Biology, 2010, 341, 20-33.   | 2.0 | 258       |
| 372 | Opposing interactions between Drosophila Cut and the C/EBP encoded by Slow Border Cells direct apical constriction and epithelial invagination. Developmental Biology, 2010, 344, 196-209.  | 2.0 | 16        |
| 373 | Mechanisms of Liver Fibrosis. , 2010, , 263-274.  |     | 3         |
| 374 | Epithelial-Mesenchymal Transition Induced by Transforming Growth Factor- $\hat{l}^2$ 1/Snail Activation Aggravates Invasive Growth of Cholangiocarcinoma. American Journal of Pathology, 2010, 177, 141-152.                                  | 3.8 | 83        |
| 375 | Site-Dependent E-Cadherin Cleavage and Nuclear Translocation in a Metastatic Colorectal Cancer Model. American Journal of Pathology, 2010, 177, 2067-2079.  | 3.8 | 35        |
| 376 | Pathologic and molecular features of uterine carcinosarcomas. Seminars in Diagnostic Pathology, 2010, 27, 274-286.  | 1.5 | 63        |
| 378 | MicroRNAs and their target gene networks in breast cancer. Breast Cancer Research, 2010, 12, 201.   | 5.0 | 380       |
| 379 | Key signalling nodes in mammary gland development and cancer. The Snail1-Twist1 conspiracy in malignant breast cancer progression. Breast Cancer Research, 2010, 12, 206.   | 5.0 | 70        |
| 380 | Intercellular Transfer of Proteins as Identified by Stable Isotope Labeling of Amino Acids in Cell Culture. Journal of Biological Chemistry, 2010, 285, 6285-6297.  | 3.4 | 17        |
| 381 | Mechanisms of Motility in Metastasizing Cells. Molecular Cancer Research, 2010, 8, 629-642.   | 3.4 | 409       |

| #                        | Article  | IF                 | CITATIONS               |
|--------------------------|--|--------------------|-------------------------|
| 382                      | Metformin regulates breast cancer stem cello ntogeny by transcriptional regulation of the epithelial-mesenchymal transition (EMT) status. Cell Cycle, 2010, 9, 3831-3838.  | 2.6                | 179                     |
| 383                      | SLUG-induced Elevation of D1 Cyclin in Breast Cancer Cells through the Inhibition of Its Ubiquitination. Journal of Biological Chemistry, 2011, 286, 469-479.  | 3.4                | 50                      |
| 384                      | Slug Confers Resistance to the Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 1071-1079.   | 5.6                | 148                     |
| 385                      | Quantitative Glycoproteomic Analysis of Optimal Cutting Temperature-Embedded Frozen Tissues Identifying Glycoproteins Associated with Aggressive Prostate Cancer. Analytical Chemistry, 2011, 83, 7013-7019.   | 6.5                | 57                      |
| 386                      | Cooperation between Stat3 and Akt Signaling Leads to Prostate Tumor Development in Transgenic Mice. Neoplasia, 2011, 13, 254-IN12.   | <b>5.</b> 3        | 40                      |
| 387                      | SNAIL Regulates Interleukin-8 Expression, Stem Cell–Like Activity, and Tumorigenicity of Human Colorectal Carcinoma Cells. Gastroenterology, 2011, 141, 279-291.e5.  | 1.3                | 266                     |
| 388                      | Epithelial–mesenchymal transition in the skin. Journal of Dermatological Science, 2011, 61, 7-13.  | 1.9                | 125                     |
| 389                      | Activated Leukocyte Cell Adhesion Molecule Expression and Shedding in Thyroid Tumors. PLoS ONE, 2011, 6, e17141.   | 2.5                | 21                      |
| 390                      | Defining the E-Cadherin Repressor Interactome in Epithelial-Mesenchymal Transition: The PMC42 Model as a Case Study. Cells Tissues Organs, 2011, 193, 23-40.   | 2.3                | 72                      |
| 391                      | Molecular Organization of Cells. , 2011, , 3-18.   |                    | 0                       |
|                          |  |                    |                         |
| 392                      | Cancer Stem Cells in Solid Tumors., 2011,,.  |                    | 7                       |
| 392<br>393               | Cancer Stem Cells in Solid Tumors., 2011,,.  Paracrine and Endocrine Effects of Adipose Tissue on Cancer Development and Progression. Endocrine Reviews, 2011, 32, 550-570.  | 20.1               | 7 271                   |
|                          | Paracrine and Endocrine Effects of Adipose Tissue on Cancer Development and Progression. Endocrine   | 20.1               |                         |
| 393                      | Paracrine and Endocrine Effects of Adipose Tissue on Cancer Development and Progression. Endocrine Reviews, 2011, 32, 550-570.  Tenascin C Induces Epithelial-Mesenchymal Transition–Like Change Accompanied by SRC Activation and Focal Adhesion Kinase Phosphorylation in Human Breast Cancer Cells. American Journal of Pathology,  |                    | 271                     |
| 393<br>394               | Paracrine and Endocrine Effects of Adipose Tissue on Cancer Development and Progression. Endocrine Reviews, 2011, 32, 550-570.  Tenascin C Induces Epithelial-Mesenchymal Transition–Like Change Accompanied by SRC Activation and Focal Adhesion Kinase Phosphorylation in Human Breast Cancer Cells. American Journal of Pathology, 2011, 178, 754-763.  Metastatic Progression of Prostate Cancer and E-Cadherin. American Journal of Pathology, 2011, 179,   | 3.8                | 271                     |
| 393<br>394<br>395        | Paracrine and Endocrine Effects of Adipose Tissue on Cancer Development and Progression. Endocrine Reviews, 2011, 32, 550-570.  Tenascin C Induces Epithelial-Mesenchymal Transition–Like Change Accompanied by SRC Activation and Focal Adhesion Kinase Phosphorylation in Human Breast Cancer Cells. American Journal of Pathology, 2011, 178, 754-763.  Metastatic Progression of Prostate Cancer and E-Cadherin. American Journal of Pathology, 2011, 179, 400-410.  | 3.8                | 271<br>114<br>133       |
| 393<br>394<br>395<br>396 | Paracrine and Endocrine Effects of Adipose Tissue on Cancer Development and Progression. Endocrine Reviews, 2011, 32, 550-570.  Tenascin C Induces Epithelial-Mesenchymal Transition–Like Change Accompanied by SRC Activation and Focal Adhesion Kinase Phosphorylation in Human Breast Cancer Cells. American Journal of Pathology, 2011, 178, 754-763.  Metastatic Progression of Prostate Cancer and E-Cadherin. American Journal of Pathology, 2011, 179, 400-410.  SnapShot: The Epithelial-Mesenchymal Transition. Cell, 2011, 145, 162-162.e1. | 3.8<br>3.8<br>28.9 | 271<br>114<br>133<br>99 |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 400 | Four and a half LIM protein 2 (FHL2) negatively regulates the transcription of E-cadherin through interaction with Snail1. European Journal of Cancer, 2011, 47, 121-130.   | 2.8 | 41        |
| 401 | CD44 splice isoform switching in human and mouse epithelium is essential for epithelial-mesenchymal transition and breast cancer progression. Journal of Clinical Investigation, 2011, 121, 1064-1074.  | 8.2 | 543       |
| 402 | Caveolin-1 promotes pancreatic cancer cell differentiation and restores membranous E-cadherin via suppression of the epithelial-mesenchymal transition. Cell Cycle, 2011, 10, 3692-3700.  | 2.6 | 49        |
| 403 | E-cadherin: gatekeeper of airway mucosa and allergic sensitization. Trends in Immunology, 2011, 32, 248-255.  | 6.8 | 172       |
| 404 | Interplay between HDAC3 and WDR5 Is Essential for Hypoxia-Induced Epithelial-Mesenchymal Transition. Molecular Cell, 2011, 43, 811-822.   | 9.7 | 233       |
| 405 | Repression of E-cadherin by SNAIL, ZEB1, and TWIST in invasive ductal carcinomas of the breast: a cooperative effort?. Human Pathology, 2011, 42, 103-110.  | 2.0 | 76        |
| 406 | Down-regulation of microRNAs of the miR-200 family and miR-205, and an altered expression of classic and desmosomal cadherins in spindle cell carcinoma of the head and neck—hallmark of epithelial-mesenchymal transition. Human Pathology, 2011, 42, 482-488. | 2.0 | 65        |
| 407 | Nuclear Snail 1 and nuclear ZEB1 protein expression in invasive and intraductal human breast carcinomas. Human Pathology, 2011, 42, 1125-1131.  | 2.0 | 44        |
| 408 | Proteomic analysis of $1\hat{l}_{\pm}$ ,25-Dihydroxyvitamin D3 action on human colon cancer cells reveals a link to splicing regulation. Journal of Proteomics, 2011, 75, 384-397.  | 2.4 | 37        |
| 409 | Reactivation of Epithelial-Mesenchymal Transition in Invasive and Metastatic Cancer., 2011, , 13-69.  |     | 1         |
| 410 | Targets of miR-200c mediate suppression of cell motility and anoikis resistance. Breast Cancer Research, 2011, 13, R45.   | 5.0 | 205       |
| 411 | Three interrelated themes in current breast cancer research: gene addiction, phenotypic plasticity, and cancer stem cells. Breast Cancer Research, 2011, 13, 216.   | 5.0 | 8         |
| 412 | Transglutaminase 2 facilitates the distant hematogenous metastasis of breast cancer by modulating interleukin-6 in cancer cells. Breast Cancer Research, 2011, 13, R96.   | 5.0 | 60        |
| 413 | Breast cancer epithelial-to-mesenchymal transition: examining the functional consequences of plasticity. Breast Cancer Research, 2011, 13, 226.   | 5.0 | 131       |
| 414 | Regulation of breast cancer metastasis by Runx2 and estrogen signaling: the role of SNAI2. Breast Cancer Research, 2011, 13, R127.  | 5.0 | 117       |
| 415 | Migratory Strategies of Normal and Malignant Stem Cells. Methods in Molecular Biology, 2011, 750, 25-44.  | 0.9 | 12        |
| 416 | E-Cadherin loss associated with EMT promotes radioresistance in human tumor cells. Radiotherapy and Oncology, 2011, 99, 392-397.  | 0.6 | 210       |
| 417 | Specific GATA Factors Act as Conserved Inducers of an Endodermal-EMT. Developmental Cell, 2011, 21, 1051-1061.  | 7.0 | 81        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 418 | Development and Maintenance of Cancer Stem Cells under Chronic Inflammation. Journal of Nippon Medical School, 2011, 78, 138-145.  | 0.9 | 32        |
| 419 | Role of TWIST proteins in cancer progression. Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2011, , .  | 0.1 | 2         |
| 420 | The Continuum of Epithelial Mesenchymal Transition $\hat{a}\in$ Implication of Hybrid States for Migration and Survival in Development and Cancer., 0, , 117-130.                            |     | 1         |
| 421 | Roles of TGF- $\langle i \rangle \hat{l}^2 \langle i \rangle$ Signals in Endothelial-Mesenchymal Transition during Cardiac Fibrosis. International Journal of Inflammation, 2011, 2011, 1-8. | 1.5 | 102       |
| 422 | SNAI1 (snail homolog 1 (Drosophila)). Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2011, , .  | 0.1 | 0         |
| 423 | Emerging role of brain metastases in the prognosis of breast cancer patients. Breast Cancer: Targets and Therapy, 2011, 3, 79.   | 1.8 | 9         |
| 424 | TGF- $\hat{l}^2$ Induces Sustained Upregulation of SNAI1 and SNAI2 through Smad and Non-Smad Pathways in a Human Corneal Epithelial Cell Line. , 2011, 52, 2437.                             |     | 61        |
| 425 | Epidermal Growth Factor Receptor (EGFR) Phosphorylation, Signaling and Trafficking in Prostate Cancer., 0,,.   |     | 4         |
| 426 | Growth Factors and their receptors in cancer metastases. Frontiers in Bioscience - Landmark, 2011, 16, 531.  | 3.0 | 37        |
| 427 | Epithelial-mesenchymal transition in breast cancer progression and metastasis. Chinese Journal of Cancer, 2011, 30, 603-611.   | 4.9 | 174       |
| 428 | Chronic Respiratory Aeroallergen Exposure in Mice Induces Epithelial-Mesenchymal Transition in the Large Airways. PLoS ONE, 2011, 6, e16175.   | 2.5 | 93        |
| 429 | TWIST1 Is Expressed in Colorectal Carcinomas and Predicts Patient Survival. PLoS ONE, 2011, 6, e18023.   | 2.5 | 55        |
| 430 | The Role of the p38 MAPK Signaling Pathway in High Glucose-Induced Epithelial-Mesenchymal Transition of Cultured Human Renal Tubular Epithelial Cells. PLoS ONE, 2011, 6, e22806.            | 2.5 | 102       |
| 431 | Snail Involves in the Transforming Growth Factor $\hat{l}^2$ 1-Mediated Epithelial-Mesenchymal Transition of Retinal Pigment Epithelial Cells. PLoS ONE, 2011, 6, e23322.                    | 2.5 | 100       |
| 432 | CD44 Upregulation in E-Cadherin-Negative Esophageal Cancers Results in Cell Invasion. PLoS ONE, 2011, 6, e27063.   | 2.5 | 25        |
| 433 | Patterned Cell Adhesion Associated with Tissue Deformations during Dorsal Closure in Drosophila.<br>PLoS ONE, 2011, 6, e27159.   | 2.5 | 11        |
| 434 | MicroRNA-138 suppresses epithelial–mesenchymal transition in squamous cell carcinoma cell lines. Biochemical Journal, 2011, 440, 23-31.  | 3.7 | 173       |
| 435 | Stem Cells: Their Role in Breast Cancer Development and Resistance to Treatment. Current Pharmaceutical Biotechnology, 2011, 12, 196-205.  | 1.6 | 37        |

| #   | Article   | IF           | Citations |
|-----|---|--------------|-----------|
| 436 | Epithelial-Mesenchymal Transition: Implications in Cancer Progression and Metastasis. Current Pharmaceutical Biotechnology, 2011, 12, 1881-1890.                                    | 1.6          | 65        |
| 437 | Vimentin expression is associated with decreased survival in gastric cancer. Oncology Reports, 2011, 25, 1235-42.   | 2.6          | 57        |
| 439 | Periostin, a matrix specific protein, is associated with proliferation and invasion of pancreatic cancer. Oncology Reports, 2011, 25, 709-16.                                       | 2.6          | 33        |
| 441 | Novel ZEB1 expression in bladder tumorigenesis. BJU International, 2011, 107, 656-663.  | 2.5          | 49        |
| 442 | Matrix metalloproteinaseâ€9 cooperates with transcription factor Snail to induce epithelial–mesenchymal transition. Cancer Science, 2011, 102, 815-827.                             | 3.9          | 152       |
| 443 | Regulation of translational efficiency by different splice variants of the Disc large 1 oncosuppressor $5\hat{a}\in 2\hat{a}\in UTR$ . FEBS Journal, 2011, 278, 2596-2608.          | 4.7          | 13        |
| 444 | Cancer biology and NuRD: a multifaceted chromatin remodelling complex. Nature Reviews Cancer, 2011, 11, 588-596.  | 28.4         | 435       |
| 445 | Vimentin regulates EMT induction by Slug and oncogenic H-Ras and migration by governing Axl expression in breast cancer. Oncogene, 2011, 30, 1436-1448.                             | 5.9          | 535       |
| 446 | HAb18G/CD147 promotes epithelial–mesenchymal transition through TGF-β signaling and is transcriptionally regulated by Slug. Oncogene, 2011, 30, 4410-4427.                          | 5.9          | 146       |
| 447 | Poly(ADP-ribose)-dependent regulation of Snail1 protein stability. Oncogene, 2011, 30, 4365-4372.   | 5.9          | 55        |
| 448 | Twist2 contributes to breast cancer progression by promoting an epithelial–mesenchymal transition and cancer stem-like cell self-renewal. Oncogene, 2011, 30, 4707-4720.            | 5.9          | 175       |
| 449 | Progression of BRAF-induced thyroid cancer is associated with epithelial–mesenchymal transition requiring concomitant MAP kinase and TGFβ signaling. Oncogene, 2011, 30, 3153-3162. | 5.9          | 160       |
| 450 | miR-155 promotes macroscopic tumor formation yet inhibits tumor dissemination from mammary fat pads to the lung by preventing EMT. Oncogene, 2011, 30, 3440-3453.                   | 5.9          | 88        |
| 451 | SCUBE3 is an endogenous TGF- $\hat{l}^2$ receptor ligand and regulates the epithelial-mesenchymal transition in lung cancer. Oncogene, 2011, 30, 3682-3693.                         | 5.9          | 85        |
| 452 | Zeb1 is required for TrkB-induced epithelial-mesenchymal transition, anoikis resistance and metastasis. Oncogene, 2011, 30, 3735-3744.  | 5.9          | 78        |
| 453 | Snail1, Snail2, and E47 promote mammary epithelial branching morphogenesis. EMBO Journal, 2011, 30, 2662-2674.  | 7.8          | 59        |
| 454 | Initial steps of metastasis: Cell invasion and endothelial transmigration. Mutation Research - Reviews in Mutation Research, 2011, 728, 23-34.                                      | 5 <b>.</b> 5 | 642       |
| 455 | Failsafe program escape and EMT: A deleterious partnership. Seminars in Cancer Biology, 2011, 21, 392-6.  | 9.6          | 28        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 456 | Hypoxia-inducible factor-1 alpha, in association with TWIST2 and SNIP1, is a critical prognostic factor in patients with tongue squamous cell carcinoma. Oral Oncology, 2011, 47, 92-97.  | 1.5  | 66        |
| 457 | Snail-1 regulates VDR signaling and inhibits 1,25(OH)-D3 action in osteosarcoma. European Journal of Pharmacology, 2011, 670, 341-346.  | 3.5  | 29        |
| 458 | snail gene expression in the medaka, Oryzias latipes. Gene Expression Patterns, 2011, 11, 181-189.  | 0.8  | 5         |
| 459 | Indomethacin induces cellular morphological change and migration via epithelial-mesenchymal transition in A549 human lung cancer cells: A novel cyclooxygenase-inhibition-independent effect. Biochemical Pharmacology, 2011, 82, 1781-1791.          | 4.4  | 25        |
| 460 | 15-Hydroxyprostaglandin dehydrogenase as a novel molecular target for cancer chemoprevention and therapy. Biochemical Pharmacology, 2011, 82, 1352-1360.  | 4.4  | 38        |
| 461 | Twist1-Induced Invadopodia Formation Promotes Tumor Metastasis. Cancer Cell, 2011, 19, 372-386.   | 16.8 | 423       |
| 462 | The Ins and Outs of the Epithelial to Mesenchymal Transition in Health and Disease. Annual Review of Cell and Developmental Biology, 2011, 27, 347-376.   | 9.4  | 647       |
| 463 | Anti-VEGF Treatmentâ€"Resistant Pancreatic Cancers Secrete Proinflammatory Factors That Contribute to Malignant Progression by Inducing an EMT Cell Phenotype. Clinical Cancer Research, 2011, 17, 5822-5832.   | 7.0  | 86        |
| 464 | Cooperative Signaling between Oncostatin M, Hepatocyte Growth Factor and Transforming Growth Factor-Î <sup>2</sup> Enhances Epithelial to Mesenchymal Transition in Lung and Pancreatic Tumor Models. Cells Tissues Organs, 2011, 193, 114-132.       | 2.3  | 28        |
| 465 | Nicotine Promotes Cell Migration Through Alpha7 Nicotinic Acetylcholine Receptor in Gastric Cancer Cells. Annals of Surgical Oncology, 2011, 18, 2671-2679.   | 1.5  | 55        |
| 466 | Signaling Pathways Governing Tumor Angiogenesis. Oncology, 2011, 81, 24-29.   | 1.9  | 159       |
| 467 | E-Cadherin and the Cytoskeletal Network in Colorectal Cancer Development and Metastasis. Cell Communication and Adhesion, 2011, 18, 133-143.  | 1.0  | 61        |
| 468 | SNAI1 is Involved in the Proliferation and Migration of Glioblastoma Cells. Cellular and Molecular Neurobiology, 2011, 31, 489-496.   | 3.3  | 104       |
| 469 | A systems view of epithelial–mesenchymal transition signaling states. Clinical and Experimental Metastasis, 2011, 28, 137-155.  | 3.3  | 190       |
| 470 | Inducible expression of $TGF\hat{l}^2$ , Snail and Zeb1 recapitulates EMT in vitro and in vivo in a NSCLC model. Clinical and Experimental Metastasis, 2011, 28, 593-614.   | 3.3  | 59        |
| 471 | Two possible mechanisms of epithelial to mesenchymal transition in invasive ductal breast cancer.<br>Clinical and Experimental Metastasis, 2011, 28, 811-818.   | 3.3  | 24        |
| 472 | Ob/ob serum promotes a mesenchymal cell phenotype in B16BL6 melanoma cells. Clinical and Experimental Metastasis, 2011, 28, 877-886.  | 3.3  | 46        |
| 473 | Bmi-1, c-myc, and Snail expression in primary breast cancers and their metastasesâ€"elevated Bmi-1 expression in late breast cancer relapses. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 459, 31-39. | 2.8  | 36        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 474 | Epithelial-mesenchymal transition and cancermetastasis. Chinese-German Journal of Clinical Oncology, 2011, 10, 125-133.   | 0.1  | 5         |
| 475 | MicroRNAs (miRNAs) in cancer invasion and metastasis: therapeutic approaches based on metastasis-related miRNAs. Journal of Molecular Medicine, 2011, 89, 445-457.                        | 3.9  | 128       |
| 476 | Immunotherapy of prostate cancer: should we be targeting stem cells and EMT?. Cancer Immunology, Immunotherapy, 2011, 60, 1181-1193.  | 4.2  | 24        |
| 477 | Slug regulates proliferation and invasiveness of esophageal adenocarcinoma cells in vitro and in vivo. Medical Oncology, 2011, 28, 1089-1100.   | 2.5  | 20        |
| 478 | Tumor-associated Macrophages (TAM) and Inflammation in Colorectal Cancer. Cancer Microenvironment, 2011, 4, 141-154.  | 3.1  | 269       |
| 479 | Slug down-regulation by RNA interference inhibits invasion growth in human esophageal squamous cell carcinoma. BMC Gastroenterology, 2011, 11, 60.  | 2.0  | 15        |
| 480 | Expression of phosphorylated raf kinase inhibitor protein (pRKIP) is a predictor of lung cancer survival. BMC Cancer, 2011, 11, 259.  | 2.6  | 39        |
| 481 | Snail1 induces epithelial-to-mesenchymal transition and tumor initiating stem cell characteristics. BMC Cancer, 2011, 11, 396.  | 2.6  | 92        |
| 482 | Transcription factors zeb1, twist and snail in breast carcinoma. BMC Cancer, 2011, 11, 73.  | 2.6  | 113       |
| 483 | BRAF and RAS oncogenes regulate Rho GTPase pathways to mediate migration and invasion properties in human colon cancer cells: a comparative study. Molecular Cancer, 2011, 10, 118.       | 19.2 | 116       |
| 484 | Role of tissue transglutaminase 2 in the acquisition of a mesenchymal-like phenotype in highly invasive A431 tumor cells. Molecular Cancer, 2011, 10, 87.                                 | 19.2 | 52        |
| 485 | ZEB1 limits adenoviral infectability by transcriptionally repressing the Coxsackie virus and Adenovirus Receptor. Molecular Cancer, 2011, 10, 91.   | 19.2 | 19        |
| 486 | Notch1 binds and induces degradation of Snail in hepatocellular carcinoma. BMC Biology, 2011, 9, 83.  | 3.8  | 36        |
| 487 | Epithelial-Mesenchymal Transition in tumor microenvironment. Cell and Bioscience, 2011, 1, 29.  | 4.8  | 226       |
| 488 | Claudins in lung diseases. Respiratory Research, 2011, 12, 70.  | 3.6  | 99        |
| 489 | Microâ€RNA signature of the epithelial–mesenchymal transition in endometrial carcinosarcoma. Journal of Pathology, 2011, 223, 72-80.  | 4.5  | 194       |
| 490 | Polyomavirus enhancer activator 3 protein promotes breast cancer metastatic progression through Snailâ€induced epithelial–mesenchymal transition. Journal of Pathology, 2011, 224, 78-89. | 4.5  | 45        |
| 491 | The Forkhead factor FoxQ1 influences epithelial differentiation. Journal of Cellular Physiology, 2011, 226, 710-719.  | 4.1  | 55        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 492 | Notch1 differentially regulates oncogenesis by wildtype p53 overexpression and p53 mutation in grade III hepatocellular carcinoma. Hepatology, 2011, 53, 1352-1362.  | 7.3 | 39        |
| 493 | Human hepatocellular carcinomas with "Stemness―related marker expression: keratin 19 expression and a poor prognosis. Hepatology, 2011, 54, 1707-1717.   | 7.3 | 291       |
| 494 | Lysyl oxidaseâ€like 2 (LOXL2), a new regulator of cell polarity required for metastatic dissemination of basalâ€like breast carcinomas. EMBO Molecular Medicine, 2011, 3, 528-544.   | 6.9 | 150       |
| 495 | Expression and function role of DNA methyltransferase 1 in human bladder cancer. Cancer, 2011, 117, 5221-5233.   | 4.1 | 41        |
| 496 | Stem cell property epithelialâ€ŧoâ€mesenchymal transition is a core transcriptional network for predicting cetuximab (Erbituxâ,,¢) efficacy in <i>KRAS</i> wildâ€ŧype tumor cells. Journal of Cellular Biochemistry, 2011, 112, 10-29. | 2.6 | 41        |
| 497 | Overâ€expression of FoxM1 leads to epithelial–mesenchymal transition and cancer stem cell phenotype in pancreatic cancer cells. Journal of Cellular Biochemistry, 2011, 112, 2296-2306.  | 2.6 | 199       |
| 498 | Cisplatin treatment of primary and metastatic epithelial ovarian carcinomas generates residual cells with mesenchymal stem cell-like profile. Journal of Cellular Biochemistry, 2011, 112, 2850-2864.                                  | 2.6 | 202       |
| 499 | "Un-Slugging―Resistance to Epidermal Growth Factor Receptor Inhibition. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 970-972.  | 5.6 | 1         |
| 500 | Snail1 controls epithelial–mesenchymal lineage commitment in focal adhesion kinase–null embryonic cells. Journal of Cell Biology, 2011, 195, 729-738.  | 5.2 | 51        |
| 501 | Temporal and Spatial Cooperation of Snail1 and Twist1 during Epithelial–Mesenchymal Transition Predicts for Human Breast Cancer Recurrence. Molecular Cancer Research, 2011, 9, 1644-1657.   | 3.4 | 143       |
| 502 | Reversal and Prevention of Arsenic-Induced Human Bronchial Epithelial Cell Malignant Transformation by microRNA-200b. Toxicological Sciences, 2011, 121, 110-122.  | 3.1 | 130       |
| 503 | p53-dependent regulation of growth, epithelial-mesenchymal transition and stemness in normal pancreatic epithelial cells. Cell Cycle, 2011, 10, 1312-1321.   | 2.6 | 97        |
| 504 | 3'-UTR-mediated post-transcriptional regulation of cancer metastasis. RNA Biology, 2011, 8, 595-599.   | 3.1 | 14        |
| 505 | B1-SINE retrotransposons. Mobile Genetic Elements, 2011, 1, 66-70.   | 1.8 | 18        |
| 506 | $HIF-1\hat{l}\pm$ Confers Aggressive Malignant Traits on Human Tumor Cells Independent of Its Canonical Transcriptional Function. Cancer Research, 2011, 71, 1244-1252.  | 0.9 | 56        |
| 507 | p53 Activation by Blocking Snail: A Novel Pharmacological Strategy for Cancer. Current Pharmaceutical Design, 2011, 17, 610-617.   | 1.9 | 13        |
| 508 | TGF-beta1 reduces Wilms' tumor suppressor gene expression in podocytes. Nephrology Dialysis Transplantation, 2011, 26, 2746-2752.  | 0.7 | 24        |
| 509 | Mechanisms of Resistance to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Patients with Advanced Non-Small-Cell Lung Cancer: Clinical and Molecular Considerations. Current Medicinal Chemistry, 2011, 18, 1613-1628. | 2.4 | 32        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 511 | Immunotherapy targeting colon cancer stem cells. Immunotherapy, 2011, 3, 97-106.   | 2.0         | 19        |
| 512 | Sorafenib Inhibits the Hepatocyte Growth Factor–Mediated Epithelial Mesenchymal Transition in Hepatocellular Carcinoma. Molecular Cancer Therapeutics, 2011, 10, 169-177.  | 4.1         | 109       |
| 513 | FOXQ1 Regulates Epithelial-Mesenchymal Transition in Human Cancers. Cancer Research, 2011, 71, 3076-3086.  | 0.9         | 153       |
| 514 | î"Np63α Protein Triggers Epithelial-Mesenchymal Transition and Confers Stem Cell Properties in Normal Human Keratinocytes. Journal of Biological Chemistry, 2011, 286, 38757-38767.  | 3.4         | 55        |
| 515 | Forkhead Transcription Factor <i>Foxq1</i> Promotes Epithelial–Mesenchymal Transition and Breast Cancer Metastasis. Cancer Research, 2011, 71, 1292-1301.  | 0.9         | 162       |
| 516 | The F-box protein Ppa is a common regulator of core EMT factors Twist, Snail, Slug, and Sip1. Journal of Cell Biology, 2011, 194, 17-25.   | <b>5.</b> 2 | 130       |
| 517 | Zeppo1 is a novel metastasis promoter that represses <i>E-cadherin </i> placetion is a novel metastasis promoter that represses <i>E-cadherin </i> placetion is a novel metastasis promoter that represses <i>E-cadherin </i> pression and regulates placetion is a novel metastasis promoter that represses <i>E-cadherin </i> pression and regulates placetion is a novel metastasis promoter that represses <i>E-cadherin </i> pression and regulates placetion is a novel metastasis promoter that represses <i>E-cadherin </i> pression and regulates placetion is a novel metastasis promoter that represses <i>E-cadherin </i> pression and regulates placetion is a novel metastasis promoter that represses <i>E-cadherin </i> pression and regulates placetion is a novel metastasis placetion is novel metastasis placetion is novel metastasis placetion i | 5.9         | 81        |
| 518 | KDM6B/JMJD3 histone demethylase is induced by vitamin D and modulates its effects in colon cancer cells. Human Molecular Genetics, 2011, 20, 4655-4665.  | 2.9         | 145       |
| 519 | Cdc6 expression represses E-cadherin transcription and activates adjacent replication origins. Journal of Cell Biology, 2011, 195, 1123-1140.  | 5.2         | 86        |
| 520 | Oncogene-Mediated Human Lung Epithelial Cell Transformation Produces Adenocarcinoma Phenotypes <i>In Vivo</i> . Cancer Research, 2011, 71, 2541-2549.  | 0.9         | 35        |
| 521 | A NOTCH3-Mediated Squamous Cell Differentiation Program Limits Expansion of EMT-Competent Cells That Express the ZEB Transcription Factors. Cancer Research, 2011, 71, 6836-6847.  | 0.9         | 99        |
| 522 | Emergence of the Phosphoinositide 3-Kinase-Akt- Mammalian Target of Rapamycin Axis in Transforming Growth Factor-Î <sup>2</sup> -Induced Epithelial-Mesenchymal Transition. Cells Tissues Organs, 2011, 193, 8-22.   | 2.3         | 85        |
| 523 | The EMT regulator slug and lung carcinogenesis. Carcinogenesis, 2011, 32, 1299-1304.   | 2.8         | 274       |
| 524 | A p53/miRNA-34 axis regulates Snail1-dependent cancer cell epithelial–mesenchymal transition. Journal of Cell Biology, 2011, 195, 417-433.   | 5.2         | 390       |
| 525 | Regulation of IFN-λ1 Promoter Activity (IFN-λ1/IL-29) in Human Airway Epithelial Cells. Journal of Immunology, 2011, 187, 5636-5644.   | 0.8         | 45        |
| 526 | Is the Epithelial-to-Mesenchymal Transition Clinically Relevant for the Cancer Patient?. Current Pharmaceutical Biotechnology, 2011, 12, 1891-1899.  | 1.6         | 25        |
| 527 | Slug (SNAI2) expression in oral SCC cells results in altered cell-cell adhesion and increased motility. Cell Adhesion and Migration, 2011, 5, 315-322.   | 2.7         | 42        |
| 528 | Heparan sulfate D-glucosaminyl 3- <i>O</i> -sulfotransferase-3B1, a novel epithelial-mesenchymal transition inducer in pancreatic cancer. Cancer Biology and Therapy, 2011, 12, 388-398.   | 3.4         | 24        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 529 | Tracking the intermediate stages of epithelial-mesenchymal transition in epithelial stem cells and cancer. Cell Cycle, 2011, 10, 2865-2873.  | 2.6  | 199       |
| 530 | The transcription factor FOXM1c binds to and transactivates the promoter of the tumor suppressor geneE-cadherin. Cell Cycle, 2011, 10, 760-766.  | 2.6  | 16        |
| 531 | Epithelial cell polarity and tumorigenesis: new perspectives for cancer detection and treatment. Acta Pharmacologica Sinica, 2011, 32, 552-564.  | 6.1  | 58        |
| 532 | Functional Cooperation between Snail1 and Twist in the Regulation of ZEB1 Expression during Epithelial to Mesenchymal Transition. Journal of Biological Chemistry, 2011, 286, 12024-12032.   | 3.4  | 239       |
| 533 | Proteomics Profiling of Madin-Darby Canine Kidney Plasma Membranes Reveals Wnt-5a Involvement during Oncogenic H-Ras/TGF-Î <sup>2</sup> -mediated Epithelial-Mesenchymal Transition. Molecular and Cellular Proteomics, 2011, 10, S1-S15.  | 3.8  | 47        |
| 534 | Switching on EMT in the peritoneal membrane: considering the evidence. Nephrology Dialysis Transplantation, 2011, 26, 12-15.   | 0.7  | 7         |
| 535 | Forkhead factors regulate epithelial plasticity: Impact on cancer progression. Cell Cycle, 2011, 10, 2454-2460.  | 2.6  | 6         |
| 536 | Importin α Protein Acts as a Negative Regulator for Snail Protein Nuclear Import. Journal of Biological Chemistry, 2011, 286, 15126-15131.   | 3.4  | 21        |
| 537 | miR-34 and SNAIL form a double-negative feedback loop to regulate epithelial-mesenchymal transitions. Cell Cycle, 2011, 10, 4256-4271.   | 2.6  | 539       |
| 538 | Effects of cadmium on bone microstructure and serum tartrate-resistant acid phosphatase 5b in male rats. Experimental Biology and Medicine, 2011, 236, 1298-1305.  | 2.4  | 14        |
| 539 | TRB3 interacts with SMAD3 promoting tumor cell migration and invasion. Journal of Cell Science, 2011, 124, 3235-3246.  | 2.0  | 117       |
| 540 | Smad-Interacting Protein-1 and MicroRNA 200 Family Define a Nitric Oxide–Dependent Molecular Circuitry Involved in Embryonic Stem Cell Mesendoderm Differentiation. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 898-907. | 2.4  | 26        |
| 541 | The Biology of HDAC in Cancer: The Nuclear and Epigenetic Components. Handbook of Experimental Pharmacology, 2011, 206, 13-37.   | 1.8  | 86        |
| 542 | MicroRNAs in Development and Disease. Physiological Reviews, 2011, 91, 827-887.  | 28.8 | 959       |
| 543 | NF-ÎB mediates the 12(S)-HETE-induced endothelial to mesenchymal transition of lymphendothelial cells during the intravasation of breast carcinoma cells. British Journal of Cancer, 2011, 105, 263-271.                                   | 6.4  | 59        |
| 544 | An autocrine TGF- $\hat{l}^2$ /ZEB/miR-200 signaling network regulates establishment and maintenance of epithelial-mesenchymal transition. Molecular Biology of the Cell, 2011, 22, 1686-1698.   | 2.1  | 505       |
| 545 | Exon 11 Skipping of E-Cadherin RNA Downregulates Its Expression in Head and Neck Cancer Cells. Molecular Cancer Therapeutics, 2011, 10, 1751-1759.   | 4.1  | 25        |
| 546 | Acquisition of Chemoresistance and EMT Phenotype Is Linked with Activation of the Endothelin A Receptor Pathway in Ovarian Carcinoma Cells. Clinical Cancer Research, 2011, 17, 2350-2360.   | 7.0  | 167       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 547 | Direct reprogramming of stem cell properties in colon cancer cells by CD44. EMBO Journal, 2011, 30, 3186-3199.  | 7.8 | 155       |
| 548 | Protein complexes that control renal epithelial polarity. American Journal of Physiology - Renal Physiology, 2011, 300, F589-F601.  | 2.7 | 88        |
| 549 | Prognostic Value of Colorectal Cancer Biomarkers. Cancers, 2011, 3, 2080-2105.  | 3.7 | 5         |
| 550 | Androgen regulation of epithelial–mesenchymal transition in prostate tumorigenesis. Expert Review of Endocrinology and Metabolism, 2011, 6, 469-482.  | 2.4 | 44        |
| 551 | A Noncoding Point Mutation of Zeb1 Causes Multiple Developmental Malformations and Obesity in Twirler Mice. PLoS Genetics, 2011, 7, e1002307.   | 3.5 | 32        |
| 552 | Expression of mesenchymal-related genes by the bovine trophectoderm following conceptus attachment to the endometrial epithelium. Reproduction, 2012, 143, 377-387.   | 2.6 | 62        |
| 553 | EMT Inducers Catalyze Malignant Transformation of Mammary Epithelial Cells and Drive Tumorigenesis towards Claudin-Low Tumors in Transgenic Mice. PLoS Genetics, 2012, 8, e1002723.   | 3.5 | 171       |
| 554 | The Role of MicroRNAs in Breast Cancer Migration, Invasion and Metastasis. International Journal of Molecular Sciences, 2012, 13, 13414-13437.  | 4.1 | 161       |
| 555 | Cell Adhesion and Its Endocytic Regulation in Cell Migration during Neural Development and Cancer Metastasis. International Journal of Molecular Sciences, 2012, 13, 4564-4590.   | 4.1 | 121       |
| 556 | Akt Activation Is Responsible for Enhanced Migratory and Invasive Behavior of Arsenic-Transformed Human Bronchial Epithelial Cells. Environmental Health Perspectives, 2012, 120, 92-97.  | 6.0 | 61        |
| 557 | Transcription initiation arising from E-cadherin/CDH1 intron2: a novel protein isoform that increases gastric cancer cell invasion and angiogenesisâ€. Human Molecular Genetics, 2012, 21, 4253-4269.   | 2.9 | 16        |
| 558 | GSK3, Snail, and Adhesion Molecule Regulation by Cyclosporine A in Renal Tubular Cells. Toxicological Sciences, 2012, 127, 425-437.   | 3.1 | 31        |
| 559 | Analysis of Snail-1, E-Cadherin and Claudin-1 Expression in Colorectal Adenomas and Carcinomas. International Journal of Molecular Sciences, 2012, 13, 1632-1643.   | 4.1 | 44        |
| 560 | Loss of SNAIL Regulated miR-128-2 on Chromosome 3p22.3 Targets Multiple Stem Cell Factors to Promote Transformation of Mammary Epithelial Cells. Cancer Research, 2012, 72, 6036-6050.  | 0.9 | 78        |
| 561 | Epithelial to Mesenchymal Transition Is Activated in Metastatic Pheochromocytomas and Paragangliomas Caused by SDHB Gene Mutations. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E954-E962.  | 3.6 | 87        |
| 562 | Oncogenic cooperation between SOCS family proteins and EGFR identified using a <i>Drosophila</i> epithelial transformation model. Genes and Development, 2012, 26, 1602-1611.   | 5.9 | 71        |
| 563 | Mesenchymal stem cells play a potential role in regulating the establishment and maintenance of epithelial-mesenchymal transition in MCF7 human breast cancer cells by paracrine and induced autocrine TGF- $\hat{l}^2$ . International Journal of Oncology, 2012, 41, 959-968. | 3.3 | 72        |
| 564 | Activation of the PTHRP/adenylate cyclase pathway promotes differentiation of rat XEN cells into parietal endoderm, whereas $Wnt/\hat{l}^2$ -catenin signaling promotes differentiation into visceral endoderm. Journal of Cell Science, 2013, 126, 128-138.                    | 2.0 | 12        |

| #   | Article  | IF           | Citations |
|-----|--|--------------|-----------|
| 565 | ZEB2 upregulates integrin α5 expression through cooperation with Sp1 to induce invasion during epithelial–mesenchymal transition of human cancer cells. Carcinogenesis, 2012, 33, 563-571.                           | 2.8          | 90        |
| 566 | Metaplastic breast carcinomas are enriched in markers of tumor-initiating cells and epithelial to mesenchymal transition. Modern Pathology, 2012, 25, 178-184.   | 5 <b>.</b> 5 | 89        |
| 567 | The Endothelin Axis as Therapeutic Target in Human Malignancies: Present and Future. Current Pharmaceutical Design, 2012, 18, 2720-2733.   | 1.9          | 7         |
| 568 | The regulation of cell-cell adhesion during epithelial-mesenchymal transition, motility and tumor progression. Cell Adhesion and Migration, 2012, 6, 365-373.  | 2.7          | 167       |
| 569 | RANK Induces Epithelial–Mesenchymal Transition and Stemness in Human Mammary Epithelial Cells and Promotes Tumorigenesis and Metastasis. Cancer Research, 2012, 72, 2879-2888.                                       | 0.9          | 172       |
| 570 | LOXL2 in epithelial cell plasticity and tumor progression. Future Oncology, 2012, 8, 1095-1108.  | 2.4          | 78        |
| 571 | Setting Snail2's pace during EMT. Nature Cell Biology, 2012, 14, 1122-1123.  | 10.3         | 10        |
| 572 | Epithelial–mesenchymal transition biomarkers and support vector machine guided model in preoperatively predicting regional lymph node metastasis for rectal cancer. British Journal of Cancer, 2012, 106, 1735-1741. | 6.4          | 22        |
| 573 | Silencing of Twist1 sensitizes NSCLC cells to cisplatin via AMPK-activated mTOR inhibition. Cell Death and Disease, 2012, 3, e319-e319.  | 6.3          | 36        |
| 574 | Possible involvement of the E-cadherin gene in genetic susceptibility to endometriosis. Human Reproduction, 2012, 27, 1685-1689.   | 0.9          | 18        |
| 575 | Activation of the ATM-Snail pathway promotes breast cancer metastasis. Journal of Molecular Cell Biology, 2012, 4, 304-315.  | 3.3          | 96        |
| 576 | Expression of DSG1 and DSC1 are prognostic markers in anal carcinoma patients. British Journal of Cancer, 2012, 106, 756-762.  | 6.4          | 33        |
| 577 | Regulation of Transcription Factor Twist Expression by the DNA Architectural Protein High Mobility Group A2 during Epithelial-to-Mesenchymal Transition. Journal of Biological Chemistry, 2012, 287, 7134-7145.      | 3.4          | 94        |
| 578 | Roles of STAT3 and ZEB1 Proteins in E-cadherin Down-regulation and Human Colorectal Cancer Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2012, 287, 5819-5832.                                 | 3.4          | 260       |
| 579 | Mammary Epithelial Cell Polarity Is Regulated Differentially by p73 Isoforms via Epithelial-to-mesenchymal Transition. Journal of Biological Chemistry, 2012, 287, 17746-17753.                                      | 3.4          | 27        |
| 580 | BMK1 Kinase Suppresses Epithelial–Mesenchymal Transition through the Akt/GSK3β Signaling Pathway.<br>Cancer Research, 2012, 72, 1579-1587.   | 0.9          | 62        |
| 581 | MicroRNA-200 Family Modulation in Distinct Breast Cancer Phenotypes. PLoS ONE, 2012, 7, e47709.  | 2.5          | 85        |
| 582 | TCF12 Protein Functions as Transcriptional Repressor of E-cadherin, and Its Overexpression Is Correlated with Metastasis of Colorectal Cancer. Journal of Biological Chemistry, 2012, 287, 2798-2809.                | 3.4          | 87        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 583 | TGF- $\hat{l}^2$ in Epithelial to Mesenchymal Transition and Metastasis of Liver Carcinoma. Current Pharmaceutical Design, 2012, 18, 4135-4147.   | 1.9  | 95        |
| 584 | Context-dependent Action of Transforming Growth Factor $\hat{l}^2$ Family Members on Normal and Cancer Stem Cells. Current Pharmaceutical Design, 2012, 18, 4072-4086.                  | 1.9  | 22        |
| 585 | Twist: a new player in the epithelial-mesenchymal transition of the peritoneal mesothelial cells. Nephrology Dialysis Transplantation, 2012, 27, 3978-3981.                             | 0.7  | 15        |
| 586 | Derivation of High-Purity Definitive Endoderm from Human Parthenogenetic Stem Cells Using an in Vitro Analog of the Primitive Streak. Cell Transplantation, 2012, 21, 217-234.          | 2.5  | 18        |
| 587 | Osteopontin Regulates Epithelial Mesenchymal Transition-Associated Growth of Hepatocellular Cancer in a Mouse Xenograft Model. Annals of Surgery, 2012, 255, 319-325.                   | 4.2  | 41        |
| 588 | Short hairpin RNA targeting Twist1 suppresses cell proliferation and improves chemosensitivity to cisplatin in HeLa human cervical cancer cells. Oncology Reports, 2012, 27, 1027-1034. | 2.6  | 58        |
| 589 | EMT and induction of miR-21 mediate metastasis development in Trp53-deficient tumours. Scientific Reports, 2012, 2, 434.  | 3.3  | 74        |
| 590 | Downregulation of IRS-1 promotes metastasis of head and neck squamous cell carcinoma. Oncology Reports, 2012, 28, 659-667.  | 2.6  | 22        |
| 591 | Epigenetic reprogramming and post-transcriptional regulation during the epithelial–mesenchymal transition. Trends in Genetics, 2012, 28, 454-463.                                       | 6.7  | 140       |
| 592 | Epithelial–Mesenchymal Transition Induced by TNF-α Requires NF-κB–Mediated Transcriptional Upregulation of Twist1. Cancer Research, 2012, 72, 1290-1300.                                | 0.9  | 406       |
| 593 | Spatiotemporal Regulation of Epithelial-Mesenchymal Transition Is Essential for Squamous Cell Carcinoma Metastasis. Cancer Cell, 2012, 22, 725-736.                                     | 16.8 | 921       |
| 594 | Differential expression of PDZ domainâ€containing proteins in human diseases – challenging topics and novel issues. FEBS Journal, 2012, 279, 3538-3548.                                 | 4.7  | 37        |
| 595 | Emerging evidence of epithelialâ€toâ€mesenchymal transition in lung carcinogenesis. Respirology, 2012, 17, 1048-1059.   | 2.3  | 83        |
| 596 | MicroRNA-181a – a tale of discrepancies. Expert Reviews in Molecular Medicine, 2012, 14, e5.  | 3.9  | 37        |
| 597 | Pancreatic ductal adenocarcinoma and acinar cells: a matter of differentiation and development?. Gut, 2012, 61, 449-458.  | 12.1 | 100       |
| 598 | Saltâ€inducible kinase 1 regulates Eâ€cadherin expression and intercellular junction stability. FASEB Journal, 2012, 26, 3230-3239.   | 0.5  | 25        |
| 599 | Metastatic Colonization Requires the Repression of the Epithelial-Mesenchymal Transition Inducer Prrx1. Cancer Cell, 2012, 22, 709-724.   | 16.8 | 832       |
| 600 | $\rm ER\hat{I}^21$ represses basal-like breast cancer epithelial to mesenchymal transition by destabilizing EGFR. Breast Cancer Research, 2012, 14, R148.                               | 5.0  | 73        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 601 | Interplay between neural-cadherin and vascular endothelial-cadherin in breast cancer progression. Breast Cancer Research, 2012, 14, R154.   | 5.0  | 33        |
| 602 | Eâ $€c$ adherin dysfunction in gastric cancer â $€∙$ Cellular consequences, clinical applications and open questions. FEBS Letters, 2012, 586, 2981-2989.   | 2.8  | 74        |
| 603 | Expression of laminin-5 and integrins in actinic cheilitis and superficially invasive squamous cell carcinomas of the lip. Pathology Research and Practice, 2012, 208, 598-603.   | 2.3  | 8         |
| 604 | Differential expression of miRNAs in rhabdomyosarcoma and malignant rhabdoid tumor. Experimental Cell Research, 2012, 318, 2567-2577.   | 2.6  | 21        |
| 605 | The C-terminal region of E1A: a molecular tool for cellular cartography. Biochemistry and Cell Biology, 2012, 90, 153-163.  | 2.0  | 12        |
| 606 | ETV5 cooperates with LPP as a sensor of extracellular signals and promotes EMT in endometrial carcinomas. Oncogene, 2012, 31, 4778-4788.  | 5.9  | 45        |
| 607 | Plasticity of disseminating cancer cells in patients with epithelial malignancies. Cancer and Metastasis Reviews, 2012, 31, 673-687.  | 5.9  | 192       |
| 608 | 4-Shogaol, an Active Constituent of Dietary Ginger, Inhibits Metastasis of MDA-MB-231 Human Breast Adenocarcinoma Cells by Decreasing the Repression of NF-κB/Snail on RKIP. Journal of Agricultural and Food Chemistry, 2012, 60, 852-861. | 5.2  | 51        |
| 609 | Silencing of Glucose-Regulated Protein 78 (GRP78) Enhances Cell Migration Through the Upregulation of Vimentin in Hepatocellular Carcinoma Cells. Annals of Surgical Oncology, 2012, 19, 572-579.   | 1.5  | 29        |
| 610 | Transient but Not Stable ZEB1 Knockdown Dramatically Inhibits Growth of Malignant Pleural<br>Mesothelioma Cells. Annals of Surgical Oncology, 2012, 19, 634-645.  | 1.5  | 6         |
| 611 | Exploiting p70 S6 kinase as a target for ovarian cancer. Expert Opinion on Therapeutic Targets, 2012, 16, 619-630.  | 3.4  | 42        |
| 612 | A dynamic in vivo model of epithelial-to-mesenchymal transitions in circulating tumor cells and metastases of breast cancer. Oncogene, 2012, 31, 3741-3753.   | 5.9  | 170       |
| 613 | Heparin-Binding EGF-Like Growth Factor Promotes Epithelialâ€"Mesenchymal Transition in Human Keratinocytes. Journal of Investigative Dermatology, 2012, 132, 2148-2157.   | 0.7  | 64        |
| 614 | Treatment-induced damage to the tumor microenvironment promotes prostate cancer therapy resistance through WNT16B. Nature Medicine, 2012, 18, 1359-1368.  | 30.7 | 682       |
| 615 | DEDD Interacts with PI3KC3 to Activate Autophagy and Attenuate Epithelial–Mesenchymal Transition in Human Breast Cancer. Cancer Research, 2012, 72, 3238-3250.  | 0.9  | 145       |
| 616 | Protein Kinase D1 Mediates Anchorage-dependent and -independent Growth of Tumor Cells via the Zinc Finger Transcription Factor Snail1. Journal of Biological Chemistry, 2012, 287, 32367-32380.   | 3.4  | 35        |
| 617 | Epithelial-mesenchymal transition can suppress major attributes of human epithelial tumor-initiating cells. Journal of Clinical Investigation, 2012, 122, 1849-1868.  | 8.2  | 401       |
| 618 | Slug Expression during Melanoma Progression. American Journal of Pathology, 2012, 180, 2479-2489.   | 3.8  | 67        |

| #   | Article   | IF   | CITATIONS  |
|-----|---|------|------------|
| 619 | Role of Cripto-1 during Epithelial-to-Mesenchymal Transition in Development and Cancer. American Journal of Pathology, 2012, 180, 2188-2200.  | 3.8  | 93         |
| 620 | Activation of STAT3 Signal Pathway Correlates with Twist and E-Cadherin Expression in Hepatocellular Carcinoma and Their Clinical Significance. Journal of Surgical Research, 2012, 174, 120-129.   | 1.6  | 52         |
| 621 | Immunohistochemical expression profile of $\hat{l}^2$ -catenin, E-cadherin, P-cadherin, laminin- $5\hat{l}^3$ 2 chain, and SMAD4 in colorectal serrated adenocarcinoma. Human Pathology, 2012, 43, 1094-1102.   | 2.0  | 29         |
| 622 | miR-30 inhibits TGF- $\hat{l}^21$ -induced epithelial-to-mesenchymal transition in hepatocyte by targeting Snail1. Biochemical and Biophysical Research Communications, 2012, 417, 1100-1105.   | 2.1  | 135        |
| 623 | Smad3 and Snail show circadian expression in human gingival fibroblasts, human mesenchymal stem cell, and in mouse liver. Biochemical and Biophysical Research Communications, 2012, 419, 441-446.  | 2.1  | 33         |
| 624 | Notch signaling mediates TGF-β1-induced epithelial–mesenchymal transition through the induction of Snai1. International Journal of Biochemistry and Cell Biology, 2012, 44, 776-789.  | 2.8  | <b>7</b> 5 |
| 625 | EGCG Inhibits Transforming Growth Factor- $\hat{l}^2$ -Mediated Epithelial-to-Mesenchymal Transition via the Inhibition of Smad2 and Erk1/2 Signaling Pathways in Nonsmall Cell Lung Cancer Cells. Journal of Agricultural and Food Chemistry, 2012, 60, 9863-9873. | 5.2  | 62         |
| 626 | SIRT1 induces EMT by cooperating with EMT transcription factors and enhances prostate cancer cell migration and metastasis. Oncogene, 2012, 31, 4619-4629.  | 5.9  | 271        |
| 627 | Actin isoforms and reorganization of adhesion junctions in epithelial-to-mesenchymal transition of cervical carcinoma cells. Biochemistry (Moscow), 2012, 77, 1266-1276.  | 1.5  | 27         |
| 628 | Hypoxia-regulated target genes implicated in tumor metastasis. Journal of Biomedical Science, 2012, 19, 102.  | 7.0  | 167        |
| 629 | The T-box transcription factor Brachyury regulates epithelial–mesenchymal transition in association with cancer stem-like cells in adenoid cystic carcinoma cells. BMC Cancer, 2012, 12, 377.   | 2.6  | 47         |
| 630 | lL-1 $\hat{l}^2$ promotes stemness and invasiveness of colon cancer cells through Zeb1 activation. Molecular Cancer, 2012, 11, 87.  | 19.2 | 245        |
| 631 | Unmasking epithelial-mesenchymal transition in a breast cancer primary culture: a study report. BMC Research Notes, 2012, 5, 343.   | 1.4  | 13         |
| 632 | Hepatitis <scp>B</scp> virus <scp>X</scp> protein promotes hepatoma cell invasion and metastasis by stabilizing <scp>S</scp> nail protein. Cancer Science, 2012, 103, 2072-2081.  | 3.9  | 52         |
| 633 | Translational control of TWIST1 expression in MCF-10A cell lines recapitulating breast cancer progression. Oncogene, 2012, 31, 4960-4966.   | 5.9  | 66         |
| 634 | The epithelial–mesenchymal transition under control: Global programs to regulate epithelial plasticity. Seminars in Cancer Biology, 2012, 22, 361-368.  | 9.6  | 244        |
| 635 | New Insights into the Regulation of Epithelial–Mesenchymal Transition and Tissue Fibrosis. International Review of Cell and Molecular Biology, 2012, 294, 171-221.  | 3.2  | 141        |
| 636 | Epithelial-mesenchymal transitions: insights from development. Development (Cambridge), 2012, 139, 3471-3486.   | 2.5  | 582        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 637 | Using components of the vitamin D pathway to prevent and treat colon cancer. Nutrition Reviews, 2012, 70, 721-729.   | 5.8 | 29        |
| 638 | Linking epithelial-to-mesenchymal-transition and epigenetic modifications. Seminars in Cancer Biology, 2012, 22, 404-410.  | 9.6 | 31        |
| 639 | On translational regulation and EMT. Seminars in Cancer Biology, 2012, 22, 437-445.  | 9.6 | 27        |
| 640 | 7.4 Biophysics of Cadherin-Mediated Cell–Cell Adhesion. , 2012, , 33-47.   |     | O         |
| 641 | Cdc6: A multi-functional molecular switch with critical role in carcinogenesis. Transcription, 2012, 3, 124-129.   | 3.1 | 31        |
| 643 | Microbes-induced EMT at the crossroad of inflammation and cancer. Gut Microbes, 2012, 3, 176-185.  | 9.8 | 71        |
| 644 | Complex changes in alternative pre-mRNA splicing play a central role in the epithelial-to-mesenchymal transition (EMT). Seminars in Cancer Biology, 2012, 22, 417-427.                           | 9.6 | 127       |
| 645 | Regulation of signalling by microRNAs. Biochemical Society Transactions, 2012, 40, 26-30.  | 3.4 | 58        |
| 646 | Relationship between TWIST expression and epithelial–mesenchymal transition of oesophageal squamous cell carcinoma. Cell Biology International, 2012, 36, 571-577.                               | 3.0 | 9         |
| 647 | The PI3K/Akt/mTOR signaling pathway mediates insulin-like growth factor 1-induced E-cadherin down-regulation and cell proliferation in ovarian cancer cells. Cancer Letters, 2012, 326, 191-198. | 7.2 | 110       |
| 648 | Epithelial–mesenchymal transition and breast cancer: Role, molecular mechanisms and clinical impact. Cancer Treatment Reviews, 2012, 38, 689-697.  | 7.7 | 235       |
| 649 | Identification and Regulation of a Molecular Module for Bleb-Based Cell Motility. Developmental Cell, 2012, 23, 210-218.   | 7.0 | 61        |
| 650 | Restoration of E-cadherin expression in pancreatic ductal adenocarcinoma treated with microRNA-101. Surgery, 2012, 152, 704-713.   | 1.9 | 29        |
| 651 | Inflammation linking EMT and cancer stem cells. Oral Oncology, 2012, 48, 1068-1075.  | 1.5 | 55        |
| 652 | MicroRNAs: Small but amazing, and their association with endothelin. Life Sciences, 2012, 91, 475-489.   | 4.3 | 23        |
| 653 | TGF- $\hat{I}^2$ -induced epithelial-mesenchymal transition: A link between cancer and inflammation. Seminars in Cancer Biology, 2012, 22, 455-461.  | 9.6 | 186       |
| 654 | Snail, a transcriptional regulator, represses adiponectin expression by directly binding to an E-box motif in the promoter. Metabolism: Clinical and Experimental, 2012, 61, 1622-1632.          | 3.4 | 12        |
| 655 | Pathophysiological Changes to the Peritoneal Membrane during PD-Related Peritonitis: The Role of Mesothelial Cells. Mediators of Inflammation, 2012, 2012, 1-21.                                 | 3.0 | 178       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 656 | The microRNA (miR)-199a/214 Cluster Mediates Opposing Effects of Progesterone and Estrogen on Uterine Contractility during Pregnancy and Labor. Molecular Endocrinology, 2012, 26, 1857-1867. | 3.7  | 94        |
| 657 | SIX1 promotes epithelial–mesenchymal transition in colorectal cancer through ZEB1 activation. Oncogene, 2012, 31, 4923-4934.  | 5.9  | 102       |
| 658 | Tumor necrosis factor-α (TNF-α) stimulates the epithelial–mesenchymal transition regulator Snail in cholangiocarcinoma. Medical Oncology, 2012, 29, 3083-3091.                                | 2.5  | 57        |
| 659 | Opposite Roles of Furin and PC5A in N-Cadherin Processing. Neoplasia, 2012, 14, 880-IN3.  | 5.3  | 23        |
| 660 | Transcriptional repression via antilooping in the <i>Drosophila</i> embryo. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9460-9464.            | 7.1  | 29        |
| 661 | Dynamic epigenetic regulation of the microRNA-200 family mediates epithelial and mesenchymal transitions in human tumorigenesis. Oncogene, 2012, 31, 2062-2074.                               | 5.9  | 323       |
| 662 | DNA methylation-associated silencing of tumor-suppressor microRNAs in cancer. Oncogene, 2012, 31, 1609-1622.  | 5.9  | 307       |
| 663 | Recruitment of histone deacetylases HDAC1 and HDAC2 by the transcriptional repressor ZEB1 downregulates E-cadherin expression in pancreatic cancer. Gut, 2012, 61, 439-448.                   | 12.1 | 227       |
| 664 | Serous Effusions., 2012, , .  |      | 9         |
| 665 | EMT and Oxidative Stress: A Bidirectional Interplay Affecting Tumor Malignancy. Antioxidants and Redox Signaling, 2012, 16, 1248-1263.  | 5.4  | 185       |
| 666 | Insulin-like Growth Factors and Cancer. , 2012, , .   |      | 16        |
| 667 | Establishment of animal model for the analysis of cancer cell metastasis during radiotherapy. Radiation Oncology, 2012, 7, 153.   | 2.7  | 44        |
| 668 | Inhibition of Transforming Growth Factor-Activated Kinase 1 (TAK1) Blocks and Reverses Epithelial to Mesenchymal Transition of Mesothelial Cells. PLoS ONE, 2012, 7, e31492.                  | 2.5  | 46        |
| 669 | The putative Tumor Suppressor VILIP-1 Counteracts Epidermal Growth Factor-Induced Epidermal-Mesenchymal Transition in Squamous Carcinoma Cells. PLoS ONE, 2012, 7, e33116.                    | 2.5  | 10        |
| 670 | A Novel Network Integrating a miRNA-203/SNAI1 Feedback Loop which Regulates Epithelial to Mesenchymal Transition. PLoS ONE, 2012, 7, e35440.  | 2.5  | 150       |
| 671 | Characterization of the SNAG and SLUG Domains of Snail2 in the Repression of E-Cadherin and EMT Induction: Modulation by Serine 4 Phosphorylation. PLoS ONE, 2012, 7, e36132.                 | 2.5  | 47        |
| 672 | Deficiency of Thioredoxin Binding Protein-2 (TBP-2) Enhances TGF-Î <sup>2</sup> Signaling and Promotes Epithelial to Mesenchymal Transition. PLoS ONE, 2012, 7, e39900.                       | 2.5  | 27        |
| 673 | The Epithelial-Mesenchymal Transition (EMT) Regulatory Factor SLUG (SNAI2) Is a Downstream Target of SPARC and AKT in Promoting Melanoma Cell Invasion. PLoS ONE, 2012, 7, e40378.            | 2.5  | 176       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 674 | Overexpression of CD157 Contributes to Epithelial Ovarian Cancer Progression by Promoting Mesenchymal Differentiation. PLoS ONE, 2012, 7, e43649.   | 2.5  | 22        |
| 675 | Emergence of HGF/SF-Induced Coordinated Cellular Motility. PLoS ONE, 2012, 7, e44671.   | 2.5  | 29        |
| 676 | Reelin Is Involved in Transforming Growth Factor- $\hat{l}^21$ -Induced Cell Migration in Esophageal Carcinoma Cells. PLoS ONE, 2012, 7, e31802.  | 2.5  | 50        |
| 677 | Suppression of CB1 Cannabinoid Receptor by Lentivirus Mediated Small Interfering RNA Ameliorates Hepatic Fibrosis in Rats. PLoS ONE, 2012, 7, e50850.   | 2.5  | 18        |
| 678 | Matricellular Proteins: A Sticky Affair with Cancers. Journal of Oncology, 2012, 2012, 1-17.  | 1.3  | 112       |
| 679 | c-Jun-N-Terminal Kinase Signaling Is Involved in Cyclosporine-Induced Epithelial Phenotypic Changes.<br>Journal of Transplantation, 2012, 2012, 1-6.  | 0.5  | 11        |
| 680 | Regulation of Ubiquitination-Mediated Protein Degradation by Survival Kinases in Cancer. Frontiers in Oncology, 2012, 2, 15.  | 2.8  | 49        |
| 681 | Epithelial–Mesenchymal Transition in Ovarian Carcinoma. Frontiers in Oncology, 2012, 2, 33.   | 2.8  | 136       |
| 682 | EGF-receptor signaling and epithelial-mesenchymal transition in human carcinomas. Frontiers in Bioscience - Scholar, 2012, S4, 671-684.   | 2.1  | 75        |
| 683 | Prognostic significance of snail expression in hilar cholangiocarcinoma. Brazilian Journal of Medical and Biological Research, 2012, 45, 617-624.   | 1.5  | 10        |
| 684 | Src-mediated regulation of E-cadherin and EMT in pancreatic cancer. Frontiers in Bioscience - Landmark, 2012, 17, 2059.   | 3.0  | 80        |
| 685 | 15â€Hydroxyprostaglandin dehydrogenase associates with poor prognosis in breast cancer, induces epithelial–mesenchymal transition, and promotes cell migration in cultured breast cancer cells. Journal of Pathology, 2012, 226, 674-686. | 4.5  | 32        |
| 686 | Epithelial and Mesenchymal Subpopulations Within Normal Basal Breast Cell Lines Exhibit Distinct Stem Cell/Progenitor Properties. Stem Cells, 2012, 30, 292-303.  | 3.2  | 113       |
| 687 | MUC1â€C oncoprotein confers androgenâ€independent growth of human prostate cancer cells. Prostate, 2012, 72, 1659-1668.   | 2.3  | 46        |
| 688 | Epithelial-Mesenchymal Transition and Metastasis: Role of Dicer Expression., 2012,, 213-229.  |      | 0         |
| 689 | Epidermal Growth Factor Induces Human Oviductal Epithelial Cell Invasion by Down-Regulating E-Cadherin Expression. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E1380-E1389.   | 3.6  | 15        |
| 690 | To differentiate or not â€" routes towards metastasis. Nature Reviews Cancer, 2012, 12, 425-436.  | 28.4 | 547       |
| 691 | Survivin-Mediated Cancer Cell Migration Through GRP78 and Epithelial-Mesenchymal Transition (EMT) Marker Expression in Mahlavu Cells. Annals of Surgical Oncology, 2012, 19, 336-343.   | 1.5  | 29        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 692 | Overexpression of SIP1 and Downregulation of E-cadherin Predict Delayed Neck Metastasis in Stage I/II Oral Tongue Squamous Cell Carcinoma After Partial Glossectomy. Annals of Surgical Oncology, 2012, 19, 612-619.                     | 1.5 | 58        |
| 693 | c-Myc expression and MEK1-induced Erk2 nuclear localization are required for TGF-beta induced epithelial–mesenchymal transition and invasion in prostate cancer. Carcinogenesis, 2012, 33, 1965-1975.                                    | 2.8 | 50        |
| 694 | MUC4 potentiates invasion and metastasis of pancreatic cancer cells through stabilization of fibroblast growth factor receptor 1. Carcinogenesis, 2012, 33, 1953-1964.   | 2.8 | 76        |
| 695 | Epithelial–mesenchymal transition and mesenchymal–epithelial transition via regulation of ZEBâ€1 and ZEBâ€2 expression in pancreatic cancer. Journal of Surgical Oncology, 2012, 105, 655-661.   | 1.7 | 83        |
| 696 | Timing and kinetics of E―to N adherin switch during neurulation in the avian embryo. Developmental Dynamics, 2012, 241, 1333-1349.   | 1.8 | 96        |
| 697 | Rnd3/RhoE Is down-regulated in hepatocellular carcinoma and controls cellular invasion.<br>Hepatology, 2012, 55, 1766-1775.  | 7.3 | 53        |
| 698 | Cyclin G1-mediated epithelial-mesenchymal transition via phosphoinositide 3-kinase/Akt signaling facilitates liver cancer progression. Hepatology, 2012, 55, 1787-1798.  | 7.3 | 95        |
| 699 | Snail overexpression induces an epithelial to mesenchymal transition and cancer stem cell-like properties in SCC9 cells. Laboratory Investigation, 2012, 92, 744-752.  | 3.7 | 81        |
| 700 | The miR-200 and miR-221/222 microRNA Families: Opposing Effects on Epithelial Identity. Journal of Mammary Gland Biology and Neoplasia, 2012, 17, 65-77.   | 2.7 | 106       |
| 701 | Signal Transducer and Activator of Transcription 3 (STAT3) Protein Suppresses Adenoma-to-carcinoma Transition in Apc/+ Mice via Regulation of Snail-1 (SNAI) Protein Stability. Journal of Biological Chemistry, 2012, 287, 18182-18189. | 3.4 | 62        |
| 702 | Snail Regulates MyoD Binding-Site Occupancy to Direct Enhancer Switching and Differentiation-Specific Transcription in Myogenesis. Molecular Cell, 2012, 47, 457-468.  | 9.7 | 163       |
| 703 | Overexpression of Snail induces epithelial–mesenchymal transition and a cancer stem cell–like phenotype in human colorectal cancer cells. Cancer Medicine, 2012, 1, 5-16.  | 2.8 | 190       |
| 704 | Cytometric and biochemical characterization of human breast cancer cells reveals heterogeneous myoepithelial phenotypes. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2012, 81A, 960-972.         | 1.5 | 36        |
| 705 | Evolutionary functional analysis and molecular regulation of the ZEB transcription factors. Cellular and Molecular Life Sciences, 2012, 69, 2527-2541.   | 5.4 | 134       |
| 706 | EMT in carcinoma progression and dissemination: Facts, unanswered questions, and clinical considerations. Cancer and Metastasis Reviews, 2012, 31, 277-283.  | 5.9 | 82        |
| 707 | miR-200c inhibits invasion and migration in human colon cancer cells SW480/620 by targeting ZEB1. Clinical and Experimental Metastasis, 2012, 29, 457-469.   | 3.3 | 61        |
| 708 | Suppression of the Epidermal Growth Factor Receptor Inhibits Epithelial–Mesenchymal Transition in Human Pancreatic Cancer PANC-1 Cells. Digestive Diseases and Sciences, 2012, 57, 1181-1189.  | 2.3 | 27        |
| 709 | Adipocytes Promote B16BL6 Melanoma Cell Invasion and the Epithelial-to-Mesenchymal Transition. Cancer Microenvironment, 2012, 5, 73-82.  | 3.1 | 63        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 710 | miR-200b regulates cell migration via Zeb family during mouse palate development. Histochemistry and Cell Biology, 2012, 137, 459-470.   | 1.7 | 42        |
| 711 | Co-expression of SNAIL and TWIST determines prognosis in estrogen receptor–positive early breast cancer patients. Breast Cancer Research and Treatment, 2012, 133, 49-59.                    | 2.5 | 80        |
| 712 | Regulation of EMT by TGF $\hat{I}^2$ in cancer. FEBS Letters, 2012, 586, 1959-1970.  | 2.8 | 435       |
| 713 | Knockdown of von Hippel–Lindau protein decreases lung cancer cell proliferation and colonization. FEBS Letters, 2012, 586, 1510-1515.  | 2.8 | 14        |
| 714 | ERK/GSK3 $\hat{1}^2$ /Snail signaling mediates radiation-induced alveolar epithelial-to-mesenchymal transition. Free Radical Biology and Medicine, 2012, 52, 983-992.                        | 2.9 | 111       |
| 715 | Cooperation, amplification, and feed-back in epithelial–mesenchymal transition. Biochimica Et Biophysica Acta: Reviews on Cancer, 2012, 1825, 223-228.                                       | 7.4 | 36        |
| 716 | Epithelial E- and P-cadherins: Role and clinical significance in cancer. Biochimica Et Biophysica Acta: Reviews on Cancer, 2012, 1826, 297-311.  | 7.4 | 137       |
| 717 | Nitric Oxide Donor Exisulind Is an Effective Inhibitor of Murine Photocarcinogenesis <sup>â€</sup> . Photochemistry and Photobiology, 2012, 88, 1141-1148.                                   | 2.5 | 12        |
| 718 | aV integrins and TGFâ€Î²â€Induced EMT: a circle of regulation. Journal of Cellular and Molecular Medicine, 2012, 16, 445-455.  | 3.6 | 127       |
| 719 | Concepts of metastasis in flux: The stromal progression model. Seminars in Cancer Biology, 2012, 22, 174-186.  | 9.6 | 75        |
| 720 | Cell polarity proteins and cancer. Seminars in Cancer Biology, 2012, 22, 208-215.  | 9.6 | 98        |
| 721 | EMT as the ultimate survival mechanism of cancer cells. Seminars in Cancer Biology, 2012, 22, 194-207.   | 9.6 | 421       |
| 722 | Correlation of Increased Twist With Lymph Node Metastasis in Patients With Oral Squamous Cell Carcinoma. Journal of Oral and Maxillofacial Surgery, 2012, 70, 1473-1479.                     | 1.2 | 33        |
| 723 | Effects of endosulfan on hepatoma cell adhesion: Epithelial–mesenchymal transition and anoikis resistance. Toxicology, 2012, 300, 19-30.   | 4.2 | 30        |
| 724 | The LIM adaptor protein LMO4 is an essential regulator of neural crest development. Developmental Biology, 2012, 361, 313-325.   | 2.0 | 32        |
| 725 | Induction of the neural crest state: Control of stem cell attributes by gene regulatory, post-transcriptional and epigenetic interactions. Developmental Biology, 2012, 366, 10-21.          | 2.0 | 106       |
| 726 | The Nkx5/HMX homeodomain protein MLS-2 is required for proper tube cell shape in the C. elegans excretory system. Developmental Biology, 2012, 366, 298-307.                                 | 2.0 | 13        |
| 727 | Transcriptional profiling identifies upregulated genes following induction of epithelial-mesenchymal transition in squamous carcinoma cells. Experimental Cell Research, 2012, 318, 379-390. | 2.6 | 32        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 728 | Cellular characteristics of head and neck cancer stem cells in type IV collagen-coated adherent cultures. Experimental Cell Research, 2012, 318, 1104-1111.  | 2.6 | 14        |
| 729 | Snail is an independent prognostic predictor for progression and patient survival of gastric cancer. Cancer Science, 2012, 103, 1296-1303.   | 3.9 | 38        |
| 730 | Zinc finger <scp>E</scp> â€box binding homeobox 1 promotes invasion and bone metastasis of small cell lung cancer <i>in vitro</i> and <i>in vivo</i> Cancer Science, 2012, 103, 1420-1428.   | 3.9 | 36        |
| 731 | Linkage between Twist1 and Bmi1: Molecular mechanism of cancer metastasis/stemness and clinical implications. Clinical and Experimental Pharmacology and Physiology, 2012, 39, 668-673.  | 1.9 | 17        |
| 732 | Induction of palate epithelial mesenchymal transition by transforming growth factor $\hat{I}^23$ signaling. Development Growth and Differentiation, 2012, 54, 633-648.   | 1.5 | 35        |
| 733 | Reversal of transforming growth factor- $\hat{l}^2$ induced epithelial-to-mesenchymal transition and the ZEB proteins. Fibrogenesis and Tissue Repair, 2012, 5, S28.   | 3.4 | 6         |
| 734 | Clinicopathological Significance of ZEB1 Protein in Patients with Hepatocellular Carcinoma. Annals of Surgical Oncology, 2012, 19, 1700-1706.  | 1.5 | 85        |
| 735 | MicroRNAâ€30a inhibits epithelialâ€ŧoâ€mesenchymal transition by targeting Snai1 and is downregulated in nonâ€small cell lung cancer. International Journal of Cancer, 2012, 130, 2044-2053.   | 5.1 | 266       |
| 736 | On how CCN6 suppresses breast cancer growth and invasion. Journal of Cell Communication and Signaling, 2012, 6, 5-10.  | 3.4 | 11        |
| 737 | MiR-200b is involved in Tgf- $\hat{l}^2$ signaling to regulate mammalian palate development. Histochemistry and Cell Biology, 2012, 137, 67-78.  | 1.7 | 49        |
| 738 | Role of Smads in $TGF\hat{l}^2$ signaling. Cell and Tissue Research, 2012, 347, 21-36.   | 2.9 | 291       |
| 739 | The role of EMT in renal fibrosis. Cell and Tissue Research, 2012, 347, 103-116.   | 2.9 | 249       |
| 740 | The human Lgl polarity gene, Hugl-2, induces MET and suppresses Snail tumorigenesis. Oncogene, 2013, 32, 1396-1407.  | 5.9 | 28        |
| 741 | αâ€Catulin downregulates Eâ€cadherin and promotes melanoma progression and invasion. International Journal of Cancer, 2013, 132, 521-530.  | 5.1 | 42        |
| 742 | ZEB/miRâ€200 feedback loop: At the crossroads of signal transduction in cancer. International Journal of Cancer, 2013, 132, 745-754.   | 5.1 | 227       |
| 743 | Snail1 controls TGF- $\hat{l}^2$ responsiveness and differentiation of mesenchymal stem cells. Oncogene, 2013, 32, 3381-3389.  | 5.9 | 59        |
| 744 | Hypoxia suppresses E-cadherin and enhances matrix metalloproteinase-2 expression favoring esophageal carcinoma migration and invasion via hypoxia inducible factor-1 alpha activation. Ecological Management and Restoration, 2013, 26, 75-83. | 0.4 | 22        |
| 745 | Moscatilin inhibits migration and metastasis of human breast cancer MDA-MB-231 cells through inhibition of Akt and Twist signaling pathway. Journal of Molecular Medicine, 2013, 91, 347-356.  | 3.9 | 45        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 746 | In vitro treatment of carcinoma cell lines with pancreatic (pro)enzymes suppresses the EMT programme and promotes cell differentiation. Cellular Oncology (Dordrecht), 2013, 36, 289-301.   | 4.4 | 10        |
| 747 | O-GlcNAc in cancer biology. Amino Acids, 2013, 45, 719-733.   | 2.7 | 144       |
| 748 | Adhesion Protein Protocols. Methods in Molecular Biology, 2013, , .   | 0.9 | 5         |
| 749 | mTOR regulates TGF-β2-induced epithelial–mesenchymal transition in cultured human lens epithelial cells. Graefe's Archive for Clinical and Experimental Ophthalmology, 2013, 251, 2363-2370.  | 1.9 | 23        |
| 750 | Essentials of circulating tumor cells for clinical research and practice. Critical Reviews in Oncology/Hematology, 2013, 88, 338-356.   | 4.4 | 67        |
| 751 | Epithelial-mesenchymal transition-like events in vulvar cancer and its relation with HPV. British Journal of Cancer, 2013, 109, 184-194.  | 6.4 | 36        |
| 752 | MiRâ€182 and miRâ€203 induce mesenchymal to epithelial transition and selfâ€sufficiency of growth signals via repressing SNAl2 in prostate cells. International Journal of Cancer, 2013, 133, 544-555.  | 5.1 | 77        |
| 753 | Sox2 suppresses the invasiveness of breast cancer cells via a mechanism that is dependent on Twist1 and the status of Sox2 transcription activity. BMC Cancer, 2013, 13, 317.   | 2.6 | 24        |
| 754 | Membrane Type 1 Matrix Metalloproteinase induces an epithelial to mesenchymal transition and cancer stem cell-like properties in SCC9 cells. BMC Cancer, 2013, 13, 171.   | 2.6 | 57        |
| 755 | Snail1 expression in colorectal cancer and its correlation with clinical and pathological parameters. BMC Cancer, 2013, 13, 145.  | 2.6 | 38        |
| 756 | Expression of Brachyury Gene Is a Significant Prognostic Factor for Primary Lung Carcinoma. Annals of Surgical Oncology, 2013, 20, 509-516.   | 1.5 | 42        |
| 757 | Separation and Characterization of Epithelial and Mesenchymal-like Murine Mammary Tumor Cells Reveals Epithelial Cell Differentiation Plasticity and Enhanced Tumorigenicity of Epithelial-enriched Tumor Cells. Cancer Microenvironment, 2013, 6, 79-89. | 3.1 | 5         |
| 758 | SNAI1 Protein Expression is an Independent Negative Prognosticator in Muscle-Invasive Bladder Cancer. Annals of Surgical Oncology, 2013, 20, 3669-3674.   | 1.5 | 11        |
| 759 | miR-675 Mediates Downregulation of Twist1 and Rb in AFP-Secreting Hepatocellular Carcinoma. Annals of Surgical Oncology, 2013, 20, 625-635.   | 1.5 | 72        |
| 760 | Emerging role of cancer stem cells in the biology and treatment of ovarian cancer: basic knowledge and therapeutic possibilities for an innovative approach. Journal of Experimental and Clinical Cancer Research, 2013, 32, 48.                          | 8.6 | 72        |
| 761 | Scribble regulates an EMT–polarity pathway through modulation of MAPK-ERK signaling to mediate junction formation. Journal of Cell Science, 2013, 126, 3990-9.  | 2.0 | 71        |
| 762 | Hypoxia-Induced Snail Expression Through Transcriptional Regulation by HIF- $1\hat{l}_{\pm}$ in Pancreatic Cancer Cells. Digestive Diseases and Sciences, 2013, 58, 3503-3515.  | 2.3 | 46        |
| 763 | Attenuation of reactive oxygen species by antioxidants suppresses hypoxia-induced epithelial-mesenchymal transition and metastasis of pancreatic cancer cells. Clinical and Experimental Metastasis, 2013, 30, 143-154.                                   | 3.3 | 65        |

| #   | ARTICLE   | IF  | Citations |
|-----|---|-----|-----------|
| 764 | Lipocalinâ€2 is Associated With a Good Prognosis and Reversing Epithelialâ€toâ€Mesenchymal Transition in Pancreatic Cancer. World Journal of Surgery, 2013, 37, 1892-1900.  | 1.6 | 17        |
| 765 | Loss of E-cadherin is not a necessity for epithelial to mesenchymal transition in human breast cancer. Breast Cancer Research and Treatment, 2013, 138, 47-57.  | 2.5 | 110       |
| 766 | FOXM1 (Forkhead box M1) in Tumorigenesis. Advances in Cancer Research, 2013, 119, 191-419.  | 5.0 | 146       |
| 767 | Oligometastases: the new paradigm and options for radiotherapy. Strahlentherapie Und Onkologie, 2013, 189, 357-363.   | 2.0 | 23        |
| 768 | EMT transcription factors: implication in osteosarcoma. Medical Oncology, 2013, 30, 697.  | 2.5 | 110       |
| 769 | Tumors of the Central Nervous System, Volume 10., 2013,,.   |     | 1         |
| 770 | Snail promotes Cyr61 secretion to prime collective cell migration and form invasive tumor nests in squamous cell carcinoma. Cancer Letters, 2013, 329, 243-252.   | 7.2 | 20        |
| 771 | V600EBRAF promotes invasiveness of thyroid cancer cells by decreasing E-cadherin expression through a Snail-dependent mechanism. Cancer Letters, 2013, 335, 232-241.  | 7.2 | 49        |
| 772 | ATM-mediated Snail Serine 100 phosphorylation regulates cellular radiosensitivity. Radiotherapy and Oncology, 2013, 108, 403-408.   | 0.6 | 16        |
| 773 | Snail promotes lymph node metastasis and Twist enhances tumor deposit formation through epithelial-mesenchymal transition in colorectal cancer. Human Pathology, 2013, 44, 173-180.   | 2.0 | 63        |
| 774 | Presence of Twist1-Positive Neoplastic Cells in the Stroma ofÂChromosome-Unstable Colorectal Tumors. Gastroenterology, 2013, 145, 647-657.e15.  | 1.3 | 49        |
| 775 | Slug contributes to cadherin switch and malignant progression in muscle-invasive bladder cancer development. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 1751-1760.                                    | 1.6 | 39        |
| 776 | Molecular events in endometrial carcinosarcomas and the role of high mobility group AT-hook 2 in endometrial carcinogenesis. Human Pathology, 2013, 44, 244-254.  | 2.0 | 30        |
| 777 | ETS2 Mediated Tumor Suppressive Function and MET Oncogene Inhibition in Human Non–Small Cell Lung Cancer. Clinical Cancer Research, 2013, 19, 3383-3395.  | 7.0 | 146       |
| 778 | Foxm1 transcription factor is required for lung fibrosis and epithelial-to-mesenchymal transition. EMBO Journal, 2013, 32, 231-244.   | 7.8 | 155       |
| 779 | The nuclear protein expression levels of SNAI1 and ZEB1 are involved in the progression and lymph node metastasis of cervical cancer via the epithelial-mesenchymal transition pathway. Human Pathology, 2013, 44, 2097-2105. | 2.0 | 46        |
| 780 | Luteolin attenuates TGF-β1-induced epithelial–mesenchymal transition of lung cancer cells by interfering in the PI3K/Akt–NF-κB–Snail pathway. Life Sciences, 2013, 93, 924-933.   | 4.3 | 92        |
| 781 | MicroRNA-based regulation of epithelialâ€"hybridâ€"mesenchymal fate determination. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 18144-18149.                                   | 7.1 | 442       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 782 | Epithelial Plasticity: A Common Theme in Embryonic and Cancer Cells. Science, 2013, 342, 1234850.   | 12.6 | 821       |
| 783 | SNAIL and miR-34a feed-forward regulation of ZNF281/ZBP99 promotes epithelial-mesenchymal transition. EMBO Journal, 2013, 32, 3079-3095.  | 7.8  | 149       |
| 784 | The epigenetics of epithelial-mesenchymal plasticity in cancer. Nature Medicine, 2013, 19, 1438-1449.   | 30.7 | 1,030     |
| 785 | Spotlight on Familial and Hereditary Gastric Cancer. , 2013, , .  |      | 3         |
| 786 | MiR-155-mediated loss of C/EBP $\hat{l}^2$ shifts the TGF- $\hat{l}^2$ response from growth inhibition to epithelial-mesenchymal transition, invasion and metastasis in breast cancer. Oncogene, 2013, 32, 5614-5624.                                 | 5.9  | 138       |
| 787 | Resolvin D1 inhibits TGF- $\hat{l}^21$ -induced epithelial mesenchymal transition of A549 lung cancer cells via lipoxin A4 receptor/formyl peptide receptor 2 and GPR32. International Journal of Biochemistry and Cell Biology, 2013, 45, 2801-2807. | 2.8  | 74        |
| 788 | Synergistic effect of the novel benzochalcone derivative DK-78 and doxorubicin on MCF7-VN breast cancer stem cells. Journal of the Korean Society for Applied Biological Chemistry, 2013, 56, 631-635.  | 0.9  | 1         |
| 789 | The increase of microRNA-21 during lung fibrosis and its contribution to epithelial-mesenchymal transition in pulmonary epithelial cells. Respiratory Research, 2013, 14, 95.   | 3.6  | 87        |
| 790 | Non-coding RNAs regulate tumor cell plasticity. Science China Life Sciences, 2013, 56, 886-890.   | 4.9  | 14        |
| 791 | Clinical implication of ZEB-1 and E-cadherin expression in hepatocellular carcinoma (HCC). BMC Cancer, 2013, 13, 572.   | 2.6  | 71        |
| 792 | Silibinin inhibits β-catenin/ZEB1 signaling and suppresses bladder cancer metastasis via dual-blocking epithelial–mesenchymal transition and stemness. Cellular Signalling, 2013, 25, 2625-2633.  | 3.6  | 106       |
| 793 | Biomarkers in Oncology. , 2013, , .   |      | 1         |
| 794 | Regulation of epithelial to mesenchymal transition by bone morphogenetic proteins. Cellular Signalling, 2013, 25, 2856-2862.  | 3.6  | 47        |
| 795 | Gastric cancer—molecular and clinical dimensions. Nature Reviews Clinical Oncology, 2013, 10, 643-655.  | 27.6 | 376       |
| 796 | <scp>GLI</scp> 2 cooperates with <scp>ZEB</scp> 1 for transcriptional repression of <scp><i>CDH1</i></scp> expression in human melanoma cells. Pigment Cell and Melanoma Research, 2013, 26, 861-873.   | 3.3  | 30        |
| 797 | A Switch in the Expression of Embryonic EMT-Inducers Drives the Development of Malignant Melanoma. Cancer Cell, 2013, 24, 466-480.  | 16.8 | 450       |
| 798 | Slug increases sensitivity to tubulinâ€binding agents via the downregulation of βIII and βIVaâ€ŧubulin in lung cancer cells. Cancer Medicine, 2013, 2, 144-154.   | 2.8  | 26        |
| 799 | Changes in Gene Expression Associated with Conceptus Implantation to the Maternal Endometrium. Journal of Mammalian Ova Research, 2013, 30, 2-10.   | 0.1  | 1         |

| #   | Article   | IF          | CITATIONS |
|-----|---|-------------|-----------|
| 800 | Epigenetic control of epithelial-to-mesenchymal transition and cancer metastasis. Experimental Cell Research, 2013, 319, 160-169.   | 2.6         | 125       |
| 801 | Microenvironmental Regulation of Metastasis by Exosomes. , 2013, , 181-201.   |             | 1         |
| 802 | Transforming growth factor- $\hat{l}^21$ induces epitheliala $\hat{l}$ mesenchymal transition and integrin $\hat{l}\pm3\hat{l}^21$ -mediated cell migration of HSC-4 human squamous cell carcinoma cells through Slug. Journal of Biochemistry, 2013, 153, 303-315. | 1.7         | 38        |
| 803 | GANT-61 inhibits pancreatic cancer stem cell growth in vitro and in NOD/SCID/IL2R gamma null mice xenograft. Cancer Letters, 2013, 330, 22-32.  | 7.2         | 135       |
| 804 | The impact of post-transcriptional regulation in the p53 network. Briefings in Functional Genomics, 2013, 12, 46-57.  | 2.7         | 36        |
| 805 | Expression of epithelial-mesenchymal transition regulators SNAI2 and TWIST1 in thyroid carcinomas. Modern Pathology, 2013, 26, 54-61.   | 5.5         | 79        |
| 806 | Downregulation of miR-153 contributes to epithelial-mesenchymal transition and tumor metastasis in human epithelial cancer. Carcinogenesis, 2013, 34, 539-549.  | 2.8         | 101       |
| 807 | Breast tumor-associated osteoblast-derived CXCL5 increases cancer progression by ERK/MSK1/Elk-1/Snail signaling pathway. Oncogene, 2013, 32, 4436-4447.   | 5.9         | 103       |
| 808 | Integrated Analyses Identify a Master MicroRNA Regulatory Network for the Mesenchymal Subtype in Serous Ovarian Cancer. Cancer Cell, 2013, 23, 186-199.   | 16.8        | 340       |
| 809 | Thrombin induces slugâ€mediated Eâ€cadherin transcriptional repression and the parallel Upâ€regulation of Nâ€cadherin by a transcriptionâ€independent mechanism in RPE cells. Journal of Cellular Physiology, 2013, 228, 581-589.                                   | 4.1         | 34        |
| 810 | Loss of <i><scp>miR</scp>â<math>\in</math>101</i> expression promotes Wnt/ <i><math>\hat{l}^2</math></i> activation and malignancy in colon cancer cells. Journal of Pathology, 2013, 229, 379-389.   | <b>4.</b> 5 | 105       |
| 811 | PDGFRB Promotes Liver Metastasis Formation of Mesenchymal-Like Colorectal Tumor Cells. Neoplasia, 2013, 15, 204-IN30.   | 5.3         | 78        |
| 812 | Dynamic Chromatin Modification Sustains Epithelial-Mesenchymal Transition following Inducible Expression of Snail-1. Cell Reports, 2013, 5, 1679-1689.  | 6.4         | 89        |
| 813 | Coupled Reversible and Irreversible Bistable Switches Underlying $TGF\hat{l}^2$ -induced Epithelial to Mesenchymal Transition. Biophysical Journal, 2013, 105, 1079-1089.   | 0.5         | 248       |
| 814 | Directed Migration of Cortical Interneurons Depends on the Cell-Autonomous Action of Sip1. Neuron, 2013, 77, 70-82.   | 8.1         | 112       |
| 815 | Small interfering RNA targeting ILK inhibits metastasis in human tongue cancer cells through repression of epithelial-to-mesenchymal transition. Experimental Cell Research, 2013, 319, 2058-2072.  | 2.6         | 35        |
| 816 | Activin type IB receptor signaling in prostate cancer cells promotes lymph node metastasis in a xenograft model. Biochemical and Biophysical Research Communications, 2013, 430, 340-346.   | 2.1         | 15        |
| 817 | Mdm2 increases cellular invasiveness by binding to and stabilizing the Slug mRNA. Cancer Letters, 2013, 335, 270-277.   | 7.2         | 31        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 818 | The transcription factor Snail expressed in cutaneous squamous cell carcinoma induces epithelial–mesenchymal transition and down-regulates COX-2. Biochemical and Biophysical Research Communications, 2013, 430, 1078-1082.                               | 2.1 | 13        |
| 819 | Snail/Gfi-1 (SNAG) family zinc finger proteins in transcription regulation, chromatin dynamics, cell signaling, development, and disease. Cytokine and Growth Factor Reviews, 2013, 24, 123-131.   | 7.2 | 62        |
| 820 | The SNAI1 and SNAI2 proteins occupy their own and each other's promoter during chondrogenesis. Biochemical and Biophysical Research Communications, 2013, 435, 356-360.  | 2.1 | 20        |
| 821 | The transcription factor Snail enhanced the degradation of E-cadherin and desmoglein 2 in oral squamous cell carcinoma cells. Biochemical and Biophysical Research Communications, 2013, 430, 889-894.   | 2.1 | 25        |
| 822 | Critical regulation of miR-200/ZEB2 pathway in Oct4/Sox2-induced mesenchymal-to-epithelial transition and induced pluripotent stem cell generation. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2858-2863. | 7.1 | 158       |
| 823 | Epithelial-to-mesenchymal(-like) transition as a relevant molecular event in malignant gliomas. Cancer Letters, 2013, 331, 131-138.  | 7.2 | 188       |
| 824 | MicroRNA-7 functions as an anti-metastatic microRNA in gastric cancer by targeting insulin-like growth factor-1 receptor. Oncogene, 2013, 32, 1363-1372.   | 5.9 | 207       |
| 825 | MicroRNA-1 targets Slug and endows lung cancer A549 cells with epithelial and anti-tumorigenic properties. Experimental Cell Research, 2013, 319, 77-88.   | 2.6 | 32        |
| 826 | E-Cadherin Alterations in Hereditary Disorders with Emphasis on Hereditary Diffuse Gastric Cancer. Progress in Molecular Biology and Translational Science, 2013, 116, 337-359.  | 1.7 | 52        |
| 827 | ALX1 Induces Snail Expression to Promote Epithelial-to-Mesenchymal Transition and Invasion of Ovarian Cancer Cells. Cancer Research, 2013, 73, 1581-1590.  | 0.9 | 58        |
| 828 | Regulation of epithelial–mesenchymal and mesenchymal–epithelial transitions by microRNAs. Current Opinion in Cell Biology, 2013, 25, 200-207.  | 5.4 | 239       |
| 829 | SNAIL Induces Epithelial-to-Mesenchymal Transition and Cancer Stem Cell–Like Properties in Aldehyde Dehydroghenase–Negative Thyroid Cancer Cells. Thyroid, 2013, 23, 989-996.  | 4.5 | 31        |
| 830 | Molecular Organization of Cells. , 2013, , 37-49.  |     | 0         |
| 831 | Role of microRNA-138 as a Potential Tumor Suppressor in Head and Neck Squamous Cell Carcinoma.<br>International Review of Cell and Molecular Biology, 2013, 303, 357-385.  | 3.2 | 47        |
| 832 | Hypoxia-inducible factor prolyl-hydroxylase-2 mediates transforming growth factor beta 1-induced epithelial–mesenchymal transition in renal tubular cells. Biochimica Et Biophysica Acta - Molecular Cell Research, 2013, 1833, 1454-1462.                 | 4.1 | 74        |
| 833 | EMT in breast cancer stem cell generation. Cancer Letters, 2013, 338, 63-68.   | 7.2 | 50        |
| 834 | Cadherins and Epithelial-to-Mesenchymal Transition. Progress in Molecular Biology and Translational Science, 2013, 116, 317-336.   | 1.7 | 278       |
| 835 | Riding the crest of the wave: parallels between the neural crest and cancer in epithelialâ€toâ€mesenchymal transition and migration. Wiley Interdisciplinary Reviews: Systems Biology and Medicine, 2013, 5, 511-522.                                      | 6.6 | 51        |

| #   | Article  | IF           | CITATIONS |
|-----|--|--------------|-----------|
| 836 | The metastasis-promoting roles of tumor-associated immune cells. Journal of Molecular Medicine, 2013, 91, 411-429.   | 3.9          | 305       |
| 837 | Gas6 induces cancer cell migration and epithelial–mesenchymal transition through upregulation of MAPK and Slug. Biochemical and Biophysical Research Communications, 2013, 434, 8-14.                            | 2.1          | 31        |
| 838 | Unbalanced expression of CK2 kinase subunits is sufficient to drive epithelial-to-mesenchymal transition by Snail1 induction. Oncogene, 2013, 32, 1373-1383.   | 5.9          | 70        |
| 839 | The clinical significance of mesenchyme forkhead 1 ( <scp>F</scp> ox <scp>C</scp> 2) in gastric carcinoma. Histopathology, 2013, 62, 1038-1048.  | 2.9          | 39        |
| 840 | Key molecular mechanisms in lung cancer invasion and metastasis: A comprehensive review. Critical Reviews in Oncology/Hematology, 2013, 87, 1-11.  | 4.4          | 136       |
| 841 | Snail inhibits Notch1 intracellular domain mediated transcriptional activation via competing with MAML1. Biochemical and Biophysical Research Communications, 2013, 433, 6-10.                                   | 2.1          | 4         |
| 842 | Far upstream element binding protein 1: a commander of transcription, translation and beyond. Oncogene, 2013, 32, 2907-2916.   | 5.9          | 96        |
| 843 | Tumor Biology and Metastasis. , 2013, , 30-50.   |              | 3         |
| 844 | Crosstalk between breast cancer stem cells and metastatic niche: emerging molecular metastasis pathway?. Tumor Biology, 2013, 34, 2019-2030.   | 1.8          | 44        |
| 845 | Tristability in Cancer-Associated MicroRNA-TF Chimera Toggle Switch. Journal of Physical Chemistry B, 2013, 117, 13164-13174.  | 2.6          | 99        |
| 846 | Transcription factors associated with epithelial–mesenchymal transition and cancer stem cells in the tumor centre and margin of invasive breast cancer. Experimental and Molecular Pathology, 2013, 94, 168-173. | 2.1          | 27        |
| 847 | Regenerative activity of the lung after epithelial injury. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2013, 1832, 922-930.  | 3.8          | 46        |
| 848 | MicroRNA-Antagonism Regulates Breast Cancer Stemness and Metastasis via TET-Family-Dependent Chromatin Remodeling. Cell, 2013, 154, 311-324.   | 28.9         | 417       |
| 849 | Cooperative involvement of NFAT and SnoN mediates transforming growth factor-β (TGF-β) induced EMT in metastatic breast cancer (MDA-MB 231) cells. Clinical and Experimental Metastasis, 2013, 30, 1019-1031.    | 3.3          | 28        |
| 850 | Interaction with Suv39H1 is critical for Snail-mediated E-cadherin repression in breast cancer. Oncogene, 2013, 32, 1351-1362.   | 5.9          | 182       |
| 851 | The Proto-Oncogene TWIST1 Is Regulated by MicroRNAs. PLoS ONE, 2013, 8, e66070.  | 2.5          | 24        |
| 852 | ZEB1 overexpression associated with E-cadherin and microRNA-200 downregulation is characteristic of undifferentiated endometrial carcinoma. Modern Pathology, 2013, 26, 1514-1524.                               | 5 <b>.</b> 5 | 68        |
| 853 | Smad interacting protein 1 (SIP1) is associated with peritoneal carcinomatosis in intestinal type gastric cancer. Clinical and Experimental Metastasis, 2013, 30, 417-429.                                       | 3.3          | 21        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 854 | Genomic Profiling in Triple-Negative Breast Cancer. Breast Care, 2013, 8, 408-413.  | 1.4 | 24        |
| 855 | Long Pentraxin-3 Inhibits Epithelial–Mesenchymal Transition in Melanoma Cells. Molecular Cancer Therapeutics, 2013, 12, 2760-2771.  | 4.1 | 68        |
| 856 | <i>Salâ€like 4</i> ( <i>SALL4</i> ) suppresses <i>CDH1</i> expression and maintains cell dispersion in basalâ€like breast cancer. FEBS Letters, 2013, 587, 3115-3121.   | 2.8 | 37        |
| 857 | Stabilization of Snail through AKT/GSK-3β signaling pathway is required for TNF-α-induced epithelial–mesenchymal transition in prostate cancer PC3 cells. European Journal of Pharmacology, 2013, 714, 48-55.         | 3.5 | 63        |
| 858 | A miRNA signature associated with human metastatic medullary thyroid carcinoma. Endocrine-Related Cancer, 2013, 20, 809-823.  | 3.1 | 74        |
| 859 | Expression of E-cadherin, Twist, and p53 and their prognostic value in patients with oral squamous cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2013, 139, 1735-1744.                            | 2.5 | 76        |
| 860 | Epithelial to mesenchymal transition as a portal to stem cell characters embedded in gene networks. BioEssays, 2013, 35, 191-200.   | 2.5 | 16        |
| 861 | Epithelialâ€mesenchymal transition as a fundamental mechanism underlying the cancer phenotype. Veterinary and Comparative Oncology, 2013, 11, 169-184.  | 1.8 | 56        |
| 862 | Olfactomedin-1 activity identifies a cell invasion checkpoint during epithelial-mesenchymal transition in the embryonic heart. DMM Disease Models and Mechanisms, 2013, 6, 632-42.                                    | 2.4 | 19        |
| 863 | KDM5B histone demethylase controls epithelial-mesenchymal transition of cancer cells by regulating the expression of the microRNA-200 family. Cell Cycle, 2013, 12, 2100-2112.  | 2.6 | 63        |
| 864 | Radical-Containing Ultrafine Particulate Matter Initiates Epithelial-to-Mesenchymal Transitions in Airway Epithelial Cells. American Journal of Respiratory Cell and Molecular Biology, 2013, 48, 188-197.            | 2.9 | 90        |
| 865 | Hypoxia Contributes to Melanoma Heterogeneity by Triggering HIF1α-Dependent Phenotype Switching. Journal of Investigative Dermatology, 2013, 133, 2436-2443.  | 0.7 | 127       |
| 866 | Knockdown of N-Acetylglucosaminyl Transferase V Ameliorates Hepatotoxin-Induced Liver Fibrosis in Mice. Toxicological Sciences, 2013, 135, 144-155.   | 3.1 | 14        |
| 867 | Resveratrol Sensitizes Tamoxifen in Antiestrogen-Resistant Breast Cancer Cells with Epithelial-Mesenchymal Transition Features. International Journal of Molecular Sciences, 2013, 14, 15655-15668.                   | 4.1 | 61        |
| 868 | Global Decrease of Histone H3K27 Acetylation in ZEB1-Induced Epithelial to Mesenchymal Transition in Lung Cancer Cells. Cancers, 2013, 5, 334-356.  | 3.7 | 61        |
| 869 | Analysis of Snail1 function and regulation by Twist1 in palatal fusion. Frontiers in Physiology, 2013, 4, 12.   | 2.8 | 16        |
| 870 | Crosstalk between Beta-Catenin and Snail in the Induction of Epithelial to Mesenchymal Transition in Hepatocarcinoma: Role of the ERK1/2 Pathway. International Journal of Molecular Sciences, 2013, 14, 20768-20792. | 4.1 | 48        |
| 871 | Coordination of Cell Proliferation and Cell Fate Determination by CES-1 Snail. PLoS Genetics, 2013, 9, e1003884.  | 3.5 | 16        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 872 | Systematic Interrogation of 3q26 Identifies <i>TLOC1</i> and <i>SKIL</i> as Cancer Drivers. Cancer Discovery, 2013, 3, 1044-1057.   | 9.4 | 71        |
| 873 | ERK-ERF-EGR1, a novel switch underlying acquisition of a motile phenotype. Cell Adhesion and Migration, 2013, 7, 33-37.   | 2.7 | 11        |
| 874 | Inhibiting Interactions of Lysine Demethylase LSD1 with Snail/Slug Blocks Cancer Cell Invasion. Cancer Research, 2013, 73, 235-245.   | 0.9 | 117       |
| 875 | Hepatocyte Nuclear Factor 6 Suppresses the Migration and Invasive Growth of Lung Cancer Cells through p53 and the Inhibition of Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2013, 288, 31206-31216. | 3.4 | 28        |
| 876 | Unraveling the Role of FOXQ1 in Colorectal Cancer Metastasis. Molecular Cancer Research, 2013, 11, 1017-1028.   | 3.4 | 31        |
| 877 | Occurrence and significance of epithelial-mesenchymal transition in breast cancer. Journal of Clinical Pathology, 2013, 66, 517-521.  | 2.0 | 40        |
| 878 | DDB2 Suppresses Epithelial-to-Mesenchymal Transition in Colon Cancer. Cancer Research, 2013, 73, 3771-3782.   | 0.9 | 55        |
| 879 | Subtype-Specific MEK-PI3 Kinase Feedback as a Therapeutic Target in Pancreatic Adenocarcinoma. Molecular Cancer Therapeutics, 2013, 12, 2213-2225.  | 4.1 | 36        |
| 880 | TMEPAI regulates EMT in lung cancer cells by modulating the ROS and IRS-1 signaling pathways. Carcinogenesis, 2013, 34, 1764-1772.  | 2.8 | 56        |
| 881 | Common variation at 2q22.3 (ZEB2) influences the risk of renal cancer. Human Molecular Genetics, 2013, 22, 825-831.   | 2.9 | 54        |
| 882 | Neuropilin-2 Is Upregulated in Lung Cancer Cells during TGF-β1–Induced Epithelial–Mesenchymal Transition. Cancer Research, 2013, 73, 7111-7121.   | 0.9 | 70        |
| 883 | Emerging Concepts of Tumor Exosome–Mediated Cell-Cell Communication. , 2013, , .  |     | 7         |
| 884 | Regulation of YAP and TAZ by Epithelial Plasticity. , 2013, , 89-113.   |     | 1         |
| 885 | Role of the Epithelial-Mesenchymal Transition in Bladder Cancer: From Prognosis to Therapeutic Target. Korean Journal of Urology, 2013, 54, 645.  | 1.2 | 74        |
| 886 | Melanoma: From Melanocyte to Genetic Alterations and Clinical Options. Scientifica, 2013, 2013, 1-22.   | 1.7 | 80        |
| 887 | Honokiol thwarts gastric tumor growth and peritoneal dissemination by inhibiting Tpl2 in an orthotopic model. Carcinogenesis, 2013, 34, 2568-2579.  | 2.8 | 45        |
| 888 | Involvement of Lyn and the Atypical Kinase SgK269/PEAK1 in a Basal Breast Cancer Signaling Pathway. Cancer Research, 2013, 73, 1969-1980.   | 0.9 | 82        |
| 889 | Phenotypic modifications in ovarian cancer stem cells following Paclitaxel treatment. Cancer Medicine, 2013, 2, 751-762.  | 2.8 | 46        |

| #   | Article  | IF   | CITATIONS  |
|-----|--|------|------------|
| 890 | An EMT spectrum defines an anoikis-resistant and spheroidogenic intermediate mesenchymal state that is sensitive to e-cadherin restoration by a src-kinase inhibitor, saracatinib (AZD0530). Cell Death and Disease, 2013, 4, e915-e915.   | 6.3  | 363        |
| 891 | Characterization of diseaseâ€associated <i><scp>N</scp></i> â€linked glycoproteins. Proteomics, 2013, 13, 504-511.   | 2.2  | 53         |
| 892 | Inhibition of ZEB1 reverses EMT and chemoresistance in docetaxelâ€resistant human lung adenocarcinoma cell line. Journal of Cellular Biochemistry, 2013, 114, 1395-1403.   | 2.6  | 106        |
| 893 | Inhibition of BMP activity protects epithelial barrier function in lung injury. Journal of Pathology, 2013, 231, 105-116.  | 4.5  | 26         |
| 894 | PRSS23 is essential for the Snail-dependent endothelial-to-mesenchymal transition during valvulogenesis in zebrafish. Cardiovascular Research, 2013, 97, 443-453.  | 3.8  | 38         |
| 895 | Twist2 functions as a tumor suppressor in murine osteosarcoma cells. Cancer Science, 2013, 104, 880-888.   | 3.9  | 27         |
| 896 | The homeobox transcription factor Prox1 inhibits proliferation of hepatocellular carcinoma cells by inducing p53-dependent senescence-like phenotype. Cancer Biology and Therapy, 2013, 14, 222-229.   | 3.4  | 16         |
| 897 | Signaling between Transforming Growth Factor $\hat{l}^2$ (TGF- $\hat{l}^2$ ) and Transcription Factor SNAI2 Represses Expression of MicroRNA miR-203 to Promote Epithelial-Mesenchymal Transition and Tumor Metastasis. Journal of Biological Chemistry, 2013, 288, 10241-10253. | 3.4  | 147        |
| 898 | Function of Focal Adhesion Kinase Scaffolding to Mediate Endophilin A2 Phosphorylation Promotes Epithelial-Mesenchymal Transition and Mammary Cancer Stem Cell Activities in Vivo. Journal of Biological Chemistry, 2013, 288, 3322-3333.  | 3.4  | 72         |
| 899 | Secreted Heat Shock Protein 90α (HSP90α) Induces Nuclear Factor-κB-mediated TCF12 Protein Expression to Down-regulate E-cadherin and to Enhance Colorectal Cancer Cell Migration and Invasion. Journal of Biological Chemistry, 2013, 288, 9001-9010.                            | 3.4  | <b>7</b> 3 |
| 900 | Inhibition of Snail1-DNA-PKcs Protein-Protein Interface Sensitizes Cancer Cells and Inhibits Tumor Metastasis. Journal of Biological Chemistry, 2013, 288, 32506-32516.  | 3.4  | 9          |
| 901 | The Malignant Brain Tumor (MBT) Domain Protein SFMBT1 Is an Integral Histone Reader Subunit of the LSD1 Demethylase Complex for Chromatin Association and Epithelial-to-mesenchymal Transition. Journal of Biological Chemistry, 2013, 288, 27680-27691.                         | 3.4  | 42         |
| 902 | AP4 is a mediator of epithelial–mesenchymal transition and metastasis in colorectal cancer. Journal of Experimental Medicine, 2013, 210, 1331-1350.  | 8.5  | 136        |
| 903 | Sequential Inductions of the ZEB1 Transcription Factor Caused by Mutation of Rb and Then Ras Proteins Are Required for Tumor Initiation and Progression. Journal of Biological Chemistry, 2013, 288, 11572-11580.  | 3.4  | 27         |
| 904 | AP4 directly downregulates p16 and p21 to suppress senescence and mediate transformation. Cell Death and Disease, 2013, 4, e775-e775.  | 6.3  | 26         |
| 905 | Snail depletes the tumorigenic potential of glioblastoma. Oncogene, 2013, 32, 5409-5420.   | 5.9  | 59         |
| 906 | Egr-1 mediates epidermal growth factor-induced downregulation of E-cadherin expression via Slug in human ovarian cancer cells. Oncogene, 2013, 32, 1041-1049.  | 5.9  | 57         |
| 907 | Identification and molecular characterization of a new ovarian cancer susceptibility locus at 17q21.31. Nature Communications, 2013, 4, 1627.  | 12.8 | 98         |

| #   | ARTICLE   | IF          | CITATIONS |
|-----|---|-------------|-----------|
| 908 | Dioxin Receptor Expression Inhibits Basal and Transforming Growth Factor β-induced Epithelial-to-mesenchymal Transition. Journal of Biological Chemistry, 2013, 288, 7841-7856.   | 3.4         | 47        |
| 909 | The hypoxia factor Hif- $\hat{\Pi}$ ± controls neural crest chemotaxis and epithelial to mesenchymal transition. Journal of Cell Biology, 2013, 201, 759-776.   | <b>5.</b> 2 | 119       |
| 910 | Inflammation and Hras signaling control epithelial–mesenchymal transition during skin tumor progression. Genes and Development, 2013, 27, 670-682.  | 5.9         | 50        |
| 911 | Hedgehog signaling pathway regulates human pancreatic cancer cell proliferation and metastasis. Oncology Reports, 2013, 29, 1124-1132.  | 2.6         | 57        |
| 912 | Nogo-B promotes the epithelial-mesenchymal transition in HeLa cervical cancer cells via Fibulin-5. Oncology Reports, 2013, 29, 109-116.   | 2.6         | 34        |
| 913 | Extracellular signal-regulated kinase and Akt activation play a critical role in the process of hepatocyte growth factor-induced epithelial-mesenchymal transition. International Journal of Oncology, 2013, 42, 556-564. | 3.3         | 18        |
| 914 | Direct repression of MYB by ZEB1 suppresses proliferation and epithelial gene expression during epithelial-to-mesenchymal transition of breast cancer cells. Breast Cancer Research, 2013, 15, R113.                      | 5.0         | 63        |
| 915 | The role of epithelial–mesenchymal transition programming in invasion and metastasis: a clinical perspective. Cancer Management and Research, 2013, 5, 187.   | 1.9         | 117       |
| 916 | Lentivirus-delivered short hairpin RNA targeting SNAIL inhibits HepG2 cell growth. Oncology Reports, 2013, 30, 1483-1487.   | 2.6         | 7         |
| 917 | MicroRNAs as Critical Regulators Involved in Regulating Epithelial- Mesenchymal Transition. Current Cancer Drug Targets, 2013, 13, 935-944.   | 1.6         | 26        |
| 918 | Emerging targets in pancreatic cancer: epithelial–mesenchymal transition and cancer stem cells. OncoTargets and Therapy, 2013, 6, 1261.   | 2.0         | 48        |
| 919 | Unveiling the Role of Nuclear Transport in Epithelial-to-Mesenchymal Transition. Current Cancer Drug Targets, 2013, 13, 906-914.  | 1.6         | 24        |
| 920 | Knockdown of Slug by RNAi inhibits the proliferation and invasion of HCT116 colorectal cancer cells. Molecular Medicine Reports, 2013, 8, 1055-1059.  | 2.4         | 13        |
| 921 | Epithelial-Mesenchymal Transition Markers and HER3 Expression Are Predictors of Elisidepsin Treatment Response in Breast and Pancreatic Cancer Cell Lines. PLoS ONE, 2013, 8, e53645.                                     | 2.5         | 16        |
| 922 | An Integrated Expression Profiling Reveals Target Genes of TGF- $\hat{l}^2$ and TNF- $\hat{l}_{\pm}$ Possibly Mediated by MicroRNAs in Lung Cancer Cells. PLoS ONE, 2013, 8, e56587.                                      | 2.5         | 64        |
| 923 | Epithelial–Mesenchymal Transition (EMT) Induced by TNF-α Requires AKT/GSK-3β-Mediated Stabilization of Snail in Colorectal Cancer. PLoS ONE, 2013, 8, e56664.   | 2.5         | 234       |
| 924 | Dynamic Transcription Factor Networks in Epithelial-Mesenchymal Transition in Breast Cancer Models. PLoS ONE, 2013, 8, e57180.  | 2.5         | 22        |
| 925 | 14-3-3ε Overexpression Contributes to Epithelial-Mesenchymal Transition of Hepatocellular Carcinoma.<br>PLoS ONE, 2013, 8, e57968.  | 2.5         | 57        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 926 | Sorafenib Inhibits Epithelial-Mesenchymal Transition through an Epigenetic-Based Mechanism in Human Lung Epithelial Cells. PLoS ONE, 2013, 8, e64954.   | 2.5 | 30        |
| 927 | Cell Surface Glycan Alterations in Epithelial Mesenchymal Transition Process of Huh7 Hepatocellular Carcinoma Cell. PLoS ONE, 2013, 8, e71273.  | 2.5 | 52        |
| 928 | Increased B Cell-Activating Factor Promotes Tumor Invasion and Metastasis in Human Pancreatic Cancer. PLoS ONE, 2013, 8, e71367.  | 2.5 | 30        |
| 929 | Involvement of TGFβ-Induced Phosphorylation of the PTEN C-Terminus on TGFβ-Induced Acquisition of Malignant Phenotypes in Lung Cancer Cells. PLoS ONE, 2013, 8, e81133.   | 2.5 | 18        |
| 930 | Association of the epithelial-to-mesenchymal transition phenotype with responsiveness to the p21-activated kinase inhibitor, PF-3758309, in colon cancer models. Frontiers in Pharmacology, 2013, 4, 35.        | 3.5 | 32        |
| 932 | MiR-132 Suppresses the Migration and Invasion of Lung Cancer Cells via Targeting the EMT Regulator ZEB2. PLoS ONE, 2014, 9, e91827.   | 2.5 | 101       |
| 933 | Normal Fibroblasts Induce E-Cadherin Loss and Increase Lymph Node Metastasis in Gastric Cancer. PLoS ONE, 2014, 9, e97306.  | 2.5 | 12        |
| 934 | Epidermal Growth Factor-Like Domain-Containing Protein 7 (EGFL7) Enhances EGF Receptorâ^'AKT Signaling, Epithelialâ^'Mesenchymal Transition, and Metastasis of Gastric Cancer Cells. PLoS ONE, 2014, 9, e99922. | 2.5 | 54        |
| 935 | Down-Regulation of 5-HT1B and 5-HT1D Receptors Inhibits Proliferation, Clonogenicity and Invasion of Human Pancreatic Cancer Cells. PLoS ONE, 2014, 9, e105245.   | 2.5 | 34        |
| 936 | Serum Response Factor Accelerates the High Glucose-Induced Epithelial-to-Mesenchymal Transition (EMT) via Snail Signaling in Human Peritoneal Mesothelial Cells. PLoS ONE, 2014, 9, e108593.                    | 2.5 | 22        |
| 937 | Triclosan Potentiates Epithelial-To-Mesenchymal Transition in Anoikis-Resistant Human Lung Cancer Cells. PLoS ONE, 2014, 9, e110851.  | 2.5 | 37        |
| 938 | Live Imaging and Gene Expression Analysis in Zebrafish Identifies a Link between Neutrophils and Epithelial to Mesenchymal Transition. PLoS ONE, 2014, 9, e112183.  | 2.5 | 52        |
| 939 | JARID2 Is Involved in Transforming Growth Factor-Beta-Induced Epithelial-Mesenchymal Transition of Lung and Colon Cancer Cell Lines. PLoS ONE, 2014, 9, e115684.  | 2.5 | 50        |
| 940 | Tumor Initiating Cells and Chemoresistance: Which Is the Best Strategy to Target Colon Cancer Stem Cells?. BioMed Research International, 2014, 2014, 1-7.  | 1.9 | 41        |
| 941 | Cordycepin Suppresses Integrin/FAK Signaling and Epithelial-Mesenchymal Transition in Hepatocellular Carcinoma. Anti-Cancer Agents in Medicinal Chemistry, 2014, 14, 29-34.                                     | 1.7 | 37        |
| 942 | Role of microRNA in epithelial to mesenchymal transition and metastasis and clinical perspectives. Cancer Management and Research, 2014, 6, 205.  | 1.9 | 144       |
| 943 | The PGI-KLF4 pathway regulates self-renewal of glioma stem cells residing in the mesenchymal niches in human gliomas. Neoplasma, 2014, 61, 401-410.   | 1.6 | 22        |
| 944 | Epithelial to mesenchymal transition in tumor cells as consequence of phenotypic instability. Frontiers in Cell and Developmental Biology, 2014, 2, 71.   | 3.7 | 11        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 945 | Functional Role of the microRNA-200 Family in Breast Morphogenesis and Neoplasia. Genes, 2014, 5, 804-820.  | 2.4  | 47        |
| 946 | Stemness is Derived from Thyroid Cancer Cells. Frontiers in Endocrinology, 2014, 5, 114.  | 3.5  | 25        |
| 947 | Novel Therapeutic Strategies for Fibrotic Lung Disease: A Review with a Focus on Epithelial-Mesenchymal Transition. Recent Patents on Inflammation and Allergy Drug Discovery, 2014, 8, 9-18.   | 3.6  | 13        |
| 948 | YB-1 expression promotes epithelial-to-mesenchymal transition in prostate cancer that is inhibited by a small molecule fisetin. Oncotarget, 2014, 5, 2462-2474.   | 1.8  | 96        |
| 949 | Downregulation of GRHL2 inhibits the proliferation of colorectal cancer cells by targeting ZEB1. Cancer Biology and Therapy, 2014, 15, 878-887.   | 3.4  | 47        |
| 950 | Prompt meningeal reconstruction mediated by oxygen-sensitive AKAP12 scaffolding protein after central nervous system injury. Nature Communications, 2014, 5, 4952.  | 12.8 | 30        |
| 951 | Fhit Regulates EMT Targets through an EGFR/Src/ERK/Slug Signaling Axis in Human Bronchial Cells. Molecular Cancer Research, 2014, 12, 775-783.  | 3.4  | 41        |
| 952 | Role of the epithelial–mesenchymal transition and its effects on embryonic stem cells. Experimental and Molecular Medicine, 2014, 46, e108-e108.  | 7.7  | 99        |
| 953 | Concomitant Notch activation and p53 deletion trigger epithelial-to-mesenchymal transition and metastasis in mouse gut. Nature Communications, 2014, 5, 5005.   | 12.8 | 114       |
| 954 | STAT3 and epithelial–mesenchymal transitions in carcinomas. Jak-stat, 2014, 3, e28975.  | 2.2  | 151       |
| 955 | The T-box transcription factor Brachyury promotes renal interstitial fibrosis by repressing E-cadherin expression. Cell Communication and Signaling, 2014, 12, 76.  | 6.5  | 13        |
| 956 | Yap1 Is Required for Endothelial to Mesenchymal Transition of the Atrioventricular Cushion. Journal of Biological Chemistry, 2014, 289, 18681-18692.  | 3.4  | 136       |
| 957 | Role of SIRT1 in regulation of epithelial-to-mesenchymal transition in oral squamous cell carcinoma metastasis. Molecular Cancer, 2014, 13, 254.  | 19.2 | 87        |
| 958 | Role of TGF- $\hat{l}^2$ receptor III localization in polarity and breast cancer progression. Molecular Biology of the Cell, 2014, 25, 2291-2304.   | 2.1  | 17        |
| 959 | Enhanced myeloid differentiation factor 88 promotes tumor metastasis via induction of epithelial–mesenchymal transition in human hepatocellular carcinoma. Cell Death and Disease, 2014, 5, e1103-e1103.  | 6.3  | 21        |
| 960 | Prostate apoptosis response-4 mediates TGF- $\hat{l}^2$ -induced epithelial-to-mesenchymal transition. Cell Death and Disease, 2014, 5, e1044-e1044.  | 6.3  | 29        |
| 961 | A novel hypoxia-associated subset of FN1highMITFlow melanoma cells: identification, characterization, and prognostic value. Modern Pathology, 2014, 27, 1088-1100.  | 5.5  | 20        |
| 962 | Interferon consensus sequence-binding protein (ICSBP) promotes epithelial-to-mesenchymal transition (EMT)-like phenomena, cell-motility, and invasion via TGF-Î <sup>2</sup> signaling in U2OS cells. Cell Death and Disease, 2014, 5, e1224-e1224. | 6.3  | 33        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 963 | Regulation of the protein stability of EMT transcription factors. Cell Adhesion and Migration, 2014, 8, 418-428.   | 2.7 | 80        |
| 964 | The Emerging Role of Insulin and Insulin-Like Growth Factor Signaling in Cancer Stem Cells. Frontiers in Endocrinology, 2014, 5, 10.   | 3.5 | 122       |
| 965 | Estrogen receptor-positive breast cancer molecular signatures and therapeutic potentials (Review). Biomedical Reports, 2014, 2, 41-52.   | 2.0 | 85        |
| 966 | TFIIB-Related Factor 2 Is Associated with Poor Prognosis of Nonsmall Cell Lung Cancer Patients through Promoting Tumor Epithelial-Mesenchymal Transition. BioMed Research International, 2014, 2014, 1-13.                                 | 1.9 | 21        |
| 967 | Pien Tze Huang Overcomes Multidrug Resistance and Epithelial-Mesenchymal Transition in Human Colorectal Carcinoma Cells via Suppression of TGF- <i>β</i> Pathway. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-10. | 1.2 | 27        |
| 968 | Transcription Regulation of E-Cadherin by Zinc Finger E-Box Binding Homeobox Proteins in Solid Tumors. BioMed Research International, 2014, 2014, 1-10.  | 1.9 | 70        |
| 969 | Epigenetic regulation of LSD1 during mammary carcinogenesis. Molecular and Cellular Oncology, 2014, 1, e963426.  | 0.7 | 14        |
| 970 | Epithelial-Mesenchymal Transition and Somatic Alteration in Colorectal Cancer with and without Peritoneal Carcinomatosis. BioMed Research International, 2014, 2014, 1-7.  | 1.9 | 16        |
| 971 | The Double-Edged Sword: Conserved Functions of Extracellular Hsp90 in Wound Healing and Cancer. Cancers, 2014, 6, 1065-1097.   | 3.7 | 51        |
| 972 | Altered Transcriptional Control Networks with Trans-Differentiation of Isogenic Mutant-KRas NSCLC Models. Frontiers in Oncology, 2014, 4, 344.   | 2.8 | 15        |
| 973 | miR-101 suppresses the epithelial-to-mesenchymal transition by targeting ZEB1 and ZEB2 in ovarian carcinoma. Oncology Reports, 2014, 31, 2021-2028.  | 2.6 | 75        |
| 974 | MicroRNA-10b promotes migration and invasion through KLF4 and HOXD10 in human bladder cancer. Oncology Reports, 2014, 31, 1832-1838.   | 2.6 | 97        |
| 975 | Protein Kinase D family kinases. Bioarchitecture, 2014, 4, 111-115.  | 1.5 | 10        |
| 976 | LOXL2 catalytically inactive mutants mediate epithelial-to-mesenchymal transition. Biology Open, 2014, 3, 129-137.   | 1.2 | 60        |
| 977 | Notch1 increases Snail expression under high reactive oxygen species conditions in hepatocellular carcinoma cells. Free Radical Research, 2014, 48, 806-813.   | 3.3 | 21        |
| 979 | Forkhead box Q1 promotes hepatocellular carcinoma metastasis by transactivating ZEB2 and VersicanV1 expression. Hepatology, 2014, 59, 958-973.   | 7.3 | 134       |
| 980 | Cancer Metabolism and Elevated O-GlcNAc in Oncogenic Signaling. Journal of Biological Chemistry, 2014, 289, 34457-34465.   | 3.4 | 155       |
| 981 | Transient SNAIL1 Expression Is Necessary for Metastatic Competence in Breast Cancer. Cancer Research, 2014, 74, 6330-6340.   | 0.9 | 186       |

| #   | Article  | IF  | CITATIONS  |
|-----|--|-----|------------|
| 982 | Stem Cell-Like Side Populations in Esophageal Cancer: A Source of Chemotherapy Resistance and Metastases. Stem Cells and Development, 2014, 23, 180-192.   | 2.1 | 41         |
| 983 | Progeny From Irradiated Colorectal Cancer Cells Acquire an EMTâ€∢i>Like Phenotype and Activate Wnt/βâ€Catenin Pathway. Journal of Cellular Biochemistry, 2014, 115, 2175-2187.   | 2.6 | 47         |
| 984 | Tumor necrosis factorâ€Î± modulates epithelial mesenchymal transition mediators <scp>ZEB2</scp> and <scp>S100A4</scp> to promote cholangiocarcinoma progression. Journal of Hepato-Biliary-Pancreatic Sciences, 2014, 21, 703-711. | 2.6 | 36         |
| 985 | Loss of the novel tumour suppressor and polarity gene <i>Trim62</i> ( <i>Dear1</i> ) synergizes with oncogenic Ras in invasive lung cancer. Journal of Pathology, 2014, 234, 108-119.  | 4.5 | 21         |
| 986 | Decreased TIP30 expression predicts poor prognosis in pancreatic cancer patients. International Journal of Cancer, 2014, 134, 1369-1378.   | 5.1 | 20         |
| 987 | Regulation of Plasticity and Fibrogenic Activity of Trabecular Meshwork Cells by Rho GTPase Signaling. Journal of Cellular Physiology, 2014, 229, 927-942.   | 4.1 | 102        |
| 988 | Triptolide reverses hypoxiaâ€induced epithelial–mesenchymal transition and stemâ€like features in pancreatic cancer by NFâ€₽B downregulation. International Journal of Cancer, 2014, 134, 2489-2503.                               | 5.1 | 129        |
| 989 | <scp>RUNX</scp> 3 regulates vimentin expression <i>via</i> miRâ€30a during epithelial–mesenchymal transition in gastric cancer cells. Journal of Cellular and Molecular Medicine, 2014, 18, 610-623.                               | 3.6 | <b>7</b> 5 |
| 990 | Investigation of the epithelial to mesenchymal transition markers \$100A4, vimentin and Snail1 in gastroesophageal junction tumors. Ecological Management and Restoration, 2014, 27, 485-492.                                      | 0.4 | 6          |
| 991 | Comparative genomic hybridization shows complex genomic changes of plasmacytoid urothelial carcinoma. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 1234-1239.  | 1.6 | 6          |
| 992 | The basic helix-loop-helix (bHLH) transcription factor DEC2 negatively regulates Twist1 through an E-box element. Biochemical and Biophysical Research Communications, 2014, 455, 390-395.   | 2.1 | 7          |
| 993 | Effects of estrogen-related receptor alpha (ERRα) on proliferation and metastasis of human lung cancer A549 cells. Journal of Huazhong University of Science and Technology [Medical Sciences], 2014, 34, 875-881.                 | 1.0 | 27         |
| 994 | Serum response factor induces epithelial to mesenchymal transition with resistance to sorafenib in hepatocellular carcinoma. International Journal of Oncology, 2014, 44, 129-136.   | 3.3 | 21         |
| 995 | Molecular Determinants of Head and Neck Cancer. , 2014, , .  |     | 2          |
| 996 | Genome-Wide Activities of RNA Binding Proteins That Regulate Cellular Changes in the Epithelial to Mesenchymal Transition (EMT). Advances in Experimental Medicine and Biology, 2014, 825, 267-302.                                | 1.6 | 22         |
| 997 | CHES1/FOXN3 regulates cell proliferation by repressing PIM2 and protein biosynthesis. Molecular Biology of the Cell, 2014, 25, 554-565.  | 2.1 | 31         |
| 998 | Structural basis for the selective nuclear import of the C2H2 zinc-finger protein Snail by importin $\hat{l}^2$ . Acta Crystallographica Section D: Biological Crystallography, 2014, 70, 1050-1060.                               | 2.5 | 27         |
| 999 | Proteogenomic Analysis Reveals Unanticipated Adaptations of Colorectal Tumor Cells to Deficiencies in DNA Mismatch Repair. Cancer Research, 2014, 74, 387-397.   | 0.9 | 46         |

| #    | ARTICLE   | IF          | CITATIONS |
|------|---|-------------|-----------|
| 1000 | CD24 and S100A4 Expression in Resectable Pancreatic Cancers With Earlier Disease Recurrence and Poor Survival. Pancreas, 2014, 43, 380-388.   | 1.1         | 32        |
| 1001 | Evidence for a role of E-cadherin in suppressing liver carcinogenesis in mice and men. Carcinogenesis, 2014, 35, 1855-1862.   | 2.8         | 28        |
| 1002 | Dysregulated expression of Snail and E-cadherin correlates with gastrointestinal stromal tumor metastasis. European Journal of Cancer Prevention, 2014, 23, 329-335.  | 1.3         | 10        |
| 1003 | CPEB1 promotes differentiation and suppresses EMT in mammary epithelial cells. Journal of Cell Science, 2014, 127, 2326-38.   | 2.0         | 15        |
| 1004 | Cancer cell metabolism as new targets for novel designed therapies. Future Medicinal Chemistry, 2014, 6, 1791-1810.   | 2.3         | 22        |
| 1005 | Twist1-induced dissemination preserves epithelial identity and requires E-cadherin. Journal of Cell Biology, 2014, 204, 839-856.  | <b>5.</b> 2 | 178       |
| 1006 | Zinc ions upregulate the hormone gastrin via an E-box motif in the proximal gastrin promoter. Journal of Molecular Endocrinology, 2014, 52, 29-42.  | 2.5         | 20        |
| 1007 | Akt2 Mediates TGF-�1-Induced Epithelial to Mesenchymal Transition by Deactivating GSK3�/Snail Signaling Pathway in Renal Tubular Epithelial Cells. Cellular Physiology and Biochemistry, 2014, 34, 368-382. | 1.6         | 64        |
| 1008 | TGF-β–induced epithelial-to-mesenchymal transition proceeds through stepwise activation of multiple feedback loops. Science Signaling, 2014, 7, ra91.   | 3.6         | 395       |
| 1009 | Crosstalk of Oncogenic Signaling Pathways during Epithelialââ,¬â€œMesenchymal Transition. Frontiers in Oncology, 2014, 4, 358.  | 2.8         | 137       |
| 1010 | STAT3: An Anti-Invasive Factor in Colorectal Cancer?. Cancers, 2014, 6, 1394-1407.  | 3.7         | 11        |
| 1011 | C-terminal binding proteins: central players in development and disease. Biomolecular Concepts, 2014, 5, 489-511.   | 2.2         | 71        |
| 1012 | Huaier polysaccharides suppresses hepatocarcinoma MHCC97-H cell metastasis via inactivation of EMT and AEG-1 pathway. International Journal of Biological Macromolecules, 2014, 64, 106-110.                | 7.5         | 62        |
| 1013 | Fascin Is Regulated by Slug, Promotes Progression of Pancreatic Cancer in Mice, and Is Associated With Patient Outcomes. Gastroenterology, 2014, 146, 1386-1396.e17.  | 1.3         | 100       |
| 1014 | Epigenetic Mechanisms of Cancer Metastasis. Cancer Drug Discovery and Development, 2014, , 87-104.  | 0.4         | 0         |
| 1016 | Inflammation and cancer stem cells. Cancer Letters, 2014, 345, 271-278.   | 7.2         | 105       |
| 1017 | BVES Inhibition Triggers Epithelial-Mesenchymal Transition in Human Hepatocellular Carcinoma. Digestive Diseases and Sciences, 2014, 59, 992-1000.  | 2.3         | 28        |
| 1018 | The role of epithelial plasticity in prostate cancer dissemination and treatment resistance. Cancer and Metastasis Reviews, 2014, 33, 441-468.  | 5.9         | 59        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1019 | miR-429 inhibits cells growth and invasion and regulates EMT-related marker genes by targeting Onecut2 in colorectal carcinoma. Molecular and Cellular Biochemistry, 2014, 390, 19-30.                                  | 3.1  | 128       |
| 1020 | TGFâ€Î²1Âinduces EMT reprogramming of porcine bladder urothelial cells into collagen producing fibroblastsâ€like cells in a Smad2/Smad3â€dependent manner. Journal of Cell Communication and Signaling, 2014, 8, 39-58. | 3.4  | 53        |
| 1021 | Deregulation of the cell polarity protein Lethal giant larvae 2 (Lgl2) correlates with gastric cancer progression. Gastric Cancer, 2014, 17, 610-620.   | 5.3  | 10        |
| 1022 | Expression of TGF- $\hat{l}^2$ 1, SNAI1 and MMP-9 is associated with lymph node metastasis in papillary thyroid carcinoma. Journal of Molecular Histology, 2014, 45, 391-399.   | 2.2  | 30        |
| 1023 | FGF16 Promotes Invasive Behavior of SKOV-3 Ovarian Cancer Cells through Activation of Mitogen-activated Protein Kinase (MAPK) Signaling Pathway. Journal of Biological Chemistry, 2014, 289, 1415-1428.                 | 3.4  | 43        |
| 1024 | Synergistic inhibition of lung cancer cell invasion, tumor growth and angiogenesis using aptamer-siRNA chimeras. Biomaterials, 2014, 35, 2905-2914.   | 11.4 | 57        |
| 1025 | SNAI1 is critical for the aggressiveness of prostate cancer cells with low E-cadherin. Molecular Cancer, 2014, 13, 37.  | 19.2 | 75        |
| 1026 | ILEI drives epithelial to mesenchymal transition and metastatic progression in the lung cancer cell line A549. Tumor Biology, 2014, 35, 1377-1382.  | 1.8  | 33        |
| 1027 | Notch-1-mediated esophageal carcinoma EC-9706 cell invasion and metastasis by inducing epithelial–mesenchymal transition through Snail. Tumor Biology, 2014, 35, 1193-1201.   | 1.8  | 21        |
| 1028 | The roles of HLH transcription factors in epithelial mesenchymal transition and multiple molecular mechanisms. Clinical and Experimental Metastasis, 2014, 31, 367-377.   | 3.3  | 39        |
| 1029 | p53-Induced miR-15a/16-1 and AP4 Form a Double-Negative Feedback Loop to Regulate Epithelial–Mesenchymal Transition and Metastasis in Colorectal Cancer. Cancer Research, 2014, 74, 532-542.                            | 0.9  | 117       |
| 1030 | Identification of Distinct Basal and Luminal Subtypes of Muscle-Invasive Bladder Cancer with Different Sensitivities to Frontline Chemotherapy. Cancer Cell, 2014, 25, 152-165.   | 16.8 | 1,358     |
| 1031 | Molecular mechanisms of epithelial–mesenchymal transition. Nature Reviews Molecular Cell Biology, 2014, 15, 178-196.  | 37.0 | 6,331     |
| 1032 | Airway epithelial barrier function regulates the pathogenesis of allergic asthma. Clinical and Experimental Allergy, 2014, 44, 620-630.   | 2.9  | 92        |
| 1033 | Vimentin silencing effect on invasive and migration characteristics of doxorubicin resistant MCF-7 cells. Biomedicine and Pharmacotherapy, 2014, 68, 357-364.   | 5.6  | 16        |
| 1034 | Endothelial cadherins in cancer. Cell and Tissue Research, 2014, 355, 523-527.  | 2.9  | 62        |
| 1035 | Differential Effects of RUNX2 on the Androgen Receptor in Prostate Cancer: Synergistic Stimulation of a Gene Set Exemplified by SNAI2 and Subsequent Invasiveness. Cancer Research, 2014, 74, 2857-2868.                | 0.9  | 30        |
| 1036 | Deregulation of cell signaling in cancer. FEBS Letters, 2014, 588, 2558-2570.   | 2.8  | 103       |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1037 | Bone morphogenetic proteins and their antagonists: current and emerging clinical uses. British Journal of Pharmacology, 2014, 171, 3620-3632.   | 5.4 | 89        |
| 1038 | Bioluminescence Imaging of Cancer Therapy. , 2014, , 69-93.   |     | 3         |
| 1039 | ZNF281/ZBP-99: a new player in epithelial–mesenchymal transition, stemness, and cancer. Journal of Molecular Medicine, 2014, 92, 571-581.   | 3.9 | 36        |
| 1040 | Targeted therapy of epigenomic regulatory mechanisms controlling the epithelial to mesenchymal transition during tumor progression. Cell and Tissue Research, 2014, 356, 617-630.   | 2.9 | 11        |
| 1041 | Novel Strategies to Enforce an Epithelial Phenotype in Mesenchymal Cells. Cancer Research, 2014, 74, 3659-3672.   | 0.9 | 20        |
| 1042 | Differential Role of Snail1 and Snail2 Zinc Fingers in E-cadherin Repression and Epithelial to Mesenchymal Transition. Journal of Biological Chemistry, 2014, 289, 930-941.   | 3.4 | 134       |
| 1043 | Ion Mobility Derived Collision Cross Sections to Support Metabolomics Applications. Analytical Chemistry, 2014, 86, 3985-3993.  | 6.5 | 279       |
| 1044 | Cell Cycle Deregulation and <i>TP53 </i> Ali> and <i>RAS </i> Ali> Mutations Are Major Events in Poorly Differentiated and Undifferentiated Thyroid Carcinomas. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E497-E507.                      | 3.6 | 79        |
| 1045 | Loss of SNAIL inhibits cellular growth and metabolism through the miR-128-mediated RPS6KB1/HIF-1α/PKM2 signaling pathway in prostate cancer cells. Tumor Biology, 2014, 35, 8543-8550.  | 1.8 | 28        |
| 1046 | Hypoxia as a biomarker for radioresistant cancer stem cells. International Journal of Radiation Biology, 2014, 90, 636-652.   | 1.8 | 115       |
| 1047 | Hypoxia-regulated gene network in drug resistance and cancer progression. Experimental Biology and Medicine, 2014, 239, 779-792.  | 2.4 | 45        |
| 1048 | A core microRNA signature associated with inducers of the epithelial-to-mesenchymal transition. Journal of Pathology, 2014, 232, 319-329.   | 4.5 | 66        |
| 1049 | Immunohistological Insight into the Correlation between Neuropilin-1 and Epithelial-Mesenchymal Transition Markers in Epithelial Ovarian Cancer. Journal of Histochemistry and Cytochemistry, 2014, 62, 619-631.  | 2.5 | 22        |
| 1050 | The effects of shRNA-mediated gene silencing of transcription factor SNAI1 on the biological phenotypes of breast cancer cell line MCF-7. Molecular and Cellular Biochemistry, 2014, 388, 113-121.  | 3.1 | 8         |
| 1051 | A mitochondrial thioredoxin-sensitive mechanism regulates TGF-β-mediated gene expression associated with epithelial–mesenchymal transition. Biochemical and Biophysical Research Communications, 2014, 443, 821-827.  | 2.1 | 43        |
| 1052 | Connexins, gap junctions and tissue invasion. FEBS Letters, 2014, 588, 1331-1338.   | 2.8 | 62        |
| 1053 | The effect of Pokemon on bladder cancer epithelial–mesenchymal transition. Biochemical and Biophysical Research Communications, 2014, 443, 1226-1231.   | 2.1 | 11        |
| 1054 | MART-10, a less calcemic vitamin D analog, is more potent than $1\hat{1}\pm,25$ -dihydroxyvitamin D3 in inhibiting the metastatic potential of MCF-7 breast cancer cells in vitro. Journal of Steroid Biochemistry and Molecular Biology, 2014, 139, 54-60. | 2.5 | 31        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1055 | A role of zincâ€finger protein 143 for cancer cell migration and invasion through ZEB1 and Eâ€cadherin in colon cancer cells. Molecular Carcinogenesis, 2014, 53, E161-8.  | 2.7 | 32        |
| 1056 | Double-negative feedback loop between ZEB2 and miR-145 regulates epithelial-mesenchymal transition and stem cell properties in prostate cancer cells. Cell and Tissue Research, 2014, 358, 763-778.                              | 2.9 | 119       |
| 1057 | PARP-1 regulates epithelial-mesenchymal transition (EMT) in prostate tumorigenesis. Carcinogenesis, 2014, 35, 2592-2601.   | 2.8 | 58        |
| 1058 | Epithelial-Mesenchymal Transition and Drug Resistance: Role, Molecular Mechanisms, and Therapeutic Strategies. Oncology Research and Treatment, 2014, 37, 584-589.   | 1.2 | 75        |
| 1059 | HNRNPAB Induces Epithelial–Mesenchymal Transition and Promotes Metastasis of Hepatocellular Carcinoma by Transcriptionally Activating <i>SNAIL</i> . Cancer Research, 2014, 74, 2750-2762.                                       | 0.9 | 91        |
| 1060 | Amyloid precursor protein regulates migration and metalloproteinase gene expression in prostate cancer cells. Biochemical and Biophysical Research Communications, 2014, 452, 828-833.   | 2.1 | 29        |
| 1062 | Snail regulated by PKC/GSK- $3\hat{l}^2$ pathway is crucial for EGF-induced epithelial-mesenchymal transition (EMT) of cancer cells. Cell and Tissue Research, 2014, 358, 491-502.   | 2.9 | 63        |
| 1064 | HMGA2 induces transcription factor Slug expression to promote epithelial-to-mesenchymal transition and contributes to colon cancer progression. Cancer Letters, 2014, 355, 130-140.  | 7.2 | 108       |
| 1065 | Toward Decoding the Principles of Cancer Metastasis Circuits. Cancer Research, 2014, 74, 4574-4587.  | 0.9 | 51        |
| 1066 | MicroRNA-148a suppresses the epithelial–mesenchymal transition and metastasis of hepatoma cells by targeting Met/Snail signaling. Oncogene, 2014, 33, 4069-4076.   | 5.9 | 147       |
| 1067 | Suppression of the <scp>TGF</scp> â€Î²1â€induced protein expression of <scp>SNAI</scp> 1 and Nâ€cadherin by miRâ€199a. Genes To Cells, 2014, 19, 667-675.  | 1.2 | 17        |
| 1069 | The architect who never sleeps: Tumorâ€induced plasticity. FEBS Letters, 2014, 588, 2422-2427.   | 2.8 | 50        |
| 1070 | Targeting Estrogen-Related Receptor Alpha Inhibits Epithelial-to-Mesenchymal Transition and Stem Cell Properties of Ovarian Cancer Cells. Molecular Therapy, 2014, 22, 743-751.  | 8.2 | 53        |
| 1071 | AKT/GSK-3β regulates stability and transcription of snail which is crucial for bFGF-induced epithelial–mesenchymal transition of prostate cancer cells. Biochimica Et Biophysica Acta - General Subjects, 2014, 1840, 3096-3105. | 2.4 | 60        |
| 1072 | Effects of microRNAâ€30a on migration, invasion and prognosis of hepatocellular carcinoma. FEBS Letters, 2014, 588, 3089-3097.   | 2.8 | 68        |
| 1073 | Stathmin destabilizing microtubule dynamics promotes malignant potential in cancer cells by epithelial-mesenchymal transition. Hepatobiliary and Pancreatic Diseases International, 2014, 13, 386-394.                           | 1.3 | 30        |
| 1074 | The Roles of the Epithelial-Mesenchymal Transition Marker PRRX1 and miR-146b-5p in Papillary Thyroid Carcinoma Progression. American Journal of Pathology, 2014, 184, 2342-2354.   | 3.8 | 89        |
| 1075 | LincRNA-ROR induces epithelial-to-mesenchymal transition and contributes to breast cancer tumorigenesis and metastasis. Cell Death and Disease, 2014, 5, e1287-e1287.  | 6.3 | 297       |

| #    | Article  | IF   | Citations |
|------|--|------|-----------|
| 1076 | EED regulates epithelial–mesenchymal transition of cancer cells induced by TGF-β. Biochemical and Biophysical Research Communications, 2014, 453, 124-130.   | 2.1  | 23        |
| 1077 | miR-200c modulates ovarian cancer cell metastasis potential by targeting zinc finger E-box-binding homeobox 2 (ZEB2) expression. Medical Oncology, 2014, 31, 134.  | 2.5  | 18        |
| 1078 | Synergistic antitumor effects of S-1 with eribulin in vitro and in vivo for triple-negative breast cancer cell lines. SpringerPlus, 2014, 3, 417.  | 1.2  | 29        |
| 1080 | Ubiquitin C-terminal hydrolase-L3 regulates EMT process and cancer metastasis in prostate cell lines.<br>Biochemical and Biophysical Research Communications, 2014, 452, 722-727.  | 2.1  | 33        |
| 1081 | The opposite prognostic significance of nuclear and cytoplasmic p21 expression in resectable gastric cancer patients. Journal of Gastroenterology, 2014, 49, 1441-1452.  | 5.1  | 32        |
| 1082 | E-cadherin expression in Barrett's esophagus and esophageal carcinoma. Esophagus, 2014, 11, 153-161.   | 1.9  | 3         |
| 1083 | MAGEC2, an epithelial-mesenchymal transition inducer, is associated with breast cancer metastasis. Breast Cancer Research and Treatment, 2014, 145, 23-32.   | 2.5  | 46        |
| 1084 | Der p 2 promotes motility of airway epithelial cell attributing to AKT/GSK3β-associated epithelial-to-mesenchymal transition. Molecular and Cellular Biochemistry, 2014, 395, 135-143.   | 3.1  | 7         |
| 1086 | Transcriptional Mechanisms Link Epithelial Plasticity to Adhesion and Differentiation of Epidermal Progenitor Cells. Developmental Cell, 2014, 29, 47-58.  | 7.0  | 110       |
| 1088 | Specificity Protein 1 (Sp1) Maintains Basal Epithelial Expression of the miR-200 Family. Journal of Biological Chemistry, 2014, 289, 11194-11205.  | 3.4  | 55        |
| 1089 | KAP-1 is overexpressed and correlates with increased metastatic ability and tumorigenicity in pancreatic cancer. Medical Oncology, 2014, 31, 25.   | 2.5  | 26        |
| 1090 | MicroRNA-335 inhibits invasion and metastasis of colorectal cancer by targeting ZEB2. Medical Oncology, 2014, 31, 982.   | 2.5  | 67        |
| 1091 | Transitions between epithelial and mesenchymal states during cell fate conversions. Protein and Cell, 2014, 5, 580-591.  | 11.0 | 44        |
| 1092 | TPM3, a strong prognosis predictor, is involved in malignant progression through MMP family members and EMT-like activators in gliomas. Tumor Biology, 2014, 35, 9053-9059.  | 1.8  | 21        |
| 1093 | SchA–p85–FAK complex dictates isoform-specific activation of Akt2 and subsequent PCBP1-mediated post-transcriptional regulation of TGFβ-mediated epithelial to mesenchymal transition in human lung cancer cell line A549. Tumor Biology, 2014, 35, 7853-7859. | 1.8  | 18        |
| 1094 | HIFs enhance the migratory and neoplastic capacities of hepatocellular carcinoma cells by promoting EMT. Tumor Biology, 2014, 35, 8103-8114.   | 1.8  | 36        |
| 1095 | Loss of E-cadherin promotes migration and invasion of cholangiocarcinoma cells and serves as a potential marker of metastasis. Tumor Biology, 2014, 35, 8645-8652.   | 1.8  | 47        |
| 1096 | Epistemology of the origin of cancer: a new paradigm. BMC Cancer, 2014, 14, 331.   | 2.6  | 75        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1097 | Oncogenic roles of EMT-inducing transcription factors. Nature Cell Biology, 2014, 16, 488-494.  | 10.3 | 863       |
| 1098 | Slug Promotes Survival during Metastasis through Suppression of Puma-Mediated Apoptosis. Cancer Research, 2014, 74, 3695-3706.  | 0.9  | 37        |
| 1099 | Epithelial-to-Mesenchymal Transition Rewires the Molecular Path to PI3K-Dependent Proliferation. Cancer Discovery, 2014, 4, 186-199.  | 9.4  | 103       |
| 1100 | The vitamin D analog, MART-10, represses metastasis potential via downregulation of epithelial–mesenchymal transition in pancreatic cancer cells. Cancer Letters, 2014, 354, 235-244.   | 7.2  | 44        |
| 1101 | Identification of a ZEB2-MITF-ZEB1 transcriptional network that controls melanogenesis and melanoma progression. Cell Death and Differentiation, 2014, 21, 1250-1261.   | 11.2 | 195       |
| 1102 | Human lysyl oxidase-like 2. Bioorganic Chemistry, 2014, 57, 231-241.  | 4.1  | 107       |
| 1103 | Changes in macrophage phenotype and induction of epithelialâ€toâ€mesenchymal transition genes following acute Achilles tenotomy and repair. Journal of Orthopaedic Research, 2014, 32, 944-951.   | 2.3  | 103       |
| 1104 | The ZEB1 Transcription Factor Acts in a Negative Feedback Loop with miR200 Downstream of Ras and Rb1 to Regulate Bmi1 Expression. Journal of Biological Chemistry, 2014, 289, 4116-4125.  | 3.4  | 36        |
| 1105 | Acquisition of epithelial–mesenchymal transition phenotype and cancer stem cell-like properties in cisplatin-resistant lung cancer cells through AKT/β-catenin/Snail signaling pathway. European Journal of Pharmacology, 2014, 723, 156-166. | 3.5  | 124       |
| 1106 | Overexpression of Snail in retinal pigment epithelial triggered epithelial–mesenchymal transition.<br>Biochemical and Biophysical Research Communications, 2014, 446, 347-351.  | 2.1  | 34        |
| 1107 | Sox5 induces epithelial to mesenchymal transition by transactivation of Twist1. Biochemical and Biophysical Research Communications, 2014, 446, 322-327.  | 2.1  | 47        |
| 1108 | Colorectal cancer progression: Lessons from Drosophila?. Seminars in Cell and Developmental Biology, 2014, 28, 70-77.   | 5.0  | 25        |
| 1109 | GSK3β controls epithelial–mesenchymal transition and tumor metastasis by CHIP-mediated degradation of Slug. Oncogene, 2014, 33, 3172-3182.  | 5.9  | 118       |
| 1110 | Steering tumor progression through the transcriptional response to growth factors and stroma. FEBS Letters, 2014, 588, 2407-2414.   | 2.8  | 7         |
| 1111 | LncRNA expression signatures of twist-induced epithelial-to-mesenchymal transition in MCF10A cells. Cellular Signalling, 2014, 26, 83-93.   | 3.6  | 41        |
| 1112 | P63 regulates tubular formation via epithelial-to-mesenchymal transition. Oncogene, 2014, 33, 1548-1557.  | 5.9  | 29        |
| 1113 | Utility of a bacterial infection model to study epithelial–mesenchymal transition, mesenchymal–epithelial transition or tumorigenesis. Oncogene, 2014, 33, 2639-2654.   | 5.9  | 59        |
| 1114 | MicroRNAs regulate both epithelial-to-mesenchymal transition and cancer stem cells. Oncogene, 2014, 33, 269-278.  | 5.9  | 92        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1115 | Epigenetic regulation of hypoxiaâ€responsive gene expression: Focusing on chromatin and DNA modifications. International Journal of Cancer, 2014, 134, 249-256.   | 5.1 | 60        |
| 1116 | Multilayer control of the EMT master regulators. Oncogene, 2014, 33, 1755-1763.   | 5.9 | 278       |
| 1117 | WASF3 regulates miR-200 inactivation by ZEB1 through suppression of KISS1 leading to increased invasiveness in breast cancer cells. Oncogene, 2014, 33, 203-211.  | 5.9 | 73        |
| 1118 | Transcription factor Snai1-1 induces osteosarcoma invasion and metastasis by inhibiting E-cadherin expression. Oncology Letters, 2014, 8, 193-197.  | 1.8 | 22        |
| 1119 | Establishment of 5-fluorouracil-resistant oral squamous cell carcinoma cell lines with epithelial to mesenchymal transition changes. International Journal of Oncology, 2014, 44, 1302-1308.                            | 3.3 | 28        |
| 1120 | Effects of the HIF-1α and NF-κB loop on epithelial-mesenchymal transition and chemoresistance induced by hypoxia in pancreatic cancer cells. Oncology Reports, 2014, 31, 1891-1898.                                     | 2.6 | 55        |
| 1121 | Sulforaphane and TRAIL induce a synergistic elimination of advanced prostate cancer stem-like cells. International Journal of Oncology, 2014, 44, 1470-1480.  | 3.3 | 49        |
| 1122 | Snail-induced epithelial-mesenchymal transition promotes cancer stem cell-like phenotype in head and neck cancer cells. International Journal of Oncology, 2014, 44, 693-699.   | 3.3 | 63        |
| 1123 | Overexpressed FOXC2 in ovarian cancer enhances the epithelial-to-mesenchymal transition and invasion of ovarian cancer cells. Oncology Reports, 2014, 31, 2545-2554.  | 2.6 | 30        |
| 1124 | Tumor necrosis factor α induces epithelial-mesenchymal transition and promotes metastasis via NF-κB signaling pathway-mediated TWIST expression in hypopharyngeal cancer. Oncology Reports, 2014, 31, 321-327.          | 2.6 | 43        |
| 1125 | JAK/STAT3 signaling is required for TGF- $\hat{l}^2$ -induced epithelial-mesenchymal transition in lung cancer cells. International Journal of Oncology, 2014, 44, 1643-1651.   | 3.3 | 248       |
| 1126 | Mesenchymal phenotype after chemotherapy is associated with chemoresistance and poor clinical outcome in esophageal cancer. Oncology Reports, 2014, 31, 589-596.  | 2.6 | 25        |
| 1127 | TAZ promotes epithelial to mesenchymal transition via the upregulation of connective tissue growth factor expression in neuroblastoma cells. Molecular Medicine Reports, 2015, 11, 982-988.                             | 2.4 | 40        |
| 1128 | miR-429 inhibits migration and invasion of breast cancer cells in vitro. International Journal of Oncology, 2015, 46, 531-538.  | 3.3 | 76        |
| 1129 | Transforming growth factor- $\hat{l}^21$ -induced epithelial to mesenchymal transition increases mitochondrial content in the A549 non-small cell lung cancer cell line. Molecular Medicine Reports, 2015, 11, 417-421. | 2.4 | 13        |
| 1130 | Epithelial–mesenchymal transition is regulated at postâ€transcriptional levels by transforming growth factorâ€Î² signaling during tumor progression. Cancer Science, 2015, 106, 481-488.                                | 3.9 | 96        |
| 1131 | MicroRNA-203 inhibits cellular proliferation and invasion by targeting Bmi1 in non-small cell lung cancer. Oncology Letters, 2015, 9, 2639-2646.  | 1.8 | 38        |
| 1132 | MicroRNA-141 inhibits migration of gastric cancer by targeting zinc finger E-box-binding homeobox 2. Molecular Medicine Reports, 2015, 12, 3416-3422.   | 2.4 | 18        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1133 | Inhibition of protein kinase C by isojacareubin suppresses hepatocellular carcinoma metastasis and induces apoptosis in vitro and in vivo. Scientific Reports, 2015, 5, 12889.   | 3.3 | 19        |
| 1134 | CD24 expression as a marker for predicting clinical outcome and invasive activity in uterine cervical cancer. Oncology Reports, 2015, 34, 2282-2288.   | 2.6 | 25        |
| 1135 | Regulated genes in mesenchymal stem cells and gastric cancer. World Journal of Stem Cells, 2015, 7, 208.   | 2.8 | 16        |
| 1136 | The ectopic expression of Snail in MDBK cells does not induce epithelial-mesenchymal transition. International Journal of Molecular Medicine, 2015, 36, 166-172.   | 4.0 | 1         |
| 1137 | Special AT-rich sequence-binding protein-1 participates in the maintenance of breast cancer stem cells through regulation of the Notch signaling pathway and expression of Snail1 and Twist1. Molecular Medicine Reports, 2015, $11$ , $3235-3242$ . | 2.4 | 11        |
| 1138 | Fibroblast-epithelial cell interactions drive epithelial-mesenchymal transition differently in cells from normal and COPD patients. Respiratory Research, 2015, 16, 72.  | 3.6 | 51        |
| 1139 | MiRâ€23b and miRâ€199a impair epithelialâ€toâ€mesenchymal transition during atrioventricular endocardial cushion formation. Developmental Dynamics, 2015, 244, 1259-1275.  | 1.8 | 26        |
| 1140 | Loss of MicroRNA-101 Promotes Epithelial to Mesenchymal Transition in Hepatocytes. Journal of Cellular Physiology, 2015, 230, 2706-2717.   | 4.1 | 35        |
| 1141 | Soluble factors regulated by epithelial–mesenchymal transition mediate tumour angiogenesis and myeloid cell recruitment. Journal of Pathology, 2015, 236, 491-504.   | 4.5 | 51        |
| 1142 | Aspirin and P2Y12 inhibition attenuate platelet-induced ovarian cancer cell invasion. BMC Cancer, 2015, 15, 627.   | 2.6 | 55        |
| 1143 | MiR-449a suppresses the epithelial-mesenchymal transition and metastasis of hepatocellular carcinoma by multiple targets. BMC Cancer, 2015, 15, 706.   | 2.6 | 59        |
| 1144 | HOXD9 promotes epithelial–mesenchymal transition and cancer metastasis by ZEB1 regulation in hepatocellular carcinoma. Journal of Experimental and Clinical Cancer Research, 2015, 34, 133.  | 8.6 | 73        |
| 1145 | The human <i>NANOS3</i> gene contributes to lung tumour invasion by inducing epithelial–mesenchymal transition. Journal of Pathology, 2015, 237, 25-37.  | 4.5 | 17        |
| 1146 | FoxM1 overexpression promotes epithelial-mesenchymal transition and metastasis of hepatocellular carcinoma. World Journal of Gastroenterology, 2015, 21, 196.  | 3.3 | 65        |
| 1147 | Regulation of ADAM10 and ADAM17 by Sorafenib Inhibits Epithelial-to-Mesenchymal Transition in Epstein-Barr Virus–Infected Retinal Pigment Epithelial Cells. , 2015, 56, 5162.  |     | 22        |
| 1148 | Cellular Plasticity in Prostate Cancer Bone Metastasis. Prostate Cancer, 2015, 2015, 1-12.   | 0.6 | 21        |
| 1149 | Links between cancer stem cells and epithelial– mesenchymal transition. OncoTargets and Therapy, 2015, 8, 2973.  | 2.0 | 89        |
| 1150 | The IncRNA H19 promotes epithelial to mesenchymal transition by functioning as miRNA sponges in colorectal cancer. Oncotarget, 2015, 6, 22513-22525.   | 1.8 | 533       |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1151 | Drug Development for Metastasis Prevention. Critical Reviews in Oncogenesis, 2015, 20, 449-473.   | 0.4  | 48        |
| 1152 | HGF/Met-Signaling Contributes to Immune Regulation by Modulating Tolerogenic and Motogenic Properties of Dendritic Cells. Biomedicines, 2015, 3, 138-148.                             | 3.2  | 26        |
| 1153 | Understanding the Process of Corneal Endothelial Morphological Change In Vitro. Investigative Ophthalmology and Visual Science, 2015, 56, 1228-1237.                                  | 3.3  | 84        |
| 1154 | BDE-99 (2,2′,4,4′,5-pentabromodiphenyl Ether) Triggers Epithelial-mesenchymal Transition in Colorectal Cancer Cells via Pl3K/Akt/Snail Signaling Pathway. Tumori, 2015, 101, 238-245. | 1.1  | 17        |
| 1155 | Aberrant Activation of the RANK Signaling Receptor Induces Murine Salivary Gland Tumors. PLoS ONE, 2015, 10, e0128467.  | 2.5  | 9         |
| 1156 | Different Effects of BORIS/CTCFL on Stemness Gene Expression, Sphere Formation and Cell Survival in Epithelial Cancer Stem Cells. PLoS ONE, 2015, 10, e0132977.                       | 2.5  | 32        |
| 1157 | BTB-Zinc Finger Oncogenes Are Required for Ras and Notch-Driven Tumorigenesis in Drosophila. PLoS ONE, 2015, 10, e0132987.  | 2.5  | 33        |
| 1158 | Lichen Secondary Metabolite, Physciosporin, Inhibits Lung Cancer Cell Motility. PLoS ONE, 2015, 10, e0137889.   | 2.5  | 25        |
| 1159 | Pivotal role of vascular endothelial growth factor pathway in tumor angiogenesis. Annals of Surgical Treatment and Research, 2015, 89, 1.   | 1.0  | 164       |
| 1160 | The role of Snail1 transcription factor in colorectal cancer progression and metastasis. Wspolczesna Onkologia, 2015, 4, 265-270.   | 1.4  | 26        |
| 1161 | Cardamonin Suppresses TGF- $\hat{l}^21$ -Induced Epithelial Mesenchymal Transition via Restoring Protein Phosphatase 2A Expression. Biomolecules and Therapeutics, 2015, 23, 141-148. | 2.4  | 19        |
| 1162 | Oncogenic Role of the Ec Peptide of the IGF-1Ec Isoform in Prostate Cancer. Molecular Medicine, 2015, 21, 167-179.  | 4.4  | 18        |
| 1163 | Molecular Portraits of Epithelial, Mesenchymal, and Hybrid States in Lung Adenocarcinoma and Their Relevance to Survival. Cancer Research, 2015, 75, 1789-1800.                       | 0.9  | 179       |
| 1164 | Exploitation of the Androgen Receptor to Overcome Taxane Resistance in Advanced Prostate Cancer. Advances in Cancer Research, 2015, 127, 123-158.                                     | 5.0  | 34        |
| 1165 | Interplay between microRNAs and WNT/β-catenin signalling pathway regulates epithelial–mesenchymal transition in cancer. European Journal of Cancer, 2015, 51, 1638-1649.              | 2.8  | 208       |
| 1166 | Dysfunction of the Reciprocal Feedback Loop between GATA3- and ZEB2-Nucleated Repression Programs Contributes to Breast Cancer Metastasis. Cancer Cell, 2015, 27, 822-836.            | 16.8 | 129       |
| 1167 | MAPK7 Regulates EMT Features and Modulates the Generation of CTCs. Molecular Cancer Research, 2015, 13, 934-943.  | 3.4  | 55        |
| 1168 | Autophagy induction impairs migration and invasion by reversing EMT in glioblastoma cells. Molecular Oncology, 2015, 9, 1612-1625.  | 4.6  | 245       |

| #    | Article   | IF          | Citations  |
|------|---|-------------|------------|
| 1169 | New Insights into the Role of Podoplanin in Epithelial–Mesenchymal Transition. International Review of Cell and Molecular Biology, 2015, 317, 185-239.  | 3.2         | 53         |
| 1170 | Curcumin Inhibits Invasiveness and Epithelial-Mesenchymal Transition in Oral Squamous Cell Carcinoma Through Reducing Matrix Metalloproteinase 2, 9 and Modulating p53-E-Cadherin Pathway. Integrative Cancer Therapies, 2015, 14, 484-490. | 2.0         | 74         |
| 1171 | Differentiation of first trimester cytotrophoblast to extravillous trophoblast involves an epithelial–mesenchymal transition. Placenta, 2015, 36, 1412-1418.  | 1.5         | 131        |
| 1172 | Inhibitory effects of metformin at low concentration on epithelial–mesenchymal transition of CD44+CD117+ ovarian cancer stem cells. Stem Cell Research and Therapy, 2015, 6, 262.   | 5.5         | <b>7</b> 5 |
| 1173 | Intercellular Communication in Cancer. , 2015, , .  |             | 4          |
| 1174 | Nuclear phosphorylated Y142 $\hat{l}^2$ -catenin accumulates in astrocytomas and glioblastomas and regulates cell invasion. Cell Cycle, 2015, 14, 3644-3655.  | 2.6         | 19         |
| 1175 | Mesenchymal Cancer Cell-Stroma Crosstalk Promotes Niche Activation, Epithelial Reversion, and Metastatic Colonization. Cell Reports, 2015, 13, 2456-2469.   | 6.4         | 190        |
| 1176 | Dynamic Regulation of Adherens Junctions: Implication in Cell Differentiation and Tumor Development., 2015,, 53-149.  |             | 2          |
| 1177 | Smad7 maintains epithelial phenotype of ovarian cancer stem-like cells and supports tumor colonization by mesenchymal-epithelial transition. Molecular Medicine Reports, 2015, 11, 309-316.   | 2.4         | 17         |
| 1178 | Pien Tze Huang inhibits metastasis of human colorectal carcinoma cells via modulation of TGF-Î <sup>2</sup> 1/ZEB/miR-200 signaling network. International Journal of Oncology, 2015, 46, 685-690.  | 3.3         | 39         |
| 1179 | miR-15b promotes epithelial-mesenchymal transition by inhibiting SMURF2 in pancreatic cancer. International Journal of Oncology, 2015, 47, 1043-1053.   | <b>3.</b> 3 | 52         |
| 1180 | MicroRNA-153 functions as a tumor suppressor by targeting SET7 and ZEB2 in ovarian cancer cells. Oncology Reports, 2015, 34, 111-120.   | 2.6         | 41         |
| 1181 | Molecular Regulation of Parturition: A Myometrial Perspective. Cold Spring Harbor Perspectives in Medicine, 2015, 5, a023069.   | 6.2         | 51         |
| 1182 | Autocrine motility factor promotes epithelial-mesenchymal transition in endometrial cancer via MAPK signaling pathway. International Journal of Oncology, 2015, 47, 1017-1024.  | 3.3         | 21         |
| 1183 | Downregulation of SNAIL sensitizes hepatocellular carcinoma cells to TRAIL-induced apoptosis by regulating the NF-κB pathway. Oncology Reports, 2015, 33, 1560-1566.  | 2.6         | 21         |
| 1184 | Downregulation of cathepsin L suppresses cancer invasion and migration by inhibiting transforming growth factor-β-mediated epithelial-mesenchymal transition. Oncology Reports, 2015, 33, 1851-1859.  | 2.6         | 40         |
| 1185 | Visfatin promotes osteosarcoma cell migration and invasion via induction of epithelial-mesenchymal transition. Oncology Reports, 2015, 34, 987-994.   | 2.6         | 23         |
| 1186 | The function and mechanisms of action of LOXL2 in cancer (Review). International Journal of Molecular Medicine, 2015, 36, 1200-1204.  | 4.0         | 74         |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1187 | Umbilical cord-derived mesenchymal stem cells promote proliferation and migration in MCF-7 and MDA-MB-231 breast cancer cells through activation of the ERK pathway. Oncology Reports, 2015, 34, 1469-1477.                                     | 2.6  | 53        |
| 1188 | Caveolinâ€1 deficiency induces a <scp>MEK</scp> â€ <scp>ERK</scp> 1/2â€5nailâ€1â€dependent epithelial–mesenchymal transition and fibrosis during peritoneal dialysis. EMBO Molecular Medicine, 2015, 7, 102-123.                                | 6.9  | 79        |
| 1189 | STIM1, a direct target of microRNA-185, promotes tumor metastasis and is associated with poor prognosis in colorectal cancer. Oncogene, 2015, 34, 4808-4820.  | 5.9  | 102       |
| 1190 | Friend or foe: Endoplasmic reticulum protein 29 (ERp29) in epithelial cancer. FEBS Open Bio, 2015, 5, 91-98.  | 2.3  | 19        |
| 1191 | PYK2 sustains endosomal-derived receptor signalling and enhances epithelial-to-mesenchymal transition. Nature Communications, 2015, 6, 6064.  | 12.8 | 64        |
| 1192 | Inhibition of metastasis and growth of breast cancer by pH-sensitive poly ( $\hat{l}^2$ -amino ester) nanoparticles co-delivering two siRNA and paclitaxel. Biomaterials, 2015, 48, 1-15.   | 11.4 | 134       |
| 1193 | SNAIL1 combines competitive displacement of ASCL2 andÂepigenetic mechanisms to rapidly silence the EPHB3 tumor suppressor in colorectal cancer. Molecular Oncology, 2015, 9, 335-354.   | 4.6  | 34        |
| 1194 | TGF-Î <sup>2</sup> and EGF induced HLA-I downregulation is associated with epithelial-mesenchymal transition (EMT) through upregulation of snail in prostate cancer cells. Molecular Immunology, 2015, 65, 34-42.                               | 2.2  | 64        |
| 1195 | Bisphenol A and Nonylphenol Have the Potential to Stimulate the Migration of Ovarian Cancer Cells by Inducing Epithelial–Mesenchymal Transition via an Estrogen Receptor Dependent Pathway. Chemical Research in Toxicology, 2015, 28, 662-671. | 3.3  | 69        |
| 1196 | Loss of Sprouty2 in human highâ€grade serous ovarian carcinomas promotes EGFâ€induced Eâ€cadherin downâ€regulation and cell invasion. FEBS Letters, 2015, 589, 302-309.   | 2.8  | 9         |
| 1197 | Anti-metastatic effects of the sulfated polysaccharide ascophyllan isolated from Ascophyllum nodosum on B16 melanoma. Biochemical and Biophysical Research Communications, 2015, 458, 727-732.  | 2.1  | 56        |
| 1198 | ZEB1: At the crossroads of epithelial-mesenchymal transition, metastasis and therapy resistance. Cell Cycle, 2015, 14, 481-487.   | 2.6  | 482       |
| 1199 | Snail2/Slug cooperates with Polycomb repressive complex 2 (PRC2) to regulate neural crest development. Development (Cambridge), 2015, 142, 722-31.  | 2.5  | 63        |
| 1200 | Combined Runx2 and Snail overexpression is associated with a poor prognosis in breast cancer. Tumor Biology, 2015, 36, 4565-4573.   | 1.8  | 13        |
| 1201 | The route to personalized medicine in bladder cancer: where do we stand? Targeted Oncology, 2015, 10, 325-336.  | 3.6  | 14        |
| 1202 | Implications of the Notch1â€Snail/Slugâ€epithelial to mesenchymal transition axis for lymph node metastasis in infiltrating ductal carcinoma. Kaohsiung Journal of Medical Sciences, 2015, 31, 70-76.   | 1.9  | 28        |
| 1203 | Twist1 and AP-1 cooperatively upregulate integrin $\hat{l}\pm 5$ expression to induce invasion and the epithelial $\hat{a}\in$ "mesenchymal transition. Carcinogenesis, 2015, 36, 327-337.  | 2.8  | 47        |
| 1204 | CXCR2/CXCL5 axis contributes to epithelial–mesenchymal transition of HCC cells through activating Pl3K/Akt/GSK-3β/Snail signaling. Cancer Letters, 2015, 358, 124-135.  | 7.2  | 157       |

| #    | Article   | IF   | Citations |
|------|---|------|-----------|
| 1205 | Reprogramming during epithelial to mesenchymal transition under the control of $TGF\hat{l}^2$ . Cell Adhesion and Migration, 2015, 9, 233-246.  | 2.7  | 82        |
| 1206 | Fra-1/AP-1 induces EMT in mammary epithelial cells by modulating Zeb1/2 and TGF $\hat{l}^2$ expression. Cell Death and Differentiation, 2015, 22, 336-350.  | 11.2 | 114       |
| 1207 | Basonuclin-1 modulates epithelial plasticity and TGF- $\hat{l}^21$ -induced loss of epithelial cell integrity. Oncogene, 2015, 34, 1185-1195.   | 5.9  | 7         |
| 1208 | Clinical implication of CD166 expression in salivary gland tumor. Tumor Biology, 2015, 36, 2793-2799.   | 1.8  | 7         |
| 1209 | Ficus carica Latex Prevents Invasion Through Induction of Let-7d Expression in GBM Cell Lines. Cellular and Molecular Neurobiology, 2015, 35, 175-187.  | 3.3  | 30        |
| 1210 | A phase I dose-escalation study of eribulin and S-1 for metastatic breast cancer. British Journal of Cancer, 2015, 112, 819-824.  | 6.4  | 11        |
| 1211 | Adhesion in Mammary Development. Current Topics in Developmental Biology, 2015, 112, 353-382.   | 2.2  | 87        |
| 1212 | Stromal contribution to the colorectal cancer transcriptome. Nature Genetics, 2015, 47, 312-319.  | 21.4 | 520       |
| 1213 | RNA Toxicity and Missplicing in the Common Eye Disease Fuchs Endothelial Corneal Dystrophy. Journal of Biological Chemistry, 2015, 290, 5979-5990.  | 3.4  | 104       |
| 1214 | Cell fusion between gastric epithelial cells and mesenchymal stem cells results in epithelial-to-mesenchymal transition and malignant transformation. BMC Cancer, 2015, 15, 24.                         | 2.6  | 39        |
| 1215 | WNT-1 inducible signaling pathway protein-1 enhances growth and tumorigenesis in human breast cancer. Scientific Reports, 2015, 5, 8686.  | 3.3  | 66        |
| 1216 | Aberrantly expressed Fra-1 by IL-6/STAT3 transactivation promotes colorectal cancer aggressiveness through epithelial–mesenchymal transition. Carcinogenesis, 2015, 36, 459-468.                        | 2.8  | 113       |
| 1217 | Establishment of a New Ovarian Cancer Cell Line CA5171. Reproductive Sciences, 2015, 22, 725-734.   | 2.5  | 5         |
| 1218 | TGF-β1-Induced Epithelialââ,¬â€œMesenchymal Transition Promotes Monocyte/Macrophage Properties in Breast Cancer Cells. Frontiers in Oncology, 2015, 5, 3.   | 2.8  | 60        |
| 1219 | MicroRNA-10b Triggers the Epithelial–Mesenchymal Transition (EMT) of Laryngeal Carcinoma Hep-2<br>Cells by Directly Targeting the E-cadherin. Applied Biochemistry and Biotechnology, 2015, 176, 33-44. | 2.9  | 40        |
| 1220 | ZEB2/SIP1 as novel prognostic indicator in eyelid sebaceous gland carcinoma. Human Pathology, 2015, 46, 1437-1442.  | 2.0  | 23        |
| 1221 | Functional and therapeutic significance of protein kinase D enzymes in invasive breast cancer. Cellular and Molecular Life Sciences, 2015, 72, 4369-4382.   | 5.4  | 35        |
| 1222 | Epithelial-to-mesenchymal transition in the development ofÂadenomyosis. Gynecology and Minimally Invasive Therapy, 2015, 4, 55-60.  | 0.9  | 8         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1223 | Quercetin inhibits the mTORC1/p70S6K signaling-mediated renal tubular epithelial–mesenchymal transition and renal fibrosis in diabetic nephropathy. Pharmacological Research, 2015, 99, 237-247.   | 7.1 | 115       |
| 1224 | Phenotype Switching in Melanoma: Implications for Progression and Therapy. Frontiers in Oncology, 2015, 5, 31.   | 2.8 | 138       |
| 1225 | Function and significance of MicroRNAs in benign and malignant human stem cells. Seminars in Cancer Biology, 2015, 35, 200-211.  | 9.6 | 19        |
| 1226 | Auto-regulation of Slug mediates its activity during epithelial to mesenchymal transition. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2015, 1849, 1209-1218.  | 1.9 | 15        |
| 1227 | Epithelial–mesenchymal transition-related factors in solid tumor and hematological malignancy. Journal of the Chinese Medical Association, 2015, 78, 438-445.  | 1.4 | 41        |
| 1228 | Transforming growth factor-α induces human ovarian cancer cell invasion by down-regulating E-cadherin in a Snail-independent manner. Biochemical and Biophysical Research Communications, 2015, 461, 128-135.  | 2.1 | 18        |
| 1229 | Estradiol-mediated hepatocyte growth factor is involved in the implantation of endometriotic cells via the mesothelial-to-mesenchymal transition in the peritoneum. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E950-E959. | 3.5 | 20        |
| 1230 | Effect of bone morphogenic protein-7 on the expression of epithelial–mesenchymal transition markers in silicosis model. Experimental and Molecular Pathology, 2015, 98, 393-402.   | 2.1 | 14        |
| 1231 | Overexpression of Inhibitor of DNA-Binding 2 Attenuates Pulmonary Fibrosis through Regulation of c-Abl and Twist. American Journal of Pathology, 2015, 185, 1001-1011.   | 3.8 | 31        |
| 1232 | Pentimento: Neural Crest and the origin of mesectoderm. Developmental Biology, 2015, 401, 37-61.   | 2.0 | 50        |
| 1233 | Evaluation of transforming growth factor-l̂²1 suppress Pokemon/epithelial–mesenchymal transition expression in human bladder cancer cells. Tumor Biology, 2015, 36, 1155-1162.   | 1.8 | 15        |
| 1234 | Decreased expression of claudin-3 is associated with a poor prognosis and EMT in completely resected squamous cell lung carcinoma. Tumor Biology, 2015, 36, 6559-6568.   | 1.8 | 26        |
| 1236 | KDM1 class flavinâ€dependent protein lysine demethylases. Biopolymers, 2015, 104, 213-246.   | 2.4 | 53        |
| 1237 | TWEAK enhances TGF- $\hat{1}^2$ -induced epithelial-mesenchymal transition in human bronchial epithelial cells. Respiratory Research, 2015, 16, 48.  | 3.6 | 55        |
| 1238 | <scp>MPP</scp> 8 and <scp>SIRT</scp> 1 crosstalk in E adherin gene silencing and epithelial–mesenchymal transition. EMBO Reports, 2015, 16, 689-699.   | 4.5 | 48        |
| 1239 | DACH1 inhibits SNAI1-mediated epithelial–mesenchymal transition and represses breast carcinoma metastasis. Oncogenesis, 2015, 4, e143-e143.  | 4.9 | 58        |
| 1240 | Snail predicts recurrence and survival of patients with localized clear cell renal cell carcinoma after surgical resection. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 69.e1-69.e10.   | 1.6 | 13        |
| 1241 | Loss of Snail2 favors skin tumor progression by promoting the recruitment of myeloid progenitors. Carcinogenesis, 2015, 36, 585-597.   | 2.8 | 5         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1244 | An evolutionarily conserved DNA architecture determines target specificity of the TWIST family bHLH transcription factors. Genes and Development, 2015, 29, 603-616.   | 5.9 | 66        |
| 1245 | FOXA2 attenuates the epithelial to mesenchymal transition by regulating the transcription of E-cadherin and ZEB2 in human breast cancer. Cancer Letters, 2015, 361, 240-250.   | 7.2 | 75        |
| 1246 | Emerging roles of exosomes during epithelial–mesenchymal transition and cancer progression. Seminars in Cell and Developmental Biology, 2015, 40, 60-71.   | 5.0 | 190       |
| 1247 | Resolving Time and Space Constraints During Neural Crest Formation and Delamination. Current Topics in Developmental Biology, 2015, 111, 27-67.  | 2.2 | 26        |
| 1248 | Stem Cell Conditioned Culture Media Attenuated Albumin-Induced Epithelial-Mesenchymal Transition in Renal Tubular Cells. Cellular Physiology and Biochemistry, 2015, 35, 1719-1728.  | 1.6 | 19        |
| 1249 | Natural Grape Extracts Regulate Colon Cancer Cells Malignancy. Nutrition and Cancer, 2015, 67, 494-503.  | 2.0 | 32        |
| 1250 | FBXO11 promotes ubiquitination of the Snail family of transcription factors in cancer progression and epidermal development. Cancer Letters, 2015, 362, 70-82.   | 7.2 | 68        |
| 1251 | Tissue invasion and metastasis: Molecular, biological and clinical perspectives. Seminars in Cancer Biology, 2015, 35, S244-S275.  | 9.6 | 408       |
| 1252 | A Proteomic Analysis Reveals That Snail Regulates the Expression of the Nuclear Orphan Receptor Nuclear Receptor Subfamily 2 Group F Member 6 (Nr2f6) and Interleukin 17 (IL-17) to Inhibit Adipocyte Differentiation *. Molecular and Cellular Proteomics, 2015, 14, 303-315. | 3.8 | 34        |
| 1253 | Slug contributes to gemcitabine resistance through epithelial-mesenchymal transition in CD133+ pancreatic cancer cells. Human Cell, 2015, 28, 167-174.   | 2.7 | 36        |
| 1254 | HtrA1 regulates epithelial–mesenchymal transition in hepatocellular carcinoma. Biochemical and Biophysical Research Communications, 2015, 467, 589-594.  | 2.1 | 13        |
| 1255 | The insulin response integrates increased TGF-β signaling through Akt-induced enhancement of cell surface delivery of TGF-β receptors. Science Signaling, 2015, 8, ra96.   | 3.6 | 57        |
| 1256 | Modulation of epithelial-to-mesenchymal cancerous transition by natural products. Fìtoterapìâ, 2015, 106, 247-255.   | 2.2 | 15        |
| 1257 | Targeting epithelial–mesenchymal transition. Journal of Molecular Medicine, 2015, 93, 703-705.   | 3.9 | 1         |
| 1258 | Twist predicts poor outcome of patients with astrocytic glioma. Journal of Clinical Pathology, 2015, 68, 905-912.  | 2.0 | 17        |
| 1259 | Metabolite profiling stratifies pancreatic ductal adenocarcinomas into subtypes with distinct sensitivities to metabolic inhibitors. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4410-7.                                      | 7.1 | 283       |
| 1260 | IGFBP-rP1 suppresses epithelial–mesenchymal transition and metastasis in colorectal cancer. Cell Death and Disease, 2015, 6, e1695-e1695.  | 6.3 | 34        |
| 1261 | LincHOTAIR epigenetically silences miR34a by binding to PRC2 to promote the epithelial-to-mesenchymal transition in human gastric cancer. Cell Death and Disease, 2015, 6, e1802-e1802.  | 6.3 | 181       |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1262 | ZEB1 promotes epithelial–mesenchymal transition in cervical cancer metastasis. Fertility and Sterility, 2015, 103, 1606-1614.e2.   | 1.0  | 36        |
| 1263 | Epithelial-to-mesenchymal transition involves triacylglycerol accumulation in DU145 prostate cancer cells. Molecular BioSystems, 2015, 11, 3397-3406.  | 2.9  | 42        |
| 1264 | The role of the transcription factor Ets1 in carcinoma. Seminars in Cancer Biology, 2015, 35, 20-38.   | 9.6  | 174       |
| 1265 | MART-10, the vitamin D analog, is a potent drug to inhibit anaplastic thyroid cancer cell metastatic potential. Cancer Letters, 2015, 369, 76-85.  | 7.2  | 29        |
| 1266 | Urothelial cells undergo epithelial-to-mesenchymal transition after exposure to muscle invasive bladder cancer exosomes. Oncogenesis, 2015, 4, e163-e163.  | 4.9  | 140       |
| 1267 | Splicing of a non-coding antisense transcript controls <i>LEF1</i> gene expression. Nucleic Acids Research, 2015, 43, 5785-5797.   | 14.5 | 10        |
| 1268 | The analysis of microRNAs miR-200C and miR-145 expression in colorectal cancer of different molecular subtypes. Doklady Biochemistry and Biophysics, 2015, 463, 243-246.                                     | 0.9  | 3         |
| 1269 | The miR-200 Family and Its Targets Regulate Type II Cell Differentiation in Human Fetal Lung. Journal of Biological Chemistry, 2015, 290, 22409-22422.   | 3.4  | 36        |
| 1270 | The complex interplay between Notch signaling and Snail1 transcription factor in the regulation of epithelial–mesenchymal transition (EMT). European Surgery - Acta Chirurgica Austriaca, 2015, 47, 218-225. | 0.7  | 2         |
| 1271 | The Relationship Between E-Cadherin and its Transcriptional Repressors in Spontaneously Arising Canine Invasive Micropapillary Mammary Carcinoma. Journal of Comparative Pathology, 2015, 153, 256-265.      | 0.4  | 14        |
| 1272 | The Placental Gene PEG10 Promotes Progression of Neuroendocrine Prostate Cancer. Cell Reports, 2015, 12, 922-936.  | 6.4  | 216       |
| 1273 | Del-1 overexpression potentiates lung cancer cell proliferation and invasion. Biochemical and Biophysical Research Communications, 2015, 468, 92-98.   | 2.1  | 18        |
| 1274 | Invasion of ovarian cancer cells is induced by PITX2-mediated activation of TGF- $\hat{l}^2$ and Activin-A. Molecular Cancer, 2015, 14, 162.   | 19.2 | 57        |
| 1275 | Protein kinase C-dependent regulation of human hepatic drug transporter expression. Biochemical Pharmacology, 2015, 98, 703-717.   | 4.4  | 14        |
| 1276 | Transition loses its invasive edge. Nature, 2015, 527, 452-453.  | 27.8 | 27        |
| 1277 | Regulation of myofibroblast differentiation by miR-424 during epithelial-to-mesenchymal transition. Archives of Biochemistry and Biophysics, 2015, 566, 49-57.   | 3.0  | 50        |
| 1278 | A Role for Partial Endothelial–Mesenchymal Transitions in Angiogenesis?. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 303-308.  | 2.4  | 140       |
| 1279 | Regulation of Epithelial–Mesenchymal Transition through SUMOylation of Transcription Factors. Cancer Research, 2015, 75, 11-15.  | 0.9  | 62        |

| #    | Article  | IF  | Citations  |
|------|--|-----|------------|
| 1280 | 6-OH-BDE-47 promotes human lung cancer cells epithelial mesenchymal transition via the AKT/Snail signal pathway. Environmental Toxicology and Pharmacology, 2015, 39, 271-279.                   | 4.0 | 24         |
| 1281 | Gα12 gep oncogene deregulation of p53-responsive microRNAs promotes epithelial–mesenchymal transition of hepatocellular carcinoma. Oncogene, 2015, 34, 2910-2921.                                | 5.9 | 42         |
| 1282 | <scp>ZEB</scp> 1 as an indicator of tumor recurrence for areca quid chewingâ€associated oral squamous cell carcinomas. Journal of Oral Pathology and Medicine, 2015, 44, 693-698.                | 2.7 | 15         |
| 1283 | Epithelial–mesenchymal transition in pancreatic cancer: Is it a clinically significant factor?.<br>Biochimica Et Biophysica Acta: Reviews on Cancer, 2015, 1855, 43-49.                          | 7.4 | 29         |
| 1284 | EMT in cervical cancer: Its role in tumour progression and response to therapy. Cancer Letters, 2015, 356, 321-331.  | 7.2 | 202        |
| 1285 | Melanocyte migration is influenced by Eâ€cadherinâ€dependent adhesion of keratinocytes in both twoâ€and threeâ€dimensional in vitro wound models. Cell Biology International, 2015, 39, 169-176. | 3.0 | 11         |
| 1286 | Genomic Instability and Cancer Metastasis. Cancer Metastasis - Biology and Treatment, 2015, , .  | 0.1 | 1          |
| 1287 | The clash of Langerhans cell homeostasis in skin: Should I stay or should I go?. Seminars in Cell and Developmental Biology, 2015, 41, 30-38.  | 5.0 | 40         |
| 1288 | Molecular mechanisms controlling the phenotype and the <scp>EMT</scp> / <scp>MET</scp> dynamics of hepatocyte. Liver International, 2015, 35, 302-310.   | 3.9 | 75         |
| 1289 | The Warburg effect in tumor progression: Mitochondrial oxidative metabolism as an anti-metastasis mechanism. Cancer Letters, 2015, 356, 156-164.   | 7.2 | 541        |
| 1290 | Role of epigenetic mechanisms in epithelial-to-mesenchymal transition of breast cancer cells. Translational Research, 2015, 165, 126-142.  | 5.0 | 37         |
| 1291 | mTOR regulate EMT through RhoA and Rac1 pathway in prostate cancer. Molecular Carcinogenesis, 2015, 54, 1086-1095.   | 2.7 | 53         |
| 1292 | FRA-1 as a driver of tumour heterogeneity: a nexus between oncogenes and embryonic signalling pathways in cancer. Oncogene, 2015, 34, 4421-4428.   | 5.9 | 60         |
| 1293 | Lysyl oxidase-like 2 (LOXL2) and E47 EMT factor: novel partners in E-cadherin repression and early metastasis colonization. Oncogene, 2015, 34, 951-964.   | 5.9 | <b>7</b> 5 |
| 1294 | Decreased TIP30 promotes Snail-mediated epithelial–mesenchymal transition and tumor-initiating properties in hepatocellular carcinoma. Oncogene, 2015, 34, 1420-1431.                            | 5.9 | 27         |
| 1295 | CD133 Expression Correlates with Membrane Beta-Catenin and E-Cadherin Loss from Human Hair Follicle Placodes during Morphogenesis. Journal of Investigative Dermatology, 2015, 135, 45-55.       | 0.7 | 29         |
| 1296 | Zeb1 and <scp>S</scp> nail1 engage mi <scp>R</scp> â€200f transcriptional and epigenetic regulation during <scp>EMT</scp> . International Journal of Cancer, 2015, 136, E62-73.                  | 5.1 | 52         |
| 1297 | HAb18G/CD147 is involved in TGFâ€Î²â€induced epithelialâ€mesenchymal transition and hepatocellular carcinoma invasion. Cell Biology International, 2015, 39, 44-51.                              | 3.0 | 32         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1298 | The biological and clinical importance of epithelial–mesenchymal transition in circulating tumor cells. Journal of Cancer Research and Clinical Oncology, 2015, 141, 189-201.   | 2.5 | 64        |
| 1299 | Bisphenol A modulates colorectal cancer protein profile and promotes the metastasis via induction of epithelial to mesenchymal transitions. Archives of Toxicology, 2015, 89, 1371-1381.  | 4.2 | 75        |
| 1300 | Decreased Expression of FOXJ1 is a Potential Prognostic Predictor for Progression and Poor Survival of Gastric Cancer. Annals of Surgical Oncology, 2015, 22, 685-692.  | 1.5 | 18        |
| 1301 | Signaling and Chromatin Networks in Cancer Biology. , 2016, , 241-253.  |     | 0         |
| 1302 | MAGE-A is frequently expressed in triple negative breast cancer and associated with epithelial-mesenchymal transition. Neoplasma, 2016, 63, 44-56.  | 1.6 | 14        |
| 1303 | TMPRSS4 induces invasion and proliferation of prostate cancer cells through induction of Slug and cyclin D1. Oncotarget, 2016, 7, 50315-50332.  | 1.8 | 31        |
| 1304 | Disrupted cooperation between transcription factors across diverse cancer types. BMC Genomics, 2016, 17, 560.   | 2.8 | 4         |
| 1305 | New Insights into the Crossroads between EMT and Stemness in the Context of Cancer. Journal of Clinical Medicine, 2016, 5, 37.  | 2.4 | 110       |
| 1306 | Akt Activation Correlates with Snail Expression and Potentially Determines the Recurrence of Prostate Cancer in Patients at Stage T2 after a Radical Prostatectomy. International Journal of Molecular Sciences, 2016, 17, 1194.                    | 4.1 | 3         |
| 1307 | Mechanism of suppressors of cytokine signaling 1 inhibition of epithelial-mesenchymal transition signaling through ROS regulation in colon cancer cells: suppression of Src leading to thioredoxin up-regulation. Oncotarget, 2016, 7, 62559-62571. | 1.8 | 22        |
| 1308 | Tolfenamic Acid Inhibits the Proliferation, Migration, and Invasion of Nasopharyngeal Carcinoma: Involvement of p38-Mediated Down-Regulation of Slug. Yonsei Medical Journal, 2016, 57, 588.  | 2.2 | 10        |
| 1309 | miR-486-5p suppresses prostate cancer metastasis by targeting Snail and regulating epithelial–mesenchymal transition. OncoTargets and Therapy, 2016, Volume 9, 6909-6914.   | 2.0 | 51        |
| 1310 | Inhibitory effect of quercetin on epithelial to mesenchymal transition in SK-MEL-28 human melanoma cells defined by in vitro analysis on 3D collagen gels. OncoTargets and Therapy, 2016, Volume 9, 6445-6459.                                      | 2.0 | 12        |
| 1311 | $\tilde{\text{A}}\ddot{\text{Y}}$ -catenin signaling is required for RAS-driven thyroid cancer through PI3K activation. Oncotarget, 2016, 7, 49435-49449.   | 1.8 | 38        |
| 1312 | Cancer of the Pancreas: Molecular Pathways and Current Advancement in Treatment. Journal of Cancer, 2016, 7, 1497-1514.   | 2.5 | 71        |
| 1313 | Twist1-positive epithelial cells retain adhesive and proliferative capacity throughout dissemination. Biology Open, 2016, 5, 1216-1228.   | 1.2 | 12        |
| 1314 | TGF- $\hat{l}^2$ induces M2-like macrophage polarization via SNAIL-mediated suppression of a pro-inflammatory phenotype. Oncotarget, 2016, 7, 52294-52306.  | 1.8 | 353       |
| 1315 | E-cadherin re-expression shows <i>in vivo</i> evidence for mesenchymal to epithelial transition in clonal metastatic breast tumor cells. Oncotarget, 2016, 7, 43363-43375.  | 1.8 | 22        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1316 | The role of epithelial to mesenchymal transition in resistance to epidermal growth factor receptor tyrosine kinase inhibitors in non-small cell lung cancer. Translational Lung Cancer Research, 2016, 5, 172-182. | 2.8 | 80        |
| 1317 | Cross Talk Mechanism among EMT, ROS, and Histone Acetylation in Phorbol Ester-Treated Human Breast Cancer MCF-7 Cells. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-11.                                | 4.0 | 51        |
| 1318 | Molecular Mechanisms Underlying Peritoneal EMT and Fibrosis. Stem Cells International, 2016, 2016, 1-11.   | 2.5 | 96        |
| 1319 | PROP1 triggers epithelial-mesenchymal transition-like process in pituitary stem cells. ELife, 2016, 5, .   | 6.0 | 55        |
| 1320 | MART-10, a newly synthesized vitamin D analog, represses metastatic potential of head and neck squamous carcinoma cells. Drug Design, Development and Therapy, 2016, 10, 1995.                                     | 4.3 | 9         |
| 1321 | Epithelial-Mesenchymal Transition and Breast Cancer. Journal of Clinical Medicine, 2016, 5, 13.  | 2.4 | 160       |
| 1322 | Hijacking the Hexosamine Biosynthetic Pathway to Promote EMT-Mediated Neoplastic Phenotypes. Frontiers in Oncology, 2016, 6, 85.   | 2.8 | 41        |
| 1323 | The Vitamin D Analog, MART-10, Attenuates Triple Negative Breast Cancer Cells Metastatic Potential.<br>International Journal of Molecular Sciences, 2016, 17, 606.   | 4.1 | 16        |
| 1324 | MicroRNA Regulation of Epithelial to Mesenchymal Transition. Journal of Clinical Medicine, 2016, 5, 8.   | 2.4 | 96        |
| 1325 | Hypoxia, Epithelial-Mesenchymal Transition, and TET-Mediated Epigenetic Changes. Journal of Clinical Medicine, 2016, 5, 24.  | 2.4 | 48        |
| 1326 | Osteopontinâ€"A Master Regulator of Epithelial-Mesenchymal Transition. Journal of Clinical Medicine, 2016, 5, 39.  | 2.4 | 80        |
| 1327 | Association of a Chromosomal Rearrangement Event with Mouse Posterior Polymorphous Corneal Dystrophy and Alterations in Csrp2bp, Dzank1, and Ovol2 Gene Expression. PLoS ONE, 2016, 11, e0157577.                  | 2.5 | 6         |
| 1328 | Preferentially Expressed Antigen of Melanoma Prevents Lung Cancer Metastasis. PLoS ONE, 2016, 11, e0149640.  | 2.5 | 12        |
| 1329 | Meta-Analysis of EMT Datasets Reveals Different Types of EMT. PLoS ONE, 2016, 11, e0156839.  | 2.5 | 31        |
| 1330 | Celastrol Ameliorates Ulcerative Colitis-Related Colorectal Cancer in Mice via Suppressing Inflammatory Responses and Epithelial-Mesenchymal Transition. Frontiers in Pharmacology, 2015, 6, 320.                  | 3.5 | 80        |
| 1331 | Noncoding RNAs in Tumor Epithelial-to-Mesenchymal Transition. Stem Cells International, 2016, 2016, 1-13.  | 2.5 | 25        |
| 1332 | Long non-coding RNA NKILA inhibits migration and invasion of tongue squamous cell carcinoma cells via suppressing epithelial-mesenchymal transition. Oncotarget, 2016, 7, 62520-62532.                             | 1.8 | 102       |
| 1333 | Epithelial-Mesenchymal Transition: A Special Focus on Phthalates and Bisphenol A. Journal of Environmental Pathology, Toxicology and Oncology, 2016, 35, 43-58.  | 1.2 | 29        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1334 | Epithelial-Mesenchymal Transition and its Regulation in Tumor Metastasis. , 0, , .  |      | 7         |
| 1335 | NKX6.3 Is a Transcription Factor for Wnt/ $\hat{l}^2$ -catenin and Rho-GTPase Signaling-Related Genes to Suppress Gastric Cancer Progression. EBioMedicine, 2016, 9, 97-109.  | 6.1  | 11        |
| 1336 | Twist1 regulates keratinocyte proliferation and skin tumor promotion. Molecular Carcinogenesis, 2016, 55, 941-952.  | 2.7  | 20        |
| 1337 | Epigenetic regulation of epithelial–mesenchymal transition. Cellular and Molecular Life Sciences, 2016, 73, 4493-4515.  | 5.4  | 97        |
| 1338 | Perinatal nicotine exposure induces myogenic differentiation, but not epithelial-mesenchymal transition in rat offspring lung. Pediatric Pulmonology, 2016, 51, 1142-1150.  | 2.0  | 8         |
| 1339 | Regulation of trunk neural crest delamination by $\langle i \rangle \hat{l}' \langle i \rangle \langle scp \rangle EF \langle scp \rangle 1$ and Sip1 in the chicken embryo. Development Growth and Differentiation, 2016, 58, 205-214.                           | 1.5  | 9         |
| 1340 | Noncoding RNAs in Cancer Cell Plasticity. Advances in Experimental Medicine and Biology, 2016, 927, 173-189.  | 1.6  | 10        |
| 1341 | Quantifying the landscape and kinetic paths for epithelial–mesenchymal transition from a core circuit. Physical Chemistry Chemical Physics, 2016, 18, 17949-17956.  | 2.8  | 55        |
| 1342 | Site-specific Disruption of the Oct4/Sox2 Protein Interaction Reveals Coordinated Mesendodermal Differentiation and the Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2016, 291, 18353-18369.   | 3.4  | 30        |
| 1343 | Loss of GDF10/BMP3b as a prognostic marker collaborates with TGFBR3 to enhance chemotherapy resistance and epithelial-mesenchymal transition in oral squamous cell carcinoma. Molecular Carcinogenesis, 2016, 55, 499-513.  | 2.7  | 30        |
| 1344 | Epithelial–mesenchymal transition (EMT) and metastasis: yes, no, maybe?. Current Opinion in Cell Biology, 2016, 43, 7-13.   | 5.4  | 406       |
| 1345 | EMT: 2016. Cell, 2016, 166, 21-45.  | 28.9 | 3,573     |
| 1346 | Identification of blood vascular endothelial stem cells by the expression of protein C receptor. Cell Research, 2016, 26, 1079-1098.  | 12.0 | 113       |
| 1347 | Somatic Mutation Theory - Why it's Wrong for Most Cancers. Cellular Physiology and Biochemistry, 2016, 38, 1663-1680.   | 1.6  | 65        |
| 1348 | The Long and Short Non-coding RNAs in Cancer Biology. Advances in Experimental Medicine and Biology, 2016, , .  | 1.6  | 4         |
| 1350 | Melatonin set out to <scp>ER</scp> stress signaling thwarts epithelial mesenchymal transition and peritoneal dissemination via calpainâ€mediated C/ <scp>EBP</scp> <i>β</i> and <scp>NF</scp> <i>β</i> B cleavage. Journal of Pineal Research, 2016, 60, 142-154. | 7.4  | 73        |
| 1351 | Echoes of the embryo: using the developmental biology toolkit to study cancer. DMM Disease Models and Mechanisms, 2016, 9, 105-114.   | 2.4  | 100       |
| 1352 | Downregulation of miR-429 and inhibition of cell migration and invasion in nasopharyngeal carcinoma. Molecular Medicine Reports, 2016, 13, 3236-3242.   | 2.4  | 16        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1353 | Knockdown of Radixin Suppresses Gastric Cancer Metastasis In Vitro by Up-Regulation of E-Cadherin via NF-κB/Snail Pathway. Cellular Physiology and Biochemistry, 2016, 39, 2509-2521.                        | 1.6  | 20        |
| 1354 | High expression of the Notch ligand Jaggedâ $€$ 1 is associated with poor prognosis after surgery for colorectal cancer. Cancer Science, 2016, 107, 1705-1716.   | 3.9  | 32        |
| 1355 | The microRNA-200/Zeb1 axis regulates ECM-dependent $\hat{l}^21$ -integrin/FAK signaling, cancer cell invasion and metastasis through CRKL. Scientific Reports, 2016, 6, 18652.                               | 3.3  | 62        |
| 1356 | Cisplatin promotes mesenchymal-like characteristics in osteosarcoma through Snail. Oncology Letters, 2016, 12, 5007-5014.  | 1.8  | 28        |
| 1357 | A common framework for EMT and collective cell migration. Development (Cambridge), 2016, 143, 4291-4300.   | 2.5  | 144       |
| 1358 | Hypoxia inducible factor- $1\hat{i}$ ±-dependent epithelial to mesenchymal transition under hypoxic conditions in prostate cancer cells. Oncology Reports, 2016, 36, 521-527.                                | 2.6  | 18        |
| 1359 | Prognostic Value of EMT-inducing Transcription Factors (EMT-TFs) in Metastatic Breast Cancer: A Systematic Review and Meta-analysis. Scientific Reports, 2016, 6, 28587.                                     | 3.3  | 81        |
| 1360 | Effects of lentivirus-mediated shRNA targeting integrin-linked kinase on oral squamous cell carcinoma in vitro and in vivo. Oncology Reports, 2016, 35, 89-98.   | 2.6  | 10        |
| 1361 | EphrinB2 repression through ZEB2 mediates tumour invasion and anti-angiogenic resistance. Nature Communications, 2016, 7, 12329.   | 12.8 | 57        |
| 1362 | Daxx inhibits hypoxia-induced lung cancer cell metastasis by suppressing the HIF-1α/HDAC1/Slug axis. Nature Communications, 2016, 7, 13867.  | 12.8 | 69        |
| 1363 | Emodin inhibits epithelial to mesenchymal transition in epithelial ovarian cancer cells by regulation of GSK-3 $\hat{l}^2/\hat{l}^2$ -catenin/ZEB1 signaling pathway. Oncology Reports, 2016, 35, 2027-2034. | 2.6  | 32        |
| 1364 | Modulation of E-cadherin expression promotes migration ability of esophageal cancer cells. Scientific Reports, 2016, 6, 21713.   | 3.3  | 26        |
| 1365 | Lipocalin 2 (LCN2) is a promising target for cholangiocarcinoma treatment and bile LCN2 level is a potential cholangiocarcinoma diagnostic marker. Scientific Reports, 2016, 6, 36138.                       | 3.3  | 37        |
| 1366 | Transforming Growth Factor-β Is an Upstream Regulator of Mammalian Target of Rapamycin Complex 2–Dependent Bladder Cancer Cell Migration and Invasion. American Journal of Pathology, 2016, 186, 1351-1360.  | 3.8  | 33        |
| 1367 | Lysyl Oxidase (LOX) Transcriptionally Regulates <i>SNAI2</i> Expression and TIMP4 Secretion in Human Cancers. Clinical Cancer Research, 2016, 22, 4491-4504.   | 7.0  | 50        |
| 1369 | Endoplasmic reticulum stress, unfolded protein response and development of colon adenocarcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 145-154.   | 2.8  | 10        |
| 1370 | Snail-induced EMT promotes cancer stem cell-like properties in head and neck cancer cells. Oncology Reports, 2016, 35, 261-266.  | 2.6  | 64        |
| 1371 | Hispolon inhibits breast cancer cell migration by reversal of epithelial-to-mesenchymal transition via suppressing the ROS/ERK/Slug/E-cadherin pathway. Oncology Reports, 2016, 35, 896-904.                 | 2.6  | 20        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1372 | Transforming growth factor- $\hat{l}^21$ induces invasion ability of HSC-4 human oral squamous cell carcinoma cells through the Slug/Wnt-5b/MMP-10 signalling axis. Journal of Biochemistry, 2016, 159, 631-640.           | 1.7 | 23        |
| 1373 | miR-200c: a versatile watchdog in cancer progression, EMT, and drug resistance. Journal of Molecular<br>Medicine, 2016, 94, 629-644.   | 3.9 | 112       |
| 1374 | CCR6 expression in colon cancer is associated with advanced disease and supports epithelial-to-mesenchymal transition. British Journal of Cancer, 2016, 114, 1343-1351.  | 6.4 | 39        |
| 1375 | Epithelial-to-Mesenchymal Transition Defines Feedback Activation of Receptor Tyrosine Kinase Signaling Induced by MEK Inhibition in <i>KRAS</i> Hutant Lung Cancer. Cancer Discovery, 2016, 6, 754-769.                    | 9.4 | 132       |
| 1376 | Paeoniflorin suppresses $TGF \cdot \hat{l}^2$ mediated epithelial-mesenchymal transition in pulmonary fibrosis through a Smad-dependent pathway. Acta Pharmacologica Sinica, 2016, 37, 794-804.                            | 6.1 | 114       |
| 1377 | Expression of zinc finger E-box-binding homeobox factor 1 in epithelial ovarian cancer: A clinicopathological analysis of 238 patients. Molecular and Clinical Oncology, 2016, 4, 18-22.                                   | 1.0 | 6         |
| 1378 | Tumor suppressor microRNAs: Targeted molecules and signaling pathways in breast cancer. Biomedicine and Pharmacotherapy, 2016, 81, 305-317.  | 5.6 | 24        |
| 1379 | Sprouty4 mediates amphiregulin-induced down-regulation of E-cadherin and cell invasion in human ovarian cancer cells. Tumor Biology, 2016, 37, 9197-9207.  | 1.8 | 15        |
| 1380 | MiR-30a-5p Suppresses Tumor Metastasis of Human Colorectal Cancer by Targeting ITGB3. Cellular Physiology and Biochemistry, 2016, 39, 1165-1176.   | 1.6 | 94        |
| 1381 | Interplay Between Transcription Factors and MicroRNAs Regulating Epithelial-Mesenchymal Transitions in Colorectal Cancer. Advances in Experimental Medicine and Biology, 2016, 937, 71-92.                                 | 1.6 | 30        |
| 1382 | FLASH protects ZEB1 from degradation and supports cancer cells' epithelial-to-mesenchymal transition. Oncogenesis, 2016, 5, e254-e254.   | 4.9 | 36        |
| 1383 | Non-coding RNAs Functioning in Colorectal Cancer Stem Cells. Advances in Experimental Medicine and Biology, 2016, 937, 93-108.   | 1.6 | 24        |
| 1385 | Prognostic Significance of Expression of the Epithelial-Mesenchymal Transition-Related Factor Brachyury in Intrathoracic Lymphatic Spread of Non-Small Cell Lung Cancer. Annals of Surgical Oncology, 2016, 23, 1012-1020. | 1.5 | 9         |
| 1386 | Epithelial–mesenchymal transition, proliferation, and angiogenesis in locally advanced cervical cancer treated with chemoradiotherapy. Cancer Medicine, 2016, 5, 1989-1999.  | 2.8 | 27        |
| 1387 | Oxymatrine inhibits epithelial-mesenchymal transition through regulation of NF-κB signaling in colorectal cancer cells. Oncology Reports, 2016, 36, 1333-1338.   | 2.6 | 33        |
| 1388 | Morphological single cell profiling of the epithelial–mesenchymal transition. Integrative Biology (United Kingdom), 2016, 8, 1133-1144.  | 1.3 | 56        |
| 1389 | Understanding the biology of urothelial cancer metastasis. Asian Journal of Urology, 2016, 3, 211-222.   | 1.2 | 21        |
| 1390 | The roles of microRNAs related with progression and metastasis in human cancers. Tumor Biology, 2016, 37, 15383-15397.   | 1.8 | 25        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1391 | Diverse roles of miR-335 in development and progression of cancers. Tumor Biology, 2016, 37, 15399-15410.   | 1.8 | 23        |
| 1392 | Gap junction as an intercellular glue: Emerging roles in cancer EMT and metastasis. Cancer Letters, 2016, 381, 133-137.   | 7.2 | 74        |
| 1393 | Metastatic Progression of Prostate Cancer Is Mediated by Autonomous Binding of Galectin-4- <i>O</i> -Glycan to Cancer Cells. Cancer Research, 2016, 76, 5756-5767.  | 0.9 | 54        |
| 1394 | Overexpression of LncRNA-ROR predicts a poor outcome in gallbladder cancer patients and promotes the tumor cells proliferation, migration, and invasion. Tumor Biology, 2016, 37, 12867-12875.                                  | 1.8 | 47        |
| 1395 | Notch1-MAPK Signaling Axis Regulates CD133+ Cancer Stem Cell-Mediated Melanoma Growth and Angiogenesis. Journal of Investigative Dermatology, 2016, 136, 2462-2474.   | 0.7 | 61        |
| 1396 | Multifaceted ability of naturally occurring polyphenols against metastatic cancer. Clinical and Experimental Pharmacology and Physiology, 2016, 43, 394-409.  | 1.9 | 24        |
| 1397 | <scp>HIF</scp> ‶α regulates <scp>EMT </scp> <i>via</i> the Snail and βâ€catenin pathways in paraquat poisoningâ€induced early pulmonary fibrosis. Journal of Cellular and Molecular Medicine, 2016, 20, 688-697.                | 3.6 | 98        |
| 1398 | Roles and epigenetic regulation of epithelial–mesenchymal transition and its transcription factors in cancer initiation and progression. Cellular and Molecular Life Sciences, 2016, 73, 4643-4660.                             | 5.4 | 99        |
| 1400 | TUFT1 regulates metastasis of pancreatic cancer through HIF1-Snail pathway induced epithelial–mesenchymal transition. Cancer Letters, 2016, 382, 11-20.   | 7.2 | 45        |
| 1401 | PDGF-D/PDGFRβ promotes tongue squamous carcinoma cell (TSCC) progression via activating p38/AKT/ERK/EMT signal pathway. Biochemical and Biophysical Research Communications, 2016, 478, 845-851.                                | 2.1 | 37        |
| 1402 | Concise Review: Stem Cells and Epithelial-Mesenchymal Transition in Cancer: Biological Implications and Therapeutic Targets. Stem Cells, 2016, 34, 1997-2007.   | 3.2 | 121       |
| 1404 | The Emerging Roles of Long Noncoding RNA ROR (lincRNA-ROR) and its Possible Mechanisms in Human Cancers. Cellular Physiology and Biochemistry, 2016, 40, 219-229.   | 1.6 | 126       |
| 1405 | EMT, cell plasticity and metastasis. Cancer and Metastasis Reviews, 2016, 35, 645-654.  | 5.9 | 672       |
| 1406 | Significance of the hedgehog pathway-associated proteins Gli-1 and Gli-2 and the epithelial-mesenchymal transition-associated proteins Twist and E-cadherin in hepatocellular carcinoma. Oncology Letters, 2016, 12, 1753-1762. | 1.8 | 35        |
| 1407 | Galeterone and <scp>VNPT</scp> 55 disrupt Mnkâ€ <scp>elF</scp> 4E to inhibit prostate cancer cell migration and invasion. FEBS Journal, 2016, 283, 3898-3918.   | 4.7 | 39        |
| 1408 | Medulloblastoma initiation and spread: Where neurodevelopment, microenvironment and cancer cross pathways. Journal of Neuroscience Research, 2016, 94, 1511-1519.   | 2.9 | 11        |
| 1409 | Differential effect of hypoxia on early endothelial–mesenchymal transition response to transforming growth beta isoforms 1 and 2. Microvascular Research, 2016, 108, 48-63.   | 2.5 | 24        |
| 1410 | Heterogeneous expression of zinc-finger E-box-binding homeobox 1 plays a pivotal role in metastasis via regulation of miR-200c in epithelial-mesenchymal transition. International Journal of Oncology, 2016, 49, 1057-1067.    | 3.3 | 13        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1411 | Cytosolic phospholipase A2α increases proliferation and de-differentiation of human renal tubular epithelial cells. Prostaglandins and Other Lipid Mediators, 2016, 126, 1-8.   | 1.9  | 5         |
| 1412 | The Rho guanine nucleotide exchange factor ARHGEF5 promotes tumor malignancy via epithelial–mesenchymal transition. Oncogenesis, 2016, 5, e258-e258.  | 4.9  | 24        |
| 1413 | Downâ€regulation of micro <scp>RNA</scp> s of the <i>miRâ€200</i> family and upâ€regulation of Snail and Slug in inflammatory bowel diseases â€" hallmark of epithelialâ^mesenchymal transition. Journal of Cellular and Molecular Medicine, 2016, 20, 1813-1820. | 3.6  | 54        |
| 1414 | Neuromedin U is upregulated by Snail at early stages of EMT in HT29 colon cancer cells. Biochimica Et Biophysica Acta - General Subjects, 2016, 1860, 2445-2453.  | 2.4  | 24        |
| 1415 | Integrative proteomic analysis reveals reprograming tumor necrosis factor signaling in epithelial mesenchymal transition. Journal of Proteomics, 2016, 148, 126-138.  | 2.4  | 29        |
| 1416 | Cathepsin L upregulation-induced EMT phenotype is associated with the acquisition of cisplatin or paclitaxel resistance in A549 cells. Acta Pharmacologica Sinica, 2016, 37, 1606-1622.   | 6.1  | 101       |
| 1417 | A genetic cell context-dependent role for ZEB1 in lung cancer. Nature Communications, 2016, 7, 12231.   | 12.8 | 54        |
| 1418 | Elongator Protein 3 (Elp3) stabilizes Snail1 and regulates neural crest migration in Xenopus. Scientific Reports, 2016, 6, 26238.   | 3.3  | 12        |
| 1419 | An Atypical System for Studying Epithelial-Mesenchymal Transition in Hepatocellular Carcinoma. Scientific Reports, 2016, 6, 26282.  | 3.3  | 8         |
| 1420 | Characteristics of bladder transitional cell carcinoma with E-cadherin and N-cadherin double-negative expression. Oncology Letters, 2016, 12, 530-536.  | 1.8  | 20        |
| 1421 | Time-Course Gene Expression Profiling Reveals a Novel Role of Non-Canonical WNT Signaling During Neural Induction. Scientific Reports, 2016, 6, 32600.  | 3.3  | 16        |
| 1422 | Anti-metastatic potential of resveratrol and its metabolites by the inhibition of epithelial-mesenchymal transition, migration, and invasion of malignant cancer cells. Phytomedicine, 2016, 23, 1787-1796.   | 5.3  | 47        |
| 1423 | Epithelial Plasticity During Human Breast Morphogenesis and Cancer Progression. Journal of Mammary Gland Biology and Neoplasia, 2016, 21, 139-148.  | 2.7  | 24        |
| 1424 | Prokineticin receptor-1 signaling promotes Epicardial to Mesenchymal Transition during heart development. Scientific Reports, 2016, 6, 25541.   | 3.3  | 24        |
| 1425 | Molecular Pathogenesis of Pancreatic Cancer. Progress in Molecular Biology and Translational Science, 2016, 144, 241-275.   | 1.7  | 113       |
| 1426 | An autopsy case of subacute liver failure due to liver metastasis of breast cancer with the diffuse type. Acta Hepatologica Japonica, 2016, 57, 320-327.  | 0.1  | 0         |
| 1427 | CAP1 (Cyclase-Associated Protein 1) Exerts Distinct Functions in the Proliferation and Metastatic Potential of Breast Cancer Cells Mediated by ERK. Scientific Reports, 2016, 6, 25933.   | 3.3  | 25        |
| 1428 | The clinical significance of snail protein expression in gastric cancer: a meta-analysis. Human Genomics, 2016, 10, 22.   | 2.9  | 20        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1429 | High nuclear expression of Twist1 in the skeletal extramedullary disease of myeloma patients predicts inferior survival. Pathology Research and Practice, 2016, 212, 210-216.  | 2.3 | 11        |
| 1430 | Gastrokine-2 suppresses epithelial mesenchymal transition through PI3K/AKT/GSK3β signaling in gastric cancer. Tumor Biology, 2016, 37, 12403-12410.  | 1.8 | 21        |
| 1431 | Twist1 and Slug mediate H2AX-regulated epithelial-mesenchymal transition in breast cells. Cell Cycle, 2016, 15, 2398-2404.   | 2.6 | 26        |
| 1432 | 14-3-3Ïf Gene Loss Leads to Activation of the Epithelial to Mesenchymal Transition Due to the Stabilization of c-Jun Protein. Journal of Biological Chemistry, 2016, 291, 16068-16081.   | 3.4 | 20        |
| 1433 | Regulation of Epithelial-to-Mesenchymal Transition Using Biomimetic Fibrous Scaffolds. ACS Applied Materials & Scaffolds. | 8.0 | 21        |
| 1434 | Full biological characterization of human pluripotent stem cells will open the door to translational research. Archives of Toxicology, 2016, 90, 2173-2186.  | 4.2 | 7         |
| 1435 | Autocrine TGF-β/ZEB/microRNA-200 signal transduction drives epithelial-mesenchymal transition: Kinetic models predict minimal drug dose to inhibit metastasis. Cellular Signalling, 2016, 28, 861-870.   | 3.6 | 10        |
| 1436 | The effects of Micro-429 on inhibition of cervical cancer cells through targeting ZEB1 and CRKL. Biomedicine and Pharmacotherapy, 2016, 80, 311-321.   | 5.6 | 36        |
| 1437 | Transdifferentiation of mouse visceral yolk sac cells into parietal yolk sac cells inÂvitro. Biochemical and Biophysical Research Communications, 2016, 470, 917-923.  | 2.1 | 6         |
| 1438 | Effect of benzophenone-1 and octylphenol on the regulation of epithelial-mesenchymal transition via an estrogen receptor-dependent pathway in estrogen receptor expressing ovarian cancer cells. Food and Chemical Toxicology, 2016, 93, 58-65.  | 3.6 | 20        |
| 1439 | Twist1 induces the expression of microRNA-29 to suppress SIN3A in head and neck cancer cells. Journal of Cancer Research and Practice, 2016, 3, 113-117.   | 0.2 | 1         |
| 1440 | Saikosaponin-d: A potential chemotherapeutics in castration resistant prostate cancer by suppressing cancer metastases and cancer stem cell phenotypes. Biochemical and Biophysical Research Communications, 2016, 474, 722-729.   | 2.1 | 27        |
| 1441 | Metastatic solid tumors to the jaw and oral soft tissue: A retrospective clinical analysis of 44 patients from a single institution. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 1047-1053.  | 1.7 | 46        |
| 1442 | SNAIL gene inhibited by hypoxia-inducible factor $1\hat{l}\pm$ (HIF- $1\hat{l}\pm$ ) in epithelial ovarian cancer. International Journal of Immunopathology and Pharmacology, 2016, 29, 364-375.   | 2.1 | 7         |
| 1443 | Prognostic value of high FoxC2 expression in resectable non-small cell lung cancer, alone or in combination with E-cadherin expression. BMC Cancer, 2016, 16, 16.  | 2.6 | 20        |
| 1444 | MOF Acetylates the Histone Demethylase LSD1 to Suppress Epithelial-to-Mesenchymal Transition. Cell Reports, 2016, 15, 2665-2678.   | 6.4 | 68        |
| 1445 | Immunohistochemical Study EMT-Related Proteins in HPV-, and EBV-Negative Patients with Sinonasal Tumours. Pathology and Oncology Research, 2016, 22, 781-788.  | 1.9 | 5         |
| 1446 | Hepatitis C virus depends on E-cadherin as an entry factor and regulates its expression in epithelial-to-mesenchymal transition. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 7620-7625.  | 7.1 | 50        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1447 | miR-154 inhibits migration and invasion of human non-small cell lung cancer by targeting ZEB2. Oncology Letters, 2016, 12, 301-306.  | 1.8  | 40        |
| 1448 | Hedgehog pathway is involved in nitidine chloride induced inhibition of epithelial-mesenchymal transition and cancer stem cells-like properties in breast cancer cells. Cell and Bioscience, 2016, 6, 44.  | 4.8  | 57        |
| 1449 | LASP-1: a nuclear hub for the UHRF1-DNMT1-G9a-Snail1 complex. Oncogene, 2016, 35, 1122-1133.   | 5.9  | 37        |
| 1450 | The anti-metastatic effect of 8-MOP on hepatocellular carcinoma is potentiated by the down-regulation of bHLH transcription factor DEC1. Pharmacological Research, 2016, 105, 121-133.   | 7.1  | 23        |
| 1451 | Cadherin-12 enhances proliferation in colorectal cancer cells and increases progression by promoting EMT. Tumor Biology, 2016, 37, 9077-9088.  | 1.8  | 32        |
| 1452 | Proteomic Analysis of Epithelial to Mesenchymal Transition (EMT) Reveals Cross-talk between SNAIL and HDAC1 Proteins in Breast Cancer Cells. Molecular and Cellular Proteomics, 2016, 15, 906-917.   | 3.8  | 41        |
| 1453 | Expression of pigment epithelium-derived factor is associated with a good prognosis and is correlated with epithelial-mesenchymal transition-related genes in infiltrating ductal breast carcinoma. Oncology Letters, 2016, 11, 116-124.   | 1.8  | 20        |
| 1454 | IL-8, a novel messenger to cross-link inflammation and tumor EMT via autocrine and paracrine pathways (Review). International Journal of Oncology, 2016, 48, 5-12.   | 3.3  | 122       |
| 1455 | Twist mediates an aggressive phenotype in human colorectal cancer cells. International Journal of Oncology, 2016, 48, 1117-1124.   | 3.3  | 58        |
| 1456 | Loss of $\hat{l}_{\pm}$ -Tubulin Acetylation Is Associated with TGF- $\hat{l}^2$ -induced Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2016, 291, 5396-5405.  | 3.4  | 85        |
| 1457 | Conversion to stemâ€cell state in response to microenvironmental cues is regulated by balance between epithelial and mesenchymal features in lung cancer cells. Molecular Oncology, 2016, 10, 253-271.   | 4.6  | 120       |
| 1458 | F-box proteins: Keeping the epithelial-to-mesenchymal transition (EMT) in check. Seminars in Cancer Biology, 2016, 36, 71-79.  | 9.6  | 95        |
| 1459 | Silencing of angiotensin II type-1 receptor inhibits high glucose-induced epithelial–mesenchymal transition in human renal proximal tubular epithelial cells via inactivation of mTOR/p70S6K signaling pathway. Biochemical and Biophysical Research Communications, 2016, 469, 183-188. | 2.1  | 18        |
| 1460 | SRPX2 Enhances the Epithelial–Mesenchymal Transition and Temozolomide Resistance in Glioblastoma Cells. Cellular and Molecular Neurobiology, 2016, 36, 1067-1076.  | 3.3  | 37        |
| 1461 | New look inside human breast ducts with Raman imaging. Raman candidates as diagnostic markers for breast cancer prognosis: Mammaglobin, palmitic acid and sphingomyelin. Analytica Chimica Acta, 2016, 909, 91-100.  | 5.4  | 60        |
| 1462 | Engineering EMT using 3D micro-scaffold to promote hepatic functions for drug hepatotoxicity evaluation. Biomaterials, 2016, 91, 11-22.  | 11.4 | 45        |
| 1463 | Aspirin inhibits epithelial-to-mesenchymal transition and migration of oncogenic K-ras-expressing non-small cell lung carcinoma cells by down-regulating E-cadherin repressor Slug. BMC Cancer, 2016, 16, 39.  | 2.6  | 29        |
| 1464 | Salinomycin suppresses TGF- $\hat{l}^21$ -induced epithelial-to-mesenchymal transition in MCF-7 human breast cancer cells. Chemico-Biological Interactions, 2016, 248, 74-81.  | 4.0  | 23        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1465 | Origins of Bladder Cancer. Annual Review of Pathology: Mechanisms of Disease, 2016, 11, 149-174.   | 22.4 | 140       |
| 1466 | Genesis of Circulating Tumor Cells Through Epithelial–Mesenchymal Transition as a Mechanism for Distant Dissemination. Current Cancer Research, 2016, , 139-182.   | 0.2  | 5         |
| 1467 | PAQR3 enhances Twist1 degradation to suppress epithelial–mesenchymal transition and metastasis of gastric cancer cells. Carcinogenesis, 2016, 37, 397-407.   | 2.8  | 39        |
| 1468 | Identification of microRNA expression profile related to lymph node status in women with early-stage grade 1–2 endometrial cancer. Modern Pathology, 2016, 29, 391-401.  | 5.5  | 30        |
| 1469 | Circulating Tumor Cells. Current Cancer Research, 2016, , .  | 0.2  | 6         |
| 1470 | Transcutaneous carbon dioxide suppresses epithelial-mesenchymal transition in oral squamous cell carcinoma. International Journal of Oncology, 2016, 48, 1493-1498.  | 3.3  | 10        |
| 1471 | PCAF inhibits hepatocellular carcinoma metastasis by inhibition of epithelial-mesenchymal transition by targeting Gli-1. Cancer Letters, 2016, 375, 190-198.   | 7.2  | 36        |
| 1472 | miR-1271 inhibits migration, invasion and epithelial-mesenchymal transition by targeting ZEB1 and TWIST1 in pancreatic cancer cells. Biochemical and Biophysical Research Communications, 2016, 472, 346-352.  | 2.1  | 52        |
| 1473 | Epithelial–mesenchymal transformation markers E-cadherin and survivin predict progression of stage pTa urothelial bladder carcinoma. World Journal of Urology, 2016, 34, 709-716.  | 2.2  | 36        |
| 1474 | Systematic dissection of dysregulated transcription factor–miRNA feed-forward loops across tumor types. Briefings in Bioinformatics, 2016, 17, 996-1008.   | 6.5  | 54        |
| 1475 | The tumor microenvironment: An irreplaceable element of tumor budding and epithelial-mesenchymal transition-mediated cancer metastasis. Cell Adhesion and Migration, 2016, 10, 1-13.   | 2.7  | 72        |
| 1476 | Pluripotency transcription factors in lung cancer—a review. Tumor Biology, 2016, 37, 4241-4249.  | 1.8  | 24        |
| 1477 | Huntingtin-Interacting Protein-1 Is an Early-Stage Prognostic Biomarker of Lung Adenocarcinoma and Suppresses Metastasis via Akt-mediated Epithelial–Mesenchymal Transition. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 869-880. | 5.6  | 22        |
| 1478 | Moscatilin inhibits epithelial-to-mesenchymal transition and sensitizes anoikis in human lung cancer H460 cells. Journal of Natural Medicines, 2016, 70, 18-27.  | 2.3  | 32        |
| 1479 | Paracrine CCL20 loop induces epithelialâ€mesenchymal transition in breast epithelial cells. Molecular Carcinogenesis, 2016, 55, 1175-1186.   | 2.7  | 30        |
| 1480 | miR-363 induces transdifferentiation of human kidney tubular cells to mesenchymal phenotype.<br>Clinical and Experimental Nephrology, 2016, 20, 394-401.   | 1.6  | 9         |
| 1481 | Conceptus implantation and placentation: molecules related to epithelial–mesenchymal transition, lymphocyte homing, endogenous retroviruses, and exosomes. Reproductive Medicine and Biology, 2016, 15, 1-11.  | 2.4  | 11        |
| 1482 | Connecting the dots: chromatin and alternative splicing in EMT. Biochemistry and Cell Biology, 2016, 94, 12-25.  | 2.0  | 28        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1483 | Molecular mechanisms of subretinal fibrosis in age-related macular degeneration. Experimental Eye Research, 2016, 142, 19-25.   | 2.6  | 158       |
| 1484 | MCP-1-induced ERK/GSK-3β/Snail signaling facilitates the epithelial–mesenchymal transition and promotes the migration of MCF-7 human breast carcinoma cells. Cellular and Molecular Immunology, 2017, 14, 621-630.  | 10.5 | 77        |
| 1485 | Epithelial-mesenchymal-transition regulators in prostate cancer: Androgens and beyond. Journal of Steroid Biochemistry and Molecular Biology, 2017, 166, 84-90.   | 2.5  | 49        |
| 1486 | Ginkgolic Acid Inhibits Invasion and Migration and TGFâ€Î²â€Induced EMT of Lung Cancer Cells Through Pl3K/Akt/mTOR Inactivation. Journal of Cellular Physiology, 2017, 232, 346-354.  | 4.1  | 180       |
| 1487 | MicroRNA-30b Suppresses Epithelial-Mesenchymal Transition and Metastasis of Hepatoma Cells. Journal of Cellular Physiology, 2017, 232, 625-634.   | 4.1  | 18        |
| 1488 | Analysis of the origin of anaplastic pancreatic cancer and the mechanism of its dedifferentiation. Journal of Hepato-Biliary-Pancreatic Sciences, 2017, 24, 176-184.  | 2.6  | 5         |
| 1489 | Turning back the Wheel: Inducing Mesenchymal to Epithelial Transition via Wilms Tumor 1 Knockdown in Human Mesothelioma Cell Lines to Influence Proliferation, Invasiveness, and Chemotaxis. Pathology and Oncology Research, 2017, 23, 723-730.                | 1.9  | 7         |
| 1490 | CDK4/6-dependent activation of DUB3 regulates cancer metastasis through SNAIL1. Nature Communications, 2017, 8, 13923.  | 12.8 | 119       |
| 1491 | Induction of metastasis, cancer stem cell phenotype, and oncogenic metabolism in cancer cells by ionizing radiation. Molecular Cancer, 2017, 16, 10.  | 19.2 | 383       |
| 1492 | The role of epithelial–mesenchymal transition drivers <scp>ZEB</scp> 1 and <scp>ZEB</scp> 2 in mediating docetaxelâ€resistant prostate cancer. Molecular Oncology, 2017, 11, 251-265.   | 4.6  | 100       |
| 1493 | PLCE1 Promotes Esophageal Cancer Cell Progression by Maintaining the Transcriptional Activity of Snail. Neoplasia, 2017, 19, 154-164.   | 5.3  | 26        |
| 1494 | Wnt Signaling as a Therapeutic Target in Cancer and Metastasis. , 2017, , 375-394.  |      | 3         |
| 1495 | Transforming growth factor- $\hat{l}^21$ suppresses bone morphogenetic protein-2-induced mesenchymal-epithelial transition in HSC-4 human oral squamous cell carcinoma cells via Smad1/5/9 pathway suppression. Oncology Reports, 2017, 37, 713-720.            | 2.6  | 15        |
| 1496 | Down-regulation of BORIS/CTCFL efficiently regulates cancer stemness and metastasis in MYCN amplified neuroblastoma cell line by modulating Wnt/ $\hat{l}^2$ -catenin signaling pathway. Biochemical and Biophysical Research Communications, 2017, 484, 93-99. | 2.1  | 29        |
| 1497 | Lung cancer and miRNAs: a possible remedy for anti-metastatic, therapeutic and diagnostic applications. Expert Review of Respiratory Medicine, 2017, 11, 147-157.   | 2.5  | 40        |
| 1498 | Potential therapeutic targets of epithelial–mesenchymal transition in melanoma. Cancer Letters, 2017, 391, 125-140.   | 7.2  | 117       |
| 1499 | Oncogenic Effects of High MAPK Activity in Colorectal Cancer Mark Progenitor Cells and Persist Irrespective of RAS Mutations. Cancer Research, 2017, 77, 1763-1774.   | 0.9  | 58        |
| 1500 | Continuous model of conceptus implantation to the maternal endometrium. Journal of Endocrinology, 2017, 233, R53-R65.   | 2.6  | 31        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1501 | $Kr\tilde{A}\frac{1}{4}$ ppel-like Transcription Factor KLF10 Suppresses TGF $\hat{I}^2$ -Induced Epithelial-to-Mesenchymal Transition via a Negative Feedback Mechanism. Cancer Research, 2017, 77, 2387-2400.            | 0.9  | 51        |
| 1502 | Nur77 suppresses hepatocellular carcinoma via switching glucose metabolism toward gluconeogenesis through attenuating phosphoenolpyruvate carboxykinase sumoylation. Nature Communications, 2017, 8, 14420.                | 12.8 | 97        |
| 1503 | Inhibition of Proliferation and Epithelial Mesenchymal Transition in Retinal Pigment Epithelial Cells by Heavy Chain-Hyaluronan/Pentraxin 3. Scientific Reports, 2017, 7, 43736.   | 3.3  | 45        |
| 1504 | 6-phosphofructo-2-kinase/fructose 2,6-bisphosphatase-3 is required for transforming growth factor β1-enhanced invasion of Panc1 cells inÂvitro. Biochemical and Biophysical Research Communications, 2017, 484, 687-693.   | 2.1  | 32        |
| 1505 | Oncogenic function of Plac1 on the proliferation and metastasis in hepatocellular carcinoma cells. Oncology Reports, 2017, 37, 465-473.  | 2.6  | 17        |
| 1506 | Epithelial-mesenchymal transition in morphogenesis, cancer progression and angiogenesis. Experimental Cell Research, 2017, 353, 1-5.   | 2.6  | 58        |
| 1507 | The epithelial to mesenchymal transition (EMT) and cancer stem cells: implication for treatment resistance in pancreatic cancer. Molecular Cancer, 2017, 16, 52.   | 19.2 | 241       |
| 1508 | Integrin- $\hat{1}^24$ identifies cancer stem cell-enriched populations of partially mesenchymal carcinoma cells. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E2337-E2346. | 7.1  | 273       |
| 1509 | Adenovirus-mediated TIPE2 overexpression inhibits gastric cancer metastasis via reversal of epithelial–mesenchymal transition. Cancer Gene Therapy, 2017, 24, 180-188.   | 4.6  | 22        |
| 1510 | Luteolin suppresses the metastasis of triple-negative breast cancer by reversing epithelial-to-mesenchymal transition via downregulation of $\hat{l}^2$ -catenin expression. Oncology Reports, 2017, 37, 895-902.          | 2.6  | 96        |
| 1511 | IGF-IR signaling in epithelial to mesenchymal transition and targeting IGF-IR therapy: overview and new insights. Molecular Cancer, 2017, 16, 6.   | 19.2 | 92        |
| 1512 | Modeling Developmental and Tumorigenic Aspects of Trilateral Retinoblastoma via Human Embryonic<br>Stem Cells. Stem Cell Reports, 2017, 8, 1354-1365.  | 4.8  | 25        |
| 1513 | Kidney Development and Disease. Results and Problems in Cell Differentiation, 2017, , .  | 0.7  | 2         |
| 1514 | Downregulation of miR-200a-3p, Targeting CtBP2 Complex, Is Involved in the Hypoproduction of IL-2 in Systemic Lupus Erythematosus–Derived T Cells. Journal of Immunology, 2017, 198, 4268-4276.                            | 0.8  | 37        |
| 1515 | Epithelial to Mesenchymal Transition (EMT) and Endothelial to Mesenchymal Transition (EndMT): Role and Implications in Kidney Fibrosis. Results and Problems in Cell Differentiation, 2017, 60, 345-372.                   | 0.7  | 98        |
| 1516 | Aberrant cancer metabolism in epithelial–mesenchymal transition and cancer metastasis: Mechanisms in cancer progression. Critical Reviews in Oncology/Hematology, 2017, 115, 13-22.  | 4.4  | 95        |
| 1517 | Baicalein increases cisplatin sensitivity of A549 lung adenocarcinoma cells via PI3K/Akt/NF-κB pathway.<br>Biomedicine and Pharmacotherapy, 2017, 90, 677-685.   | 5.6  | 146       |
| 1518 | Hypoxic pathobiology of breast cancer metastasis. Biochimica Et Biophysica Acta: Reviews on Cancer, 2017, 1868, 239-245.   | 7.4  | 44        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1519 | Epstein–Barr Virus-Induced VEGF and GM-CSF Drive Nasopharyngeal Carcinoma Metastasis via Recruitment and Activation of Macrophages. Cancer Research, 2017, 77, 3591-3604.   | 0.9 | 61        |
| 1520 | Grainyhead-like 2 in development and cancer. Tumor Biology, 2017, 39, 101042831769837.  | 1.8 | 8         |
| 1521 | RGC32 induces epithelial-mesenchymal transition by activating the Smad/Sip1 signaling pathway in CRC. Scientific Reports, 2017, 7, 46078.   | 3.3 | 13        |
| 1522 | Gamma secretase inhibitor impairs epithelial-to-mesenchymal transition induced by TGF- $\hat{l}^2$ in ovarian tumor cell lines. Molecular and Cellular Endocrinology, 2017, 440, 125-137.   | 3.2 | 25        |
| 1523 | Overexpression of TRIM44 is related to invasive potential and malignant outcomes in esophageal squamous cell carcinoma. Tumor Biology, 2017, 39, 101042831770040.   | 1.8 | 19        |
| 1524 | Lamprey neural crest migration is Snail-dependent and occurs without a differential shift in cadherin expression. Developmental Biology, 2017, 428, 176-187.  | 2.0 | 24        |
| 1525 | Multicellular tumor invasion and plasticity in biomimetic materials. Biomaterials Science, 2017, 5, 1460-1479.  | 5.4 | 17        |
| 1526 | <scp>EMT</scp> : Present and future in clinical oncology. Molecular Oncology, 2017, 11, 718-738.  | 4.6 | 205       |
| 1527 | Human MSCs promotes colorectal cancer epithelial $\hat{a} \in \text{``mesenchymal transition'}$ and progression via CCL5/ $\hat{l}^2$ -catenin/Slug pathway. Cell Death and Disease, 2017, 8, e2819-e2819.                              | 6.3 | 50        |
| 1529 | Mesenchymal-Epithelial Transition and Circulating Tumor Cells in Small Cell Lung Cancer. Advances in Experimental Medicine and Biology, 2017, 994, 229-245.   | 1.6 | 46        |
| 1530 | Protein kinase D signaling in cancer: A friend or foe?. Biochimica Et Biophysica Acta: Reviews on Cancer, 2017, 1868, 283-294.  | 7.4 | 58        |
| 1531 | Intratumoral bidirectional transitions between epithelial and mesenchymal cells in tripleâ€negative breast cancer. Cancer Science, 2017, 108, 1210-1222.  | 3.9 | 25        |
| 1532 | The Role of CtBP1 in Oncogenic Processes and Its Potential as a Therapeutic Target. Molecular Cancer Therapeutics, 2017, 16, 981-990.   | 4.1 | 75        |
| 1533 | Involvement of PI3K/Akt pathway in the inhibition of hepatocarcinoma cell invasion and metastasis induced by SASH1 through downregulating Shh-Gli1 signaling. International Journal of Biochemistry and Cell Biology, 2017, 89, 95-100. | 2.8 | 33        |
| 1534 | ZEB1 expression is a potential indicator of invasive endometriosis. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1128-1135.   | 2.8 | 42        |
| 1535 | <scp>ZEB</scp> 1â€regulated inflammatory phenotype in breast cancer cells. Molecular Oncology, 2017, 11, 1241-1262.   | 4.6 | 100       |
| 1536 | Myosin II promotes the anisotropic loss of the apical domain during <i>Drosophila</i> neuroblast ingression. Journal of Cell Biology, 2017, 216, 1387-1404.   | 5.2 | 62        |
| 1537 | miRâ€203 inhibits augmented proliferation and metastasis of hepatocellular carcinoma residual in the promoted regenerating liver. Cancer Science, 2017, 108, 338-346.   | 3.9 | 24        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1538 | LOXL2 drives epithelial-mesenchymal transition via activation of IRE1-XBP1 signalling pathway. Scientific Reports, 2017, 7, 44988.   | 3.3  | 93        |
| 1539 | ZEB1 Regulates Multiple Oncogenic Components Involved in Uveal Melanoma Progression. Scientific Reports, 2017, 7, 45.  | 3.3  | 42        |
| 1540 | ZEB1 regulates glioma stemness through LIF repression. Scientific Reports, 2017, 7, 69.  | 3.3  | 31        |
| 1541 | Targeting Lyn regulates Snail family shuttling and inhibits metastasis. Oncogene, 2017, 36, 3964-3975.   | 5.9  | 33        |
| 1542 | The Emerging Roles of RUNX Transcription Factors in Epithelial-Mesenchymal Transition. Advances in Experimental Medicine and Biology, 2017, 962, 471-489.  | 1.6  | 8         |
| 1543 | Targeting Chromatin Remodeling in Inflammation and Fibrosis. Advances in Protein Chemistry and Structural Biology, 2017, 107, 1-36.  | 2.3  | 26        |
| 1544 | Extracellular vesicles: their role in cancer biology and epithelial–mesenchymal transition. Biochemical Journal, 2017, 474, 21-45.   | 3.7  | 81        |
| 1545 | Diverse pathways of epithelial mesenchymal transition related with cancer progression and metastasis and potential effects of endocrine disrupting chemicals on epithelial mesenchymal transition process. Molecular and Cellular Endocrinology, 2017, 457, 103-113. | 3.2  | 64        |
| 1546 | ZEB1 is neither sufficient nor required for epithelial-mesenchymal transition in LS174T colorectal cancer cells. Biochemical and Biophysical Research Communications, 2017, 482, 1226-1232.  | 2.1  | 19        |
| 1547 | Contribution of upregulated dipeptidyl peptidase 9 (DPP9) in promoting tumoregenicity, metastasis and the prediction of poor prognosis in nonâ€small cell lung cancer (NSCLC). International Journal of Cancer, 2017, 140, 1620-1632.                                | 5.1  | 37        |
| 1548 | miR-1199-5p and Zeb1 function in a double-negative feedback loop potentially coordinating EMT and tumour metastasis. Nature Communications, 2017, 8, 1168.   | 12.8 | 50        |
| 1549 | Leptomycin B reduces primary and acquired resistance of gefitinib in lung cancer cells. Toxicology and Applied Pharmacology, 2017, 335, 16-27.   | 2.8  | 17        |
| 1550 | Whole-tissue biopsy phenotyping of three-dimensional tumours reveals patterns of cancer heterogeneity. Nature Biomedical Engineering, 2017, 1, 796-806.  | 22.5 | 131       |
| 1551 | Establishment of twist-1 and TGFBR2 as direct targets of microRNA-20a in mesenchymal to epithelial transition of breast cancer cell-line MDA-MB-231. Experimental Cell Research, 2017, 361, 85-92.   | 2.6  | 14        |
| 1552 | Human cancer stem cells are a target for cancer prevention using (â°')-epigallocatechin gallate. Journal of Cancer Research and Clinical Oncology, 2017, 143, 2401-2412.   | 2.5  | 53        |
| 1553 | Effect of Trichostatin A on radiation induced epithelial-mesenchymal transition in A549Âcells.<br>Biochemical and Biophysical Research Communications, 2017, 493, 1534-1541.   | 2.1  | 29        |
| 1554 | Is there a role for epithelial-mesenchymal transition in adrenocortical tumors?. Endocrine, 2017, 58, 276-288.   | 2.3  | 7         |
| 1555 | NatD promotes lung cancer progression by preventing histone H4 serine phosphorylation to activate Slug expression. Nature Communications, 2017, 8, 928.  | 12.8 | 69        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1556 | Inhibitory effects of $3,3\hat{a}\in^2$ -diindolylmethane on epithelial-mesenchymal transition induced by endocrine disrupting chemicals in cellular and xenograft mouse models of breast cancer. Food and Chemical Toxicology, 2017, 109, 284-295. | 3.6 | 28        |
| 1557 | Prognostic significance of the epithelial-mesenchymal transition factor zinc finger E-box-binding homeobox 2 in esophageal squamous cell carcinoma. Oncology Letters, 2017, 14, 2683-2690.  | 1.8 | 6         |
| 1558 | Role of Serine Proteases and Inhibitors in Cancer. , 2017, , 257-287.   |     | 10        |
| 1559 | Epithelial-to-Mesenchymal Transition: Epigenetic Reprogramming Driving Cellular Plasticity. Trends in Genetics, 2017, 33, 943-959.  | 6.7 | 205       |
| 1560 | Cancer Stem Cells and Metastasis. Progress in Molecular Biology and Translational Science, 2017, 151, 137-176.  | 1.7 | 44        |
| 1561 | Unconventional MAPK-GSK-3Î <sup>2</sup> Pathway Behind Atypical Epithelial-Mesenchymal Transition In Hepatocellular Carcinoma. Scientific Reports, 2017, 7, 8842.   | 3.3 | 4         |
| 1562 | Tumoral and stromal expression of Slug, ZEB1, and ZEB2 in brain metastasis. Journal of Clinical Neuroscience, 2017, 46, 124-128.  | 1.5 | 14        |
| 1563 | An epithelial-to-mesenchymal transition-inducing potential of granulocyte macrophage colony-stimulating factor in colon cancer. Scientific Reports, 2017, 7, 8265.  | 3.3 | 34        |
| 1564 | Diffusion kurtosis imaging evaluating epithelial–mesenchymal transition in colorectal carcinoma xenografts model: a preliminary study. Scientific Reports, 2017, 7, 11424.  | 3.3 | 3         |
| 1565 | Carcinosarcoma of the Pancreas. Pancreas, 2017, 46, 1225-1233.  | 1.1 | 21        |
| 1566 | Targeting epithelial–mesenchymal plasticity in cancer: clinical and preclinical advances in therapy and monitoring. Biochemical Journal, 2017, 474, 3269-3306.  | 3.7 | 53        |
| 1567 | STIM1 silencing inhibits the migration and invasion of A549 cells. Molecular Medicine Reports, 2017, 16, 3283-3289.   | 2.4 | 29        |
| 1568 | LncRNA TRERNA1 Function as an Enhancer of SNAI1 Promotes Gastric Cancer Metastasis by Regulating Epithelial-Mesenchymal Transition. Molecular Therapy - Nucleic Acids, 2017, 8, 291-299.  | 5.1 | 49        |
| 1569 | Essential and Non-essential Metals. Molecular and Integrative Toxicology, 2017, , .   | 0.5 | 5         |
| 1570 | Effect of COA-Cl on transforming growth factor-l̂²1-induced epithelial–mesenchymal transition in RLE/Abca3 cells. Drug Metabolism and Pharmacokinetics, 2017, 32, 224-227.  | 2.2 | 6         |
| 1571 | Enriching Traditional Protein-protein Interaction Networks with Alternative Conformations of Proteins. Scientific Reports, 2017, 7, 7180.   | 3.3 | 15        |
| 1572 | Overexpression of microRNAâ€542â€3p attenuates the differentiating capacity of endometriotic stromal cells. Reproductive Medicine and Biology, 2017, 16, 170-178.   | 2.4 | 22        |
| 1573 | PPARGC1A is upregulated and facilitates lung cancer metastasis. Experimental Cell Research, 2017, 359, 356-360.   | 2.6 | 31        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1574 | In vitro anticancer activities of osthole against renal cell carcinoma cells. Biomedicine and Pharmacotherapy, 2017, 94, 1020-1027.  | 5.6  | 21        |
| 1575 | Cadherin-mediated cell-cell interactions in normal and cancer cells. Tissue Barriers, 2017, 5, e1356900.   | 3.2  | 102       |
| 1576 | The MiR-495/Annexin A3/P53 Axis Inhibits the Invasion and EMT of Colorectal Cancer Cells. Cellular Physiology and Biochemistry, 2017, 44, 1882-1895.   | 1.6  | 30        |
| 1577 | Missing Links in Epithelial-Mesenchymal Transition: Long Non-Coding RNAs Enter the Arena. Cellular Physiology and Biochemistry, 2017, 44, 1665-1680.   | 1.6  | 40        |
| 1578 | Hypoxia inducible factor- $1\hat{l}_{\pm}$ mediates the profibrotic effect of albumin in renal tubular cells. Scientific Reports, 2017, 7, 15878.  | 3.3  | 24        |
| 1579 | Influence of the Twist gene on the invasion and metastasis of colon cancer. Oncology Reports, 2017, 39, 31-44.   | 2.6  | 15        |
| 1580 | Therapeutic strategies against cancer stem cells in human colorectal cancer (Review). Oncology Letters, 2017, 14, 7653-7668.   | 1.8  | 26        |
| 1581 | Prognostic Prediction of Oral Squamous Cell Carcinoma by E-Cadherin and N-Cadherin Expression in Overall Cells in Tumor Nests or Tumor Cells at the Invasive Front. Cancer Microenvironment, 2017, 10, 87-94.  | 3.1  | 18        |
| 1582 | MicroRNAs-143 and -145 induce epithelial to mesenchymal transition and modulate the expression of junction proteins. Cell Death and Differentiation, 2017, 24, 1750-1760.  | 11.2 | 26        |
| 1583 | MicroRNA-30a Regulation of Epithelial-Mesenchymal Transition in Diabetic Cataracts Through Targeting SNAI1. Scientific Reports, 2017, 7, 1117.   | 3.3  | 39        |
| 1584 | Revisiting epithelialâ€mesenchymal transition in cancer metastasis: the connection between epithelial plasticity and stemness. Molecular Oncology, 2017, 11, 792-804.  | 4.6  | 172       |
| 1585 | MALAT1 Modulates TGF- $\hat{l}^2$ 1-Induced Endothelial-to-Mesenchymal Transition through Downregulation of miR-145. Cellular Physiology and Biochemistry, 2017, 42, 357-372.  | 1.6  | 109       |
| 1586 | Antrodia camphorata inhibits metastasis and epithelial-to-mesenchymal transition via the modulation of claudin-1 and Wnt/ $\hat{l}^2$ -catenin signaling pathways in human colon cancer cells. Journal of Ethnopharmacology, 2017, 208, 72-83.         | 4.1  | 33        |
| 1587 | Transcriptional regulation of endothelial-to-mesenchymal transition in cardiac fibrosis: role of myocardin-related transcription factor A and activating transcription factor 3. Canadian Journal of Physiology and Pharmacology, 2017, 95, 1263-1270. | 1.4  | 19        |
| 1588 | High expression of Collagen Triple Helix Repeat Containing 1 (CTHRC1) facilitates progression of oesophageal squamous cell carcinoma through MAPK/MEK/ERK/FRA-1 activation. Journal of Experimental and Clinical Cancer Research, 2017, 36, 84.        | 8.6  | 54        |
| 1589 | Role of estrogen receptors and Src signaling in mechanisms of bone metastasis by estrogen receptor positive breast cancers. Journal of Translational Medicine, 2017, 15, 97.   | 4.4  | 16        |
| 1590 | Downregulation of PKCζ/Pard3/Pard6b is responsible for lung adenocarcinoma cell EMT and invasion. Cellular Signalling, 2017, 38, 49-59.  | 3.6  | 34        |
| 1591 | MEG3 Long Noncoding RNA Contributes to the Epigenetic Regulation of Epithelial-Mesenchymal Transition in Lung Cancer Cell Lines. Journal of Biological Chemistry, 2017, 292, 82-99.  | 3.4  | 157       |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1592 | Clinical significance of epithelial-mesenchymal transition markers in prostate cancer. Human Pathology, 2017, 61, 26-32.  | 2.0  | 47        |
| 1593 | Epithelial-To-Mesenchymal Transition and Its Correlation With Clinicopathologic Features in Patients With Urothelial Carcinoma of the Bladder. Clinical Genitourinary Cancer, 2017, 15, e187-e197.  | 1.9  | 30        |
| 1594 | Estrogen-related receptor $\hat{l}^{\pm}$ participates transforming growth factor- $\hat{l}^2$ (TGF- $\hat{l}^2$ ) induced epithelial-mesenchymal transition of osteosarcoma cells. Cell Adhesion and Migration, 2017, 11, 338-346.       | 2.7  | 29        |
| 1595 | The Snail repressor recruits EZH2 to specific genomic sites through the enrollment of the lncRNA HOTAIR in epithelial-to-mesenchymal transition. Oncogene, 2017, 36, 942-955.   | 5.9  | 160       |
| 1596 | The Unexpected Roles of Aurora A Kinase in Gliobastoma Recurrences. Targeted Oncology, 2017, 12, 11-18.   | 3.6  | 12        |
| 1597 | MicroRNA-Mediated Post-Transcriptional Regulation of Epithelial to Mesenchymal Transition in Cancer. Pathology and Oncology Research, 2017, 23, 1-12.   | 1.9  | 44        |
| 1598 | Negative Regulatory Role of TWIST1 on SNAIL Gene Expression. Pathology and Oncology Research, 2017, 23, 85-90.  | 1.9  | 16        |
| 1599 | HepatitisÂC virus core protein increases Snail expression and induces epithelial–mesenchymal transition through the signal transducer and activator of transcriptionÂ3 pathway in hepatoma cells. Hepatology Research, 2017, 47, 574-583. | 3.4  | 14        |
| 1600 | Ovol2 gene inhibits the Epithelial-to-Mesenchymal Transition in lung adenocarcinoma by transcriptionally repressing Twist1. Gene, 2017, 600, 1-8.   | 2.2  | 33        |
| 1601 | Expression profiling of budding cells in colorectal cancer reveals an EMT-like phenotype and molecular subtype switching. British Journal of Cancer, 2017, 116, 58-65.  | 6.4  | 124       |
| 1602 | Interaction with ZMYND11 mediates opposing roles of Ras-responsive transcription factors ETS1 and ETS2. Nucleic Acids Research, 2017, 45, gkx039.   | 14.5 | 14        |
| 1603 | Inflammation and Epithelial-Mesenchymal Transition in Pancreatic Ductal Adenocarcinoma: Fighting Against Multiple Opponents. Cancer Growth and Metastasis, 2017, 10, 117906441770928.   | 3.5  | 24        |
| 1604 | Molecular regulation of epithelial-to-mesenchymal transition in tumorigenesis (Review). International Journal of Molecular Medicine, 2018, 41, 1187-1200.   | 4.0  | 68        |
| 1605 | Snail determines the therapeutic response to mTOR kinase inhibitors by transcriptional repression of 4E-BP1. Nature Communications, 2017, 8, 2207.  | 12.8 | 27        |
| 1606 | Gadd $45\hat{l}^2$ silencing impaired viability and metastatic phenotypes in cholangiocarcinoma cells by modulating the EMT pathway. Oncology Letters, 2017, 15, 3031-3041.   | 1.8  | 7         |
| 1607 | Epithelial-mesenchymal transition in prostate cancer: an overview. Oncotarget, 2017, 8, 35376-35389.  | 1.8  | 162       |
| 1608 | TLE1 inhibits anoikis and promotes tumorigenicity in human lung cancer cells through ZEB1-mediated E-cadherin repression. Oncotarget, 2017, 8, 72235-72249.   | 1.8  | 12        |
| 1609 | The tissue distribution and significance of B7-H4 in laryngeal carcinoma. Oncotarget, 2017, 8, 92227-92239.   | 1.8  | 10        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1610 | Gene Expression Meta-Analysis of Potential Metastatic Breast Cancer Markers. Current Molecular Medicine, 2017, 17, 200-210.   | 1.3 | 41        |
| 1611 | Fucoidans: Anticancer Activity and Molecular Mechanisms of Action. , 2017, , 175-203.   |     | 2         |
| 1612 | Epithelial-to-Pericyte Transition in Cancer. Cancers, 2017, 9, 77.  | 3.7 | 12        |
| 1613 | Epithelial-to-Mesenchymal Transition and MicroRNAs in Lung Cancer. Cancers, 2017, 9, 101.   | 3.7 | 56        |
| 1614 | The Implications and Future Perspectives of Nanomedicine for Cancer Stem Cell Targeted Therapies. Frontiers in Molecular Biosciences, 2017, 4, 52.  | 3.5 | 24        |
| 1615 | Clinicopathological significance of ZEB-1 and E-cadherin proteins in patients with oral cavity squamous cell carcinoma. OncoTargets and Therapy, 2017, Volume 10, 781-790.  | 2.0 | 37        |
| 1616 | High expression of TRIM29 (ATDC) contributes to poor prognosis and tumor metastasis by inducing epithelial-mesenchymal transition in osteosarcoma. Oncology Reports, 2017, 38, 1645-1654.   | 2.6 | 20        |
| 1617 | Mammary adipocytes stimulate breast cancer invasion through metabolic remodeling of tumor cells. JCI Insight, 2017, 2, e87489.  | 5.0 | 304       |
| 1618 | Reverse epithelial-mesenchymal transition contributes to the regain of drug sensitivity in tyrosine kinase inhibitor-resistant non-small cell lung cancer cells. PLoS ONE, 2017, 12, e0180383.  | 2.5 | 38        |
| 1619 | Upregulation of NETO2 gene in colorectal cancer. BMC Genetics, 2017, 18, 117.   | 2.7 | 16        |
| 1620 | ERp29 controls invasion and metastasis of gastric carcinoma by inhibition of epithelial-mesenchymal transition via PI3K/Aktsignaling pathway. BMC Cancer, 2017, 17, 626.  | 2.6 | 20        |
| 1621 | Evaluation of Slug expression is useful for predicting lymph node metastasis and survival in patients with gastric cancer. BMC Cancer, 2017, 17, 670.   | 2.6 | 15        |
| 1622 | Genistein induces apoptosis of colon cancer cells by reversal of epithelial-to-mesenchymal via a Notch1/NF-κB/slug/E-cadherin pathway. BMC Cancer, 2017, 17, 813.   | 2.6 | 91        |
| 1623 | Role of IQGAP3 in metastasis and epithelial–mesenchymal transition in human hepatocellular carcinoma. Journal of Translational Medicine, 2017, 15, 176.   | 4.4 | 47        |
| 1624 | Tumorigenesis as a process of gradual loss of original cell identity and gain of properties of neural precursor/progenitor cells. Cell and Bioscience, 2017, 7, 61.   | 4.8 | 51        |
| 1625 | A step-by-step microRNA guide to cancer development and metastasis. Cellular Oncology (Dordrecht), 2017, 40, 303-339.   | 4.4 | 129       |
| 1626 | Mdig suppresses epithelial-mesenchymal transition and inhibits the invasion and metastasis of non-small cell lung cancer via regulating GSK- $3\hat{l}^2/\hat{l}^2$ -catenin signaling. International Journal of Oncology, 2017, 51, 1898-1908. | 3.3 | 12        |
| 1627 | Epithelial-to-mesenchymal transition, circulating tumor cells and cancer metastasis: Mechanisms and clinical applications. Oncotarget, 2017, 8, 81558-81571.  | 1.8 | 146       |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1628 | Herbal prescription, Danggui-Sayuk-Ga-Osuyu-Senggang-Tang, inhibits TNF- $\hat{l}\pm$ -induced epithelial-mesenchymal transition in HCT116 colorectal cancer cells. International Journal of Molecular Medicine, 2017, 41, 373-380. | 4.0  | 7         |
| 1629 | Mesenchymal Stem/Stromal Cells Derived From Pluripotent Stem Cells. , 2017, , 103-119.  |      | 1         |
| 1630 | MicroRNA-222 Expression as a Predictive Marker for Tumor Progression in Hormone Receptor-Positive Breast Cancer. Journal of Breast Cancer, 2017, 20, 35.  | 1.9  | 34        |
| 1631 | Decrease of lactogenic hormones induce epithelial-mesenchymal transition via TGFÎ <sup>2</sup> 1 and arachidonic acid during mammary gland involution. Journal of Reproduction and Development, 2017, 63, 325-332.                  | 1.4  | 9         |
| 1632 | Relationship of Metabolic Alterations and PD-L1 Expression in Cisplatin Resistant Lung Cancer. Cell & Developmental Biology, 2017, 06, .  | 0.3  | 30        |
| 1633 | Mechanosensitive adhesion complexes in epithelial architecture and cancer onset. Current Opinion in Cell Biology, 2018, 50, 42-49.  | 5.4  | 43        |
| 1634 | Activated CXCL5-CXCR2 axis promotes the migration, invasion and EMT of papillary thyroid carcinoma cells via modulation of $\hat{l}^2$ -catenin pathway. Biochimie, 2018, 148, 1-11.  | 2.6  | 24        |
| 1635 | The morphological and molecular mechanisms of epithelial/endothelial-to-mesenchymal transition and its involvement in atherosclerosis. Vascular Pharmacology, 2018, 106, 1-8.   | 2.1  | 77        |
| 1636 | Role of epithelial-mesenchymal transition markers E-cadherin, N-cadherin, $\hat{l}^2$ -catenin and ZEB2 in laryngeal squamous cell carcinoma. Oncology Letters, 2018, 15, 3472-3481.  | 1.8  | 47        |
| 1637 | The Histone Variant MacroH2A Blocks Cellular Reprogramming by Inhibiting Mesenchymal-to-Epithelial Transition. Molecular and Cellular Biology, 2018, 38, .  | 2.3  | 13        |
| 1638 | Epithelial-mesenchymal transition in breast epithelial cells treated with cadmium and the role of Snail. Toxicology and Applied Pharmacology, 2018, 344, 46-55.   | 2.8  | 52        |
| 1639 | Epithelialâ€toâ€mesenchymal transition in the context of epidermal growth factor receptor inhibition in nonâ€smallâ€cell lung cancer. Biological Reviews, 2018, 93, 1735-1746.  | 10.4 | 23        |
| 1640 | Calpain inhibition attenuates bleomycin-induced pulmonary fibrosis via switching the development of epithelial-mesenchymal transition. Naunyn-Schmiedeberg's Archives of Pharmacology, 2018, 391, 695-704.                          | 3.0  | 25        |
| 1641 | CDH2 expression is of prognostic significance in glioma and predicts the efficacy of temozolomide therapy in patients with glioblasotma. Oncology Letters, 2018, 15, 7415-7422.   | 1.8  | 14        |
| 1642 | Causative Effects of Genetically Determined High Maternal/Fetal Endothelin-1 on Preeclampsia-Like Conditions in Mice. Hypertension, 2018, 71, 894-903.  | 2.7  | 13        |
| 1643 | C-terminal domain small phosphatase-like 2 promotes epithelial-to-mesenchymal transition via Snail dephosphorylation and stabilization. Open Biology, 2018, 8, 170274.  | 3.6  | 9         |
| 1644 | Nickel exposure induces persistent mesenchymal phenotype in human lung epithelial cells through epigenetic activation of ZEB1. Molecular Carcinogenesis, 2018, 57, 794-806.   | 2.7  | 44        |
| 1645 | Emerging roles and mechanisms of FOXC2 in cancer. Clinica Chimica Acta, 2018, 479, 84-93.   | 1.1  | 43        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1646 | PBX3 Is Part of an EMT Regulatory Network and Indicates Poor Outcome in Colorectal Cancer. Clinical Cancer Research, 2018, 24, 1974-1986.  | 7.0 | 37        |
| 1647 | Fibroblast growth factor 2 induces proliferation and fibrosis via SNAI1-mediated activation of CDK2 and ZEB1 in corneal endothelium. Journal of Biological Chemistry, 2018, 293, 3758-3769.              | 3.4 | 46        |
| 1648 | 17. Targeting Zinc(II) Signalling to Prevent Cancer. , 2018, 18, 507-530.  |     | 5         |
| 1649 | The EMT-related transcription factor snail up-regulates FAPα in malignant melanoma cells. Experimental Cell Research, 2018, 364, 160-167.  | 2.6 | 14        |
| 1650 | Human trophoblast epithelial-mesenchymal transition in abnormally invasive placentaâ€. Biology of Reproduction, 2018, 99, 409-421.   | 2.7 | 61        |
| 1651 | Profiling of mi <scp>RNA</scp> s in neonatal cloned bovines with collapsed lungs and respiratory distress. Reproduction in Domestic Animals, 2018, 53, 550-555.  | 1.4 | 3         |
| 1652 | Pim-3 enhances melanoma cell migration and invasion by promoting STAT3 phosphorylation. Cancer Biology and Therapy, 2018, 19, 160-168.   | 3.4 | 27        |
| 1653 | miR-508 Defines the Stem-like/Mesenchymal Subtype in Colorectal Cancer. Cancer Research, 2018, 78, 1751-1765.  | 0.9 | 30        |
| 1654 | MAML1 and TWIST1 coâ€overexpression promote invasion of head and neck squamous cell carcinoma. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e434-e441.   | 1.1 | 13        |
| 1655 | Matricellular CCN6 (WISP3) protein: a tumor suppressor for mammary metaplastic carcinomas.<br>Journal of Cell Communication and Signaling, 2018, 12, 13-19.  | 3.4 | 14        |
| 1656 | ZYG-1., 2018, , 6060-6060.   |     | 0         |
| 1657 | Quercetin restrains TGF-β1-induced epithelial–mesenchymal transition by inhibiting Twist1 and regulating E-cadherin expression. Biochemical and Biophysical Research Communications, 2018, 498, 132-138. | 2.1 | 50        |
| 1658 | Cell death under epithelial–mesenchymal transition control in prostate cancer therapeutic response. International Journal of Urology, 2018, 25, 318-326.   | 1.0 | 8         |
| 1659 | Extracellular vesicle-mediated EBAG9 transfer from cancer cells to tumor microenvironment promotes immune escape and tumor progression. Oncogenesis, 2018, 7, 7.   | 4.9 | 36        |
| 1660 | E-cadherin: Its dysregulation in carcinogenesis and clinical implications. Critical Reviews in Oncology/Hematology, 2018, 121, 11-22.  | 4.4 | 274       |
| 1662 | Hinokitiol ablates myofibroblast activation in precancerous oral submucous fibrosis by targeting Snail. Environmental Toxicology, 2018, 33, 454-462.   | 4.0 | 20        |
| 1663 | Tumor suppressor miR-128-3p inhibits metastasis and epithelial–mesenchymal transition by targeting ZEB1 in esophageal squamous-cell cancer. Acta Biochimica Et Biophysica Sinica, 2018, 50, 171-180.     | 2.0 | 61        |
| 1664 | Deubiquitinating enzyme PSMD14 promotes tumor metastasis through stabilizing SNAIL in human esophageal squamous cell carcinoma. Cancer Letters, 2018, 418, 125-134.                                      | 7.2 | 67        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1666 | Noncoding RNAs in liver cancer stem cells: The big impact of little things. Cancer Letters, 2018, 418, 51-63.   | 7.2  | 40        |
| 1667 | Epithelial-to-Mesenchymal Transition in Hepatocellular Carcinoma. Molecular Pathology Library, 2018,<br>, 131-152.  | 0.1  | 2         |
| 1668 | The CXCL12–CXCR4 axis promotes migration, invasiveness, and EMT in human papillary thyroid carcinoma B-CPAP cells via NF-κB signaling. Biochemistry and Cell Biology, 2018, 96, 619-626.                                    | 2.0  | 38        |
| 1669 | TPD52L2 impacts proliferation, invasiveness and apoptosis of glioblastoma cells via modulation of wnt/ $\hat{l}^2$ -catenin/snail signaling. Carcinogenesis, 2018, 39, 214-224.   | 2.8  | 26        |
| 1670 | Translational control of aberrant stress responses as a hallmark of cancer. Journal of Pathology, 2018, 244, 650-666.   | 4.5  | 65        |
| 1671 | NQO1 downregulation potentiates menadione-induced endothelial-mesenchymal transition during rosette formation in Fuchs endothelial corneal dystrophy. Free Radical Biology and Medicine, 2018, 116, 19-30.                  | 2.9  | 44        |
| 1672 | MEGF6 Promotes the Epithelial-to-Mesenchymal Transition via the $TGF\hat{l}^2/SMAD$ Signaling Pathway in Colorectal Cancer Metastasis. Cellular Physiology and Biochemistry, 2018, 46, 1895-1906.                           | 1.6  | 40        |
| 1673 | DNA methyltransferase 3A isoform b contributes to repressing E-cadherin through cooperation of DNA methylation and H3K27/H3K9 methylation in EMT-related metastasis of gastric cancer. Oncogene, 2018, 37, 4358-4371.       | 5.9  | 56        |
| 1674 | Emerging roles of epithelial-mesenchymal transition in hematological malignancies. Journal of Biomedical Science, 2018, 25, 37.   | 7.0  | 40        |
| 1675 | The CXCL5/CXCR2 axis contributes to the epithelial-mesenchymal transition of nasopharyngeal carcinoma cells by activating ERK/GSK-3β/snail signalling. Journal of Experimental and Clinical Cancer Research, 2018, 37, 85.  | 8.6  | 36        |
| 1676 | Post-transcription mediated Snail stabilization is involved in radiation exposure induced invasion and migration of hepatocarcinoma cells. Biomedicine and Pharmacotherapy, 2018, 103, 767-772.                             | 5.6  | 9         |
| 1677 | Decreased carbonyl reductase 1 expression promotes tumor growth via epithelial mesenchymal transition in uterine cervical squamous cell carcinomas. Reproductive Medicine and Biology, 2018, 17, 173-181.                   | 2.4  | 9         |
| 1678 | Snail promotes ovarian cancer progression by recruiting myeloid-derived suppressor cells via CXCR2 ligand upregulation. Nature Communications, 2018, 9, 1685.   | 12.8 | 211       |
| 1679 | Anticancer activity of arborinine from Glycosmis parva leaf extract in human cervical cancer cells. Biochemical and Biophysical Research Communications, 2018, 500, 866-872.  | 2.1  | 25        |
| 1680 | Apoptosis: Signaling Pathways in Pancreatic Cancer Pathogenesis., 2018,, 369-382.   |      | 0         |
| 1681 | The miR-200b/200a/429 cluster prevents metastasis and induces dormancy in a murine claudin-low mammary tumor cell line. Experimental Cell Research, 2018, 369, 17-26.   | 2.6  | 21        |
| 1682 | YAP1 contributes to NSCLC invasion and migration by promoting Slug transcription via the transcription co-factor TEAD. Cell Death and Disease, 2018, 9, 464.  | 6.3  | 68        |
| 1683 | Matrix-bound AGEs enhance $TGF\hat{l}^22$ -mediated mesenchymal transition of lens epithelial cells via the noncanonical pathway: implications for secondary cataract formation. Biochemical Journal, 2018, 475, 1427-1440. | 3.7  | 9         |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1684 | MicroRNA-30a Suppresses the Activation of Hepatic Stellate Cells by Inhibiting Epithelial-to-Mesenchymal Transition. Cellular Physiology and Biochemistry, 2018, 46, 82-92.   | 1.6  | 28        |
| 1685 | Nur77 suppression facilitates androgen deprivation-induced cell invasion of prostate cancer cells mediated by TGF- $\hat{l}^2$ signaling. Clinical and Translational Oncology, 2018, 20, 1302-1313.   | 2.4  | 6         |
| 1686 | Gestational bisphenol S impairs placental endocrine function and the fusogenic trophoblast signaling pathway. Archives of Toxicology, 2018, 92, 1861-1876.  | 4.2  | 51        |
| 1687 | Hepatocellular carcinoma cells surviving doxorubicin treatment exhibit increased migratory potential and resistance to doxorubicin re-treatment in $\hat{A}$ $\hat{A}_2$ $\hat{A}_2$ vitro. Oncology Letters, 2018, 15, 4635-4640.                                | 1.8  | 23        |
| 1688 | An In Vitro System to Study the Epithelial–Mesenchymal Transition In Vitro. Methods in Molecular Biology, 2018, 1749, 29-42.  | 0.9  | 2         |
| 1689 | Snail immunohistochemical overexpression correlates to recurrence risk in non-muscle invasive bladder cancer: results from a longitudinal cohort study. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 605-613. | 2.8  | 6         |
| 1690 | Esculetin suppresses tumor growth and metastasis by targeting Axin2/E-cadherin axis in colorectal cancer. Biochemical Pharmacology, 2018, 152, 71-83.   | 4.4  | 55        |
| 1691 | Panâ€cancer survey of epithelial–mesenchymal transition markers across the Cancer Genome Atlas.<br>Developmental Dynamics, 2018, 247, 555-564.  | 1.8  | 96        |
| 1692 | TGF-β Family Signaling in Epithelial Differentiation and Epithelial–Mesenchymal Transition. Cold Spring Harbor Perspectives in Biology, 2018, 10, a022194.  | 5.5  | 90        |
| 1693 | Some chemotherapeutics-treated colon cancer cells display a specific phenotype being a combination of stem-like and senescent cell features. Cancer Biology and Therapy, 2018, 19, 63-75.   | 3.4  | 56        |
| 1694 | SPSB3 targets SNAIL for degradation in GSK- $3\hat{l}^2$ phosphorylation-dependent manner and regulates metastasis. Oncogene, 2018, 37, 768-776.  | 5.9  | 35        |
| 1695 | Cancer Metastasis: A Reappraisal of Its Underlying Mechanisms and Their Relevance to Treatment. Annual Review of Pathology: Mechanisms of Disease, 2018, 13, 117-140.   | 22.4 | 97        |
| 1696 | Snailâ€mediated cancer stem cellâ€like phenotype in human CNE2 nasopharyngeal carcinoma cell. Head and Neck, 2018, 40, 485-497.   | 2.0  | 5         |
| 1697 | The mechanism of attenuation of epithelialâ€mesenchymal transition by a phosphodiesterase 5 inhibitor via renal klotho expression. Clinical and Experimental Pharmacology and Physiology, 2018, 45, 269-277.  | 1.9  | 4         |
| 1698 | Resistin facilitates breast cancer progression via TLR4-mediated induction of mesenchymal phenotypes and stemness properties. Oncogene, 2018, 37, 589-600.  | 5.9  | 90        |
| 1699 | Identification of Slug and SOX7 as transcriptional repressors binding to the hepatitis B virus core promoter. Journal of Hepatology, 2018, 68, 42-52.   | 3.7  | 9         |
| 1700 | EMT: Mechanisms and therapeutic implications. , 2018, 182, 80-94.   |      | 334       |
| 1701 | <i>microRNAâ€145</i> downregulates <i>SIP1</i> â€expression but differentially regulates proliferation, migration, invasion and Wnt signaling in SW480 and SW620 cells. Journal of Cellular Biochemistry, 2018, 119, 2022-2035.                                   | 2.6  | 17        |

| #    | Article  | IF           | CITATIONS |
|------|--|--------------|-----------|
| 1702 | Reactivation of TWIST1 contributes to Ewing sarcoma metastasis. Pediatric Blood and Cancer, 2018, 65, e26721.  | 1.5          | 15        |
| 1703 | Endothelialâ€toâ€mesenchymal transition in cardiovascular diseases: Developmental signaling pathways gone awry. Developmental Dynamics, 2018, 247, 492-508.  | 1.8          | 120       |
| 1704 | Fatty acid binding protein 4 promotes epithelial-mesenchymal transition in cervical squamous cell carcinoma through AKT/GSK3 $\hat{l}^2$ /Snail signaling pathway. Molecular and Cellular Endocrinology, 2018, 461, 155-164. | 3.2          | 32        |
| 1705 | Histone deacetylase inhibitor SAHA-induced epithelial–mesenchymal transition by upregulating Slug in lung cancer cells. Anti-Cancer Drugs, 2018, 29, 80-88.  | 1.4          | 12        |
| 1706 | Narrower insight to SIRT1 role in cancer: A potential therapeutic target to control epithelial–mesenchymal transition in cancer cells. Journal of Cellular Physiology, 2018, 233, 4443-4457.                                 | 4.1          | 37        |
| 1707 | FBXO31 Suppresses Gastric Cancer EMT by Targeting Snail1 for Proteasomal Degradation. Molecular Cancer Research, 2018, 16, 286-295.  | 3.4          | 33        |
| 1708 | Systems Biology Approach and Mathematical Modeling for Analyzing Phase-Space Switch During Epithelial-Mesenchymal Transition. Methods in Molecular Biology, 2018, 1702, 95-123.  | 0.9          | 11        |
| 1709 | Role of the extracellular matrix in cancerâ€associated epithelial to mesenchymal transition phenomenon. Developmental Dynamics, 2018, 247, 368-381.  | 1.8          | 67        |
| 1710 | The role of vitamin D in hepatic metastases from colorectal cancer. Clinical and Translational Oncology, 2018, 20, 259-273.  | 2.4          | 3         |
| 1711 | Role of extracellular matrix in breast cancer development: a brief update. F1000Research, 2018, 7, 274.  | 1.6          | 77        |
| 1712 | Jazf1 promotes prostate cancer progression by activating JNK/Slug. Oncotarget, 2018, 9, 755-765.   | 1.8          | 17        |
| 1713 | Snail-1 Silencing by siRNA Inhibits Migration of TE-8 Esophageal Cancer Cells Through Downregulation of Metastasis-Related Genes. Advanced Pharmaceutical Bulletin, 2018, 8, 437-445.  | 1.4          | 10        |
| 1714 | Exploring the Role of Cadherins in Epithelial–Mesenchymal Transition and Mesenchymal–Epithelial Transition-Associated Tumorigenesis. Dental Journal of Advance Studies, 2018, 6, 045-052.                                    | 0.2          | 0         |
| 1715 | <scp>PRMT</scp> 9 promotes hepatocellular carcinoma invasion and metastasis via activating <scp>PI</scp> 3K/Akt/ <scp>GSK</scp> â€3β/Snail signaling. Cancer Science, 2018, 109, 1414-1427.                                  | 3.9          | 88        |
| 1716 | Ginsenoside 20(S)-Rh2 exerts anti-cancer activity through the $Akt/GSK3\hat{1}^2$ signaling pathway in human cervical cancer cells. Molecular Medicine Reports, 2018, 17, 4811-4816.   | 2.4          | 21        |
| 1717 | Upregulation of USP11 promotes epithelial‑to‑mesenchymal transition by deubiquitinating Snail in ovarian cancer. Oncology Reports, 2019, 41, 1739-1748.  | 2.6          | 17        |
| 1718 | MiR‑506 inhibits cell proliferation, invasion, migration and epithelial‑to‑mesenchymal transition through targeting RWDD4 in human bladder cancer. Oncology Letters, 2019, 17, 73-78.  | 1.8          | 14        |
| 1719 | Hsp70 (HSP70A1A) downregulation enhances the metastatic ability of cancer cells. International Journal of Oncology, 2019, 54, 821-832.   | 3 <b>.</b> 3 | 28        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1720 | Effect of modulation of epithelial‑mesenchymal transition regulators Snail1 and Snail2 on cancer cell radiosensitivity by targeting of the cell cycle, cell apoptosis and cell migration/invasion (Review). Oncology Letters, 2018, 17, 23-30.        | 1.8  | 27        |
| 1721 | Oncogenic Metabolism Acts as a Prerequisite Step for Induction of Cancer Metastasis and Cancer Stem Cell Phenotype. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-28.  | 4.0  | 48        |
| 1722 | Ultraviolet A irradiation induces senescence in human dermal fibroblasts by down-regulating DNMT1 via ZEB1. Aging, 2018, 10, 212-228.   | 3.1  | 24        |
| 1723 | Epithelial‑mesenchymal transition was identified as a potential marker for breast cancer aggressiveness using reverse transcription‑quantitative polymerase chain reaction. Molecular Medicine Reports, 2018, 18, 1733-1739.                          | 2.4  | 1         |
| 1724 | Signaling Pathways Induced by Leptin during Epithelial–Mesenchymal Transition in Breast Cancer. International Journal of Molecular Sciences, 2018, 19, 3493.  | 4.1  | 39        |
| 1725 | Hysteresis control of epithelial-mesenchymal transition dynamics conveys a distinct program with enhanced metastatic ability. Nature Communications, 2018, 9, 5005.   | 12.8 | 144       |
| 1726 | Ivalin Inhibits Proliferation, Migration and Invasion by Suppressing Epithelial Mesenchymal Transition in Breast Cancer Cells. Nutrition and Cancer, 2018, 70, 1330-1338.   | 2.0  | 8         |
| 1727 | Long Noncoding RNA HOST2 Promotes Epithelial-Mesenchymal Transition, Proliferation, Invasion and Migration of Hepatocellular Carcinoma Cells by Activating the JAK2-STAT3 Signaling Pathway. Cellular Physiology and Biochemistry, 2018, 51, 301-314. | 1.6  | 32        |
| 1728 | Cellular Phenotype Plasticity in Cancer Dormancy and Metastasis. Frontiers in Oncology, 2018, 8, 505.   | 2.8  | 28        |
| 1729 | Effects of PLK1 on proliferation, invasion and metastasis of gastric cancer cells through epithelial-mesenchymal transition. Oncology Letters, 2018, 16, 5739-5744.   | 1.8  | 14        |
| 1730 | Bovine lactoferrin reverses programming of epithelial-to-mesenchymal transition to mesenchymal-to-epithelial transition in oral squamous cell carcinoma. Biochemical and Biophysical Research Communications, 2018, 507, 142-147.                     | 2.1  | 16        |
| 1731 | <scp>TGF</scp> β1â€induced cell motility but not cell proliferation is mediated through Cten in colorectal cancer. International Journal of Experimental Pathology, 2018, 99, 323-330.  | 1.3  | 13        |
| 1732 | Long nonâ€'coding RNA ENST00000547547 inhibits cell proliferation, invasion and migration in colorectal cancer cells. Oncology Reports, 2019, 41, 483-491.  | 2.6  | 9         |
| 1733 | Astragaloside IV ameliorates high glucoseâ€'induced renal tubular epithelialâ€'mesenchymal transition by blocking mTORC1/p70S6K signaling in HKâ€'2 cells. International Journal of Molecular Medicine, 2018, 43, 709-716.                            | 4.0  | 19        |
| 1734 | HO-1 is a favorable prognostic factor for HBV-HCC patients who underwent hepatectomy. Cancer Management and Research, 2018, Volume 10, 6049-6059.   | 1.9  | 11        |
| 1735 | Mechanisms of Liver Fibrosis. , 2018, , 397-408.  |      | 0         |
| 1736 | Enterolactone modulates the ERK/NF-κB/Snail signaling pathway in triple-negative breast cancer cell line MDA-MB-231 to revert the TGF-β-induced epithelial–mesenchymal transition. Cancer Biology and Medicine, 2018, 15, 137.                        | 3.0  | 57        |
| 1737 | Modeling of mesenchymal hybrid epithelial state and phenotypic transitions in EMT and MET processes of cancer cells. Scientific Reports, 2018, 8, 14323.  | 3.3  | 29        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1738 | Genetic Landscape of Thyroid Cancer. , 2018, , 41-52.   |     | 0         |
| 1739 | Solasodine reverses stemness and epithelial-mesenchymal transition in human colorectal cancer. Biochemical and Biophysical Research Communications, 2018, 505, 485-491.   | 2.1 | 16        |
| 1740 | Foxf2 plays a dual role during transforming growth factor beta-induced epithelial to mesenchymal transition by promoting apoptosis yet enabling cell junction dissolution and migration. Breast Cancer Research, 2018, 20, 118.   | 5.0 | 19        |
| 1741 | Intestinal dysbacteriosis activates tumor-associated macrophages to promote epithelial-mesenchymal transition of colorectal cancer. Innate Immunity, 2018, 24, 480-489.   | 2.4 | 22        |
| 1742 | NEK4 kinase regulates EMT to promote lung cancer metastasis. Journal of Cellular and Molecular Medicine, 2018, 22, 5877-5887.   | 3.6 | 22        |
| 1743 | Hypoxiaâ€inducible transgelin 2 selects epithelialâ€toâ€mesenchymal transition and γâ€radiationâ€resistant subtypes by focal adhesion kinaseâ€associated insulinâ€like growth factor 1 receptor activation in nonâ€smallâ€cell lung cancer cells. Cancer Science, 2018, 109, 3519-3531. | 3.9 | 26        |
| 1744 | Twist1-Haploinsufficiency Selectively Enhances the Osteoskeletal Capacity of Mesoderm-Derived Parietal Bone Through Downregulation of Fgf23. Frontiers in Physiology, 2018, 9, 1426.  | 2.8 | 9         |
| 1745 | Priming the seed:Helicobacter pylorialters epithelial cell invasiveness in early gastric carcinogenesis. World Journal of Gastrointestinal Oncology, 2018, 10, 231-243.   | 2.0 | 2         |
| 1746 | Jiedu Sangen Decoction Inhibits Migration and Invasion of Colon Cancer SW480 Cells via Suppressing Epithelial Mesenchymal Transition. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-10.  | 1.2 | 6         |
| 1747 | SNX6 predicts poor prognosis and contributes to the metastasis of pancreatic cancer cells via activating epithelial–mesenchymal transition. Acta Biochimica Et Biophysica Sinica, 2018, 50, 1075-1084.  | 2.0 | 18        |
| 1748 | BGJ398, A Pan-FGFR Inhibitor, Overcomes Paclitaxel Resistance in Urothelial Carcinoma with FGFR1 Overexpression. International Journal of Molecular Sciences, 2018, 19, 3164.   | 4.1 | 17        |
| 1750 | Alpha-mangostin, an active compound in Garcinia mangostana, abrogates anoikis-resistance in human hepatocellular carcinoma cells. Toxicology in Vitro, 2018, 53, 222-232.   | 2.4 | 21        |
| 1751 | Cell & Cell & Molecular Biology of Prostate Cancer. Advances in Experimental Medicine and Biology, 2018, , .  | 1.6 | 9         |
| 1752 | Epithelial-Mesenchymal Transition (EMT) and Prostate Cancer. Advances in Experimental Medicine and Biology, 2018, 1095, 101-110.  | 1.6 | 122       |
| 1753 | NF-κB, Mesenchymal Differentiation and Glioblastoma. Cells, 2018, 7, 125.   | 4.1 | 44        |
| 1754 | FOXF1 Induces Epithelial-Mesenchymal Transition in Colorectal Cancer Metastasis by Transcriptionally Activating SNAI1. Neoplasia, 2018, 20, 996-1007.   | 5.3 | 25        |
| 1755 | Stabilization of Slug by NF-κB is Essential for TNF-α-Induced Migration and Epithelial-Mesenchymal Transition in Head and Neck Squamous Cell Carcinoma Cells. Cellular Physiology and Biochemistry, 2018, 47, 567-578.  | 1.6 | 35        |
| 1756 | GDF15 promotes epithelial-to-mesenchymal transition in colorectal. Artificial Cells, Nanomedicine and Biotechnology, 2018, 46, 652-658.   | 2.8 | 17        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1757 | Characteristics of the Epithelial-Mesenchymal Transition in Primary and Paired Metastatic Canine Mammary Carcinomas. Veterinary Pathology, 2018, 55, 622-633.  | 1.7  | 21        |
| 1758 | The role of the epithelial-to-mesenchymal transition (EMT) in diseases of the salivary glands.<br>Histochemistry and Cell Biology, 2018, 150, 133-147.   | 1.7  | 24        |
| 1759 | High snail expression predicts a poor prognosis in breast invasive ductal carcinoma patients with HER2/EGFR-positive subtypes. Surgical Oncology, 2018, 27, 314-320.   | 1.6  | 18        |
| 1760 | MicroRNAs Associated with Epithelial-Mesenchymal Transition Can Be Targeted to Inhibit Peritoneal Dissemination of Human Scirrhous Gastric Cancers. Pathobiology, 2018, 85, 232-246.                               | 3.8  | 4         |
| 1761 | <i><scp>SNAI</scp>2</i> and <i><scp>TWIST</scp>1</i> in lymph node progression in early stages of <scp>NSCLC</scp> patients. Cancer Medicine, 2018, 7, 3278-3291.  | 2.8  | 10        |
| 1762 | Oxaliplatin and irinotecan induce heterogenous changes in the EMT markers of metastasizing colorectal carcinoma cells. Experimental Cell Research, 2018, 369, 295-303.   | 2.6  | 8         |
| 1763 | SNAIL is a key regulator of alveolar rhabdomyosarcoma tumor growth and differentiation through repression of MYF5 and MYOD function. Cell Death and Disease, 2018, 9, 643.   | 6.3  | 23        |
| 1764 | Molecular Detection of EMT Markers in Circulating Tumor Cells from Metastatic Non-Small Cell Lung Cancer Patients: Potential Role in Clinical Practice. Analytical Cellular Pathology, 2018, 2018, 1-12.           | 1.4  | 22        |
| 1765 | Effect of Exogenous Alpha-B Crystallin on the Structures and Functions of Trabecular Meshwork Cells. Journal of Ophthalmology, 2018, 2018, 1-8.  | 1.3  | 2         |
| 1766 | Epithelial mesenchymal transition Transcription Factor (TF): The structure, function and microRNA feedback loop. Gene, 2018, 674, 115-120.   | 2.2  | 32        |
| 1767 | TGF- $\hat{l}^2$ uses a novel mode of receptor activation to phosphorylate SMAD1/5 and induce epithelial-to-mesenchymal transition. ELife, 2018, 7, .  | 6.0  | 119       |
| 1768 | Regulation of Tumor Progression by Programmed Necrosis. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-28.   | 4.0  | 140       |
| 1769 | Downâ€regulation of transcription factor OVOL2 contributes to epithelial–mesenchymal transition in a noninvasive type of trophoblast implantation to the maternal endometrium. FASEB Journal, 2018, 32, 3371-3384. | 0.5  | 43        |
| 1770 | Biophysics of Tumor Microenvironment and Cancer Metastasis - A Mini Review. Computational and Structural Biotechnology Journal, 2018, 16, 279-287.   | 4.1  | 190       |
| 1771 | Cell junctions in the prostate: an overview about the effects of Endocrine Disrupting Chemicals (EDCS) in different experimental models. Reproductive Toxicology, 2018, 81, 147-154.                               | 2.9  | 15        |
| 1772 | Glutathione reductase-mediated thiol oxidative stress suppresses metastasis of murine melanoma cells. Free Radical Biology and Medicine, 2018, 129, 256-267.   | 2.9  | 20        |
| 1773 | AP- $2\hat{l}^2$ inhibits hepatocellular carcinoma invasion and metastasis through Slug and Snail to suppress epithelial-mesenchymal transition. Theranostics, 2018, 8, 3707-3721.                                 | 10.0 | 25        |
| 1774 | Kaiso (ZBTB33) Downregulation by Mirna-181a Inhibits Cell Proliferation, Invasion, and the Epithelial–Mesenchymal Transition in Glioma Cells. Cellular Physiology and Biochemistry, 2018, 48, 947-958.             | 1.6  | 20        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1775 | Upregulation of HES1 Promotes Cell Proliferation and Invasion in Breast Cancer as a Prognosis Marker and Therapy Target via the AKT Pathway and EMT Process. Journal of Cancer, 2018, 9, 757-766.                       | 2.5  | 30        |
| 1776 | Epithelial-to-mesenchymal transition in cancer: complexity and opportunities. Frontiers of Medicine, 2018, 12, 361-373.   | 3.4  | 467       |
| 1777 | Suppression of Notch1 and AKT mediated epithelial to mesenchymal transition by Verrucarin J in metastatic colon cancer. Cell Death and Disease, 2018, 9, 798.   | 6.3  | 24        |
| 1778 | Young Bone Marrow Sca-1 Cells Rejuvenate the Aged Heart by Promoting Epithelial-to-Mesenchymal Transition. Theranostics, 2018, 8, 1766-1781.  | 10.0 | 23        |
| 1779 | Protease-Activated Receptor 1 as Therapeutic Target in Breast, Lung, and Ovarian Cancer: Pepducin Approach. International Journal of Molecular Sciences, 2018, 19, 2237.  | 4.1  | 41        |
| 1780 | The Impact of the Epithelial–Mesenchymal Transition Regulator Hepatocyte Growth Factor Receptor/Met on Skin Immunity by Modulating Langerhans Cell Migration. Frontiers in Immunology, 2018, 9, 517.                    | 4.8  | 26        |
| 1781 | The Many Facets of Metzincins and Their Endogenous Inhibitors: Perspectives on Ovarian Cancer Progression. International Journal of Molecular Sciences, 2018, 19, 450.  | 4.1  | 13        |
| 1782 | Caffeic Acid Phenethyl Ester Induces N-myc Downstream Regulated Gene 1 to Inhibit Cell Proliferation and Invasion of Human Nasopharyngeal Cancer Cells. International Journal of Molecular Sciences, 2018, 19, 1397.    | 4.1  | 20        |
| 1783 | Epithelial Mesenchymal Transition in Embryonic Development, Tissue Repair and Cancer: A Comprehensive Overview. Journal of Clinical Medicine, 2018, 7, 1.   | 2.4  | 238       |
| 1784 | The regulatory effects of metformin on the [SNAIL/miR-34]:[ZEB/miR-200] system in the epithelial-mesenchymal transition(EMT) for colorectal cancer(CRC). European Journal of Pharmacology, 2018, 834, 45-53.            | 3.5  | 38        |
| 1785 | In Vitro Transformation of Human Bronchial Epithelial Cells by Diesel Exhaust Particles: Gene Expression Profiling and Early Toxic Responses. Toxicological Sciences, 2018, 166, 51-64.                                 | 3.1  | 23        |
| 1786 | Role of Bone Morphogenetic Protein 7 (BMP7) in the Modulation of Corneal Stromal and Epithelial Cell Functions. International Journal of Molecular Sciences, 2018, 19, 1415.  | 4.1  | 13        |
| 1787 | MicroRNA‑155‑5p suppresses the migration and invasion of lung adenocarcinoma A549 cells by targeting Smad2. Oncology Letters, 2018, 16, 2444-2452.  | 1.8  | 23        |
| 1788 | Synergistic antitumor activity of aspirin and erlotinib: Inhibition of p38 enhanced aspirin plus erlotinib‑induced suppression of metastasis and promoted cancer cell apoptosis. Oncology Letters, 2018, 16, 2715-2724. | 1.8  | 8         |
| 1789 | Expression of selected epithelial–mesenchymal transition transcription factors in serous borderline ovarian tumors and type I ovarian cancers. Tumor Biology, 2018, 40, 101042831878480.                                | 1.8  | 10        |
| 1791 | Targeting Gas6/TAM in cancer cells and tumor microenvironment. Molecular Cancer, 2018, 17, 20.  | 19.2 | 117       |
| 1792 | Molecular Signatures of the Insulin-like Growth Factor 1-mediated Epithelial-Mesenchymal Transition in Breast, Lung and Gastric Cancers. International Journal of Molecular Sciences, 2018, 19, 2411.                   | 4.1  | 73        |
| 1793 | PDGF-mediated mesenchymal transformation renders endothelial resistance to anti-VEGF treatment in glioblastoma. Nature Communications, 2018, 9, 3439.   | 12.8 | 95        |

| #    | Article  | IF          | CITATIONS |
|------|--|-------------|-----------|
| 1794 | A double-negative feedback loop between DEAD-box protein DDX21 and Snail regulates epithelial-mesenchymal transition and metastasis in breast cancer. Cancer Letters, 2018, 437, 67-78.                        | <b>7.</b> 2 | 39        |
| 1795 | IL-17A Promotes Initiation and Development of Intestinal Fibrosis Through EMT. Digestive Diseases and Sciences, 2018, 63, 2898-2909.   | 2.3         | 49        |
| 1796 | Hypoxia-Induced PLOD2 is a Key Regulator in Epithelial-Mesenchymal Transition and Chemoresistance in Biliary Tract Cancer. Annals of Surgical Oncology, 2018, 25, 3728-3737.                                   | 1.5         | 31        |
| 1797 | Phyto-polyphenols as potential inhibitors of breast cancer metastasis. Molecular Medicine, 2018, 24, 29.   | 4.4         | 58        |
| 1798 | Cancer cell plasticity: Impact on tumor progression and therapy response. Seminars in Cancer Biology, 2018, 53, 48-58.   | 9.6         | 148       |
| 1800 | Myosin 5a regulates tumor migration and epithelial-mesenchymal transition in esophageal squamous cell carcinoma: utility as a prognostic factor. Human Pathology, 2018, 80, 113-122.                           | 2.0         | 12        |
| 1801 | EGFL7: Master regulator of cancer pathogenesis, angiogenesis and an emerging mediator of bone homeostasis. Journal of Cellular Physiology, 2018, 233, 8526-8537.   | 4.1         | 46        |
| 1802 | Paracrine signalling during ZEB1-mediated epithelial–mesenchymal transition augments local myofibroblast differentiation in lung fibrosis. Cell Death and Differentiation, 2019, 26, 943-957.                  | 11.2        | 104       |
| 1803 | Molecular Organization of Cells. , 2019, , 1-13.   |             | 0         |
| 1804 | ELF3 is an antagonist of oncogenic-signalling-induced expression of EMT-TF ZEB1. Cancer Biology and Therapy, 2019, 20, 90-100.   | 3.4         | 20        |
| 1805 | <i>Antrodia camphorata</i> inhibits epithelialâ€toâ€mesenchymal transition by targeting multiple pathways in tripleâ€negative breast cancers. Journal of Cellular Physiology, 2019, 234, 4125-4139.            | 4.1         | 14        |
| 1806 | Genome-wide mapping of DNA-binding sites identifies stemness-related genes as directly repressed targets of SNAIL1 in colorectal cancer cells. Oncogene, 2019, 38, 6647-6661.                                  | 5.9         | 24        |
| 1807 | Autophagy inhibition-mediated epithelial–mesenchymal transition augments local myofibroblast differentiation in pulmonary fibrosis. Cell Death and Disease, 2019, 10, 591.                                     | 6.3         | 107       |
| 1808 | SNAI1 Promotes the Cholangiocellular Phenotype, but not Epithelial–Mesenchymal Transition, in a Murine Hepatocellular Carcinoma Model. Cancer Research, 2019, 79, 5563-5574.                                   | 0.9         | 12        |
| 1809 | Andrographolide Inhibits Cholangiocarcinoma Cell Migration by Down-Regulation of Claudin-1 via the p-38 Signaling Pathway. Frontiers in Pharmacology, 2019, 10, 827.   | 3.5         | 20        |
| 1810 | MicroRNA-145 promotes the epithelial-mesenchymal transition in peritoneal dialysis-associated fibrosis by suppressing fibroblast growth factor 10. Journal of Biological Chemistry, 2019, 294, 15052-15067.    | 3.4         | 20        |
| 1811 | Possible correlation of sonic hedgehog signaling with epithelial–mesenchymal transition in muscle-invasive bladder cancer progression. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2261-2271. | 2.5         | 9         |
| 1812 | The role of GRHL2 and epigenetic remodeling in epithelial–mesenchymal plasticity in ovarian cancer cells. Communications Biology, 2019, 2, 272.  | 4.4         | 58        |

| #    | Article   | IF  | Citations |
|------|---|-----|-----------|
| 1813 | Targeting Cancer Stem Cells in Triple-Negative Breast Cancers, 2019, 11, 965.   | 3.7 | 118       |
| 1814 | Downregulation of IncRNA AFAP1-AS1 by oridonin inhibits the epithelial-to-mesenchymal transition and proliferation of pancreatic cancer cells. Acta Biochimica Et Biophysica Sinica, 2019, 51, 814-825.   | 2.0 | 22        |
| 1815 | Modulation of Epithelial to Mesenchymal Transition Signaling Pathways by Olea Europaea and Its Active Compounds. International Journal of Molecular Sciences, 2019, 20, 3492.   | 4.1 | 14        |
| 1816 | miR-203 Inhibits the Invasion and EMT of Gastric Cancer Cells by Directly Targeting Annexin A4. Oncology Research, 2019, 27, 789-799.   | 1.5 | 18        |
| 1817 | Maternally expressed gene 3 (MEG3): A tumor suppressor long non coding RNA. Biomedicine and Pharmacotherapy, 2019, 118, 109129.   | 5.6 | 126       |
| 1818 | miR-200c Modulates the Pathogenesis of Radiation-Induced Oral Mucositis. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-14.   | 4.0 | 12        |
| 1819 | Ubiquitin-Specific Protease 3 Promotes Glioblastoma Cell Invasion and Epithelial–Mesenchymal Transition via Stabilizing Snail. Molecular Cancer Research, 2019, 17, 1975-1984.  | 3.4 | 27        |
| 1820 | Sulforaphane protects against ethanol-induced apoptosis in neural crest cells through restoring epithelial-mesenchymal transition by epigenetically modulating the expression of Snail1. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 2586-2594. | 3.8 | 13        |
| 1821 | Akt and Notch pathways mediate polyhexamethylene guanidine phosphate-induced epithelial-mesenchymal transition via ZEB2. Toxicology and Applied Pharmacology, 2019, 380, 114691.  | 2.8 | 24        |
| 1822 | TLX3 repressed SNAI1-induced epithelial-mesenchymal transition by directly constraining STAT3 phosphorylation and functionally sensitized 5-FU chemotherapy in hepatocellular carcinoma. International Journal of Biological Sciences, 2019, 15, 1696-1711.                 | 6.4 | 6         |
| 1823 | TRIB3 Stabilizes High TWIST1 Expression to Promote Rapid APL Progression and ATRA Resistance. Clinical Cancer Research, 2019, 25, 6228-6242.  | 7.0 | 21        |
| 1824 | Fucoidan inhibits epithelial‑to‑mesenchymal transition via regulation of the HIF‑1α pathway in mammary cancer cells under hypoxia. Oncology Letters, 2019, 18, 330-338.   | 1.8 | 10        |
| 1825 | Breast cancer invasion and progression by MMP-9 through Ets-1 transcription factor. Gene, 2019, 711, 143952.  | 2.2 | 54        |
| 1826 | HnRNPM is a potential mediator of YY1 which promotes EMT in prostate cancer cells. Prostate, 2019, 79, 1199-1210.   | 2.3 | 17        |
| 1827 | Prognostic value of ZEB-1 in solid tumors: a meta-analysis. BMC Cancer, 2019, 19, 635.  | 2.6 | 23        |
| 1828 | MiR-940 inhibits TGF- $\hat{l}^2$ -induced epithelial-mesenchymal transition and cell invasion by targeting Snail in non-small cell lung cancer. Journal of Cancer, 2019, 10, 2735-2744.  | 2.5 | 27        |
| 1829 | Schisandrin B inhibits TGF- $\hat{l}^21$ -induced epithelial-mesenchymal transition in human A549 cells through epigenetic silencing of ZEB1. Experimental Lung Research, 2019, 45, 157-166.  | 1.2 | 19        |
| 1830 | Snail2 induced E-cadherin suppression and metastasis in lung carcinoma facilitated by G9a and HDACs. Cell Adhesion and Migration, 2019, 13, 284-291.  | 2.7 | 24        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1831 | Experimental Study on the Influence of Specific Factors on the Compressive Strength of Recycled Fine Aggregate Concrete. IOP Conference Series: Earth and Environmental Science, 2019, 304, 052083.   | 0.3  | 1         |
| 1832 | Immunohistochemical Analysis of Transcription Factors and Markers of Epithelial–Mesenchymal Transition (EMT) in Human Tumors. Anticancer Research, 2019, 39, 5437-5448.   | 1.1  | 10        |
| 1833 | Circular RNAs: pivotal molecular regulators and novel diagnostic and prognostic biomarkers in non-small cell lung cancer. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2875-2889.   | 2.5  | 88        |
| 1834 | Understanding the Role of ztor in Aging-related Diseases Using the Zebrafish Model. In Vivo, 2019, 33, 1713-1720.   | 1.3  | 5         |
| 1835 | Schisandrin B attenuates renal fibrosis via miR-30e-mediated inhibition of EMT. Toxicology and Applied Pharmacology, 2019, 385, 114769.   | 2.8  | 18        |
| 1836 | Cancer: Context Is Key for E-cadherin in Invasion andÂMetastasis. Current Biology, 2019, 29, R1140-R1142.   | 3.9  | 8         |
| 1837 | Effect of Nigella sativa and its bioactive compound on type 2 epithelial to mesenchymal transition: a systematic review. BMC Complementary and Alternative Medicine, 2019, 19, 290.   | 3.7  | 13        |
| 1838 | Copy number gain of ZEB1 mediates a double-negative feedback loop with miR-33a-5p that regulates EMT and bone metastasis of prostate cancer dependent on TGF-β signaling. Theranostics, 2019, 9, 6063-6079.                                     | 10.0 | 50        |
| 1839 | ZEB1/NuRD complex suppresses TBC1D2b to stimulate E-cadherin internalization and promote metastasis in lung cancer. Nature Communications, 2019, 10, 5125.  | 12.8 | 72        |
| 1840 | Cadherin Signaling in Cancer: Its Functions and Role as a Therapeutic Target. Frontiers in Oncology, 2019, 9, 989.  | 2.8  | 139       |
| 1841 | G9a and histone deacetylases are crucial for Snail2â€mediated Eâ€cadherin repression and metastasis in hepatocellular carcinoma. Cancer Science, 2019, 110, 3442-3452.  | 3.9  | 40        |
| 1842 | Ursolic acid suppresses the invasive potential of colorectal cancer cells by regulating the TGFâ€Î²1/ZEB1/miRâ€'200c signaling pathway. Oncology Letters, 2019, 18, 3274-3282.  | 1.8  | 26        |
| 1843 | YKL-40/CHI3L1 facilitates migration and invasion in HER2 overexpressing breast epithelial progenitor cells and generates a niche for capillary-like network formation. In Vitro Cellular and Developmental Biology - Animal, 2019, 55, 838-853. | 1.5  | 10        |
| 1844 | The role of proteases in epithelial-to-mesenchymal cell transitions in cancer. Cancer and Metastasis Reviews, 2019, 38, 431-444.  | 5.9  | 28        |
| 1845 | MicroRNA-455-3p mediates GATA3 tumor suppression in mammary epithelial cells by inhibiting TGF- $\hat{l}^2$ signaling. Journal of Biological Chemistry, 2019, 294, 15808-15825.   | 3.4  | 17        |
| 1846 | Non-coding RNA in endothelial-to-mesenchymal transition. Cardiovascular Research, 2019, 115, 1716-1731.   | 3.8  | 56        |
| 1847 | ZEB1 Collaborates with ELK3 to Repress E-Cadherin Expression in Triple-Negative Breast Cancer Cells. Molecular Cancer Research, 2019, 17, 2257-2266.  | 3.4  | 25        |
| 1848 | Epigenetic Regulation of Inflammatory Cytokine-Induced Epithelial-To-Mesenchymal Cell Transition and Cancer Stem Cell Generation. Cells, 2019, 8, 1143.   | 4.1  | 63        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1849 | Arctigenin Attenuates Tumor Metastasis Through Inhibiting Epithelial–Mesenchymal Transition in Hepatocellular Carcinoma via Suppressing GSK3β-Dependent Wnt/β-Catenin Signaling Pathway In Vivo and In Vitro. Frontiers in Pharmacology, 2019, 10, 937.      | 3.5 | 23        |
| 1850 | Insights into Biological Role of LncRNAs in Epithelial-Mesenchymal Transition. Cells, 2019, 8, 1178.   | 4.1 | 151       |
| 1851 | Role of E2Fs and mitotic regulators controlled by E2Fs in the epithelial to mesenchymal transition. Experimental Biology and Medicine, 2019, 244, 1419-1429.   | 2.4 | 14        |
| 1852 | Microarrayâ€'based analysis of COL11A1 and TWIST1 as important differentiallyâ€'expressed pathogenic genes between left and rightâ€'sided colon cancer. Molecular Medicine Reports, 2019, 20, 4202-4214.   | 2.4 | 6         |
| 1853 | Protein kinase C inhibitors override ZEB1-induced chemoresistance in HCC. Cell Death and Disease, 2019, 10, 703.   | 6.3 | 25        |
| 1854 | Crinamine Induces Apoptosis and Inhibits Proliferation, Migration, and Angiogenesis in Cervical Cancer SiHa Cells. Biomolecules, 2019, 9, 494.   | 4.0 | 14        |
| 1855 | Combinatorial nanocarriers against drug resistance in hematological cancers: Opportunities and emerging strategies. Journal of Controlled Release, 2019, 296, 114-139.   | 9.9 | 36        |
| 1856 | PDCD2 sensitizes HepG2 cells to sorafenib by suppressing epithelial†mesenchymal transition. Molecular Medicine Reports, 2019, 19, 2173-2179.   | 2.4 | 8         |
| 1857 | MiR-138-5p suppresses lung adenocarcinoma cell epithelial-mesenchymal transition, proliferation and metastasis by targeting ZEB2. Pathology Research and Practice, 2019, 215, 861-872.   | 2.3 | 38        |
| 1859 | <p>Metastasis inhibition in breast cancer by targeting cancer cell extravasation</p> . Breast Cancer: Targets and Therapy, 2019, Volume 11, 165-178.   | 1.8 | 19        |
| 1860 | Regulation of cisplatin-resistant head and neck squamous cell carcinoma by the SRC/ETS-1 signaling pathway. BMC Cancer, 2019, 19, 485.   | 2.6 | 31        |
| 1861 | HMGA2 Contributes to Distant Metastasis and Poor Prognosis by Promoting Angiogenesis in Oral Squamous Cell Carcinoma. International Journal of Molecular Sciences, 2019, 20, 2473.   | 4.1 | 24        |
| 1862 | DEPTOR induces a partial epithelial-to-mesenchymal transition and metastasis via autocrine $TGF\hat{l}^21$ signaling and is associated with poor prognosis in hepatocellular carcinoma. Journal of Experimental and Clinical Cancer Research, 2019, 38, 273. | 8.6 | 21        |
| 1863 | SNAI1 recruits HDAC1 to suppress SNAI2 transcription during epithelial to mesenchymal transition. Scientific Reports, 2019, 9, 8295.   | 3.3 | 31        |
| 1864 | The potential role of TNFAIP3 in malignant transformation of gastric carcinoma. Pathology Research and Practice, 2019, 215, 152471.  | 2.3 | 18        |
| 1865 | Actinomycin V Inhibits Migration and Invasion via Suppressing Snail/Slug-Mediated Epithelial-Mesenchymal Transition Progression in Human Breast Cancer MDA-MB-231 Cells In Vitro. Marine Drugs, 2019, 17, 305.   | 4.6 | 21        |
| 1866 | Targeting the Interplay between Epithelial-to-Mesenchymal-Transition and the Immune System for Effective Immunotherapy. Cancers, 2019, 11, 714.  | 3.7 | 79        |
| 1867 | bHLH Transcription Factor Math6 Antagonizes TGF-Î <sup>2</sup> Signalling in Reprogramming, Pluripotency and Early Cell Fate Decisions. Cells, 2019, 8, 529.   | 4.1 | 8         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1868 | Snail-Overexpression Induces Epithelial-mesenchymal Transition and Metabolic Reprogramming in Human Pancreatic Ductal Adenocarcinoma and Non-tumorigenic Ductal Cells. Journal of Clinical Medicine, 2019, 8, 822.            | 2.4 | 28        |
| 1869 | Cellular morphologies, motility, and epithelial–mesenchymal transition of breast cancer cells incubated on viscoelastic gel substrates in hypoxia. Materials Today Chemistry, 2019, 13, 8-17.                                 | 3.5 | 6         |
| 1870 | Dysregulation of EMT Drives the Progression to Clinically Aggressive Sarcomatoid Bladder Cancer. Cell Reports, 2019, 27, 1781-1793.e4.  | 6.4 | 102       |
| 1871 | Homeobox Genes and Hepatocellular Carcinoma. Cancers, 2019, 11, 621.  | 3.7 | 14        |
| 1872 | HER2 Upregulates ATF4 to Promote Cell Migration via Activation of ZEB1 and Downregulation of E-Cadherin. International Journal of Molecular Sciences, 2019, 20, 2223.   | 4.1 | 35        |
| 1873 | Contribution of Epithelial Plasticity to Therapy Resistance. Journal of Clinical Medicine, 2019, 8, 676.  | 2.4 | 42        |
| 1874 | Smad7 and Colorectal Carcinogenesis: A Double-Edged Sword. Cancers, 2019, 11, 612.  | 3.7 | 17        |
| 1875 | Control of Invasion by Epithelial-to-Mesenchymal Transition Programs during Metastasis. Journal of Clinical Medicine, 2019, 8, 646.   | 2.4 | 102       |
| 1876 | UPR: An Upstream Signal to EMT Induction in Cancer. Journal of Clinical Medicine, 2019, 8, 624.   | 2.4 | 30        |
| 1877 | <i>WASF3</i> expression correlates with poor prognosis in gastric cancer patients. Future Oncology, 2019, 15, 1605-1615.  | 2.4 | 4         |
| 1878 | R-spondin 2-LGR4 system regulates growth, migration and invasion, epithelial-mesenchymal transition and stem-like properties of tongue squamous cell carcinoma via Wnt/l²-catenin signaling. EBioMedicine, 2019, 44, 275-288. | 6.1 | 31        |
| 1879 | TWIST1, MMPâ€21, and HLAGâ€1 coâ€overexpression is associated with ESCC aggressiveness. Journal of Cellular Biochemistry, 2019, 120, 14838-14846.   | 2.6 | 6         |
| 1880 | The Role Played by SLUG, an Epithelial–Mesenchymal Transition Factor, in Invasion and Therapeutic Resistance of Malignant Glioma. Cellular and Molecular Neurobiology, 2019, 39, 769-782.                                     | 3.3 | 12        |
| 1881 | Fibrillin-1, a novel TGF-beta-induced factor, is preferentially expressed in metaplastic carcinoma with spindle sarcomatous metaplasia. Pathology, 2019, 51, 375-383.   | 0.6 | 11        |
| 1882 | MiR-200a ameliorates peritoneal fibrosis and functional deterioration in a rat model of peritoneal dialysis. International Urology and Nephrology, 2019, 51, 889-896.   | 1.4 | 8         |
| 1883 | Emerging role of F-box proteins in the regulation of epithelial-mesenchymal transition and stem cells in human cancers. Stem Cell Research and Therapy, 2019, 10, 124.  | 5.5 | 31        |
| 1884 | Expression and clinical significance of SNAI1 and ZEB1 genes in acute myeloid leukemia patients. Molecular Biology Reports, 2019, 46, 4625-4630.  | 2.3 | 8         |
| 1885 | Epithelial-Mesenchymal Plasticity in Cancer Progression and Metastasis. Developmental Cell, 2019, 49, 361-374.  | 7.0 | 629       |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1886 | UNR/CSDE1 Expression Is Critical to Maintain Invasive Phenotype of Colorectal Cancer through Regulation of c-MYC and Epithelial-to-Mesenchymal Transition. Journal of Clinical Medicine, 2019, 8, 560.                                    | 2.4  | 25        |
| 1887 | Blocking TBK1 alleviated radiation-induced pulmonary fibrosis and epithelial-mesenchymal transition through Akt-Erk inactivation. Experimental and Molecular Medicine, 2019, 51, 1-17.  | 7.7  | 25        |
| 1888 | <p>MDM2 promotes epithelial–mesenchymal transition through activation of Smad2/3 signaling pathway in lung adenocarcinoma</p> . OncoTargets and Therapy, 2019, Volume 12, 2247-2258.  | 2.0  | 20        |
| 1889 | Discovery of a natural small-molecule compound that suppresses tumor EMT, stemness and metastasis by inhibiting TGFβ/BMP signaling in triple-negative breast cancer. Journal of Experimental and Clinical Cancer Research, 2019, 38, 134. | 8.6  | 31        |
| 1890 | CD147 mediates transforming growth factorâ€Î²1â€'induced epithelialâ€'mesenchymal transition and cell invasion in squamous cell carcinoma of the tongue. Experimental and Therapeutic Medicine, 2019, 17, 2855-2860.                      | 1.8  | 15        |
| 1891 | MCUR1 facilitates epithelial-mesenchymal transition and metastasis via the mitochondrial calcium dependent ROS/Nrf2/Notch pathway in hepatocellular carcinoma. Journal of Experimental and Clinical Cancer Research, 2019, 38, 136.       | 8.6  | 111       |
| 1892 | MicroRNA-574-3p regulates epithelial mesenchymal transition and cisplatin resistance via targeting ZEB1 in human gastric carcinoma cells. Gene, 2019, 700, 110-119.   | 2.2  | 55        |
| 1893 | Sphingosine 1–phosphate signaling induces SNAI2 expression to promote cell invasion in breast cancer cells. FASEB Journal, 2019, 33, 7180-7191.   | 0.5  | 28        |
| 1894 | The Role of CLP36 in Pancreatic Cancer Cells during Migration and in Cell Shape Morphology.<br>Biophysical Journal, 2019, 116, 547a.  | 0.5  | 0         |
| 1895 | Selected Aspects of Chemoresistance Mechanisms in Colorectal Carcinoma—A Focus on Epithelial-to-Mesenchymal Transition, Autophagy, and Apoptosis. Cells, 2019, 8, 234.  | 4.1  | 46        |
| 1896 | Novel role of Snail 1 in promoting tumor neoangiogenesis. Bioscience Reports, 2019, 39, .   | 2.4  | 5         |
| 1897 | CD100-plexin-B1 induces epithelial-mesenchymal transition of head and neck squamous cell carcinoma and promotes metastasis. Cancer Letters, 2019, 455, 1-13.  | 7.2  | 13        |
| 1898 | Effect of dihydroartemisinin on epithelial-to-mesenchymal transition in canine mammary tumour cells. Research in Veterinary Science, 2019, 124, 240-247.  | 1.9  | 5         |
| 1899 | The matrix environmental and cell mechanical properties regulate cell migration and contribute to the invasive phenotype of cancer cells. Reports on Progress in Physics, 2019, 82, 064602.   | 20.1 | 157       |
| 1900 | Aspirin inhibits colon cancer cell line migration through regulating epithelial‑mesenchymal transition via Wnt signaling. Oncology Letters, 2019, 17, 4675-4682.  | 1.8  | 11        |
| 1901 | An FBXW7-ZEB2 axis links EMT and tumour microenvironment to promote colorectal cancer stem cells and chemoresistance. Oncogenesis, 2019, 8, 13.   | 4.9  | 99        |
| 1902 | New Insights into the Role of Epithelial–Mesenchymal Transition during Aging. International Journal of Molecular Sciences, 2019, 20, 891.   | 4.1  | 38        |
| 1903 | SNAIL is induced by tamoxifen and leads to growth inhibition in invasive lobular breast carcinoma. Breast Cancer Research and Treatment, 2019, 175, 327-337.  | 2.5  | 12        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1904 | Unveiling the role of microRNAâ€7 in linking TGFâ€Î²â€Smadâ€mediated epithelialâ€mesenchymal transition with negative regulation of trophoblast invasion. FASEB Journal, 2019, 33, 6281-6295.  | 0.5  | 28        |
| 1905 | The effect of Helicobacter pylori on the expression of FRA-1 in gastric epithelial cells and its mechanism. Microbial Pathogenesis, 2019, 129, 257-265.  | 2.9  | 4         |
| 1906 | The basics of epithelial–mesenchymal transition (EMT): A study from a structure, dynamics, and functional perspective. Journal of Cellular Physiology, 2019, 234, 14535-14555.   | 4.1  | 159       |
| 1907 | Armc8 is an evolutionarily conserved armadillo protein involved in cell–cell adhesion complexes through multiple molecular interactions. Bioscience Reports, 2019, 39, .   | 2.4  | 8         |
| 1908 | Role of epithelial–mesenchymal transition factors in the histogenesis of uterine carcinomas.<br>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 475,<br>85-94.   | 2.8  | 20        |
| 1909 | In vitro cytotoxicity and anticancer effects of citral nanostructured lipid carrier on MDA MBA-231 human breast cancer cells. Scientific Reports, 2019, 9, 1614.   | 3.3  | 72        |
| 1910 | Epithelial-To-Mesenchymal Transition Markers and CD44 Isoforms Are Differently Expressed in 2D and 3D Cell Cultures of Prostate Cancer Cells. Cells, 2019, 8, 143.   | 4.1  | 46        |
| 1911 | Control of the Epithelial-to-Mesenchymal Transition and Cancer Metastasis by Autophagy-Dependent SNAI1 Degradation. Cells, 2019, 8, 129.   | 4.1  | 34        |
| 1912 | CAPS1 promotes colorectal cancer metastasis via Snail mediated epithelial mesenchymal transformation. Oncogene, 2019, 38, 4574-4589.   | 5.9  | 25        |
| 1913 | The investigation of transcriptional repression mediated by ZEB2 in canine invasive micropapillary carcinoma in mammary gland. PLoS ONE, 2019, 14, e0209497.   | 2.5  | 5         |
| 1914 | MnTE-2-PyP Attenuates TGF- $\langle i \rangle$ $^{\hat{1}2}$ $\langle i \rangle$ -Induced Epithelial-Mesenchymal Transition of Colorectal Cancer Cells by Inhibiting the Smad2/3 Signaling Pathway. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-11. | 4.0  | 14        |
| 1915 | <p>FGG promotes migration and invasion in hepatocellular carcinoma cells through activating epithelial to mesenchymal transition</p> . Cancer Management and Research, 2019, Volume 11, 1653-1665.   | 1.9  | 28        |
| 1916 | Apical–basal polarity inhibits epithelial–mesenchymal transition and tumour metastasis by PAR-complex-mediated SNAI1 degradation. Nature Cell Biology, 2019, 21, 359-371.  | 10.3 | 97        |
| 1917 | Overexpression of Aiolos promotes epithelial-mesenchymal transition and cancer stem cell-like properties in lung cancer cells. Scientific Reports, 2019, 9, 2991.  | 3.3  | 11        |
| 1918 | Autophagy inhibition specifically promotes epithelial-mesenchymal transition and invasion in RAS-mutated cancer cells. Autophagy, 2019, 15, 886-899.   | 9.1  | 98        |
| 1919 | USP26 promotes esophageal squamous cell carcinoma metastasis through stabilizing Snail. Cancer<br>Letters, 2019, 448, 52-60.   | 7.2  | 36        |
| 1920 | Epithelial-Mesenchymal Transition in Skin Cancers: A Review. Analytical Cellular Pathology, 2019, 2019, 1-11.  | 1.4  | 54        |
| 1921 | Systems-wide analysis unravels the new roles of CCM signal complex (CSC). Heliyon, 2019, 5, e02899.  | 3.2  | 25        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 1922 | Expression of Epithelial-Mesenchymal Transition Proteins in Pancreatic Anaplastic (Undifferentiated) Carcinoma. Pancreas, 2019, 48, 36-42.   | 1.1  | 11        |
| 1923 | Molecular regulation of Snai2 in development and disease. Journal of Cell Science, 2019, 132, .  | 2.0  | 71        |
| 1924 | Essential oil extracted from erythrina corallodendron L. leaves inhibits the proliferation, migration, and invasion of breast cancer cells. Medicine (United States), 2019, 98, e17009.  | 1.0  | 15        |
| 1925 | Pannexin1 Is Associated with Enhanced Epithelial-To-Mesenchymal Transition in Human Patient Breast Cancer Tissues and in Breast Cancer Cell Lines. Cancers, 2019, 11, 1967.  | 3.7  | 27        |
| 1926 | The Syk Kinase Promotes Mammary Epithelial Integrity and Inhibits Breast Cancer Invasion by Stabilizing the E-Cadherin/Catenin Complex. Cancers, 2019, 11, 1974.   | 3.7  | 12        |
| 1927 | TIP60-dependent acetylation of the SPZ1-TWIST complex promotes epithelial–mesenchymal transition and metastasis in liver cancer. Oncogene, 2019, 38, 518-532.  | 5.9  | 29        |
| 1928 | Low miR200c expression in tumor budding of invasive front predicts worse survival in patients with localized colon cancer and is related to PD-L1 overexpression. Modern Pathology, 2019, 32, 306-313.   | 5.5  | 31        |
| 1929 | Exosome-Mediated Signaling in Epithelial to Mesenchymal Transition and Tumor Progression. Journal of Clinical Medicine, 2019, 8, 26.   | 2.4  | 55        |
| 1930 | The role of mesenchymal–epithelial transition in endometrial function. Human Reproduction Update, 2019, 25, 114-133.   | 10.8 | 161       |
| 1931 | Non-redundant functions of EMT transcription factors. Nature Cell Biology, 2019, 21, 102-112.  | 10.3 | 366       |
| 1932 | Pharmacotherapeutic strategies for treating pancreatic cancer: advances and challenges. Expert Opinion on Pharmacotherapy, 2019, 20, 535-546.  | 1.8  | 22        |
| 1933 | ZEB2, a master regulator of the epithelial–mesenchymal transition, mediates trophoblast differentiation. Molecular Human Reproduction, 2019, 25, 61-75.  | 2.8  | 49        |
| 1934 | KIAA1199 promotes invasion and migration in non-small-cell lung cancer (NSCLC) via PI3K-Akt mediated EMT. Journal of Molecular Medicine, 2019, 97, 127-140.  | 3.9  | 34        |
| 1935 | CtBP promotes metastasis of breast cancer through repressing cholesterol and activating TGF- $\hat{l}^2$ signaling. Oncogene, 2019, 38, 2076-2091.   | 5.9  | 62        |
| 1936 | Cellular morphologies, motility, and epithelial–mesenchymal transition of breast cancer cells incubated on electrospun polymeric fiber substrates in hypoxia. Materials Today Chemistry, 2019, 11, 29-41.  | 3.5  | 2         |
| 1937 | UBE2C Induces Cisplatin Resistance via ZEB1/2-Dependent Upregulation of ABCG2 and ERCC1 in NSCLC Cells. Journal of Oncology, 2019, 2019, 1-15.   | 1.3  | 38        |
| 1938 | Epithelial to Mesenchymal Transition in Human Mesothelial Cells Exposed to Asbestos Fibers: Role of $TGF-\hat{l}^2$ as Mediator of Malignant Mesothelioma Development or Metastasis via EMT Event. International Journal of Molecular Sciences, 2019, 20, 150. | 4.1  | 30        |
| 1939 | miR-124 regulates EMT based on ZEB2 target to inhibit invasion and metastasis in triple-negative breast cancer. Pathology Research and Practice, 2019, 215, 697-704.   | 2.3  | 41        |

| #    | Article   | IF          | CITATIONS |
|------|---|-------------|-----------|
| 1940 | Towards control of cellular decision-making networks in the epithelial-to-mesenchymal transition. Physical Biology, 2019, 16, 031002.   | 1.8         | 44        |
| 1941 | Immunohistochemical analysis of the epithelial to mesenchymal transition in uterine carcinosarcoma. International Journal of Gynecological Cancer, 2019, 29, 277-281.   | 2.5         | 8         |
| 1942 | Advances in Molecular Mechanisms and Treatment of Radiation-Induced Pulmonary Fibrosis. Translational Oncology, 2019, 12, 162-169.  | 3.7         | 54        |
| 1943 | HOTAIR promotes osteosarcoma development by sponging miRâ€217 and targeting ZEB1. Journal of Cellular Physiology, 2019, 234, 6173-6181.   | 4.1         | 38        |
| 1945 | The Tumor Suppressor SASH1 Interacts With the Signal Adaptor CRKL to Inhibit Epithelial–Mesenchymal Transition and Metastasis in Colorectal Cancer. Cellular and Molecular Gastroenterology and Hepatology, 2019, 7, 33-53.   | 4.5         | 33        |
| 1946 | Endothelial Cell Lineage Analysis Does Not Provide Evidence for EMT in Adult Valve Homeostasis and Disease. Anatomical Record, 2019, 302, 125-135.  | 1.4         | 20        |
| 1947 | The transcription factor AmeloD stimulates epithelial cell motility essential for tooth morphology. Journal of Biological Chemistry, 2019, 294, 3406-3418.  | 3.4         | 24        |
| 1948 | Delphinidin inhibits epidermal growth factorâ€induced epithelialâ€toâ€mesenchymal transition in hepatocellular carcinoma cells. Journal of Cellular Biochemistry, 2019, 120, 9887-9899.   | 2.6         | 21        |
| 1949 | Dysregulation of p53-RBM25-mediated circAMOTL1L biogenesis contributes to prostate cancer progression through the circAMOTL1L-miR-193a-5p-Pcdha pathway. Oncogene, 2019, 38, 2516-2532.   | 5.9         | 135       |
| 1950 | Novel-miR-4885 Promotes Migration and Invasion of Esophageal Cancer Cells Through Targeting <i>CTNNA2 &lt; /i&gt;. DNA and Cell Biology, 2019, 38, 151-161.</i>   | 1.9         | 6         |
| 1951 | TRIM21 mediates ubiquitination of Snail and modulates epithelial to mesenchymal transition in breast cancer cells. International Journal of Biological Macromolecules, 2019, 124, 846-853.  | <b>7.</b> 5 | 45        |
| 1952 | MiR-203a is differentially expressed during branching morphogenesis and EMT in breast progenitor cells and is a repressor of peroxidasin. Mechanisms of Development, 2019, 155, 34-47.  | 1.7         | 13        |
| 1953 | Epithelialâ€mesenchymal Transition and Cancer Stem Cells: At the Crossroads of Differentiation and Dedifferentiation. Developmental Dynamics, 2019, 248, 10-20.   | 1.8         | 89        |
| 1954 | FOXO1 associated with sensitivity to chemotherapy drugs and glialâ€mesenchymal transition in glioma. Journal of Cellular Biochemistry, 2019, 120, 882-893.  | 2.6         | 10        |
| 1955 | Phenotypic Plasticity and the Origins and Progression of Ovarian Cancer., 2019,, 529-545.   |             | 2         |
| 1956 | MYC leads the way. Small GTPases, 2020, 11, 86-94.  | 1.6         | 27        |
| 1957 | Curcuma wenyujin Y. H. Chen et C. Ling n-Butyl Alcohol Extract Inhibits AGS Cell Helicobacter pyloriCagA+VacA+ Promoted Invasiveness by Down-Regulating Caudal Type Homeobox Transcription Factor and Claudin-2 Expression. Chinese Journal of Integrative Medicine, 2020, 26, 122-129. | 1.6         | 11        |
| 1958 | PAK1 promotes proliferation, migration and invasion of hepatocellular carcinoma by facilitating EMT via directly up-regulating Snail. Genomics, 2020, 112, 694-702.   | 2.9         | 23        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 1959 | Are Korean children free from suicide? Risk and protective factors within a transactional–ecological perspective. Journal of Child Health Care, 2020, 24, 473-485.  | 1.4  | 4         |
| 1960 | Sohlh2 alleviates malignancy of EOC cells under hypoxia via inhibiting the HIF1α/CA9 signaling pathway.<br>Biological Chemistry, 2020, 401, 263-271.  | 2.5  | 5         |
| 1961 | Lincâ€RoR promotes proliferation, migration, and invasion via the Hippo/YAP pathway in pancreatic cancer cells. Journal of Cellular Biochemistry, 2020, 121, 632-641.   | 2.6  | 38        |
| 1962 | An EMTâ€related gene signature for the prognosis of human bladder cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 605-617.  | 3.6  | 132       |
| 1963 | Native and iron-saturated bovine lactoferrin differently hinder migration in a model of human glioblastoma by reverting epithelial-to-mesenchymal transition-like process and inhibiting interleukin-6/STAT3 axis. Cellular Signalling, 2020, 65, 109461. | 3.6  | 27        |
| 1964 | IGFBP2: integrative hub of developmental and oncogenic signaling network. Oncogene, 2020, 39, 2243-2257.  | 5.9  | 79        |
| 1965 | CBP mediated DOT1L acetylation confers DOT1L stability and promotes cancer metastasis. Theranostics, 2020, 10, 1758-1776.   | 10.0 | 31        |
| 1966 | Gâ€proteinâ€coupled receptor kinase 2 safeguards epithelial phenotype in head and neck squamous cell carcinomas. International Journal of Cancer, 2020, 147, 218-229.   | 5.1  | 2         |
| 1967 | Prognostic value of connective tissue growth factor and c-Myb expression in IgA nephropathy and Henoch-Schönlein purpura—A pilot immunohistochemical study. Acta Histochemica, 2020, 122, 151479.   | 1.8  | 9         |
| 1968 | GRWD1 promotes cell proliferation and migration in non-small cell lung cancer by activating the Notch pathway. Experimental Cell Research, 2020, 387, 111806.   | 2.6  | 12        |
| 1969 | Biguanides in combination with olaparib limits tumorigenesis of drugâ€resistant ovarian cancer cells through inhibition of Snail. Cancer Medicine, 2020, 9, 1307-1320.  | 2.8  | 13        |
| 1970 | MiR-27b suppresses epithelial–mesenchymal transition and chemoresistance in lung cancer by targeting Snail1. Life Sciences, 2020, 254, 117238.  | 4.3  | 28        |
| 1971 | Silencing of CD133 inhibits GLUT1â€mediated glucose transport through downregulation of the HER3/Akt/mTOR pathway in colon cancer. FEBS Letters, 2020, 594, 1021-1035.  | 2.8  | 5         |
| 1972 | Regulation of cell–cell adhesion in prostate cancer cells by microRNA-96 through upregulation of E-Cadherin and EpCAM. Carcinogenesis, 2020, 41, 865-874.   | 2.8  | 23        |
| 1973 | Antioxidation and Antiapoptosis Characteristics of Heme Oxygenase-1 EnhanceÂTumorigenesis of Human Prostate Carcinoma Cells. Translational Oncology, 2020, 13, 102-112.   | 3.7  | 8         |
| 1974 | Knockdown of TMEM45A overcomes multidrug resistance and epithelial–mesenchymal transition in human colorectal cancer cells through inhibition of TGFâ€Î² signalling pathway. Clinical and Experimental Pharmacology and Physiology, 2020, 47, 503-516.    | 1.9  | 10        |
| 1975 | MicroRNAs, a Promising Target for Breast Cancer Stem Cells. Molecular Diagnosis and Therapy, 2020, 24, 69-83.   | 3.8  | 22        |
| 1976 | Telmisartan inhibits oxalate and calcium oxalate crystal-induced epithelial-mesenchymal transformation via PPAR-Î <sup>3</sup> -AKT/STAT3/p38 MAPK-Snail pathway. Life Sciences, 2020, 241, 117108.   | 4.3  | 37        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1977 | Tumor Biology and Metastasis. , 2020, , 36-60.  |     | 0         |
| 1978 | Establishment of Acquired Cisplatin Resistance in Ovarian Cancer Cell Lines Characterized by Enriched Metastatic Properties with Increased Twist Expression. International Journal of Molecular Sciences, 2020, 21, 7613.           | 4.1 | 17        |
| 1979 | Pristimerin exerts antitumor activity against MDA-MB-231 triple-negative breast cancer cells by reversing of epithelial-mesenchymal transition via downregulation of integrin $\hat{I}^2$ 3. Biomedical Journal, 2021, 44, S84-S92. | 3.1 | 8         |
| 1980 | Long noncoding RNA MAPKAPK5-AS1 promotes colorectal cancer progression by cis-regulating the nearby gene MK5 and acting as a let-7f-1-3p sponge. Journal of Experimental and Clinical Cancer Research, 2020, 39, 139.               | 8.6 | 35        |
| 1981 | The histone lysine methyltransferase SETD8 regulates angiogenesis through HES-1 in human umbilical vein endothelial cells. Scientific Reports, 2020, 10, 12089.   | 3.3 | 9         |
| 1982 | ZFP36 Binds With PRC1 to Inhibit Tumor Growth and Increase 5-Fu Chemosensitivity of Hepatocellular Carcinoma. Frontiers in Molecular Biosciences, 2020, 7, 126.   | 3.5 | 13        |
| 1983 | SNAIL Promotes Metastatic Behavior of Rhabdomyosarcoma by Increasing EZRIN and AKT Expression and Regulating MicroRNA Networks. Cancers, 2020, 12, 1870.  | 3.7 | 14        |
| 1984 | Noncoding RNAs in peritoneal fibrosis: Background, Mechanism, and Therapeutic Approach.<br>Biomedicine and Pharmacotherapy, 2020, 129, 110385.  | 5.6 | 12        |
| 1985 | <p>Modulation of MnSOD and FoxM1 Is Involved in Invasion and EMT Suppression by Isovitexin in Hepatocellular Carcinoma Cells</p> . Cancer Management and Research, 2020, Volume 12, 5759-5771.                                      | 1.9 | 9         |
| 1986 | Tanshinone IIA Inhibits Epithelial-to-Mesenchymal Transition Through Hindering β-Arrestin1 Mediated β-Catenin Signaling Pathway in Colorectal Cancer. Frontiers in Pharmacology, 2020, 11, 586616.                                  | 3.5 | 13        |
| 1987 | Overexpression of DDR1 Promotes Migration, Invasion, Though EMT-Related Molecule Expression and COL4A1/DDR1/MMP-2 Signaling Axis. Technology in Cancer Research and Treatment, 2020, 19, 153303382097327.                           | 1.9 | 10        |
| 1988 | BTG1 Overexpression Might Promote Invasion and Metastasis of Colorectal Cancer via Decreasing Adhesion and Inducing Epithelial–Mesenchymal Transition. Frontiers in Oncology, 2020, 10, 598192.                                     | 2.8 | 14        |
| 1989 | Loss of Fbxw7 impairs development of and induces heterogeneous tumor formation in the mouse mammary gland. Cancer Research, 2020, 80, canres.0271.2020.   | 0.9 | 2         |
| 1990 | CACNA1B facilitates breast cancer cell growth and migration by regulating cyclin D1 and EMT: the implication of CACNA1B in breast cancer. Journal of Receptor and Signal Transduction Research, 2022, 42, 1-8.                      | 2.5 | 5         |
| 1991 | Riociguat ameliorates kidney injury and fibrosis in an animal model. Biochemical and Biophysical Research Communications, 2020, 530, 706-712.   | 2.1 | 7         |
| 1992 | EMT-Inducing Transcription Factors, Drivers of Melanoma Phenotype Switching, and Resistance to Treatment. Cancers, 2020, 12, 2154.  | 3.7 | 56        |
| 1993 | Epigenetic loss of the transfer RNA-modifying enzyme TYW2 induces ribosome frameshifts in colon cancer. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 20785-20793.                    | 7.1 | 31        |
| 1994 | Long non-coding RNA (IncRNA) and epithelial-mesenchymal transition (EMT) in colorectal cancer: a systematic review. Cancer Biology and Therapy, 2020, 21, 769-781.  | 3.4 | 28        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1995 | Hotspot mutant p53-R273H inhibits KLF6 expression to promote cell migration and tumor metastasis. Cell Death and Disease, 2020, 11, 595.   | 6.3 | 15        |
| 1996 | Increased expression of epithelial cell adhesion molecule and its possible role in epithelial–mesenchymal transition in endometriosis. Journal of Obstetrics and Gynaecology Research, 2020, 46, 2066-2075.                                      | 1.3 | 7         |
| 1997 | Placenta previa may acquire invasive nature by factors associated with epithelialâ€mesenchymal transition and matrix metalloproteinases. Journal of Obstetrics and Gynaecology Research, 2020, 46, 2526-2533.                                    | 1.3 | 3         |
| 1998 | Regulation of Epithelial–Mesenchymal Plasticity by the E3 Ubiquitin-Ligases in Cancer. Cancers, 2020, 12, 3093.  | 3.7 | 9         |
| 1999 | Rosuvastatin inhibit spheroid formation and epithelial–mesenchymal transition (EMT) in prostate cancer PC-3 cell line. Molecular Biology Reports, 2020, 47, 8727-8737.   | 2.3 | 12        |
| 2000 | EIF3H promotes aggressiveness of esophageal squamous cell carcinoma by modulating Snail stability. Journal of Experimental and Clinical Cancer Research, 2020, 39, 175.  | 8.6 | 32        |
| 2002 | ASB13 inhibits breast cancer metastasis through promoting SNAI2 degradation and relieving its transcriptional repression of YAP. Genes and Development, 2020, 34, 1359-1372.   | 5.9 | 32        |
| 2003 | <p>TRPV4 Overexpression Promotes Metastasis Through Epithelial–Mesenchymal Transition in Gastric Cancer and Correlates with Poor Prognosis</p> . OncoTargets and Therapy, 2020, Volume 13, 8383-8394.  | 2.0 | 16        |
| 2004 | MicroRNA-221/222 Inhibits the Radiation-Induced Invasiveness and Promotes the Radiosensitivity of Malignant Meningioma Cells. Frontiers in Oncology, 2020, 10, 1441.   | 2.8 | 6         |
| 2005 | <p>CXCL12/CXCR4 Axis-Targeted Dual-Functional Nano-Drug Delivery System Against Ovarian Cancer</p> . International Journal of Nanomedicine, 2020, Volume 15, 5701-5718.  | 6.7 | 19        |
| 2006 | Obg-like ATPase 1 inhibited oral carcinoma cell metastasis through TGF $\hat{l}^2$ /SMAD2 axis in vitro. BMC Molecular and Cell Biology, 2020, 21, 65.   | 2.0 | 3         |
| 2007 | <p>LncRNA CDKN2B-AS1 Promotes Cell Viability, Migration, and Invasion of Hepatocellular Carcinoma via Sponging miR-424-5p</p> . Cancer Management and Research, 2020, Volume 12, 6807-6819.  | 1.9 | 19        |
| 2008 | Intrinsic Balance between ZEB Family Members Is Important for Melanocyte Homeostasis and Melanoma Progression. Cancers, 2020, 12, 2248.  | 3.7 | 20        |
| 2009 | Long-term myofibroblast persistence in the capsular bag contributes to the late spontaneous in-the-bag intraocular lens dislocation. Scientific Reports, 2020, 10, 20532.  | 3.3 | 6         |
| 2010 | RNF20 Is Critical for Snail-Mediated E-Cadherin Repression in Human Breast Cancer. Frontiers in Oncology, 2020, 10, 613470.  | 2.8 | 8         |
| 2011 | Collision tumors of the lung: A case report of urothelial carcinoma metastasizing to renal cell carcinoma with heterotopic ossification. Respiratory Medicine Case Reports, 2020, 31, 101297.  | 0.4 | 2         |
| 2012 | Pregnancyâ€specific glycoprotein 9 acts as both a transcriptional target and a regulator of the canonical TGFâ€Î²/Smad signaling to drive breast cancer progression. Clinical and Translational Medicine, 2020, 10, e245.                        | 4.0 | 6         |
| 2013 | Epigenetic Role of Histone Lysine Methyltransferase and Demethylase on the Expression of Transcription Factors Associated with the Epithelial-to-Mesenchymal Transition of Lung Adenocarcinoma Metastasis to the Brain. Cancers, 2020, 12, 3632. | 3.7 | 11        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2014 | Suppressive effect of quercetin against bleomycin-induced epithelial-mesenchymal transition in alveolar epithelial cells. Drug Metabolism and Pharmacokinetics, 2020, 35, 522-526.                                  | 2.2 | 15        |
| 2015 | The role of epithelial-mesenchymal transition in regulating radioresistance. Critical Reviews in Oncology/Hematology, 2020, 150, 102961.  | 4.4 | 45        |
| 2016 | Endosulfan triggers epithelial-mesenchymal transition via PTP4A3-mediated TGF $\hat{l}^2$ signaling pathway in prostate cancer cells. Science of the Total Environment, 2020, 731, 139234.                          | 8.0 | 12        |
| 2017 | <p>NUDT21 Suppresses Breast Cancer Tumorigenesis Through Regulating CPSF6 Expression</p> . Cancer Management and Research, 2020, Volume 12, 3069-3078.  | 1.9 | 13        |
| 2018 | F-Box Proteins and Cancer. Cancers, 2020, 12, 1249.   | 3.7 | 32        |
| 2019 | New Insights Into the Role of Phenotypic Plasticity and EMT in Driving Cancer Progression. Frontiers in Molecular Biosciences, 2020, 7, 71.   | 3.5 | 71        |
| 2020 | SNAI1-Driven Sequential EMT Changes Attributed by Selective Chromatin Enrichment of RAD21 and GRHL2. Cancers, 2020, 12, 1140.   | 3.7 | 10        |
| 2021 | Catechol inhibits epidermal growth factor-induced epithelial-to-mesenchymal transition and stem cell-like properties in hepatocellular carcinoma cells. Scientific Reports, 2020, 10, 7620.                         | 3.3 | 9         |
| 2022 | Glyphosate induces epithelial mesenchymal transition-related changes in human endometrial Ishikawa cells via estrogen receptor pathway. Molecular and Cellular Endocrinology, 2020, 510, 110841.                    | 3.2 | 18        |
| 2023 | BMP4 promotes the metastasis of gastric cancer by inducing epithelial-mesenchymal transition <i>via</i> Id1. Journal of Cell Science, 2020, 133, .  | 2.0 | 12        |
| 2024 | Snail induces epithelial cell extrusion by regulating RhoA contractile signaling and cell-matrix adhesion. Journal of Cell Science, 2020, 133, .  | 2.0 | 11        |
| 2025 | CDP-diacylglycerol, a critical intermediate in lipid metabolism. Chemistry and Physics of Lipids, 2020, 230, 104914.  | 3.2 | 27        |
| 2026 | Hakin-1, a New Specific Small-Molecule Inhibitor for the E3 Ubiquitin-Ligase Hakai, Inhibits Carcinoma Growth and Progression. Cancers, 2020, 12, 1340.   | 3.7 | 15        |
| 2027 | CDH1 and SNAI1 are regulated by E7 from human papillomavirus types 16 and 18. International Journal of Oncology, 2020, 57, 301-313.   | 3.3 | 3         |
| 2028 | Study on the relationship between hepatic fibrosis and epithelial-mesenchymal transition in intrahepatic cells. Biomedicine and Pharmacotherapy, 2020, 129, 110413.   | 5.6 | 25        |
| 2029 | Epigenetic Landscape in Pancreatic Ductal Adenocarcinoma: On the Way to Overcoming Drug<br>Resistance?. International Journal of Molecular Sciences, 2020, 21, 4091.  | 4.1 | 17        |
| 2030 | Novel role for CRK adaptor proteins as essential components of SRC/FAK signaling for epithelial–mesenchymal transition and colorectal cancer aggressiveness. International Journal of Cancer, 2020, 147, 1715-1731. | 5.1 | 14        |
| 2031 | Single Tumor Cells With Epithelial-Like Morphology Are Associated With Breast Cancer Metastasis. Frontiers in Oncology, 2020, 10, 50.   | 2.8 | 11        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2032 | The Microrna-143/145 Cluster in Tumors: A Matter of Where and When. Cancers, 2020, 12, 708.  | 3.7 | 19        |
| 2033 | MicroRNA-145 suppresses epithelial to mesenchymal transition in pancreatic cancer cells by inhibiting TGF- $\hat{l}^2$ signaling pathway. Journal of Cancer, 2020, 11, 2716-2723.  | 2.5 | 13        |
| 2034 | Genomics and Prognosis Analysis of Epithelial-Mesenchymal Transition in Glioma. Frontiers in Oncology, 2020, 10, 183.  | 2.8 | 76        |
| 2035 | Crosstalk between NRF2 and Dicer through metastasis regulating MicroRNAs; mir-34a, mir-200 family and mir-103/107 family. Archives of Biochemistry and Biophysics, 2020, 686, 108326.  | 3.0 | 11        |
| 2036 | POTEE promotes colorectal carcinoma progression via activating the Rac1/Cdc42 pathway. Experimental Cell Research, 2020, 390, 111933.  | 2.6 | 5         |
| 2037 | Protective effects of acetylcholine on hypoxia-induced endothelial-to-mesenchymal transition in human cardiac microvascular endothelial cells. Molecular and Cellular Biochemistry, 2020, 473, 101-110.  | 3.1 | 11        |
| 2038 | <p>Inhibition of Migration, Invasion and Drug Resistance of Pancreatic Adenocarcinoma Cells – Role of Snail, Slug and Twist and Small Molecule Inhibitors</p> . OncoTargets and Therapy, 2020, Volume 13, 5763-5777.   | 2.0 | 11        |
| 2039 | Expression of ncRNAs on the DLK1-DIO3 Locus Is Associated With Basal and Mesenchymal Phenotype in Breast Epithelial Progenitor Cells. Frontiers in Cell and Developmental Biology, 2020, 8, 461.   | 3.7 | 14        |
| 2040 | MicroRNA expression profile in extracellular vesicles derived from ALV-J infected chicken semen. Virus Research, 2020, 286, 198083.  | 2.2 | 5         |
| 2041 | Positive Feedback Loop of SNAIL-IL-6 Mediates Myofibroblastic Differentiation Activity in Precancerous Oral Submucous Fibrosis. Cancers, 2020, 12, 1611.   | 3.7 | 19        |
| 2042 | ZEB1/miR-200c/AGR2: A New Regulatory Loop Modulating the Epithelial-Mesenchymal Transition in Lung Adenocarcinomas. Cancers, 2020, 12, 1614.   | 3.7 | 13        |
| 2043 | A synthetic coumarin derivative (4â€flourophenylacetamideâ€acetyl coumarin) impedes cell cycle at G0/G1 stage, induces apoptosis, and inhibits metastasis via ROSâ€mediated p53 and AKT signaling pathways in A549 cells. Journal of Biochemical and Molecular Toxicology, 2020, 34, e22553. | 3.0 | 11        |
| 2044 | BRD7 suppresses invasion and metastasis in breast cancer by negatively regulating YB1-induced epithelial-mesenchymal transition. Journal of Experimental and Clinical Cancer Research, 2020, 39, 30.   | 8.6 | 22        |
| 2045 | Dexamethasone Inhibits Spheroid Formation of Thyroid Cancer Cells Exposed to Simulated Microgravity. Cells, 2020, 9, 367.  | 4.1 | 20        |
| 2046 | <p>miRNAs: A Promising Target in the Chemoresistance of Bladder Cancer</p> . OncoTargets and Therapy, 2019, Volume 12, 11805-11816.  | 2.0 | 31        |
| 2047 | <p>Epstein-Barr Virus-Encoded Products Promote Circulating Tumor Cell Generation: A Novel Mechanism of Nasopharyngeal Carcinoma Metastasis</p> . OncoTargets and Therapy, 2019, Volume 12, 11793-11804.  | 2.0 | 13        |
| 2048 | Chromatin remodeling factor ARID2 suppresses hepatocellular carcinoma metastasis via DNMT1-Snail axis. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 4770-4780.  | 7.1 | 76        |
| 2049 | The long noncoding RNA TUG1 is required for TGF- $\hat{l}^2$ /TWIST1/EMT-mediated metastasis in colorectal cancer cells. Cell Death and Disease, 2020, 11, 65.   | 6.3 | 62        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 2050 | EMT signaling: potential contribution of CRISPR/Cas gene editing. Cellular and Molecular Life Sciences, 2020, 77, 2701-2722.  | 5.4  | 22        |
| 2051 | Interplay among SNAIL Transcription Factor, MicroRNAs, Long Non-Coding RNAs, and Circular RNAs in the Regulation of Tumor Growth and Metastasis. Cancers, 2020, 12, 209.  | 3.7  | 47        |
| 2052 | MicroRNA-183 in Cancer Progression. Journal of Cancer, 2020, 11, 1315-1324.   | 2.5  | 33        |
| 2053 | BACH1 Promotes Pancreatic Cancer Metastasis by Repressing Epithelial Genes and Enhancing Epithelial–Mesenchymal Transition. Cancer Research, 2020, 80, 1279-1292.   | 0.9  | 69        |
| 2054 | Monoubiquitination of p120-catenin is essential for TGF $\hat{l}^2$ -induced epithelial-mesenchymal transition and tumor metastasis. Science Advances, 2020, 6, eaay9819.   | 10.3 | 16        |
| 2055 | Antiepithelial-Mesenchymal Transition of Herbal Active Substance in Tumor Cells via Different Signaling. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-10.   | 4.0  | 3         |
| 2056 | Molecular organization of cells. , 2020, , 79-91.   |      | 0         |
| 2057 | ASPP1 deficiency promotes epithelial-mesenchymal transition, invasion and metastasis in colorectal cancer. Cell Death and Disease, 2020, 11, 224.   | 6.3  | 9         |
| 2058 | Hypoxia-Induced Epithelial-Mesenchymal Transition in Cancers: HIF- $1\hat{l}_{\pm}$ and Beyond. Frontiers in Oncology, 2020, 10, 486.   | 2.8  | 171       |
| 2059 | E-Cadherin in Pancreatic Ductal Adenocarcinoma: A Multifaceted Actor during EMT. Cells, 2020, 9, 1040.  | 4.1  | 56        |
| 2060 | Epithelial-Mesenchymal Transition in Cancer: A Historical Overview. Translational Oncology, 2020, 13, 100773.   | 3.7  | 455       |
| 2061 | Dietary flavonoid myricetin inhibits invasion and migration of radioresistant lung cancer cells (A549â€IR) by suppressing MMPâ€2 and MMPâ€9 expressions through inhibition of the FAKâ€ERK signaling pathway. Food Science and Nutrition, 2020, 8, 2059-2067. | 3.4  | 28        |
| 2062 | EMT Factors and Metabolic Pathways in Cancer. Frontiers in Oncology, 2020, 10, 499.   | 2.8  | 205       |
| 2063 | βâ€Mangostin inhibits the metastatic power of cervical cancer cells attributing to suppression of JNK2/APâ€1/Snail cascade. Journal of Cellular Physiology, 2020, 235, 8446-8460.   | 4.1  | 16        |
| 2064 | The ability of miRNAs to induce mesenchymal-to-epithelial transition (MET) in cancer cells is highly dependent upon genetic background. Cancer Letters, 2020, 480, 15-23.   | 7.2  | 2         |
| 2065 | The regulatory mechanism and biological significance of the Snail-miR590-VEGFR-NRP1 axis in the angiogenesis, growth and metastasis of gastric cancer. Cell Death and Disease, 2020, 11, 241.   | 6.3  | 26        |
| 2066 | Eâ€cadherin deregulation in breast cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 5930-5936.   | 3.6  | 59        |
| 2067 | MiR-203a-3p Inhibits Pancreatic Cancer Cell Proliferation, EMT, and Apoptosis by Regulating SLUG. Technology in Cancer Research and Treatment, 2020, 19, 153303381989872.   | 1.9  | 28        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2068 | Role of Wnt/ $\langle i \rangle$ Î $^2 \langle  i \rangle$ -Catenin Signaling in the Chemoresistance Modulation of Colorectal Cancer. BioMed Research International, 2020, 2020, 1-9.   | 1.9 | 69        |
| 2069 | The Emerging Roles of Exosomes as EMT Regulators in Cancer. Cells, 2020, 9, 861.  | 4.1 | 70        |
| 2070 | The Lauren Classification Highlights the Role of Epithelialto- Mesenchymal Transition in Gastric Carcinogenesis: an Immunohistochemistry Study of the STAT3 and Adhesion Molecules Expression. Journal of Gastrointestinal and Liver Diseases, 2020, 24, 77-83. | 0.9 | 15        |
| 2071 | Increased Expression of LIPC Is Associated with Aggressive Phenotype of Borrmann Type 4 Gastric Cancer. Journal of Gastrointestinal Surgery, 2021, 25, 900-910.   | 1.7 | 4         |
| 2072 | Alleviation of TGFâ€Î²1 induced tubular epithelial–mesenchymal transition via the δâ€opioid receptor. FEBS Journal, 2021, 288, 1243-1258.   | 4.7 | 6         |
| 2073 | ADMA mediates gastric cancer cell migration and invasion via Wnt/ $\hat{l}^2$ -catenin signaling pathway. Clinical and Translational Oncology, 2021, 23, 325-334.   | 2.4 | 19        |
| 2074 | PURα mediates epithelial-mesenchymal transition to promote esophageal squamous cell carcinoma progression by regulating Snail2. Cancer Letters, 2021, 498, 98-110.  | 7.2 | 7         |
| 2075 | CBP-mediated Slug acetylation stabilizes Slug and promotes EMT and migration of breast cancer cells. Science China Life Sciences, 2021, 64, 563-574.  | 4.9 | 21        |
| 2076 | Crosstalk between long non-coding RNA DLX6-AS1, microRNAs and signaling pathways: A pivotal molecular mechanism in human cancers. Gene, 2021, 769, 145224.  | 2.2 | 12        |
| 2077 | Biological role and clinical relevance of extracellular vesicles as key mediators of cell communication in cancer. Advances in Biomembranes and Lipid Self-Assembly, 2021, 33, 37-117.  | 0.6 | 4         |
| 2078 | Metastasis: crosstalk between tissue mechanics and tumour cell plasticity. British Journal of Cancer, 2021, 124, 49-57.   | 6.4 | 25        |
| 2079 | Cancer Stemness: p53 at the Wheel. Frontiers in Oncology, 2020, 10, 604124.   | 2.8 | 38        |
| 2080 | Myeloid differentiation protein 2 mediates angiotensin II-induced inflammation and mesenchymal transition in vascular endothelium. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2021, 1867, 166043.  | 3.8 | 6         |
| 2081 | HES1 promotes breast cancer stem cells by elevating Slug in triple-negative breast cancer. International Journal of Biological Sciences, 2021, 17, 247-258.   | 6.4 | 17        |
| 2082 | The miR-5694/AF9/Snail Axis Provides Metastatic Advantages and a Therapeutic Target in Basal-like Breast Cancer. Molecular Therapy, 2021, 29, 1239-1257.  | 8.2 | 10        |
| 2083 | Clinicopathologic Correlations of Retrocorneal Membranes Associated With Endothelial Corneal Graft Failure. American Journal of Ophthalmology, 2021, 222, 24-33.  | 3.3 | 5         |
| 2084 | Non-coding RNAs: the new central dogma of cancer biology. Science China Life Sciences, 2021, 64, 22-50.   | 4.9 | 93        |
| 2085 | microRNA-374a suppresses colon cancer progression by directly reducing CCND1 to inactivate the PI3K/AKT pathway. Oncotarget, 0, 7, 41306-41319.   | 1.8 | 51        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2086 | Epigenetics of epithelial to mesenchymal transition (EMT) in cancer., 2021, , 237-264.  |     | 0         |
| 2087 | Embryology of the Heart. , 2021, , 11-30.   |     | 1         |
| 2088 | Transient Receptor Potential Channel 6 Knockout Ameliorates Kidney Fibrosis by Inhibition of Epithelial–Mesenchymal Transition. Frontiers in Cell and Developmental Biology, 2020, 8, 602703.                                   | 3.7 | 8         |
| 2089 | Prognostic significance of miR-203 and ZEB1 expression in early-stage hepatocellular carcinoma. Journal of Cancer, 2021, 12, 4810-4818.   | 2.5 | 3         |
| 2090 | ZEB1: New advances in fibrosis and cancer. Molecular and Cellular Biochemistry, 2021, 476, 1643-1650.   | 3.1 | 20        |
| 2091 | Inhibin $\hat{l}^2$ -A (INHBA) induces epithelialâ $\in$ "mesenchymal transition and accelerates the motility of breast cancer cells by activating the TGF- $\hat{l}^2$ signaling pathway. Bioengineered, 2021, 12, 4681-4696.  | 3.2 | 26        |
| 2092 | Research progress of EMT in Cancer Metastasis. E3S Web of Conferences, 2021, 245, 03049.  | 0.5 | 1         |
| 2093 | GATA3 is downregulated in HCC and accelerates HCC aggressiveness by transcriptionally inhibiting slug expression. Oncology Letters, 2021, 21, 231.  | 1.8 | 5         |
| 2094 | Downregulation of E-cadherin in pluripotent stem cells triggers partial EMT. Scientific Reports, 2021, 11, 2048.  | 3.3 | 48        |
| 2095 | Fatty Acids and a High-Fat Diet Induce Epithelial–Mesenchymal Transition by Activating TGFβ and β-Catenin in Liver Cells. International Journal of Molecular Sciences, 2021, 22, 1272.  | 4.1 | 9         |
| 2096 | The Effect of Neddylation Blockade on Slug-Dependent Cancer Cell Migration Is Regulated by p53 Mutation Status. Cancers, 2021, 13, 531.   | 3.7 | 8         |
| 2097 | An epithelial-mesenchymal transition-related long non-coding RNA signature to predict overall survival and immune microenvironment in kidney renal clear cell carcinoma. Bioengineered, 2021, 12, 555-564.                      | 3.2 | 14        |
| 2098 | Expression of EMT-Related Factors in Intrahepatic Cholangiolithiasis Associated Cholangiocarcinoma and Its Clinical Significance. Journal of Cancer Therapy, 2021, 12, 337-345.   | 0.4 | 0         |
| 2099 | Atypical PKCs activate Vimentin to facilitate prostate cancer cell motility and invasion. Cell Adhesion and Migration, 2021, 15, 37-57.   | 2.7 | 14        |
| 2100 | TNF-α augments CXCL10/CXCR3 axis activity to induce Epithelial-Mesenchymal Transition in colon cancer cell. International Journal of Biological Sciences, 2021, 17, 2683-2702.  | 6.4 | 32        |
| 2101 | CircCSNK1G3 upâ€regulates miRâ€181b to promote growth and metastasis via TIMP3â€mediated epithelial to mesenchymal transitions in renal cell carcinoma. Journal of Cellular and Molecular Medicine, 2021, , .                   | 3.6 | 12        |
| 2102 | The epithelial–mesenchymal transition regulators Twist, Slug, and Snail are associated with aggressive tumour features and poor outcome in prostate cancer patients. Journal of Pathology: Clinical Research, 2021, 7, 253-270. | 3.0 | 20        |
| 2103 | Craniofacial transitions: the role of EMT and MET during head development. Development (Cambridge), 2021, 148, .  | 2.5 | 9         |

| #    | Article  | IF  | Citations |
|------|--|-----|-----------|
| 2104 | Re-expression of miR-200s in claudinâ€low mammary tumor cells alters cell shape and reduces proliferation and invasion potentially through modulating other miRNAs and SUZ12 regulated genes. Cancer Cell International, 2021, 21, 89. | 4.1 | 9         |
| 2105 | FOXA2-Interacting FOXP2 Prevents Epithelial-Mesenchymal Transition of Breast Cancer Cells by Stimulating E-Cadherin and PHF2 Transcription. Frontiers in Oncology, 2021, 11, 605025.   | 2.8 | 12        |
| 2106 | Mitotic kinases as drivers of the epithelial-to-mesenchymal transition and as therapeutic targets against breast cancers. Experimental Biology and Medicine, 2021, 246, 1036-1044.   | 2.4 | 5         |
| 2107 | TGFÎ $^2$ signaling networks in ovarian cancer progression and plasticity. Clinical and Experimental Metastasis, 2021, 38, 139-161.  | 3.3 | 31        |
| 2108 | The HOTAIR IncRNA: A remarkable oncogenic promoter in human cancer metastasis (Review). Oncology Letters, 2021, 21, 302.   | 1.8 | 17        |
| 2109 | Quantitative Proteomic Analysis in Alveolar Type II Cells Reveals the Different Capacities of RAS and TGF-β to Induce Epithelial–Mesenchymal Transition. Frontiers in Molecular Biosciences, 2021, 8, 595712.                          | 3.5 | 5         |
| 2110 | Snail-Family Proteins: Role in Carcinogenesis and Prospects for Antitumor Therapy. Acta Naturae, 2021, 13, 76-90.  | 1.7 | 7         |
| 2111 | Heterogeneous Manifestations of Epithelial–Mesenchymal Plasticity of Circulating Tumor Cells in Breast Cancer Patients. International Journal of Molecular Sciences, 2021, 22, 2504.   | 4.1 | 15        |
| 2112 | How Cells Communicate with Each Other in the Tumor Microenvironment: Suggestions to Design Novel Therapeutic Strategies in Cancer Disease. International Journal of Molecular Sciences, 2021, 22, 2550.                                | 4.1 | 14        |
| 2113 | In Vivo and In Vitro Effects of Tracheloside on Colorectal Cancer Cell Proliferation and Metastasis.<br>Antioxidants, 2021, 10, 513.   | 5.1 | 8         |
| 2114 | The Post-Translational Regulation of Epithelial–Mesenchymal Transition-Inducing Transcription Factors in Cancer Metastasis. International Journal of Molecular Sciences, 2021, 22, 3591.   | 4.1 | 36        |
| 2115 | The direct miRâ€874â€3pâ€ŧarget FAM84A promotes tumor development in papillary thyroid cancer.<br>Molecular Oncology, 2021, 15, 1597-1614.   | 4.6 | 7         |
| 2116 | HGF-Modified Dental Pulp Stem Cells Mitigate the Inflammatory and Fibrotic Responses in Paraquat-Induced Acute Respiratory Distress Syndrome. Stem Cells International, 2021, 2021, 1-15.  | 2.5 | 9         |
| 2117 | The role of epithelial–mesenchymal transition-regulating transcription factors in anti-cancer drug resistance. Archives of Pharmacal Research, 2021, 44, 281-292.  | 6.3 | 29        |
| 2118 | Hypoxia-induced therapy resistance: Available hypoxia-targeting strategies and current advances in head and neck cancer. Translational Oncology, 2021, 14, 101017.   | 3.7 | 35        |
| 2119 | Downregulation of Snail by DUSP1 Impairs Cell Migration and Invasion through the Inactivation of JNK and ERK and Is Useful as a Predictive Factor in the Prognosis of Prostate Cancer. Cancers, 2021, 13, 1158.                        | 3.7 | 14        |
| 2120 | Pathophysiology of Lung Disease and Wound Repair in Cystic Fibrosis. Pathophysiology, 2021, 28, 155-188.   | 2.2 | 13        |
| 2121 | Quercetin Blocks the Aggressive Phenotype of Triple Negative Breast Cancer by Inhibiting IGF1/IGF1R-Mediated EMT Program. Journal of Food and Drug Analysis, 2021, 29, 98-112.   | 1.9 | 13        |

| #    | ARTICLE  | IF   | Citations |
|------|--|------|-----------|
| 2122 | An early cell shape transition drives evolutionary expansion of the human forebrain. Cell, 2021, 184, 2084-2102.e19.   | 28.9 | 139       |
| 2123 | The Nek2 centrosome-mitotic kinase contributes to the mesenchymal state, cell invasion, and migration of triple-negative breast cancer cells. Scientific Reports, 2021, 11, 9016.  | 3.3  | 20        |
| 2124 | $\hat{l}^2$ -Arrestin 1 Promotes Colorectal Cancer Metastasis Through GSK-3 $\hat{l}^2/\hat{l}^2$ -Catenin Signaling- Mediated Epithelial-to-Mesenchymal Transition. Frontiers in Cell and Developmental Biology, 2021, 9, 650067.                   | 3.7  | 7         |
| 2125 | Prolactin receptor expression and its role in trophoblast outgrowth in human embryos. Reproductive BioMedicine Online, 2021, 42, 699-707.  | 2.4  | 15        |
| 2126 | From Neural Crest to Definitive Roof Plate: The Dynamic Behavior of the Dorsal Neural Tube. International Journal of Molecular Sciences, 2021, 22, 3911.   | 4.1  | 12        |
| 2127 | Circular RNA hsa_circ_0003288 induces EMT and invasion by regulating hsa_circ_0003288/miR-145/PD-L1 axis in hepatocellular carcinoma. Cancer Cell International, 2021, 21, 212.  | 4.1  | 41        |
| 2128 | C1q-like 1 is frequently up-regulated in lung adenocarcinoma and contributes to the proliferation and invasion of tumor cells. Journal of Chemotherapy, 2021, 33, 476-485.   | 1.5  | 7         |
| 2129 | AS1411-functionalized delivery nanosystems for targeted cancer therapy. Exploration of Medicine, 2021, 2, 146-166.   | 1.5  | 2         |
| 2130 | Interpretation of allele-specific chromatin accessibility using cell state–aware deep learning. Genome Research, 2021, 31, 1082-1096.  | 5.5  | 34        |
| 2131 | Nucleosome assembly protein 1-like 4, a new therapeutic target for proliferation and invasion of melanoma cells. Journal of Dermatological Science, 2021, 102, 16-24.  | 1.9  | 2         |
| 2132 | Inhibition of CXCR2 plays a pivotal role in re-sensitizing ovarian cancer to cisplatin treatment. Aging, 2021, 13, 13405-13420.  | 3.1  | 13        |
| 2133 | Cancer drug resistance induced by EMT:Ânovel therapeutic strategies. Archives of Toxicology, 2021, 95, 2279-2297.  | 4.2  | 92        |
| 2134 | Loss of polarity protein Par3, via transcription factor Snail, promotes bladder cancer metastasis. Cancer Science, 2021, 112, 2625-2641.   | 3.9  | 11        |
| 2135 | Long noncoding RNA network: Novel insight into hepatocellular carcinoma metastasis (Review). International Journal of Molecular Medicine, 2021, 48, .  | 4.0  | 8         |
| 2136 | LncRNA XIST promotes liver cancer progression by acting as a molecular sponge of miR-200b-3p to regulate ZEB1/2 expression. Journal of International Medical Research, 2021, 49, 030006052110162.  | 1.0  | 13        |
| 2137 | A plant-based medicinal food inhibits the growth of human gastric carcinoma by reversing epithelialâ $\in$ "mesenchymal transition via the canonical Wnt/ $l^2$ -catenin signaling pathway. BMC Complementary Medicine and Therapies, 2021, 21, 137. | 2.7  | 4         |
| 2138 | Initiation of Pancreatic Cancer: The Interplay of Hyperglycemia and Macrophages Promotes the Acquisition of Malignancy-Associated Properties in Pancreatic Ductal Epithelial Cells. International Journal of Molecular Sciences, 2021, 22, 5086.     | 4.1  | 8         |
| 2139 | Epithelial-mesenchymal transition: Insights into nickel-induced lung diseases. Seminars in Cancer Biology, 2021, 76, 99-109.   | 9.6  | 40        |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 2140 | Epigenetic regulation during melanocyte development and homeostasis. Experimental Dermatology, 2021, 30, 1033-1050.   | 2.9  | 9         |
| 2141 | A Novel Relative High-Density Lipoprotein Index to Predict the Structural Changes in High-Density Lipoprotein and Its Ability to Inhibit Endothelial–Mesenchymal Transition. International Journal of Molecular Sciences, 2021, 22, 5210.                     | 4.1  | 3         |
| 2142 | Expansion of Rare Cancer Cells into Tumoroids for Therapeutic Regimen and Cancer Therapy. Advanced Therapeutics, 2021, 4, 2100017.  | 3.2  | 3         |
| 2143 | Dysfunction of Clâ <sup>^</sup> channels promotes epithelial to mesenchymal transition in oral squamous cell carcinoma via activation of Wnt/ $\hat{l}^2$ -catenin signaling pathway. Biochemical and Biophysical Research Communications, 2021, 555, 95-101. | 2.1  | 7         |
| 2144 | Cytotoxicity and Cellular Death Modality of Surface-Decorated Gold Nanorods against a Panel of Breast Cancer Cell Lines. ACS Omega, 2021, 6, 15903-15910.   | 3.5  | 5         |
| 2145 | Exploring the Crosstalk between Inflammation and Epithelial-Mesenchymal Transition in Cancer. Mediators of Inflammation, 2021, 2021, 1-13.  | 3.0  | 46        |
| 2146 | CXCR4 is a prognostic marker that inhibits the invasion and migration of gastric cancer by regulating VEGF expression. Oncology Letters, 2021, 22, 587.   | 1.8  | 4         |
| 2147 | Aligned Collagen-CNT Nanofibrils and the Modulation Effect on Ovarian Cancer Cells. Journal of Composites Science, 2021, 5, 148.  | 3.0  | 5         |
| 2149 | Identification of an EMT-Related Gene Signature for Predicting Overall Survival in Gastric Cancer. Frontiers in Genetics, 2021, 12, 661306.   | 2.3  | 20        |
| 2150 | Epithelial–Mesenchymal Transition Associated with Head and Neck Squamous Cell Carcinomas: A Review. Cancers, 2021, 13, 3027.  | 3.7  | 18        |
| 2151 | B-Cell Receptor-Associated Protein 31 Promotes Metastasis via AKT/ $\hat{l}^2$ -Catenin/Snail Pathway in Hepatocellular Carcinoma. Frontiers in Molecular Biosciences, 2021, 8, 656151.   | 3.5  | 5         |
| 2152 | Epithelial cell plasticity drives endoderm formation during gastrulation. Nature Cell Biology, 2021, 23, 692-703.   | 10.3 | 41        |
| 2153 | E2A Modulates Stemness, Metastasis, and Therapeutic Resistance of Breast Cancer. Cancer Research, 2021, 81, 4529-4544.  | 0.9  | 18        |
| 2154 | Transcriptional Silencers: Driving Gene Expression with the Brakes On. Trends in Genetics, 2021, 37, 514-527.   | 6.7  | 45        |
| 2155 | A novel homeostatic loop of sorcin drives paclitaxel-resistance and malignant progression via Smad4/ZEB1/miR-142-5p in human ovarian cancer. Oncogene, 2021, 40, 4906-4918.   | 5.9  | 19        |
| 2156 | Overcoming anti-cancer drug resistance via restoration of tumor suppressor gene function. Drug Resistance Updates, 2021, 57, 100770.  | 14.4 | 59        |
| 2157 | TWIST1-mediated transcriptional activation of PDGFRβ in breast cancer stem cells promotes tumorigenesis and metastasis. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2021, 1867, 166141.   | 3.8  | 10        |
| 2158 | Drug resistance via radixin-mediated increase of P-glycoprotein membrane expression during SNAI1-induced epithelial-mesenchymal transition in HepG2 cells. Journal of Pharmacy and Pharmacology, 2021, 73, 1609-1616.   | 2.4  | 2         |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 2159 | Epithelial Mesenchymal Transition and Immune Response in Metaplastic Breast Carcinoma. International Journal of Molecular Sciences, 2021, 22, 7398.                      | 4.1  | 13        |
| 2160 | Cytomegalovirus subverts macrophage identity. Cell, 2021, 184, 3774-3793.e25.  | 28.9 | 34        |
| 2161 | Slug promotes p53 and p21 protein degradation by inducing Mdm2 expression in HCT116 colon cancer cells. Oncology Letters, 2021, 22, 681.                                 | 1.8  | 4         |
| 2162 | Harnessing Carcinoma Cell Plasticity Mediated by TGF-Î <sup>2</sup> Signaling. Cancers, 2021, 13, 3397.  | 3.7  | 9         |
| 2163 | miR-770-5p regulates EMT and invasion in TNBC cells by targeting DNMT3A. Cellular Signalling, 2021, 83, 109996.  | 3.6  | 21        |
| 2164 | Regulation of Alternative Splicing during Epithelial-Mesenchymal Transition. Cells Tissues Organs, 2022, 211, 238-251.   | 2.3  | 7         |
| 2165 | Oxygen sensing, mitochondrial biology and experimental therapeutics for pulmonary hypertension and cancer. Free Radical Biology and Medicine, 2021, 170, 150-178.        | 2.9  | 32        |
| 2166 | E2F3 drives the epithelial-to-mesenchymal transition, cell invasion, and metastasis in breast cancer. Experimental Biology and Medicine, 2021, 246, 2057-2071.           | 2.4  | 12        |
| 2167 | Functions of the SNAI family in chondrocyteâ€toâ€osteocyte development. Annals of the New York Academy of Sciences, 2021, 1503, 5-22.                                    | 3.8  | 12        |
| 2168 | The Multifaceted Role of TGF- $\hat{I}^2$ in Gastrointestinal Tumors. Cancers, 2021, 13, 3960.   | 3.7  | 18        |
| 2169 | Mnt Represses Epithelial Identity To Promote Epithelial-to-Mesenchymal Transition. Molecular and Cellular Biology, 2021, 41, e0018321.                                   | 2.3  | 4         |
| 2170 | Modeling the effects of EMT-immune dynamics on carcinoma disease progression. Communications Biology, 2021, 4, 983.  | 4.4  | 3         |
| 2171 | Cripto-1 as a Key Factor in Tumor Progression, Epithelial to Mesenchymal Transition and Cancer Stem Cells. International Journal of Molecular Sciences, 2021, 22, 9280.  | 4.1  | 7         |
| 2172 | Small Extracellular Vesicles and Metastasisâ€"Blame the Messenger. Cancers, 2021, 13, 4380.  | 3.7  | 11        |
| 2173 | The transcription factor ZEB1 regulates stem cell self-renewal and cell fate in the adult hippocampus. Cell Reports, 2021, 36, 109588.                                   | 6.4  | 15        |
| 2174 | The multidimensional role of the Wnt∫l²â€catenin signaling pathway in human malignancies. Journal of Cellular Physiology, 2022, 237, 199-238.                            | 4.1  | 53        |
| 2175 | Cross talk between autophagy and oncogenic signaling pathways and implications for cancer therapy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2021, 1876, 188565. | 7.4  | 36        |
| 2176 | Metastatic Breast Cancer, Organotropism and Therapeutics: A Review. Current Cancer Drug Targets, 2021, 21, 813-828.  | 1.6  | 6         |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 2177 | Silver Nanoparticles Modulate the Epithelial-to-Mesenchymal Transition in Estrogen-Dependent Breast Cancer Cells In Vitro. International Journal of Molecular Sciences, 2021, 22, 9203.  | 4.1  | 12        |
| 2178 | SLUGâ€related partial epithelialâ€toâ€mesenchymal transition is a transcriptomic prognosticator of head and neck cancer survival. Molecular Oncology, 2022, 16, 347-367.   | 4.6  | 13        |
| 2179 | miR-200c-141 Enhances Sheep Kidney Cell Reprogramming into Pluripotent Cells by Targeting ZEB1. International Journal of Stem Cells, 2021, 14, 423-433.  | 1.8  | 5         |
| 2180 | Loss of ID3 drives papillary thyroid cancer metastasis by targeting E47-mediated epithelial to mesenchymal transition. Cell Death Discovery, 2021, 7, 226.   | 4.7  | 3         |
| 2181 | Epithelial-to-mesenchymal transition contributes to the downregulation of progesterone receptor expression in endometriosis lesions. Journal of Steroid Biochemistry and Molecular Biology, 2021, 212, 105943.   | 2.5  | 18        |
| 2182 | Huaier polysaccharides suppress triple-negative breast cancer metastasis and epithelial-mesenchymal transition by inducing autophagic degradation of Snail. Cell and Bioscience, 2021, 11, 170.  | 4.8  | 12        |
| 2183 | CCNDBP1, a Prognostic Marker Regulated by DNA Methylation, Inhibits Aggressive Behavior in Dedifferentiated Liposarcoma via Repressing Epithelial Mesenchymal Transition. Frontiers in Oncology, 2021, 11, 687012.   | 2.8  | 2         |
| 2184 | TNFSF9 promotes metastasis of pancreatic cancer through Wnt/Snail signaling and M2 polarization of macrophages. Aging, 2021, 13, 21571-21586.  | 3.1  | 20        |
| 2185 | Role of Metastasis-Related microRNAs in Prostate Cancer Progression and Treatment. Cancers, 2021, 13, 4492.  | 3.7  | 29        |
| 2186 | Competing Endogenous RNA of Snail and Zeb1 UTR in Therapeutic Resistance of Colorectal Cancer. International Journal of Molecular Sciences, 2021, 22, 9589.  | 4.1  | 8         |
| 2187 | The effects of SNAI1 rs6125849 gene polymorphism on metastasis and survival in colorectal cancer: Preliminary results from Turkish subjects. Gene Reports, 2021, 24, 101279.   | 0.8  | 0         |
| 2188 | Pancreatic Cancer Small Extracellular Vesicles (Exosomes): A Tale of Short- and Long-Distance Communication. Cancers, 2021, 13, 4844.  | 3.7  | 15        |
| 2189 | Mediterranean Diet Food Components as Possible Adjuvant Therapies to Counteract Breast and Prostate Cancer Progression to Bone Metastasis. Biomolecules, 2021, 11, 1336.   | 4.0  | 4         |
| 2190 | Combination therapy with miR34a and doxorubicin synergistically inhibits Dox-resistant breast cancer progression via down-regulation of Snail through suppressing Notch/NF-ήB and RAS/RAF/MEK/ERK signaling pathway. Acta Pharmaceutica Sinica B, 2021, 11, 2819-2834. | 12.0 | 25        |
| 2191 | Endothelial FGF signaling is protective in hypoxia-induced pulmonary hypertension. Journal of Clinical Investigation, 2021, 131, .   | 8.2  | 24        |
| 2192 | Stationed or Relocating: The Seesawing EMT/MET Determinants from Embryonic Development to Cancer Metastasis. Biomedicines, 2021, 9, 1265.  | 3.2  | 10        |
| 2193 | Mambalgin-2 Inhibits Growth, Migration, and Invasion of Metastatic Melanoma Cells by Targeting the Channels Containing an ASIC1a Subunit Whose Up-Regulation Correlates with Poor Survival Prognosis. Biomedicines, 2021, 9, 1324.                                     | 3.2  | 9         |
| 2194 | Interferon Regulatory Factor 2 (IRF2) Inhibits the Invasion and Migration of Renal Clear Cell Carcinoma Cells by Downregulation of Spindle Pole Body Component 24 (SPC24). Journal of Biomaterials and Tissue Engineering, 2021, 11, 1881-1890.                        | 0.1  | 0         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2195 | Molecular mechanism involved in epithelial to mesenchymal transition. Archives of Biochemistry and Biophysics, 2021, 710, 108984.  | 3.0 | 36        |
| 2196 | Cell transdifferentiation in ocular disease: Potential role for connexin channels. Experimental Cell Research, 2021, 407, 112823.  | 2.6 | 2         |
| 2197 | miR-221 regulates proliferation, invasion, apoptosis and progression of prostate cancer cells by modulating E-cadherin/Wnt/ $\hat{l}^2$ catenin axis. Advances in Cancer Biology Metastasis, 2021, 2, 100005.                      | 2.0 | 1         |
| 2198 | Knockdown of IncRNA ZEB2NAT suppresses epithelial mesenchymal transition, metastasis and proliferation in breast cancer cells. Gene, 2021, 805, 145904.  | 2.2 | 8         |
| 2199 | Transgenic overexpression of the miR-200b/200a/429 cluster inhibits mammary tumor initiation. Translational Oncology, 2021, 14, 101228.  | 3.7 | 3         |
| 2200 | Impact of Selected Signaling Proteins on SNAIL 1 and SNAIL 2 Expression in Ovarian Cancer Cell Lines in Relation to Cells' Cisplatin Resistance and EMT Markers Level. International Journal of Molecular Sciences, 2021, 22, 980. | 4.1 | 9         |
| 2201 | Silencing of CASC8 inhibits non-small cell lung cancer cells function and promotes sensitivity to osimertinib via FOXM1. Journal of Cancer, 2021, 12, 387-396.   | 2.5 | 21        |
| 2202 | FOLFOX Therapy Induces Feedback Upregulation of CD44v6 through YB-1 to Maintain Stemness in Colon Initiating Cells. International Journal of Molecular Sciences, 2021, 22, 753.  | 4.1 | 13        |
| 2204 | Mesenchymal-to-Epithelial Transitions in Development and Cancer. Methods in Molecular Biology, 2021, 2179, 43-62.  | 0.9 | 6         |
| 2205 | The Complexity of the HIF-1-Dependent Hypoxic Response in Breast Cancer Presents Multiple Avenues for Therapeutic Intervention. , 2009, , 521-558.   |     | 3         |
| 2206 | The Role of the Basal Stem Cell of the Human Breast in Normal Development and Cancer. Advances in Experimental Medicine and Biology, 2011, 720, 121-134.   | 1.6 | 10        |
| 2207 | Androgen Receptor Signaling Interactions Control Epithelial–Mesenchymal Transition (EMT) in Prostate Cancer Progression. , 2013, , 227-255.  |     | 3         |
| 2208 | Use of the Tumor Repressor DEDD as a Prognostic Marker of Cancer Metastasis. Methods in Molecular Biology, 2014, 1165, 197-222.  | 0.9 | 2         |
| 2209 | Mechanisms of Resistance to Vitamin D Action in Human Cancer Cells. , 2010, , 325-334.   |     | 4         |
| 2210 | Multistage Carcinogenesis., 2011,, 27-51.  |     | 4         |
| 2211 | Use of Microarray Analysis to Investigate EMT Gene Signatures. Methods in Molecular Biology, 2013, 1046, 85-95.  | 0.9 | 2         |
| 2212 | Zinc and Zinc-Dependent Proteins in Cancer and Chemotherapeutics. Molecular and Integrative Toxicology, 2017, , 69-94.   | 0.5 | 2         |
| 2213 | CCN6 Regulates Breast Cancer Growth and Invasion Through Modulation of IGF Signaling and Epithelial to Mesenchymal Transition. , 2010, , 245-253.  |     | 1         |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 2215 | Adherens Junctions and Cancer. Sub-Cellular Biochemistry, 2012, 60, 379-414.   | 2.4  | 57        |
| 2216 | E-Cadherin Germline Mutations. , 2013, , 35-49.  |      | 2         |
| 2217 | Functional and therapeutic significance of protein kinase D enzymes in invasive breast cancer., 2015, 72, 4369.  |      | 1         |
| 2218 | Neoplasia., 2010,, 259-330.  |      | 26        |
| 2219 | Wnt/ $\hat{l}^2$ -catenin signaling links embryonic lung development and asthmatic airway remodeling. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2017, 1863, 3226-3242.   | 3.8  | 79        |
| 2221 | A tight junction between E-Cadherin and the prostate tumor suppressor SPDEF. Asian Journal of Andrology, 2013, 15, 449-450.  | 1.6  | 1         |
| 2222 | Inhibiting cancer cell hallmark features through nuclear export inhibition. Signal Transduction and Targeted Therapy, 2016, $1,16010.$   | 17.1 | 87        |
| 2227 | Crystallization and preliminary X-ray diffraction analysis of human importin β–Snail zinc finger domain complex. Acta Crystallographica Section F: Structural Biology Communications, 2013, 69, 1049-1051.   | 0.7  | 1         |
| 2228 | Regulation of ATPâ€binding cassette subfamily B member 1 by Snail contributes to chemoresistance in colorectal cancer. Cancer Science, 2020, 111, 84-97.   | 3.9  | 29        |
| 2229 | Effects of a Functional Variant c.353T>C in <i>Snai1</i> on Risk of Two Contextual Diseases.<br>Chronic Obstructive Pulmonary Disease and Lung Cancer. American Journal of Respiratory and<br>Critical Care Medicine, 2014, 189, 139-148.                  | 5.6  | 36        |
| 2230 | Epithelial-Mesenchymal Transitionâ€"A Hallmark of Breast Cancer Metastasis. Cancer Hallmarks, 2013, 1, 38-49.  | 0.8  | 135       |
| 2231 | Acquired platinum resistance involves epithelial to mesenchymal transition through ubiquitin ligase FBXO32 dysregulation. JCI Insight, 2016, 1, e83654.  | 5.0  | 23        |
| 2232 | Epithelial-mesenchymal transitions: the importance of changing cell state in development and disease. Journal of Clinical Investigation, 2009, 119, 1438-1449.   | 8.2  | 1,155     |
| 2233 | The Notch ligand Jagged2 promotes lung adenocarcinoma metastasis through a miR-200–dependent pathway in mice. Journal of Clinical Investigation, 2011, 121, 1373-1385.   | 8.2  | 172       |
| 2234 | ZEB1 drives prometastatic actin cytoskeletal remodeling by downregulating miR-34a expression. Journal of Clinical Investigation, 2012, 122, 3170-3183.   | 8.2  | 135       |
| 2235 | Epithelial-to-mesenchymal transition confers pericyte properties on cancer cells. Journal of Clinical Investigation, 2016, 126, 4174-4186.   | 8.2  | 59        |
| 2236 | Epigenetic silencing of tumor suppressor Par-4 promotes chemoresistance in recurrent breast cancer. Journal of Clinical Investigation, 2018, 128, 4413-4428.   | 8.2  | 44        |
| 2237 | Mammalian Target of Rapamycin (mTOR) Regulates Transforming Growth Factor-β1 (TGF-β1)-Induced Epithelial-Mesenchymal Transition via Decreased Pyruvate Kinase M2 (PKM2) Expression in Cervical Cancer Cells. Medical Science Monitor, 2017, 23, 2017-2028. | 1.1  | 36        |

| #    | Article  | IF  | CITATIONS  |
|------|--|-----|------------|
| 2238 | Correlations of Twist Expression with Pathological and Computed Tomography (CT) Characteristics and Prognosis of Non-Small Cell Lung Cancer (NSCLC). Medical Science Monitor, 2019, 25, 977-983. | 1.1 | 5          |
| 2239 | Lgl2 Executes Its Function as a Tumor Suppressor by Regulating ErbB Signaling in the Zebrafish Epidermis. PLoS Genetics, 2009, 5, e1000720.  | 3.5 | 71         |
| 2240 | Genetic Deletion of the Desmosomal Component Desmoplakin Promotes Tumor Microinvasion in a Mouse Model of Pancreatic Neuroendocrine Carcinogenesis. PLoS Genetics, 2010, 6, e1001120.            | 3.5 | 48         |
| 2241 | SNAI1 and SNAI2 Are Asymmetrically Expressed at the 2-Cell Stage and Become Segregated to the TE in the Mouse Blastocyst. PLoS ONE, 2009, 4, e8530.  | 2.5 | 12         |
| 2242 | Quantitative and Qualitative Urinary Cellular Patterns Correlate with Progression of Murine Glomerulonephritis. PLoS ONE, 2011, 6, e16472.   | 2.5 | 17         |
| 2243 | An In Vitro Model That Recapitulates the Epithelial to Mesenchymal Transition (EMT) in Human Breast Cancer. PLoS ONE, 2011, 6, e17083.   | 2.5 | 45         |
| 2244 | Implication of Snail in Metabolic Stress-Induced Necrosis. PLoS ONE, 2011, 6, e18000.  | 2.5 | 20         |
| 2245 | Requirement of Podocalyxin in TGF-Beta Induced Epithelial Mesenchymal Transition. PLoS ONE, 2011, 6, e18715.   | 2.5 | 62         |
| 2246 | Endothelial Induced EMT in Breast Epithelial Cells with Stem Cell Properties. PLoS ONE, 2011, 6, e23833.   | 2.5 | 87         |
| 2247 | Protein Kinase D1 Maintains the Epithelial Phenotype by Inducing a DNA-Bound, Inactive SNAI1<br>Transcriptional Repressor Complex. PLoS ONE, 2012, 7, e30459.                                    | 2.5 | 47         |
| 2249 | A Multi-Cancer Mesenchymal Transition Gene Expression Signature Is Associated with Prolonged Time to Recurrence in Glioblastoma. PLoS ONE, 2012, 7, e34705.                                      | 2.5 | 106        |
| 2250 | EMT and Stem Cell-Like Properties Associated with HIF-2α Are Involved in Arsenite-Induced Transformation of Human Bronchial Epithelial Cells. PLoS ONE, 2012, 7, e37765.                         | 2.5 | 44         |
| 2251 | N-myc Downstream Regulated Gene 1 (NDRG1) Promotes Metastasis of Human Scirrhous Gastric Cancer Cells through Epithelial Mesenchymal Transition. PLoS ONE, 2012, 7, e41312.                      | 2.5 | 35         |
| 2252 | TGF-Beta Induces Serous Borderline Ovarian Tumor Cell Invasion by Activating EMT but Triggers Apoptosis in Low-Grade Serous Ovarian Carcinoma Cells. PLoS ONE, 2012, 7, e42436.                  | 2.5 | 48         |
| 2253 | CD146 Expression in Human Breast Cancer Cell Lines Induces Phenotypic and Functional Changes Observed in Epithelial to Mesenchymal Transition. PLoS ONE, 2012, 7, e43752.                        | 2.5 | 47         |
| 2254 | Evidence for Phenotypic Plasticity in Aggressive Triple-Negative Breast Cancer: Human Biology Is Recapitulated by a Novel Model System. PLoS ONE, 2012, 7, e45684.                               | 2.5 | 15         |
| 2255 | Significance of Heterogeneous Twist2 Expression in Human Breast Cancers. PLoS ONE, 2012, 7, e48178.  | 2.5 | 23         |
| 2256 | Transcriptional Repression of E-Cadherin by Human Papillomavirus Type 16 E6. PLoS ONE, 2012, 7, e48954.  | 2.5 | <b>7</b> 3 |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2257 | Grhl2 Determines the Epithelial Phenotype of Breast Cancers and Promotes Tumor Progression. PLoS ONE, 2012, 7, e50781.   | 2.5 | 88        |
| 2258 | Fibroblast Growth Factor 2 Induces E-Cadherin Down-Regulation via PI3K/Akt/mTOR and MAPK/ERK Signaling in Ovarian Cancer Cells. PLoS ONE, 2013, 8, e59083.                               | 2.5 | 84        |
| 2259 | E47 and Id1 Interplay in Epithelial-Mesenchymal Transition. PLoS ONE, 2013, 8, e59948.   | 2.5 | 46        |
| 2260 | Reduced Expression of miR-200 Family Members Contributes to Antiestrogen Resistance in LY2 Human Breast Cancer Cells. PLoS ONE, 2013, 8, e62334.   | 2.5 | 85        |
| 2261 | Protein Expression of ZEB2 in Renal Cell Carcinoma and Its Prognostic Significance in Patient Survival. PLoS ONE, 2013, 8, e62558.   | 2.5 | 55        |
| 2262 | Epithelial Cell Differentiation Regulated by MicroRNA-200a in Mammary Glands. PLoS ONE, 2013, 8, e65127.   | 2.5 | 34        |
| 2263 | AIB1 Cooperates with ERα to Promote Epithelial Mesenchymal Transition in Breast Cancer through SNAI1 Activation. PLoS ONE, 2013, 8, e65556.  | 2.5 | 29        |
| 2264 | Deletion of Snai2 and Snai3 Results in Impaired Physical Development Compounded by Lymphocyte Deficiency. PLoS ONE, 2013, 8, e69216.   | 2.5 | 22        |
| 2265 | Targeting Cancer-Related Inflammation: Chinese Herbal Medicine Inhibits Epithelial-to-Mesenchymal Transition in Pancreatic Cancer. PLoS ONE, 2013, 8, e70334.                            | 2.5 | 33        |
| 2266 | Detection of Deregulated Modules Using Deregulatory Linked Path. PLoS ONE, 2013, 8, e70412.  | 2.5 | 4         |
| 2267 | Critical Roles of p53 in Epithelial-Mesenchymal Transition and Metastasis of Hepatocellular Carcinoma Cells. PLoS ONE, 2013, 8, e72846.  | 2.5 | 43        |
| 2268 | Slug Is a Predictor of Poor Prognosis in Esophageal Squamous Cell Carcinoma Patients. PLoS ONE, 2013, 8, e82846.   | 2.5 | 31        |
| 2269 | Impact of p120-catenin Isoforms 1A and 3A on Epithelial Mesenchymal Transition of Lung Cancer Cells Expressing E-cadherin in Different Subcellular Locations. PLoS ONE, 2014, 9, e88064. | 2.5 | 20        |
| 2270 | Snail Family Members Unequally Trigger EMT and Thereby Differ in Their Ability to Promote the Neoplastic Transformation of Mammary Epithelial Cells. PLoS ONE, 2014, 9, e92254.          | 2.5 | 43        |
| 2271 | Raf Kinase Inhibitor Protein (RKIP) Blocks Signal Transducer and Activator of Transcription 3 (STAT3) Activation in Breast and Prostate Cancer. PLoS ONE, 2014, 9, e92478.               | 2.5 | 53        |
| 2272 | Metformin Inhibits the IL-6-Induced Epithelial-Mesenchymal Transition and Lung Adenocarcinoma<br>Growth and Metastasis. PLoS ONE, 2014, 9, e95884.                                       | 2.5 | 89        |
| 2273 | Akt2 Is Involved in Loss of Epithelial Cells and Renal Fibrosis following Unilateral Ureteral Obstruction. PLoS ONE, 2014, 9, e105451.   | 2.5 | 25        |
| 2274 | SATB1 Overexpression Regulates the Development and Progression in Bladder Cancer through EMT. PLoS ONE, 2015, 10, e0117518.  | 2.5 | 37        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2275 | Co-Expression of TWIST1 and ZEB2 in Oral Squamous Cell Carcinoma Is Associated with Poor Survival. PLoS ONE, 2015, 10, e0134045.  | 2.5 | 26        |
| 2276 | Genome Wide Methylome Alterations in Lung Cancer. PLoS ONE, 2015, 10, e0143826.   | 2.5 | 30        |
| 2277 | Prognostic and Functional Significance of MAP4K5 in Pancreatic Cancer. PLoS ONE, 2016, 11, e0152300.  | 2.5 | 20        |
| 2278 | Gastrulation EMT Is Independent of P-Cadherin Downregulation. PLoS ONE, 2016, 11, e0153591.   | 2.5 | 15        |
| 2279 | Inhibition of Snail Family Transcriptional Repressor 2 (SNAI2) Enhances Multidrug Resistance of Hepatocellular Carcinoma Cells. PLoS ONE, 2016, 11, e0164752.   | 2.5 | 10        |
| 2280 | Targeting Epithelial-Mesenchymal Transition for Identification of Inhibitors for Pancreatic Cancer Cell Invasion and Tumor Spheres Formation. PLoS ONE, 2016, 11, e0164811.   | 2.5 | 17        |
| 2281 | Chronic treatment of non-small-cell lung cancer cells with gefitinib leads to an epigenetic loss of epithelial properties associated with reductions in microRNA-155 and -200c. PLoS ONE, 2017, 12, e0172115.                           | 2.5 | 24        |
| 2282 | E-cadherin: A determinant molecule associated with ovarian cancer progression, dissemination and aggressiveness. PLoS ONE, 2017, 12, e0184439.  | 2.5 | 64        |
| 2283 | Cannabinoid receptor expression in non-small cell lung cancer. Effectiveness of tetrahydrocannabinol and cannabidiol inhibiting cell proliferation and epithelial-mesenchymal transition in vitro. PLoS ONE, 2020, 15, e0228909.        | 2.5 | 66        |
| 2284 | Transcription factor snail1 expression and poor survival in pharyngeal squamous cell carcinoma. Histology and Histopathology, 2011, 26, 443-9.  | 0.7 | 13        |
| 2285 | SIP1 predicts progression and poor prognosis in pharyngeal squamous cell carcinoma. Histology and Histopathology, 2015, 30, 569-79.   | 0.7 | 5         |
| 2286 | Prognostic Role of Epithelial-Mesenchymal Transition Markers "E-Cadherin, β-Catenin, ZEB1, ZEB2 and p63―in Bladder Carcinoma. World Journal of Oncology, 2019, 10, 199-217.   | 1.5 | 15        |
| 2287 | The Curious Case of ZEB1. Discoveries, 2018, 6, e86.  | 2.3 | 11        |
| 2288 | Hypoxic regulation of MYBL1, MEST, TCF3, TCF8, GTF2B, GTF2F2 and SNAI2 genes expression in U87 glioma cells upon IRE1 inhibition. Ukrainian Biochemical Journal, 2016, 88, 52-62.   | 0.5 | 6         |
| 2289 | Puerarin inhibits hepatocellular carcinoma invasion and metastasis through miR-21-mediated PTEN/AKT signaling to suppress the epithelial-mesenchymal transition. Brazilian Journal of Medical and Biological Research, 2020, 53, e8882. | 1.5 | 25        |
| 2290 | BAP1 functions as a tumor promoter in prostate cancer cells through EMT regulation. Genetics and Molecular Biology, 2020, 43, e20190328.  | 1.3 | 8         |
| 2291 | Expression of E-cadherin, N-cadherin and snail and their correlation with clinicopathological variants: an immunohistochemical study of 132 invasive ductal breast carcinomas in Egypt. Clinics, 2011, 66, 1765-71.                     | 1.5 | 32        |
| 2292 | MiR-429 suppresses the progression and metastasis of osteosarcoma by targeting ZEB1. EXCLI Journal, 2017, 16, 618-627.  | 0.7 | 20        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2293 | Tumor suppressive effects of the pleiotropically acting miR-195 in colorectal cancer cells. EXCLI Journal, 2019, 18, 243-252.  | 0.7 | 8         |
| 2294 | Epithelial-mesenchymal transition and senescence: two cancer-related processes are crossing paths. Aging, 2010, 2, 735-741.  | 3.1 | 82        |
| 2295 | Increased expression of long-noncoding RNA ZFAS1 is associated with epithelial-mesenchymal transition of gastric cancer. Aging, 2016, 8, 2023-2038.  | 3.1 | 82        |
| 2296 | TR4 nuclear receptor enhances prostate cancer initiation via altering the stem cell population and EMT signals in the PPARG-deleted prostate cells. Oncoscience, 2015, 2, 142-150.   | 2.2 | 12        |
| 2297 | 14-3-3ζ and aPKC-ι synergistically facilitate epithelial-mesenchymal transition of cholangiocarcinoma via GSK-3β/snail signaling pathway. Oncotarget, 2016, 7, 55191-55210.  | 1.8 | 20        |
| 2298 | Loss of zfp36 expression in colorectal cancer correlates to wnt/ $\hat{l}^2$ -catenin activity and enhances epithelial-to-mesenchymal transition through upregulation of zeb1, sox9 and macc1. Oncotarget, 2016, 7, 59144-59157.                 | 1.8 | 53        |
| 2299 | KDM4B-mediated epigenetic silencing of miRNA-615-5p augments RAB24 to facilitate malignancy of hepatoma cells. Oncotarget, 2017, 8, 17712-17725.   | 1.8 | 34        |
| 2300 | Prognostic value of molecular events from negative surgical margin of non-small-cell lung cancer. Oncotarget, 2017, 8, 53642-53653.  | 1.8 | 8         |
| 2301 | Mammalian Eps15 homology domain 1 promotes metastasis in non-small cell lung cancer by inducing epithelial-mesenchymal transition. Oncotarget, 2017, 8, 22433-22442.   | 1.8 | 14        |
| 2302 | Epithelial-mesenchymal transition and nuclear $\hat{l}^2$ -catenin induced by conditional intestinal disruption of <i> Cdh1 &lt; /i &gt; with <i> Apc &lt; /i &gt; is E-cadherin EC1 domain dependent. Oncotarget, 2016, 7, 69883-69902.</i></i> | 1.8 | 6         |
| 2303 | Positive expression of NR6A1/CT150 as a predictor of biochemical recurrence-free survival in prostate cancer patients. Oncotarget, 2017, 8, 64427-64439.   | 1.8 | 7         |
| 2304 | BMP signaling and its paradoxical effects in tumorigenesis and dissemination. Oncotarget, 2016, 7, 78206-78218.  | 1.8 | 70        |
| 2305 | Sprouty2 inhibits amphiregulin-induced down-regulation of E-cadherin and cell invasion in human ovarian cancer cells. Oncotarget, 2016, 7, 81645-81660.  | 1.8 | 13        |
| 2306 | STC2 promotes head and neck squamous cell carcinoma metastasis through modulating the PI3K/AKT/Snail signaling. Oncotarget, 2017, 8, 5976-5991.  | 1.8 | 61        |
| 2307 | MYC associated zinc finger protein promotes the invasion and metastasis of hepatocellular carcinoma by inducing epithelial mesenchymal transition. Oncotarget, 2016, 7, 86420-86432.   | 1.8 | 36        |
| 2308 | MicroRNA-182 drives colonization and macroscopic metastasis via targeting its suppressor SNAI1 in breast cancer. Oncotarget, 2017, 8, 4629-4641.   | 1.8 | 21        |
| 2309 | Depletion of mitochondrial reactive oxygen species downregulates epithelial-to-mesenchymal transition in cervical cancer cells. Oncotarget, 2017, 8, 4901-4913.  | 1.8 | 22        |
| 2310 | PDGF-D promotes cell growth, aggressiveness, angiogenesis and EMT transformation of colorectal cancer by activation of Notch1/Twist1 pathway. Oncotarget, 2017, 8, 9961-9973.  | 1.8 | 59        |

| #    | Article   | IF  | Citations |
|------|---|-----|-----------|
| 2311 | HIF- $1\hat{l}\pm$ induces the epithelial-mesenchymal transition in gastric cancer stem cells through the Snail pathway. Oncotarget, 2017, 8, 9535-9545.  | 1.8 | 74        |
| 2312 | A novel ZEB1/HAS2 positive feedback loop promotes EMT in breast cancer. Oncotarget, 2017, 8, 11530-11543.   | 1.8 | 59        |
| 2313 | Loss of E-cadherin activates EGFR-MEK/ERK signaling, which promotes invasion via the ZEB1/MMP2 axis in non-small cell lung cancer. Oncotarget, 2013, 4, 2512-2522.  | 1.8 | 131       |
| 2314 | Alleviation of senescence and epithelial-mesenchymal transition in aging kidney by short-term caloric restriction and caloric restriction mimetics via modulation of AMPK/mTOR signaling. Oncotarget, 2017, 8, 16109-16121. | 1.8 | 54        |
| 2315 | MicroRNA-34a targets epithelial to mesenchymal transition-inducing transcription factors (EMT-TFs) and inhibits breast cancer cell migration and invasion. Oncotarget, 2017, 8, 21362-21379.                                | 1.8 | 97        |
| 2316 | Ataxin-1 regulates epithelial-mesenchymal transition of cervical cancer cells. Oncotarget, 2017, 8, 18248-18259.  | 1.8 | 29        |
| 2317 | Cadherin-11 in poor prognosis malignancies and rheumatoid arthritis: common target, common therapies. Oncotarget, 2014, 5, 1458-1474.   | 1.8 | 52        |
| 2318 | Afatinib radiosensitizes head and neck squamous cell carcinoma cells by targeting cancer stem cells. Oncotarget, 2017, 8, 20961-20973.  | 1.8 | 41        |
| 2319 | Genistein inhibits the growth and regulates the migration and invasion abilities of melanoma cells via the FAK/paxillin and MAPK pathways. Oncotarget, 2017, 8, 21674-21691.  | 1.8 | 82        |
| 2320 | Re-expression of miR-200c suppresses proliferation, colony formation and in vivo tumor growth of murine claudin-low mammary tumor cells. Oncotarget, 2017, 8, 23727-23749.  | 1.8 | 19        |
| 2321 | Identification of microRNA 885-5p as a novel regulator of tumor metastasis by targeting CPEB2 in colorectal cancer. Oncotarget, 2017, 8, 26858-26870.   | 1.8 | 34        |
| 2322 | Promoter hypermethylation of LGALS4 correlates with poor prognosis in patients with urothelial carcinoma. Oncotarget, 2017, 8, 23787-23802.   | 1.8 | 12        |
| 2323 | USP22 drives colorectal cancer invasion and metastasis via epithelial-mesenchymal transition by activating AP4. Oncotarget, 2017, 8, 32683-32695.   | 1.8 | 29        |
| 2324 | RMP promotes epithelial-mesenchymal transition through NF-κB/CSN2/Snail pathway in hepatocellular carcinoma. Oncotarget, 2017, 8, 40373-40388.  | 1.8 | 18        |
| 2325 | Non-coding RNAs as emerging regulators of epithelial to mesenchymal transition in non-small cell lung cancer. Oncotarget, 2017, 8, 36787-36799.   | 1.8 | 29        |
| 2326 | Epithelial-to-mesenchymal transition in the development of endometriosis. Oncotarget, 2017, 8, 41679-41689.   | 1.8 | 113       |
| 2327 | The SNAIL/miR-128 axis regulated growth, invasion, metastasis, and epithelial-to-mesenchymal transition of gastric cancer. Oncotarget, 2017, 8, 39280-39295.  | 1.8 | 24        |
| 2328 | The significance of post-translational removal of $\hat{l}\pm$ -DG-N in early stage endometrial cancer development. Oncotarget, 2017, 8, 81942-81952.   | 1.8 | 3         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2329 | The roles of ING5 in gliomas: a good marker for tumorigenesis and a potential target for gene therapy. Oncotarget, 2017, 8, 56558-56568.   | 1.8 | 10        |
| 2330 | The nucleocytoplasmic translocation and up-regulation of ING5 protein in breast cancer: a potential target for gene therapy. Oncotarget, 2017, 8, 81953-81966.   | 1.8 | 17        |
| 2331 | BMI-1 is a potential therapeutic target in diffuse intrinsic pontine glioma. Oncotarget, 2017, 8, 62962-62975.   | 1.8 | 46        |
| 2332 | mTORC1/autophagy-regulated MerTK in mutant BRAFV600 melanoma with acquired resistance to BRAF inhibition. Oncotarget, 2017, 8, 69204-69218.  | 1.8 | 21        |
| 2333 | miR-133b suppresses metastasis by targeting HOXA9 in human colorectal cancer. Oncotarget, 2017, 8, 63935-63948.  | 1.8 | 36        |
| 2334 | Acquired tumor cell resistance to sunitinib by increased invasion and epithelial-mesenchymal transition in LL/2 murine lung cancer. Oncotarget, 2017, 8, 68270-68279.  | 1.8 | 4         |
| 2335 | Snail regulates Nanog status during the epithelial-mesenchymal transition via the Smad1/Akt/GSK3 $\hat{l}^2$ signaling pathway in non-small-cell lung cancer. Oncotarget, 2014, 5, 3880-3894.                  | 1.8 | 65        |
| 2336 | Recombinant viral capsid protein VP1 suppresses lung cancer metastasis by inhibiting COX-2/PGE2 and MIG-7. Oncotarget, 2014, 5, 3931-3943.   | 1.8 | 19        |
| 2337 | Stabilization of the transcription factors slug and twist by the deubiquitinase dub3 is a key requirement for tumor metastasis. Oncotarget, 2017, 8, 75127-75140.  | 1.8 | 43        |
| 2338 | Characterization of epithelial-mesenchymal transition intermediate/hybrid phenotypes associated to resistance to EGFR inhibitors in non-small cell lung cancer cell lines. Oncotarget, 2017, 8, 103340-103363. | 1.8 | 44        |
| 2339 | Transforming growth factor $\hat{l}^2$ -induced epithelial to mesenchymal transition requires the Ste20-like kinase SLK independently of its catalytic activity. Oncotarget, 2017, 8, 98745-98756.             | 1.8 | 13        |
| 2340 | MiR-29b/TET1/ZEB2 signaling axis regulates metastatic properties and epithelial-mesenchymal transition in breast cancer cells. Oncotarget, 2017, 8, 102119-102133.   | 1.8 | 40        |
| 2341 | Metformin reverses bFGF-induced epithelial-mesenchymal transition in HCC cells. Oncotarget, 2017, 8, 104247-104257.  | 1.8 | 18        |
| 2342 | The novel Aryl hydrocarbon receptor inhibitor biseugenol inhibits gastric tumor growth and peritoneal dissemination. Oncotarget, 2014, 5, 7788-7804.   | 1.8 | 32        |
| 2343 | Cooperation between ZEB2 and Sp1 promotes cancer cell survival and angiogenesis during metastasis through induction of survivin and VEGF. Oncotarget, 2018, 9, 726-742.  | 1.8 | 16        |
| 2344 | Clinicopathological and prognostic significance of Twist overexpression in NSCLC. Oncotarget, 2018, 9, 14642-14651.  | 1.8 | 4         |
| 2345 | Extracellular vesicle-encapsulated miR-30e suppresses cholangiocarcinoma cell invasion and migration via inhibiting epithelial-mesenchymal transition. Oncotarget, 2018, 9, 16400-16417.                       | 1.8 | 34        |
| 2346 | Acidic bile salts induces mucosal barrier dysfunction through <i>let-7a</i> reduction during gastric carcinogenesis after <i>Helicobacter pylori</i> eradication. Oncotarget, 2018, 9, 18069-18083.            | 1.8 | 4         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2347 | COP9 signalosome subunit 5 regulates cancer metastasis by deubiquitinating SNAIL. Oncotarget, 2018, 9, 20670-20680.  | 1.8 | 11        |
| 2348 | Combination of two anti-tubulin agents, eribulin and paclitaxel, enhances anti-tumor effects on triple-negative breast cancer through mesenchymal-epithelial transition. Oncotarget, 2018, 9, 22986-23002. | 1.8 | 12        |
| 2349 | FOXP3 and miR-155 cooperate to control the invasive potential of human breast cancer cells by down regulating ZEB2 independently of ZEB1. Oncotarget, 2018, 9, 27708-27727.                                | 1.8 | 20        |
| 2350 | DDB2 regulates Epithelial-to-Mesenchymal Transition (EMT) in Oral/Head and Neck Squamous Cell Carcinoma. Oncotarget, 2018, 9, 34708-34718.   | 1.8 | 14        |
| 2351 | The ubiquitin ligase Siah is a novel regulator of Zeb1 in breast cancer. Oncotarget, 2015, 6, 862-873.   | 1.8 | 53        |
| 2352 | Kallikrein 6 protease advances colon tumorigenesis via induction of the high mobility group A2 protein. Oncotarget, 2019, 10, 6062-6078.   | 1.8 | 15        |
| 2353 | Cisplatin-selected resistance is associated with increased motility and stem-like properties via activation of STAT3/Snail axis in atypical teratoid/rhabdoid tumor cells. Oncotarget, 2015, 6, 1750-1768. | 1.8 | 51        |
| 2354 | Increase of miR-199a-5p by protoporphyrin IX, a photocatalyzer, directly inhibits E2F3, sensitizing mesenchymal tumor cells to anti-cancer agents. Oncotarget, 2015, 6, 3918-3931.                         | 1.8 | 17        |
| 2355 | Targeting invadopodia to block breast cancer metastasis. Oncotarget, 2011, 2, 562-568.   | 1.8 | 66        |
| 2356 | Snail and Slug collaborate on EMT and tumor metastasis through miR-101-mediated EZH2 axis in oral tongue squamous cell carcinoma. Oncotarget, 2015, 6, 6794-6810.  | 1.8 | 99        |
| 2357 | Pygopus-2 promotes invasion and metastasis of hepatic carcinoma cell by decreasing E-cadherin expression. Oncotarget, 2015, 6, 11074-11086.  | 1.8 | 23        |
| 2358 | PARP inhibitor ABT-888 affects response of MDA-MB-231 cells to doxorubicin treatment, targeting Snail expression. Oncotarget, 2015, 6, 15008-15021.  | 1.8 | 32        |
| 2359 | The downregulation of Î"Np63 in p53-deficient mouse epidermal tumors favors metastatic behavior. Oncotarget, 2015, 6, 24230-24245.   | 1.8 | 4         |
| 2360 | Gain-of-function p53 mutants have widespread genomic locations partially overlapping with p63. Oncotarget, 2012, 3, 132-143.   | 1.8 | 42        |
| 2361 | MiR-373 drives the epithelial-to-mesenchymal transition and metastasis via the miR-373-TXNIP-HIF1α-TWIST signaling axis in breast cancer. Oncotarget, 2015, 6, 32701-32712.                                | 1.8 | 99        |
| 2362 | Twist1-mediated 4E-BP1 regulation through mTOR in non-small cell lung cancer. Oncotarget, 2015, 6, 33006-33018.  | 1.8 | 16        |
| 2363 | An hTERT/ZEB1 complex directly regulates E-cadherin to promote epithelial-to-mesenchymal transition (EMT) in colorectal cancer. Oncotarget, 2016, 7, 351-361.  | 1.8 | 72        |
| 2364 | MDA-9/Syntenin-Slug transcriptional complex promote epithelial-mesenchymal transition and invasion/metastasis in lung adenocarcinoma. Oncotarget, 2016, 7, 386-401.  | 1.8 | 20        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2365 | Altered expression of epithelial-to-mesenchymal transition proteins in extraprostatic prostate cancer. Oncotarget, 2016, 7, 1107-1119.  | 1.8 | 5         |
| 2366 | Snail1 is required for the maintenance of the pancreatic acinar phenotype. Oncotarget, 2016, 7, 4468-4482.  | 1.8 | 8         |
| 2367 | Axon guidance molecule semaphorin3A is a novel tumor suppressor in head and neck squamous cell carcinoma. Oncotarget, 2016, 7, 6048-6062.   | 1.8 | 18        |
| 2368 | Dlx-2 and glutaminase upregulate epithelial-mesenchymal transition and glycolytic switch.<br>Oncotarget, 2016, 7, 7925-7939.  | 1.8 | 66        |
| 2369 | Tristetraprolin suppresses the EMT through the down-regulation of Twist1 and Snail1 in cancer cells. Oncotarget, 2016, 7, 8931-8943.  | 1.8 | 44        |
| 2370 | ADP-ribosylation factor 1 expression regulates epithelial-mesenchymal transition and predicts poor clinical outcome in triple-negative breast cancer. Oncotarget, 2016, 7, 15811-15827.               | 1.8 | 18        |
| 2371 | The matricellular protein CCN6 (WISP3) decreases Notch1 and suppresses breast cancer initiating cells. Oncotarget, 2016, 7, 25180-25193.  | 1.8 | 23        |
| 2372 | Significance of the NOR1-FOXA1/HDAC2-Slug regulatory network in epithelial-mesenchymal transition of tumor cells. Oncotarget, 2016, 7, 16745-16759.   | 1.8 | 27        |
| 2373 | Prp19 facilitates invasion of hepatocellular carcinoma via p38 mitogen-activated protein kinase/Twist1 pathway. Oncotarget, 2016, 7, 21939-21951.   | 1.8 | 29        |
| 2374 | Eukaryotic translation initiation factor 5A2 regulates the migration and invasion of hepatocellular carcinoma cells via pathways involving reactive oxygen species. Oncotarget, 2016, 7, 24348-24360. | 1.8 | 24        |
| 2375 | Myosins as fundamental components during tumorigenesis: diverse and indispensable. Oncotarget, 2016, 7, 46785-46812.  | 1.8 | 58        |
| 2376 | CYB5R1 links epithelial-mesenchymal transition and poor prognosis in colorectal cancer. Oncotarget, 2016, 7, 31350-31360.   | 1.8 | 20        |
| 2377 | Oncogenic ALK regulates EMT in non-small cell lung carcinoma through repression of the epithelial splicing regulatory protein 1. Oncotarget, 2016, 7, 33316-33330.                                    | 1.8 | 35        |
| 2378 | Nesfatin-1/Nucleobindin-2 enhances cell migration, invasion, and epithelial-mesenchymal transition via LKB1/AMPK/TORC1/ZEB1 pathways in colon cancer. Oncotarget, 2016, 7, 31336-31349.               | 1.8 | 61        |
| 2379 | Sorafenib inhibits macrophage-mediated epithelial-mesenchymal transition in hepatocellular carcinoma. Oncotarget, 2016, 7, 38292-38305.   | 1.8 | 46        |
| 2380 | HIF-1α contributes to hypoxia-induced invasion and metastasis of esophageal carcinoma via inhibiting E-cadherin and promoting MMP-2 expression. Acta Medica Okayama, 2012, 66, 399-407.               | 0.2 | 33        |
| 2381 | Cellular plasticity and metastasis in breast cancer: a pre- and post-malignant problem. Journal of Cancer Metastasis and Treatment, 2019, 2019, .   | 0.8 | 11        |
| 2382 | The importance of epithelial-mesenchymal transition and autophagy in cancer drug resistance. , 2020, 3, 38-47.  |     | 17        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2383 | MicroRNAs in treatment-induced neuroendocrine differentiation in prostate cancer., 2020, 3, 804-818.  |     | 6         |
| 2384 | Indometacin Ameliorates High Glucose-Induced Proliferation and Invasion Via Modulation of E-Cadherin in Pancreatic Cancer Cells. Current Medicinal Chemistry, 2013, 20, 4142-4152.  | 2.4 | 19        |
| 2385 | Role of Epithelial Mesenchymal Transition in Prostate Tumorigenesis. Current Pharmaceutical Design, 2015, 21, 1240-1248.  | 1.9 | 46        |
| 2386 | Epithelial-Mesenchymal Plasticity of Breast Cancer Stem Cells: Implications for Metastasis and Therapeutic Resistance. Current Pharmaceutical Design, 2015, 21, 1301-1310.  | 1.9 | 179       |
| 2387 | HMGA2 Modulates the TGFβ/Smad, TGFβ/ERK and Notch Signaling Pathways in human Lens Epithelial-Mesenchymal Transition Current Molecular Medicine, 2018, 18, 71-82.   | 1.3 | 12        |
| 2388 | The Role of Snail in EMT and Tumorigenesis. Current Cancer Drug Targets, 2013, 13, 963-972.   | 1.6 | 688       |
| 2389 | A Truncated Snail1 Transcription Factor Alters the Expression of Essential EMT Markers and Suppresses Tumor Cell Migration in a Human Lung Cancer Cell Line. Recent Patents on Anti-Cancer Drug Discovery, 2019, 14, 158-169. | 1.6 | 19        |
| 2390 | 1α,25(OH)2D3 Analog, MART-10, Inhibits Neuroendocrine Tumor Cell Metastasis After VEGF-A Stimulation. Anticancer Research, 2017, 37, 6215-6221.   | 1.1 | 4         |
| 2391 | ILK Expression in Colorectal Cancer Is Associated with EMT, Cancer Stem Cell Markers and Chemoresistance. Cancer Genomics and Proteomics, 2018, 15, 127-141.  | 2.0 | 52        |
| 2392 | Oct4 mediates $M\tilde{A}\frac{1}{4}$ ller glia reprogramming and cell cycle exit during retina regeneration in zebrafish. Life Science Alliance, 2019, 2, e201900548.  | 2.8 | 30        |
| 2393 | HGF and c-MET as potential orchestrators of invasive growth in head and neck squamous cell carcinoma. Frontiers in Bioscience - Landmark, 2008, 13, 2516.   | 3.0 | 46        |
| 2394 | Epithelial-Mesenchymal Transition Contributes to Pulmonary Fibrosis via Aberrant<br>Epithelial/Fibroblastic Cross-Talk. Journal of Lung Health and Diseases, 2019, 3, 31-35.  | 0.2 | 92        |
| 2395 | Cyclooxygenase-2 mediated regulation of E-cadherin occurs in conventional but not early-onset gastric cancer cell lines. Cellular Oncology, 2009, 31, 475-85.   | 1.9 | 18        |
| 2396 | Inhibition of PI3K/Akt signaling suppresses epithelial-to-mesenchymal transition in hepatocellular carcinoma through the Snail/GSK-3/beta-catenin pathway. Clinical and Molecular Hepatology, 2020, 26, 529-539.              | 8.9 | 33        |
| 2397 | The Role of microRNAs in Epithelial Ovarian Cancer Metastasis. International Journal of Molecular Sciences, 2020, 21, 7093.   | 4.1 | 29        |
| 2398 | Dexamethasone inhibits hypoxia-induced epithelial-mesenchymal transition in colon cancer. World Journal of Gastroenterology, 2015, 21, 9887.  | 3.3 | 34        |
| 2399 | Role of periostin and its antagonist PNDA-3 in gastric cancer metastasis. World Journal of Gastroenterology, 2015, 21, 2605.  | 3.3 | 26        |
| 2400 | Pancreatic cancer stem cell markers and exosomes - the incentive push. World Journal of Gastroenterology, 2016, 22, 5971.   | 3.3 | 71        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2401 | Large intestine embryogenesis: Molecular pathways and related disorders (Review). International Journal of Molecular Medicine, 2020, 46, 27-57.   | 4.0 | 11        |
| 2402 | A FXYD5/TGFâ€Î²/SMAD positive feedback loop drives epithelial‑to‑mesenchymal transition and promotes tumor growth and metastasis in ovarian cancer. International Journal of Oncology, 2020, 56, 301-314.                     | 3.3 | 15        |
| 2403 | Reactive oxygen species induce epithelial‑mesenchymal transition, glycolytic switch, and mitochondrial repression through the Dlx‑2/Snail signaling pathways in MCF‑7 cells. Molecular Medicine Reports, 2019, 20, 2339-2346. | 2.4 | 42        |
| 2404 | MicroRNA‑542‑3p represses OTUB1 expression to inhibit migration and invasion of esophageal cancer cells. Molecular Medicine Reports, 2020, 21, 35-42.   | 2.4 | 10        |
| 2405 | Pharmacokinetic evaluation and antitumor potency of liposomal nanoparticle encapsulated cisplatin targeted to CD24†positive cells in ovarian cancer. Oncology Letters, 2020, 19, 1872-1880.                                   | 1.8 | 7         |
| 2406 | IQGAP3 promotes cancer proliferation and metastasis in highâ€'grade serous ovarian cancer. Oncology<br>Letters, 2020, 20, 1179-1192.  | 1.8 | 23        |
| 2407 | MicroRNAs target the Wnt/βâ€'catenin signaling pathway to regulate epithelialâ€'mesenchymal transition in cancer (Review). Oncology Reports, 2020, 44, 1299-1313.   | 2.6 | 28        |
| 2408 | Long non coding RNA OIP5â€'AS1 promotes metastasis of breast cancer via miRâ€'340â€'5p/ZEB2 axis. Oncology Reports, 2020, 44, 1662-1670.  | 2.6 | 13        |
| 2409 | Activation of Snail and EMT-Like Signaling via the IKKαβ/NF-κB Pathway in Apicidin-Resistant HA22T Hepatocellular Carcinoma Cells. Chinese Journal of Physiology, 2013, 56, 356-333.  | 1.0 | 10        |
| 2410 | Epithelial mesenchymal transition in urothelial carcinoma: Twist in the tale. Indian Journal of Pathology and Microbiology, 2012, 55, 443.  | 0.2 | 19        |
| 2411 | Immunohistochemical expression of TWIST in oral squamous cell carcinoma and its correlation with clinicopathologic factors. Journal of Cancer Research and Therapeutics, 2018, 14, 964-969.                                   | 0.9 | 13        |
| 2412 | miR-30a Inhibits Melanoma Tumor Metastasis by Targeting the E-cadherin and Zinc Finger E-box Binding<br>Homeobox 2. Advanced Biomedical Research, 2018, 7, 143.   | 0.5 | 16        |
| 2413 | Molecular Dimensions of Gastric Cancer: Translational and Clinical Perspectives. Journal of Pathology and Translational Medicine, 2016, 50, 1-9.  | 1.1 | 21        |
| 2414 | Clinicopathologic Correlations of E-cadherin and Prrx-1 Expression Loss in Hepatocellular Carcinoma. Journal of Pathology and Translational Medicine, 2016, 50, 327-336.  | 1.1 | 5         |
| 2415 | EMT and Anti-EMT Strategies in Cancer. Journal of Cancer Therapy, 2015, 06, 1013-1019.  | 0.4 | 1         |
| 2416 | Linking stemness with colorectal cancer initiation, progression, and therapy. World Journal of Stem Cells, 2019, 11, 519-534.   | 2.8 | 13        |
| 2417 | Epithelial-mesenchymal transition - activating transcription factors - multifunctional regulators in cancer. World Journal of Stem Cells, 2013, 5, 188.   | 2.8 | 172       |
| 2418 | Von Hippel-Lindau protein and respiratory diseases. World Journal of Respirology, 2013, 3, 48.  | 0.5 | 3         |

| #    | Article   | IF  | Citations |
|------|---|-----|-----------|
| 2419 | Snail Switches 5-FU-induced Apoptosis to Necrosis through Akt/PKB Activation and p53 Down-regulation. Journal of Life Science, 2012, 22, 1018-1023.                                     | 0.2 | 2         |
| 2420 | Early Growth Response 1 Induces Epithelial-to-mesenchymal Transition via Snail. Journal of Life<br>Science, 2013, 23, 970-977.  | 0.2 | 1         |
| 2421 | Epithelial-mesenchymal Transition is Associated with Acquired Resistance to 5-Fluorocuracil in HT-29 Colon Cancer Cells. Toxicological Research, 2015, 31, 151-156.                     | 2.1 | 61        |
| 2423 | MicroRNAs: regulators of cancer metastasis and epithelial-mesenchymal transition (EMT). Chinese Journal of Cancer, 2014, 33, 140-147.   | 4.9 | 81        |
| 2424 | Epithelial to Mesenchymal Transition in Microbial Pathogenesis. , 0, , .  |     | 2         |
| 2425 | Membrane Proteins Involved in Epithelial-Mesenchymal Transition and Tumor Invasion: Studies on TMPRSS4 and TM4SF5. Genomics and Informatics, 2014, 12, 12.                              | 0.8 | 25        |
| 2426 | Lentivirus-mediated shRNA Interference Targeting SLUG Inhibits Lung Cancer Growth and Metastasis. Asian Pacific Journal of Cancer Prevention, 2012, 13, 4947-4951.                      | 1.2 | 15        |
| 2427 | Expression of Smad7 in Cholangiocarcinoma: Prognostic Significance and Implications for Tumor Metastasis. Asian Pacific Journal of Cancer Prevention, 2012, 13, 5161-5165.              | 1.2 | 22        |
| 2428 | Epithelial-mesenchymal Transition and Its Role in the Pathogenesis of Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2013, 14, 2689-2698.                               | 1.2 | 88        |
| 2429 | Hydrogen Peroxide Promotes Epithelial to Mesenchymal Transition and Stemness in Human Malignant<br>Mesothelioma Cells. Asian Pacific Journal of Cancer Prevention, 2013, 14, 3625-3630. | 1.2 | 64        |
| 2430 | LARP7 suppresses P-TEFb activity to inhibit breast cancer progression and metastasis. ELife, 2014, 3, e02907.   | 6.0 | 64        |
| 2431 | Long non-coding RNA LINC01234 regulates proliferation, migration and invasion via HIF-2α pathways in clear cell renal cell carcinoma cells. PeerJ, 2020, 8, e10149.                     | 2.0 | 20        |
| 2432 | Triple helix networks matching knowledge demand and supply in seven Dutch horticulture Greenport regions. Studies in Agricultural Economics, 2017, 119, 34-40.                          | 0.5 | 3         |
| 2433 | Anti-glioblastoma effects of nanomicelle-curcumin plus erlotinib. Food and Function, 2021, 12, 10926-10937.   | 4.6 | 21        |
| 2435 | Regulation of Partial and Reversible Endothelial-to-Mesenchymal Transition in Angiogenesis. Frontiers in Cell and Developmental Biology, 2021, 9, 702021.                               | 3.7 | 17        |
| 2436 | Editorial: Transcriptional Regulation as a Key Player in Cancer Cells Drug Resistance. Frontiers in Oncology, 2021, 11, 764506.   | 2.8 | 1         |
| 2437 | Prolonged sub-lethal exposure to galaxolide (HHCB) and tonalide (AHTN) promotes the metastatic potential of glioblastoma tumor spheroids. NeuroToxicology, 2021, 87, 219-230.           | 3.0 | 3         |
| 2438 | The role of the transcription factor ZEB1 in epithelial-mesenchymal transition and progression of pancreatic carcinoma. Langenbecks Archiv Ful'r Chirurgie Supplement, 2009, , 31-32.   | 0.0 | 0         |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 2439 | Concepts and Mechanisms of Breast Cancer Metastasis. , 2009, , 549-564.   |      | 1         |
| 2440 | Loss of Cadherin-Catenin Adhesion System in Invasive Cancer Cells. , 2010, , 33-66.   |      | 2         |
| 2441 | Status and Development Trend on Tumor Metastasis*. Progress in Biochemistry and Biophysics, 2009, 2009, 1244-1251.  | 0.3  | 1         |
| 2442 | Epithelial-Mesenchymal Transition in Colorectal Cancer. Cancer Metastasis - Biology and Treatment, 2010, , 147-172.   | 0.1  | O         |
| 2443 | Apoptosis Signaling Pathways in Pancreatic Cancer Pathogenesis. , 2010, , 369-386.  |      | 0         |
| 2444 | The ERK1/2 MAP Kinase Signaling Pathway in Tumor Progression and Metastasis. Cancer Metastasis - Biology and Treatment, 2010, , 25-40.  | 0.1  | 0         |
| 2446 | The regulation of LIVâ€1 mRNA in MDAâ€MBâ€231 human breast cancer cells and its association with Eâ€cadherin. FASEB Journal, 2010, 24, 928.5.                                     | 0.5  | 1         |
| 2448 | The Epithelial-to-Mesenchymal Transition and Cancer Stem Cells. , 2011, , 243-256.  |      | 0         |
| 2449 | 皮膚ã«ãŠã'ã,<ä,Šçš®-間葉転æ•ã•ç—…æ…<ã¸ã®é–¢ä¸Ž. Nishinihon Journal of Dermatology, 2011, 73, 465-46  | 90.0 | 1         |
| 2450 | Epithelial-mesenchymal transition is associated with increased invasiveness of side population cells from hepatoma SMMC-7721 cells. African Journal of Biotechnology, 2011, 11, . | 0.6  | 0         |
| 2451 | IGF-1 Cellular Action and its Relationship to Cancer: Evidence from in Vitro and in Vivo Studies. , 2012, , $105-146$ .   |      | 1         |
| 2453 | Ovarian/Primary Peritoneal Carcinoma. , 2012, , 167-203.  |      | 0         |
| 2455 | Endocrine Resistance and Epithelial Mesenchymal Transition in Breast Cancer. , 0, , .   |      | 0         |
| 2456 | p130Cas and p140Cap as the Bad and Good Guys in Breast Cancer Cell Progression to an Invasive Phenotype. , 0, , .   |      | 0         |
| 2458 | Cadherin Expression and Progression of Squamous Cell Carcinomas of the Oral Cavity. , 0, , .  |      | 1         |
| 2459 | Animal Models for Basic and Preclinical Research in Bladder Cancer. , 0, , .  |      | 1         |
| 2460 | Circulating Tumor Cells as Biomarkers. , 2013, , 297-318.   |      | 0         |
| 2461 | The Use of In Vitro Three-Dimensional System for Studying Breast Cancer and Preventing Agents. , 2013, , 191-241.   |      | O         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2462 | Pituitary Adenomas: Role of E-Cadherin in Tumor Invasion. , 2013, , 169-177.  |     | 0         |
| 2463 | Epithelial Plasticity Regulation by MicroRNAs. Stem Cells and Cancer Stem Cells, 2014, , 189-199.   | 0.1 | O         |
| 2464 | Snail genes and embryonic bone development. Postdoc Journal, 0, , .   | 0.4 | 0         |
| 2465 | TGFÎ $^2$ Regulates EMT in Head and Neck Cancer. , 2014, , 179-197.   |     | 0         |
| 2467 | Zinc Signaling and Cancer., 2014, , 285-313.  |     | 2         |
| 2468 | Multi-Layered Epigenetic Regulatory Mechanisms Mediate Epithelial to Mesenchymal Transition in Cancer. Journal of Integrative Oncology, 2014, 04, .                                       | 0.3 | 0         |
| 2469 | Snail Transcription Factors. , 2014, , 4274-4279.   |     | 0         |
| 2472 | Regulation of Epithelial-Mesenchymal Transition by Transcriptional Factors in Cervical Carcinoma. International Journal of Cancer Research and Molecular Mechanisms, 2015, 1, .           | 0.2 | 0         |
| 2473 | Cell Polarity: A Key Defence Mechanism Against Infection and Cancer Cell Invasion?. , 2015, , 167-186.  |     | 3         |
| 2474 | Breast Cancer Stem Cells. , 2015, , 177-197.  |     | O         |
| 2475 | Biodynamic Phenotypic and Epigenetics Changes of Circulating Tumor Cells: Their Application in Cancer Prognosis and Treatment., 2015,, 35-49.   |     | 0         |
| 2476 | Homotypic Cell–Cell Interactions and Apicobasal Polarity in Epithelial Cells and Endothelial Cells. , 2015, , 277-302.  |     | O         |
| 2477 | Diverse Cellular Origins of Cardiac Fibroblasts. , 2015, , 125-145.   |     | 0         |
| 2479 | Current Concepts and New Insights from Mouse Models of Mammary Tumors on Epithelial<br>Mesenchymal Transition and its Synergy with Mutant p53. Journal of Analytical Oncology, 2015, 4, . | 0.1 | 1         |
| 2480 | ZEB1 (Zinc Finger E-Box Binding Homeobox 1)., 2016,, 1-9.   |     | 0         |
| 2481 | IL-8 Regulates Epithelial-Mesenchymal Transition through pERK1/2 in AGS Cells. Journal of Gastroenterology and Its Complications, 2016, $1$ , .   | 0.0 | 0         |
| 2482 | Apoptosis: Signaling Pathways in Pancreatic Cancer Pathogenesis., 2017,, 1-14.  |     | 0         |
| 2483 | HES1 overexpression promotes cell proliferation and invasion in breast cancer and predicts poor survival. Tumor Biology, 2017, 39, 101042831771813.                                       | 1.8 | 0         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2484 | ZEB1 (Zinc Finger E-Box Binding Homeobox 1)., 2018,, 6030-6038.  |     | 0         |
| 2485 | Interpretation of Tongue Squamous Cell Carcinoma via Protein-Protein Interaction Network Construction and Analysis. International Journal of Cancer Management, 2018, 11, .  | 0.4 | 0         |
| 2486 | Role of extracellular matrix in breast cancer development: a brief update. F1000Research, 2018, 7, 274.  | 1.6 | 37        |
| 2490 | Immunohistochemical evaluation of the epithelial–mesenchymal transition profile. Egyptian Journal of Pathology, 2018, 38, 97-104.  | 0.0 | 1         |
| 2492 | The roles of microRNAs related with progression and metastasis in human cancers. Scientia Sinica Vitae, 2018, 48, 1209-1216.   | 0.3 | 0         |
| 2493 | Evaluation of expression of Snail and Her2/neu and their clinicopathological significance in serous ovarian tumors: an immunohistochemical study. Egyptian Journal of Pathology, 2019, 39, 419.  | 0.0 | 0         |
| 2494 | Transition from normal to cancerous cell by precancerous niche (PCN) induced chronic cell-matrix stress. 4open, 2019, 2, 14.   | 0.4 | 5         |
| 2495 | Precancerous niche (PCN), a product of fibrosis with remodeling by incessant chronic inflammation. 4open, 2019, 2, 11.   | 0.4 | 5         |
| 2499 | Marked epithelial to mesenchymal transition in surgical margins of oral cancer‑an in�vitro study. Oncology Letters, 2020, 19, 3743-3750.   | 1.8 | 6         |
| 2501 | Epithelial-Mesenchymal Transition in Head and Neck Cancer. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2020, 63, 397-402.   | 0.2 | 0         |
| 2502 | Epithelial-Cell-Derived Extracellular Vesicles in Pathophysiology of Epithelial Injury and Repair in Chronic Rhinosinusitis: Connecting Immunology in Research Lab to Biomarkers in Clinics. International Journal of Molecular Sciences, 2021, 22, 11709. | 4.1 | 7         |
| 2503 | Epithelial–mesenchymal transition and its transcription factors. Bioscience Reports, 2022, 42, .   | 2.4 | 79        |
| 2504 | FBXL10 promotes EMT and metastasis of breast cancer cells via regulating the acetylation and transcriptional activity of SNAI1. Cell Death Discovery, 2021, 7, 328.  | 4.7 | 9         |
| 2505 | VSP‑17 suppresses the migration and invasion of triple‑negative breast cancer cells through inhibition of theÂEMT process via the PPARγ/AMPK signaling pathway. Oncology Reports, 2020, 45, 975-986.   | 2.6 | 12        |
| 2506 | Expression of Selected Epithelial-Mesenchymal Transition Transcription Factors in Endometrial Cancer. BioMed Research International, 2020, 2020, 1-13.   | 1.9 | 5         |
| 2508 | Identification of Key Genes Between Lung Adenocarcinoma and Lung Squamous Cell Carcinoma by Bioinformatics Analysis. Advanced Ultrasound in Diagnosis and Therapy, 2020, 4, 335.   | 0.1 | 0         |
| 2510 | AREG mediates the epithelial‑mesenchymal transition in pancreatic cancer cells via the EGFR/ERK/NF‑κB signalling pathway. Oncology Reports, 2020, 43, 1558-1568.   | 2.6 | 21        |
| 2511 | Translation regulatory long non‑coding RNA 1 represents a potential prognostic biomarker for colorectal cancer. Oncology Letters, 2020, 19, 4077-4087.   | 1.8 | 2         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2512 | ROS-Nrf2 pathway mediates the development of TGF- $\hat{1}^21$ -induced epithelial-mesenchymal transition through the activation of Notch signaling. European Journal of Cell Biology, 2021, 100, 151181.                                     | 3.6 | 31        |
| 2513 | Transcriptional repression of E adherin in nickelâ€exposed lung epithelial cells mediated by loss of Sp1 binding at the promoter. Molecular Carcinogenesis, 2022, 61, 99-110.   | 2.7 | 6         |
| 2514 | High Expression of GSDMC Is Associated with Poor Survival in Kidney Clear Cell Cancer. BioMed Research International, 2021, 2021, 1-10.   | 1.9 | 16        |
| 2515 | Macrophages in tumor: An inflammatory perspective. Clinical Immunology, 2021, 232, 108875.  | 3.2 | 32        |
| 2517 | The adaptor proteins p140CAP and p130CAS as molecular hubs in cell migration and invasion of cancer cells. American Journal of Cancer Research, 2011, 1, 663-73.  | 1.4 | 12        |
| 2518 | Expanding roles of ZEB factors in tumorigenesis and tumor progression. American Journal of Cancer Research, 2011, 1, 897-912.   | 1.4 | 90        |
| 2519 | Epithelial-mesenchymal transition in cervical carcinoma. American Journal of Translational Research (discontinued), 2012, 4, 1-13.  | 0.0 | 76        |
| 2521 | Epithelial-mesenchymal transition, the tumor microenvironment, and metastatic behavior of epithelial malignancies. International Journal of Biochemistry and Molecular Biology, 2012, 3, 117-36.  | 0.1 | 118       |
| 2522 | Holding Tight: Cell Junctions and Cancer Spread. Trends in Cancer Research, 2012, 8, 61-69.   | 1.6 | 74        |
| 2523 | Effect of epigenetic histone modifications on E-cadherin splicing and expression in lung cancer. American Journal of Cancer Research, 2013, 3, 374-89.  | 1.4 | 12        |
| 2525 | Snail plays an oncogenic role in glioblastoma by promoting epithelial mesenchymal transition. International Journal of Clinical and Experimental Pathology, 2014, 7, 1977-87.   | 0.5 | 40        |
| 2529 | Snail interacts with Id2 in the regulation of TNF- $\hat{l}\pm$ -induced cancer cell invasion and migration in OSCC. American Journal of Cancer Research, 2015, 5, 1680-91.   | 1.4 | 15        |
| 2531 | Up-regulation of microRNA-302a inhibited the proliferation and invasion of colorectal cancer cells by regulation of the MAPK and PI3K/Akt signaling pathways. International Journal of Clinical and Experimental Pathology, 2015, 8, 4481-91. | 0.5 | 24        |
| 2532 | Distinct role of Tim-3 in systemic lupus erythematosus and clear cell renal cell carcinoma. International Journal of Clinical and Experimental Medicine, 2015, 8, 7029-38.  | 1.3 | 11        |
| 2533 | Overexpression of histone demethylase JMJD5 promotes metastasis and indicates a poor prognosis in breast cancer. International Journal of Clinical and Experimental Pathology, 2015, 8, 10325-34.   | 0.5 | 21        |
| 2534 | ALX1 promotes migration and invasion of lung cancer cells through increasing snail expression. International Journal of Clinical and Experimental Pathology, 2015, 8, 12129-39.   | 0.5 | 4         |
| 2535 | Upregulation of H19 indicates a poor prognosis in gallbladder carcinoma and promotes epithelial-mesenchymal transition. American Journal of Cancer Research, 2016, 6, 15-26.  | 1.4 | 31        |
| 2536 | MiRNA-101 inhibits oral squamous-cell carcinoma growth and metastasis by targeting zinc finger E-box binding homeobox 1. American Journal of Cancer Research, 2016, 6, 1396-407.  | 1.4 | 24        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2537 | Transcriptional regulation of E-cadherin and oncoprotein E7 by valproic acid in HPV positive cell lines. Iranian Journal of Basic Medical Sciences, 2016, 19, 601-7.   | 1.0 | 18        |
| 2538 | The Effect of Snail1 Gene Silencing by siRNA in Metastatic Breast Cancer Cell Lines. Iranian Journal of Public Health, 2017, 46, 659-670.  | 0.5 | 4         |
| 2539 | Degradation of the transcription factor Twist, an oncoprotein that promotes cancer metastasis. Discovery Medicine, 2013, 15, 7-15.   | 0.5 | 49        |
| 2540 | The emerging role of CCN6 in breast cancer invasion. Cellscience, 2009, 6, 146-157.  | 0.3 | 0         |
| 2541 | Long noncoding RNA ZEB1-AS1 promotes the tumorigenesis of glioma cancer cells by modulating the miR-200c/141-ZEB1 axis. American Journal of Translational Research (discontinued), 2018, 10, 3395-3412.  | 0.0 | 31        |
| 2542 | MiR-101: a potential therapeutic target of cancers. American Journal of Translational Research (discontinued), 2018, 10, 3310-3321.  | 0.0 | 25        |
| 2543 | Injury induces endothelial to mesenchymal transition in the mouse corneal endothelium in vivo via FGF2. Molecular Vision, 2019, 25, 22-34.   | 1.1 | 8         |
| 2544 | Epithelial-mesenchymal transition contributes to pulmonary fibrosis via aberrant epithelial/fibroblastic cross-talk., 2019, 3, 31-35.  |     | 31        |
| 2545 | The role of microRNA-30a and downstream snail1 on the growth and metastasis of melanoma tumor. Iranian Journal of Basic Medical Sciences, 2019, 22, 534-540.   | 1.0 | 6         |
| 2547 | Snail and E-Cadherin Immunoexpression in Clear Cell Renal Cell Carcinoma. Current Health Sciences Journal, 2019, 45, 185-189.  | 0.2 | 1         |
| 2548 | Sarcomatoid change associated with epithelial-mesenchymal transition in mucinous tubular and spindle cell carcinoma of the kidney: a case report. International Journal of Clinical and Experimental Pathology, 2019, 12, 2767-2771.                                     | 0.5 | 1         |
| 2549 | Prognostic value of epithelial-mesenchymal transition related genes: SLUG and QKI in breast cancer patients. International Journal of Clinical and Experimental Pathology, 2019, 12, 2009-2021.  | 0.5 | 3         |
| 2550 | MiR-361-5p decreases the tumorigenicity of epithelial ovarian cancer cells by targeting at RPL22L1 and c-Met signaling. International Journal of Clinical and Experimental Pathology, 2018, 11, 2588-2596.   | 0.5 | 4         |
| 2551 | Loss of E-cadherin expression in recurrent non-invasive urothelial carcinoma of the bladder. International Journal of Clinical and Experimental Pathology, 2018, 11, 4163-4168.  | 0.5 | 5         |
| 2552 | Long non-coding RNA Ftx promotes osteosarcoma progression via the epithelial to mesenchymal transition mechanism and is associated with poor prognosis in patients with osteosarcoma. International Journal of Clinical and Experimental Pathology, 2018, 11, 4503-4511. | 0.5 | 5         |
| 2553 | Struma ovarii with unique histological features: a case report. International Journal of Clinical and Experimental Pathology, 2017, 10, 11230-11233.   | 0.5 | 0         |
| 2554 | Evaluation of immunohistochemical expression of TWIST in oral epithelial dysplasia and squamous cell carcinoma. International Journal of Health Sciences, 2020, 14, 33-39.   | 0.4 | 0         |
| 2555 | YAP promotes epithelial mesenchymal transition by upregulating Slug expression in human colorectal cancer cells. International Journal of Clinical and Experimental Pathology, 2020, 13, 701-710.  | 0.5 | 11        |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 2556 | Role of Wnt5a in suppressing invasiveness of hepatocellular carcinoma via epithelial-mesenchymal transition. Oncology Letters, 2020, 20, 268.  | 1.8  | 2         |
| 2557 | Theabrownin inhibits the cytoskeletonâ€'dependent cell cycle, migration and invasion of human osteosarcoma cells through NFâ€ÎºB pathwayâ€'related mechanisms. Oncology Reports, 2020, 44, 2621-2633.  | 2.6  | 1         |
| 2558 | ATOH8 overexpression inhibits the tumor progression and monocyte chemotaxis in hepatocellular carcinoma. International Journal of Clinical and Experimental Pathology, 2020, 13, 2534-2543.  | 0.5  | 1         |
| 2559 | ZNF451 stabilizes TWIST2 through SUMOylation and promotes epithelial-mesenchymal transition. American Journal of Cancer Research, 2021, 11, 898-915.   | 1.4  | 2         |
| 2560 | Epithelial-mesenchymal transition induced by SARS-CoV-2 required transcriptional upregulation of Snail. American Journal of Cancer Research, 2021, 11, 2278-2290.  | 1.4  | 7         |
| 2561 | Bisdemethoxycurcumin Promotes Apoptosis and Inhibits the Epithelial–Mesenchymal Transition through the Inhibition of the G-Protein-Coupled Receptor 161/Mammalian Target of Rapamycin Signaling Pathway in Triple Negative Breast Cancer Cells. Journal of Agricultural and Food Chemistry, 2021. 69. 14557-14567. | 5.2  | 6         |
| 2562 | TMPRSS4 promotes cancer stem–like properties in prostate cancer cells through upregulation of SOX2 by SLUG and TWIST1. Journal of Experimental and Clinical Cancer Research, 2021, 40, 372.  | 8.6  | 31        |
| 2563 | The Epithelial-to-Mesenchymal Transition (EMT) in the Development and Metastasis of Malignant Pleural Mesothelioma. International Journal of Molecular Sciences, 2021, 22, 12216.  | 4.1  | 23        |
| 2564 | Extracellular Vesicles in Lung Cancer Metastasis and Their Clinical Applications. Cancers, 2021, 13, 5633.   | 3.7  | 14        |
| 2565 | Gene and protein expression of epithelial to mesenchymal transition for intestinal and anal fistula: a systematic review. Annals of Coloproctology, 2023, 39, 106-114.   | 2.0  | 2         |
| 2567 | Sex Comb on Midleg Like-2 Accelerates Hepatocellular Carcinoma Cell Proliferation and Metastasis by Activating Wnt/β-Catenin/EMT Signaling. Yonsei Medical Journal, 2021, 62, 1073.  | 2.2  | 5         |
| 2568 | EMT in salivary gland tumors: the expression of microRNAs miR-155 and miR-200c is associated with clinical-pathological parameters. Molecular Biology Reports, 2022, 49, 2157-2167.  | 2.3  | 6         |
| 2569 | O-GlcNAcylation of MORC2 at threonine 556 by OGT couples TGF-Î <sup>2</sup> signaling to breast cancer progression. Cell Death and Differentiation, 2022, 29, 861-873.   | 11.2 | 30        |
| 2570 | Capsaicin inhibits migration and invasion via inhibiting epithelial-mesenchymal transition in esophageal squamous cell carcinoma by up-regulation of claudin-3 expression. Journal of Functional Foods, 2022, 89, 104934.  | 3.4  | 4         |
| 2571 | Role of Wnt5a in suppressing invasiveness of hepatocellular carcinoma via epithelial‑mesenchymal transition. Oncology Letters, 2020, 20, 1-1.  | 1.8  | 5         |
| 2572 | Theabrownin inhibits the cytoskeletonâ€'dependent cell cycle, migration and invasion of human osteosarcoma cells through NFâ€'κB pathwayâ€'related mechanisms. Oncology Reports, 2020, 44, 2621-2633.  | 2.6  | 11        |
| 2573 | Downregulation of estrogen receptorâ€Ĥ±36 expression attenuates metastasis of hepatocellular carcinoma cells. Environmental Toxicology, 2022, , .  | 4.0  | 9         |
| 2574 | Epithelial-Mesenchymal Transition-Inducing Factors Involved in the Progression of Lung Cancers. Biomolecules and Therapeutics, 2022, 30, 213-220.  | 2.4  | 17        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2575 | Inflammation, Fibrosis and Cancer: Mechanisms, Therapeutic Options and Challenges. Cancers, 2022, 14, 552.   | 3.7 | 32        |
| 2576 | Dual role of <i>Ovol2</i> on the germ cell lineage segregation during gastrulation in mouse embryogenesis. Development (Cambridge), 2022, 149, .   | 2.5 | 6         |
| 2577 | NFE2L3 promotes tumor progression and predicts a poor prognosis of bladder cancer. Carcinogenesis, 2022, 43, 457-468.  | 2.8 | 7         |
| 2578 | Elp3 modulates neural crest and colorectal cancer migration requiring functional integrity of HAT and SAM domains. Biocell, 2022, 46, 463-470.   | 0.7 | 0         |
| 2579 | Cancer Stem Cells in Intrahepatic Cholangiocarcinoma; Their Molecular Basis, and Therapeutic Implications. Frontiers in Physiology, 2021, 12, 824261.  | 2.8 | 1         |
| 2580 | Breast cancer circulating tumor cells with mesenchymal featuresâ€"an unreachable target?. Cellular and Molecular Life Sciences, 2022, 79, 81.  | 5.4 | 12        |
| 2581 | Long non-coding RNAs involved in different steps of cancer metastasis. Clinical and Translational Oncology, 2022, 24, 997-1013.  | 2.4 | 7         |
| 2582 | Ribosome production factor 2 homolog promotes migration and invasion of colorectal cancer cells by inducing epithelial–mesenchymal transition via AKT/Gsk-3β signaling pathway. Biochemical and Biophysical Research Communications, 2022, 597, 52-57. | 2.1 | 7         |
| 2583 | Chelerythrine inhibits the progression of glioblastoma by suppressing the TGFB1-ERK1/2/Smad2/3-Snail/ZEB1 signaling pathway. Life Sciences, 2022, 293, 120358.   | 4.3 | 8         |
| 2584 | Up-regulation of microRNA-34a mediates ethanol-induced impairment of neural crest cell migration in vitro and in zebrafish embryos through modulating epithelial-mesenchymal transition by targeting Snail1. Toxicology Letters, 2022, 358, 17-26.     | 0.8 | 5         |
| 2585 | Autophagy deficiency promotes lung metastasis of prostate cancer via stabilization of TWIST1. Clinical and Translational Oncology, 2022, 24, 1403-1412.  | 2.4 | 7         |
| 2586 | Long non-coding RNAs as the critical regulators of epithelial mesenchymal transition in colorectal tumor cells: an overview. Cancer Cell International, 2022, 22, 71.  | 4.1 | 29        |
| 2587 | LncRNA DDX11 antisense RNA 1 promotes EMT process of esophageal squamous cell carcinoma by sponging miR-30d-5p to regulate SNAI1/ZEB2 expression and Wnt/ $l^2$ -catenin pathway. Bioengineered, 2021, 12, 11425-11440.                                | 3.2 | 13        |
| 2588 | Research Progress on the Mechanism of Peritoneal Fibrosis Related to Peritoneal Dialysis. Advances in Clinical Medicine, 2022, 12, 2201-2210.  | 0.0 | 0         |
| 2589 | Hypoxic signaling in lymphatic colorectal cancer metastasis., 2022,, 3-19.   |     | 0         |
| 2590 | Mouse models in palate development and orofacial cleft research: Understanding the crucial role and regulation of epithelial integrity in facial and palate morphogenesis. Current Topics in Developmental Biology, 2022, 148, 13-50.                  | 2.2 | 3         |
| 2591 | Regulation of E-Cadherin Expression and Effects on Cell Proliferation. Bioprocess, 2022, 12, 10-19.  | 0.0 | 0         |
| 2592 | Biology and pathophysiology of central nervous system metastases. , 2022, , 55-78.   |     | 0         |

| #    | Article   | IF          | Citations |
|------|---|-------------|-----------|
| 2593 | Targeting Epithelial-to-Mesenchymal Transition in Radioresistance: Crosslinked Mechanisms and Strategies. Frontiers in Oncology, 2022, 12, 775238.  | 2.8         | 19        |
| 2594 | Filamin A Is a Potential Driver of Breast Cancer Metastasis via Regulation of MMP-1. Frontiers in Oncology, 2022, 12, 836126.   | 2.8         | 5         |
| 2595 | Extracellular Vesicles Derived from Acidified Metastatic Melanoma Cells Stimulate Growth, Migration, and Stemness of Normal Keratinocytes. Biomedicines, 2022, 10, 660.   | 3.2         | 6         |
| 2596 | Role of IGF-1R in epithelial–mesenchymal transdifferentiation of human peritoneal mesothelial cells.<br>Clinical and Experimental Nephrology, 2022, 26, 630-639.  | 1.6         | 3         |
| 2597 | Differential molecular alterations promoting non-small cell lung cancer under hypoxia. Genome Instability & Disease, 2022, 3, 108-121.  | 1.1         | 1         |
| 2598 | Cigarette Smoke Containing Acrolein Contributes to Cisplatin Resistance in Human Bladder Cancers through the Regulation of HER2 Pathway or FGFR3 Pathway. Molecular Cancer Therapeutics, 2022, 21, 1010-1019.             | 4.1         | 9         |
| 2599 | HIF1α/VEGF Feedback Loop Contributes to 5-Fluorouracil Resistance. Frontiers in Pharmacology, 2022, 13, 851401.   | 3.5         | 3         |
| 2600 | Emerging Biomarkers for Early Detection of Chronic Kidney Disease. Journal of Personalized Medicine, 2022, 12, 548.   | 2.5         | 33        |
| 2601 | Huangqin Tang Interference With Colitis Associated Colorectal Cancer Through Regulation of Epithelial Mesenchymal Transition and Cell Cycle. Frontiers in Pharmacology, 2022, 13, 837217.                                 | <b>3.</b> 5 | 4         |
| 2602 | Role of various non-coding RNAs in EMT, cancer, and metastasis: Recent trends and future perspective. Advances in Cancer Biology Metastasis, 2022, 4, 100039.   | 2.0         | 6         |
| 2603 | Ubiquitination and deubiquitination in the regulation of epithelial-mesenchymal transition in cancer: Shifting gears at the molecular level. Biochimica Et Biophysica Acta - Molecular Cell Research, 2022, 1869, 119261. | 4.1         | 9         |
| 2604 | Regulation of epithelialâ€toâ€mesenchymal transition in hypoxia by the HIFâ€1α network. FEBS Letters, 2022, 596, 338-349.   | 2.8         | 5         |
| 2605 | Hyaluronic Acid-Modified Nanoparticles Self-Assembled from Linoleic Acid-Conjugated Chitosan for the Codelivery of miR34a and Doxorubicin in Resistant Breast Cancer. Molecular Pharmaceutics, 2022, 19, 2-17.            | 4.6         | 10        |
| 2606 | Metastatic EMT Phenotype Is Governed by MicroRNA-200-Mediated Competing Endogenous RNA Networks. Cells, 2022, 11, 73.   | 4.1         | 8         |
| 2607 | RKIP Pleiotropic Activities in Cancer and Inflammatory Diseases: Role in Immunity. Cancers, 2021, 13, 6247.   | 3.7         | 5         |
| 2608 | SMAD4 mutations do not preclude epithelial–mesenchymal transition in colorectal cancer.<br>Oncogene, 2022, 41, 824-837.   | 5.9         | 12        |
| 2609 | Effects of prolonged treatment of TGF-βR inhibitor SB431542 on radiation-induced signaling in breast cancer cells. International Journal of Radiation Biology, 2022, 98, 1630-1644.                                       | 1.8         | 2         |
| 2610 | Endothelial plasticity drives aberrant vascularization and impedes cardiac repair after myocardial infarction., 2022, 1, 372-388.   |             | 9         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2611 | Mechanical Cues, E-Cadherin Expression and Cell "Sociality―Are Crucial Crossroads in Determining Pancreatic Ductal Adenocarcinoma Cells Behavior. Cells, 2022, 11, 1318.                           | 4.1 | 4         |
| 2612 | Molecular factors governing perineural invasion in malignancy. Surgical Oncology, 2022, 42, 101770.  | 1.6 | 4         |
| 2613 | Natural Bioactive Compounds Targeting Histone Deacetylases in Human Cancers: Recent Updates. Molecules, 2022, 27, 2568.  | 3.8 | 12        |
| 2614 | Mechanisms of cancer stem cells drug resistance and the pivotal role of HMGA2. Pathology Research and Practice, 2022, 234, 153906.   | 2.3 | 2         |
| 2615 | Elevated Expression of miR-200c/141 in MDA-MB-231 Cells Suppresses MXRA8 Levels and Impairs Breast Cancer Growth and Metastasis In Vivo. Genes, 2022, 13, 691.                                     | 2.4 | 7         |
| 2637 | Î-Catenin promotes cell migration and invasion via Bcl-2-regulated suppression of autophagy in prostate cancer cells American Journal of Cancer Research, 2022, 12, 108-122.                       | 1.4 | 0         |
| 2638 | Hepatitis B virus X protein promotes epithelial-mesenchymal transition of hepatocellular carcinoma cells by regulating SOCS1 BMB Reports, 2022, , .  | 2.4 | 0         |
| 2639 | Factors Regulating or Regulated by Myogenic Regulatory Factors in Skeletal Muscle Stem Cells. Cells, 2022, 11, 1493.   | 4.1 | 26        |
| 2640 | Role and Significance of c-KIT Receptor Tyrosine Kinase in Cancer: A Review. Bosnian Journal of Basic Medical Sciences, 2022, , .  | 1.0 | 9         |
| 2641 | FAM96A suppresses epithelial–mesenchymal transition and tumor metastasis by inhibiting TGFβ1 signals. Life Sciences, 2022, 301, 120607.  | 4.3 | 1         |
| 2642 | Transcriptional inhibition of miR-486-3p by BCL6 upregulates Snail and induces epithelial–mesenchymal transition during radiation-induced pulmonary fibrosis. Respiratory Research, 2022, 23, 104. | 3.6 | 10        |
| 2643 | Osteopontin (OPN/SPP1), a Mediator of Tumor Progression, Is Regulated by the Mesenchymal Transcription Factor Slug/SNAI2 in Colorectal Cancer (CRC). Cells, 2022, 11, 1808.                        | 4.1 | 6         |
| 2644 | Hepatitis B virus X protein promotes epithelial-mesenchymal transition of hepatocellular carcinoma cells by regulating SOCS1. BMB Reports, 2022, 55, 220-225.                                      | 2.4 | 7         |
| 2645 | Nitric-Oxide Synthase trafficking inducer (NOSTRIN) is an emerging negative regulator of colon cancer progression. BMC Cancer, 2022, 22, .   | 2.6 | 0         |
| 2646 | Epithelial–mesenchymal transition: The history, regulatory mechanism, and cancer therapeutic opportunities. MedComm, 2022, 3, .  | 7.2 | 43        |
| 2648 | The T-box transcription factor Brachyury promotes renal interstitial fibrosis by repressing E-cadherin expression. Cell Communication and Signaling, 2014, 12, 76.                                 | 6.5 | 0         |
| 2651 | The Role of MicroRNA in the Regulation of Tumor Epithelial–Mesenchymal Transition. Cells, 2022, 11, 1981.  | 4.1 | 14        |
| 2652 | SNAIL driven by a feed forward loop motif promotes $TGF\hat{l}^2$ induced epithelial to mesenchymal transition. Biomedical Physics and Engineering Express, 2022, 8, 045012.                       | 1.2 | 2         |

| #    | Article  | IF   | Citations |
|------|--|------|-----------|
| 2653 | Sirtuins and Hypoxia in EMT Control. Pharmaceuticals, 2022, 15, 737.   | 3.8  | 2         |
| 2654 | The epithelial-to-mesenchymal transition in cancer: pathogenetic features. Innovative Medicine of Kuban, 2022, , 85-92.  | 0.2  | O         |
| 2655 | Curcuminoids as Modulators of EMT in Invasive Cancers: A Review of Molecular Targets With the Contribution of Malignant Mesothelioma Studies. Frontiers in Pharmacology, 0, 13, .                        | 3.5  | 3         |
| 2656 | Analysis of the Effect of SNAI Family in Breast Cancer and Immune Cell. Frontiers in Cell and Developmental Biology, 0, 10, .  | 3.7  | 2         |
| 2657 | ZEB2/TWIST1/PRMT5/NuRD Multicomplex Contributes to the Epigenetic Regulation of EMT and Metastasis in Colorectal Carcinoma. Cancers, 2022, 14, 3426.   | 3.7  | 7         |
| 2658 | The Role of Long Non-Coding RNAs in Epithelial-Mesenchymal Transition-Related Signaling Pathways in Prostate Cancer. Frontiers in Molecular Biosciences, 0, 9, .   | 3.5  | 1         |
| 2659 | 3D Disease Modelling of Hard and Soft Cancer Using PHA-Based Scaffolds. Cancers, 2022, 14, 3549.   | 3.7  | 4         |
| 2660 | Recent advances in the molecular basis of chemotherapy resistance and potential application of epigenetic therapeutics in chemorefractory renal cell carcinoma. WIREs Mechanisms of Disease, 2022, 14, . | 3.3  | 1         |
| 2661 | SNAI1-expressing fibroblasts and derived-extracellular matrix as mediators of drug resistance in colorectal cancer patients. Toxicology and Applied Pharmacology, 2022, 450, 116171.                     | 2.8  | 7         |
| 2663 | The EMT-activator ZEB1 is unrelated to platinum drug resistance in ovarian cancer but is predictive of survival. Human Cell, 2022, 35, 1547-1559.  | 2.7  | 1         |
| 2664 | The inhibitory effect of betulinic acid on epithelial–mesenchymal transition pathway in renal cell carcinoma. , 2022, 39, .  |      | 1         |
| 2665 | Epithelial to Mesenchymal Transition in Lung Cancer: Potential EMT-Targeting Natural Product-derived Compounds. Anticancer Research, 2022, 42, 4237-4246.  | 1.1  | 5         |
| 2667 | Long Non-Coding RNA H19 Prevents Lens Fibrosis through Maintaining Lens Epithelial Cell Phenotypes. Cells, 2022, 11, 2559.   | 4.1  | 4         |
| 2669 | Depletion of Mdig Changes Proteomic Profiling in Triple Negative Breast Cancer Cells. Biomedicines, 2022, 10, 2021.  | 3.2  | O         |
| 2670 | Cancer stem cell plasticity and its implications in the development of new clinical approaches for oral squamous cell carcinoma. Biochemical Pharmacology, 2022, 204, 115212.                            | 4.4  | 8         |
| 2672 | The molecular mechanisms and therapeutic strategies of EMT in tumor progression and metastasis. Journal of Hematology and Oncology, 2022, $15$ , .   | 17.0 | 160       |
| 2673 | Pathogenesis of periodontitis – A potential role for epithelial-mesenchymal transition. Japanese Dental Science Review, 2022, 58, 268-278.   | 5.1  | 15        |
| 2674 | Spatiotemporal regulation of myocardin is essential for non-small cell lung cancer metastasis. Advances in Cancer Biology Metastasis, 2022, 6, 100064.   | 2.0  | O         |

| #    | Article  | IF   | CITATIONS |
|------|--|------|-----------|
| 2675 | Amphiphilic Aminated Derivatives of [60] Fullerene as Potent Inhibitors of Tumor Growth and Metastasis. Advanced Science, 2022, 9, .   | 11.2 | 9         |
| 2676 | Prostate Cancer-Associated miRNAs in Saliva: First Steps to an Easily Accessible and Reliable Screening Tool. Biomolecules, 2022, 12, 1366.  | 4.0  | 6         |
| 2677 | CDCA7 promotes TGFâ€Î²â€induced epithelial–mesenchymal transition via transcriptionally regulating Smad4/Smad7 in ESCC. Cancer Science, 2023, 114, 91-104.   | 3.9  | 6         |
| 2678 | Case report: ZEB1 expression in three cases of hepatic carcinosarcoma. Frontiers in Oncology, 0, 12, .   | 2.8  | O         |
| 2679 | High expression of Sam68 contributes to metastasis by regulating vimentin expression and a motile phenotype in oral squamous cell carcinoma. Oncology Reports, 2022, 48, .   | 2.6  | 0         |
| 2680 | <scp>Hsaâ€microRNA</scp> â€370â€3p targeting Snail and Twist1 suppresses <scp>IL</scp> â€8/ <scp>STAT3</scp> â€driven hepatocellular carcinoma metastasis. Cancer Science, 2022, 113, 4120-4134.                     | 3.9  | 11        |
| 2682 | FUT6 inhibits the proliferation, migration, invasion, and EGF-induced EMT of head and neck squamous cell carcinoma (HNSCC) by regulating EGFR/ERK/STAT signaling pathway. Cancer Gene Therapy, 2023, 30, 182-191.    | 4.6  | 6         |
| 2683 | Comprehensive analysis of prognostic significance of cadherin (CDH) gene family in breast cancer.<br>Aging, 2022, , 8498-8567.   | 3.1  | 2         |
| 2685 | MicroRNAs Dysregulation as Potential Biomarkers for Early Diagnosis of Endometriosis. Biomedicines, 2022, 10, 2558.  | 3.2  | 4         |
| 2686 | CXCL12/CXCR7/ $\hat{\Gamma}^2$ -arrestin1 biased signal promotes epithelial-to-mesenchymal transition of colorectal cancer by repressing miRNAs through YAP1 nuclear translocation. Cell and Bioscience, 2022, 12, . | 4.8  | 6         |
| 2687 | Plasma and Peritoneal Fluid ZEB Levels in Patients with Endometriosis and Infertility. Biomedicines, 2022, 10, 2460.   | 3.2  | 6         |
| 2688 | Twist1 as a target for prevention of cutaneous squamous cell carcinoma. Molecular Carcinogenesis, 2023, 62, 62-76.   | 2.7  | O         |
| 2689 | The Molecular and Cellular Strategies of Glioblastoma and Non-Small-Cell Lung Cancer Cells Conferring Radioresistance. International Journal of Molecular Sciences, 2022, 23, 13577.                                 | 4.1  | 8         |
| 2690 | The pathogenic roles of lncRNA-Taurine upregulated 1 (TUG1) in colorectal cancer. Cancer Cell International, 2022, 22, .   | 4.1  | 8         |
| 2691 | Development of an adenosquamous carcinoma histo pathology-selective lung metastasis model. Biology Open, 0, , .  | 1.2  | 0         |
| 2692 | Tannic Acid, A Hydrolysable Tannin, Prevents Transforming Growth Factor-β-Induced Epithelial–Mesenchymal Transition to Counteract Colorectal Tumor Growth. Cells, 2022, 11, 3645.                                    | 4.1  | 4         |
| 2693 | Emodin inhibiting epithelialâ€mesenchymal transition in pulmonary fibrosis through the<br><scp>câ€MYC</scp> / <scp>miR</scp> â€182â€5p/ <scp>ZEB2</scp> axis. Phytotherapy Research, 2023, 37, 926-                  | 934. | 2         |
| 2694 | Characterization of Epithelial-Mesenchymal Transition Identifies a Gene Signature for Predicting Clinical Outcomes and Therapeutic Responses in Bladder Cancer. Disease Markers, 2022, 2022, 1-21.                   | 1.3  | 1         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 2695 | Baicalin suppresses the migration and invasion of breast cancer cells via the TGF-β/IncRNA-MALAT1/miR-200c signaling pathway. Medicine (United States), 2022, 101, e29328.  | 1.0 | 3         |
| 2696 | Signaling pathways in cancerâ€associated fibroblasts: recent advances and future perspectives. Cancer Communications, 2023, 43, 3-41.   | 9.2 | 43        |
| 2697 | E-Cadherin Expression in Relation to Clinicopathological Parameters and Survival of Patients with Epithelial Ovarian Cancer. International Journal of Molecular Sciences, 2022, 23, 14383.  | 4.1 | 6         |
| 2699 | Wnt Signaling in the Development of Bone Metastasis. Cells, 2022, 11, 3934.   | 4.1 | 8         |
| 2700 | Post-Translational Modification of ZEB Family Members in Cancer Progression. International Journal of Molecular Sciences, 2022, 23, 15127.  | 4.1 | 6         |
| 2701 | Relationship between Epithelial-to-Mesenchymal Transition and Tumor-Associated Macrophages in Colorectal Liver Metastases. International Journal of Molecular Sciences, 2022, 23, 16197.  | 4.1 | 10        |
| 2702 | Weighted gene co-expression network reveals driver genes contributing to phenotypes of anaplastic thyroid carcinoma and immune checkpoint identification for therapeutic targets. Frontiers in Oncology, 0, 12, .                                       | 2.8 | 2         |
| 2703 | Epithelial–Mesenchymal Transition Induced in Cancer Cells by Adhesion to Type I Collagen.<br>International Journal of Molecular Sciences, 2023, 24, 198.  | 4.1 | 2         |
| 2704 | Silencing DTX3L Inhibits the Progression of Cervical Carcinoma by Regulating PI3K/AKT/mTOR Signaling Pathway. International Journal of Molecular Sciences, 2023, 24, 861.   | 4.1 | 3         |
| 2705 | The Transcription Factors Zeb1 and Snail Induce Cell Malignancy and Cancer Stem Cell Phenotype in Prostate Cells, Increasing Androgen Synthesis Capacity and Therapy Resistance. Advances in Experimental Medicine and Biology, 2022, , 51-64.          | 1.6 | 2         |
| 2706 | Inhibition of ribosome assembly factor PNO1 by CRISPR/Cas9 technique suppresses lung adenocarcinoma and Notch pathway: Clinical application. Journal of Cellular and Molecular Medicine, 2023, 27, 365-378.   | 3.6 | 3         |
| 2707 | TGFÎ <sup>2</sup> 1-Induced EMT in the MCF10A Mammary Epithelial Cell Line Model Is Executed Independently of SNAIL1 and ZEB1 but Relies on JUNB-Coordinated Transcriptional Regulation. Cancers, 2023, 15, 558.  | 3.7 | 5         |
| 2708 | P4HA3 promotes clear cell renal cell carcinoma progression via the PI3K/AKT/GSK3 $\hat{l}^2$ pathway. , 2023, 40, .   |     | 3         |
| 2709 | The in vitro and in vivo anticancer activities of Antrodia salmonea through inhibition of metastasis and induction of ROS-mediated apoptotic and autophagic cell death in human glioblastoma cells. Biomedicine and Pharmacotherapy, 2023, 158, 114178. | 5.6 | 4         |
| 2710 | Notch signaling, hypoxia, and cancer. Frontiers in Oncology, 0, 13, .   | 2.8 | 3         |
| 2711 | Epithelial–Mesenchymal Transition of Breast Cancer Cells Induced by Activation of the Transcription Factor Snail1. Biochemistry (Moscow), 2023, 88, 22-34.  | 1.5 | 0         |
| 2712 | Assessing the epithelial-to-mesenchymal plasticity in a small cell lung carcinoma (SCLC) and lung fibroblasts co-culture model. Frontiers in Molecular Biosciences, 0, 10, .  | 3.5 | 4         |
| 2713 | Heterogeneity of Cholangiocarcinoma Immune Biology. Cells, 2023, 12, 846.   | 4.1 | 5         |

| #    | Article   | IF   | CITATIONS |
|------|---|------|-----------|
| 2714 | Molecular mechanisms of endothelial remodeling under doxorubicin treatment. Biomedicine and Pharmacotherapy, 2023, 162, 114576.   | 5.6  | 6         |
| 2715 | $\hat{l}^2$ , $\hat{A}\hat{l}^2$ -Dimethylacrylshikonin potentiates paclitaxel activity, suppresses immune evasion and triple negative breast cancer progression via STAT3Y705 phosphorylation inhibition based on network pharmacology and transcriptomics analysis. Phytomedicine, 2023, 114, 154769. | 5.3  | 4         |
| 2716 | Chemical inhibition of LSD1 leads to epithelial to mesenchymal transition inÂvitro of an oral squamous cell carcinoma OM-1Âcell line via release from LSD1-dependent suppression of ZEB1. Biochemical and Biophysical Research Communications, 2023, 647, 23-29.  | 2.1  | 1         |
| 2717 | Extra-Cellular Vesicles Derived from Thyroid Cancer Cells Promote the Epithelial to Mesenchymal Transition (EMT) and the Transfer of Malignant Phenotypes through Immune Mediated Mechanisms. International Journal of Molecular Sciences, 2023, 24, 2754.  | 4.1  | 3         |
| 2718 | USP13 promotes breast cancer metastasis through FBXL14-induced Twist1 ubiquitination. Cellular Oncology (Dordrecht), 2023, 46, 717-733.   | 4.4  | 1         |
| 2719 | Eltrombopag Inhibits Metastasis in Breast Carcinoma by Targeting HuR Protein. International Journal of Molecular Sciences, 2023, 24, 3164.  | 4.1  | 0         |
| 2720 | Phosphorylation of USP29 by CDK1 Governs TWIST1 Stability and Oncogenic Functions. Advanced Science, 2023, 10, .  | 11.2 | 6         |
| 2721 | The aryl sulfonamide indisulam inhibits gastric cancer cell migration by promoting the ubiquitination and degradation of the transcription factor ZEB1. Journal of Biological Chemistry, 2023, 299, 103025.   | 3.4  | 3         |
| 2723 | Emerging roles of circular RNAs in the invasion and metastasis of head and neck cancer: Possible functions and mechanisms., 2023, 2, 463-487.   |      | 0         |
| 2724 | Epithelial-to-Mesenchymal Transition and Phenotypic Marker Evaluation in Human, Canine, and Feline<br>Mammary Gland Tumors. Animals, 2023, 13, 878.   | 2.3  | 1         |
| 2725 | The ELF3 transcription factor is associated with an epithelial phenotype and represses epithelial-mesenchymal transition. Journal of Biological Engineering, 2023, 17, .  | 4.7  | 7         |
| 2726 | Network motifs and hypermotifs in TGF $\hat{I}^2$ -induced epithelial to mesenchymal transition and metastasis. Frontiers in Systems Biology, 0, 3, .   | 0.7  | 1         |
| 2727 | Non-canonical functions of SNAIL drive context-specific cancer progression. Nature Communications, 2023, 14, .  | 12.8 | 15        |
| 2729 | Tumor malignancy by genetic transfer between cells forming cell-in-cell structures. Cell Death and Disease, 2023, 14, .   | 6.3  | 3         |
| 2730 | <i>Antrodia camphorata</i> and coenzyme <scp>Q<sub>0</sub></scp> , a novel quinone derivative of <i>Antrodia camphorata</i> , impede <scp>HIF</scp> â€Iα and epithelialâ€mesenchymal transition/metastasis in human glioblastoma cells. Environmental Toxicology, 2023, 38, 1548-1564.                  | 4.0  | 3         |
| 2731 | Chronic Exposure to TDI Induces Cell Migration and Invasion via TGF- $\hat{l}^21$ Signal Transduction. International Journal of Molecular Sciences, 2023, 24, 6157.   | 4.1  | 1         |
| 2732 | Epithelial-Mesenchymal Transition in Docetaxel-Resistant Prostate Cancer. European Medical Journal (Chelmsford, England), 0, , 50-56.   | 3.0  | 0         |
| 2733 | Trichostatin A inhibits expression of the human SLC2A5 gene via SNAI1/SNAI2 transcription factors and sensitizes colon cancer cells to platinum compounds. European Journal of Pharmacology, 2023, 949, 175728.   | 3.5  | 2         |

| #    | Article   | IF   | Citations |
|------|---|------|-----------|
| 2734 | Cytosolic EpCAM cooperates with H-Ras to regulate epithelial to mesenchymal transition through ZEB1. PLoS ONE, 2023, 18, e0285707.  | 2.5  | 0         |
| 2735 | Pedunculoside inhibits epithelial-mesenchymal transition and overcomes Gefitinib-resistant non-small cell lung cancer through regulating MAPK and Nrf2 pathways. Phytomedicine, 2023, 116, 154884.                    | 5.3  | 3         |
| 2736 | Antitumor mechanism of cannabidiol hidden behind cancer hallmarks. Biochimica Et Biophysica Acta: Reviews on Cancer, 2023, 1878, 188905.  | 7.4  | 3         |
| 2737 | Isotoosendanin exerts inhibition on triple-negative breast cancer through abrogating TGF-β-induced epithelial–mesenchymal transition via directly targeting TGFβR1. Acta Pharmaceutica Sinica B, 2023, 13, 2990-3007. | 12.0 | 1         |
| 2738 | The role of infected epithelial cells in Chlamydia-associated fibrosis. Frontiers in Cellular and Infection Microbiology, 0, 13, .  | 3.9  | 3         |
| 2739 | Gintonin Isolated from Ginseng Inhibits the Epithelial—Mesenchymal Transition Induced by TGF-β in A549<br>Lung Cancer Cells. Plants, 2023, 12, 2013.  | 3.5  | 0         |
| 2740 | Targeting Snail 1 by CRISPR/Cas9 System Inhibits the Proliferation and Migration of Human Gastric Cancer Cells. Journal of Cancer Research Updates, 0, 12, 28-32.   | 0.3  | 0         |
| 2741 | Molecular Biology of Pediatric and Adult Ovarian Germ Cell Tumors: A Review. Cancers, 2023, 15, 2990.   | 3.7  | 3         |
| 2742 | New Functions of Intracellular LOXL2: Modulation of RNA-Binding Proteins. Molecules, 2023, 28, 4433.  | 3.8  | 2         |
| 2743 | The IncRNA HOTAIR: a pleiotropic regulator of epithelial cell plasticity. Journal of Experimental and Clinical Cancer Research, 2023, 42, .   | 8.6  | 5         |
| 2744 | Epigenetic regulation of hybrid epithelial-mesenchymal cell states in cancer. Oncogene, 2023, 42, 2237-2248.  | 5.9  | 5         |
| 2745 | Differential expression and functions of miRNAs in bladder cancer. Oncologie, 2023, 25, 1-15.   | 0.7  | 0         |
| 2746 | CD44: Does CD44v6 Adversely Impact the Prognosis of Cancer Patients?. Biology of Extracellular Matrix, 2023, , 119-159.   | 0.3  | 0         |
| 2747 | Trophoblast cell surface antigen-2 (Trop-2) phosphorylation triggered by binding of galectin-3 drives metastasis through down-regulation of E-cadherin. Journal of Biological Chemistry, 2023, , 104971.              | 3.4  | 1         |
| 2748 | Comprehensively prognostic and immunological analysis of snail family transcriptional repressor 2 in pan-cancer and identification in pancreatic carcinoma. Frontiers in Immunology, 0, 14, .                         | 4.8  | 0         |
| 2749 | USP2 promotes cell proliferation and metastasis in choroidal melanoma via stabilizing Snail. Journal of Cancer Research and Clinical Oncology, 2023, 149, 9263-9276.  | 2.5  | 2         |
| 2750 | Expression of ZEB1 in different forms of endometriosis: A pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2023, 286, 121-125.   | 1.1  | 1         |
| 2751 | CYP4F12 is a potential biomarker and inhibits cell migration of head and neck squamous cell carcinoma via EMT pathway. Scientific Reports, 2023, 13, .  | 3.3  | 1         |

| #    | Article   | IF  | Citations |
|------|---|-----|-----------|
| 2752 | Targeting the epithelial–mesenchymal transition (EMT) pathway with combination of Wnt inhibitor and chalcone complexes in lung cancer cells. Journal of Cellular Biochemistry, 2023, 124, 1203-1219.            | 2.6 | 0         |
| 2753 | Identifying key factors in cell fate decisions by machine learning interpretable strategies. Journal of Biological Physics, 0, , .  | 1.5 | 0         |
| 2754 | Role of microRNAs in regulation of doxorubicin and paclitaxel responses in lung tumor cells. Cell Division, 2023, 18, .   | 2.4 | 0         |
| 2755 | GBA Regulates EMT/MET and Chemoresistance in Squamous Cell Carcinoma Cells by Modulating the Cellular Glycosphingolipid Profile. Cells, 2023, 12, 1886.   | 4.1 | 0         |
| 2756 | Discovery of small molecule β-catenin suppressors that enhance immunotherapy. Bioorganic Chemistry, 2023, 139, 106754.  | 4.1 | 0         |
| 2757 | SLUG and SNAIL as Potential Immunohistochemical Biomarkers for Renal Cancer Staging and Survival. International Journal of Molecular Sciences, 2023, 24, 12245.   | 4.1 | 1         |
| 2758 | E-box binding transcription factors in cancer. Frontiers in Oncology, 0, 13, .  | 2.8 | 0         |
| 2759 | Integrin $\hat{l}^24$ induced epithelial-to-mesenchymal transition involves miR-383 mediated regulation of GATA6 levels. Molecular Biology Reports, 0, , .  | 2.3 | 0         |
| 2760 | MicroRNA-155 and cancer metastasis: Regulation of invasion, migration, and epithelial-to-mesenchymal transition. Pathology Research and Practice, 2023, 250, 154789.  | 2.3 | 0         |
| 2761 | LOXL2 in Cancer: A Two-Decade Perspective. International Journal of Molecular Sciences, 2023, 24, 14405.  | 4.1 | 0         |
| 2763 | Epigenetic inhibitors and their role in cancer therapy. International Review of Cell and Molecular Biology, 2023, , 211-251.  | 3.2 | 2         |
| 2764 | Ruyong formula improves thymus function of CUMS-stimulated breast cancer mice. Journal of Ethnopharmacology, 2024, 319, 117164.   | 4.1 | 0         |
| 2765 | Involvement of Epithelial-Mesenchymal Transition (EMT) in Autoimmune Diseases. International Journal of Molecular Sciences, 2023, 24, 14481.  | 4.1 | 1         |
| 2766 | Blocking the interaction between circTNRC18 and LIN28A promotes trophoblast epithelialâ $\in$ "mesenchymal transformation and alleviates preeclampsia. Molecular and Cellular Endocrinology, 2024, 579, 112073. | 3.2 | O         |
| 2767 | Novel Insights into the Role of Chromatin Remodeler MORC2 in Cancer. Biomolecules, 2023, 13, 1527.  | 4.0 | 0         |
| 2769 | Fibroblast activation protein drives tumor metastasis via a protease-independent role in invadopodia stabilization. Cell Reports, 2023, 42, 113302.   | 6.4 | 0         |
| 2770 | Regulation of Epithelial-Mesenchymal Transitions by Alternative Splicing: Potential New Area for Cancer Therapeutics. Genes, 2023, 14, 2001.  | 2.4 | 0         |
| 2771 | Dual role of CASP8AP2/FLASH in regulating epithelial-to-mesenchymal transition plasticity (EMP). Translational Oncology, 2024, 39, 101837.  | 3.7 | O         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2772 | Zinc finger proteins and ⟨scp⟩ATP⟨/scp⟩â€binding cassette transporterâ€dependent multidrug resistance. European Journal of Clinical Investigation, 2024, 54, .                             | 3.4 | 1         |
| 2773 | Hypoxia signaling and metastatic progression. Seminars in Cancer Biology, 2023, 97, 42-49.   | 9.6 | 0         |
| 2774 | Oxidative stress regulation and related metabolic pathways in epithelial–mesenchymal transition of breast cancer stem cells. Stem Cell Research and Therapy, 2023, 14, .                   | 5.5 | 0         |
| 2775 | Role of F-box proteins in human upper gastrointestinal tumors. Biochimica Et Biophysica Acta: Reviews on Cancer, 2024, 1879, 189035.   | 7.4 | 0         |
| 2776 | TGF- $\hat{l}^2$ , EMT, and resistance to anti-cancer treatment. Seminars in Cancer Biology, 2023, 97, 1-11.   | 9.6 | 5         |
| 2778 | Resveratrol-derived inhibitors of the E3 ubiquitin ligase PELI1 inhibit the metastasis of triple-negative breast cancer. European Journal of Medicinal Chemistry, 2024, 265, 116060.       | 5.5 | 0         |
| 2779 | Prostate transmembrane androgen inducible protein 1 (PMEPA1): regulation and clinical implications. Frontiers in Oncology, $0,13,13$   | 2.8 | 0         |
| 2780 | Restoration of Tumor Suppression to Cancer Carrying p53 Mutations. , 0, , .  |     | 0         |
| 2781 | The emerging role of breast cancer derived extracellular vesicles-mediated intercellular communication in ovarian cancer progression and metastasis. , 2024, 41, .                         |     | 0         |
| 2782 | Potential role of epithelial–mesenchymal transition induced by periodontal pathogens in oral cancer.<br>Journal of Cellular and Molecular Medicine, 2024, 28, .                            | 3.6 | 2         |
| 2783 | Role of E-cadherin and $\hat{l}^2$ -catenin in head and neck squamous cell carcinoma. Siberian Journal of Oncology, 2024, 22, 130-137.   | 0.3 | 0         |
| 2784 | Harnessing function of EMT in cancer drug resistance: a metastasis regulator determines chemotherapy response. Cancer and Metastasis Reviews, 2024, 43, 457-479.                           | 5.9 | 2         |
| 2785 | HuR (ELAVL1) Stabilizes SOX9 mRNA and Promotes Migration and Invasion in Breast Cancer Cells. Cancers, 2024, 16, 384.  | 3.7 | 0         |
| 2786 | EMP3 as a prognostic biomarker correlates with EMT in GBM. BMC Cancer, 2024, 24, .   | 2.6 | 1         |
| 2787 | Deciphering the molecular symphony: Unraveling endothelial-to-mesenchymal transition in corneal endothelial cells. Experimental Eye Research, 2024, 240, 109795.                           | 2.6 | 0         |
| 2788 | Stromal area differences with epithelial-mesenchymal transition gene changes in conjunctival and orbital mucosa-associated lymphoid tissue lymphoma. Frontiers in Oncology, 0, 14, .       | 2.8 | 0         |
| 2789 | Clinical impact of epithelial–mesenchymal transition for cancer therapy. Clinical and Translational Discovery, 2024, 4, .  | 0.5 | 0         |
| 2790 | How studies in developmental epithelial-mesenchymal transition and mesenchymal-epithelial transition inspired new research paradigms in biomedicine. Development (Cambridge), 2024, 151, . | 2.5 | 0         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 2791 | Growth differentiation factor-11 upregulates matrix metalloproteinase 2 expression by inducing Snail in human extravillous trophoblast cells. Molecular and Cellular Endocrinology, 2024, 585, 112190. | 3.2 | 0         |
| 2792 | Loss of p53 epigenetically modulates epithelial to mesenchymal transition in colorectal cancer.<br>Translational Oncology, 2024, 43, 101848.   | 3.7 | 0         |
| 2793 | Melatonin and Its Role in the Epithelial-to-Mesenchymal Transition (EMT) in Cancer. Cancers, 2024, 16, 956.  | 3.7 | 0         |
| 2794 | Novel role of IncRNAs regulatory network in papillary thyroid cancer. Biochemistry and Biophysics Reports, 2024, 38, 101674.   | 1.3 | 0         |
| 2795 | Beta-elemene inhibits the growth of KDM6A-null bladder cancer cells by suppressing the epithelial-mesenchymal transition., 2024, 5, 200130.  |     | 0         |
| 2796 | CALD1 facilitates epithelial-mesenchymal transition progression in gastric cancer cells by modulating the PI3K-Akt pathway. World Journal of Gastrointestinal Oncology, 0, 16, 1029-1045.              | 2.0 | 0         |