

CITATION REPORT

List of articles citing

Predictors of non-alcoholic fatty liver disease in obese children

DOI: 10.1038/sj.ejcn.1602588

European Journal of Clinical Nutrition, 2007, 61, 877-83.

Source: <https://exaly.com/paper-pdf/42814723/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
147	Hypertriglyceridemic waist phenotype and associated lifestyle factors in a national population of youths: CASPIAN Study. 2008 , 54, 169-77		40
146	Liver dysfunction in paediatric obesity: a randomized, controlled trial of metformin. 2007 , 96, 1326-32		12
145	Nutrition and nonalcoholic fatty liver disease in children. 2008 , 8, 399-406		10
144	The obesity epidemic and nonalcoholic fatty liver disease in children. 2008 , 10, 67-72		81
143	Nutrition and nonalcoholic fatty liver disease in children. 2008 , 10, 308-15		7
142	Nonalcoholic fatty liver disease in children. 2008 , 27, 667-76		54
141	Handbook of Obesity. 2008 ,		6
140	Fructose consumption as a risk factor for non-alcoholic fatty liver disease. 2008 , 48, 993-9		597
139	Does non-alcoholic fatty liver disease (NAFLD) increase cardiovascular risk?. 2008 , 8, 301-7		9
138	Relationship among fatty liver, adipose tissue distribution and metabolic profile in moderately obese children: an ultrasonographic study. 2008 , 14, 2693-8		16
137	MRI in identifying hepatic steatosis in obese children and relation to ultrasonography and metabolic findings. 2008 , 47, 493-9		29
136	Current opinion in clinical nutrition and metabolic care. 2008 , 11, 671-81		
135	Non-invasive assessment of fibrosis in non-alcoholic fatty liver disease (NAFLD). 2009 , 8, 89-94		33
134	Association between type two diabetes and non-alcoholic fatty liver disease in youth. 2009 , 8, S44-S50		29
133	Nonalcoholic Fatty Liver Disease in Pediatric Patients. 2009 , 5, 65-71		
132	Association of elevated serum alanine aminotransferase with metabolic factors in obese children: sex-related analysis. 2009 , 58, 368-72		51
131	Association between leptin and transaminases: 1-year follow-up study in 180 overweight children. 2009 , 58, 497-503		5

130	The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. 2009 , 7, 21	98
129	The association of elevated alanine aminotransferase and the metabolic syndrome in an overweight and obese pediatric population of multi-ethnic origin. 2009 , 168, 585-91	31
128	Caring for adults with pediatric liver disease. 2009 , 11, 83-9	8
127	[Fatty liver disease, insulin resistance and adiponectin in an obese pediatric population]. 2009 , 71, 495-501	2
126	Factors associated with insulin resistance and non-alcoholic fatty liver disease among youths. 2009 , 204, 538-43	63
125	The metabolic syndrome and nonalcoholic fatty liver disease in children. 2009 , 21, 529-35	65
124	Trends in nonalcoholic fatty liver disease-related hospitalizations in US children, adolescents, and young adults. 2009 , 48, 597-603	25
123	Non-alcoholic fatty liver disease: the hepatic consequence of obesity and the metabolic syndrome. 2010 , 69, 211-20	156
122	Liver fat change in obese children after a 1-year nutrition-behavior intervention. 2010 , 51, 331-5	33
121	Comparison of free fructose and glucose to sucrose in the ability to cause fatty liver. 2010 , 49, 1-9	72
120	Metabolic predictors for early identification of fatty liver using doppler and B-mode ultrasonography in overweight and obese adolescents. 2010 , 169, 1345-52	5
119	Negative correlation between neuropeptide Y/agouti-related protein concentration and adiponectinemia in nonalcoholic fatty liver disease obese adolescents submitted to a long-term interdisciplinary therapy. 2010 , 59, 613-9	22
118	Nonalcoholic fatty liver disease: a challenge for pediatricians. 2010 , 34, 1451-67	49
117	Variance in the transaminase levels over the body mass index spectrum in 10- and 13-year-olds. 2010 , 52, 813-9	6
116	Suspected nonalcoholic Fatty liver disease is not associated with vitamin d status in adolescents after adjustment for obesity. 2010 , 2010, 496829	34
115	Soft drinks consumption and nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2010 , 16, 2579-88	5.6 125
114	Obesity in children and adolescents: the relation between metabolic syndrome and non-alcoholic fatty-liver disease. 2010 , 10, 171-181	
113	Metabolic syndrome: comparison of diagnosis criteria. 2010 , 86, 325-30	5

112	Aktywność aminotransferazy alaninowej jako istotny marker zaburzeń metabolicznych u otyłych dzieci. 2010 , 85, 18-24		
111	Pediatric nonalcoholic fatty liver disease: a comprehensive review. 2010 , 57, 85-140		35
110	Insulin resistance and metabolic syndrome in the pediatric population. 2010 , 8, 1-14		40
109	Docosahexaenoic acid supplementation decreases liver fat content in children with non-alcoholic fatty liver disease: double-blind randomised controlled clinical trial. 2011 , 96, 350-3		195
108	Abnormalities of Carbohydrate Metabolism and the Liver. 2011 , 795-803.e4		1
107	Iron load and liver enzymes in 10- and 13-year-olds. 2011 , 52, 333-8		3
106	The prevalence of non-alcoholic fatty liver disease and metabolic syndrome in obese children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011 , 24, 907-11	1.6	35
105	The association of metabolic syndrome, insulin resistance and non-alcoholic fatty liver disease in overweight/obese children. 2012 , 18, 44-9		45
104	Clustering of metabolic risk factors is associated with high-normal levels of liver enzymes among 6- to 8-year-old children: the PANIC study. 2012 , 10, 337-43		25
103	Usefulness of the high triglyceride-to-HDL cholesterol ratio to identify cardiometabolic risk factors and preclinical signs of organ damage in outpatient children. 2012 , 35, 158-62		87
102	Diagnosis of nonalcoholic fatty liver disease in children and adolescents: position paper of the ESPGHAN Hepatology Committee. 2012 , 54, 700-13		311
101	Relationship between fatty liver and glucose metabolism: a cross-sectional study in 571 obese children. 2012 , 22, 120-6		36
100	Fatty liver disease. 2012 , 293-359		9
99	Non-alcoholic steatohepatitis: an overview including treatments with herbals as alternative therapeutics. 2012 , 10, 119-136		10
98	Role of cytokines and chemokines in non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2012 , 18, 727-35	5.6	216
97	Children with NAFLD are more sensitive to the adverse metabolic effects of fructose beverages than children without NAFLD. 2012 , 97, E1088-98		63
96	The burden of liver disease in Europe: a review of available epidemiological data. 2013 , 58, 593-608		858
95	Genetic and clinical markers of elevated liver fat content in overweight and obese Hispanic children. 2013 , 21, E790-7		10

94	Fatty liver and insulin resistance in children with hypobetalipoproteinemia: the importance of aetiology. 2013 , 79, 49-54		19
93	Pediatric nonalcoholic fatty liver disease. 2013 , 28, 448-58		20
92	High-sensitivity C-reactive protein levels and metabolic disorders in obese and overweight children and adolescents. 2013 , 5, 44-9		15
91	Relationship between aspartate aminotransferase-to-platelet ratio index and carotid intima-media thickness in obese adolescents with non-alcoholic fatty liver disease. 2013 , 5, 182-8		13
90	Severe obesity in children and adolescents: identification, associated health risks, and treatment approaches: a scientific statement from the American Heart Association. 2013 , 128, 1689-712		640
89	Sexually dimorphic genome-wide binding of retinoid X receptor alpha (RXR α) determines male-female differences in the expression of hepatic lipid processing genes in mice. <i>PLoS ONE</i> , 2013 , 8, e71538	3.7	16
88	Is non-alcoholic fatty liver disease less frequent among women with Prader-Willi syndrome?. 2014 , 7, 71-6		19
87	The role of dietary sugars and de novo lipogenesis in non-alcoholic fatty liver disease. 2014 , 6, 5679-703		95
86	Prevalence, risk factors, and predictors of nonalcoholic fatty liver disease among schoolchildren: a hospital-based study in Alexandria, Egypt. 2014 , 15, 76-81		18
85	Association of nonalcoholic fatty liver disease with cardiovascular risk factors in obese adolescents: the role of interdisciplinary therapy. 2014 , 8, 265-72		25
84	Which metabolic syndrome criteria best predict non-alcoholic fatty liver disease in children?. 2014 , 19, 495-501		9
83	Histological abnormalities in children with nonalcoholic fatty liver disease and normal or mildly elevated alanine aminotransferase levels. 2014 , 164, 707-713.e3		99
82	Weight trajectories through infancy and childhood and risk of non-alcoholic fatty liver disease in adolescence: the ALSPAC study. 2014 , 61, 626-32		96
81	The gastrointestinal microbiota and multi-strain probiotic therapy: In children and adolescent obesity. 2014 , 1, 2-8		1
80	Transient Elastography-Based Liver Profiles in a Hospital-Based Pediatric Population in Japan. <i>PLoS ONE</i> , 2015 , 10, e0137239	3.7	42
79	A comprehensive review of noninvasive liver fibrosis tests in pediatric nonalcoholic Fatty liver disease. 2015 , 17, 23		47
78	Improvement in nonalcoholic fatty liver disease and metabolic syndrome in adolescents undergoing bariatric surgery. 2015 , 11, 442-9		24
77	Bariatric surgery for nonalcoholic fatty liver disease in adolescents with severe obesity. 2015 , 11, 449-50		2

76	Associations of I148M variant in PNPLA3 gene with plasma ALT levels during 2-year follow-up in normal weight and overweight children: the PANIC Study. 2015 , 10, 84-90		15
75	Feasibility of and agreement between MR imaging and spectroscopic estimation of hepatic proton density fat fraction in children with known or suspected nonalcoholic fatty liver disease. 2015 , 40, 3084-90		17
74	Health implications of high-fructose intake and current research. 2015 , 6, 729-37		52
73	High prevalence of vitamin D insufficiency/deficiency in Dutch multi-ethnic obese children. 2015 , 174, 183-90		12
72	Oral fructose absorption in obese children with non-alcoholic fatty liver disease. 2015 , 10, 188-95		37
71	Paediatric NAFLD. 2016 , 29-35		1
70	Nonalcoholic Fatty Liver Is Not Associated with the Relationship between Insulin Secretion and Insulin Sensitivity in Obese Children: Matched Case-Control Study. 2016 , 12, 426-431		4
69	Alcoholic and Non-Alcoholic Fatty Liver Disease. 2016 ,		3
68	Plasma Cytokeratin-18 Level As a Novel Biomarker for Liver Fibrosis in Children With Nonalcoholic Fatty Liver Disease. 2016 , 63, 181-7		32
67	The Progression and Natural History of Pediatric Nonalcoholic Fatty Liver Disease. 2016 , 20, 325-38		92
66	Tyrosol Attenuates High Fat Diet-Induced Hepatic Oxidative Stress: Potential Involvement of Cystathionine β -Synthase and Cystathionine γ -Lyase. 2016 , 51, 583-90		23
65	Nonalcoholic Fatty Liver Disease. 2016 , 753-774		
64	The epidemiology of non-alcoholic fatty liver disease. <i>Liver International</i> , 2017 , 37 Suppl 1, 81-84	7.9	367
63	Effect of maternal dietary counselling during the 1st year of life on glucose profile and insulin resistance at the age of 8 years: a randomised field trial. 2017 , 117, 134-141		8
62	Peri-operative management of overweight and obese children and adolescents. 2017 , 1, 311-322		4
61	In vivo redox metabolic imaging of mitochondria assesses disease progression in non-alcoholic steatohepatitis. <i>Scientific Reports</i> , 2017 , 7, 17170	4.9	11
60	Accuracy of Liver Fat Quantification With Advanced CT, MRI, and Ultrasound Techniques: Prospective Comparison With MR Spectroscopy. 2017 , 208, 92-100		123
59	Insulin-like growth factor 1 and metabolic parameters are associated with nonalcoholic fatty liver disease in obese children and adolescents. 2017 , 106, 298-303		13

58	Prevalence and Correlates of Suspected Nonalcoholic Fatty Liver Disease in Chinese Children. 2017 , 14,		17
57	Novel Insights in the Metabolic Syndrome in Childhood and Adolescence. 2017 , 88, 181-193		57
56	Osteocalcin: A New Biomarker for Non Alcoholic Fatty Liver Disease (NAFLD) in Children and Adolescents. 2017 , 03,		2
55	Fructose and sugar: A major mediator of non-alcoholic fatty liver disease. 2018 , 68, 1063-1075		346
54	Metabolic and genetic markersTassociations with elevated levels of alanine aminotransferase in adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2018 , 31, 407-414	1.6	5
53	Serum Osteocalcin Levels in Children With Nonalcoholic Fatty Liver Disease. 2018 , 66, 117-121		9
52	Nonalcoholic Liver Disease in Children and Adolescents. 2018 , 22, 723-733		15
51	Biochemical Predictors of Early Onset Non-Alcoholic Fatty Liver Disease in Young Children with Obesity. 2018 , 33, e122		9
50	Associations of hyperuricemia and obesity with remission of nonalcoholic fatty liver disease among Chinese men: A retrospective cohort study. <i>PLoS ONE</i> , 2018 , 13, e0192396	3.7	9
49	Usefulness of Transient Elastography for Non-Invasive Diagnosis of Liver Fibrosis in Pediatric Non-Alcoholic Steatohepatitis. 2019 , 34, e165		6
48	The Liver in Children With Metabolic Syndrome. <i>Frontiers in Endocrinology</i> , 2019 , 10, 514	5.7	11
47	Effects of magnitude of visceral adipose tissue reduction: Impact on insulin resistance, hyperleptinemia and cardiometabolic risk in adolescents with obesity after long-term weight-loss therapy. <i>Diabetes and Vascular Disease Research</i> , 2019 , 16, 196-206	3.3	8
46	Temporal trends in severe obesity prevalence in children and youth from primary care electronic medical records in Ontario: a repeated cross-sectional study. <i>CMAJ Open</i> , 2019 , 7, E351-E359	2.5	7
45	The assessment of liver fibrosis in children with obesity on two methods: transient and two dimensional shear wave elastography. <i>Scientific Reports</i> , 2019 , 9, 19800	4.9	9
44	Obese boys with low concentrations of high-density lipoprotein cholesterol are at greater risk of hepatosteatosis. <i>Hormones</i> , 2019 , 18, 477-484	3.1	3
43	Metabolic Syndrome Is Associated With Advanced Liver Fibrosis Among Pediatric Patients With Non-alcoholic Fatty Liver Disease. <i>Frontiers in Pediatrics</i> , 2019 , 7, 491	3.4	12
42	The Human Gut-Liver-Axis in Health and Disease. 2019 ,		
41	Impact of Childhood Obesity in Fatty Liver Disease. 2019 , 47-64		

40	Reducing NAFLD-screening time: A comparative study of eight diagnostic methods offering an alternative to ultrasound scans. <i>Liver International</i> , 2019 , 39, 187-196	7.9	12
39	Effect of a multicomponent intervention in components of metabolic syndrome: a study with overweight/obese low-income school-aged children. <i>Sport Sciences for Health</i> , 2020 , 16, 137-145	1.3	4
38	Liver Fat and Cardiometabolic Risk Factors Among School-Age Children. <i>Hepatology</i> , 2020 , 72, 119-129	11.2	13
37	Effects of obesity reduction on transient elastography-based parameters in pediatric non-alcoholic fatty liver disease. <i>Obesity Research and Clinical Practice</i> , 2020 , 14, 473-478	5.4	6
36	Challenges of pediatric obesity in perioperative care. <i>International Anesthesiology Clinics</i> , 2020 , 58, 9-13	0.6	
35	Pathophysiology of Obesity-Induced Health Complications. 2020 ,		2
34	Predictors of non-alcoholic fatty liver disease (NAFLD) among children with obesity. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2020 , 33, 247-253	1.6	4
33	The gap between overweight and obesity status in children - (STROBE-compliant article). <i>Medicine (United States)</i> , 2021 , 100, e24520	1.8	2
32	Changes in Liver Enzymes and Metabolic Profile in Adolescents with Fatty Liver following Exercise Interventions. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2021 , 24, 54-64	2.3	2
31	Development and Internal Validation of Fatty Liver Prediction Models in Obese Children and Adolescents. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
30	Non-Alcoholic Fatty Liver Disease in Obese Youth With Insulin Resistance and Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2021 , 12, 639548	5.7	11
29	Predictive values of biochemical markers as early indicators for severe COVID-19 cases in admission. <i>Future Virology</i> , 2021 , 16, 353-367	2.4	4
28	Evaluation of clinical, endocrine and metabolic findings in obese children with and without hepatosteatosis. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2021 , 34, 1081-1087	1.6	1
27	The Peculiar Trialogue between Pediatric Obesity, Systemic Inflammatory Status, and Immunity. <i>Biology</i> , 2021 , 10,	4.9	1
26	Association of Serum Bilirubin Level with Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: A Cross-Sectional Study of 1672 Obese Children. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	0
25	Prospective assessment of liver stiffness by shear wave elastography in childhood obesity: a pilot study. <i>Endocrine</i> , 2021 , 1	4	2
24	Obesity-Induced Non-alcoholic Fatty Liver Disease (NAFLD): Role of Hyperhomocysteinemia. 2020 , 181-192		0
23	Nonalcoholic Fatty Liver Disease in Children. 2016 , 339-362		1

22	1H-MRS Measured Ectopic Fat in Liver and Muscle in Danish Lean and Obese Children and Adolescents. <i>PLoS ONE</i> , 2015 , 10, e0135018	3.7	15
21	Association between the hyperuricemia and nonalcoholic fatty liver disease risk in a Chinese population: A retrospective cohort study. <i>PLoS ONE</i> , 2017 , 12, e0177249	3.7	11
20	Nonalcoholic fatty liver disease in asymptomatic Brazilian adolescents. <i>World Journal of Gastroenterology</i> , 2009 , 15, 473-7	5.6	20
19	Pediatric nonalcoholic fatty liver disease: overview with emphasis on histology. <i>World Journal of Gastroenterology</i> , 2010 , 16, 5280-5	5.6	34
18	Translational approaches: from fatty liver to non-alcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9038-49	5.6	35
17	Noninvasive biomarkers in non-alcoholic fatty liver disease: current status and a glimpse of the future. <i>World Journal of Gastroenterology</i> , 2014 , 20, 10851-63	5.6	70
16	Complications of obesity in childhood. <i>Pediatric Annals</i> , 2007 , 36, 96-101	1.3	15
15	Overview of screening methods for fatty liver disease in children. <i>World Journal of Hepatology</i> , 2012 , 4, 1-4	3.4	13
14	The Relationship Between Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome in Children. <i>International Journal of School Health</i> , 2016 , 4,	0.6	0
13	Prevalence of Acanthosis nigricans and Related Factors in Iranian Obese Children. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, SC05-SC07	0	4
12	Which Method is Superior in the Diagnosis of Nonalcoholic Fatty Liver and Steatohepatitis in Children?. <i>Hepatitis Monthly</i> , 2017 , 17,	1.8	
11	Prevalence of Non-Alcoholic Fatty Liver Disease (NAFLD) and its Clinical Characteristics in Overweight and Obese Children in the South East of Iran, 2017. <i>Hepatitis Monthly</i> , 2018 , In Press,	1.8	0
10	Risk Score Model for Predicting Sonographic Non-alcoholic Fatty Liver Disease in Children and Adolescents. <i>Iranian Journal of Pediatrics</i> , 2011 , 21, 181-7	1	7
9	Nonalcoholic Fatty Liver Disease. 2022 , 911-930		
8	Fatty Liver through the Ages- Non-Alcoholic Steatohepatitis (NASH).. <i>Endocrine Practice</i> , 2021 ,	3.2	2
7	The Role of Aspartate Transaminase to Platelet Ratio Index (APRI) for the Prediction of Non-Alcoholic Fatty Liver Disease (NAFLD) in Severely Obese Children and Adolescents.. <i>Metabolites</i> , 2022 , 12,	5.6	2
6	Occurrence and clinical significance of abnormal liver findings by ultrasound in captive owl monkeys. <i>Journal of Medical Primatology</i> , 2021 ,	0.7	
5	Nonalcoholic Fatty Liver Disease in Children.. <i>Gastroenterology and Hepatology</i> , 2021 , 17, 579-587	0.7	

4	Comparison of the Modified TyG Indices and Other Parameters to Predict Non-Alcoholic Fatty Liver Disease in Youth. <i>Biology</i> , 2022 , 11, 685	4.9	0
3	Correlation between Transient Elastography (Fibroscan®) and Ultrasonographic and Computed Tomographic Grading in Pediatric Nonalcoholic Steatohepatitis. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2022 , 25, 240	2.3	2
2	Benefits of Physical Exercise as Approach to Prevention and Reversion of Non-Alcoholic Fatty Liver Disease in Children and Adolescents with Obesity. 2022 , 9, 1174		1
1	Comparison of Body Composition, Muscle Strength and Cardiometabolic Profile in Children with Prader-Willi Syndrome and Non-Alcoholic Fatty Liver Disease: A Pilot Study. 2022 , 23, 15115		0