

CITATION REPORT

List of articles citing

The EPIC nutrient database project (ENDB): a first attempt to standardize nutrient databases across the 10 European countries participating in the EPIC study

DOI: 10.1038/sj.ejcn.1602679

European Journal of Clinical Nutrition, 2007, 61, 1037-56.

Source: <https://exaly.com/paper-pdf/42814808/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
294	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007 , 10, 1515-25	3.3	110
293	The importance of harmonizing food composition data across Europe. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 813-21	5.2	39
292	Dietary energy density in relation to subsequent changes of weight and waist circumference in European men and women. <i>PLoS ONE</i> , 2009 , 4, e5339	3.7	52
291	Biobanks and the importance of detailed phenotyping: a case study--the European Glaucoma Society GlaucoGENE project. 2009 , 93, 577-81		16
290	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 331-46	7	168
289	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 202-9	7	100
288	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1632-41	7	58
287	Energy intake and sources of energy intake in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S3-15	5.2	21
286	Intake of total, animal and plant proteins, and their food sources in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S16-36	5.2	67
285	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S37-60	5.2	75
284	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S61-80	5.2	83
283	Alcohol consumption patterns, diet and body weight in 10 European countries. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S81-100	5.2	27
282	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S101-21	5.2	73
281	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S122-49	5.2	32
280	Dietary intakes of retinol, beta-carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S150-78	5.2	46
279	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S179-87	5.2	21
278	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S188-205	5.2	48

277	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S206-25	5.2	116
276	Eating out of home: energy, macro- and micronutrient intakes in 10 European countries. The European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S239-62	5.2	68
275	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S263-74	5.2	17
274	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. 2009 , 33, 1280-8		51
273	EuroFIR Synthesis report No 7: Food composition explained. 2009 , 34, 250-272		23
272	Establishing quality management systems for European food composition databases. <i>Food Chemistry</i> , 2009 , 113, 776-780	8.5	23
271	Readiness of food composition databases and food component analysis systems for nutrigenomics. <i>Journal of Food Composition and Analysis</i> , 2009 , 22, S57-S62	4.1	10
270	Harmonisation of recipe calculation procedures in European food composition databases. <i>Journal of Food Composition and Analysis</i> , 2009 , 22, 410-413	4.1	35
269	Food composition databases: The EuroFIR approach to develop tools to assure the quality of the data compilation process. <i>Food Chemistry</i> , 2009 , 113, 759-767	8.5	43
268	Spanish food composition database: A challenge for a consensus. <i>Food Chemistry</i> , 2009 , 113, 789-794	8.5	9
267	Building a unified Spanish food database according to EuroFIR specifications. <i>Food Chemistry</i> , 2009 , 113, 784-788	8.5	14
266	Adherence to the Mediterranean diet and risk of coronary heart disease in the Spanish EPIC Cohort Study. 2009 , 170, 1518-29		219
265	Harmonised information exchange between decentralised food composition database systems. <i>European Journal of Clinical Nutrition</i> , 2010 , 64 Suppl 3, S58-63	5.2	10
264	Fruit and Vegetable Intake of Mothers in Europe. 2010 , 161-172		1
263	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
262	Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. <i>Journal of Nutrition</i> , 2010 , 140, 1280-6	4.1	86
261	Conformity to traditional Mediterranean diet and breast cancer risk in the Greek EPIC (European Prospective Investigation into Cancer and Nutrition) cohort. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 620-5	7	112
260	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163

259	Diet and cancer prevention: Contributions from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. 2010 , 46, 2555-62		259
258	Mediterranean diet and type 2 diabetes risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study: the InterAct project. 2011 , 34, 1913-8		149
257	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011 , 106, 1915-25	3.6	71
256	Diet and hip fractures among elderly Europeans in the EPIC cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 132-9	5.2	43
255	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
254	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. 2011 , 35, 416-26		41
253	Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. 2011 , 35, 1104-13		72
252	Critical evaluation of folate data in European and international databases: recommendations for standardization in international nutritional studies. 2011 , 55, 166-80		35
251	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011 , 129, 449-59	7.5	38
250	OQALI: A French database on processed foods. <i>Journal of Food Composition and Analysis</i> , 2011 , 24, 744-749	4.1	24
249	Tocopherol and carotenoid content of foods commonly consumed in Costa Rica. <i>Journal of Food Composition and Analysis</i> , 2011 , 24, 202-216	4.1	23
248	Food composition database harmonization for between-country comparisons of nutrient data in the TEDDY Study. <i>Journal of Food Composition and Analysis</i> , 2011 , 24, 494-505	4.1	27
247	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011 , 106, 1581-91	3.6	107
246	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 826-35	7	95
245	A comparative analysis of dietary intakes during pregnancy in Europe: a planned pooled analysis of birth cohort studies. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1993S-1999S	7	7
244	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011 , 106, 1090-9	3.6	85
243	The standardized computerized 24-h dietary recall method EPIC-Soft adapted for pan-European dietary monitoring. <i>European Journal of Clinical Nutrition</i> , 2011 , 65 Suppl 1, S5-15	5.2	81
242	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. 2011 , 103, 1686-95		167

241	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). 2011 , 63, 1235-50		28
240	Updated folate data in the Dutch Food Composition Database and implications for intake estimates. <i>Food and Nutrition Research</i> , 2012 , 56,	3.1	8
239	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 164-74	7	87
238	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 184-93	7	69
237	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
236	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012 , 108, 552-69	3.6	39
235	Fish consumption does not prevent increase in waist circumference in European women and men. <i>British Journal of Nutrition</i> , 2012 , 108, 924-31	3.6	15
234	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1082-92	5.2	195
233	Dietary reporting errors on 24 h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012 , 107, 910-20	3.6	54
232	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 902-10	7	37
231	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 150-63	7	231
230	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2138-48	4	15
229	Asia Cohort Consortium: challenges for collaborative research. 2012 , 22, 287-90		9
228	Purchases of ready-to-eat cereals vary across US household sociodemographic categories according to nutritional value and advertising targets. <i>Public Health Nutrition</i> , 2012 , 15, 1456-65	3.3	20
227	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1468-76	7	19
226	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. <i>British Journal of Nutrition</i> , 2012 , 108, 2075-82	3.6	69
225	Interaction between interleukin-10 (IL-10) polymorphisms and dietary fibre in relation to risk of colorectal cancer in a Danish case-cohort study. 2012 , 12, 183		33
224	Association between FTO variant and change in body weight and its interaction with dietary factors: the DiOGenes study. 2012 , 20, 1669-74		35

223	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 950-6	5.2	24
222	Bias in protein and potassium intake collected with 24-h recalls (EPIC-Soft) is rather comparable across European populations. <i>European Journal of Nutrition</i> , 2012 , 51, 997-1010	5.2	20
221	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , 2012 , 7, e39361	3.7	179
220	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
219	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 932-41	5.2	94
218	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 142-9	7	108
217	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. 2012 , 55, 1944-52		61
216	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 635-44	7.5	23
215	Mediterranean diet and incidence of hip fractures in a European cohort. 2013 , 24, 1587-98		87
214	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. 2013 , 56, 47-59		101
213	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. 2013 , 8, 549-60		33
212	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369-80	5.2	38
211	Genetic variation in the lactase gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1901-10	7.5	35
210	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
209	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. 2013 , 139, 163-76		44
208	Cross-border use of food databases: equivalence of US and Australian databases for macronutrients. 2013 , 113, 1340-5		7
207	Enviromics. 2013 , 29-41		
206	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12

205	Body mass index and the risk for Crohn's disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). 2013 , 108, 575-82		113
204	Nutritional epidemiology: New perspectives for understanding the diet-disease relationship?. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 424-9	5.2	64
203	Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. 2013 , 56, 1520-30		188
202	Association between habitual dietary flavonoid and lignan intake and colorectal cancer in a Spanish case-control study (the Bellvitge Colorectal Cancer Study). <i>Cancer Causes and Control</i> , 2013 , 24, 549-57	2.8	60
201	Physical activity and risk of cerebrovascular disease in the European Prospective Investigation into Cancer and Nutrition-Spain study. 2013 , 44, 111-8		28
200	Dietary flavonoid and lignan intake and mortality in a Spanish cohort. 2013 , 24, 726-33		54
199	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20	7	123
198	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. 2013 , 178, 570-81		29
197	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. 2013 , 36, 3961-70		89
196	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. 2013 , 24, 543-553		79
195	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2429-43	7.5	54
194	Usual dietary intakes of selected trace elements (Zn, Cu, Mn, I, Se, Cr, and Mo) and biotin revealed by a survey of four-season 7-consecutive day weighed dietary records in middle-aged Japanese dietitians. 2013 , 59, 281-8		17
193	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53	7	69
192	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013 , 8, e72715	3.7	64
191	Interactions between diet, lifestyle and IL10, IL1B, and PTGS2/COX-2 gene polymorphisms in relation to risk of colorectal cancer in a prospective Danish case-cohort study. <i>PLoS ONE</i> , 2013 , 8, e78366	3.7	45
190	Analysis, Presentation, and Interpretation of Dietary Data. 2013 , 125-140		
189	Nutrient patterns and their food sources in an International Study Setting: report from the EPIC study. <i>PLoS ONE</i> , 2014 , 9, e98647	3.7	37
188	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135

187	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
186	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
185	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
184	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. 2015 , 107, 367		22
183	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survival--results from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23	4	23
182	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. 2014 , 111, 1870-80		41
181	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 2930-9	7.5	45
180	The EPIC-InterAct Study: A Study of the Interplay between Genetic and Lifestyle Behavioral Factors on the Risk of Type 2 Diabetes in European Populations. 2014 , 3, 355-363		19
179	Carbohydrate intake in the etiology of Crohn's disease and ulcerative colitis. 2014 , 20, 2013-21		58
178	Consumption of predefined Nordic dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014 , 17, 2650-9	3.3	17
177	Adherence to the Spanish dietary guidelines and its association with obesity in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Granada study. <i>Public Health Nutrition</i> , 2014 , 17, 2425-35	3.3	8
176	Adherence to predefined dietary patterns and incident type 2 diabetes in European populations: EPIC-InterAct Study. 2014 , 57, 321-33		59
175	Dairy products and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 1662-72	7.5	44
174	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
173	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014 , 29, 639-52	12.1	41
172	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. 2014 , 38, 528-37		10
171	Low bone mineral density predicts incident heart failure in men and women: the EPIC (European Prospective Investigation into Cancer and Nutrition)-Norfolk prospective study. 2014 , 2, 380-9		25
170	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. 2014 , 2, 810-8		330

169	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014 , 29, 261-75	12.1	50
168	Eating out is different from eating at home among individuals who occasionally eat out. A cross-sectional study among middle-aged adults from eleven European countries. <i>British Journal of Nutrition</i> , 2015 , 113, 1951-64	3.6	36
167	A statistical framework to model the meeting-in-the-middle principle using metabolomic data: application to hepatocellular carcinoma in the EPIC study. 2015 , 30, 743-53		23
166	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
165	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. 2015 , 112, 1273-82		30
164	Improving the estimation of flavonoid intake for study of health outcomes. 2015 , 73, 553-76		38
163	No association between HMOX1 and risk of colorectal cancer and no interaction with diet and lifestyle factors in a prospective Danish case-cohort study. 2015 , 16, 1375-84		8
162	La mayor adherencia a un patrón de dieta mediterránea se asocia a una mejora del perfil lipídico plasmático: la cohorte del Aragon Health Workers Study. 2015 , 68, 290-297		31
161	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015 , 13, 107	11.4	45
160	Greater adherence to a Mediterranean dietary pattern is associated with improved plasma lipid profile: the Aragon Health Workers Study cohort. 2015 , 68, 290-7		16
159	Dietary fibre and incidence of type 2 diabetes in eight European countries: the EPIC-InterAct Study and a meta-analysis of prospective studies. 2015 , 58, 1394-408		188
158	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015 , 137, 2715-28	7.5	23
157	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. <i>Cancer Causes and Control</i> , 2015 , 26, 1845-55	2.8	
156	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. 2015 , 113, 840-7		13
155	Nutrition Software for Clinical Dietitians: Patient Management and Nutrition Care Process Guidance. 2015 , 191, 1665-1670		1
154	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 455-61	5.2	27
153	Dietary inflammatory index and inflammatory gene interactions in relation to colorectal cancer risk in the Bellvitge colorectal cancer case-control study. 2015 , 10, 447		91
152	Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 2640-8	7.5	70

151	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015 , 54, 365-75	5.2	22
150	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe: Results from the EPIC Study. 2016 , 22, 345-54		127
149	Fruit and Vegetable Intake and Hip Fracture Incidence in Older Men and Women: The CHANCES Project. 2016 , 31, 1743-52		38
148	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	3.3	32
147	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13 ¹ 8-year follow-up study. <i>Public Health Nutrition</i> , 2016 , 19, 674-81	3.3	12
146	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 760-8	7	20
145	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1480-92	7.5	14
144	Investigation of gene-diet interactions in the incretin system and risk of type 2 diabetes: the EPIC-InterAct study. 2016 , 59, 2613-2621		23
143	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. 2016 , 115, 1430-1440		18
142	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. 2016 , 22, 1403-11		55
141	Healthy Lifestyle and Risk of Cancer in the European Prospective Investigation Into Cancer and Nutrition Cohort Study. 2016 , 95, e2850		31
140	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. 2016 , 85, 106-112		23
139	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
138	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
137	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016 , 19, 242-54	3.3	21
136	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. 2016 , 26, 439-45		4
135	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016 , 138, 65-73	7.5	16
134	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 161-7	7	22

133	Unprocessed red meat and processed meat consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 313-9	5.2	6
132	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104	5.2	14
131	EuroFIR quality approach for managing food composition data; where are we in 2014?. <i>Food Chemistry</i> , 2016 , 193, 69-74	8.5	15
130	Compilation of a standardised international folate database for EPIC. <i>Food Chemistry</i> , 2016 , 193, 134-40	8.5	14
129	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. 2017 , 61, 1600927		1
128	No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 512-518	5.2	33
127	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). 2017 , 61, 1600649		12
126	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. 2017 , 116, 811-820		21
125	Biomarkers of folate and vitamin B12 and breast cancer risk: report from the EPIC cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1246-1259	7.5	28
124	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 263-275	7	36
123	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017 , 147, 1366-1373	4.1	10
122	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 407-419	5.2	17
121	Estimates of Energy Intake and Expenditure in Elite Female Touch Players During an International Tournament. 2017 , 27, 499-506		4
120	Alcohol consumption and risk of urothelial cell bladder cancer in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2017 , 141, 1963-1970	7.5	14
119	Improving standardization of national nutrient databases for use in international settings: A Korean proof of concept. <i>Journal of Food Composition and Analysis</i> , 2017 , 64, 55-63	4.1	3
118	Development of a harmonized food grouping system for between-country comparisons in the TEDDY Study. <i>Journal of Food Composition and Analysis</i> , 2017 , 63, 79-88	4.1	5
117	Measurement Errors in Dietary Assessment Using Self-Reported 24-Hour Recalls in Low-Income Countries and Strategies for Their Prevention. 2017 , 8, 980-991		80
116	Evaluation of urinary resveratrol as a biomarker of dietary resveratrol intake in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2017 , 117, 1596-1602	3.6	12

115	Trends in added sugar intake and food sources in a cohort of older Australians: 15 years of follow-up from the Blue Mountains Eye Study. <i>Journal of Human Nutrition and Dietetics</i> , 2017 , 30, 339-348	3.1	5
114	Adherence to the WCRF/AICR Dietary Recommendations for Cancer Prevention and Risk of Cancer in Elderly from Europe and the United States: A Meta-Analysis within the CHANCES Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 136-144	4	50
113	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017 , 140, 316-321	7.5	9
112	The contribution of food composition resources to nutrition science methodology. 2017 , 42, 198-206		11
111	Bioactive Components in Moringa Oleifera Leaves Protect against Chronic Disease. <i>Antioxidants</i> , 2017 , 6,	7.1	152
110	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002409	11.6	39
109	Diet and endometrial cancer: a focus on the role of fruit and vegetable intake, Mediterranean diet and dietary inflammatory index in the endometrial cancer risk. 2017 , 17, 757		20
108	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017 , 15, 203	11.4	30
107	Analysis, Presentation, and Interpretation of Dietary Data. 2017 , 167-184		2
106	Inventory on the dietary assessment tools available and needed in africa: a prerequisite for setting up a common methodological research infrastructure for nutritional surveillance, research, and prevention of diet-related non-communicable diseases. 2018 , 58, 37-61		20
105	Global Dietary Surveillance: Data Gaps and Challenges. 2018 , 39, 175-205		39
104	Mediterranean diet and hip fracture incidence among older adults: the CHANCES project. 2018 , 29, 1591-1599		21
103	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
102	Comparison of the Dietary Antioxidant Profiles of 21 a priori Defined Mediterranean Diet Indexes. 2018 , 118, 2254-2268.e8		11
101	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018 , 143, 801-812	7.5	24
100	Determinants of folate and vitamin B12 plasma levels in the French E3N-EPIC cohort. <i>European Journal of Nutrition</i> , 2018 , 57, 751-760	5.2	10
99	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. 2018 , 41, 277-285		11
98	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. 2018 , 39, 397-406		146

97	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002651	11.6	26
96	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075	12.1	23
95	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 517-524	7	32
94	Food Composition Databases: Considerations about Complex Food Matrices. <i>Foods</i> , 2018 , 7,	4.9	24
93	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , 2018 , 10,	6.7	15
92	The human metabolic profile reflects macro- and micronutrient intake distinctly according to fasting time. <i>Scientific Reports</i> , 2018 , 8, 12262	4.9	10
91	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 117-126	7	7
90	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , 2019 , 58, 2003-2010	5.2	16
89	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993	4.1	13
88	Modelling the Effect of Compliance with Nordic Nutrition Recommendations on Cardiovascular Disease and Cancer Mortality in the Nordic Countries. <i>Nutrients</i> , 2019 , 11,	6.7	6
87	Food Composition at Present: New Challenges. <i>Nutrients</i> , 2019 , 11,	6.7	27
86	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 2349-2359	7.5	3
85	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019 , 149, 1047-1055	4.1	3
84	Development and simulated validation of a dish composition database for estimating food group and nutrient intakes in Japan. <i>Public Health Nutrition</i> , 2019 , 22, 2367-2380	3.3	4
83	12th IFDC 2017 Special Issue I Evaluation of harmonized EuroFIR documentation for macronutrient values in 26 European food composition databases. <i>Journal of Food Composition and Analysis</i> , 2019 , 80, 40-50	4.1	7
82	Association of leukocyte DNA methylation changes with dietary folate and alcohol intake in the EPIC study. <i>Clinical Epigenetics</i> , 2019 , 11, 57	7.7	14
81	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221	11.4	7
80	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 1511-1521	7.5	5

79	Timing of eating across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019 , 22, 324-335	3.3	7
78	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020 , 59, 1481-1492	5.2	6
77	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 146, 759-768	7.5	6
76	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 1841-1850	7.5	9
75	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2893-2904	5.2	22
74	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020 , 59, 2929-2937	5.2	6
73	Urinary flavanone concentrations as biomarkers of dietary flavanone intakes in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2020 , 123, 691-698	3.6	5
72	Comparing Calculated Nutrient Intakes Using Different Food Composition Databases: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Nutrients</i> , 2020 , 12,	6.7	5
71	Methodological approaches to compile and validate a food composition database for methyl-group carriers in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Food Chemistry</i> , 2020 , 330, 127231	8.5	0
70	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020 , 150, 3241-3248	4.1	1
69	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23
68	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1739-1749	4	6
67	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24
66	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
65	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5	8.3	12
64	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039	7.5	5
63	Association between lifestyle, dietary, reproductive, and anthropometric factors and circulating 27-hydroxycholesterol in EPIC-Heidelberg. <i>Cancer Causes and Control</i> , 2020 , 31, 181-192	2.8	4
62	Plasma Non-Enzymatic Antioxidant Capacity (NEAC) in Relation to Dietary NEAC, Nutrient Antioxidants and Inflammation-Related Biomarkers. <i>Antioxidants</i> , 2020 , 9,	7.1	3

61	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	2
60	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021 , 148, 2115-2128	7.5	3
59	Nutrition research methods: usage cases, possibilities, and limitations. <i>Profilakticheskaya Meditsina</i> , 2021 , 24, 109	0.5	1
58	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021 , 19, 1	11.4	48
57	Mediterranean Diet and Risk of Dementia and Alzheimer's Disease in the EPIC-Spain Dementia Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.7	10
56	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021 , 19, 81	11.4	7
55	A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 338-347	7	1
54	A Prospective Diet-Wide Association Study for Risk of Colorectal Cancer in EPIC. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
53	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. <i>International Journal of Cancer</i> , 2021 , 149, 854	7.5	5
52	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrients</i> , 2021 , 13,	6.7	0
51	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021 , 36, 953-964	12.1	0
50	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021 , 40, 3772-3779	5.9	0
49	Inflammatory Potential of the Diet and Incidence of Crohn's Disease and Ulcerative Colitis in the EPIC-Spain Cohort. <i>Nutrients</i> , 2021 , 13,	6.7	0
48	Development of a nutrient dataset based on a standardized approach for a nutrition survey conducted in the United Arab Emirates. <i>Journal of Food Composition and Analysis</i> , 2021 , 100, 103899	4.1	1
47	The essential role of food composition databases for public health nutrition Experiences from the Netherlands. <i>Journal of Food Composition and Analysis</i> , 2021 , 101, 103967	4.1	6
46	Documentation of aggregated/compiled values in food composition databases; EuroFIR default to improve harmonization. <i>Journal of Food Composition and Analysis</i> , 2021 , 101, 103968	4.1	2
45	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021 , 10,	7.1	1
44	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	3

43	Evaluation of protein and amino acid intake estimates from the EPIC dietary questionnaires and 24-h dietary recalls using different food composition databases. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 ,	4.5	0
42	Exploring two food composition databases to estimate nutritional components of whole meals. <i>Journal of Food Composition and Analysis</i> , 2021 , 102, 104070	4.1	1
41	Association of Cycling With All-Cause and Cardiovascular Disease Mortality Among Persons With Diabetes: The European Prospective Investigation Into Cancer and Nutrition (EPIC) Study. <i>JAMA Internal Medicine</i> , 2021 , 181, 1196-1205	11.5	3
40	Common nutrition and health issues in Eastern Europe. 2022 , 187-231		
39	Food composition of the diet in relation to changes in waist circumference adjusted for body mass index. <i>PLoS ONE</i> , 2011 , 6, e23384	3.7	69
38	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54
37	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159025	3.7	58
36	Adherence to the Nordic Nutrition Recommendations in a Nordic population with metabolic syndrome: high salt consumption and low dietary fibre intake (The SYSDIET study). <i>Food and Nutrition Research</i> , 2013 , 57,	3.1	13
35	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1304-12	7	111
34	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003834	11.6	2
33	Evidence Update on the Relationship between Diet and the Most Common Cancers from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: A Systematic Review. <i>Nutrients</i> , 2021 , 13,	6.7	11
32	Agreement of dietary fiber and calorie intake values according to the choice of nutrient composition and household measure tables. <i>Revista De Nutricao</i> , 2017 , 30, 233-244	1.8	
31	Efficacy of <i>Moringa oleifera</i> Leaf Supplementation for Enhanced Growth Performance, Haematology and Serum Biochemistry of Rabbits. <i>Food and Nutrition Sciences (Print)</i> , 2018 , 09, 1285-1298	0.4	0
30	THE POSSIBLE SUBJECTS WITH PUBLIC AUTHORITY IN EUROPEAN COUNTRIES. <i>Humanities and Social Sciences Reviews</i> , 2019 , 7, 822-826	0.2	
29	How to Tackle the Relationship between Autoimmune Diseases and Diet: Well Begun Is Half-Done. <i>Nutrients</i> , 2021 , 13,	6.7	2
28	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021 , 10, e019814	6	3
27	Development of an Unified Food Composition Database for the European Project "Stance4Health".. <i>Nutrients</i> , 2021 , 13,	6.7	1
26	Modified WCRF/AICR Score and All-Cause, Digestive System, Cardiovascular, Cancer and Other-Cause-Related Mortality: A Competing Risk Analysis of Two Cohort Studies Conducted in Southern Italy. <i>Nutrients</i> , 2021 , 13,	6.7	0

25	Urinary Concentrations of (+)-Catechin and (-)-Epicatechin as Biomarkers of Dietary Intake of Flavan-3-ols in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	5
24	The Role of Diet, Alcohol, BMI, and Physical Activity in Cancer Mortality: Summary Findings of the EPIC Study.. <i>Nutrients</i> , 2021 , 13,	6.7	2
23	Oxidative Balance Scores (OBSs) Integrating Nutrient, Food and Lifestyle Dimensions: Development of the NutrientL-OBS and FoodL-OBS.. <i>Antioxidants</i> , 2022 , 11,	7.1	1
22	A review of harmonization methods for studying dietary patterns.. <i>Smart Health</i> , 2022 , 23,	2.1	1
21	Dietary B group vitamin intake and the bladder cancer risk: a pooled analysis of prospective cohort studies.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
20	Association Between Egg Consumption and Dementia Risk in the EPIC-Spain Dementia Cohort.. <i>Frontiers in Nutrition</i> , 2022 , 9, 827307	6.2	
19	Editorial: Databases and Nutrition.. <i>Frontiers in Nutrition</i> , 2022 , 9, 853600	6.2	0
18	Evidence of low vitamin D intakes in the Australian population points to a need for data-driven nutrition policy for improving population vitamin D status.. <i>Journal of Human Nutrition and Dietetics</i> , 2022 ,	3.1	1
17	Meat intake is associated with a higher risk of ulcerative colitis in a large European prospective cohort study.. <i>Journal of Crohn's and Colitis</i> , 2022 ,	1.5	1
16	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer.. <i>Nutrients</i> , 2021 , 13,	6.7	3
15	Prediction of Enhancers in DNA Sequence Data Using a Hybrid CNN-DLSTM Model.. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2022 , PP,	3	0
14	Inflammatory potential of the diet and association with risk of differentiated thyroid cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Nutrition</i> ,	5.2	1
13	Diet-wide association study of 92 foods and nutrients and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>International Journal of Cancer</i> ,	7.5	1
12	Sweetened beverages are associated with a higher risk of differentiated thyroid cancer in the EPIC cohort: a dietary pattern approach.		0
11	Evaluation of the New Individual Fatty Acid Dataset for UK Biobank: Analysis of Intakes and Sources in 207,997 Participants. 2022 , 14, 3603		0
10	Mycotoxin Exposure and Renal Cell Carcinoma Risk: An Association Study in the EPIC European Cohort. 2022 , 14, 3581		0
9	Protein and amino acid intakes in relation to prostate cancer risk and mortality: A prospective study in the European Prospective Investigation into Cancer and Nutrition.		1
8	Anthropogenic Organic Contaminants Analysed in Human Blood and Combined Risk.		0

- 7 Adherence to mediterranean diet and the risk of differentiated thyroid cancer in a European cohort: The EPIC study. 9, 0
- 6 Dietary Intake of 91 Individual Polyphenols and 5-Year Body Weight Change in the EPIC-PANACEA Cohort. **2022**, 11, 2425 2
- 5 Food composition databases in the era of Big Data: Vegetable oils as a case study. 9, 0
- 4 Association between classes and subclasses of polyphenol intake and 5-year body weight changes in the EPIC-PANACEA study. **2023**, 31, 1146-1158 0
- 3 Dietary patterns related to biological mechanisms and survival after breast cancer diagnosis: results from a cohort study. **2023**, 128, 1301-1310 0
- 2 Dietary fatty acids and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition. **2023**, 23, 0
- 1 Correlation Analysis between Dietary Intake of Tyrosols and Their Food Sources and Urinary Excretion of Tyrosol and Hydroxytyrosol in a European Population. **2023**, 12, 715 0