

CITATION REPORT

List of articles citing

A genome-wide association study identifies novel risk loci for type 2 diabetes

DOI: 10.1038/nature05616

Nature, 2007, 445, 881-5.

Source: <https://exaly.com/paper-pdf/42821477/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2295	The status of genetic investigations of schizophrenia. 288-308		
2294	Expression of metalloprotease insulin-degrading enzyme insulysin in normal and malignant human tissues. 1998 , 22, 421		1
2293	Metals in Cells: Control of Cellular Metal Concentration. 2004 , 1-12		2
2292	Genome-wide association studies of cancer. 2007 , 3, 419-27		10
2291	A search for variants associated with young-onset type 2 diabetes in American Indians in a 100K genotyping array. 2007 , 56, 3045-52		79
2290	Challenges in studies of the genetic basis of Type 2 diabetes. 2007 , 2, 451-459		
2289	Variation in TCF7L2 influences therapeutic response to sulfonylureas: a GoDARTs study. 2007 , 56, 2178-82		251
2288	Common variants of the novel type 2 diabetes genes CDKAL1 and HHEX/IDE are associated with decreased pancreatic beta-cell function. 2007 , 56, 3101-4		203
2287	Identification of type 2 diabetes genes in Mexican Americans through genome-wide association studies. 2007 , 56, 3033-44		105
2286	Tyrosine hydroxylase: another piece of the genetics of hypertension puzzle. 2007 , 116, 970-2		2
2285	The Walter B. Cannon Physiology in Perspective Lecture, 2007. ATP-sensitive K ⁺ channels and disease: from molecule to malady. 2007 , 293, E880-9		91
2284	Ectopic expression of Wnt10b decreases adiposity and improves glucose homeostasis in obese rats. 2007 , 293, E726-36		30
2283	Association study of the genetic polymorphisms of the transcription factor 7-like 2 (TCF7L2) gene and type 2 diabetes in the Chinese population. 2007 , 56, 2631-7		149
2282	RAGE, diabetes, and the nervous system. 2007 , 7, 766-76		65
2281	Medicine. Environmental biology and human disease. 2007 , 316, 695-6		73
2280	Functional effects of nonsynonymous polymorphisms in the human TRPV1 gene. 2007 , 293, F1865-76		46
2279	The diploid genome sequence of an individual human. 2007 , 5, e254		1249

2278	Linkage disequilibrium in wild mice. 2007 , 3, e144	89
2277	Power to detect risk alleles using genome-wide tag SNP panels. 2007 , 3, 1827-37	77
2276	Copy number variants and common disorders: filling the gaps and exploring complexity in genome-wide association studies. 2007 , 3, 1787-99	157
2275	Comprehensive testing of positionally cloned asthma genes in two populations. 2007 , 176, 849-57	74
2274	Association of prostaglandin E synthase 2 (PTGES2) Arg298His polymorphism with type 2 diabetes in two German study populations. 2007 , 92, 3183-8	20
2273	Impact of family history of diabetes and ethnicity on β -cell function in obese, glucose-tolerant individuals. 2007 , 92, 4656-63	28
2272	Genetic nondiscrimination legislation: a critical prerequisite for pharmacogenomics data sharing. 2007 , 8, 519	8
2271	[Prevention of type 2 diabetes mellitus: proven and new aspects]. 2007 , 132, 1057-61	2
2270	Nutrigenomics in perspective. 2007 , 8, 421-4	1
2269	Recent development in pharmacogenomics: from candidate genes to genome-wide association studies. 2007 , 7, 371-93	31
2268	Obesity. 2007 ,	11
2267	The genomics gold rush. 2007 , 298, 218-21	59
2266	Genetics of cardiovascular diseases: from single mutations to the whole genome. 2007 , 116, 1714-24	78
2265	Genetic susceptibility to age-related macular degeneration: a paradigm for dissecting complex disease traits. 2007 , 16 Spec No. 2, R174-82	146
2264	Genetic susceptibility to peripheral arterial disease: a dark corner in vascular biology. 2007 , 27, 2068-78	49
2263	Personalized medicine for high blood pressure. 2007 , 50, 1-5	56
2262	A 100K genome-wide association scan for diabetes and related traits in the Framingham Heart Study: replication and integration with other genome-wide datasets. 2007 , 56, 3063-74	74
2261	Genetics of sporadic amyotrophic lateral sclerosis. 2007 , 16 Spec No. 2, R233-42	125

2260	Genome-wide association: which do you want first: the good news, the bad news, or the good news?. 2007 , 56, 2844-8	6
2259	IGG: A tool to integrate GeneChips for genetic studies. 2007 , 23, 3105-7	9
2258	Relevance of cost-effectiveness analysis to clinicians and policy makers. 2007 , 298, 221-4	79
2257	Studies of association of variants near the HHEX, CDKN2A/B, and IGF2BP2 genes with type 2 diabetes and impaired insulin release in 10,705 Danish subjects: validation and extension of genome-wide association studies. 2007 , 56, 3105-11	207
2256	Studies in 3,523 Norwegians and meta-analysis in 11,571 subjects indicate that variants in the hepatocyte nuclear factor 4 alpha (HNF4A) P2 region are associated with type 2 diabetes in Scandinavians. 2007 , 56, 3112-7	37
2255	Family history and prevalence of diabetes in the U.S. population: the 6-year results from the National Health and Nutrition Examination Survey (1999-2004). 2007 , 30, 2517-22	146
2254	The use of genetic epidemiology to guide classification in child and adult psychopathology. 2007 , 19, 483-96	30
2253	New genetic risk factors identified for type 2 diabetes. 2007 , 3, 443-444	1
2252	Generating new candidate genes for neonatal diabetes: functional and genetic studies of insulin secretion in type 2 diabetes. 2007 , 12, 75-85	1
2251	Genomic imprinting--roles and regulation in development. 2007 , 12, 99-112	37
2250	Twins in metabolic and diabetes research: what do they tell us?. 2007 , 10, 591-6	31
2249	HNF4A genetic variants: role in diabetes. 2007 , 10, 397-402	21
2248	Monogenic disorders of the pancreatic β -cell: personalizing treatment for rare forms of diabetes and hypoglycemia. 2007 , 4, 247-259	3
2247	Ethnicity can affect anesthetic requirement. 2007 , 107, 4-5	5
2246	Why type 2 diabetes is not an equal opportunity disease: recent progress in genetics. 2007 , 10, 389-390	0
2245	Genome-wide association scans for Type 2 diabetes: new insights into biology and therapy. 2007 , 28, 598-601	20
2244	Minor contribution of SMAD7 and KLF10 variants to genetic susceptibility of type 2 diabetes. 2007 , 33, 372-8	13
2243	Genome-wide search for susceptibility genes to type 2 diabetes in West Africans: potential role of C-peptide. 2007 , 78, e1-6	19

2242	Genetics of type 2 diabetes. 2007 , 17, 239-44	64
2241	Metabolic stress in insulin's target cells leads to ROS accumulation - a hypothetical common pathway causing insulin resistance. 2007 , 581, 3734-42	109
2240	Genomewide weighted hypothesis testing in family-based association studies, with an application to a 100K scan. 2007 , 81, 607-14	81
2239	Type 2 diabetes whole-genome association study in four populations: the DiaGen consortium. 2007 , 81, 338-45	147
2238	Fine mapping versus replication in whole-genome association studies. 2007 , 81, 995-1005	45
2237	A functional polymorphism in COL11A1, which encodes the alpha 1 chain of type XI collagen, is associated with susceptibility to lumbar disc herniation. 2007 , 81, 1271-7	114
2236	Genome-wide association analysis identifies loci for type 2 diabetes and triglyceride levels. 2007 , 316, 1331-6	2364
2235	Risk alleles for multiple sclerosis identified by a genomewide study. 2007 , 357, 851-62	1327
2234	Nutrigenomics: concepts and applications to pharmacogenomics and clinical medicine. 2007 , 8, 369-90	32
2233	The cation efflux transporter ZnT8 (Slc30A8) is a major autoantigen in human type 1 diabetes. 2007 , 104, 17040-5	716
2232	Replication of genome-wide association signals in UK samples reveals risk loci for type 2 diabetes. 2007 , 316, 1336-41	1823
2231	Noncoding miRNAs as key controllers of pancreatic β -cell functions. 2007 , 2, 461-468	
2230	Multidrug resistance in epilepsy: a pharmacogenomic update. 2007 , 8, 1441-9	38
2229	Non-obese patients with type 2 diabetes and prediabetic subjects: distinct phenotypes requiring special diabetes treatment and (or) prevention?. 2007 , 32, 912-20	50
2228	Commentary: will it take Harry Potter to solve diabetes? Divining the future of diabetes care. 2007 , 78, 2077-80	
2227	Prediction of individual genetic risk to disease from genome-wide association studies. 2007 , 17, 1520-8	436
2226	The impact of genotype frequencies on the clinical validity of genomic profiling for predicting common chronic diseases. 2007 , 9, 528-35	112
2225	Replication and identification of novel variants at TCF7L2 associated with type 2 diabetes in Hong Kong Chinese. 2007 , 92, 3733-7	90

2224	Testing the gene or testing a variant? The case of TCF7L2. 2007 , 56, 2417-9	10
2223	Pharmacogenetics of glucose-lowering drug treatment: a systematic review. 2007 , 11, 291-302	20
2222	A genome-wide association study of type 2 diabetes in Finns detects multiple susceptibility variants. 2007 , 316, 1341-5	2269
2221	Future use of genomics in coronary artery disease. 2007 , 50, 1933-40	49
2220	Structure of the zinc transporter YiiP. 2007 , 317, 1746-8	299
2219	Do we inherit or acquire mitochondrial dysfunction in the metabolic syndrome and Type 2 diabetes?. 2007 , 2, 599-606	
2218	The replication of beta cells in normal physiology, in disease and for therapy. 2007 , 3, 758-68	210
2217	Genome wide association (GWA) study for early onset extreme obesity supports the role of fat mass and obesity associated gene (FTO) variants. 2007 , 2, e1361	388
2216	Genome-wide association scan shows genetic variants in the FTO gene are associated with obesity-related traits. 2007 , 3, e115	1231
2215	Heterogeneity in meta-analyses of genome-wide association investigations. 2007 , 2, e841	246
2214	Gene-centric characteristics of genome-wide association studies. 2007 , 2, e1262	5
2213	Genome-wide association mapping using mixed-models: application to GAW15 Problem 3. 2007 , 1 Suppl 1, S164	4
2212	Genome-Wide Association Studies: Progress in Identifying Genetic Biomarkers in Common, Complex Diseases. 2007 , 2, 117727190700200	18
2211	Mechanism and regulation of cellular zinc transport. 2007 , 13, 337-43	154
2210	Cellular zinc and redox buffering capacity of metallothionein/thionein in health and disease. 2007 , 13, 371-5	139
2209	Hierarchical Bayes prioritization of marker associations from a genome-wide association scan for further investigation. 2007 , 31, 871-82	66
2208	Analysis of KLF transcription factor family gene variants in type 2 diabetes. 2007 , 8, 53	7
2207	The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports. 2007 , 8 Suppl 1, S1	152

2206	Genome-wide association study for subclinical atherosclerosis in major arterial territories in the NHLBI's Framingham Heart Study. 2007 , 8 Suppl 1, S4		110
2205	Glaciology: lubricating lakes. <i>Nature</i> , 2007 , 445, 830-1	50.4	7
2204	Replicating genotype-phenotype associations. <i>Nature</i> , 2007 , 447, 655-60	50.4	1363
2203	Genomics: Encyclopaedia of humble DNA. <i>Nature</i> , 2007 , 447, 782-3	50.4	22
2202	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. 2007 , 39, 1329-37		1130
2201	The resequencing imperative. 2007 , 39, 439-40		43
2200	How missing genes interact. 2007 , 39, 440-2		6
2199	From fused toes in mice to human obesity. 2007 , 39, 706-7		19
2198	A variant in CDKAL1 influences insulin response and risk of type 2 diabetes. 2007 , 39, 770-5		851
2197	A genome-wide association study identifies alleles in FGFR2 associated with risk of sporadic postmenopausal breast cancer. 2007 , 39, 870-4		1240
2196	A genome-wide association study of global gene expression. 2007 , 39, 1202-7		801
2195	New models of collaboration in genome-wide association studies: the Genetic Association Information Network. 2007 , 39, 1045-51		258
2194	Designing candidate gene and genome-wide case-control association studies. 2007 , 2, 2492-501		124
2193	Global association study targets type 2 diabetes. 2007 , 8, 250-250		
2192	Copy number variants and genetic traits: closer to the resolution of phenotypic to genotypic variability. 2007 , 8, 639-46		335
2191	Genome-wide association studies provide new insights into type 2 diabetes aetiology. 2007 , 8, 657-62		468
2190	Editors' Picks. 2007 , 127, 1565		
2189	Introduction to genetic association studies. 2007 , 127, 2283-7		7

2188	Can neuroscience be integrated into the DSM-V?. 2007 , 8, 725-32		400
2187	Human genetics: variants in common diseases. <i>Nature</i> , 2007 , 445, 828-30	50.4	61
2186	Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. <i>Nature</i> , 2007 , 447, 661-78	50.4	7801
2185	Restless legs syndrome: an update on genetics and future perspectives. 2008 , 73, 297-305		28
2184	Genetics and type 2 diabetes in youth. 2007 , 8 Suppl 9, 42-7		17
2183	Evaluation of beta-cell mass and function in the Göttingen minipig. 2007 , 9 Suppl 2, 170-9		9
2182	The importance of TCF7L2. 2007 , 24, 1062-6		70
2181	A new era for Type 2 diabetes genetics. 2007 , 24, 1181-6		28
2180	What will whole genome searches for susceptibility genes for common complex disease offer to clinical practice?. 2008 , 263, 16-27		43
2179	Platelet genomics and the risk of atherothrombosis. 2007 , 5 Suppl 1, 188-95		46
2178	Host genetics: fine-tuning innate signaling. 2007 , 17, R516-8		
2177	Zinc fluxes and zinc transporter genes in chronic diseases. 2007 , 622, 84-93		97
2176	In search of genes for stroke. 2007 , 6, 383-4		5
2175	Metabolic syndrome: psychosocial, neuroendocrine, and classical risk factors in type 2 diabetes. 2007 , 1113, 256-75		26
2174	Mechanisms of disease: The genetic basis of coronary heart disease. 2007 , 4, 558-69		52
2173	Moving toward a system genetics view of disease. 2007 , 18, 389-401		148
2172	[Gene-environment interactions in the pathogenesis and prevention of type 2 diabetes mellitus]. 2007 , 48, 669-70, 672, 674-5		0
2171	TCF7L2 is reproducibly associated with type 2 diabetes in various ethnic groups: a global meta-analysis. 2007 , 85, 777-82		281

2170	TCF7L2 in the Go-DARTS study: evidence for a gene dose effect on both diabetes susceptibility and control of glucose levels. 2007 , 50, 1186-91	65
2169	Mutations in HHEX are not a common cause of monogenic forms of beta cell dysfunction. 2007 , 50, 2019-2022	3
2168	Variation in the HHEX-IDE gene region predisposes to type 2 diabetes in the prospective, population-based EPIC-Potsdam cohort. 2007 , 50, 2405-7	21
2167	Mutations in the SLC30A8 gene are not a major cause of MODY or other forms of early-onset, autosomal dominant type 2 diabetes. 2007 , 50, 2224-6	7
2166	ENPP1 K121Q polymorphism and obesity, hyperglycaemia and type 2 diabetes in the prospective DESIR Study. 2007 , 50, 2090-6	37
2165	Genetic studies of diabetes following the advent of the genome-wide association study: where do we go from here?. 2007 , 50, 2229-33	25
2164	Variations in the HHEX gene are associated with increased risk of type 2 diabetes in the Japanese population. 2007 , 50, 2461-6	178
2163	Polymorphisms in the gene encoding the voltage-dependent Ca(2+) channel Ca (V)2.3 (CACNA1E) are associated with type 2 diabetes and impaired insulin secretion. 2007 , 50, 2467-75	34
2162	Metal-activated C-peptide facilitates glucose clearance and the release of a nitric oxide stimulus via the GLUT1 transporter. 2008 , 51, 175-82	50
2161	Evaluating the association of common LMNA variants with type 2 diabetes and quantitative metabolic phenotypes in French Europids. 2008 , 51, 76-81	12
2160	The GCKR rs780094 polymorphism is associated with elevated fasting serum triacylglycerol, reduced fasting and OGTT-related insulinaemia, and reduced risk of type 2 diabetes. 2008 , 51, 70-5	137
2159	Common genetic variation in eight genes of the GH/IGF1 axis does not contribute to adult height variation. 2007 , 122, 129-39	51
2158	Polymorphic length of FOXE1 alanine stretch: evidence for genetic susceptibility to thyroid dysgenesis. 2007 , 122, 467-76	54
2157	Common neurodegenerative diseases: dissection by genome-wide association. 2007 , 7, 425-7	
2156	Sideways Glance: Genome wide association studies for type 2 diabetes mellitus. 2007 , 2, 245-8	5
2155	Genome-wide association studies: A new era in human genetics. 2007 , 1, 271-272	
2154	Neues zur Genetik des Diabetes mellitus Typ 2. 2007 , 3, 211-220	
2153	Association of the TCF7L2 polymorphism with colorectal cancer and adenoma risk. 2008 , 19, 975-80	33

2152	Genetische Disposition für die Entwicklung von Adipositas und Typ-2-Diabetes im Mausmodell und beim Menschen. 2008 , 3, 86-88	
2151	Amyloid beta-degrading cryptidases: insulin degrading enzyme, presequence peptidase, and neprilysin. 2008 , 65, 2574-85	128
2150	Drug resistance and genetic mapping in Plasmodium falciparum. 2008 , 54, 223-39	51
2149	[Congestive heart failure is a common disease with complex inheritance--new perspectives through genome wide association studies]. 2008 , 49, 405-10, 412	1
2148	Analysis of novel risk loci for type 2 diabetes in a general French population: the D.E.S.I.R. study. 2008 , 86, 341-8	60
2147	Replication of the association between variants in WFS1 and risk of type 2 diabetes in European populations. 2008 , 51, 458-63	89
2146	Candidate gene studies reveal that the WFS1 gene joins the expanding list of novel type 2 diabetes genes. 2008 , 51, 391-3	20
2145	Polymorphisms in AHI1 are not associated with type 2 diabetes or related phenotypes in Danes: non-replication of a genome-wide association result. 2008 , 51, 609-14	1
2144	Polymorphisms in the TCF7L2, CDKAL1 and SLC30A8 genes are associated with impaired proinsulin conversion. 2008 , 51, 597-601	215
2143	The common SLC30A8 Arg325Trp variant is associated with reduced first-phase insulin release in 846 non-diabetic offspring of type 2 diabetes patients--the EUGENE2 study. 2008 , 51, 816-20	101
2142	Strong association of common variants in the CDKN2A/CDKN2B region with type 2 diabetes in French Europids. 2008 , 51, 821-6	30
2141	Genetic analysis of recently identified type 2 diabetes loci in 1,638 unselected patients with type 2 diabetes and 1,858 control participants from a Norwegian population-based cohort (the HUNT study). 2008 , 51, 971-7	76
2140	Identification of ALOX5 as a gene regulating adiposity and pancreatic function. 2008 , 51, 978-88	39
2139	Newly identified loci highlight beta cell dysfunction as a key cause of type 2 diabetes: where are the insulin resistance genes?. 2008 , 51, 1100-10	237
2138	Exon sequencing and association analysis of polymorphisms in TCF7L2 with type 2 diabetes in a Chinese population. 2008 , 51, 1146-52	58
2137	Dose-dependent requirement of patched homologue 1 in mouse pancreatic beta cell mass. 2008 , 51, 1883-92	16
2136	Beta cell glucose sensitivity is decreased by 39% in non-diabetic individuals carrying multiple diabetes-risk alleles compared with those with no risk alleles. 2008 , 51, 1989-92	41
2135	The search for putative unifying genetic factors for components of the metabolic syndrome. 2008 , 51, 2242-51	56

2134	Common variants in the TCF7L2 gene help to differentiate autoimmune from non-autoimmune diabetes in young (15-34 years) but not in middle-aged (40-59 years) diabetic patients. 2008 , 51, 2224-32	28
2133	Association between anti-ZnT8 autoantibody specificities and SLC30A8 Arg325Trp variant in Japanese patients with type 1 diabetes. 2008 , 51, 2299-302	57
2132	Common and rare alleles as causes of complex phenotypes. 2008 , 10, 194-200	13
2131	TCF7L2 genetic defect and type 2 diabetes. 2008 , 8, 149-55	63
2130	Genes and type 2 diabetes mellitus. 2008 , 8, 192-7	46
2129	Genetic susceptibility of diabetic retinopathy. 2008 , 8, 257-62	23
2128	Zinc-gene interaction related to inflammatory/immune response in ageing. 2008 , 3, 61-75	17
2127	Personalized medicine: a reality within this decade. 2008 , 1, 11-6	13
2126	Association of TCF7L2 polymorphisms with susceptibility to type 2 diabetes in 4,087 Japanese subjects. 2008 , 53, 174-180	76
2125	Variations in the FTO gene are associated with severe obesity in the Japanese. 2008 , 53, 546-553	196
2124	New correction algorithms for multiple comparisons in case-control multilocus association studies based on haplotypes and diplotype configurations. 2008 , 53, 789-801	7
2123	Appropriate data cleaning methods for genome-wide association study. 2008 , 53, 886-893	34
2122	Systems biology and its potential role in radiobiology. 2008 , 47, 5-23	23
2121	Leprosy as a genetic model for susceptibility to common infectious diseases. 2008 , 123, 227-35	63
2120	MAX-rank: a simple and robust genome-wide scan for case-control association studies. 2008 , 123, 617-23	30
2119	Type 2 diabetes susceptibility loci in the Ashkenazi Jewish population. 2008 , 124, 101-4	23
2118	Evaluation of a SNP map of 6q24-27 confirms diabetic nephropathy loci and identifies novel associations in type 2 diabetes patients with nephropathy from an African-American population. 2008 , 124, 63-71	14
2117	Lack of association between PKLR rs3020781 and NOS1AP rs7538490 and type 2 diabetes, overweight, obesity and related metabolic phenotypes in a Danish large-scale study: case-control studies and analyses of quantitative traits. 2008 , 9, 118	11

2116	Evaluating the association of common PBX1 variants with type 2 diabetes. 2008 , 9, 14	2
2115	Aryl hydrocarbon receptor nuclear translocator (ARNT) gene as a positional and functional candidate for type 2 diabetes and prediabetic intermediate traits: Mutation detection, case-control studies, and gene expression analysis. 2008 , 9, 16	14
2114	Lack of association of genetic variation in chromosome region 15q14-22.1 with type 2 diabetes in a Japanese population. 2008 , 9, 22	1
2113	The genetic susceptibility to type 2 diabetes may be modulated by obesity status: implications for association studies. 2008 , 9, 45	97
2112	Polymorphisms near EXOC4 and LRGUK on chromosome 7q32 are associated with Type 2 Diabetes and fasting glucose; the NHLBI Family Heart Study. 2008 , 9, 46	15
2111	Genome-wide association study for renal traits in the Framingham Heart and Atherosclerosis Risk in Communities Studies. 2008 , 9, 49	26
2110	Impact of nine common type 2 diabetes risk polymorphisms in Asian Indian Sikhs: PPARG2 (Pro12Ala), IGF2BP2, TCF7L2 and FTO variants confer a significant risk. 2008 , 9, 59	199
2109	Worldwide population differentiation at disease-associated SNPs. 2008 , 1, 22	98
2108	Cardiovascular GO annotation initiative year 1 report: why cardiovascular GO?. 2008 , 8, 1950-3	12
2107	Comparison of two-phase analyses for case-control genetic association studies. 2008 , 27, 5054-75	15
2106	Type 2 diabetes genetics: starting to solve the puzzle. 2008 , 25, 214-215	
2105	Paediatric obesity and type 2 diabetes: strategies for prevention and treatment. 2008 , 25, 368-375	3
2104	Susceptibility genes in movement disorders. 2008 , 23, 927-934	2
2103	Mechanisms of β cell failure in the pathogenesis of Type 2 diabetes. 2008 , 69, 111-115	4
2102	Microarray-based DNA profiling to study genomic aberrations. 2008 , 60, 437-40	10
2101	Stem cell antigen-1 localizes to lipid microdomains and associates with insulin degrading enzyme in skeletal myoblasts. 2008 , 217, 250-60	27
2100	Examining the statistical properties of fine-scale mapping in large-scale association studies. 2008 , 32, 204-14	5
2099	Maximizing association statistics over genetic models. 2008 , 32, 246-54	93

2098	Evaluating cost efficiency of SNP chips in genome-wide association studies. 2008 , 32, 387-95	21
2097	The power of independent types of genetic information to detect association in a case-control study design. 2008 , 32, 731-56	14
2096	Biostatistical aspects of genome-wide association studies. 2008 , 50, 8-28	111
2095	Calibration of credibility of agnostic genome-wide associations. 2008 , 147B, 964-72	18
2094	The positives, protocols, and perils of genome-wide association. 2008 , 147B, 1288-94	34
2093	Perspective on the genetics of attention deficit/hyperactivity disorder. 2008 , 147B, 1334-6	3
2092	Whole Genome Association. 2008 , 1238-1263	5
2091	Obesity and labor market outcomes in Denmark. 2008 , 6, 350-62	73
2090	Nutrigenomics research for personalized nutrition and medicine. 2008 , 19, 110-20	87
2089	Array-based DNA diagnostics: let the revolution begin. 2008 , 59, 113-29	118
2088	From human genetics and genomics to pharmacogenetics and pharmacogenomics: past lessons, future directions. 2008 , 40, 187-224	129
2087	Genetic effects, gene-lifestyle interactions, and type 2 diabetes. 2008 , 3, 1-7	
2086	Using the optimal receiver operating characteristic curve to design a predictive genetic test, exemplified with type 2 diabetes. 2008 , 82, 641-51	49
2085	Genetic variants of FOXA2: risk of type 2 diabetes and effect on metabolic traits in North Indians. 2008 , 53, 957-965	29
2084	Common coding variant in the TCF7L2 gene and study of the association with type 2 diabetes in Japanese subjects. 2008 , 53, 972-982	7
2083	Association between polymorphisms in SLC30A8, HHEX, CDKN2A/B, IGF2BP2, FTO, WFS1, CDKAL1, KCNQ1 and type 2 diabetes in the Korean population. 2008 , 53, 991-998	126
2082	Genetic association studies in nursing practice and scholarship. 2008 , 40, 212-8	2
2081	Development of a large-scale de-identified DNA biobank to enable personalized medicine. 2008 , 84, 362-9	627

2080	The success of the genome-wide association approach: a brief story of a long struggle. 2008 , 16, 554-64	85
2079	Evaluation of HapMap data in six populations of European descent. 2008 , 16, 1142-50	18
2078	Genomewide association for schizophrenia in the CATIE study: results of stage 1. 2008 , 13, 570-84	308
2077	Variations in DNA elucidate molecular networks that cause disease. <i>Nature</i> , 2008 , 452, 429-35	50.4 723
2076	Effects of TCF7L2 polymorphisms on obesity in European populations. 2008 , 16, 476-82	72
2075	Variants in KCNQ1 are associated with susceptibility to type 2 diabetes mellitus. 2008 , 40, 1092-7	598
2074	SNPs in KCNQ1 are associated with susceptibility to type 2 diabetes in East Asian and European populations. 2008 , 40, 1098-102	555
2073	SNP discovery and allele frequency estimation by deep sequencing of reduced representation libraries. 2008 , 5, 247-52	458
2072	Scientific software: seeing the SNPs between us. 2008 , 5, 903-908	7
2071	Genome-wide association studies: progress and potential for drug discovery and development. 2008 , 7, 221-30	91
2070	Pharmacogenetics in drug discovery and development: a translational perspective. 2008 , 7, 807-17	99
2069	Genetic programming of liver and pancreas progenitors: lessons for stem-cell differentiation. 2008 , 9, 329-40	231
2068	Genome-wide association studies for complex traits: consensus, uncertainty and challenges. 2008 , 9, 356-69	2126
2067	Linkage disequilibrium—understanding the evolutionary past and mapping the medical future. 2008 , 9, 477-85	695
2066	Popper revisited: GWAS here, last year. 2008 , 16, 1-2	18
2065	Genome-wide association studies of quantitative traits with related individuals: little (power) lost but much to be gained. 2008 , 16, 387-90	40
2064	Evaluation of coverage variation of SNP chips for genome-wide association studies. 2008 , 16, 635-43	88
2063	HHEX gene polymorphisms are associated with type 2 diabetes in the Dutch Breda cohort. 2008 , 16, 652-6	18

2062	Efficient approximation of P-value of the maximum of correlated tests, with applications to genome-wide association studies. 2008 , 72, 397-406	59
2061	TCF7L2 polymorphisms are associated with type 2 diabetes in Khatri Sikhs from North India: genetic variation affects lipid levels. 2008 , 72, 499-509	49
2060	Sequencing breakthroughs for genomic ecology and evolutionary biology. 2008 , 8, 3-17	301
2059	Gender and neurogenin3 influence the pathogenesis of ketosis-prone diabetes. 2008 , 10, 912-20	19
2058	Effect of RBP4 gene variants on circulating RBP4 concentration and type 2 diabetes in a Chinese population. 2008 , 25, 11-8	26
2057	Preserved heart rate variability in first-degree relatives of subjects with Type 2 diabetes mellitus without metabolic disorders. 2008 , 25, 355-9	2
2056	Genetics: how the UKPDS contributed to determining the genetic landscape of Type 2 diabetes. 2008 , 25 Suppl 2, 35-40	7
2055	Intracellular zinc homeostasis and zinc signaling. 2008 , 99, 1515-22	229
2054	Genetic developments in autoimmune thyroid disease: an evolutionary process. 2008 , 68, 671-82	37
2053	The G/G genotype of a single nucleotide polymorphism at -1066 of c-Jun N-terminal kinase 1 gene (MAPK8) does not affect type 2 diabetes susceptibility despite the specific binding of AP2alpha. 2008 , 69, 36-44	0
2052	Genetic association analysis: a primer on how it works, its strengths and its weaknesses. 2008 , 31, 546-56	22
2051	Identifying the susceptibility genes for coronary artery disease: from hyperbole through doubt to cautious optimism. 2008 , 263, 538-52	37
2050	GoldSurfer2 (Gs2): a comprehensive tool for the analysis and visualization of genome wide association studies. 2008 , 9, 138	8
2049	Using the longest significance run to estimate region-specific p-values in genetic association mapping studies. 2008 , 9, 246	3
2048	Assessing batch effects of genotype calling algorithm BRLMM for the Affymetrix GeneChip Human Mapping 500 K array set using 270 HapMap samples. 2008 , 9 Suppl 9, S17	51
2047	Differences in mtDNA haplogroup distribution among 3 Jewish populations alter susceptibility to T2DM complications. 2008 , 9, 198	27
2046	Detection of genome-wide polymorphisms in the AT-rich Plasmodium falciparum genome using a high-density microarray. 2008 , 9, 398	51
2045	Molecular mechanism of Zn ²⁺ agonism in the extracellular domain of GPR39. 2008 , 582, 2583-8	48

2044	Impact of mitochondrial calcium on the coupling of metabolism to insulin secretion in the pancreatic beta-cell. 2008 , 44, 64-76	79
2043	Does ageing affect zinc homeostasis and dietary requirements?. 2008 , 43, 382-8	15
2042	Metallothionein redox biology in the cytoprotective and cytotoxic functions of zinc. 2008 , 43, 363-9	121
2041	The association of podocin R229Q polymorphism with increased albuminuria or reduced estimated GFR in a large population-based sample of US adults. 2008 , 52, 868-75	23
2040	Navigating the channels and beyond: unravelling the genetics of the epilepsies. 2008 , 7, 231-45	219
2039	Type 2 diabetes: new genes, new understanding. 2008 , 24, 613-21	204
2038	Study designs for genome-wide association studies. 2008 , 60, 465-504	40
2037	ENU mutagenesis, a way forward to understand gene function. 2008 , 9, 49-69	126
2036	Links between thyroid hormone action, oxidative metabolism, and diabetes risk?. 2008 , 18, 227-37	95
2035	Study Design and Statistical Issues in Pharmacogenetics Research. 2008 , 185-206	
2034	Strategies and Resources for Marker Selection and Genotyping in Genetic Association Studies. 2008 , 149-183	
2033	Holy SNP, Batman!. 2008 , 207-227	
2032	Family Studies, Haplotypes and Gene Association Studies. 39-54	
2031	High-Throughput Techniques [Genotyping and Genomics. 141-154	
2030	Impact of genetic and epigenetic factors from early life to later disease. 2008 , 57 Suppl 2, S27-31	33
2029	Learning from molecular genetics: novel insights arising from the definition of genes for monogenic and type 2 diabetes. 2008 , 57, 2889-98	96
2028	Genetic susceptibility to type 2 diabetes and implications for antidiabetic therapy. 2008 , 59, 95-111	40
2027	Genomics: the next step to elucidate the etiology of calcific aortic valve stenosis. 2008 , 51, 1327-36	56

2026	Gene-environment interactions and susceptibility to metabolic syndrome and other chronic diseases. 2008 , 79, 1508-13	56
2025	Probing metal ion substrate-binding to the E. coli ZitB exporter in native membranes by solid state NMR. 2008 , 25, 683-90	13
2024	FitSNPs: highly differentially expressed genes are more likely to have variants associated with disease. 2008 , 9, R170	57
2023	Roles of zinc and zinc signaling in immunity: zinc as an intracellular signaling molecule. 2008 , 97, 149-76	178
2022	Classification of genetic profiles of Crohn's disease: a focus on the ATG16L1 gene. 2008 , 8, 199-207	10
2021	Genotype score in addition to common risk factors for prediction of type 2 diabetes. 2008 , 359, 2208-19	608
2020	Clinical risk factors, DNA variants, and the development of type 2 diabetes. 2008 , 359, 2220-32	698
2019	Methods for handling multiple testing. 2008 , 60, 293-308	125
2018	Assessing the combined impact of 18 common genetic variants of modest effect sizes on type 2 diabetes risk. 2008 , 57, 3129-35	245
2017	Pharmacogenetics: potential role in the treatment of diabetes and obesity. 2008 , 9, 1109-19	11
2016	Common variants in maturity-onset diabetes of the young genes and future risk of type 2 diabetes. 2008 , 57, 1738-44	63
2015	Genetics of diabetic nephropathy. 2008 , 2, 363-71	20
2014	Glucolipototoxicity: fuel excess and beta-cell dysfunction. 2008 , 29, 351-66	801
2013	Genomics in cardiac metabolism. 2008 , 79, 218-27	17
2012	Monogenic diabetes in the young, pharmacogenetics and relevance to multifactorial forms of type 2 diabetes. 2008 , 29, 254-64	118
2011	On the origin of the beta cell. 2008 , 22, 1998-2021	286
2010	Pharmacogenomics and Personalized Medicine. 2008 ,	2
2009	A polymorphism within the G6PC2 gene is associated with fasting plasma glucose levels. 2008 , 320, 1085-8	199

2008	Towards predictive, preventive, and personalized paediatric surgery. 2008 , 43, 267-73	1
2007	Zinc signalling and subcellular distribution: emerging targets in type 2 diabetes. 2008 , 14, 419-28	66
2006	Candidate gene polymorphisms and the 9p21 locus in acute coronary syndromes. 2008 , 14, 441-9	19
2005	A functional polymorphism in THBS2 that affects alternative splicing and MMP binding is associated with lumbar-disc herniation. 2008 , 82, 1122-9	82
2004	An overview of pancreatic beta-cell defects in human type 2 diabetes: implications for treatment. 2008 , 146, 4-11	81
2003	Heterogeneity in gene loci associated with type 2 diabetes on human chromosome 20q13.1. 2008 , 92, 226-34	32
2002	A role for metallothionein in the pathogenesis of diabetes and its cardiovascular complications. 2008 , 94, 1-3	11
2001	A non-synonymous variant in SLC30A8 is not associated with type 1 diabetes in the Danish population. 2008 , 94, 386-8	18
2000	Atypical protein kinase C dysfunction and the metabolic syndrome. 2008 , 19, 39-41	2
1999	The islet beta-cell: fuel responsive and vulnerable. 2008 , 19, 285-91	120
1998	The role for endoplasmic reticulum stress in diabetes mellitus. 2008 , 29, 42-61	868
1997	Association of genetic variants of insulin degrading enzyme with metabolic features in women with polycystic ovary syndrome. 2008 , 90, 378-84	11
1996	Downregulation of diacylglycerol kinase delta contributes to hyperglycemia-induced insulin resistance. 2008 , 132, 375-86	174
1995	The emerging genetic architecture of type 2 diabetes. 2008 , 8, 186-200	239
1994	Association of polymorphisms in the insulin-degrading enzyme gene with type 2 diabetes in the Korean population. 2008 , 79, 284-90	23
1993	Association of TCF7L2 polymorphism with diabetes mellitus, metabolic syndrome, and markers of beta cell function and insulin resistance in a population-based sample of Emirati subjects. 2008 , 80, 392-8	64
1992	Effect of ENPP1/PC-1-K121Q and PPARgamma-Pro12Ala polymorphisms on the genetic susceptibility to T2D in the Tunisian population. 2008 , 81, 278-83	27
1991	Future impact of integrated high-throughput methylome analyses on human health and disease. 2008 , 35, 391-401	36

1990	Meta-analysis approach identifies candidate genes and associated molecular networks for type-2 diabetes mellitus. 2008 , 9, 310	45
1989	Meta-analysis of genome-wide association data and large-scale replication identifies additional susceptibility loci for type 2 diabetes. 2008 , 40, 638-45	1496
1988	Personalized Orthodontics, The Future of Genetics in Practice. 2008 , 14, 166-171	10
1987	Genes for multiple sclerosis. 2008 , 371, 283-5	38
1986	Bone mineral density, osteoporosis, and osteoporotic fractures: a genome-wide association study. 2008 , 371, 1505-12	538
1985	Type 2 diabetes: pathogenesis and treatment. 2008 , 371, 2153-6	92
1984	Applying novel genome-wide linkage strategies to search for loci influencing type 2 diabetes and adult height in American Samoa. 2008 , 80, 99-123	3
1983	How to interpret a genome-wide association study. 2008 , 299, 1335-44	626
1982	Genetic mapping in human disease. 2008 , 322, 881-8	1086
1981	Global diabetes landscapeType 2 diabetes mellitus in South Asia: Epidemiology, risk factors, and control. 2008 , 3, 78-94	11
1980	Considerations regarding the genetics of obesity. 2008 , 16 Suppl 3, S33-9	33
1979	Obesity genes and gene-environment-behavior interactions: recommendations for a way forward. 2008 , 16 Suppl 3, S79-81	16
1978	Gene-environment interactions in the etiology of obesity: defining the fundamentals. 2008 , 16 Suppl 3, S5-S10	120
1977	Reporting and interpretation in genome-wide association studies. 2008 , 37, 641-53	53
1976	Comparative genomics for detecting human disease genes. 2008 , 60, 655-97	14
1975	Genetics of type 2 diabetes mellitus and obesity--a review. 2008 , 40, 2-10	24
1974	Pharmacogenetics of major depression: insights from level 1 of the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) trial. 2008 , 12, 321-30	17
1973	Zinc transporter-8 gene (SLC30A8) is associated with type 2 diabetes in Chinese. 2008 , 93, 4107-12	62

1972	The search for genes contributing to endometriosis risk. 2008 , 14, 447-57	156
1971	Primer: strategies for identifying genes involved in renal disease. 2008 , 4, 265-76	18
1970	Developmental Toxicology. 2008 ,	
1969	Mechanisms of disease: genetic insights into the etiology of type 2 diabetes and obesity. 2008 , 4, 156-63	36
1968	Implication of genetic variants near TCF7L2, SLC30A8, HHEX, CDKAL1, CDKN2A/B, IGF2BP2, and FTO in type 2 diabetes and obesity in 6,719 Asians. 2008 , 57, 2226-33	291
1967	Genome-wide association studies: potential next steps on a genetic journey. 2008 , 17, R156-65	263
1966	Predicting type 2 diabetes based on polymorphisms from genome-wide association studies: a population-based study. 2008 , 57, 3122-8	231
1965	Pharmacogenetics of anti-HIV drugs. 2008 , 48, 227-56	58
1964	Proteomic characterization of mouse cytosolic and membrane prostate fractions: high levels of free SUMO peptides are androgen-regulated. 2008 , 7, 4492-9	8
1963	The Wnt signaling pathway effector TCF7L2 and type 2 diabetes mellitus. 2008 , 22, 2383-92	138
1962	Common variants in CDKAL1, CDKN2A/B, IGF2BP2, SLC30A8, and HHEX/IDE genes are associated with type 2 diabetes and impaired fasting glucose in a Chinese Han population. 2008 , 57, 2834-42	199
1961	Introduction to the Special Issue on Society and Genetics. 2008 , 37, 159-163	12
1960	Social and Genetic Influences on Adolescent Religious Attitudes and Practices. 2008 , 86, 1621-1646	52
1959	IFIH1 polymorphisms are significantly associated with type 1 diabetes and IFIH1 gene expression in peripheral blood mononuclear cells. 2009 , 18, 358-65	118
1958	Mitochondria as chi. 2008 , 179, 727-35	116
1957	A polymorphism in the zinc transporter gene SLC30A8 confers resistance against posttransplantation diabetes mellitus in renal allograft recipients. 2008 , 57, 1043-7	66
1956	Looking for polycystic ovary syndrome genes: rational and best strategy. 2008 , 26, 5-13	61
1955	Commentary: Genetic association studies see light at the end of the tunnel. 2008 , 37, 133-5	7

1954	Disease association tests by inferring ancestral haplotypes using a hidden markov model. 2008 , 24, 972-8	21
1953	A study of diabetes mellitus within a large sample of Australian twins. 2008 , 11, 28-40	25
1952	PCLO variants are nominally associated with early-onset type 2 diabetes and insulin resistance in Pima Indians. 2008 , 57, 3156-60	10
1951	Haplotype structure of the ENPP1 Gene and Nominal Association of the K121Q missense single nucleotide polymorphism with glycemic traits in the Framingham Heart Study. 2008 , 57, 1971-7	39
1950	Association analysis of type 2 diabetes Loci in type 1 diabetes. 2008 , 57, 1983-6	39
1949	Extension of type 2 diabetes genome-wide association scan results in the diabetes prevention program. 2008 , 57, 2503-10	86
1948	Variation in TCF7L2 and increased risk of colon cancer: the Atherosclerosis Risk in Communities (ARIC) Study. 2008 , 31, 905-9	53
1947	Human genes involved in copy number variation: mechanisms of origin, functional effects and implications for disease. 2008 , 123, 17-26	53
1946	Immunohistochemical evidence of ubiquitous distribution of the metalloendoprotease insulin-degrading enzyme (IDE; insulysin) in human non-malignant tissues and tumor cell lines. 2008 , 389, 1441-5	4
1945	Alpha-linolenic acid and risk of nonfatal acute myocardial infarction. 2008 , 118, 339-45	123
1944	Mechanisms of mammalian zinc-regulated gene expression. 2008 , 36, 1262-6	46
1943	Genetic polymorphisms and head and neck cancer outcomes: a review. 2008 , 17, 490-9	48
1942	The heritability of HbA1c and fasting blood glucose in different measurement settings. 2008 , 11, 597-602	46
1941	Clinical review: the genetics of type 2 diabetes: a realistic appraisal in 2008. 2008 , 93, 4633-42	90
1940	Technologies for transporter drug discovery. 2008 , 2, 312-21	5
1939	Genetic predisposition, nongenetic risk factors, and coronary infarct. 2008 , 168, 891-6	22
1938	PRH/Hex: an oligomeric transcription factor and multifunctional regulator of cell fate. 2008 , 412, 399-413	50
1937	Gene-nutrient interactions in the metabolic syndrome. 2008 , 1, 136-51	21

1936	Prioritized subset analysis: improving power in genome-wide association studies. 2008 , 65, 129-41	34
1935	Meta-analysis of 23 type 2 diabetes linkage studies from the International Type 2 Diabetes Linkage Analysis Consortium. 2008 , 66, 35-49	34
1934	Pathogenesis, risk assessment and prevention of type 2 diabetes mellitus. 2008 , 1, 128-37	19
1933	A common nonsynonymous single nucleotide polymorphism in the SLC30A8 gene determines ZnT8 autoantibody specificity in type 1 diabetes. 2008 , 57, 2693-7	165
1932	Association of CDKAL1, IGF2BP2, CDKN2A/B, HHEX, SLC30A8, and KCNJ11 with susceptibility to type 2 diabetes in a Japanese population. 2008 , 57, 791-5	233
1931	Genetic variants of FTO influence adiposity, insulin sensitivity, leptin levels, and resting metabolic rate in the Quebec Family Study. 2008 , 57, 1147-50	184
1930	Pharmacologic treatment options for prediabetes. 2008 , 4, 380-1	
1929	Association of variants in the sterol regulatory element-binding factor 1 (SREBF1) gene with type 2 diabetes, glycemia, and insulin resistance: a study of 15,734 Danish subjects. 2008 , 57, 1136-42	36
1928	Mouse pancreatic endocrine cell transcriptome defined in the embryonic Ngn3-null mouse. 2008 , 57, 2755-61	29
1927	Evaluation of the association of IGF2BP2 variants with type 2 diabetes in French Caucasians. 2008 , 57, 1992-6	23
1926	Investigation of transport mechanisms and regulation of intracellular Zn ²⁺ in pancreatic alpha-cells. 2008 , 283, 10184-97	87
1925	A candidate type 2 diabetes polymorphism near the HHEX locus affects acute glucose-stimulated insulin release in European populations: results from the EUGENE2 study. 2008 , 57, 514-7	47
1924	American College of Endocrinology Pre-Diabetes Consensus Conference: part three. 2008 , 31, 2404-9	9
1923	Polymorphisms in the IDE-KIF11-HHEX gene locus are reproducibly associated with type 2 diabetes in a Japanese population. 2008 , 93, 310-4	51
1922	Diabetes. 2008 ,	1
1921	Predicting unobserved phenotypes for complex traits from whole-genome SNP data. 2008 , 4, e1000231	147
1920	Positional cloning of "Lisch-Like", a candidate modifier of susceptibility to type 2 diabetes in mice. 2008 , 4, e1000137	53
1919	Simultaneous analysis of all SNPs in genome-wide and re-sequencing association studies. 2008 , 4, e1000130	245

1918	Associations among multiple markers and complex disease: models, algorithms, and applications. 2008 , 60, 437-64	1
1917	Novel association of HK1 with glycated hemoglobin in a non-diabetic population: a genome-wide evaluation of 14,618 participants in the Women's Genome Health Study. 2008 , 4, e1000312	77
1916	Gene set enrichment in eQTL data identifies novel annotations and pathway regulators. 2008 , 4, e1000070	79
1915	Replication of genome-wide association studies of type 2 diabetes susceptibility in Japan. 2008 , 93, 3136-41	117
1914	Polygenic obesity in humans. 2008 , 1, 35-42	45
1913	Epithelial sodium channel: mendelian versus essential hypertension. 2008 , 52, 595-600	58
1912	What can genome-wide association studies tell us about the genetics of common disease?. 2008 , 4, e33	102
1911	Microarray technology and applications in the arena of genome-wide association. 2008 , 54, 1116-24	61
1910	Mapping the genetic architecture of gene expression in human liver. 2008 , 6, e107	768
1909	Adaptations to climate in candidate genes for common metabolic disorders. 2008 , 4, e32	204
1908	Data and theory point to mainly additive genetic variance for complex traits. 2008 , 4, e1000008	643
1907	Tracing sub-structure in the European American population with PCA-informative markers. 2008 , 4, e1000114	53
1906	Association testing of novel type 2 diabetes risk alleles in the JAZF1, CDC123/CAMK1D, TSPAN8, THADA, ADAMTS9, and NOTCH2 loci with insulin release, insulin sensitivity, and obesity in a population-based sample of 4,516 glucose-tolerant middle-aged Danes. 2008 , 57, 2534-40	116
1905	Regulation of the GPR40 locus: towards a molecular understanding. 2008 , 36, 360-2	6
1904	Role of the transcription factor sox4 in insulin secretion and impaired glucose tolerance. 2008 , 57, 2234-44	41
1903	The ENPP1 K121Q polymorphism is associated with type 2 diabetes in European populations: evidence from an updated meta-analysis in 42,042 subjects. 2008 , 57, 1125-30	80
1902	Association analysis in african americans of European-derived type 2 diabetes single nucleotide polymorphisms from whole-genome association studies. 2008 , 57, 2220-5	118
1901	Mass spectrometry is only one piece of the puzzle in clinical proteomics. 2008 , 7, 74-83	23

1900	Identification of mutations in <i>Caenorhabditis elegans</i> that cause resistance to high levels of dietary zinc and analysis using a genomewide map of single nucleotide polymorphisms scored by pyrosequencing. 2008 , 179, 811-28	29
1899	Comprehensive association study of type 2 diabetes and related quantitative traits with 222 candidate genes. 2008 , 57, 3136-44	82
1898	A survey of allelic imbalance in F1 mice. 2008 , 18, 555-63	23
1897	Molecular basis for the thiol sensitivity of insulin-degrading enzyme. 2008 , 105, 9582-7	50
1896	TCF7L2 variants associate with CKD progression and renal function in population-based cohorts. 2008 , 19, 1989-99	37
1895	Primer: SNP-associated studies and what they can teach us. 2008 , 4, 210-7	10
1894	Cytokines and beta-cell biology: from concept to clinical translation. 2008 , 29, 334-50	171
1893	Impact of common type 2 diabetes risk polymorphisms in the DESIR prospective study. 2008 , 57, 244-54	137
1892	Evidence that the gene encoding insulin degrading enzyme influences human lifespan. 2008 , 17, 2370-8	8
1891	Quantitative trait analysis of type 2 diabetes susceptibility loci identified from whole genome association studies in the Insulin Resistance Atherosclerosis Family Study. 2008 , 57, 1093-100	93
1890	Susceptibility to coronary artery disease and diabetes is encoded by distinct, tightly linked SNPs in the ANRIL locus on chromosome 9p. 2008 , 17, 806-14	420
1889	Highly cost-efficient genome-wide association studies using DNA pools and dense SNP arrays. 2008 , 36, e35	87
1888	Genome-wide association scans identified CTNBL1 as a novel gene for obesity. 2008 , 17, 1803-13	152
1887	Lumbar disc disease shows linkage to chromosome 19 overlapping with a QTL for hand OA. 2008 , 67, 117-9	10
1886	An MCMC algorithm for haplotype assembly from whole-genome sequence data. 2008 , 18, 1336-46	88
1885	A weighted-Holm procedure accounting for allele frequencies in genomewide association studies. 2008 , 180, 697-702	5
1884	Metabolic and cardiovascular traits: an abundance of recently identified common genetic variants. 2008 , 17, R102-8	64
1883	Pharmacogenomics of G protein-coupled receptor ligands in cardiovascular medicine. 2008 , 60, 513-35	28

1882	Update on the genetics of stroke and cerebrovascular disease 2007. 2008 , 39, 252-4	5
1881	National Emphysema Treatment Trial state of the art: genetics of emphysema. 2008 , 5, 486-93	24
1880	Sex-stratified linkage analysis identifies a female-specific locus for IgE to cockroach in Costa Ricans. 2008 , 177, 830-6	63
1879	Islet amyloid in type 2 diabetes, and the toxic oligomer hypothesis. 2008 , 29, 303-16	467
1878	Making genomics functional: deciphering the genetics of acute lung injury. 2008 , 5, 348-53	16
1877	Genetic analysis of Kruppel-like zinc finger 11 variants in 5864 Danish individuals: potential effect on insulin resistance and modified signal transducer and activator of transcription-3 binding by promoter variant -1659G>C. 2008 , 93, 3128-35	12
1876	G72 and its association with major depression and neuroticism in large population-based groups from Germany. 2008 , 165, 753-62	45
1875	Impact of TCF7L2 rs7903146 on insulin secretion and action in young and elderly Danish twins. 2008 , 93, 4013-9	51
1874	Variants of the PPARG, IGF2BP2, CDKAL1, HHEX, and TCF7L2 genes confer risk of type 2 diabetes independently of BMI in the German KORA studies. 2008 , 40, 722-6	65
1873	The complex genetics of multiple sclerosis: pitfalls and prospects. 2008 , 131, 3118-31	83
1872	Genes associated with risk of type 2 diabetes identified by a candidate-wide association scan: as a trickle becomes a flood. 2008 , 57, 2915-7	10
1871	Searching for additional disease loci in a genomic region. 2008 , 60, 253-92	14
1870	Regulatory variation and evolution: implications for disease. 2008 , 61, 295-306	2
1869	A meta-analysis of QTL for diabetes-related traits in rodents. 2008 , 34, 42-53	37
1868	The clinical utility of genetic risk variants in type 2 diabetes. 2008 , 2, 991-1002	
1867	Exchangeable models of complex inherited diseases. 2008 , 179, 2253-61	30
1866	The environmental genome project: reference polymorphisms for drug metabolism genes and genome-wide association studies. 2008 , 40, 241-61	25
1865	On Sequence Variants that Influence the Risk of Common Diseases. 2008 ,	

1864	A genome-wide association study identifies novel risk loci for type 2 diabetes. 2008 , 2008, 36-37	
1863	Gene by social context interactions for number of sexual partners among white male youths: genetics-informed sociology. 2008 , 114 Suppl, S36-66	39
1862	The pancreatic beta-cell: birth, life and death. 2008 , 36, 267-71	5
1861	TCF7L2 controls insulin gene expression and insulin secretion in mature pancreatic beta-cells. 2008 , 36, 357-9	55
1860	Genes, environment, and interactions in prevention of type 2 diabetes: a focus on physical activity and lifestyle changes. 2008 , 8, 519-32	105
1859	Family study designs in the age of genome-wide association studies: experience from the Framingham Heart Study. 2008 , 19, 144-50	11
1858	Zinc, metallothioneins and longevity: interrelationships with niacin and selenium. 2008 , 14, 2719-32	44
1857	New gene variants alter type 2 diabetes risk predominantly through reduced beta-cell function. 2008 , 11, 371-7	86
1856	Bibliography. Current world literature. Genetics and molecular biology. 2008 , 19, 168-200	
1855	New applications of microarray data analysis: integrating genetics with 'Omics'. Organized by the Cambridge Healthtech Institute, 15-17 August 2007, Washington DC, USA. 2008 , 9, 15-7	2
1854	A customized genetic approach to the number one killer: coronary artery disease. 2008 , 23, 629-33	15
1853	?? ??????,???,?????????????. 2008 , 46, 629-635	1
1852	Emergence of TCF7L2 as a Most Promising Gene in Predisposition of Diabetes Type II. 2008 , 8, 199-215	8
1851	Polygenic contribution to obesity: genome-wide strategies reveal new targets. 2008 , 36, 12-36	26
1850	The transcription factor 7-like 2 gene and increased risk of type 2 diabetes: an update. 2008 , 11, 385-92	32
1849	New antigenic targets in type 1 diabetes. 2008 , 15, 315-20	23
1848	Bibliography. Current world literature. Diabetes and the endocrine pancreas II. 2008 , 15, 383-93	
1847	. 2008 ,	8

1846	Diabetes Mellitus. 2008 , 374-421	2
1845	[What is new in the genetics of type 2 diabetes]. 2008 , 24, 241-2	1
1844	The HapMap: charting a course for genetic discovery in neurological diseases. 2008 , 65, 319-21	7
1843	Association of common polymorphisms in GLUT9 gene with gout but not with coronary artery disease in a large case-control study. 2008 , 3, e1948	64
1842	Post genome-wide association studies of novel genes associated with type 2 diabetes show gene-gene interaction and high predictive value. 2008 , 3, e2031	124
1841	Novel meta-analysis-derived type 2 diabetes risk loci do not determine prediabetic phenotypes. 2008 , 3, e3019	35
1840	Computing power and sample size for case-control association studies with copy number polymorphism: application of mixture-based likelihood ratio test. 2008 , 3, e3475	12
1839	Bitter taste receptors influence glucose homeostasis. 2008 , 3, e3974	187
1838	Polymorphisms of the ENPP1 gene are not associated with type 2 diabetes or obesity in the Chinese Han population. 2008 ,	
1837	Gene and Pathway-Based Analysis: Second Wave of Genome-wide Association Studies. 2008 ,	
1836	A HapMap harvest of insights into the genetics of common disease. 2008 , 118, 1590-605	683
1835	Genetics of Atherosclerosis. 151-166	1
1834	. 2009 ,	59
1833	. 2009 ,	4
1832	References. 231-243	
1831	Candidate Gene and Genome-Wide Association Studies. 1-19	
1830	Genetics of Gestational Diabetes Mellitus. 2009 , 52, 688	3
1829	Comparative characterization of a temperature responsive gene (lactate dehydrogenase-B, ldh-b) in two congeneric tropical fish, Lates calcarifer and Lates niloticus. 2009 , 5, 558-69	6

1828	Failure of beta-cell adaptation in type 2 diabetes: Lessons from animal models. 2009 , 14, 1099-115	22
1827	Therapeutic approaches based on beta-cell mass preservation and/or regeneration. 2009 , 14, 1835-50	14
1826	Host genetic and epigenetic factors in toxoplasmosis. 2009 , 104, 162-9	18
1825	Robust Tests in Genome-Wide Scans under Incomplete Linkage Disequilibrium. 2009 , 24,	16
1824	Mitochondria, bioenergetics, and the epigenome in eukaryotic and human evolution. 2009 , 74, 383-93	39
1823	Translational Genomics: From Discovery to Clinical Practice. 2009 , 262-274	2
1822	Genome-wide Association: A Revolutionary Approach 2009 , 9, 97-103	
1821	[Inputs from the genetics of fasting glucose: lessons for diabetes]. 2009 , 25, 897-902	1
1820	Positional cloning of zinc finger domain transcription factor Zfp69, a candidate gene for obesity-associated diabetes contributed by mouse locus Nidd/SJL. 2009 , 5, e1000541	59
1819	Down-regulation of ZnT8 expression in INS-1 rat pancreatic beta cells reduces insulin content and glucose-inducible insulin secretion. 2009 , 4, e5679	63
1818	The type 2 diabetes associated minor allele of rs2237895 KCNQ1 associates with reduced insulin release following an oral glucose load. 2009 , 4, e5872	40
1817	Gene expression in skeletal muscle biopsies from people with type 2 diabetes and relatives: differential regulation of insulin signaling pathways. 2009 , 4, e6575	73
1816	Replication study of candidate genes associated with type 2 diabetes based on genome-wide screening. 2009 , 58, 493-8	115
1815	. 2009 ,	
1814	High myopia is not associated with the SNPs in the TGIF, lumican, TGFB1, and HGF genes. 2009 , 50, 1546-51	37
1813	Finding common susceptibility variants for complex disease: past, present and future. 2009 , 8, 345-52	17
1812	Confirmation of multiple risk Loci and genetic impacts by a genome-wide association study of type 2 diabetes in the Japanese population. 2009 , 58, 1690-9	196
1811	Interrogating type 2 diabetes genome-wide association data using a biological pathway-based approach. 2009 , 58, 1463-7	87

1810	Functional targets of the monogenic diabetes transcription factors HNF-1alpha and HNF-4alpha are highly conserved between mice and humans. 2009 , 58, 1245-53	20
1809	Molecular basis of catalytic chamber-assisted unfolding and cleavage of human insulin by human insulin-degrading enzyme. 2009 , 284, 14177-88	56
1808	Population-based genomewide genetic analysis of common clinical chemistry analytes. 2009 , 55, 39-51	9
1807	Insulin storage and glucose homeostasis in mice null for the granule zinc transporter ZnT8 and studies of the type 2 diabetes-associated variants. 2009 , 58, 2070-83	302
1806	Previously associated type 2 diabetes variants may interact with physical activity to modify the risk of impaired glucose regulation and type 2 diabetes: a study of 16,003 Swedish adults. 2009 , 58, 1411-8	55
1805	Methods for analysis in pharmacogenomics: lessons from the Pharmacogenetics Research Network Analysis Group. 2009 , 10, 243-51	10
1804	Kir6.2 variant E23K increases ATP-sensitive K+ channel activity and is associated with impaired insulin release and enhanced insulin sensitivity in adults with normal glucose tolerance. 2009 , 58, 1869-78	68
1803	Examination of type 2 diabetes loci implicates CDKAL1 as a birth weight gene. 2009 , 58, 2414-8	52
1802	FRACTAL CHARACTERIZATIONS OF MAX STATISTICAL DISTRIBUTION IN GENETIC ASSOCIATION STUDIES. 2009 , 12, 513-531	1
1801	Association of type 2 diabetes candidate polymorphisms in KCNQ1 with incretin and insulin secretion. 2009 , 58, 1715-20	89
1800	Association between obesity and polymorphisms in SEC16B, TMEM18, GNPDA2, BDNF, FAIM2 and MC4R in a Japanese population. 2009 , 54, 727-31	90
1799	Progress in genome-wide association studies of human height. 2009 , 71 Suppl 2, 5-13	36
1798	Identification of the Zn ²⁺ binding site and mode of operation of a mammalian Zn ²⁺ transporter. 2009 , 284, 17677-86	144
1797	Adaptive transmission disequilibrium test for family trio design. 2009 , 8, Article30	4
1796	A genomics study of type 2 diabetes mellitus in U.S. Air Force personnel. 2009 , 3, 770-5	2
1795	Statistical screening method for genetic factors influencing susceptibility to common diseases in a two-stage genome-wide association study. 2009 , 8, Article 46	
1794	Adiposity-related heterogeneity in patterns of type 2 diabetes susceptibility observed in genome-wide association data. 2009 , 58, 505-10	98
1793	A systematic meta-analysis of genetic association studies for diabetic retinopathy. 2009 , 58, 2137-47	160

1792	Novel insights into the etiology of diabetes from genome-wide association studies. 2009 , 58, 2444-7	2
1791	Genetic predisposition, Western dietary pattern, and the risk of type 2 diabetes in men. 2009 , 89, 1453-8	113
1790	Clinical translation of genetic predictors for type 2 diabetes. 2009 , 16, 100-6	14
1789	Proteomic identification of carboxypeptidase E connects lipid-induced beta-cell apoptosis and dysfunction in type 2 diabetes. 2009 , 8, 38-42	12
1788	Genetic variant in the IGF2BP2 gene may interact with fetal malnutrition to affect glucose metabolism. 2009 , 58, 1440-4	41
1787	The medical and economic roles of pipeline pharmacogenetics: Alzheimer's disease as a model of efficacy and HLA-B(*)5701 as a model of safety. 2009 , 34, 6-17	35
1786	Loci of TCF7L2, HHEX and IDE on chromosome 10q and the susceptibility of their genetic polymorphisms to type 2 diabetes. 2009 , 117, 186-90	15
1785	Racial differences in the interaction between family history and risk factors associated with diabetes in the National Health and Nutritional Examination Survey, 1999-2004. 2009 , 11, 542-7	19
1784	Downregulation of ZnT8 expression in pancreatic β -cells of diabetic mice. 2009 , 1, 124-8	37
1783	Screening of 336 single-nucleotide polymorphisms in 85 obesity-related genes revealed McKusick-Kaufman syndrome gene variants are associated with metabolic syndrome. 2009 , 54, 230-5	6
1782	QTL for several metabolic traits map to loci controlling growth and body composition in an F2 intercross between high- and low-growth chicken lines. 2009 , 38, 241-9	62
1781	Evaluation of risk prediction updates from commercial genome-wide scans. 2009 , 11, 588-94	63
1780	Distinct genetic regulation of progression of diabetes and renal disease in the Goto-Kakizaki rat. 2009 , 39, 38-46	17
1779	Minireview: Meeting the demand for insulin: molecular mechanisms of adaptive postnatal beta-cell mass expansion. 2009 , 23, 747-58	122
1778	The inhibitory effect of recent type 2 diabetes risk loci on insulin secretion is modulated by insulin sensitivity. 2009 , 94, 1775-80	18
1777	HLA-B27 misfolding and spondyloarthropathies. 2009 , 3, 15-26	30
1776	Interpretation of genetic association studies: markers with replicated highly significant odds ratios may be poor classifiers. 2009 , 5, e1000337	191
1775	Common type 2 diabetes risk gene variants associate with gestational diabetes. 2009 , 94, 145-50	169

1774	PPARG, KCNJ11, CDKAL1, CDKN2A-CDKN2B, IDE-KIF11-HHEX, IGF2BP2 and SLC30A8 are associated with type 2 diabetes in a Chinese population. 2009 , 4, e7643	137
1773	Application of principal component analysis to pharmacogenomic studies in Canada. 2009 , 9, 362-72	20
1772	Testing the association of novel meta-analysis-derived diabetes risk genes with type II diabetes and related metabolic traits in Asian Indian Sikhs. 2009 , 54, 162-8	33
1771	Joint effects of common genetic variants on the risk for type 2 diabetes in U.S. men and women of European ancestry. 2009 , 150, 541-50	191
1770	Searching for genes that matter in acute kidney injury: a systematic review. 2009 , 4, 1020-31	43
1769	Additive effects of genetic variation in GCK and G6PC2 on insulin secretion and fasting glucose. 2009 , 58, 2946-53	28
1768	IGF2 mRNA-binding protein 2: biological function and putative role in type 2 diabetes. 2009 , 43, 187-95	123
1767	Genetic variant in HK1 is associated with a proanemic state and A1C but not other glycemic control-related traits. 2009 , 58, 2687-97	29
1766	TCF7L2 polymorphism associates with new-onset diabetes after transplantation. 2009 , 20, 2459-67	55
1765	Reduced expression of the Kinesin-Associated Protein 3 (KIFAP3) gene increases survival in sporadic amyotrophic lateral sclerosis. 2009 , 106, 9004-9	149
1764	Common polymorphic transcript variation in human disease. 2009 , 19, 567-75	64
1763	Smallness for gestational age interacts with high mobility group A2 gene genetic variation to modulate height. 2009 , 160, 557-60	9
1762	Association and interaction analyses of genetic variants in ADIPOQ, ENPP1, GHSR, PPARgamma and TCF7L2 genes for diabetic nephropathy in a Taiwanese population with type 2 diabetes. 2009 , 24, 3360-6	66
1761	Type 2 diabetes risk alleles are associated with reduced size at birth. 2009 , 58, 1428-33	117
1760	Commentary: A new dawn for genetic epidemiology?. 2009 , 38, 975-7	1
1759	Human genetic variations: Beacons on the pathways to successful ageing. 2009 , 130, 553-63	21
1758	Most parsimonious haplotype allele sharing determination. 2009 , 10, 115	16
1757	Evolutionary genetics as a tool to target genes involved in phenotypes of medical relevance. 2009 , 2, 71-80	0

1756	Estudio del componente genético de la cardiopatía isquémica: de los estudios de ligamiento al genotipado integral del genoma. 2009 , 9, 24-38	2
1755	Genome-wide association studies and the genetic dissection of complex traits. 2009 , 84, 504-15	55
1754	Bayes factors for genome-wide association studies: comparison with P-values. 2009 , 33, 79-86	266
1753	Using genome-wide pathway analysis to unravel the etiology of complex diseases. 2009 , 33, 419-31	159
1752	Genotype-based matching to correct for population stratification in large-scale case-control genetic association studies. 2009 , 33, 508-17	37
1751	Disease-causing mutations improving the branch site and polypyrimidine tract: pseudoexon activation of LINE-2 and antisense Alu lacking the poly(T)-tail. 2009 , 30, 823-31	29
1750	The influence of genetic variations in HHEX gene on insulin metabolism in the German MESYBEPO cohort. 2009 , 25, 156-62	20
1749	On the diabetic menu: zebrafish as a model for pancreas development and function. 2009 , 31, 139-52	110
1748	Haploinsufficiency of the GPD2 gene in a patient with nonsyndromic mental retardation. 2009 , 124, 649-58	22
1747	Identification of susceptibility genes for complex diseases using pooling-based genome-wide association scans. 2009 , 125, 305-18	66
1746	Association between insulin secretion, insulin sensitivity and type 2 diabetes susceptibility variants identified in genome-wide association studies. 2009 , 46, 217-26	81
1745	Exercise therapy in type 2 diabetes. 2009 , 46, 263-78	82
1744	The genetics of autoimmune diseases: a networked perspective. 2009 , 21, 596-605	110
1743	Human QTL linkage mapping. 2009 , 136, 333-40	29
1742	Advances in systems biology are enhancing our understanding of disease and moving us closer to novel disease treatments. 2009 , 136, 259-69	37
1741	Novel antigens in type 1 diabetes: the importance of ZnT8. 2009 , 9, 105-12	49
1740	Genome-wide association studies in type 2 diabetes. 2009 , 9, 164-71	174
1739	The null distributions of test statistics in genomewide association studies. 2009 , 1, 214-227	

1738	Polymorphisms within insulin-degrading enzyme (IDE) gene determine insulin metabolism and risk of type 2 diabetes. 2009 , 87, 1145-51	51
1737	Type 2 diabetes-associated genetic variants discovered in the recent genome-wide association studies are related to gestational diabetes mellitus in the Korean population. 2009 , 52, 253-61	177
1736	The risk allele load accelerates the age-dependent decline in beta cell function. 2009 , 52, 457-62	23
1735	A common genetic variant in WFS1 determines impaired glucagon-like peptide-1-induced insulin secretion. 2009 , 52, 1075-82	67
1734	Glucose inhibits the insulin-induced activation of the insulin-degrading enzyme in HepG2 cells. 2009 , 52, 1656-64	28
1733	Translating TCF7L2: from gene to function. 2009 , 52, 1227-30	38
1732	Combined analysis of 19 common validated type 2 diabetes susceptibility gene variants shows moderate discriminative value and no evidence of gene-gene interaction. 2009 , 52, 1308-14	51
1731	A genome-wide association scan for acute insulin response to glucose in Hispanic-Americans: the Insulin Resistance Atherosclerosis Family Study (IRAS FS). 2009 , 52, 1326-33	29
1730	Variants in KCNQ1 are associated with susceptibility to type 2 diabetes in the population of mainland China. 2009 , 52, 1315-21	54
1729	No association of multiple type 2 diabetes loci with type 1 diabetes. 2009 , 52, 2109-16	63
1728	Replication study for the association of new meta-analysis-derived risk loci with susceptibility to type 2 diabetes in 6,244 Japanese individuals. 2009 , 52, 1554-60	26
1727	Autoantibodies to zinc transporter 8 and SLC30A8 genotype stratify type 1 diabetes risk. 2009 , 52, 1881-8	137
1726	Association analysis of v-AKT murine thymoma viral oncogene homolog 1 (AKT1) polymorphisms and type 2 diabetes mellitus in the Korean population. 2009 , 31, 73-83	1
1725	Variation in genetic admixture and population structure among Latinos: the Los Angeles Latino eye study (LALES). 2009 , 10, 71	22
1724	Evaluating the association of common APOA2 variants with type 2 diabetes. 2009 , 10, 13	9
1723	Association between TCF7L2 gene polymorphisms and susceptibility to type 2 diabetes mellitus: a large Human Genome Epidemiology (HuGE) review and meta-analysis. 2009 , 10, 15	173
1722	Functional and genetic analysis in type 2 diabetes of liver X receptor alleles--a cohort study. 2009 , 10, 27	20
1721	Contribution of type 2 diabetes associated loci in the Arabic population from Tunisia: a case-control study. 2009 , 10, 33	54

1720	Common polymorphisms within the NR4A3 locus, encoding the orphan nuclear receptor Nor-1, are associated with enhanced beta-cell function in non-diabetic subjects. 2009 , 10, 77	20
1719	Zinc transporter gene expression is regulated by pro-inflammatory cytokines: a potential role for zinc transporters in beta-cell apoptosis?. 2009 , 9, 7	42
1718	MODY-like diabetes associated with an apparently balanced translocation: possible involvement of MPP7 gene and cell polarity in the pathogenesis of diabetes. 2009 , 2, 5	7
1717	The importance of a genetic component in longitudinal birth cohorts. 2009 , 23 Suppl 1, 174-84	8
1716	Genetics and visceral leishmaniasis: of mice and man. 2009 , 31, 254-66	80
1715	The combined effect of SNP-marker and phenotype attributes in genome-wide association studies. 2009 , 40, 149-56	19
1714	GAB2 is not associated with late-onset Alzheimer's disease in Japanese. 2009 , 17, 682-6	22
1713	Genome-wide association studies in amyotrophic lateral sclerosis. 2009 , 17, 137-8	3
1712	Genetic association analysis of 13 nuclear-encoded mitochondrial candidate genes with type II diabetes mellitus: the DAMAGE study. 2009 , 17, 1056-62	12
1711	Joint analysis of tightly linked SNPs in screening step of genome-wide association studies leads to increased power. 2009 , 17, 1043-9	15
1710	Recovering unused information in genome-wide association studies: the benefit of analyzing SNPs out of Hardy-Weinberg equilibrium. 2009 , 17, 1676-82	28
1709	Effect of BSN-MST1 locus on inflammatory bowel disease and multiple sclerosis susceptibility. 2009 , 10, 631-5	16
1708	Metalloproteins and metal sensing. <i>Nature</i> , 2009 , 460, 823-30	50.4 815
1707	Human genetics illuminates the paths to metabolic disease. <i>Nature</i> , 2009 , 462, 307-14	50.4 260
1706	A variant near MTNR1B is associated with increased fasting plasma glucose levels and type 2 diabetes risk. 2009 , 41, 89-94	466
1705	Common variant in MTNR1B associated with increased risk of type 2 diabetes and impaired early insulin secretion. 2009 , 41, 82-8	550
1704	Variants in MTNR1B influence fasting glucose levels. 2009 , 41, 77-81	584
1703	Genome-wide association study for early-onset and morbid adult obesity identifies three new risk loci in European populations. 2009 , 41, 157-9	521

1702	Genetic variant near IRS1 is associated with type 2 diabetes, insulin resistance and hyperinsulinemia. 2009 , 41, 1110-5	356
1701	Genetically encoded FRET sensors to monitor intracellular Zn ²⁺ homeostasis. 2009 , 6, 737-40	344
1700	Human genetic variation and its contribution to complex traits. 2009 , 10, 241-51	778
1699	Common disorders are quantitative traits. 2009 , 10, 872-8	501
1698	Computational analysis of human genome polymorphism. 2009 , 43, 260-268	4
1697	Structural basis for autoregulation of the zinc transporter YiiP. 2009 , 16, 1063-7	192
1696	Association analyses between type 2 diabetes genes and obesity traits in pigs. 2009 , 17, 323-9	22
1695	A rare variant in the visfatin gene (NAMPT/PBEF1) is associated with protection from obesity. 2009 , 17, 1549-53	52
1694	A robust test for two-stage design in genome-wide association studies. 2009 , 65, 1288-95	13
1693	A robust genome-wide scan statistic of the Wellcome Trust Case-Control Consortium. 2009 , 65, 1115-22	24
1692	Genetic variation in the hypothalamic pathways and its role on obesity. 2009 , 10, 593-609	16
1691	1. DNA Collection in a Randomized Social Science Study of College Peer Effects. 2009 , 39, 1-29	9
1690	Zinc, a regulator of islet function and glucose homeostasis. 2009 , 11 Suppl 4, 202-14	106
1689	Genetic and biochemical pathways of beta-cell failure in type 2 diabetes. 2009 , 11 Suppl 4, 38-45	49
1688	Genetic basis of beta-cell dysfunction in man. 2009 , 11 Suppl 4, 149-58	15
1687	RD Lawrence Lecture 2009. Old genes, new tricks: learning about blood glucose regulation from naturally occurring genetic variation in humans. 2009 , 26, 1083-9	2
1686	Ethnic difference in patients with type 2 diabetes mellitus in inter-East Asian populations: a systematic review and meta-analysis focusing on gene polymorphism. 2009 , 1, 255-62	12
1685	Pearson's test, trend test, and MAX are all trend tests with different types of scores. 2009 , 73, 133-40	28

1684	Robust tests for single-marker analysis in case-control genetic association studies. 2009 , 73, 245-52	19
1683	Zinc and diabetes--clinical links and molecular mechanisms. 2009 , 20, 399-417	290
1682	Emerging therapies for metabolic diseases--the focus is on diabetes and obesity. 2009 , 13, 332-7	24
1681	A Fast Implementation of a Scan Statistic for Identifying Chromosomal Patterns of Genome Wide Association Studies. 2009 , 53, 1794-1801	8
1680	Zn(2+)-transporter-8: a dual role in diabetes. 2009 , 35, 356-63	15
1679	Design of tag SNP whole genome genotyping arrays. 2009 , 529, 51-61	10
1678	Construction of a prediction model for type 2 diabetes mellitus in the Japanese population based on 11 genes with strong evidence of the association. 2009 , 54, 236-41	62
1677	Tail strength to combine two p values: their correlation cannot be ignored. 2009 , 84, 291-5; author reply 298-300	2
1676	Is the tail-strength measure more powerful in tests of genetic association?. 2009 , 84, 295-8; author reply 298-300	
1675	A genome-wide in vitro bacterial-infection screen reveals human variation in the host response associated with inflammatory disease. 2009 , 85, 214-27	60
1674	ATRIUM: testing untyped SNPs in case-control association studies with related individuals. 2009 , 85, 667-78	6
1673	Genetic architecture of type 2 diabetes: recent progress and clinical implications. 2009 , 32, 1107-14	51
1672	Human serum metabonomic analysis reveals progression axes for glucose intolerance and insulin resistance statuses. 2009 , 8, 5188-95	112
1671	Insulin crystallization depends on zinc transporter ZnT8 expression, but is not required for normal glucose homeostasis in mice. 2009 , 106, 14872-7	257
1670	Association of 18 confirmed susceptibility loci for type 2 diabetes with indices of insulin release, proinsulin conversion, and insulin sensitivity in 5,327 nondiabetic Finnish men. 2009 , 58, 2129-36	149
1669	Relationship between human periodontitis and type 2 diabetes at a genomic level: a data-mining study. 2009 , 80, 1265-73	20
1668	Prediction of cardiovascular disease outcomes and established cardiovascular risk factors by genome-wide association markers. 2009 , 2, 7-15	60
1667	Association analysis of variation in/near FTO, CDKAL1, SLC30A8, HHEX, EXT2, IGF2BP2, LOC387761, and CDKN2B with type 2 diabetes and related quantitative traits in Pima Indians. 2009 , 58, 478-88	120

1666	Induction of negative curvature as a mechanism of cell toxicity by amyloidogenic peptides: the case of islet amyloid polypeptide. 2009 , 131, 4470-8	119
1665	TCF7L2 regulates late events in insulin secretion from pancreatic islet beta-cells. 2009 , 58, 894-905	157
1664	Genetic variations of solute carrier family 30 (zinc transporter) member 8 (SLC30A8) are not associated with polycystic ovary syndrome. 2009 , 91, 1598-601	4
1663	The Pro12Ala PPARgamma2 variant determines metabolism at the gene-environment interface. 2009 , 9, 88-98	57
1662	Hyperinsulinism and diabetes: genetic dissection of beta cell metabolism-excitation coupling in mice. 2009 , 10, 442-53	30
1661	Important role of heparan sulfate in postnatal islet growth and insulin secretion. 2009 , 383, 113-8	64
1660	Beta-cell deterioration during diabetes: what's in the gun?. 2009 , 20, 388-93	77
1659	Genome-wide association studies in type 1 diabetes, inflammatory bowel disease and other immune-mediated disorders. 2009 , 21, 355-62	15
1658	Relative quantitation of restriction fragment length polymorphic DNAs via DNA melting analysis provides an effective way to determine allele frequencies. 2009 , 94, 355-61	5
1657	Mitochondrial dysfunction in pancreatic beta-cells in Type 2 diabetes. 2009 , 297, 34-40	92
1656	The AMP-regulated kinase family: enigmatic targets for diabetes therapy. 2009 , 297, 41-9	64
1655	Genetic dissection of type 2 diabetes. 2009 , 297, 10-7	111
1654	TCF7L2 rs12255372 and SLC30A8 rs13266634 confer susceptibility to type 2 diabetes in a Russian population. 2009 , 3, 219-223	3
1653	Genetic risk factors for type 2 diabetes with pharmacologic intervention in African-American patients with schizophrenia or schizoaffective disorder. 2009 , 114, 50-6	12
1652	Comparison of genetic risk in three candidate genes (TCF7L2, PPARG, KCNJ11) with traditional risk factors for type 2 diabetes in a population-based study--the HUNT study. 2009 , 69, 282-7	22
1651	Genomewide association studies and human disease. 2009 , 360, 1759-68	564
1650	Latent autoimmune diabetes in adults. 2009 , 94, 4635-44	149
1649	The Molecular Genetics of Type 2 Diabetes: Past, Present and Future. 2009 ,	1

1648	Novel genetic findings applied to the clinic in type 2 diabetes. 2009 , 56 Suppl 4, 21-5	
1647	A polymorphism in MAPKAPK3 affects response to interferon therapy for chronic hepatitis C. 2009 , 136, 1796-805.e6	38
1646	Epigenetics: a molecular link between environmental factors and type 2 diabetes. 2009 , 58, 2718-25	439
1645	Mammalian zinc transporters: nutritional and physiologic regulation. 2009 , 29, 153-76	539
1644	Genes and Gene-Environment Interactions in the Pathogenesis of Obesity and the Metabolic Syndrome. 2009 , 11-39	
1643	Molecular Mechanisms of Spondyloarthropathies. 2009 ,	2
1642	Genetics of Asthma and COPD. 2009 , 37-51	
1641	The HapMap and genome-wide association studies in diagnosis and therapy. 2009 , 60, 443-56	155
1640	Pathomechanisms of type 2 diabetes genes. 2009 , 30, 557-85	102
1639	Significance of genome-wide association studies in molecular anthropology. 2009 , 13, 711-5	
1638	Nature versus nurture in determining athletic ability. 2009 , 54, 11-27	6
1637	Tumor Biomarker Discovery. 2009 ,	
1636	DNA Microarrays for Biomedical Research. 2009 ,	10
1635	Targeting microRNAs in obesity. 2009 , 13, 1227-38	82
1634	Systems medicine: the future of medical genomics and healthcare. 2009 , 1, 2	279
1633	A synthetically simple, click-generated cyclam-based zinc(II) sensor. 2009 , 48, 319-24	144
1632	DNA variations in human and medical genetics: 25 years of my experience. 2009 , 54, 1-8	52
1631	Molecular Endocrinology. 2009 ,	4

1630	Glucose, regulator of survival and phenotype of pancreatic beta cells. 2009 , 80, 507-39	22
1629	Structure, function, and regulation of insulin-degrading enzyme. 2009 , 80, 635-48	33
1628	Genetics of diabetic nephropathy: are there clues to the understanding of common kidney diseases?. 2009 , 112, c213-21	24
1627	Genetic determinants and molecular pathways in the pathogenesis of Type 2 diabetes. 2009 , 116, 99-111	52
1626	Decreased TCF7L2 protein levels in type 2 diabetes mellitus correlate with downregulation of GIP- and GLP-1 receptors and impaired beta-cell function. 2009 , 18, 2388-99	200
1625	Haplotypic background of a private allele at high frequency in the Americas. 2009 , 26, 995-1016	48
1624	Pancreatic islet inflammation in type 2 diabetes: from alpha and beta cell compensation to dysfunction. 2009 , 115, 240-7	73
1623	Genomics of type 2 diabetes mellitus: implications for the clinician. 2009 , 5, 429-36	68
1622	STAT4 is not associated with type 2 diabetes in the genetically homogeneous population of Crete. 2009 , 13, 281-4	4
1621	Processing Large-Scale, High-Dimension Genetic and Gene Expression Data. 2009 , 307-330	0
1620	The role of genetics in susceptibility to diabetic retinopathy. 2009 , 49, 35-52	72
1619	Association of the CPT1B gene with skeletal muscle fat infiltration in Afro-Caribbean men. 2009 , 17, 1396-401	15
1618	A genome-wide association study primer for clinicians. 2009 , 48, 89-95	15
1617	Evidence of interaction between type 2 diabetes susceptibility genes and dietary fat intake for adiposity and glucose homeostasis-related phenotypes. 2009 , 2, 225-34	23
1616	HLA-B27 misfolding and spondyloarthropathies. 2009 , 649, 217-34	22
1615	Genotyping technologies for genetic research. 2009 , 10, 117-33	164
1614	Association of common type 2 diabetes risk gene variants and posttransplantation diabetes mellitus in renal allograft recipients in Korea. 2009 , 88, 693-8	32
1613	Pregnancy in type 2 diabetes mellitus--problems & promises. 2009 , 5, 190-200	17

- 1612 Genome-wide association study for type 2 diabetes: clinical applications. **2009**, 20, 87-91 34
- 1611 Using genetic information to select treatment for patients with heart failure: has the time come?. **2009**, 6, 385-392
- 1610 Does direct-to-consumer prescription drug advertising do more harm than good?. **2009**, 151, 823-4; author reply 824 1
- 1609 Genome-wide Association Studies: The Success, Failure and Future. **2009**,
- 1608 Personalized medicine: A transformative approach is needed. **2009**, 180, 911-913 4
- 1607 Deletion of the mouse Slc30a8 gene encoding zinc transporter-8 results in impaired insulin secretion. **2009**, 421, 371-6 141
- 1606 G protein-coupled receptor 39 deficiency is associated with pancreatic islet dysfunction. **2009**, 150, 2577-85 70
- 1605 Identification of genetic markers associated with high-density lipoprotein-cholesterol by genome-wide screening in a Japanese population: the Suita study. **2009**, 73, 1119-26 43
- 1604 ??????????????????????. **2009**, 47, 545-552
- 1603 In arrayed ranks: array technology in the study of mesothelioma. **2009**, 4, 411-25 16
- 1602 Molecular basis for residual feed intake in beef cattle. **2009**, 87, E41-7 65
- 1601 Is lifelong anticoagulation worth the risk in patients with unprovoked DVT?. **2009**, 151, 827; author reply 827
- 1600 Racial differences in myocardial infarction outcomes. **2009**, 151, 823; author reply 823
- 1599 Ultrasonography to guide duration of anticoagulation in DVT. **2009**, 151, 826; author reply 826-7
- 1598 Ultrasonography to guide duration of anticoagulation in DVT. **2009**, 151, 825-6; author reply 826-7
- 1597 Racial differences in myocardial infarction outcomes. **2009**, 151, 823; author reply 823
- 1596 Erratum. **2009**, 11, 594-594
- 1595 Understanding the combined effects of conventional risk factors and genetic loci on diabetes incidence. **2009**, 151, 824-5; author reply 825

1594 Correction: In the Clinic: Community-Acquired Pneumonia. **2009**, 151, 827

1593 Prioritizing genes for follow-up from genome wide association studies using information on gene expression in tissues relevant for type 2 diabetes mellitus. **2009**, 2, 72 32

1592 Type 2 Diabetes Mellitus: New Genetic Insights will Lead to New Therapeutics. **2009**, 10, 110-8 25

1591 Mining the genome for susceptibility to complex neurological disorders. **2009**, 9, 801-13 3

1590 Association of 77 polymorphisms in 52 candidate genes with blood pressure progression and incident hypertension: the Women's Genome Health Study. **2009**, 27, 476-83 33

1589 Pharmacogenetics and functional genomics in asthma. **2009**, 6, 409-416 0

1588 Zinc, metallothioneins and immunosenescence. **2010**, 69, 290-9 27

1587 Genetic variants of the protein kinase C-beta 1 gene and development of end-stage renal disease in patients with type 2 diabetes. **2010**, 304, 881-9 49

1586 Novel biological insights emerging from genetic studies of type 2 diabetes and related metabolic traits. **2010**, 21, 44-50 32

1585 Genetics of type 2 diabetes. **2010**, 13, 471-7 26

1584 Recent advances in the genetics and genomics of asthma and related traits. **2010**, 22, 307-12 9

1583 Interactions between genetic factors that predict diabetes and dietary factors that ultimately impact on risk of diabetes. **2010**, 21, 31-7 25

1582 Down-regulation of zinc transporter 8 in the pancreas of db/db mice is rescued by Exendin-4 administration. **2011**, 4, 47-52 6

1581 TCF7L2 rs12255372 and SLC30A8 rs13266634 confer susceptibility to type 2 diabetes in a Russian population. **2010**, 46, 1001-1008 1

1580 On genome-wide association studies for family-based designs: an integrative analysis approach combining ascertained family samples with unselected controls. **2010**, 86, 573-80 28

1579 Integrating pathway analysis and genetics of gene expression for genome-wide association studies. **2010**, 86, 581-91 202

1578 Powerful SNP-set analysis for case-control genome-wide association studies. **2010**, 86, 929-42 425

1577 Coronary artery calcification and its relationship to validated genetic variants for diabetes mellitus assessed in the Heinz Nixdorf recall cohort. **2010**, 30, 1867-72 23

1576	Metabolic profiling and the metabolome-wide association study: significance level for biomarker identification. 2010 , 9, 4620-7	102
1575	Genetics of coronary artery disease. 2010 , 11, 91-108	67
1574	Candidate loci for insulin sensitivity and disposition index from a genome-wide association analysis of Hispanic participants in the Insulin Resistance Atherosclerosis (IRAS) Family Study. 2010 , 53, 281-9	22
1573	The ENPP1 K121Q polymorphism determines individual susceptibility to the insulin-sensitising effect of lifestyle intervention. 2010 , 53, 504-9	12
1572	Improvements in glucose homeostasis in response to regular exercise are influenced by the PPAR γ Pro12Ala variant: results from the HERITAGE Family Study. 2010 , 53, 679-89	52
1571	Hepatocyte nuclear factor (HNF)-4 α -driven epigenetic silencing of the human PED gene. 2010 , 53, 1482-92	14
1570	Beta cell-specific Znt8 deletion in mice causes marked defects in insulin processing, crystallisation and secretion. 2010 , 53, 1656-68	228
1569	The suppressor of cytokine signalling 2 (SOCS2) is a key repressor of insulin secretion. 2010 , 53, 1935-46	21
1568	Type 2 diabetes risk alleles near ADCY5, CDKAL1 and HHEX-IDE are associated with reduced birthweight. 2010 , 53, 1908-16	56
1567	Evaluating the discriminative power of multi-trait genetic risk scores for type 2 diabetes in a northern Swedish population. 2010 , 53, 2155-62	39
1566	Zinc, zinc transporters and diabetes. 2010 , 53, 1549-51	71
1565	Disease-associated loci are significantly over-represented among genes bound by transcription factor 7-like 2 (TCF7L2) in vivo. 2010 , 53, 2340-6	37
1564	Genetic variants affecting incretin sensitivity and incretin secretion. 2010 , 53, 2289-97	32
1563	mRNA expression analysis of cell cycle genes in islets of pregnant mice. 2010 , 53, 2579-88	29
1562	Association analysis of SLC30A8 rs13266634 and rs16889462 polymorphisms with type 2 diabetes mellitus and repaglinide response in Chinese patients. 2010 , 66, 1207-15	51
1561	An approach based on a genome-wide association study reveals candidate loci for narcolepsy. 2010 , 128, 433-41	37
1560	The role of microglia in amyloid clearance from the AD brain. 2010 , 117, 949-60	393
1559	Approximating probabilities of correlated events. 2010 , 53, 2937-2948	1

1558	Development and validation of a short questionnaire for estimating the intake of zinc. 2010 , 134, 226-34	6
1557	Evaluation of hypoglycemic activity of inorganic constituents in <i>Nelumbo nucifera</i> seeds on streptozotocin-induced diabetes in rats. 2010 , 138, 226-37	33
1556	Evaluating variations of genotype calling: a potential source of spurious associations in genome-wide association studies. 2010 , 89, 55-64	11
1555	Type 2 Diabetes and Genetics, 2010: Translating Knowledge into Understanding. 2010 , 4, 437-445	3
1554	Defects in insulin secretion and action in the pathogenesis of type 2 diabetes mellitus. 2010 , 10, 184-91	70
1553	The genetics of insulin resistance: Where's Waldo?. 2010 , 10, 476-84	27
1552	From genetic association to molecular mechanism. 2010 , 10, 452-66	27
1551	Zinc transporter expression profiles in the rat prostate following alterations in dietary zinc. 2010 , 23, 51-8	18
1550	Applying QTL analysis to conservation genetics. 2010 , 11, 399-408	7
1549	Polymorphisms of TCF7L2 and HHEX genes in Chinese women with polycystic ovary syndrome. 2010 , 27, 23-8	26
1548	Capture of assay template by multiplex PCR of long amplicons for genotyping SNPs and InDels with MALDI-TOF mass spectrometry. 2010 , 25, 471-480	13
1547	Toll-like receptor 4 and inducible nitric oxide synthase gene polymorphisms are associated with Type 2 diabetes. 2010 , 24, 192-8	35
1546	Association of Gly972Arg polymorphism of IRS1 gene with type 2 diabetes mellitus in lean participants of a national health survey in Mexico: a candidate gene study. 2010 , 59, 38-45	31
1545	PPARG and ADIPOQ gene polymorphisms increase type 2 diabetes mellitus risk in Asian Indian Sikhs: Pro12Ala still remains as the strongest predictor. 2010 , 59, 492-501	54
1544	Replication of recently described type 2 diabetes gene variants in a South Indian population. 2010 , 59, 1760-6	39
1543	Zinc and cardiovascular disease. 2010 , 26, 1050-7	128
1542	Evaluating diabetes and hypertension disease causality using mouse phenotypes. 2010 , 4, 97	3
1541	Three-dimensional structure of beta-cell-specific zinc transporter, ZnT-8, predicted from the type 2 diabetes-associated gene variant SLC30A8 R325W. 2010 , 2, 33	24

1540	Variations of six transmembrane epithelial antigen of prostate 4 (STEAP4) gene are associated with metabolic syndrome in a female Uygur general population. 2010 , 41, 449-56	11
1539	Insulin-degrading enzyme antagonizes insulin-dependent tissue growth and Abeta-induced neurotoxicity in <i>Drosophila</i> . 2010 , 584, 2916-20	21
1538	Identification of genetic factors associated with Type 2 Diabetes in Saudis: The lessons from European studies. 2010 , 2, 133-136	1
1537	The Gene, Environment Association Studies consortium (GENEVA): maximizing the knowledge obtained from GWAS by collaboration across studies of multiple conditions. 2010 , 34, 364-72	126
1536	Resequencing of pooled DNA for detecting disease associations with rare variants. 2010 , 34, 492-501	21
1535	Estimation of P-value of MAX test with double triangle diagram for 2 x 3 SNP case-control tables. 2010 , 34, 543-51	3
1534	Candidate gene association study conditioning on individual ancestry in patients with type 2 diabetes and metabolic syndrome from Mexico City. 2010 , 26, 261-70	82
1533	Genotyping and LOH Analysis on Archival Tissue using SNP Arrays. 2010 , 49-66	
1532	Carbonic anhydrase II-based metal ion sensing: Advances and new perspectives. 2010 , 1804, 393-403	41
1531	Fluorescent imaging of transition metal homeostasis using genetically encoded sensors. 2010 , 14, 231-7	56
1530	Asymptotic powers for matched trend tests and robust matched trend tests in case-control genetic association studies. 2010 , 54, 65-77	5
1529	Large effects on body mass index and insulin resistance of fat mass and obesity associated gene (FTO) variants in patients with polycystic ovary syndrome (PCOS). 2010 , 11, 12	56
1528	The longitudinal association of common susceptibility variants for type 2 diabetes and obesity with fasting glucose level and BMI. 2010 , 11, 140	14
1527	Association of the rs738409 polymorphism in PNPLA3 with liver damage and the development of nonalcoholic fatty liver disease. 2010 , 11, 172	110
1526	Chromosome 7p linkage and association study for diabetes related traits and type 2 diabetes in an African-American population enriched for nephropathy. 2010 , 11, 22	11
1525	Large-scale association analysis of TNF/LTA gene region polymorphisms in type 2 diabetes. 2010 , 11, 69	34
1524	Implication of genetic variants near SLC30A8, HHEX, CDKAL1, CDKN2A/B, IGF2BP2, FTO, TCF2, KCNQ1, and WFS1 in type 2 diabetes in a Chinese population. 2010 , 11, 81	95
1523	Association study of genetic variants in eight genes/loci with type 2 diabetes in a Han Chinese population. 2010 , 11, 97	66

1522	Genome-wide DNA methylation analysis for diabetic nephropathy in type 1 diabetes mellitus. 2010 , 3, 33		226
1521	Efficiency robust statistics for genetic linkage and association studies under genetic model uncertainty. 2010 , 29, 158-80		24
1520	Translating type 2 diabetes genetics: what does it add to clinical practice?. 2010 , 27, 264-266		
1519	Identification of interacting genes in genome-wide association studies using a model-based two-stage approach. 2010 , 74, 406-15		1
1518	Joint identification of multiple genetic variants via elastic-net variable selection in a genome-wide association analysis. 2010 , 74, 416-28		64
1517	The TCF7L2 diabetes risk variant is associated with HbA _{1c} levels: a genome-wide association meta-analysis. 2010 , 74, 471-8		29
1516	Improving power for testing genetic association in case-control studies by reducing the alternative space. 2010 , 66, 266-76		22
1515	Gene and pathway-based second-wave analysis of genome-wide association studies. 2010 , 18, 111-7		189
1514	Polymerization of MIP-1 chemokine (CCL3 and CCL4) and clearance of MIP-1 by insulin-degrading enzyme. 2010 , 29, 3952-66		98
1513	Panic disorder is associated with the serotonin transporter gene (SLC6A4) but not the promoter region (5-HTTLPR). 2010 , 15, 166-76		67
1512	A new highly penetrant form of obesity due to deletions on chromosome 16p11.2. <i>Nature</i> , 2010 , 463, 671-5	50.4	403
1511	Rfx6 directs islet formation and insulin production in mice and humans. <i>Nature</i> , 2010 , 463, 775-80	50.4	254
1510	Assessing sources of inconsistencies in genotypes and their effects on genome-wide association studies with HapMap samples. 2010 , 10, 364-74		18
1509	A systems approach to bone pathophysiology. 2010 , 1211, 9-24		3
1508	IGF2BP2 variations influence repaglinide response and risk of type 2 diabetes in Chinese population. 2010 , 31, 709-17		38
1507	A map of open chromatin in human pancreatic islets. 2010 , 42, 255-9		435
1506	Twelve type 2 diabetes susceptibility loci identified through large-scale association analysis. 2010 , 42, 579-89		1449
1505	A genome-wide association study in the Japanese population identifies susceptibility loci for type 2 diabetes at UBE2E2 and C2CD4A-C2CD4B. 2010 , 42, 864-8		214

1504	cnvHap: an integrative population and haplotype-based multiplatform model of SNPs and CNVs. 2010 , 7, 541-6	37
1503	The role of peroxisome proliferator-activated receptor γ in pancreatic β cell function and survival: therapeutic implications for the treatment of type 2 diabetes mellitus. 2010 , 12, 1036-47	50
1502	Diabetes and other glucose metabolism abnormalities in Mexican Zapotec and Mixe Indians. 2010 , 27, 412-6	14
1501	Independent predictive roles of eotaxin Ala23Thr, paraoxonase 2 Ser311Cys and beta-adrenergic receptor Trp64Arg polymorphisms on cardiac disease in Type 2 Diabetes--an 8-year prospective cohort analysis of 1297 patients. 2010 , 27, 376-83	19
1500	Zinc Transporter YiiP from Escherichia coli. 2010 ,	2
1499	Prevalência de Diabetes Mellitus autorreferida entre trabalhadores de enfermagem. 2010 , 23, 632-639	0
1498	Association between type 2 diabetes loci and measures of fatness. 2010 , 5, e8541	15
1497	Analyses and comparison of imputation-based association methods. 2010 , 5, e10827	26
1496	Association of rs780094 in GCKR with metabolic traits and incident diabetes and cardiovascular disease: the ARIC Study. 2010 , 5, e11690	47
1495	Genetically dependent ERBB3 expression modulates antigen presenting cell function and type 1 diabetes risk. 2010 , 5, e11789	27
1494	Multiethnic genetic association studies improve power for locus discovery. 2010 , 5, e12600	44
1493	Phenotypic and Genotypic Variation. 155-156	
1492	Human Adaptation to High Altitude. 170-191	1
1491	R1467H Variants of Rho Guanine Nucleotide Exchange Factor 11 (ARHGEF11) are Associated with Type 2 Diabetes Mellitus in Koreans. 2010 , 34, 368-73	12
1490	Fine-mapping a locus for glucose tolerance using heterogeneous stock rats. 2010 , 41, 102-8	40
1489	The epidemiology of diabetes in Korea: from the economics to genetics. 2010 , 34, 10-5	16
1488	Think zinc: New roles for zinc in the control of insulin secretion. 2010 , 2, 49-50	68
1487	GWAS analyzer: integrating genotype, phenotype and public annotation data for genome-wide association study analysis. 2010 , 26, 560-4	22

1486	Impact of single nucleotide polymorphisms and of clinical risk factors on new-onset diabetes mellitus in HIV-infected individuals. 2010 , 51, 1090-8	21
1485	Genetic variants in ABO blood group region, plasma soluble E-selectin levels and risk of type 2 diabetes. 2010 , 19, 1856-62	131
1484	Investigation of type 2 diabetes risk alleles support CDKN2A/B, CDKAL1, and TCF7L2 as susceptibility genes in a Han Chinese cohort. 2010 , 5, e9153	94
1483	Association of the CTLA4 gene with Graves' disease in the Chinese Han population. 2010 , 5, e9821	37
1482	Clinical Approach to Sudden Cardiac Death Syndromes. 2010 ,	2
1481	Use of mouse models in studying type 2 diabetes mellitus. 2011 , 13, e1	20
1480	A point mutation in Sec61alpha1 leads to diabetes and hepatosteatosis in mice. 2010 , 59, 460-70	50
1479	Carbohydrate-responsive element-binding protein (ChREBP) is a negative regulator of ARNT/HIF-1beta gene expression in pancreatic islet beta-cells. 2010 , 59, 153-60	53
1478	The T-allele of TCF7L2 rs7903146 associates with a reduced compensation of insulin secretion for insulin resistance induced by 9 days of bed rest. 2010 , 59, 836-43	29
1477	Building genetic scores to predict risk of complex diseases in humans: is it possible?. 2010 , 59, 2729-31	20
1476	Considerations for designing a prototype genetic test for use in translational research. 2010 , 13, 155-65	22
1475	Acute cytokine-mediated downregulation of the zinc transporter ZnT8 alters pancreatic beta-cell function. 2010 , 206, 159-69	43
1474	Genetic variants identified in a European genome-wide association study that were found to predict incident coronary heart disease in the atherosclerosis risk in communities study. 2010 , 171, 14-23	41
1473	Identification of rare alleles and their carriers using compressed se(que)nsing. 2010 , 38, e179	43
1472	Zinc bells rang in Jerusalem!. 2010 , 3, mr2	8
1471	The possible role of epigenetics in gestational diabetes: cause, consequence, or both. 2010 , 2010, 605163	30
1470	The genetics of obesity and the metabolic syndrome. 2010 , 10, 86-108	47
1469	Association between a literature-based genetic risk score and cardiovascular events in women. 2010 , 303, 631-7	256

1468	Diabetes in Women. 2010 ,	1
1467	Genetic variation of DKK3 may modify renal disease severity in ADPKD. 2010 , 21, 1510-20	49
1466	Can the genetics of type 1 and type 2 diabetes shed light on the genetics of latent autoimmune diabetes in adults?. 2010 , 31, 183-93	46
1465	Molecular diagnosis of neonatal diabetes mellitus using next-generation sequencing of the whole exome. 2010 , 5, e13630	95
1464	Genetic and functional assessment of the role of the rs13431652-A and rs573225-A alleles in the G6PC2 promoter that are strongly associated with elevated fasting glucose levels. 2010 , 59, 2662-71	25
1463	A genome-wide association study identifies a novel major locus for glycemic control in type 1 diabetes, as measured by both A1C and glucose. 2010 , 59, 539-49	81
1462	Oral Antidiabetic Agents. 2010 , 452-477	2
1461	ZnT8 autoantibody titers in type 1 diabetes patients decline rapidly after clinical onset. 2010 , 43, 598-606	67
1460	Advances and challenges in biomarker development for type 1 diabetes prediction and prevention using omic technologies. 2010 , 4, 397-410	4
1459	The genetics of type 2 diabetes: what have we learned from GWAS?. 2010 , 1212, 59-77	264
1458	Empirical Data Indicates a Primarily Additive Genetic Model for Expressional QTLs. 2010 ,	
1457	Combining genetic markers and clinical risk factors improves the risk assessment of impaired glucose metabolism. 2010 , 42, 196-206	10
1456	Genome-wide association studies for the identification of biomarkers in metabolic diseases. 2010 , 4, 39-51	6
1455	Genetic variants at 2q24 are associated with susceptibility to type 2 diabetes. 2010 , 19, 2706-15	164
1454	Evaluation of 172 candidate polymorphisms for association with oligozoospermia or azoospermia in a large cohort of men of European descent. 2010 , 25, 1383-97	126
1453	Single-nucleotide polymorphisms of NKX2.5 found in congenital heart disease patients of Mysore, South India. 2010 , 14, 873-9	15
1452	Gene variants in the novel type 2 diabetes loci CDC123/CAMK1D, THADA, ADAMTS9, BCL11A, and MTNR1B affect different aspects of pancreatic beta-cell function. 2010 , 59, 293-301	106
1451	Free zinc ions outside a narrow concentration range are toxic to a variety of cells in vitro. 2010 , 235, 741-50	153

1450	Long-range gene regulation links genomic type 2 diabetes and obesity risk regions to HHEX, SOX4, and IRX3. 2010 , 107, 775-80	159
1449	Progress in the genetics of common obesity and type 2 diabetes. 2010 , 12, e7	67
1448	Genetic influences on the association between fetal growth and susceptibility to type 2 diabetes. 2010 , 1, 96-105	6
1447	Polygenic risk variants for type 2 diabetes susceptibility modify age at diagnosis in monogenic HNF1A diabetes. 2010 , 59, 266-71	25
1446	Combined risk allele score of eight type 2 diabetes genes is associated with reduced first-phase glucose-stimulated insulin secretion during hyperglycemic clamps. 2010 , 59, 287-92	48
1445	Interaction between Hhex and SOX13 modulates Wnt/TCF activity. 2010 , 285, 5726-37	21
1444	Genetic heterogeneity in latent autoimmune diabetes is linked to various degrees of autoimmune activity: results from the Nord-Trøndelag Health Study. 2010 , 59, 302-10	59
1443	Colloquium paper: bioenergetics, the origins of complexity, and the ascent of man. 2010 , 107 Suppl 2, 8947-53	93
1442	Examination of all type 2 diabetes GWAS loci reveals HHEX-IDE as a locus influencing pediatric BMI. 2010 , 59, 751-5	49
1441	Functional analysis of two single nucleotide polymorphisms in SLC30A2 (ZnT2): implications for mammary gland function and breast disease in women. 2010 , 42A, 219-27	37
1440	A European evidence-based guideline for the prevention of type 2 diabetes. 2010 , 42 Suppl 1, S3-36	317
1439	Identification of new genetic risk variants for type 2 diabetes. 2010 , 6, e1001127	168
1438	Genome-wide significant associations for variants with minor allele frequency of 5% or less--an overview: A HuGE review. 2010 , 172, 869-89	38
1437	A genome-wide association study identifies susceptibility variants for type 2 diabetes in Han Chinese. 2010 , 6, e1000847	251
1436	Quantification of population structure using correlated SNPs by shrinkage principal components. 2010 , 70, 9-22	40
1435	A scalable approach for discovering conserved active subnetworks across species. 2010 , 6, e1001028	15
1434	A quality control algorithm for filtering SNPs in genome-wide association studies. 2010 , 26, 1731-7	15
1433	Consistent association of type 2 diabetes risk variants found in europeans in diverse racial and ethnic groups. 2010 , 6, e1001078	142

1432	Utility of genetic and non-genetic risk factors in prediction of type 2 diabetes: Whitehall II prospective cohort study. 2010 , 340, b4838	211
1431	Liver and adipose expression associated SNPs are enriched for association to type 2 diabetes. 2010 , 6, e1000932	139
1430	An interactive effect of batch size and composition contributes to discordant results in GWAS with the CHIAMO genotyping algorithm. 2010 , 10, 355-63	10
1429	A single nucleotide polymorphism within the acetyl-coenzyme A carboxylase beta gene is associated with proteinuria in patients with type 2 diabetes. 2010 , 6, e1000842	73
1428	Explaining inter-individual variability in phenotype: is epigenetics up to the challenge?. 2010 , 5, 16-9	39
1427	Cutting the Fat: The Genetic Dissection of Body Weight. 2010 , 94, 197-212	5
1426	Inhibition of deoxyhypusine synthase enhances islet {beta} cell function and survival in the setting of endoplasmic reticulum stress and type 2 diabetes. 2010 , 285, 39943-52	33
1425	Glucolipototoxicity alters lipid partitioning and causes mitochondrial dysfunction, cholesterol, and ceramide deposition and reactive oxygen species production in INS832/13 ss-cells. 2010 , 151, 3061-73	73
1424	Pathogenese des Diabetes mellitus Typ 1 [Update 2010]. 2010 , 5, R31-R46	1
1423	Targeting beta-cell function early in the course of therapy for type 2 diabetes mellitus. 2010 , 95, 4206-16	86
1422	{beta}-Cell mass dynamics and islet cell plasticity in human type 2 diabetes. 2010 , 151, 1462-72	108
1421	Variations in/nearby genes coding for JAZF1, TSPAN8/LGR5 and HHEX-IDE and risk of type 2 diabetes in Han Chinese. 2010 , 55, 810-5	18
1420	Polymorphisms identified through genome-wide association studies and their associations with type 2 diabetes in Chinese, Malays, and Asian-Indians in Singapore. 2010 , 95, 390-7	68
1419	Genetic variants in the metabolism of omega-6 and omega-3 fatty acids: their role in the determination of nutritional requirements and chronic disease risk. 2010 , 235, 785-95	167
1418	The genetics of autism: key issues, recent findings, and clinical implications. 2010 , 33, 83-105	98
1417	Genetic research into bipolar disorder: the need for a research framework that integrates sophisticated molecular biology and clinically informed phenotype characterization. 2010 , 33, 67-82	52
1416	Genomics of heart failure. 2010 , 6, 115-24	9
1415	Genetic variants in MTNR1B affecting insulin secretion. 2010 , 42, 387-93	32

1414	Cyclam-based "clickates": homogeneous and heterogeneous fluorescent sensors for Zn(II). 2010 , 49, 3789-800	98
1413	Wnt signaling in pancreatic islets. 2010 , 654, 391-419	68
1412	Two-stage testing strategies for genome-wide association studies in family-based designs. 2010 , 620, 485-96	5
1411	Nutrigenetics/Nutrigenomics. 2010 , 31, 53-68	87
1410	Clinical differences between patients with MODY-3, MODY-2 and type 2 diabetes mellitus with I27L polymorphism in the HNF1alpha gene. 2010 , 57, 4-8	6
1409	Classical twin design in modern pharmacogenomics studies. 2010 , 11, 215-26	12
1408	Insulin treatment and high-fat diet feeding reduces the expression of three Tcf genes in rodent pancreas. 2010 , 207, 77-86	21
1407	Impact of common variants of PPARG, KCNJ11, TCF7L2, SLC30A8, HHEX, CDKN2A, IGF2BP2, and CDKAL1 on the risk of type 2 diabetes in 5,164 Indians. 2010 , 59, 2068-74	146
1406	Survival analysis with high-dimensional covariates. 2010 , 19, 29-51	90
1405	No association between polymorphisms in the INSIG1 gene and the risk of type 2 diabetes and related traits. 2010 , 92, 252-7	8
1404	Role of zinc in human islet amyloid polypeptide aggregation. 2010 , 132, 8973-83	181
1403	Genetic susceptibility to type 2 diabetes is associated with reduced prostate cancer risk. 2010 , 69, 193-201	30
1402	Human Genetics of Infectious Diseases. 2010 , 403-415	
1401	Ensembl Genome Browser. 2010 , 923-939	3
1400	The emerging genetics of type 2 diabetes. 2010 , 16, 407-16	115
1399	Molecular basis for the recognition and cleavages of IGF-II, TGF-alpha, and amylin by human insulin-degrading enzyme. 2010 , 395, 430-43	59
1398	Exploring the interaction between technology and morality in the field of genetic susceptibility testing: A scenario study. 2010 , 42, 1133-1145	19
1397	Gestational diabetes mellitus screening based on the gene chip technique. 2010 , 89, 167-73	15

1396	TCF7L2 is associated with type 2 diabetes in nonobese individuals from Tunisia. 2010 , 58, 426-9	13
1395	Analysis of candidate genes on chromosome 20q12-13.1 reveals evidence for BMI mediated association of PREX1 with type 2 diabetes in European Americans. 2010 , 96, 211-9	30
1394	Meta-analysis and functional effects of the SLC30A8 rs13266634 polymorphism on isolated human pancreatic islets. 2010 , 100, 77-82	83
1393	The pursuit of genome-wide association studies: where are we now?. 2010 , 55, 195-206	172
1392	Detecting differentially expressed genes: minimizing burden of testing and maximizing number of discoveries. 2010 , 20, 766-71	
1391	Next-generation sequencing in aging research: emerging applications, problems, pitfalls and possible solutions. 2010 , 9, 315-23	77
1390	An islet in distress: β cell failure in type 2 diabetes. 2010 , 1, 123-33	18
1389	Replication of association between schizophrenia and ZNF804A in the Irish Case-Control Study of Schizophrenia sample. 2010 , 15, 29-37	182
1388	Effects of zinc on plasma lipoprotein cholesterol concentrations in humans: a meta-analysis of randomised controlled trials. 2010 , 210, 344-52	56
1387	Handbook on Analyzing Human Genetic Data. 2010 ,	5
1386	Genomics, type 2 diabetes, and obesity. 2010 , 363, 2339-50	696
1385	Practical issues in building risk-predicting models for complex diseases. 2010 , 20, 415-40	16
1384	Handbook of Genomics and the Family. 2010 ,	4
1383	Overexpression of alpha2A-adrenergic receptors contributes to type 2 diabetes. 2010 , 327, 217-20	213
1382	Evolutionary adaptations to dietary changes. 2010 , 30, 291-314	119
1381	DNA Sequencing for the Detection of Human Genome Variation. 2010 , 27-37	
1380	Genome-Wide Association Studies and Genotyping Technologies. 2010 , 38-45	
1379	Diabetes. 2010 , 676-684	

1378	Pharmacogenetics of Anti-Diabetes Drugs. 2010 , 3, 2610-2646	70
1377	Computational Biology. 2010 ,	1
1376	Genome Wide Association Studies. 2010 , 159-175	
1375	Zinc and redox signaling: perturbations associated with cardiovascular disease and diabetes mellitus. 2010 , 13, 1549-73	106
1374	Shared pathways to infectious disease susceptibility?. 2010 , 2, 52	4
1373	Zinc-dependent effects of small molecules on the insulin-sensitive transcription factor FOXO1a and gluconeogenic genes. 2010 , 2, 195-203	17
1372	MafA and MafB regulate genes critical to beta-cells in a unique temporal manner. 2010 , 59, 2530-9	187
1371	Inherited destiny? Genetics and gestational diabetes mellitus. 2011 , 3, 18	17
1370	Candidate genes versus genome-wide associations: which are better for detecting genetic susceptibility to infectious disease?. 2011 , 278, 1183-8	54
1369	LOC387761 polymorphism is associated with type 2 diabetes in the Mexican population. 2011 , 15, 79-83	10
1368	GATA4 specific nonsynonymous single-nucleotide polymorphisms in congenital heart disease patients of Mysore, India. 2011 , 15, 715-20	11
1367	TCF7L2 splice variants have distinct effects on beta-cell turnover and function. 2011 , 20, 1906-15	63
1366	Type 2 diabetes risk variants and colorectal cancer risk: the Multiethnic Cohort and PAGE studies. 2011 , 60, 1703-11	35
1365	Relationship between ZnT8Ab, the SLC30A8 gene and disease progression in children with newly diagnosed type 1 diabetes. 2011 , 44, 616-23	24
1364	Pharmacogenetics in heart failure trials. 2011 , 7, 553-9	2
1363	At-risk variant in TCF7L2 for type II diabetes increases risk of schizophrenia. 2011 , 70, 59-63	101
1362	Metabolic profiling in personalized medicine: bridging the gap between knowledge and clinical practice in Type 2 diabetes. 2011 , 8, 445-456	6
1361	Statistical issues in gene association studies. 2011 , 700, 17-36	10

1360	An overview of the genetic susceptibility to alcoholism. 2011 , 51 Suppl 1, S2-6	22
1359	Genome-wide association study in individuals of South Asian ancestry identifies six new type 2 diabetes susceptibility loci. 2011 , 43, 984-9	406
1358	Association of genetic variations in TCF7L2, SLC30A8, HHEX, LOC387761, and EXT2 with Type 2 diabetes mellitus in Tunisia. 2011 , 15, 399-405	28
1357	Development of a predictive model for type 2 diabetes mellitus using genetic and clinical data. 2011 , 2, 75-82	13
1356	Two non-synonymous markers in PTPN21, identified by genome-wide association study data-mining and replication, are associated with schizophrenia. 2011 , 131, 43-51	19
1355	Personalized medicine: progress and promise. 2011 , 12, 217-44	183
1354	Resequencing and analysis of variation in the TCF7L2 gene in African Americans suggests that SNP rs7903146 is the causal diabetes susceptibility variant. 2011 , 60, 662-8	65
1353	Planning a genome-wide association study: points to consider. 2011 , 43, 451-60	14
1352	A base-calling algorithm for Tm-shifted melting curve SNP assay. 2011 , 1, 3	2
1351	Genetic Epidemiology. 2011 ,	2
1350	Znt8 (zinc transport family member 8) : des études g�n�tiques d'association � la fonction b�ta-cellulaire dans le diab�te de type 2. 2011 , 5, 22	
1349	Slc39a13/Zip13: A Crucial Zinc Transporter Involved in Tooth Development and Inherited Disorders. 2011 , 53, 1-12	13
1348	Effect of genetic polymorphisms on the pharmacokinetics and efficacy of glimepiride in a Korean population. 2011 , 412, 1831-4	15
1347	New-onset diabetes after transplantation: risk factors and clinical impact. 2011 , 37, 1-14	33
1346	Behavioral strategies in diabetes prevention programs: a systematic review of randomized controlled trials. 2011 , 91, 1-12	102
1345	Association between rs13266634 C/T polymorphisms of solute carrier family 30 member 8 (SLC30A8) and type 2 diabetes, impaired glucose tolerance, type 1 diabetes--a meta-analysis. 2011 , 91, 195-202	33
1344	Association between polymorphisms in RAPGEF1, TP53, NRF1 and type 2 diabetes in Chinese Han population. 2011 , 91, 171-6	22
1343	Transcription factor 7-like 2 (TCF7L2) gene polymorphism and complication/comorbidity profile in type 2 diabetes patients. 2011 , 93, 390-5	24

1342	Type 2 diabetes susceptibility single-nucleotide polymorphisms are not associated with polycystic ovary syndrome. 2011 , 95, 2538-41.e1-6	25
1341	Differences in islet-enriched miRNAs in healthy and glucose intolerant human subjects. 2011 , 404, 16-22	74
1340	Beta-cell failure, stress, and type 2 diabetes. 2011 , 365, 1931-3	27
1339	What is a functional locus? Understanding the genetic basis of complex phenotypic traits. 2011 , 76, 638-42	7
1338	Ubiquitin is a novel substrate for human insulin-degrading enzyme. 2011 , 406, 454-66	24
1337	Quantitative assessment of the influence of hematopoietically expressed homeobox variant (rs1111875) on type 2 diabetes risk. 2011 , 102, 194-9	9
1336	Association of ACACB polymorphisms with obesity and diabetes. 2011 , 104, 670-6	29
1335	Endoplasmic reticulum stress and pancreatic β -cell death. 2011 , 22, 266-74	245
1334	The renin-angiotensin-aldosterone system and glucose homeostasis. 2011 , 32, 734-9	116
1333	SLC30A8 polymorphism and type 2 diabetes risk: evidence from 27 study groups. 2011 , 21, 398-405	22
1332	Genome-wide association studies: results from the first few years and potential implications for clinical medicine. 2011 , 62, 11-24	73
1331	Genome-wide association studies and type 2 diabetes. 2011 , 10, 52-60	82
1330	The ENPP1 K121Q polymorphism is not associated with type 2 diabetes or obesity in the Chinese Han population. 2011 , 56, 12-6	20
1329	Predictive role of polymorphisms in interleukin-5 receptor alpha-subunit, lipoprotein lipase, integrin A2 and nitric oxide synthase genes on ischemic stroke in type 2 diabetes--an 8-year prospective cohort analysis of 1327 Chinese patients. 2011 , 215, 130-5	18
1328	New type 2 diabetes risk genes provide new insights in insulin secretion mechanisms. 2011 , 93 Suppl 1, S9-24	55
1327	Type 2 diabetes across generations: from pathophysiology to prevention and management. 2011 , 378, 169-81	614
1326	Urinary Proteomics and Candidate Biomarker Discovery for Diabetic Nephropathy. 2011 , 351-366	2
1325	Delineating Signals from Association Studies. 2011 , 277-293	

1324	The search for genetic risk factors of type 2 diabetes mellitus. 2011 , 35, 12-22	26
1323	Pharmacogenetics for T2DM and Anti-Diabetic Drugs. 2011 ,	
1322	Carbohydrate Derivatives and Glycomimetic Compounds in Established and Investigational Therapies of Type 2 Diabetes Mellitus. 2011 ,	2
1321	Zinc Transporter YiiP from Escherichia coli. 2011 ,	
1320	Genetic Association Study Design. 2011 , 25-48	1
1319	Effects of Population Structure in Genome-wide Association Studies. 2011 , 123-156	2
1318	Genetics of childhood obesity. 2011 , 2011, 845148	38
1317	Genetic variants of diabetes risk and incident cardiovascular events in chronic coronary artery disease. 2011 , 6, e16341	6
1316	Mitochondrial DNA backgrounds might modulate diabetes complications rather than T2DM as a whole. 2011 , 6, e21029	54
1315	A genome-wide association study confirms previously reported loci for type 2 diabetes in Han Chinese. 2011 , 6, e22353	49
1314	Association of new loci identified in European genome-wide association studies with susceptibility to type 2 diabetes in the Japanese. 2011 , 6, e26911	48
1313	Association of six single nucleotide polymorphisms with gestational diabetes mellitus in a Chinese population. 2011 , 6, e26953	63
1312	Genetic and clinical risk factors of new-onset diabetes after transplantation in Hispanic kidney transplant recipients. 2011 , 91, 1114-9	34
1311	Life or death? A physiogenomic approach to understand individual variation in responses to hemorrhagic shock. 2011 , 12, 428-42	3
1310	Two common genetic variants near nuclear-encoded OXPHOS genes are associated with insulin secretion in vivo. 2011 , 164, 765-71	24
1309	Genetic risk factors for type 2 diabetes mellitus and response to sulfonylurea treatment. 2011 , 21, 461-8	7
1308	Type 2 diabetes, genomics, and nursing: necessary next steps to advance the science into improved, personalized care. 2011 , 29, 281-302	0
1307	The pancreatic islet β -cell-enriched transcription factor Pdx-1 regulates Slc30a8 gene transcription through an intronic enhancer. 2011 , 433, 95-105	23

1306	Genetics of Type 2 diabetes in Asian Indians. 2011 , 1, 309-324	5
1305	[Role of zinc transporter in allergic reactions]. 2011 , 131, 85-92	1
1304	Genetics of type 2 diabetes: the GWAS era and future perspectives [Review]. 2011 , 58, 723-39	116
1303	Genome-wide association studies of Type 2 diabetes: are these ready to make an impact in the clinic?. 2011 , 1, 379-387	
1302	Classical Genetic Studies of Schizophrenia. 2011 , 245-268	1
1301	Ancestry-informative markers on chromosomes 2, 8 and 15 are associated with insulin-related traits in a racially diverse sample of children. 2011 , 5, 79-89	19
1300	KCNQ1 gene variants and risk of new-onset diabetes in tacrolimus-treated renal-transplanted patients. 2011 , 25, E284-91	27
1299	Dorothy Hodgkin Lecture 2010. From hype to hope? A journey through the genetics of Type 2 diabetes. 2011 , 28, 132-40	14
1298	Basic and clinical science posters. 2011 , 28, 32-83	2
1297	Association of a polymorphism of BTN2A1 with type 2 diabetes mellitus in Japanese individuals. 2011 , 28, 1381-7	6
1296	Serine racemase rs391300 G/A polymorphism influences the therapeutic efficacy of metformin in Chinese patients with diabetes mellitus type 2. 2011 , 38, 824-9	15
1295	Genetic variants and the metabolic syndrome: a systematic review. 2011 , 12, 952-67	107
1294	Genetics of type 2 diabetes: pathophysiologic and clinical relevance. 2011 , 41, 679-92	91
1293	CAMTA1 T polymorphism is associated with neuropsychological test performance in older adults with cardiovascular disease. 2011 , 11, 135-40	9
1292	Modeling interactions with known risk loci-a Bayesian model averaging approach. 2011 , 75, 1-9	16
1291	Genome-wide association scan allowing for epistasis in type 2 diabetes. 2011 , 75, 10-9	29
1290	A replication study of the IRS1, CAPN10, TCF7L2, and PPARG gene polymorphisms associated with type 2 diabetes in two different populations of Mexico. 2011 , 75, 612-20	40
1289	siRNA-mediated knock-down of ZnT3 and ZnT8 affects production and secretion of insulin and apoptosis in INS-1E cells. 2011 , 119, 93-102	26

1288	Replication of genetic variants from genome-wide association studies with metabolic traits in an island population of the Adriatic coast of Croatia. 2011 , 19, 341-6	13
1287	Genetic testing and common disorders in a public health framework: how to assess relevance and possibilities. Background Document to the ESHG recommendations on genetic testing and common disorders. 2011 , 19 Suppl 1, S6-44	60
1286	Heterogeneity of genetic associations of CDKAL1 and HHEX with susceptibility of type 2 diabetes mellitus by gender. 2011 , 19, 672-5	22
1285	Association between type 1 diabetes and GWAS SNPs in the southeast US Caucasian population. 2011 , 12, 208-12	79
1284	Reduced body weight in male Tspan8-deficient mice. 2011 , 35, 605-17	19
1283	GWA study data mining and independent replication identify cardiomyopathy-associated 5 (CMYA5) as a risk gene for schizophrenia. 2011 , 16, 1117-29	58
1282	4th International Conference on Advanced Technologies and Treatments for Diabetes. 2011 , 3, 95-102	1
1281	Genetic variation within the TRPM5 locus associates with prediabetic phenotypes in subjects at increased risk for type 2 diabetes. 2011 , 60, 1325-33	33
1280	A powerful hybrid approach to select top single-nucleotide polymorphisms for genome-wide association study. 2011 , 12, 3	2
1279	Early peroxisome proliferator-activated receptor gamma regulated genes involved in expansion of pancreatic beta cell mass. 2011 , 4, 86	14
1278	Association between IGF2BP2 rs4402960 polymorphism and risk of type 2 diabetes mellitus: a meta-analysis. 2011 , 42, 361-7	16
1277	Impact of genetic polymorphisms of cytochrome P450 2 C (CYP2C) enzymes on the drug metabolism and design of antidiabetics. 2011 , 194, 159-67	12
1276	Molecular and genetic features of zinc transporters in physiology and pathogenesis. 2011 , 3, 662-74	215
1275	A Synopsis of Exercise Genomics Research and a Vision for its Future Translation into Practice. 2011 , 231-254	
1274	Discovering Novel Antigens. 2011 , 15-39	1
1273	Association study of type 2 diabetes genetic susceptibility variants and risk of pancreatic cancer: an analysis of PanScan-I data. 2011 , 22, 877-83	48
1272	Type 2 diabetes and obesity: genomics and the clinic. 2011 , 130, 41-58	62
1271	Current status of genome-wide association studies in cancer. 2011 , 130, 59-78	142

1270	Zinc homeostasis and signaling in health and diseases: Zinc signaling. 2011 , 16, 1123-34	377
1269	Significance of serum microRNAs in pre-diabetes and newly diagnosed type 2 diabetes: a clinical study. 2011 , 48, 61-9	389
1268	Genetic variation within the NR1H2 gene encoding liver X receptor β associates with insulin secretion in subjects at increased risk for type 2 diabetes. 2011 , 89, 75-81	20
1267	Insulin promoter DNA methylation correlates negatively with insulin gene expression and positively with HbA(1c) levels in human pancreatic islets. 2011 , 54, 360-7	179
1266	Decreased insulin secretion and increased risk of type 2 diabetes associated with allelic variations of the WFS1 gene: the Data from Epidemiological Study on the Insulin Resistance Syndrome (DESIR) prospective study. 2011 , 54, 554-62	25
1265	Replication of 13 genome-wide association (GWA)-validated risk variants for type 2 diabetes in Pakistani populations. 2011 , 54, 1368-74	77
1264	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. 2011 , 54, 2272-82	155
1263	Association of the SLC30A8 missense polymorphism R325W with proinsulin levels at baseline and after lifestyle, metformin or troglitazone intervention in the Diabetes Prevention Program. 2011 , 54, 2570-4	22
1262	UCP2 -866G/A and Ala55Val, and UCP3 -55C/T polymorphisms in association with type 2 diabetes susceptibility: a meta-analysis study. 2011 , 54, 2315-24	30
1261	Ant colony optimisation to identify genetic variant association with type 2 diabetes. 2011 , 181, 1609-1622	27
1260	Genetic etiology of type 2 diabetes mellitus: a review. 2011 , 31, 51-64	17
1259	Meet me halfway: when genomics meets structural bioinformatics. 2011 , 4, 281-303	10
1258	Prediction of personalized drugs based on genetic variations provided by DNA sequencing technologies. 2011 , 33, 591-603	2
1257	Roles of autophagy in pancreatic β -cell function and type 2 diabetes. 2011 , 2, 1-9	7
1256	Testing the thrifty gene hypothesis: the Gly482Ser variant in PPARGC1A is associated with BMI in Tongans. 2011 , 12, 10	28
1255	Variants in KCNQ1 increase type II diabetes susceptibility in South Asians: a study of 3,310 subjects from India and the US. 2011 , 12, 18	46
1254	DomainRBF: a Bayesian regression approach to the prioritization of candidate domains for complex diseases. 2011 , 5, 55	18
1253	Network screening of Goto-Kakizaki rat liver microarray data during diabetic progression. 2011 , 5 Suppl 1, S16	19

1252	SigCS base: an integrated genetic information resource for human cerebral stroke. 2011 , 5 Suppl 2, S10	3
1251	Robust joint analysis allowing for model uncertainty in two-stage genetic association studies. 2011 , 12, 9	9
1250	SNP-based pathway enrichment analysis for genome-wide association studies. 2011 , 12, 99	86
1249	Evidences on three relevant obesogenes: MC4R, FTO and PPAR α Approaches for personalized nutrition. 2011 , 55, 136-49	82
1248	Comparison of methods and sampling designs to test for association between rare variants and quantitative traits. 2011 , 35, 226-35	10
1247	A new association test based on Chi-square partition for case-control GWA studies. 2011 , 35, 658-63	21
1246	Robust Mantel-Haenszel test under genetic model uncertainty allowing for covariates in case-control association studies. 2011 , 35, 695-705	7
1245	The changing epidemiology of type 1 diabetes: why is it going through the roof?. 2011 , 27, 3-13	119
1244	Association of TCF7L2 SNPs with age at onset of type 2 diabetes and proinsulin/insulin ratio but not with glucagon-like peptide 1. 2011 , 27, 499-505	12
1243	Genome-wide association studies (GWAS): impact on elucidating the aetiology of diabetes. 2011 , 27, 685-96	26
1242	Hybrid Bayes factors for genome-wide association studies when a robust test is used. 2011 , 55, 2698-2711	2
1241	MicroRNA links obesity and impaired glucose metabolism. 2011 , 21, 864-6	25
1240	The aristaless-like homeobox protein Alx3 as an etiopathogenic factor for diabetes mellitus. 2011 , 3, 66-8	2
1239	Rettet die Beta-Zelle: Neue Therapieansätze für Diabetes. 2011 , 6, 283-286	
1238	PWD/PhJ and WSB/EiJ mice are resistant to diet-induced obesity but have abnormal insulin secretion. 2011 , 152, 3005-17	20
1237	Genotype-environment interactions and their translational implications. 2011 , 8, 59-70	50
1236	Correlations between islet autoantibody specificity and the SLC30A8 genotype with HLA-DQB1 and metabolic control in new onset type 1 diabetes. 2011 , 44, 107-14	26
1235	An overview of a wide range of functions of ZnT and Zip zinc transporters in the secretory pathway. 2011 , 75, 1036-43	85

1234	Efficient and Fast Analysis for Detecting High Order Gene-by-Gene Interactions in a Genome-Wide Association Study. 2011 ,	1
1233	Analysis of ordered categorical data with score averaging: with applications to case-control genetic associations. 2011 , 38, 1833-1843	
1232	Genomics and genetics in the biology of adaptation to exercise. 2011 , 1, 1603-48	102
1231	Pharmacogenetic interaction analysis for the efficacy of systemic treatment in metastatic colorectal cancer. 2011 , 22, 1147-1153	30
1230	Shared genomics of type 2 and gestational diabetes mellitus. 2011 , 29, 227-60	10
1229	Progress and promise of genome-wide association studies for human complex trait genetics. 2011 , 187, 367-83	406
1228	Characterization of the human SLC30A8 promoter and intronic enhancer. 2011 , 47, 251-9	13
1227	Autoimmune markers in diabetes. 2011 , 57, 168-75	91
1226	Genetics of type 2 diabetes. 2011 , 57, 241-54	113
1225	Frequent loss of genome gap region in 4p16.3 subtelomere in early-onset type 2 diabetes mellitus. 2011 , 2011, 498460	8
1224	Impact of a Booklet about Diabetes Genetic Susceptibility and Its Prevention on Attitudes towards Prevention and Perceived Behavioral Change in Patients with Type 2 Diabetes and Their Offspring. 2011 , 2011, 365132	9
1223	Candidate gene association study for diabetic retinopathy in persons with type 2 diabetes: the Candidate gene Association Resource (CARE). 2011 , 52, 7593-602	73
1222	Genome-wide association study identifies HLA-DP as a susceptibility gene for pediatric asthma in Asian populations. 2011 , 7, e1002170	100
1221	Obesity in the pathogenesis of type 2 diabetes. 2011 , 11, 55-61	30
1220	Genomics, Proteomics, and the Nervous System. 2011 ,	1
1219	Latent Autoimmune Diabetes in Adults. 2011 , 315-329	
1218	Mouse models and the interpretation of human GWAS in type 2 diabetes and obesity. 2011 , 4, 155-64	32
1217	Glucose regulates free cytosolic Zn ²⁺ concentration, Slc39 (ZIP), and metallothionein gene expression in primary pancreatic islet β -cells. 2011 , 286, 25778-89	91

1216	Is diabetes mellitus a continuous spectrum?. 2011 , 57, 158-61	31
1215	Generation of N-ethyl-N-nitrosourea (ENU) diabetes models in mice demonstrates genotype-specific action of glucokinase activators. 2011 , 286, 39560-72	12
1214	Mapping the epistatic network underlying murine reproductive fatpad variation. 2011 , 187, 597-610	18
1213	Common variants at the promoter region of the APOM confer a risk of rheumatoid arthritis. 2011 , 43, 613-21	25
1212	A low-risk ZnT-8 allele (W325) for post-transplantation diabetes mellitus is protective against cyclosporin A-induced impairment of insulin secretion. 2011 , 11, 191-8	35
1211	Meta-analysis of the effect of HHEX gene polymorphism on the risk of type 2 diabetes. 2011 , 26, 309-14	21
1210	Total zinc intake may modify the glucose-raising effect of a zinc transporter (SLC30A8) variant: a 14-cohort meta-analysis. 2011 , 60, 2407-16	81
1209	Diabesity: an overview of a rising epidemic. 2011 , 26, 28-35	187
1208	Transferability of type 2 diabetes implicated loci in multi-ethnic cohorts from Southeast Asia. 2011 , 7, e1001363	119
1207	Eight common genetic variants associated with serum DHEAS levels suggest a key role in ageing mechanisms. 2011 , 7, e1002025	69
1206	Using gene-network landscape to dissect genotype effects of TCF7L2 genetic variant on diabetes and cardiovascular risk. 2012 , 44, 903-14	17
1205	Effects of high-fat diet feeding on Znt8-null mice: differences between β -cell and global knockout of Znt8. 2012 , 302, E1084-96	54
1204	Genetic risk score constructed using 14 susceptibility alleles for type 2 diabetes is associated with the early onset of diabetes and may predict the future requirement of insulin injections among Japanese individuals. 2012 , 35, 1763-70	71
1203	Gestational diabetes mellitus: a positive predictor of type 2 diabetes?. 2012 , 2012, 721653	8
1202	Functional role of intracellular labile zinc in pulmonary endothelium. 2012 , 2, 443-51	16
1201	M(3): an improved SNP calling algorithm for Illumina BeadArray data. 2012 , 28, 358-65	23
1200	A single-nucleotide polymorphism in ANK1 is associated with susceptibility to type 2 diabetes in Japanese populations. 2012 , 21, 3042-9	86
1199	Association of type 2 diabetes susceptibility variants with advanced prostate cancer risk in the Breast and Prostate Cancer Cohort Consortium. 2012 , 176, 1121-9	57

1198	Pancreatic beta-cell function and type 2 diabetes risk: quantify the causal effect using a Mendelian randomization approach based on meta-analyses. 2012 , 21, 5010-8	14
1197	Genotype prediction of adult type 2 diabetes from adolescence in a multiracial population. 2012 , 130, e1235-42	37
1196	The evolution and refinement of traditional risk factors for cardiovascular disease. 2012 , 20, 118-29	39
1195	Protein kinase CK2 triggers cytosolic zinc signaling pathways by phosphorylation of zinc channel ZIP7. 2012 , 5, ra11	186
1194	Genetic factors of autoimmune thyroid diseases in Japanese. 2012 , 2012, 236981	13
1193	Do genome-wide association scans have potential for translation?. 2011 , 50, 255-60	4
1192	Association between total number of deaths, diabetes mellitus, incident cancers, and haplotypes in chromosomal region 8q24 in a prospective study. 2012 , 175, 479-87	6
1191	Low-frequency variants in HMGA1 are not associated with type 2 diabetes risk. 2012 , 61, 524-30	13
1190	Novel Target Identification Technologies for the Personalised Therapy of Type II Diabetes and Obesity. 2012 , 12, 183-207	2
1189	Predictive role of multilocus genetic polymorphisms in cardiovascular disease and inflammation-related genes on chronic kidney disease in Type 2 diabetes--an 8-year prospective cohort analysis of 1163 patients. 2012 , 27, 190-6	11
1188	Response to comment on: Marquez et al. Low-frequency variants in HMGA1 are not associated with type 2 diabetes risk. Diabetes 2012;61:524-530. 2012 , 61, e15	7
1187	A flexible likelihood framework for detecting associations with secondary phenotypes in genetic studies using selected samples: application to sequence data. 2012 , 20, 449-56	8
1186	Association of TCF7L2 and ADIPOQ with body mass index, waist-hip ratio, and systolic blood pressure in an endogamous ethnic group of India. 2012 , 16, 948-51	17
1185	A statistical method for region-based meta-analysis of genome-wide association studies in genetically diverse populations. 2012 , 20, 469-75	12
1184	Single nucleotide polymorphisms in JAZF1 and BCL11A gene are nominally associated with type 2 diabetes in African-American families from the GENNID study. 2012 , 57, 57-61	22
1183	A highly sensitive and specific genetic marker to diagnose aspirin-exacerbated respiratory disease using a genome-wide association study. 2012 , 31, 1604-9	22
1182	Consistent directions of effect for established type 2 diabetes risk variants across populations: the population architecture using Genomics and Epidemiology (PAGE) Consortium. 2012 , 61, 1642-7	42
1181	Novel association approach for variable number tandem repeats (VNTRs) identifies DOCK5 as a susceptibility gene for severe obesity. 2012 , 21, 3727-38	29

1180	Expression-based genome-wide association study links the receptor CD44 in adipose tissue with type 2 diabetes. 2012 , 109, 7049-54	109
1179	Dietary zinc reduction, pyruvate supplementation, or zinc transporter 5 knockout attenuates β -cell death in nonobese diabetic mice, islets, and insulinoma cells. 2012 , 142, 2119-27	11
1178	Understanding the elusive mechanism of action of TCF7L2 in metabolism. 2012 , 61, 2657-8	10
1177	Zinc transporter 8 autoantibodies and their association with SLC30A8 and HLA-DQ genes differ between immigrant and Swedish patients with newly diagnosed type 1 diabetes in the Better Diabetes Diagnosis study. 2012 , 61, 2556-64	63
1176	Evaluation of genome-wide association study-identified type 2 diabetes loci in African Americans. 2012 , 176, 995-1001	32
1175	Using multiple genetic variants as instrumental variables for modifiable risk factors. 2012 , 21, 223-42	288
1174	Zinc transporters, mechanisms of action and therapeutic utility: implications for type 2 diabetes mellitus. 2012 , 2012, 173712	57
1173	Rising intracellular zinc by membrane depolarization and glucose in insulin-secreting clonal HIT-T15 beta cells. 2012 , 2012, 190309	12
1172	Randomized controlled trial of the effectiveness of genetic counseling and a distance, computer-based, lifestyle intervention program for adult offspring of patients with type 2 diabetes: background, study protocol, and baseline patient characteristics. 2012 , 2012, 831735	3
1171	The worldwide diabetes epidemic. 2012 , 19, 93-6	216
1170	Alternative methods to a TaqMan assay to detect a tri-allelic single nucleotide polymorphism rs757210 in the HNF1 β gene. 2011 , 50, 279-84	7
1169	Molecular architecture and function of ZnT transporters. 2012 , 69, 199-220	64
1168	Epigenetic differences in normal colon mucosa of cancer patients suggest altered dietary metabolic pathways. 2012 , 5, 374-84	40
1167	A robust method for testing association in genome-wide association studies. 2012 , 73, 26-34	26
1166	Genes related to diabetes may be associated with pancreatic cancer in a population-based case-control study in Minnesota. 2012 , 41, 50-3	20
1165	Current genomics in cardiovascular medicine. 2012 , 13, 446-62	5
1164	Importance of β -Catenin in glucose and energy homeostasis. 2012 , 2, 693	41
1163	A Discovery Genome-Wide Association Study of Entrepreneurship. 2012 , 6, 127-135	7

1162	ZnT8 and type 1 diabetes. 2012 , 59, 531-7	42
1161	Dynamics and Multiple Molecular Imaging of Bio-trace Elements. 2012 , 61, 1013-1025	
1160	Low density lipoprotein (LDL) receptor-related protein 6 (LRP6) regulates body fat and glucose homeostasis by modulating nutrient sensing pathways and mitochondrial energy expenditure. 2012 , 287, 7213-23	58
1159	A genome-wide association study of gestational diabetes mellitus in Korean women. 2012 , 61, 531-41	169
1158	Reduced insulin exocytosis in human pancreatic β -cells with gene variants linked to type 2 diabetes. 2012 , 61, 1726-33	174
1157	Polycystic ovary syndrome is not associated with polymorphisms of the TCF7L2, CDKAL1, HHEX, KCNJ11, FTO and SLC30A8 genes. 2012 , 77, 439-45	31
1156	Autocrine regulation of insulin secretion. 2012 , 14 Suppl 3, 143-51	68
1155	Islet function in obese adolescents. 2012 , 14 Suppl 3, 40-5	12
1154	Interactions between genetic background, insulin resistance and β -cell function. 2012 , 14 Suppl 3, 46-56	15
1153	Advanced research on risk factors of type 2 diabetes. 2012 , 28 Suppl 2, 32-9	52
1152	Secreted frizzled-related protein 4 reduces insulin secretion and is overexpressed in type 2 diabetes. 2012 , 16, 625-33	146
1151	Genomics is the medium for 21st century biology. 2012 , 55, v	2
1150	Genetic determinants of the ankle-brachial index: a meta-analysis of a cardiovascular candidate gene 50K SNP panel in the candidate gene association resource (CARE) consortium. 2012 , 222, 138-47	18
1149	Genetic association study of individual symptoms in depression. 2012 , 198, 400-6	30
1148	Ten SNPs of PAX6, Lumican, and MYOC genes are not associated with high myopia in Han Chinese. 2012 , 33, 171-8	18
1147	Matapax: an online high-throughput genome-wide association study pipeline. 2012 , 158, 1534-41	12
1146	What should the genome-wide significance threshold be? Empirical replication of borderline genetic associations. 2012 , 41, 273-86	189
1145	Prediction of HLA class I-restricted T-cell epitopes of islet autoantigen combined with binding and dissociation assays. 2012 , 45, 176-85	9

1144	A quinolinyl antipyrine based fluorescence sensor for Zn ²⁺ and its application in bioimaging. 2012 , 2, 11078	73
1143	Peptidomics approach to elucidate the proteolytic regulation of bioactive peptides. 2012 , 109, 8523-7	29
1142	Genetic analysis: moving between linkage and association. 2012 , 2012, 174-82	5
1141	Islet Biology Key to Our Understanding of Diabetes. 2012 , 36, 219-221	
1140	Validation of candidate genes associated with cardiovascular risk factors in psychiatric patients. 2012 , 36, 213-9	2
1139	Association between a common KCNJ11 polymorphism (rs5219) and new-onset posttransplant diabetes in patients treated with Tacrolimus. 2012 , 105, 525-7	24
1138	Bayes factor based on the trend test incorporating Hardy-Weinberg disequilibrium: more power to detect genetic association. 2012 , 76, 301-11	8
1137	Use of diverse electronic medical record systems to identify genetic risk for type 2 diabetes within a genome-wide association study. 2012 , 19, 212-8	216
1136	Malaria evolution in South Asia: knowledge for control and elimination. 2012 , 121, 256-66	14
1135	Micronutrient (Zn, Cu, Fe)-gene interactions in ageing and inflammatory age-related diseases: implications for treatments. 2012 , 11, 297-319	59
1134	Exercise and type 2 diabetes: new prescription for an old problem. 2012 , 72, 311-6	40
1133	Twin studies in autoimmune disease: genetics, gender and environment. 2012 , 38, J156-69	189
1132	Is genetic testing useful to predict type 2 diabetes?. 2012 , 26, 189-201	43
1131	Genetic determinants of glucose homeostasis. 2012 , 26, 159-70	9
1130	Polymorphisms of TREH, IL4R and CCDC26 genes associated with risk of glioma. 2012 , 36, 283-7	52
1129	Association of the PPARG Pro12Ala polymorphism with type 2 diabetes and incident coronary heart disease in a Hong Kong Chinese population. 2012 , 97, 483-91	23
1128	Genetic prediction of postpartum diabetes in women with gestational diabetes mellitus. 2012 , 97, 394-8	37
1127	Zinc transporter expression in zebrafish (<i>Danio rerio</i>) during development. 2012 , 155, 26-32	22

1126	Diabetes mellitus and the β cell: the last ten years. 2012 , 148, 1160-71	640
1125	A systems genetics approach identifies genes and pathways for type 2 diabetes in human islets. 2012 , 16, 122-34	266
1124	Genetic variants of TCF7L2 are associated with type 2 diabetes in a northeastern Chinese population. 2012 , 495, 115-9	24
1123	Identification of shared genetic susceptibility locus for coronary artery disease, type 2 diabetes and obesity: a meta-analysis of genome-wide studies. 2012 , 11, 68	17
1122	Regulation and functional effects of ZNT8 in human pancreatic islets. 2012 , 214, 225-32	26
1121	Variations with modest effects have an important role in the genetic background of type 2 diabetes and diabetes-related traits. 2012 , 57, 776-9	23
1120	Transferability and fine-mapping of glucose and insulin quantitative trait loci across populations: CARE, the Candidate Gene Association Resource. 2012 , 55, 2970-84	23
1119	Epigenetics of Diabetes in Humans. 2012 , 321-329	
1118	The genetic and epigenetic basis of type 2 diabetes and obesity. 2012 , 92, 707-15	162
1117	Contribution of common genetic variation to the risk of type 2 diabetes in the Mexican Mestizo population. 2012 , 61, 3314-21	71
1116	SNP selection and classification of genome-wide SNP data using stratified sampling random forests. 2012 , 11, 216-27	41
1115	Individualized therapy for type 2 diabetes: clinical implications of pharmacogenetic data. 2012 , 16, 285-302	27
1114	Chromosome 15q21-22-related polymorphisms and haplotypes are associated with susceptibility to type-2 diabetic nonproliferative retinopathy. 2012 , 16, 442-8	1
1113	Association of sirtuin 1 (SIRT1) gene SNPs and transcript expression levels with severe obesity. 2012 , 20, 178-85	63
1112	Association of type 2 diabetes susceptibility loci with one-year weight loss in the look AHEAD clinical trial. 2012 , 20, 1675-82	23
1111	Hepatic cannabinoid receptor-1 mediates diet-induced insulin resistance via inhibition of insulin signaling and clearance in mice. 2012 , 142, 1218-1228.e1	134
1110	Functional analysis of HapMap SNPs. 2012 , 511, 358-63	5
1109	Influence of PTPN1 polymorphism among people with type 2 diabetes: A Thanjavur-based study. 2012 , 4, 94-97	

1108	Type 2 diabetes and polymorphisms on chromosome 9p21: a meta-analysis. 2012 , 22, 619-25	31
1107	IRS1 gene variants, dysglycaemic metabolic changes and type-2 diabetes risk. 2012 , 22, 1024-30	15
1106	Further evidence for the association of genetic variants of ZNF804A with schizophrenia and a meta-analysis for genome-wide significance variant rs1344706. 2012 , 141, 40-7	28
1105	Epigenetic regulation of pancreas development and function. 2012 , 23, 693-700	25
1104	Disturbed zinc homeostasis in diabetic patients by in vitro and in vivo analysis of insulinomimetic activity of zinc. 2012 , 23, 1458-66	89
1103	Rare MTNR1B variants impairing melatonin receptor 1B function contribute to type 2 diabetes. 2012 , 44, 297-301	279
1102	From mice to humans. 2012 , 12, 651-8	10
1101	Genetics of type 2 diabetes in East Asian populations. 2012 , 12, 686-96	46
1100	Dietary fiber intake increases the risk of zinc deficiency in healthy and diabetic women. 2012 , 149, 135-42	14
1099	Genetic predisposition to type 2 diabetes is associated with impaired insulin secretion but does not modify insulin resistance or secretion in response to an intervention to lower dietary saturated fat. 2012 , 7, 529-36	3
1098	Induced pluripotent stem cell modeling of complex genetic diseases. 2012 , 9, e147-e152	3
1097	Analysis of Genetic Association Studies. 2012 ,	24
1096	Functional Genomics Research in Aquaculture: Principles and General Approaches. 2012 , 1-40	1
1095	Widespread expression of zinc transporter ZnT (SLC30) family members in mouse endocrine cells. 2012 , 138, 605-16	13
1094	Impact of transcription factor 7-like 2 (TCF7L2) on pancreatic islet function and morphology in mice and men. 2012 , 55, 2559-2561	7
1093	Abnormal glucose tolerance and insulin secretion in pancreas-specific Tcf7l2-null mice. 2012 , 55, 2667-2676	88
1092	Detection and characterization of ZnT8 autoantibodies could help to screen latent autoimmune diabetes in adult-onset patients with type 2 phenotype. 2012 , 45, 137-42	30
1091	Impact of common type 2 diabetes risk gene variants on future type 2 diabetes in the non-diabetic population in Korea. 2012 , 57, 265-8	8

1090	Recent progress on type II diacylglycerol kinases: the physiological functions of diacylglycerol kinase α and β and their involvement in disease. 2012 , 152, 397-406	37
1089	Genetic risk assessment of type 2 diabetes-associated polymorphisms in African Americans. 2012 , 35, 287-92	42
1088	DNA methylation profiling identifies epigenetic dysregulation in pancreatic islets from type 2 diabetic patients. 2012 , 31, 1405-26	301
1087	Genetics of type 2 diabetes in European populations. 2012 , 4, 203-12	27
1086	Prevention of Type 2 Diabetes. 2012 ,	
1085	Lack of association between genetic polymorphisms within KCNQ1 locus and type 2 diabetes in Tunisian Arabs. 2012 , 98, 452-8	15
1084	Investigation on cardiovascular risk prediction using genetic information. 2012 , 16, 795-808	18
1083	Association between type 2 diabetes genetic susceptibility loci and visceral and subcutaneous fat area as determined by computed tomography. 2012 , 57, 305-10	19
1082	Mineral intake. 2012 , 108, 201-36	12
1081	Prediabetes Genes in Pima and Amish. 2012 , 61-80	
1080	Decreasing Postprandial Plasma Glucose Using an α -Glucosidase Inhibitor in Subjects with IGT for the Prevention of Type 2 Diabetes Mellitus: The STOP-NIDDM Trial. 2012 , 167-187	1
1079	Analysis of common type 2 diabetes mellitus genetic risk factors in new-onset diabetes after transplantation in kidney transplant patients medicated with tacrolimus. 2012 , 68, 1587-94	32
1078	Expression analyses of the genes harbored by the type 2 diabetes and pediatric BMI associated locus on 10q23. 2012 , 13, 89	10
1077	Genome-wide meta-analysis of genetic susceptible genes for Type 2 Diabetes. 2012 , 6 Suppl 3, S16	28
1076	The Rise and Fall of Thrift. 2012 , 73-94	
1075	Fat: Beyond Energy Storage. 2012 , 219-244	1
1074	Inferring novel gene-disease associations using Medical Subject Heading Over-representation Profiles. 2012 , 4, 75	23
1073	Applying semantic web technologies for phenome-wide scan using an electronic health record linked Biobank. 2012 , 3, 10	27

1072	African ancestry and its correlation to type 2 diabetes in African Americans: a genetic admixture analysis in three U.S. population cohorts. 2012 , 7, e32840	56
1071	A genome-wide association search for type 2 diabetes genes in African Americans. 2012 , 7, e29202	138
1070	Association of the type 2 diabetes mellitus susceptibility gene, TCF7L2, with schizophrenia in an Arab-Israeli family sample. 2012 , 7, e29228	46
1069	Improving power of genome-wide association studies with weighted false discovery rate control and prioritized subset analysis. 2012 , 7, e33716	11
1068	Genetic variants of IDE-KIF11-HHEX at 10q23.33 associated with type 2 diabetes risk: a fine-mapping study in Chinese population. 2012 , 7, e35060	29
1067	Glucose-dependent regulation of NR2F2 promoter and influence of SNP-rs3743462 on whole body insulin sensitivity. 2012 , 7, e35810	7
1066	IGF2BP2 alternative variants associated with glutamic acid decarboxylase antibodies negative diabetes in Malaysian subjects. 2012 , 7, e45573	4
1065	Meta-analysis of the relationship between common type 2 diabetes risk gene variants with gestational diabetes mellitus. 2012 , 7, e45882	90
1064	Joint effect of genetic and lifestyle risk factors on type 2 diabetes risk among Chinese men and women. 2012 , 7, e49464	12
1063	Genetic association studies in lumbar disc degeneration: a systematic review. 2012 , 7, e49995	67
1062	The rs11705701 G>A polymorphism of IGF2BP2 is associated with IGF2BP2 mRNA and protein levels in the visceral adipose tissue - a link to type 2 diabetes susceptibility. 2012 , 9, 112-22	18
1061	Epigenetics in the Pathophysiology of Type 2 Diabetes. 2012 , 225-232	
1060	Genetic variants near PDGFRA are associated with corneal curvature in Australians. 2012 , 53, 7131-6	31
1059	Type 2 Diabetes Genetics: Beyond GWAS. 2012 , 3,	84
1058	The Investigation of Gene Regulation and Variation in Human Cancers and Other Diseases. 2012 ,	
1057	Room for the candidate gene approach in the genome-wide association era: an example from GSTP1 gene polymorphism. 2012 , 8, 606-7	1
1056	Finding genetic risk factors of gestational diabetes. 2012 , 10, 239-43	17
1055	Tyrosine hydroxylase gene: another piece of the genetic puzzle of Parkinson's disease. 2012 , 11, 469-81	13

1054	SLC30A8 (ZnT8) variations and type 2 diabetes in the Chinese Han population. 2012 , 11, 1592-8	21
1053	Association of the rs7903146 single nucleotide polymorphism at the Transcription Factor 7-like 2 (TCF7L2) locus with type 2 diabetes in Brazilian subjects. 2012 , 56, 479-84	13
1052	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. 2012 , 44, 659-69	615
1051	Whole-genome sequencing in personalized therapeutics. 2012 , 91, 1001-9	33
1050	Genomic microarrays: a technology overview. 2012 , 32, 336-43	36
1049	Stratification-score matching improves correction for confounding by population stratification in case-control association studies. 2012 , 36, 195-205	16
1048	A likelihood ratio-based Mann-Whitney approach finds novel replicable joint gene action for type 2 diabetes. 2012 , 36, 583-93	15
1047	Genome-wide arrays: quality criteria and platforms to be used in routine diagnostics. 2012 , 33, 906-15	60
1046	The emerging role of HDL in glucose metabolism. 2012 , 8, 237-45	149
1045	Exome sequencing and the genetic basis of complex traits. 2012 , 44, 623-30	303
1044	Genetic variations in transcription factor 7-like 2 (TCF7L2) gene: association of TCF7L2 rs12255372(G/T) or rs7903146(C/T) with breast cancer risk and clinico-pathological parameters. 2012 , 29, 411-7	16
1043	Common variants near TARDBP and EGR2 are associated with susceptibility to Ewing sarcoma. 2012 , 44, 323-7	124
1042	A study of the combined effects of the EHD3 and FREM3 genes in patients with major depressive disorder. 2012 , 159B, 336-42	10
1041	Investigation of allelic heterogeneity of the CCK-A receptor gene in paranoid schizophrenia. 2012 , 159B, 741-7	9
1040	IGF2BP2 genetic variation and type 2 diabetes: a global meta-analysis. 2012 , 31, 713-20	9
1039	Randomized trial of personal genomics for preventive cardiology: design and challenges. 2012 , 5, 368-76	23
1038	Genetic association of zinc transporter 8 (ZnT8) autoantibodies in type 1 diabetes cases. 2012 , 55, 1978-84	35
1037	Cutting-edge issues in primary biliary cirrhosis. 2012 , 42, 342-54	14

1036	Zinc and human health: an update. 2012 , 86, 521-34	512
1035	Association of hepatocyte nuclear factor 4 alpha polymorphisms with type 2 diabetes with or without metabolic syndrome in Malaysia. 2012 , 50, 298-308	3
1034	Large-scale gene-centric meta-analysis across 39 studies identifies type 2 diabetes loci. 2012 , 90, 410-25	214
1033	Analysis of 32 common susceptibility genetic variants and their combined effect in predicting risk of Type 2 diabetes and related traits in Indians. 2012 , 29, 121-7	37
1032	Replication of genome-wide association signals of type 2 diabetes in Han Chinese in a prospective cohort. 2012 , 76, 365-72	27
1031	Exercise training, genetics and type 2 diabetes-related phenotypes. 2012 , 205, 456-71	10
1030	Rapid testing of SNPs and gene-environment interactions in case-parent trio data based on exact analytic parameter estimation. 2012 , 68, 766-73	28
1029	Integration of GWAS SNPs and tissue specific expression profiling reveal discrete eQTLs for human traits in blood and brain. 2012 , 47, 20-8	100
1028	Systems genetics: challenges and developing strategies. 2012 , 67, 435-446	2
1027	Association between autoantibodies to the Arginine variant of the Zinc transporter 8 (ZnT8) and stimulated C-peptide levels in Danish children and adolescents with newly diagnosed type 1 diabetes. 2012 , 13, 454-62	21
1026	Zinc transporters and their role in the pancreatic β -cell. 2012 , 3, 202-11	42
1025	A novel method to identify high order gene-gene interactions in genome-wide association studies: gene-based MDR. 2012 , 13 Suppl 9, S5	37
1024	The combined effect of the T2DM susceptibility genes is an important risk factor for T2DM in non-obese Japanese: a population based case-control study. 2012 , 13, 11	19
1023	Characterization of the gastrointestinal microbiota in health and inflammatory bowel disease. 2012 , 18, 372-90	79
1022	Zinc and its role in age-related inflammation and immune dysfunction. 2012 , 56, 77-87	64
1021	Determining genetic risk factors for pediatric type 2 diabetes. 2012 , 12, 88-92	4
1020	Type 2 diabetes in childhood: clinical characteristics and role of β -cell autoimmunity. 2012 , 12, 75-81	21
1019	Association of type 2 diabetes susceptibility genes (TCF7L2, SLC30A8, PCSK1 and PCSK2) and proinsulin conversion in a Chinese population. 2012 , 39, 17-23	37

1018	Association between type 2 diabetes and CDKN2A/B: a meta-analysis study. 2012 , 39, 1609-16	22
1017	Replication study of novel risk variants in six genes with type 2 diabetes and related quantitative traits in the Han Chinese lean individuals. 2012 , 39, 2447-54	20
1016	Discovery by the Epistasis Project of an epistatic interaction between the GSTM3 gene and the HHEX/IDE/KIF11 locus in the risk of Alzheimer's disease. 2013 , 34, 1309.e1-7	24
1015	Exploring Trans-acting regulators of gene expression associated with metabolic syndrome: a coupled application of factor analysis and linkage analysis. 2013 , 35, 59-67	1
1014	Common variants at SCN5A-SCN10A and HEY2 are associated with Brugada syndrome, a rare disease with high risk of sudden cardiac death. 2013 , 45, 1044-9	345
1013	Association between large detectable clonal mosaicism and type 2 diabetes with vascular complications. 2013 , 45, 1040-3	72
1012	Novel susceptibility genes associated with diabetic cataract in a Taiwanese population. 2013 , 34, 35-42	6
1011	Diabetes genes identified by genome-wide association studies are regulated in mice by nutritional factors in metabolically relevant tissues and by glucose concentrations in islets. 2013 , 14, 10	16
1010	A Drosophila functional evaluation of candidates from human genome-wide association studies of type 2 diabetes and related metabolic traits identifies tissue-specific roles for dHHEX. 2013 , 14, 136	27
1009	Study design of DIACORE (DIABetes COHoRtE) - a cohort study of patients with diabetes mellitus type 2. 2013 , 14, 25	19
1008	Systematic identification of interaction effects between genome- and environment-wide associations in type 2 diabetes mellitus. 2013 , 132, 495-508	86
1007	The required beta cell research for improving treatment of type 2 diabetes. 2013 , 274, 203-14	18
1006	MAP3K7 and GSTZ1 are associated with human longevity: a two-stage case-control study using a multilocus genotyping. 2013 , 35, 1357-66	7
1005	Zinc: dietary intake and impact of supplementation on immune function in elderly. 2013 , 35, 839-60	87
1004	Epigenetische Prozesse beim Typ-2-Diabetes. 2013 , 9, 243-252	
1003	ACE I/D and MTHFR C677T polymorphisms are significantly associated with type 2 diabetes in Arab ethnicity: a meta-analysis. 2013 , 520, 166-77	34
1002	LRP6 enhances glucose metabolism by promoting TCF7L2-dependent insulin receptor expression and IGF receptor stabilization in humans. 2013 , 17, 197-209	62
1001	Privacy-Preserving Data Exploration in Genome-Wide Association Studies. 2013 , 2013, 1079-1087	83

1000	No detectable association of IGF2BP2 and SLC30A8 genes with type 2 diabetes in the population of Hyderabad, India. 2013 , 1, 15-23	21
999	A likelihood ratio test for goodness-of-fit of recessive and dominant models for case-control studies. 2013 , 41, 341-352	
998	What implications do biomarkers have for the prediction and treatment of Type 2 diabetes?. 2013 , 10, 115-118	
997	Association of the ADRA2A polymorphisms with the risk of type 2 diabetes: a meta-analysis. 2013 , 46, 722-6	11
996	Conformational states and recognition of amyloidogenic peptides of human insulin-degrading enzyme. 2013 , 110, 13827-32	41
995	Functional analysis of seven genes linked to body mass index and adiposity by genome-wide association studies: a review. 2013 , 75, 57-79	46
994	Bridging the gap between genetic associations and molecular mechanisms for type 2 diabetes. 2013 , 13, 778-85	8
993	Lack of replication of common EXT2 gene variants with susceptibility to type 2 diabetes in Lebanese Arabs. 2013 , 39, 532-6	9
992	TCF7L2 gene polymorphisms and type 2 diabetes risk: a comprehensive and updated meta-analysis involving 121,174 subjects. 2013 , 28, 25-37	60
991	Assessing the clinical utility of a genetic risk score constructed using 49 susceptibility alleles for type 2 diabetes in a Japanese population. 2013 , 98, E1667-73	29
990	Association between donor and recipient TCF7L2 gene polymorphisms and the risk of new-onset diabetes mellitus after liver transplantation in a Han Chinese population. 2013 , 58, 271-7	57
989	Human genetics of diabetic vascular complications. 2013 , 92, 677-94	16
988	Autoantibodies against zinc transporter 8 are related to age, metabolic state and HLA DR genotype in children with newly diagnosed type 1 diabetes. 2013 , 29, 646-54	38
987	Epigenetics and Complex Traits. 2013 ,	1
986	Trans-ethnic fine mapping identifies a novel independent locus at the 3' end of CDKAL1 and novel variants of several susceptibility loci for type 2 diabetes in a Han Chinese population. 2013 , 56, 2619-28	25
985	Studies of association of AGPAT6 variants with type 2 diabetes and related metabolic phenotypes in 12,068 Danes. 2013 , 14, 113	2
984	Association of adiponectin (AdipoQ) and sulphonylurea receptor (ABCC8) gene polymorphisms with Type 2 Diabetes in North Indian population of Punjab. 2013 , 527, 228-34	24
983	Suggestive evidence for association between L-type voltage-gated calcium channel (CACNA1C) gene haplotypes and bipolar disorder in Latinos: a family-based association study. 2013 , 15, 206-14	18

982	Biomarkers for early diagnosis of type 2 diabetic nephropathy: a study based on an integrated biomarker system. 2013 , 9, 2134-41	27
981	Zinc stabilization of prefibrillar oligomers of human islet amyloid polypeptide. 2013 , 49, 3339-41	61
980	Genetics and genomics for the prevention and treatment of cardiovascular disease: update: a scientific statement from the American Heart Association. 2013 , 128, 2813-51	76
979	Insulino-mimetic and anti-diabetic effects of zinc. 2013 , 120, 8-17	66
978	Deep whole-genome sequencing of 100 southeast Asian Malays. 2013 , 92, 52-66	122
977	Zinc, pancreatic islet cell function and diabetes: new insights into an old story. 2013 , 26, 1-11	67
976	Dynamic chromatin remodeling mediated by polycomb proteins orchestrates pancreatic differentiation of human embryonic stem cells. 2013 , 12, 224-37	179
975	Association between variants of EXT2 and type 2 diabetes: a replication and meta-analysis. 2013 , 132, 139-45	12
974	Contribution of insulin deficiency and insulin resistance to the development of type 2 diabetes: nature of early stage diabetes. 2013 , 50, 39-45	24
973	Single nucleotide polymorphism in genome-wide association of human population: A tool for broad spectrum service. 2013 , 14, 123-134	42
972	Nor-1, a novel incretin-responsive regulator of insulin genes and insulin secretion. 2013 , 2, 243-55	17
971	A population-based association study of 2q32.3 and 8q21.3 loci with schizophrenia in Han Chinese. 2013 , 47, 712-7	43
970	Diabetes mellitus $\bar{\cup}$ «continuum» fisiopatol \bar{g} ico. 2013 , 8, 44-49	1
969	Fluorescent chemosensor based-on the combination of julolidine and furan for selective detection of zinc ion. 2013 , 35, 342-345	35
968	Cellular and animal models of type 2 diabetes GWAS gene polymorphisms: what can we learn?. 2013 , 10, e59-e64	
967	Genetic analysis of common variants in the CMYA5 (cardiomyopathy-associated 5) gene with schizophrenia. 2013 , 46, 64-9	10
966	Genome wide association studies for diabetes: perspective on results and challenges. 2013 , 14, 90-6	25
965	The genetics of type 2 diabetes and its clinical relevance. 2013 , 83, 297-306	37

964	Systematic evaluation of validated type 2 diabetes and glycaemic trait loci for association with insulin clearance. 2013 , 56, 1282-90	33
963	Antigenicity and epitope specificity of ZnT8 autoantibodies in type 1 diabetes. 2013 , 77, 21-9	18
962	Genome-wide association study identifies a novel locus contributing to type 2 diabetes susceptibility in Sikhs of Punjabi origin from India. 2013 , 62, 1746-55	129
961	The SLC30 family of zinc transporters - a review of current understanding of their biological and pathophysiological roles. 2013 , 34, 548-60	229
960	Genetics of type 2 diabetes and potential clinical implications. 2013 , 36, 167-77	21
959	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. 2013 , 45, 353-61, 361e1-2	813
958	Obesity and the Risk for Type 2 Diabetes. 2013 , 599-614	
957	Diabetes Mellitus. 2013 , 1-58	3
956	Recent progress in the use of genetics to understand links between type 2 diabetes and related metabolic traits. 2013 , 14, 203	7
955	The Role of Pharmacogenomics in Diabetes, HIV Infection, and Pain Management. 2013 , 247-271	
954	Zinc and glycemic control: a meta-analysis of randomised placebo controlled supplementation trials in humans. 2013 , 27, 137-42	111
953	Genetics of canine diabetes mellitus: are the diabetes susceptibility genes identified in humans involved in breed susceptibility to diabetes mellitus in dogs?. 2013 , 195, 139-47	42
952	Genomic Biomarkers in Human Population Studies. 2013 , 247-262	
951	Identification of CpG-SNPs associated with type 2 diabetes and differential DNA methylation in human pancreatic islets. 2013 , 56, 1036-46	143
950	Association of TCF7L2 gene polymorphisms with T2DM in the population of Hyderabad, India. 2013 , 8, e60212	36
949	Ethical and practical challenges to studying patients who opt out of large-scale biorepository research. 2013 , 20, e221-5	3
948	Zinc as a potential adjuvant in therapy for type 2 diabetes. 2013 , 34, 215-21	22
947	Identification of a genetic locus on chromosome 4q34-35 for type 2 diabetes with overweight. 2013 , 45, e7	10

946	Achieving "Peak-A" insulin secretion. 2013 , 62, 1389-90	1
945	Ethnic differences and β -cell changes. 2013 , 98, 3595-7	2
944	Diabetes. 2013 , 990-1005	
943	Diabetes and nonalcoholic Fatty liver disease: a pathogenic duo. 2013 , 34, 84-129	157
942	Predicting disease risk using bootstrap ranking and classification algorithms. 2013 , 9, e1003200	15
941	Association between polymorphisms of the β kinase 1 gene and type 2 diabetes mellitus in community-dwelling individuals. 2013 , 1, 940-944	10
940	Genome-wide association study in BRCA1 mutation carriers identifies novel loci associated with breast and ovarian cancer risk. 2013 , 9, e1003212	209
939	IRS1, TCF7L2, ADRB1, PPARG, and HHEX polymorphisms associated with atherogenic risk in Mexican population. 2013 , 2013, 394523	7
938	ttm-1 encodes CDF transporters that excrete zinc from intestinal cells of <i>C. elegans</i> and act in a parallel negative feedback circuit that promotes homeostasis. 2013 , 9, e1003522	27
937	Genetics of onset of asthma. 2013 , 13, 193-202	34
936	Association of risk variants for type 2 diabetes and hyperglycemia with gestational diabetes. 2013 , 169, 291-7	82
935	Epigenome-Wide Association Studies: Potential Insights into Human Disease. 2013 , 287-317	3
934	Transferability and fine mapping of type 2 diabetes loci in African Americans: the Candidate Gene Association Resource Plus Study. 2013 , 62, 965-76	51
933	Positive regulation of insulin signaling by neuraminidase 1. 2013 , 62, 2338-46	59
932	Animal models of GWAS-identified type 2 diabetes genes. 2013 , 2013, 906590	27
931	On association analysis of rare variants under population substructure: an approach for the detection of subjects that can cause bias in the analysis--T opt: an outlier detection method. 2013 , 37, 431-9	
930	Linkage of type 2 diabetes on chromosome 9p24 in Mexican Americans: additional evidence from the Veterans Administration Genetic Epidemiology Study (VAGES). 2013 , 76, 36-46	4
929	Genetic and biochemical evidence for a functional role of BACE1 in the regulation of insulin mRNA expression. 2013 , 21, E626-33	17

928	Rare nonconservative LRP6 mutations are associated with metabolic syndrome. 2013 , 34, 1221-5	51
927	A likelihood ratio test for genome-wide association under genetic heterogeneity. 2013 , 77, 174-82	5
926	Rank-based robust tests for quantitative-trait genetic association studies. 2013 , 37, 358-65	8
925	The impact of improved microarray coverage and larger sample sizes on future genome-wide association studies. 2013 , 37, 383-92	21
924	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. 2013 , 45, 76-82	232
923	Replication study for the association of a single-nucleotide polymorphism, rs3746876, within KCNJ15, with susceptibility to type 2 diabetes in a Japanese population. 2013 , 58, 490-3	5
922	A global map for dissecting phenotypic variants in human lincRNAs. 2013 , 21, 1128-33	20
921	Behavior Genetics. 2013 , 269-304	0
920	Genetic association studies in female reproduction: from candidate-gene approaches to genome-wide mapping. 2013 , 19, 644-54	23
919	[Overview of and update on the physiological functions of mammalian zinc transporters]. 2013 , 68, 92-102	7
918	Association of rs734312 and rs10010131 polymorphisms in WFS1 gene with type 2 diabetes mellitus: a meta-analysis. 2013 , 60, 441-447	13
917	Variations in Solute Transporter Genes Affecting Micronutrient Solute Transport and Human Health. 2013 , 25-82	
916	First Phase Insulin Secretion and Type 2 Diabetes. 2013 , 13, 126-139	18
915	The new perspectives on genetic studies of type 2 diabetes and thyroid diseases. 2013 , 14, 33-48	3
914	Regulation of Insulin Synthesis and Secretion and Pancreatic Beta-Cell Dysfunction in Diabetes. 2013 , 9, 25-53	377
913	- Deep-Sequencing Technologies and Potential Applications in Forensic DNA Testing. 2013 , 328-365	1
912	Generation of high quality chromatin immunoprecipitation DNA template for high-throughput sequencing (ChIP-seq). 2013 ,	10
911	Genetics of type 2 diabetes. 2013 , 4, 114-23	145

910	Relationship of common expression quantitative trait loci genes to the immune system. 2013 , 12, 6546-53	
909	Association between the TRAIL single nucleotide polymorphism rs1131580 and type 2 diabetes mellitus in a Han Chinese population. 2013 , 12, 3455-64	6
908	Association of variants in PPAR α , IGF2BP2, and KCNQ1 with a susceptibility to gestational diabetes mellitus in a Korean population. 2013 , 54, 352-7	30
907	Zinc and Cardio-Metabolic Health in Type 2 Diabetes Mellitus. 2013 , 02,	
906	The diabetes-susceptible gene SLC30A8/ZnT8 regulates hepatic insulin clearance. 2013 , 123, 4513-24	166
905	What is the contribution of two genetic variants regulating VEGF levels to type 2 diabetes risk and to microvascular complications?. 2013 , 8, e55921	32
904	Compound heterozygous mutations in SLC30A2/ZnT2 results in low milk zinc concentrations: a novel mechanism for zinc deficiency in a breast-fed infant. 2013 , 8, e64045	77
903	Complex disease interventions from a network model for type 2 diabetes. 2013 , 8, e65854	9
902	Association of genetic variants with isolated fasting hyperglycaemia and isolated postprandial hyperglycaemia in a Han Chinese population. 2013 , 8, e71399	8
901	The association of genetic markers for type 2 diabetes with prediabetic status - cross-sectional data of a diabetes prevention trial. 2013 , 8, e75807	10
900	Replication study for the association of 9 East Asian GWAS-derived loci with susceptibility to type 2 diabetes in a Japanese population. 2013 , 8, e76317	36
899	An f2 pig resource population as a model for genetic studies of obesity and obesity-related diseases in humans: design and genetic parameters. 2013 , 4, 29	30
898	Enhancing systems medicine beyond genotype data by dynamic patient signatures: having information and using it too. 2013 , 4, 241	4
897	The genetics of diabetic nephropathy. 2013 , 4, 596-619	25
896	SNP selection in genome-wide association studies via penalized support vector machine with MAX test. 2013 , 2013, 340678	3
895	Robust joint analysis with data fusion in two-stage quantitative trait genome-wide association studies. 2013 , 2013, 843563	
894	Autoimmune Disorders. 2013 , 822-838	3
893	Association of rs12255372 in the TCF7L2 gene with type 2 diabetes mellitus: a meta-analysis. 2013 , 46, 382-93	24

892	Predictive value of genomics in the screening of type 2 diabetes: limitations and current status. 2014 , 45	
891	Exposure to organochlorine pollutants and type 2 diabetes: a systematic review and meta-analysis. 2014 , 9, e85556	45
890	Determination of 14 circulating microRNAs in Swedes and Iraqis with and without diabetes mellitus type 2. 2014 , 9, e86792	86
889	Admixture mapping and subsequent fine-mapping suggests a biologically relevant and novel association on chromosome 11 for type 2 diabetes in African Americans. 2014 , 9, e86931	11
888	Simultaneous copy number losses within multiple subtelomeric regions in early-onset type 2 diabetes mellitus. 2014 , 9, e88602	
887	Cross-sectional and longitudinal replication analyses of genome-wide association loci of type 2 diabetes in Han Chinese. 2014 , 9, e91790	16
886	Validation of type 2 diabetes risk variants identified by genome-wide association studies in Han Chinese population: a replication study and meta-analysis. 2014 , 9, e95045	26
885	Regulation of insulin degrading enzyme activity by obesity-associated factors and pioglitazone in liver of diet-induced obese mice. 2014 , 9, e95399	40
884	Metabolic health is a more important determinant for diabetes development than simple obesity: a 4-year retrospective longitudinal study. 2014 , 9, e98369	45
883	Evaluation of common type 2 diabetes risk variants in a South Asian population of Sri Lankan descent. 2014 , 9, e98608	6
882	Genetic and Epigenetics of Type 2 Diabetes. 2014 , 467-476	
881	Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. 2014 , 11, 1185-200	426
880	Lessons from Genome-Wide Search for Disease-Related Genes with Special Reference to HLA-Disease Associations. 2014 , 5, 84-96	3
879	Computer aided screening of secreted frizzled-related protein 4 (SFRP4): a potential control for diabetes mellitus. 2014 , 19, 10129-36	11
878	Genome-wide association study identifies two novel Loci with sex-specific effects for type 2 diabetes mellitus and glycemic traits in a Korean population. 2014 , 38, 375-87	27
877	Association between FTO, MC4R, SLC30A8, and KCNQ1 gene variants and type 2 diabetes in Saudi population. 2014 , 13, 10194-203	30
876	Legal Aspects of Biobanking as Key Issues for Personalized Medicine & Translational Exploitation. 2014 ,	
875	Zinc proteome interaction network as a model to identify nutrient-affected pathways in human pathologies. 2014 , 9, 436	18

874	Next-Generation Sequencing Studies: Optimal Design and Analysis, Missing Heritability and Rare Variants. 2014 , 1, 213-219	2
873	Mutation im Gen SLC30A8 schätzt vor Typ-2-Diabetes. 2014 , 8, 33-33	
872	Zinc-ing about diabetes. 2014 , 7, 276-276	
871	A novel method, the Variant Impact On Linkage Effect Test (VIOLET), leads to improved identification of causal variants in linkage regions. 2014 , 22, 243-7	2
870	Diabetes burden and prevention in Korea and the Western Pacific Region. 2014 , 106 Suppl 2, S282-7	19
869	Moving into a new era of periodontal genetic studies: relevance of large case-control samples using severe phenotypes for genome-wide association studies. 2014 , 49, 683-95	37
868	The architecture of risk for type 2 diabetes: understanding Asia in the context of global findings. 2014 , 2014, 593982	27
867	A set-based association test identifies sex-specific gene sets associated with type 2 diabetes. 2014 , 5, 395	7
866	Genetic Variations in the Kir6.2 Subunit (KCNJ11) of Pancreatic ATP-Sensitive Potassium Channel Gene Are Associated with Insulin Response to Glucose Loading and Early Onset of Type 2 Diabetes in Childhood and Adolescence in Taiwan. 2014 , 2014, 983016	8
865	Genome-wide associations between genetic and epigenetic variation influence mRNA expression and insulin secretion in human pancreatic islets. 2014 , 10, e1004735	118
864	Extreme population differences in the human zinc transporter ZIP4 (SLC39A4) are explained by positive selection in Sub-Saharan Africa. 2014 , 10, e1004128	29
863	A central role for GRB10 in regulation of islet function in man. 2014 , 10, e1004235	124
862	Genetic susceptibility to type 2 diabetes and obesity: follow-up of findings from genome-wide association studies. 2014 , 2014, 769671	50
861	Diabetes Mellitus. 2014 ,	3
860	Genetics of type 2 diabetes: insights into the pathogenesis and its clinical application. 2014 , 2014, 926713	49
859	Genetics and epigenetics of primary biliary cirrhosis. 2014 , 34, 255-64	35
858	Genetic basis of metabolome variation in yeast. 2014 , 10, e1004142	44
857	TCF7L2 is a master regulator of insulin production and processing. 2014 , 23, 6419-31	118

856	High glucose level promotes migration behavior of breast cancer cells through zinc and its transporters. 2014 , 9, e90136	44
855	High cardiorespiratory fitness can reduce glycated hemoglobin levels regardless of polygenic risk for Type 2 diabetes mellitus in nondiabetic Japanese men. 2014 , 46, 497-504	3
854	Genome-Wide Association Studies in Type 2 Diabetes. 2014 , 1-13	
853	Two novel type 2 diabetes loci revealed through integration of TCF7L2 DNA occupancy and SNP association data. 2014 , 2, e000052	12
852	Genetics of alcohol dependence: a review of clinical studies. 2014 , 70, 77-94	21
851	CDKAL1 and HHEX are associated with type 2 diabetes-related traits among Yup'ik people. 2014 , 6, 251-9	11
850	Genetic differentiation of southeast Baltic populations of sea trout inferred from single nucleotide polymorphisms. 2014 , 45, 96-104	15
849	The role of regulatory T cell (Treg) subsets in gestational diabetes mellitus. 2014 , 177, 76-85	36
848	Some Statistical Properties of Efficiency Robust Tests with Applications to Genetic Association Studies. 2014 , 41, 762-774	4
847	Zinc transporter gene expression and glycemic control in post-menopausal women with Type 2 diabetes mellitus. 2014 , 28, 448-52	24
846	Predicting cognitive ability in ageing cohorts using Type 2 diabetes genetic risk. 2014 , 31, 714-20	12
845	The TCF7L2 rs7903146 polymorphism, dietary intakes and type 2 diabetes risk in an Algerian population. 2014 , 15, 134	17
844	Type 2 Diabetes. 2014 ,	1
843	Statistical properties of single-marker tests for rare variants. 2014 , 17, 143-50	10
842	Antiretroviral therapy modifies the genetic effect of known type 2 diabetes-associated risk variants in HIV-infected women. 2014 , 28, 1815-23	3
841	Nutrigenetics and nutrigenomics insights into diabetes etiopathogenesis. 2014 , 6, 5338-69	52
840	Clinical Bioinformatics. 2014 ,	2
839	SNP discovery in the transcriptome of white Pacific shrimp <i>Litopenaeus vannamei</i> by next generation sequencing. 2014 , 9, e87218	55

838	Association of common genetic variants with diabetes and metabolic syndrome related traits in the Arizona Insulin Resistance registry: a focus on Mexican American families in the Southwest. 2014 , 78, 47-58	31
837	The integrated disease network. 2014 , 6, 1069-79	20
836	Genetic Testing and Type 2 Diabetes Risk Awareness. 2014 , 40, 427-433	1
835	Combining dependent F-tests for robust association of quantitative traits under genetic model uncertainty. 2014 , 13, 123-39	3
834	Robust methods to detect disease-genotype association in genetic association studies: calculate p-values using exact conditional enumeration instead of simulated permutations or asymptotic approximations. 2014 , 13, 675-92	5
833	In situ dimerization of multiple wild type and mutant zinc transporters in live cells using bimolecular fluorescence complementation. 2014 , 289, 7275-92	45
832	The Adiponectin variants contribute to the genetic background of type 2 diabetes in Turkish population. 2014 , 534, 10-16	22
831	Early decrease of insulin sensitivity in offspring of individuals with type 2 diabetes. The Mexican Diabetes Prevention Study. 2014 , 45, 217-22	2
830	Genetic variants for type 2 diabetes and new-onset cancer in Chinese with type 2 diabetes. 2014 , 103, 328-37	13
829	Robust supertest for the genetic association study under genetic model uncertainty. 2014 , 43, 463-474	1
828	Weight loss independent association of TCF7 L2 gene polymorphism with fasting blood glucose after Roux-en-Y gastric bypass in type 2 diabetic patients. 2014 , 10, 679-83	2
827	Mitochondrial DNA haplogroups and risk of new-onset diabetes among tacrolimus-treated renal transplanted patients. 2014 , 538, 195-8	18
826	Imidazole-derived 2-[N-carbamoylmethyl-alkylamino]acetic acids, substrate-dependent modulators of insulin-degrading enzyme in amyloid- β hydrolysis. 2014 , 79, 184-93	22
825	Contribution of SLC30A8 variants to the risk of type 2 diabetes in a multi-ethnic population: a case control study. 2014 , 14, 2	6
824	Micronutrient-gene interactions related to inflammatory/immune response and antioxidant activity in ageing and inflammation. A systematic review. 2014 , 136-137, 29-49	50
823	Targeting the pancreatic β -cell to treat diabetes. 2014 , 13, 278-89	192
822	Genome-wide association study identifies three novel loci for type 2 diabetes. 2014 , 23, 239-46	138
821	Co-occurrence of risk alleles in or near genes modulating insulin secretion predisposes obese youth to prediabetes. 2014 , 37, 475-82	28

820	Search for genetic determinants of sulfonylurea efficacy in type 2 diabetic patients from China. 2014 , 57, 746-53	13
819	Transcription factor 7-like 2 (TCF7L2) gene polymorphism and clinical phenotype in end-stage renal disease patients. 2014 , 41, 4063-8	15
818	Genetic variant of the renin-angiotensin system and prevalence of type 2 diabetes mellitus: a modest but significant effect of aldosterone synthase. 2014 , 51, 595-9	11
817	Effects of zinc supplementation and zinc chelation on in vitro β -cell function in INS-1E cells. 2014 , 7, 84	23
816	Nutrigenetics: bridging two worlds to understand type 2 diabetes. 2014 , 14, 477	9
815	Personal history of diabetes, genetic susceptibility to diabetes, and risk of brain glioma: a pooled analysis of observational studies. 2014 , 23, 47-54	28
814	Nutrigenomics: the role of nutrients in gene expression. 2014 , 64, 154-60	15
813	Zinc and its transporters, pancreatic β -cells, and insulin metabolism. 2014 , 95, 365-90	29
812	Implications of genome-wide association studies in novel therapeutics in primary biliary cirrhosis. 2014 , 44, 945-54	26
811	Individualized medicine from prewomb to tomb. 2014 , 157, 241-53	194
810	Anti-diabetic activity of insulin-degrading enzyme inhibitors mediated by multiple hormones. <i>Nature</i> , 2014 , 511, 94-8	50.4 164
809	Current understanding of ZIP and ZnT zinc transporters in human health and diseases. 2014 , 71, 3281-95	154
808	SLC30A8 nonsynonymous variant is associated with recovery following exercise and skeletal muscle size and strength. 2014 , 63, 363-8	19
807	Leveraging cross-species transcription factor binding site patterns: from diabetes risk loci to disease mechanisms. 2014 , 156, 343-58	96
806	A robust method for genome-wide association meta-analysis with the application to circulating insulin-like growth factor I concentrations. 2014 , 38, 162-71	4
805	Association between type 2 diabetes mellitus-related SNP variants and obesity traits in a Saudi population. 2014 , 41, 1731-40	18
804	Identifying causal variants at loci with multiple signals of association. 2014 , 198, 497-508	266
803	Interactions between zinc transporter-8 gene (SLC30A8) and plasma zinc concentrations for impaired glucose regulation and type 2 diabetes. 2014 , 63, 1796-803	66

802	Inhibition of secreted frizzled-related protein 5 improves glucose metabolism. 2014 , 307, E1144-52	14
801	Cross-tissue and tissue-specific eQTLs: partitioning the heritability of a complex trait. 2014 , 95, 521-34	61
800	Human genetics of diabetic retinopathy. 2014 , 37, 1165-74	9
799	Insights into the genetic susceptibility to type 2 diabetes from genome-wide association studies of glycaemic traits. 2014 , 14, 551	34
798	Effects of NOS1AP rs12742393 polymorphism on repaglinide response in Chinese patients with type 2 diabetes mellitus. 2014 , 34, 131-9	11
797	Diabetes mellitus. 2014 , 846-900.e1	6
796	CREB-regulated transcription coactivator 3 (CRTC3) polymorphism associated with type 2 diabetes and hyperlipidemia in the Taiwanese population. 2014 , 26, 114-118	1
795	A meta-analytic framework for detection of genetic interactions. 2016 , 40, 534-543	2
794	Single-Cell Mass Cytometry Analysis of the Human Endocrine Pancreas. 2016 , 24, 616-626	104
793	Hepatic ZIP14-mediated Zinc Transport Contributes to Endosomal Insulin Receptor Trafficking and Glucose Metabolism. 2016 , 291, 23939-23951	24
792	Genetic susceptibility for insulin resistance among Egyptian women. 2016 , 14, 189-193	1
791	Does Zinc Really "Metal" with Diabetes? The Epidemiologic Evidence. 2016 , 16, 111	12
790	Clinical and molecular characterization of a novel INS mutation identified in patients with MODY phenotype. 2016 , 59, 590-595	19
789	GOAT. 2016 ,	2
788	Serum gamma-glutamyl transferase and risk of type 2 diabetes in the general Korean population: a Mendelian randomization study. 2016 , 25, 3877-3886	17
787	Genetic markers of type 2 diabetes: Progress in genome-wide association studies and clinical application for risk prediction. 2016 , 8, 24-35	49
786	Incorporating Hardy-Weinberg Equilibrium Law to Enhance the Association Strength for Ordinal Trait Genetic Study. 2016 , 80, 102-12	4
785	Different role of zinc transporter 8 between type 1 diabetes mellitus and type 2 diabetes mellitus. 2016 , 7, 459-65	23

784	Integrator of Stress Responses Calmodulin Binding Transcription Activator 1 (Camta1) Regulates miR-212/miR-132 Expression and Insulin Secretion. 2016 , 291, 18440-52	18
783	Lipid-tuned Zinc Transport Activity of Human ZnT8 Protein Correlates with Risk for Type-2 Diabetes. 2016 , 291, 26950-26957	50
782	- Nutrigenetics and Nutrigenomics: Importance for Functional Foods and Personalized Nutrition. 2016 , 22-43	
781	What to expect from an evolutionary hypothesis for a human disease: The case of type 2 diabetes. 2016 , 67, 349-368	5
780	Metabolic pathways in the periphery and brain: Contribution to mental disorders?. 2016 , 80, 19-30	9
779	Regulation of the assembly and amyloid aggregation of murine amylin by zinc. 2016 , 218, 58-70	26
778	Pharmacogenomics in type 2 diabetes: oral antidiabetic drugs. 2016 , 16, 399-410	14
777	A Multi-Ethnic Meta-Analysis of the Association between the TCF7L2 Variant Rs12255372 and Type 2 Diabetes Mellitus. 2016 ,	
776	The therapeutic potential of metabolic hormones in the treatment of age-related cognitive decline and Alzheimer's disease. 2016 , 36, 1305-1315	13
775	Computational Methods for Integration of Biological Data. 2016 , 137-178	1
774	If genetic variation could talk: What genomic data may teach us about the importance of gene expression regulation in the genetics of autism. 2016 , 30, 346-356	3
773	Genetic architecture of nonadditive inheritance in Arabidopsis thaliana hybrids. 2016 , 113, E7317-E7326	36
772	Effect of the Interplay Between Genetic and Behavioral Risks on Survival After Age 75. 2016 , 64, 2440-2447	2
771	Molecular Genetic Regulation of Slc30a8/ZnT8 Reveals a Positive Association With Glucose Tolerance. 2016 , 30, 77-91	51
770	Genetics of Human Zinc Deficiencies. 2016 , 1-8	5
769	Glaucoma Genetics: Recent Advances and Future Directions. 2016 , 5, 256-9	17
768	Genetic variants associated with lean and obese type 2 diabetes in a Han Chinese population: A case-control study. 2016 , 95, e3841	19
767	Insulin-degrading enzyme: new therapeutic target for diabetes and Alzheimer's disease?. 2016 , 48, 614-624	59

766	Pathway and network-based strategies to translate genetic discoveries into effective therapies. 2016 , 25, R94-R98	22
765	Whole-genome re-sequencing for the identification of high contribution susceptibility gene variants in patients with type 2 diabetes. 2016 , 13, 3735-46	5
764	Zinc and diabetes. 2016 , 611, 79-85	96
763	Transcription Factor 7-Like 2 (TCF7L2). 2016 , 297-316	0
762	SLC30A8: A Complex Road from Association to Function. 2016 , 379-401	1
761	Genome-Wide Association Studies of Quantitative Glycaemic Traits. 2016 , 63-89	
760	Fine-Mapping of Type 2 Diabetes Loci. 2016 , 127-151	
759	Multiple testing correction in linear mixed models. 2016 , 17, 62	44
758	Misregulation of the proline rich homeodomain (PRH/HHEX) protein in cancer cells and its consequences for tumour growth and invasion. 2016 , 6, 12	16
757	High-fat-diet induced development of increased fasting glucose levels and impaired response to intraperitoneal glucose challenge in the collaborative cross mouse genetic reference population. 2016 , 17, 10	37
756	The effects of body mass index on the hereditary influences that determine peak bone mass in mother-daughter pairs (KNHANES V). 2016 , 27, 2057-64	2
755	Age-related macular degeneration: genome-wide association studies to translation. 2016 , 18, 283-9	87
754	Genetics of Type 2 Diabetes. 2016 , 141-157	
753	Transgenerational effects of parental cardiovascular disease and risk factors on offspring mortality: family-linkage data from the HUNT Study, Norway. 2016 , 23, 145-53	3
752	Targeting Insulin-Degrading Enzyme to Treat Type 2 Diabetes Mellitus. 2016 , 27, 24-34	58
751	Positive autoantibodies to ZnT8 indicate elevated risk for additional autoimmune conditions in patients with Addison's disease. 2016 , 53, 249-57	7
750	The zinc transporter ZNT3 co-localizes with insulin in INS-1E pancreatic beta cells and influences cell survival, insulin secretion capacity, and ZNT8 expression. 2016 , 29, 287-98	15
749	Genome-Wide DNA and Histone Modification Studies in Metabolic Disease. 2016 , 255-270	

748	Cholesteryl Ester Transfer Protein (CETP) expression does not affect glucose homeostasis and insulin secretion: studies in human CETP transgenic mice. 2016 , 15, 9	4
747	Association of SLC30A8 gene polymorphism with type 2 diabetes, evidence from 46 studies: a meta-analysis. 2016 , 53, 381-94	23
746	A portable optical waveguide resonance light-scattering scanner for microarray detection. 2016 , 141, 199-205	5
745	Recent progress in genetic and epigenetic research on type 2 diabetes. 2016 , 48, e220	92
744	The Lipogenic Effect of Insulin Revisited. 2016 , 285-295	
743	Characterization of zinc transporter 8 (ZnT8) antibodies in autoimmune diabetic patients from Argentinian population using monomeric, homodimeric, and heterodimeric ZnT8 antigen variants. 2016 , 174, 157-65	10
742	Hepatic De Novo Lipogenesis and Regulation of Metabolism. 2016 ,	3
741	Animal models for diabetes: Understanding the pathogenesis and finding new treatments. 2016 , 99, 1-10	92
740	Triphenylamine-based Schiff bases as the High sensitive Al(3+) or Zn(2+) fluorescence turn-on probe: Mechanism and application in vitro and in vivo. 2016 , 77, 530-6	48
739	Identification of ABCC8 as a contributory gene to impaired early-phase insulin secretion in NZO mice. 2016 , 228, 61-73	7
738	A Novel Powerful Joint Analysis with Data Fusion in Two-stage Case-Control Genome-wide Association Studies. 2016 , 45, 2362-2376	
737	Genes associated with diabetes: potential for novel therapeutic targets?. 2016 , 20, 255-67	12
736	Biosynthesis, Processing, and Secretion of the Islet Hormones. 2016 , 527-545.e6	1
735	A common rs7903146 variant of the transcription factor 7-like 2 gene is associated with type 2 diabetes mellitus and fasting glucose in a Taiwanese population. 2017 , 43, 83-85	12
734	The Role of Oxidative Stress and Hypoxia in Pancreatic Beta-Cell Dysfunction in Diabetes Mellitus. 2017 , 26, 501-518	273
733	Disturbance of zinc and glucose homeostasis by methyl tert-butyl ether (MTBE); evidence for type 2 diabetes. 2017 , 47, 547-552	3
732	Association of a type 2 diabetes genetic risk score with insulin secretion modulated by insulin sensitivity among Chinese Hans. 2017 , 91, 832-842	8
731	Levels of heavy metals and their binding protein metallothionein in type 2 diabetics with kidney disease. 2017 , 31, e21891	5

730	Physiological roles of zinc transporters: molecular and genetic importance in zinc homeostasis. 2017 , 67, 283-301	209
729	Additional Evidence Supports Association of Common Variants in COL11A1 with Increased Risk of Hip Osteoarthritis Susceptibility. 2017 , 21, 86-91	4
728	Sequence robust association test for familial data. 2017 , 73, 876-884	1
727	Genomics of Islet (Dys)function and Type 2 Diabetes. 2017 , 33, 244-255	44
726	Investigation of miRNA-binding site variants and risk of gestational diabetes mellitus in Chinese pregnant women. 2017 , 54, 309-316	16
725	Joker de Bruijn: Sequence Libraries to Cover All -mers Using Joker Characters. 2017 , 10229, 389-390	
724	Expression and functional assessment of candidate type 2 diabetes susceptibility genes identify four new genes contributing to human insulin secretion. 2017 , 6, 459-470	32
723	GWAR: robust analysis and meta-analysis of genome-wide association studies. 2017 , 33, 1521-1527	3
722	Using genetics to inform new therapeutics for diabetes. 2017 , 12, 159-169	
721	Exploring the Association Between Demographics, SLC30A8 Genotype, and Human Islet Content of Zinc, Cadmium, Copper, Iron, Manganese and Nickel. 2017 , 7, 473	25
720	The dynamic plasticity of insulin production in β -cells. 2017 , 6, 958-973	66
719	SLC30A9 mutation affecting intracellular zinc homeostasis causes a novel cerebro-renal syndrome. 2017 , 140, 928-939	43
718	Human genetics as a model for target validation: finding new therapies for diabetes. 2017 , 60, 960-970	15
717	Risk factors for neuropathic pain in diabetes mellitus. 2017 , 158, 560-568	53
716	IFITM3, TLR3, and CD55 Gene SNPs and Cumulative Genetic Risks for Severe Outcomes in Chinese Patients With H7N9/H1N1pdm09 Influenza. 2017 , 216, 97-104	37
715	Design of new traditional Chinese medicine herbal formulae for treatment of type 2 diabetes mellitus based on network pharmacology. 2017 , 15, 436-441	26
714	Whole-genome resequencing of 292 pigeonpea accessions identifies genomic regions associated with domestication and agronomic traits. 2017 , 49, 1082-1088	134
713	A benzimidazole-based chemodosimeter for the fluorometric detection of Zn and Cu via 1,5 proton shifts and C-N bond cleavage. 2017 , 16, 1103-1116	11

712	Insulin Resistance and Mitochondrial Dysfunction. 2017 , 982, 465-520	73
711	Mining the Genome for Therapeutic Targets. 2017 , 66, 1770-1778	11
710	The rs7903146 Variant in the Gene Increases the Risk of Prediabetes/Type 2 Diabetes in Obese Adolescents by Impairing β -Cell Function and Hepatic Insulin Sensitivity. 2017 , 40, 1082-1089	34
709	Zinc regulates Nox1 expression through a NF- κ B and mitochondrial ROS dependent mechanism to induce senescence of vascular smooth muscle cells. 2017 , 108, 225-235	39
708	A model-embedded trend test with incorporating Hardy-Weinberg equilibrium information. 2017 , 30, 101-110	4
707	Inositol phosphates and phosphoinositides activate insulin-degrading enzyme, while phosphoinositides also mediate binding to endosomes. 2017 , 114, E2826-E2835	12
706	Obstacles to Translating Genotype-Phenotype Correlates in Metabolic Disease. 2017 , 32, 42-50	2
705	Introduction. 2017 , 1-34	
704	Pancreatic alpha cell-selective deletion of Tcf7l2 impairs glucagon secretion and counter-regulatory responses to hypoglycaemia in mice. 2017 , 60, 1043-1050	13
703	Genetic association studies in cardiovascular diseases: Do we have enough power?. 2017 , 27, 397-404	11
702	Importance of Zinc Transporter 8 Autoantibody in the Diagnosis of Type 1 Diabetes in Latin Americans. 2017 , 7, 207	18
701	Tissue-specific methylation profile in obese patients with type 2 diabetes before and after Roux-en-Y gastric bypass. 2017 , 9, 15	15
700	hZnT8 (Slc30a8) Transgenic Mice That Overexpress the R325W Polymorph Have Reduced Islet Zn ²⁺ and Proinsulin Levels, Increased Glucose Tolerance After a High-Fat Diet, and Altered Levels of Pancreatic Zinc Binding Proteins. 2017 , 66, 551-559	18
699	A novel role for the Kr \ddot{u} ppel-like factor 14 on macrophage inflammatory response and atherosclerosis development. 2017 , 27, 1-8	17
698	Study of IL4-590C/T and IL6-174G/C Gene Polymorphisms in Type 2 Diabetic Patients With Chronic Kidney Disease in North Indian Population. 2017 , 118, 1803-1809	10
697	Gene expression signature: a powerful approach for drug discovery in diabetes. 2017 , 232, R131-R139	6
696	Trace Elements and Healthcare: A Bioinformatics Perspective. 2017 , 1005, 63-98	13
695	Stigmasterol prevents glucolipotoxicity induced defects in glucose-stimulated insulin secretion. 2017 , 7, 9536	22

694	Open-array analysis of genetic variants in Egyptian patients with type 2 diabetes and obesity. 2017 , 18, 341-348	3
693	Persistent organic pollutants and risk of diabetes and obesity on healthy adults: Results from a cross-sectional study in Spain. 2017 , 607-608, 1096-1102	22
692	Prioritising Causal Genes at Type 2 Diabetes Risk Loci. 2017 , 17, 76	21
691	Diversity and inclusion in genomic research: why the uneven progress?. 2017 , 8, 255-266	146
690	Association between Sugar Intake, Oral Health, and the Impact on Overall Health: Raising Public Awareness. 2017 , 4, 176-183	6
689	Genetic variants of increased waist circumference in psychosis. 2017 , 27, 210-218	3
688	Penetrance of Polygenic Obesity Susceptibility Loci across the Body Mass Index Distribution. 2017 , 101, 925-938	73
687	Translational Informatics in Smart Healthcare. 2017 ,	2
686	Differential cytolocalization and functional assays of the two major human SLC30A8 (ZnT8) isoforms. 2017 , 44, 116-124	15
685	Early maternal separation induces preference for sucrose and aspartame associated with increased blood glucose and hyperactivity. 2017 , 8, 2592-2600	16
684	Presence of diabetes autoantigens in extracellular vesicles derived from human islets. 2017 , 7, 5000	16
683	Prediction of gene expression with cis-SNPs using mixed models and regularization methods. 2017 , 18, 368	17
682	MALDI mass spectrometry in medical research and diagnostic routine laboratories. 2017 , 416, 96-109	6
681	Interaction of BDNF rs6265 variants and energy and protein intake in the risk for glucose intolerance and type 2 diabetes in middle-aged adults. 2017 , 33, 187-194	20
680	Maternal serum ADAMTS-9 levels in gestational diabetes: a pilot study. 2017 , 30, 1442-1445	5
679	The Combined Effects of Genetic Variation in the CNDP1 and CNDP2 Genes and Dietary Carbohydrate and Carotene Intake on Obesity Risk. 2017 , 10, 146-154	6
678	A prospective study of dietary and supplemental zinc intake and risk of type 2 diabetes depending on genetic variation in. 2017 , 12, 30	15
677	Genome-wide association studies and meta-analysis reveal novel quantitative trait loci and pleiotropic loci for swine head-related traits. 2017 , 95, 2354-2366	4

676	Human Genome Project. 2017 , 1-6	
675	Diabetes. 2017 , 245-282	1
674	Understanding the Contribution of Zinc Transporters in the Function of the Early Secretory Pathway. 2017 , 18,	37
673	Impact of Labile Zinc on Heart Function: From Physiology to Pathophysiology. 2017 , 18,	17
672	Genetic Variations as Modifying Factors to Dietary Zinc Requirements-A Systematic Review. 2017 , 9,	11
671	Zinc as a Gatekeeper of Immune Function. 2017 , 9,	244
670	Long Noncoding RNAs as Diagnostic and Therapeutic Targets in Type 2 Diabetes and Related Complications. 2017 , 8,	53
669	Measuring and Imaging Metal Ions With Fluorescence-Based Biosensors: Speciation, Selectivity, Kinetics, and Other Issues. 2017 , 589, 281-299	3
668	Type 2 Diabetes Susceptibility in the Greek-Cypriot Population: Replication of Associations with TCF7L2, FTO, HHEX, SLC30A8 and IGF2BP2 Polymorphisms. 2017 , 8,	15
667	Gene-Diet Interaction and Precision Nutrition in Obesity. 2017 , 18,	79
666	Classical Statistics and Statistical Learning in Imaging Neuroscience. 2017 , 11, 543	72
665	Transcription factor 7-like 2 (TCF7L2) gene polymorphisms are strong predictors of type 2 diabetes among nonobese diabetics in the Turkish population. 2017 , 47, 22-28	10
664	Predicting phenotypes from microarrays using amplified, initially marginal, eigenvector regression. 2017 , 33, i350-i358	4
663	Utilization of genetic data can improve the prediction of type 2 diabetes incidence in a Swedish cohort. 2017 , 12, e0180180	2
662	Zinc transporters and insulin resistance: therapeutic implications for type 2 diabetes and metabolic disease. 2017 , 24, 87	25
661	Prokaryotic expression and characterization of the heterodimeric construction of ZnT8 and its application for autoantibodies detection in diabetes mellitus. 2017 , 16, 196	2
660	Association between serum osteocalcin and glucose/lipid metabolism in Chinese Han and Uygur populations with type 2 diabetes mellitus in Xinjiang: two cross-sectional studies. 2017 , 16, 139	11
659	Identifying and mitigating batch effects in whole genome sequencing data. 2017 , 18, 351	26

658 Genetics and Diabetes. **2017**, 659-675

657 The pathogenetic role of β -cell mitochondria in type 2 diabetes. **2018**, 236, R145-R159 46

656 Introduction to Environment and Exposome-Wide Association Studies: A Data-Driven Method to Identify Multiple Environmental Factors Associated with Phenotypes in Human Populations. **2018**, 129-149 2

655 Progress in defining the genetic contribution to type 2 diabetes susceptibility. **2018**, 50, 41-51 15

654 GRP94 Is an Essential Regulator of Pancreatic β -Cell Development, Mass, and Function in Male Mice. **2018**, 159, 1062-1073 5

653 A genetic variant in SLC30A2 causes breast dysfunction during lactation by inducing ER stress, oxidative stress and epithelial barrier defects. **2018**, 8, 3542 10

652 Precision medicine in diabetes prevention, classification and management. **2018**, 9, 998-1015 32

651 IAPP/amylin and β -cell failure: implication of the risk factors of type 2 diabetes. **2018**, 9, 143-157 19

650 SLC30A8 polymorphism and BMI complement HLA-A*24 as risk factors for poor graft function in islet allograft recipients. **2018**, 61, 1623-1632 1

649 A variant of GRK5 is associated with the therapeutic efficacy of repaglinide in Chinese Han patients with type 2 diabetes mellitus. **2018**, 79, 129-135 4

648 Interaction Between Nutrition and Metabolism. **2018**, 109, 29-114 1

647 The Extending Spectrum of NPC1-Related Human Disorders: From Niemann-Pick C1 Disease to Obesity. **2018**, 39, 192-220 18

646 Pathogenesis of Type 2 Diabetes Mellitus. **2018**, 1-74

645 DNA methylation in the pathogenesis of type 2 diabetes in humans. **2018**, 14, 12-25 104

644 Sensors for measuring subcellular zinc pools. **2018**, 10, 229-239 25

643 SLC30A family expression in the pancreatic islets of humans and mice: cellular localization in the β -cells. **2018**, 49, 133-145 6

642 The C-terminal cytosolic domain of the human zinc transporter ZnT8 and its diabetes risk variant. **2018**, 285, 1237-1250 21

641 Zinc Supplementation Does Not Affect Glucagon Response to Intravenous Glucose and Insulin Infusion in Patients with Well-Controlled Type 2 Diabetes. **2018**, 185, 255-261 6

640	Association of polymorphisms in LEPR with type 2 diabetes and related metabolic traits in a Chinese population. 2018 , 17, 2	10
639	Encyclopedia of Signaling Molecules. 2018 , 6060-6060	
638	Heart Disease and Stroke Statistics-2018 Update: A Report From the American Heart Association. 2018 , 137, e67-e492	3848
637	Disease Gene Identification. 2018 ,	1
636	Physiologic Interpretation of GWAS Signals for Type 2 Diabetes. 2018 , 1706, 323-351	1
635	An active fluorescent probe based on aggregation-induced emission for intracellular bioimaging of Zn and tracking of interactions with single-stranded DNA. 2018 , 1013, 79-86	23
634	T Cell Factor 7 (TCF7)/TCF1 Feedback Controls Osteocalcin Signaling in Brown Adipocytes Independent of the Wnt/ β -Catenin Pathway. 2018 , 38,	12
633	Teasing Diabetes Apart, One Locus at a Time. 2018 , 41, 224-226	2
632	Design of a colorimetric and turn-on fluorescent probe for the detection of Al(III). 2018 , 356, 159-165	24
631	pKWmEB: integration of Kruskal-Wallis test with empirical Bayes under polygenic background control for multi-locus genome-wide association study. 2018 , 120, 208-218	68
630	A candidate functional SNP rs7074440 in TCF7L2 alters gene expression through C-FOS in hepatocytes. 2018 , 592, 422-433	8
629	Metabolomics study on the association between nicotinamide N-methyltransferase gene polymorphisms and type 2 diabetes. 2018 , 38, 409-416	3
628	Variants of CDKAL1 rs7754840 (G/C) and CDKN2A/2B rs10811661 (C/T) with gestational diabetes: insignificant association. 2018 , 11, 181	8
627	Prolonged stimulation of insulin release from MIN6 cells causes zinc depletion and loss of β -cell markers. 2018 , 49, 51-59	5
626	Paraneoplastic Syndromes in Pancreatic Cancer. 2018 , 633-657	2
625	Genetic Drivers of Pancreatic Islet Function. 2018 , 209, 335-356	26
624	. 2018 , 1-1	11
623	Interaction between a variant of CDKN2A/B-gene with lifestyle factors in determining dyslipidemia and estimated cardiovascular risk: A step toward personalized nutrition. 2018 , 37, 254-261	16

622	Bridging Type 2 Diabetes and Alzheimer's Disease: Assembling the Puzzle Pieces in the Quest for the Molecules With Therapeutic and Preventive Potential. 2018 , 38, 261-324	41
621	Contribution of Genetic Factors to Lower DHEAS in Patients with Rheumatoid Arthritis. 2018 , 38, 379-383	1
620	Metformin Alters Upper Small Intestinal Microbiota that Impact a Glucose-SGLT1-Sensing Glucoregulatory Pathway. 2018 , 27, 101-117.e5	114
619	Pancreatic imaging using an antibody fragment targeting the zinc transporter type 8: a direct comparison with radio-iodinated Exendin-4. 2018 , 55, 49-57	9
618	Metabolic pathways at the crossroads of diabetes and inborn errors. 2018 , 41, 5-17	4
617	Diabetes Mellitus. 2018 , 334-346.e3	1
616	Interrelationship of the rs7903146 TCF7L2 gene variant with measures of glucose metabolism and adiposity: The NEO study. 2018 , 28, 150-157	8
615	A biomimetic approach to conjugate vitamin B cofactor with the lysozyme cocooned fluorescent AuNCs and its application in turn-on sensing of zinc(II) in environmental and biological samples. 2018 , 410, 201-210	31
614	Genetic architecture: the shape of the genetic contribution to human traits and disease. 2018 , 19, 110-124	219
613	Glutathione S-transferase genes and the risk of type 2 diabetes mellitus: Role of sexual dimorphism, gene-gene and gene-smoking interactions in disease susceptibility. 2018 , 10, 398-407	11
612	Detection of SNPs of T2DM susceptibility genes by a ligase detection reaction-fluorescent nanosphere technique. 2018 , 540-541, 38-44	2
611	Genetic Approaches to the Study of Gene Variants and Their Impact on the Pathophysiology of Type 2 Diabetes. 2018 , 56, 22-55	17
610	Fetuin-A levels and risk of type 2 diabetes mellitus: a systematic review and meta-analysis. 2018 , 55, 87-98	30
609	Impact of variants on type-2 diabetes risk genes identified through genomewide association studies in polycystic ovary syndrome: a case-control study. 2018 , 97, 1213-1223	1
608	Empirical Comparisons of Different Statistical Models To Identify and Validate Kernel Row Number-Associated Variants from Structured Multi-parent Mapping Populations of Maize. 2018 , 8, 3567-3575	9
607	Genetics of Exfoliation Syndrome. 2018 , 27 Suppl 1, S12-S14	14
606	Genes associated with Type 2 Diabetes and vascular complications. 2018 , 10, 178-196	27
605	Evaluation of the roles of the cytosolic N-terminus and His-rich loop of ZNT proteins using ZNT2 and ZNT3 chimeric mutants. 2018 , 8, 14084	12

604	Zinc transporter 8 autoantibodies (ZnT8-ab) are associated with higher prevalence of multiple diabetes-related autoantibodies in adults with type 1 diabetes. 2018 , 146, 313-320	5
603	Zinc Transporters and the Progression of Breast Cancers. 2018 , 41, 1517-1522	24
602	A novel SNP-set analytical method without distinguishing common variants or rare variants in genome-wide association study. 2018 , 11, 1850094	2
601	A novel role for zinc transporter 8 in the facilitation of zinc accumulation and regulation of testosterone synthesis in Leydig cells of human and mouse testicles. 2018 , 88, 40-50	11
600	Complex patterns of direct and indirect association between the transcription Factor-7 like 2 gene, body mass index and type 2 diabetes diagnosis in adulthood in the Hispanic Community Health Study/Study of Latinos. 2018 , 5, 26	4
599	Zinc-Induced Conformational Transitions in Human Islet Amyloid Polypeptide and Their Role in the Inhibition of Amyloidosis. 2018 , 122, 9852-9859	8
598	The β -cell in diabetes mellitus. 2018 , 14, 694-704	49
597	Targeting MicroRNA-143 Leads to Inhibition of Glioblastoma Tumor Progression. 2018 , 10,	15
596	Pathogenesis of Type 2 Diabetes Mellitus. 2018 , 181-253	5
595	Association Between SLC30A8 rs13266634 Polymorphism and Risk of T2DM and IGR in Chinese Population: A Systematic Review and Meta-Analysis. 2018 , 9, 564	4
594	Synthesis of a new pyrene-derived fluorescent probe for the detection of Zn ²⁺ . 2018 , 59, 3916-3922	30
593	Highly specific monoclonal antibodies for allosteric inhibition and immunodetection of the human pancreatic zinc transporter ZnT8. 2018 , 293, 16206-16216	8
592	Non-coding RNAs in Complex Diseases. 2018 ,	2
591	Genome-Wide Mapping of SNPs in Non-coding RNAs. 2018 , 1094, 39-48	
590	Predictive Genetic Testing in Multifactorial Disorders. 2018 , 229-261	0
589	Type 2 diabetes mellitus: distribution of genetic markers in Kazakh population. 2018 , 13, 377-388	4
588	Pathophysiology of Type 2 Diabetes in Koreans. 2018 , 33, 9-16	8
587	The core sequence of PIF competes for insulin/amyloid β in insulin degrading enzyme: potential treatment for Alzheimer's disease. 2018 , 9, 33884-33895	5

586	Hematopoietically expressed homeobox gene is associated with type 2 diabetes in KK Cg-A/J mice and a Taiwanese Han Chinese population. 2018 , 16, 185-191	6
585	Method to estimate the approximate samples size that yield a certain number of significant GWAS signals in polygenic traits. 2018 , 42, 488-496	2
584	Genetic variants of gestational diabetes mellitus: a study of 112 SNPs among 8722 women in two independent populations. 2018 , 61, 1758-1768	50
583	A novel chromone and rhodamine derivative as fluorescent probe for the detection of Zn(II) and Al(III) based on two different mechanisms. 2018 , 204, 641-647	30
582	Zinc deficiency and cellular oxidative stress: prognostic implications in cardiovascular diseases. 2018 , 39, 1120-1132	117
581	Identification of four genes as novel susceptibility loci for early-onset type 2 diabetes mellitus, metabolic syndrome, or hyperuricemia. 2018 , 9, 21-36	6
580	High-Throughput Approaches onto Uncover (Epi)Genomic Architecture of Type 2 Diabetes. 2018 , 9,	10
579	Genetic variation of the transcription factor GATA3, not STAT4, is associated with the risk of type 2 diabetes in the Bangladeshi population. 2018 , 13, e0198507	15
578	Impact of KCNQ1, CDKN2A/2B, CDKAL1, HHEX, MTNR1B, SLC30A8, TCF7L2, and UBE2E2 on risk of developing type 2 diabetes in Thai population. 2018 , 19, 93	19
577	Type 2 Diabetes Mellitus and Cardiovascular Disease: Genetic and Epigenetic Links. 2018 , 9, 2	138
576	Jointly Modelling Single Nucleotide Polymorphisms With Longitudinal and Time-to-Event Trait: An Application to Type 2 Diabetes and Fasting Plasma Glucose. 2018 , 9, 210	1
575	Microbial Regulation of Glucose Metabolism and Insulin Resistance. 2017 , 9,	27
574	Role of Zinc Homeostasis in the Pathogenesis of Diabetes and Obesity. 2018 , 19,	98
573	Genetics of Diabetes and Diabetic Complications. 2018 , 1-60	
572	Effect of smoking on the association of HHEX (rs5015480) with diabetes among Korean women and heavy smoking men. 2018 , 19, 68	0
571	Highly selective nicotinohydrazide based Turn-onFluoresensor for the detection of bioactive zinc(II): Its biocompatibility and bioimaging application in cancer cells. 2018 , 270, 200-206	25
570	From SNPs to pathways: Biological interpretation of type 2 diabetes (T2DM) genome wide association study (GWAS) results. 2018 , 13, e0193515	24
569	Catalytic Mechanism of Amyloid-βPeptide Degradation by Insulin Degrading Enzyme: Insights from Quantum Mechanics and Molecular Mechanics Style Miller-Plesset Second Order Perturbation Theory Calculation. 2018 , 58, 1926-1934	4

568	ZnT8 Arg325Trp polymorphism influences zinc transporter expression and cytokine production in PBMCs from patients with diabetes. 2018 , 144, 102-110	8
567	Stabilized β -Hairpin Peptide Inhibits Insulin Degrading Enzyme. 2018 , 61, 8174-8185	9
566	How cellular Zn signaling drives physiological functions. 2018 , 75, 53-63	40
565	Cohort Profile: Genetics of Diabetes Audit and Research in Tayside Scotland (GoDARTS). 2018 , 47, 380-381j	37
564	Obesity, diabetes and zinc: A workshop promoting knowledge and collaboration between the UK and Israel, november 28-30, 2016 - Israel. 2018 , 49, 79-85	0
563	Zinc stimulates glucose oxidation and glycemic control by modulating the insulin signaling pathway in human and mouse skeletal muscle cell lines. 2018 , 13, e0191727	31
562	GWAS of Behavioral Traits. 2019 , 42, 1-34	
561	Recent advances and perspectives in next generation sequencing application to the genetic research of type 2 diabetes. 2019 , 10, 376-395	8
560	The Locus: A Genetic Window Into the Pathogenesis of Type 1 and Type 2 Diabetes. 2019 , 42, 1624-1629	23
559	The genetic side of type 2 diabetes - A review. 2019 , 13, 2503-2506	17
558	Contemplating the role of genetic variants of HHEX, CDKAL1, WFS1 and SLC30A8 genes of TYPE-2 diabetes in Asians ethnic groups. 2019 , 17, 100465	4
557	Evidence that Evolution of the Diabetes Susceptibility Gene SLC30A8 that Encodes the Zinc Transporter ZnT8 Drives Variations in Pancreatic Islet Zinc Content in Multiple Species. 2019 , 87, 147-151	3
556	Down-regulation of the islet-specific zinc transporter-8 (ZnT8) protects human insulinoma cells against inflammatory stress. 2019 , 294, 16992-17006	7
555	An Exploratory Association Analysis of the Insulin Gene Region With Diabetes Mellitus in Two Dog Breeds. 2019 , 110, 793-800	2
554	Rethinking Drug Repositioning and Development with Artificial Intelligence, Machine Learning, and Omics. 2019 , 23, 539-548	38
553	Nutrigenomics and personalized nutrition for the prevention of hyperglycemia and type 2 diabetes mellitus. 2019 , 339-352	1
552	Loss of ZnT8 function protects against diabetes by enhanced insulin secretion. 2019 , 51, 1596-1606	45
551	Loss-of-function mutations in MRAP2 are pathogenic in hyperphagic obesity with hyperglycemia and hypertension. 2019 , 25, 1733-1738	24

550	Validation of Identified Susceptible Gene Variants for New-Onset Diabetes in Renal Transplant Recipients. 2019 , 8,	1
549	What has zinc transporter 8 autoimmunity taught us about type 1 diabetes?. 2019 , 62, 1969-1976	11
548	Topological data analysis can extract sub-groups with high incidence rates of Type 2 diabetes. 2019 , 22, 44	
547	Pancreatic β -cell-specific deletion of insulin-degrading enzyme leads to dysregulated insulin secretion and β -cell functional immaturity. 2019 , 317, E805-E819	13
546	From Pre-Diabetes to Diabetes: Diagnosis, Treatments and Translational Research. 2019 , 55,	66
545	Increased Expression of Lipid Metabolism Genes in Early Stages of Wooden Breast Links Myopathy of Broilers to Metabolic Syndrome in Humans. 2019 , 10,	24
544	The Role of Pharmacogenomics in Diabetes. 2019 , 247-269	
543	Heart Disease and Stroke Statistics-2019 Update: A Report From the American Heart Association. 2019 , 139, e56-e528	3937
542	Identification and characterization of differentially expressed genes in Type 2 Diabetes using in silico approach. 2019 , 79, 24-35	15
541	The zinc transporter Zip14 (SLC39a14) affects Beta-cell Function: Proteomics, Gene expression, and Insulin secretion studies in INS-1E cells. 2019 , 9, 8589	5
540	HHEX gene polymorphisms and type 2 diabetes mellitus: A case-control report from Iran. 2019 , 120, 16445-16461	
539	WITHDRAWN: Low Density Lipoprotein Receptor Related Protein 6-mediated Cardiovascular Diseases and associated signaling pathways. 2019 ,	
538	An atomistic view of the YiiP structural changes upon zinc(II) binding. 2019 , 1863, 1560-1567	6
537	Host Genetic Characters of Acute Exacerbation of Chronic Hepatitis B (AECHB). 2019 , 159-221	
536	Ion Transporters, Channelopathies, and Glucose Disorders. 2019 , 20,	11
535	Genetics of Type 2 Diabetes: A Review. 2019 , 6, 59-63	1
534	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. <i>Nature</i> , 2019 , 570, 71-76	50.4 129
533	Benefits and limitations of genome-wide association studies. 2019 , 20, 467-484	516

532	Acute Exacerbation of Chronic Hepatitis B. 2019,	
531	Association of transcription factor 7-like 2 (TCF7L2) gene polymorphism with type 2 diabetes mellitus in Chinese Korean ethnicity population. 2019, 98, e14288	9
530	Cardiac rehabilitation goal attainment after myocardial infarction with versus without diabetes: A nationwide registry study. 2019, 292, 19-24	3
529	Maintenance of Intestinal Epithelial Homeostasis by Zinc Transporters. 2019, 64, 2404-2415	11
528	Genetic, Functional, and Immunological Study of ZnT8 in Diabetes. 2019, 2019, 1524905	5
527	The Contribution of Low-Frequency and Rare Coding Variation to Susceptibility to Type 2 Diabetes. 2019, 19, 25	7
526	Deficiency of ZnT8 Promotes Adiposity and Metabolic Dysfunction by Increasing Peripheral Serotonin Production. 2019, 68, 1197-1209	11
525	Epigenetics of Diabetic Nephropathy. 2019, 865-884	
524	Expression Is Regulated by Cell Differentiation and Overfeeding in Human Adipose Tissue. 2019, 44, 110-116	2
523	Targeting the Zinc Transporter ZIP7 in the Treatment of Insulin Resistance and Type 2 Diabetes. 2019, 11,	13
522	Completing the genetic spectrum influencing coronary artery disease: from germline to somatic variation. 2019, 115, 830-843	7
521	Zinc and its regulators in pancreas. 2019, 27, 453-464	14
520	ForestQC: Quality control on genetic variants from next-generation sequencing data using random forest. 2019, 15, e1007556	7
519	Contribution of rare coding mutations in CD36 to type 2 diabetes and cardio-metabolic complications. 2019, 9, 17123	6
518	Oxidative Stress, DNA Damage and Repair Pathways in Patients with Type 2 Diabetes Mellitus. 2019,	1
517	Setting the Stage for Islet Autoimmunity in Type 2 Diabetes: Obesity-Associated Chronic Systemic Inflammation and Endoplasmic Reticulum (ER) Stress. 2019, 42, 2338-2346	23
516	THE EXPOSOME IN HUMAN EVOLUTION: FROM DUST TO DIESEL. 2019, 94, 333-394	21
515	ZnT8 Haploinsufficiency Impacts MIN6 Cell Zinc Content and β -Cell Phenotype via ZIP-ZnT8 Coregulation. 2019, 20,	5

514	Type 2 Diabetes-Associated Genetic Polymorphisms as Potential Disease Predictors. 2019 , 12, 2689-2706	14
513	Epigenome-wide meta-analysis of blood DNA methylation and its association with subcortical volumes: findings from the ENIGMA Epigenetics Working Group. 2021 , 26, 3884-3895	22
512	Habenular TCF7L2 links nicotine addiction to diabetes. <i>Nature</i> , 2019 , 574, 372-377	50.4 47
511	Epidemiology, Risk Factors, and Pathophysiology of Diabetic Retinopathy. 2019 , 1-19	3
510	Postprandial Insulin Response and Clearance Among Black and White Women: The Federal Women's Study. 2019 , 104, 181-192	20
509	The Role of De Novo Noncoding Regulatory Mutations in Neurodevelopmental Disorders. 2019 , 42, 115-127	33
508	Nutritional Effects of Zinc on Metabolic Syndrome and Type 2 Diabetes: Mechanisms and Main Findings in Human Studies. 2019 , 188, 177-188	22
507	Precision medicine in type 2 diabetes. 2019 , 285, 40-48	41
506	Use of DNA sequencing for noncommunicable diseases in low-income and middle-income countries' primary care settings: A narrative synthesis. 2019 , 34, e46-e71	2
505	An in vivo screen for neuronal genes involved in obesity identifies Diacylglycerol kinase as a regulator of insulin secretion. 2019 , 19, 13-23	1
504	Type 2 diabetes - An unresolved disease across centuries contributing to a public health emergency. 2019 , 13, 450-453	22
503	Interaction of amylin species with transition metals and membranes. 2019 , 191, 69-76	24
502	The variant at TGFBRAP1 is significantly associated with type 2 diabetes mellitus and affects diabetes-related miRNA expression. 2019 , 23, 83-92	4
501	Genetic Polymorphisms and Zinc Status: Implications for Supplementation in Metabolic Diseases. 2018 , 24, 4131-4143	2
500	The epithelial zinc transporter ZIP10 epigenetically regulates human epidermal homeostasis by modulating histone acetyltransferase activity. 2019 , 180, 869-880	16
499	Association of vascular endothelial growth factor expression and polymorphisms with the risk of gestational diabetes mellitus. 2019 , 33, e22686	10
498	The zinc transporter Slc39a5 controls glucose sensing and insulin secretion in pancreatic β -cells via Sirt1- and Pgc-1 β -mediated regulation of Glut2. 2019 , 10, 436-449	14
497	Role of metabolic syndrome and its components as mediators of the genetic effect on type 2 diabetes: A family-based study in China. 2019 , 11, 552-562	2

496	Sequence variants associating with urinary biomarkers. 2019 , 28, 1199-1211	13
495	Modelling the endocrine pancreas in health and disease. 2019 , 15, 155-171	43
494	Improving Imputation Accuracy by Inferring Causal Variants in Genetic Studies. 2019 , 26, 1203-1213	
493	Peripheral Artery Disease and Aortic Disease. 2016 , 11, 313-326	6
492	Insights into the structure-function relationship of both wild and mutant zinc transporter ZnT8 in human: a computational structural biology approach. 2020 , 38, 137-151	14
491	Simple salicylaldimine-functionalized dipodal bis Schiff base chromogenic and fluorogenic chemosensors for selective and sensitive detection of Al ³⁺ and Cr ³⁺ . 2020 , 499, 119192	13
490	The role of genetics and epigenetics in the pathogenesis of gestational diabetes mellitus. 2020 , 84, 114-124	17
489	The role of KLF14 in multiple disease processes. 2020 , 46, 276-282	8
488	Solute Carrier Transporters as Potential Targets for the Treatment of Metabolic Disease. 2020 , 72, 343-379	44
487	Statistical genetic concepts in psychiatric genomics. 2020 , 103-116	
486	Diet as a therapeutic approach to diabetes management and pancreas regeneration. 2020 , 215-227	
485	Genomic-wide association study for white spot resistance in a tropical maize germplasm. 2020 , 216, 1	2
484	Therapeutic potential of mesenchymal stem cells in treating both types of diabetes mellitus and associated diseases. 2020 , 19, 1979-1993	0
483	[Partially French Canadians are susceptible to increased cardiovascular risk factors: A population-based retrospective cohort study]. 2020 , 69, 167-172	1
482	A MicroRNA Linking Human Positive Selection and Metabolic Disorders. 2020 , 183, 684-701.e14	15
481	Pathogenic variants in actionable MODY genes are associated with type 2 diabetes. 2020 , 2, 1126-1134	9
480	Genome plasticity and endocrine diseases. 2020 , 211-235	
479	Analysis of the interaction effect of 48 SNPs and obesity on type 2 diabetes in Chinese Hans. 2020 , 8,	1

478	Disentangling the heterogeneity of adulthood-onset non-autoimmune diabetes: a little closer but lot more to do. 2020 , 55, 157-164	3
477	Genetic Studies of Gestational Diabetes and Glucose Metabolism in Pregnancy. 2020 , 20, 69	13
476	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. 2020 , 7, 393	7
475	Metabolic and genetic studies of glimepiride and metformin and their association with type 2 diabetes. 2020 , 21, 100787	
474	Deep-Red-Fluorescent Zinc Probe with a Membrane-Targeting Cholesterol Unit. 2020 , 59, 11562-11576	6
473	Zinc. 2020 , 393-408	0
472	Early pregnancy dyslipidemia is associated with placental DNA methylation at loci relevant for cardiometabolic diseases. 2020 , 12, 921-934	6
471	Identification of the potential type 2 diabetes susceptibility genetic elements in South Asian populations. 2020 , 26, 100771	2
470	Nutrient consumption-dependent association of a glucagon-like peptide-1 receptor gene polymorphism with insulin secretion. 2020 , 10, 16382	1
469	Revisiting genome-wide association studies from statistical modelling to machine learning. 2021 , 22,	6
468	Pharmacogenetics of Type 2 Diabetes-Progress and Prospects. 2020 , 21,	13
467	In Vivo Reporter Assays Uncover Changes in Enhancer Activity Caused by Type 2 Diabetes-Associated Single Nucleotide Polymorphisms. 2020 , 69, 2794-2805	2
466	No correlation between the variants of exostosin 2 gene and type 2 diabetes in Burkina Faso population. 2020 , 11, 1233	
465	Thermally Stable Fluorogenic Zn(II) Sensor Based on a Bis(benzimidazole)pyridine-Linked Phenyl-Silsesquioxane Polymer. 2020 , 5, 33017-33027	6
464	Systematic Comparison of Vesicular Targeting Signals Leads to the Development of Genetically Encoded Vesicular Fluorescent Zn and pH Sensors. 2020 , 5, 3879-3891	2
463	Quantitative, High-Throughput Assays for Proteolytic Degradation of Amylin. 2020 , 3,	3
462	Functional Genomics in Pancreatic β Cells: Recent Advances in Gene Deletion and Genome Editing Technologies for Diabetes Research. 2020 , 11, 576632	7
461	Genetic predisposition in type 2 diabetes: A promising approach toward a personalized management of diabetes. 2020 , 98, 525-547	16

460	Drivers for the comorbidity of type 2 diabetes mellitus and epilepsy: A scoping review. 2020 , 106, 107043	5
459	Secretory Autophagy and Its Relevance in Metabolic and Degenerative Disease. 2020 , 11, 266	15
458	Biomarkers. 2020 , 15-30	
457	Dysregulated inflammation in diabetic wounds. 2020 , 81-95	1
456	Genetics of type 2 diabetes and coronary artery disease and their associations with twelve cardiometabolic traits in the United Arab Emirates population. 2020 , 750, 144722	2
455	Computational determination of human PPARG gene: SNPs and prediction of their effect on protein functions of diabetic patients. 2020 , 9, 7	7
454	Integrative analysis of Mendelian randomization and Bayesian colocalization highlights four genes with putative BMI-mediated causal pathways to diabetes. 2020 , 10, 7476	1
453	A comprehensive review on zinc(II) complexes as anti-diabetic agents: The advances, scientific gaps and prospects. 2020 , 155, 104744	12
452	"H" for Heterogeneity in the Algorithm for Type 2 Diabetes Management. 2020 , 20, 14	1
451	Systematic Review of Polygenic Risk Scores for Type 1 and Type 2 Diabetes. 2020 , 21,	15
450	A flexible tripod fluorescent probe for multiple cations detection and its application in living cells. 2020 , 240, 118614	5
449	The Pacific-specific CREBRF rs373863828 allele protects against gestational diabetes mellitus in Mbri and Pacific women with obesity. 2020 , 63, 2169-2176	5
448	Zinc transporters in physiology and pathophysiology. 2020 , 55-67	
447	The Role of Natural Selection in the Formation of the Genetic Structure of Populations by SNP Markers in Association with Body Mass Index and Obesity. 2020 , 54, 349-360	1
446	Structure/Function Analysis of human ZnT8 (SLC30A8): A Diabetes Risk Factor and Zinc Transporter. 2020 , 2, 144-155	4
445	Insights into pancreatic islet cell dysfunction from type 2 diabetes mellitus genetics. 2020 , 16, 202-212	50
444	Why and how to investigate the role of protein phosphorylation in ZIP and ZnT zinc transporter activity and regulation. 2020 , 77, 3085-3102	19
443	Low-density lipoprotein receptor-related protein 6-mediated signaling pathways and associated cardiovascular diseases: diagnostic and therapeutic opportunities. 2020 , 139, 447-459	8

442	A Unifying Framework for Imputing Summary Statistics in Genome-Wide Association Studies. 2020 , 27, 418-428	1
441	Combined effect of interventions with pure or enriched mixtures of (poly)phenols and anti-diabetic medication in type 2 diabetes management: a meta-analysis of randomized controlled human trials. 2020 , 59, 1329-1343	21
440	From Genetic Association to Molecular Mechanisms for Islet-cell Dysfunction in Type 2 Diabetes. 2020 , 432, 1551-1578	16
439	Human Physiology of Genetic Defects Causing Beta-cell Dysfunction. 2020 , 432, 1579-1598	3
438	Heart Disease and Stroke Statistics-2020 Update: A Report From the American Heart Association. 2020 , 141, e139-e596	2824
437	Targeting Glycoproteins as a therapeutic strategy for diabetes mellitus and its complications. 2020 , 28, 333-358	4
436	C-Terminal Domain of the Human Zinc Transporter hZnT8 Is Structurally Indistinguishable from Its Disease Risk Variant (R325W). 2020 , 21,	2
435	The ChinaMAP analytics of deep whole genome sequences in 10,588 individuals. 2020 , 30, 717-731	60
434	A Bayesian analysis for investigating the association between rs13266634 polymorphism in SLC30A8 gene and type 2 diabetes. 2020 , 19, 337-342	2
433	Serum biomarkers from cell-based assays for AhRL and MIS strongly predicted the future development of diabetes in a large community-based prospective study in Korea. 2020 , 10, 6339	5
432	Diabetes and Genetics: A Relationship Between Genetic Risk Alleles, Clinical Phenotypes and Therapeutic Approaches. 2021 , 1307, 457-498	6
431	Obesity, unfavourable lifestyle and genetic risk of type 2 diabetes: a case-cohort study. 2020 , 63, 1324-1332	46
430	and are Associated with Type 2 Diabetes Mellitus in Iranian Patients. 2020 , 13, 897-906	14
429	Adeno-Associated Virus-Mediated Knockdown of SLC16A11 Improves Glucose Tolerance and Hepatic Insulin Signaling in High Fat Diet-Fed Mice. 2021 , 129, 104-111	2
428	Insulin granule biogenesis and exocytosis. 2021 , 78, 1957-1970	14
427	SLC30A8 gene polymorphism rs13266634 associated with increased risk for developing type 2 diabetes mellitus in Jordanian population. 2021 , 768, 145279	3
426	Intercellular Mitochondria Transfer to Macrophages Regulates White Adipose Tissue Homeostasis and Is Impaired in Obesity. 2021 , 33, 270-282.e8	43
425	Effect of serum zinc and copper levels on insulin secretion, insulin resistance and pancreatic β cell dysfunction in US adults: Findings from the National Health and Nutrition Examination Survey (NHANES) 2011-2012. 2021 , 172, 108627	4

424	Amino-acid amendment of Arginine-325-Tryptophan in rs13266634 genetic polymorphism studies of the SLC30A8 gene with type 2 diabetes-mellitus patients featuring a positive family history in the Saudi population. 2021 , 33, 101258	18
423	A guide to plasma membrane solute carrier proteins. 2021 , 288, 2784-2835	47
422	Association analysis of HHEX gene variant with type 2 diabetes risk. 2021 , 41, 43-47	0
421	Common Variants Associated to Type 2 Diabetes in the Italian Population. 2021 , 11, 24-42	1
420	Increasing the resolution and precision of psychiatric genome-wide association studies by re-imputing summary statistics using a large, diverse reference panel. 2021 , 186, 16-27	2
419	Regulation of divalent metal ions to the aggregation and membrane damage of human islet amyloid polypeptide oligomers.. 2021 , 11, 12815-12825	1
418	DyPS: Dynamic, Private and Secure GWAS. 2021 , 2021, 214-234	1
417	YY1-mediated regulation of type 2 diabetes via insulin. 2021 , 271-287	
416	Additive Model and Variable Selection for Uncertain Genotypes. 2021 , 10, 293-299	
415	Introduction to Diabetes and Prevalence in India. 2021 , 159-163	
414	The Role of Zinc Homeostasis in the Prevention of Diabetes Mellitus and Cardiovascular Diseases. 2021 , 28, 1109-1122	6
413	Insulin-degrading enzyme higher in subjects with metabolic syndrome. 2021 , 71, 357-364	3
412	Diabetes Mellitus. 2021 , 814-883	1
411	Insights into the Dynamics of the Human Zinc Transporter ZnT8 by MD Simulations. 2021 , 61, 901-912	3
410	Two decades since the fetal insulin hypothesis: what have we learned from genetics?. 2021 , 64, 717-726	3
409	Heart Disease and Stroke Statistics-2021 Update: A Report From the American Heart Association. 2021 , 143, e254-e743	1087
408	The Role of the ATP-Binding Cassette A1 (ABCA1) in Human Disease. 2021 , 22,	22
407	High levels of organochlorine pesticides in drinking water as a risk factor for type 2 diabetes: A study in north India. 2021 , 271, 116287	10

406	Role of Wnt signaling pathways in type 2 diabetes mellitus. 2021 , 476, 2219-2232	8
405	Targeting Insulin-Degrading Enzyme in Insulin Clearance. 2021 , 22,	12
404	Mineralocorticoid receptors in the pathogenesis of insulin resistance and related disorders: from basic studies to clinical disease. 2021 , 320, R276-R286	5
403	Human Pluripotent Stem Cells to Model Islet Defects in Diabetes. 2021 , 12, 642152	7
402	An efficient excited-state proton transfer fluorescence quenching based probe (7-hydroxyquinoline) for sensing trivalent cations in aqueous environment. 2021 , 326, 115379	4
401	Loss of Znt8 function in diabetes mellitus: risk or benefit?. 2021 , 476, 2703-2718	2
400	Consequences for Pancreatic β -Cell Identity and Function of Unregulated Transcript Processing. 2021 , 12, 625235	0
399	Risk assessment of type 2 diabetes in northern China based on the logistic regression model. 2021 , 29, 351-358	1
398	All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes. 2020 , 5, 175	0
397	Genetic architecture of type 2 diabetes and its shared genetic component with low birth weight in African Americans. 2021 , 24, 326-332	1
396	Uncovering Evidence for Endocrine-Disrupting Chemicals That Elicit Differential Susceptibility through Gene-Environment Interactions. 2021 , 9,	1
395	Diabetes and Renin-Angiotensin-Aldosterone System: Pathophysiology and Genetics.	
394	Associations of transcription factor 7-Like 2 () gene polymorphism in patients of type 2 diabetes mellitus from Khyber Pakhtunkhwa population of Pakistan. 2021 , 21, 15-22	5
393	Intracellular Ca ²⁺ channels initiate physiological glucose signaling in beta cells examined in situ.	2
392	Association between rs619586 (A/G) polymorphism in the gene encoding lncRNA-MALAT1 with type 2 diabetes susceptibility among the Isfahan population in Iran. 1	
391	Heterologous Expression and Biochemical Characterization of the Human Zinc Transporter 1 (ZnT1) and Its Soluble C-Terminal Domain. 2021 , 9, 667803	2
390	From virus to diabetes therapy: Characterization of a specific insulin-degrading enzyme inhibitor for diabetes treatment. 2021 , 35, e21374	2
389	The Role of Molecular and Inflammatory Indicators in the Assessment of Cognitive Dysfunction in a Mouse Model of Diabetes. 2021 , 22,	5

388	Intercellular mitochondria transfer: a new perspective for the treatment of metabolic diseases. 2021 , 53, 958-960	0
387	Applications of iPSC-derived beta cells from patients with diabetes. 2021 , 2, 100238	10
386	A framework to decipher the genetic architecture of combinations of complex diseases: Applications in cardiovascular medicine. 2021 ,	1
385	Pancreatic β -cell-selective zinc transporter 8 insufficiency accelerates diabetes associated with islet amyloidosis. 2021 , 6,	3
384	The Role of in Type 2 Diabetes. 2021 , 70, 1220-1228	6
383	Cutting the fat: advances and challenges in sleep apnoea genetics. 2021 , 57,	2
382	TIGER: The gene expression regulatory variation landscape of human pancreatic islets.	0
381	Hematopoietically-expressed homeobox protein HHEX regulates adipogenesis in preadipocytes. 2021 , 185, 68-77	4
380	Lessons in Organic Fluorescent Probe Discovery. 2021 , 22, 3109-3139	5
379	Association of HLA-B Gene Polymorphisms with Type 2 Diabetes in Pashtun Ethnic Population of Khyber Pakhtunkhwa, Pakistan. 2021 , 2021, 6669731	1
378	Novel EDGE encoding method enhances ability to identify genetic interactions. 2021 , 17, e1009534	0
377	Disentangling the relationship between bone turnover and glucose homeostasis: A prospective, population-based twin study. 2021 , 14, 100752	0
376	Type 2 diabetes is associated with the MTNR1B gene, a genetic bridge between circadian rhythm and glucose metabolism, in a Turkish population. 2021 , 48, 4181-4189	1
375	Prognostic SLC family genes promote cell proliferation, migration, and invasion in hepatocellular carcinoma. 2021 , 53, 1065-1075	6
374	Impact of family history of diabetes on blood glucose, lipid levels and perinatal outcomes in pregnant women with gestational diabetes mellitus. 2021 , 50, 329-334	1
373	Zinc binding alters the conformational dynamics and drives the transport cycle of the cation diffusion facilitator YjiP. 2021 , 153,	2
372	Level of Organochlorine Pesticide in Prediabetic and Newly Diagnosed Diabetes Mellitus Patients with Varying Degree of Glucose Intolerance and Insulin Resistance among North Indian Population. 2021 , 45, 558-568	2
371	A graph centrality-based approach for candidate gene prediction for type 1 diabetes. 2021 , 69, 422-428	

370	The Association between Zinc and Copper Circulating Levels and Cardiometabolic Risk Factors in Adults: A Study of Qatar Biobank Data. 2021 , 13,	0
369	ZnT8 Deficiency Protects From APAP-Induced Acute Liver Injury by Reducing Oxidative Stress Through Upregulating Hepatic Zinc and Metallothioneins. 2021 , 12, 721471	0
368	Epigenome-wide Association Study of Alcohol Use Disorder in Five Brain Regions.	0
367	Genetics of Type 2 Diabetes: Opportunities for Precision Medicine: JACC Focus Seminar. 2021 , 78, 496-512	2
366	Mitochondrial haplogroups have a better correlation to insulin requirement than nuclear genetic variants for type 2 diabetes mellitus in Taiwanese individuals. 2021 ,	0
365	Anticipation of Precision Diabetes and Promise of Integrative Multi-Omics. 2021 , 50, 559-574	
364	Exposome and foetoplacental vascular dysfunction in gestational diabetes mellitus. 2021 , 101019	2
363	Role of FOXP3 gene polymorphisms (SNPs rs3761547, rs3761549, and rs2232365) in the development of Type 2 diabetes mellitus. 2021 , 24, 101253	1
362	Role of Heparan Sulfate Proteoglycans in Insulin-producing Pancreatic β -cell Function. 2021 , 33, E109-E114	0
361	Heparan sulfate promotes differentiation of white adipocytes to maintain insulin sensitivity and glucose homeostasis. 2021 , 297, 101006	3
360	The role of zinc in the prevention and treatment of nonalcoholic fatty liver disease. 2021 , 11, 100105	1
359	Non-Coding RNA as Biomarkers for Type 2 Diabetes Development and Clinical Management. 2021 , 12, 630032	5
358	Transcription Factor-7-Like-2 (TCF7L2) in Atherosclerosis: A Potential Biomarker and Therapeutic Target. 2021 , 8, 701279	0
357	Identification of Key Regions Mediating Human Melatonin Type 1 Receptor Functional Selectivity Revealed by Natural Variants. 2021 , 4, 1614-1627	2
356	Role of Heparan Sulfate Proteoglycans in Insulin-producing Pancreatic β -cell Function. 2021 , 33, J109-J113	
355	Synthesis, photophysical properties and theoretical studies of pyrrole-based azoaromatic Zn(II) complexes in mixed aqueous medium. 2021 , 527, 120586	1
354	The interplay among oxidative stress, brain insulin resistance and AMPK dysfunction contribute to neurodegeneration in type 2 diabetes and Alzheimer disease. 2021 , 176, 16-33	8
353	Improving Pain and Outcomes in the Perioperative Setting. 2022 , 607-612	

352	Relationship between the FTO Genotype and Early Chronic Kidney Disease in Type 2 Diabetes: The Mediating Role of Central Obesity, Hypertension, and High Albuminuria. 2021 , 14, 73-80	0
351	Zinc transporters and their functional integration in mammalian cells. 2021 , 296, 100320	33
350	Genetic Predisposition for Type 2 Diabetes Mellitus in a Cameroonian Population: Contribution of rs4731702 (C/T) Polymorphism of Krüppel-Like Factor 14 Gene. 2021 , 11, 9-22	1
349	Association of type 2 diabetes mellitus and periodontal disease susceptibility with genome-wide association-identified risk variants in a Southeastern Brazilian population. 2021 , 25, 3873-3892	4
348	Association Between Single Nucleotide Polymorphisms in and and Type 2 Diabetes in Chinese Population. 2020 , 13, 5113-5123	4
347	Modulation of Insulin Sensitivity by Insulin-Degrading Enzyme. 2021 , 9,	9
346	Biomarkers: Facing the Challenges at the Crossroads of Research and Health Care. 1	2
345	The Genetics of Type 2 Diabetes: From Candidate Gene Biology to Genome-Wide Studies. 191-214	1
344	Paraneoplastic Syndromes in Pancreatic Cancer. 2010 , 651-673	1
343	Identification of Genetic Risk Factors for Prostate Cancer: Analytic Approaches Using Hereditary Prostate Cancer Families. 2010 , 203-228	5
342	Genomic Risk Information for Common Health Conditions: Maximizing Kinship-Based Health Promotion. 2010 , 407-433	5
341	Established Facts and Open Questions of Regulated Exocytosis in β -Cells \square A Background for a Focused Systems Analysis Approach. 2011 , 25-52	1
340	Family Influences on Children's Well-Being: Potential Roles of Molecular Genetics and Epigenetics. 2011 , 181-204	1
339	Short tandem repeats and genetic variation. 2010 , 628, 297-306	6
338	Basic molecular techniques for the detection of single nucleotide polymorphisms: genome-wide applications in search for endocrine tumor related genes. 2009 , 590, 143-63	2
337	Genome-wide association studies. 2011 , 713, 89-103	3
336	Statistical and Methodological Considerations in Exercise Genomics. 2011 , 23-43	2
335	Type 2 Diabetes: An Unresolved Disease. 2020 , 567-578	2

334	To Release or Not to Release: Evaluating Information Leaks in Aggregate Human-Genome Data. 2011 , 607-627	25
333	Epidemiology, Risk Factors, and Pathophysiology of Diabetic Retinopathy. 2014 , 1-17	2
332	The genetic basis of bipolar disorder. 2009 , 59-76	2
331	Wnt Signaling in Pancreatic Islets. 2014 , 1-31	1
330	Bioinformatics, Genomics and Diabetes. 2016 , 1-18	0
329	Genome-Wide Association Study for Type 2 Diabetes. 2019 , 49-86	1
328	Epigenetic Basis of Oxidative Stress in Diabetic Coronary Atherosclerosis: A Shift in Focus from Genetic Prerogative. 2019 , 419-455	1
327	Type 2 Diabetes Mellitus. 2011 , 1371-1435	18
326	Sleep-related breathing disorders. 279-301	1
325	CHAPTER 22:Zinc. 2014 , 666-694	3
324	The association of TNF- β 308G/A and -238G/A polymorphisms with type 2 diabetes mellitus: a meta-analysis. 2019 , 39,	3
323	Genetic Predictors of Obesity. 2008 , 437-460	4
322	Genotype-guided dietary supplementation in precision nutrition. 2021 , 79, 1225-1235	2
321	Estrogen receptor alpha gene variants associate with type 2 diabetes and fasting plasma glucose. 2008 , 18, 967-75	28
320	Zinc Dependent Conformational Changes in the Cation Diffusion Facilitator YiiP from <i>S. oneidensis</i> .	2
319	Genetic discovery and translational decision support from exome sequencing of 20,791 type 2 diabetes cases and 24,440 controls from five ancestries.	2
318	Loss of ZnT8 function protects against diabetes by enhanced insulin secretion.	3
317	Statins Stimulate Hepatic Glucose Production via the miR-183/96/182 Cluster.	1

316	A structural overview of the zinc transporters in the cation diffusion facilitator family. 2019 , 75, 357-367	20
315	Pancreatic β -Cell Electrical Activity and Insulin Secretion: Of Mice and Men. 2018 , 98, 117-214	290
314	Genetics Insights in the Relationship Between Type 2 Diabetes and Coronary Heart Disease. 2020 , 126, 1526-1548	22
313	Genetic determinants of circulating GIP and GLP-1 concentrations. 2017 , 2,	27
312	Mechanisms by which common variants in the TCF7L2 gene increase risk of type 2 diabetes. 2007 , 117, 2155-63	574
311	Genetic and epigenetic factors are associated with expression of respiratory chain component NDUFB6 in human skeletal muscle. 2007 , 117, 3427-35	146
310	Pharmacogenetics of metformin response: a step in the path toward personalized medicine. 2007 , 117, 1226-9	63
309	Prime suspect: the TCF7L2 gene and type 2 diabetes risk. 2007 , 117, 2077-9	37
308	Cholesterol in islet dysfunction and type 2 diabetes. 2008 , 118, 403-8	105
307	Variations in the G6PC2/ABCB11 genomic region are associated with fasting glucose levels. 2008 , 118, 2620-8	127
306	Zinc, insulin, and the liver: a ménage à trois. 2013 , 123, 4136-9	23
305	Calcium release channel RyR2 regulates insulin release and glucose homeostasis. 2015 , 125, 1968-78	120
304	The Regulatory and Signaling Functions of Zinc Ions in Human Cellular Physiology. 2010 , 181-212	3
303	Environmental Risk Factors for Gestational Diabetes. 2014 , 63-80	1
302	Gene Polymorphism Association with Type 2 Diabetes and Related Gene-Gene and Gene-Environment Interactions in a Uyghur Population. 2016 , 22, 474-87	13
301	A CRISPR/Cas9 genome editing pipeline in the EndoC- β H1 cell line to study genes implicated in beta cell function. 2019 , 4, 150	12
300	A CRISPR/Cas9 genome editing pipeline in the EndoC- β H1 cell line to study genes implicated in beta cell function. 2019 , 4, 150	12
299	The Nuclear Receptor HIZR-1 Uses Zinc as a Ligand to Mediate Homeostasis in Response to High Zinc. 2017 , 15, e2000094	11

298	On quality control measures in genome-wide association studies: a test to assess the genotyping quality of individual probands in family-based association studies and an application to the HapMap data. 2009 , 5, e1000572	6
297	HHEX_23 AA Genotype Exacerbates Effect of Diabetes on Dementia and Alzheimer Disease: A Population-Based Longitudinal Study. 2015 , 12, e1001853	6
296	Polymorphisms within novel risk loci for type 2 diabetes determine beta-cell function. 2007 , 2, e832	127
295	A genomic background based method for association analysis in related individuals. 2007 , 2, e1274	191
294	Correction of population stratification in large multi-ethnic association studies. 2008 , 3, e1382	53
293	Polymorphisms within the novel type 2 diabetes risk locus MTNR1B determine beta-cell function. 2008 , 3, e3962	93
292	Is replication the gold standard for validating genome-wide association findings?. 2008 , 3, e4037	38
291	SLC30A3 responds to glucose- and zinc variations in beta-cells and is critical for insulin production and in vivo glucose-metabolism during beta-cell stress. 2009 , 4, e5684	68
290	Low frequency variants in the exons only encoding isoform A of HNF1A do not contribute to susceptibility to type 2 diabetes. 2009 , 4, e6615	4
289	Variant near ADAMTS9 known to associate with type 2 diabetes is related to insulin resistance in offspring of type 2 diabetes patients--EUGENE2 study. 2009 , 4, e7236	43
288	The dopamine transporter gene, a spectrum of most common risky behaviors, and the legal status of the behaviors. 2010 , 5, e9352	40
287	An Environment-Wide Association Study (EWAS) on type 2 diabetes mellitus. 2010 , 5, e10746	372
286	A genome-wide association study of the metabolic syndrome in Indian Asian men. 2010 , 5, e11961	94
285	The zinc transporter SLC39A14/ZIP14 controls G-protein coupled receptor-mediated signaling required for systemic growth. 2011 , 6, e18059	122
284	Genomewide analysis of inherited variation associated with phosphorylation of PI3K/AKT/mTOR signaling proteins. 2011 , 6, e24873	7
283	Dithizone staining of intracellular zinc: an unexpected and versatile counterscreen for auxotrophic marker genes in <i>Saccharomyces cerevisiae</i> . 2011 , 6, e25830	8
282	The role of inflammatory pathway genetic variation on maternal metabolic phenotypes during pregnancy. 2012 , 7, e32958	19
281	Two isoforms of the mRNA binding protein IGF2BP2 are generated by alternative translational initiation. 2012 , 7, e33140	14

280	MultiPhen: joint model of multiple phenotypes can increase discovery in GWAS. 2012 , 7, e34861	240
279	European American stratification in ovarian cancer case control data: the utility of genome-wide data for inferring ancestry. 2012 , 7, e35235	3
278	The physiological effects of deleting the mouse SLC30A8 gene encoding zinc transporter-8 are influenced by gender and genetic background. 2012 , 7, e40972	55
277	Comparison of statistical tests for association between rare variants and binary traits. 2012 , 7, e42530	10
276	Technical reproducibility of genotyping SNP arrays used in genome-wide association studies. 2012 , 7, e44483	46
275	Female mice are protected against high-fat diet induced metabolic syndrome and increase the regulatory T cell population in adipose tissue. 2012 , 7, e46057	269
274	A single nucleotide polymorphism within DUSP9 is associated with susceptibility to type 2 diabetes in a Japanese population. 2012 , 7, e46263	27
273	Hematopoietically-expressed homeobox gene three widely-evaluated polymorphisms and risk for diabetes: a meta-analysis. 2012 , 7, e49917	13
272	Replication of type 2 diabetes candidate genes variations in three geographically unrelated Indian population groups. 2013 , 8, e58881	23
271	Mutations in Mll2, an H3K4 methyltransferase, result in insulin resistance and impaired glucose tolerance in mice. 2013 , 8, e61870	31
270	RNAi screening in primary human hepatocytes of genes implicated in genome-wide association studies for roles in type 2 diabetes identifies roles for CAMK1D and CDKAL1, among others, in hepatic glucose regulation. 2013 , 8, e64946	15
269	Genome-wide contribution of genotype by environment interaction to variation of diabetes-related traits. 2013 , 8, e77442	31
268	Genetic variations in radiation and chemotherapy drug action pathways and survival in locoregionally advanced nasopharyngeal carcinoma treated with chemoradiotherapy. 2013 , 8, e82750	7
267	Use of net reclassification improvement (NRI) method confirms the utility of combined genetic risk score to predict type 2 diabetes. 2013 , 8, e83093	29
266	Joint effects of known type 2 diabetes susceptibility loci in genome-wide association study of Singapore Chinese: the Singapore Chinese health study. 2014 , 9, e87762	14
265	Carriers of loss-of-function mutations in EXT display impaired pancreatic beta-cell reserve due to smaller pancreas volume. 2014 , 9, e115662	11
264	Do variants associated with susceptibility to pancreatic cancer and type 2 diabetes reciprocally affect risk?. 2015 , 10, e0117230	13
263	Should we have blind faith in bioinformatics software? Illustrations from the SNAP web-based tool. 2015 , 10, e0118925	5

262	Zip4 mediated zinc influx stimulates insulin secretion in pancreatic beta cells. 2015 , 10, e0119136	23
261	Can data science inform environmental justice and community risk screening for type 2 diabetes?. 2015 , 10, e0121855	3
260	Replication Study in a Japanese Population to Evaluate the Association between 10 SNP Loci, Identified in European Genome-Wide Association Studies, and Type 2 Diabetes. 2015 , 10, e0126363	9
259	Modelling the Interplay between Lifestyle Factors and Genetic Predisposition on Markers of Type 2 Diabetes Mellitus Risk. 2015 , 10, e0131681	5
258	Influence of Feature Encoding and Choice of Classifier on Disease Risk Prediction in Genome-Wide Association Studies. 2015 , 10, e0135832	8
257	The Association of Type 2 Diabetes Loci Identified in Genome-Wide Association Studies with Metabolic Syndrome and Its Components in a Chinese Population with Type 2 Diabetes. 2015 , 10, e0143607	33
256	Association between the rs7903146 Polymorphism in the TCF7L2 Gene and Parameters Derived with Continuous Glucose Monitoring in Individuals without Diabetes. 2016 , 11, e0149992	8
255	Replication Study in a Japanese Population of Six Susceptibility Loci for Type 2 Diabetes Originally Identified by a Transethnic Meta-Analysis of Genome-Wide Association Studies. 2016 , 11, e0154093	8
254	TarNet: An Evidence-Based Database for Natural Medicine Research. 2016 , 11, e0157222	7
253	Replication and Relevance of Multiple Susceptibility Loci Discovered from Genome Wide Association Studies for Type 2 Diabetes in an Indian Population. 2016 , 11, e0157364	18
252	Pdcd2l Promotes Palmitate-Induced Pancreatic Beta-Cell Apoptosis as a FoxO1 Target Gene. 2016 , 11, e0166692	8
251	Genetic framework of type 2 diabetes mellitus. 2013 , 16, 11-16	4
250	Significance of the results of genome-wide association studies for primary prevention of type 2 diabetes mellitus and its complications. Personalised approach. 2014 , 17, 10-19	5
249	Personalized medicine: a transformative approach is needed. 2009 , 180, 911-3	6
248	Potential positive and negative consequences of ZnT8 inhibition. 2020 , 246, 189-205	6
247	The role of melatonin in development of gestational diabetes mellitus. 2018 , 67, 85-91	8
246	Polymorphisms associated with type 2 diabetes in familial longevity: The Leiden Longevity Study. 2011 , 3, 55-62	17
245	Centenarians as super-controls to assess the biological relevance of genetic risk factors for common age-related diseases: a proof of principle on type 2 diabetes. 2013 , 5, 373-85	51

244	A common variant within the HNF1B gene is associated with overall survival of multiple myeloma patients: results from the IMMEnSE consortium and meta-analysis. 2016 , 7, 59029-59048	14
243	Impact of diabetes-related gene polymorphisms on the clinical characteristics of type 2 diabetes Chinese Han population. 2016 , 7, 85464-85471	10
242	Identification of five genetic variants as novel determinants of type 2 diabetes mellitus in Japanese by exome-wide association studies. 2017 , 8, 80492-80505	3
241	Two variants on T2DM susceptible gene HHEX are associated with CRC risk in a Chinese population. 2016 , 7, 29770-9	4
240	Tracing the Pathogenesis of Type 1 Diabetes: A Report on the 44th Annual Meeting of the European Association for the Study of Diabetes (EASD). 2008 , 5, 171-4	1
239	SLC30A8 (ZnT8) Polymorphism is Associated with Young Age at Type 1 Diabetes Onset. 2008 , 5, 25-7	35
238	Zinc and zinc transporter regulation in pancreatic islets and the potential role of zinc in islet transplantation. 2010 , 7, 263-74	25
237	Association between genetics of diabetes, coronary artery disease, and macrovascular complications: exploring a common ground hypothesis. 2011 , 8, 230-44	21
236	Beyond the Protein-Coding Sequence: Noncoding RNAs in the Pathogenesis of Type 2 Diabetes. 2015 , 12, 260-76	7
235	Complex Genetics of Type 2 Diabetes and Effect Size: What have We Learned from Isolated Populations?. 2015 , 12, 299-319	11
234	Understanding Genetic Heterogeneity in Type 2 Diabetes by Delineating Physiological Phenotypes: SIRT1 and its Gene Network in Impaired Insulin Secretion. 2016 , 13, 17-34	8
233	Overview of Genomic Insights into Chicken Growth Traits Based on Genome-Wide Association Study and microRNA Regulation. 2013 , 14, 137-46	14
232	Comparing the Efficacy of Supervised and Unsupervised Exercise Training on Glycaemic Control in Type 2 Diabetes: A Systematic Review. 2020 , 16, 570-579	4
231	Novel technologies for assessing dietary intake: evaluating the usability of a mobile telephone food record among adults and adolescents. 2012 , 14, e58	101
230	Precision Medicine in Non Communicable Diseases. 2019 , 8, 1-18	1
229	Monogenic Forms of Diabetes in the Young. 2008 , 165-184	1
228	Nature and nurture in neuropsychiatric genetics: where do we stand?. 2010 , 12, 7-23	35
227	Judging a plethora of p-values: how to contend with the problem of multiple testing--part 10 of a series on evaluation of scientific publications. 2010 , 107, 50-6	33

226	Judging a Plethora of p-Values. 2010 , 107, 50-6	56
225	[Current status of genome-wide association study]. 2011 , 33, 25-35	2
224	[Advances on genome-wide association study for economically important traits in dairy cattle]. 2012 , 34, 545-50	2
223	Higher Plasma Sclerostin and Lower Wnt Signaling Gene Expression in White Adipose Tissue of Prediabetic South Asian Men Compared with White Caucasian Men. 2020 , 44, 326-335	5
222	Current and Future Clinical Applications of Zinc Transporter-8 in Type 1 Diabetes Mellitus. 2015 , 128, 2387-94	15
221	Association of CDKAL1, CDKN2A/B & HHEX gene polymorphisms with type 2 diabetes mellitus in the population of Hyderabad, India. 2016 , 143, 455-63	18
220	Association of gene variants with susceptibility to type 2 diabetes among Omanis. 2015 , 6, 358-66	31
219	False-Negative-Rate Based Approach for Selecting Top Single-Nucleotide Polymorphisms in the First Stage of a Two-Stage Genome-Wide Association Study. 2011 , 4, 359-371	1
218	Prediction of Colorectal Cancer Risk Using a Genetic Risk Score: The Korean Cancer Prevention Study-II (KCPS-II). 2012 , 10, 175-83	30
217	PDIA1/P4HB is required for efficient proinsulin maturation and β cell health in response to diet induced obesity. 2019 , 8,	30
216	Cryo-EM structures of human ZnT8 in both outward- and inward-facing conformations. 2020 , 9,	17
215	Statistical analysis for genome-wide association study. 2015 , 29, 285-97	40
214	Role of nutrient transporters in lifestyle-related diseases. 2013 , 2, 409-416	1
213	Interaction of Wnt pathway related variants with type 2 diabetes in a Chinese Han population. 2015 , 3, e1304	5
212	Transcriptional regulation of metabolism in disease: From transcription factors to epigenetics. 2018 , 6, e5062	5
211	Type 2 Diabetes Mellitus and the Association of Candidate Genes in Asian Indian Population from Hyderabad, India. 2015 , 9, GC01-5	13
210	TIGER: The gene expression regulatory variation landscape of human pancreatic islets. 2021 , 37, 109807	5
209	Exploring the Epigenetic Regulatory Role of m6A-Associated SNPs in Type 2 Diabetes Pathogenesis. 2021 , 14, 1369-1378	0

208 The Genetics of Diabetes: What We Can Learn from. **2021**, 22,

1

207 Clinical Case Studies Illustrating Genetic Principles. **2007**, 231-321

206 Pharmacogenomics in HIV Disease. **2008**, 395-412

205 Pharmacogenomic Applications in Children. **2008**, 447-477

204 Single Nucleotide Polymorphisms. **2008**, 311-321

203 Human Genome Project: Importance in Clinical Genetics.

202 Diabetes. **2009**, 1187-1193

201 Glucose Homeostasis and Fuel Metabolism. **2009**, 265-290

200 Approaching Type 2 Diabetes Mellitus by Systems Biology. **2009**, 361-376

199 Genome-Wide Association Studies and Genotyping Technologies. **2009**, 101-107

198 No Association of Obesity and Type 2 Diabetes Mellitus Related Genetic Variants With Colon Cancer. **2009**, 2, 311-316

197 High-throughput mutation screening using a single amplification condition. **2009**, 520, 195-204

196 Genetic Dyslipidemia. **2009**, 71-84

195 The Genetic Basis of Diabetes. **2009**, 377-413

194 [Genome-wide association study between bone mineral density and SNPs in Japanese postmenopausal women]. **2009**, 46, 114-6

193 Analysis of Population-Based Genetic Association Studies Applied to Cancer Susceptibility and Prognosis. **2009**, 149-191

192 DNA Sequencing for the Detection of Human Genome Variation and Polymorphism. **2009**, 88-100

191 Encyclopedia of Complexity and Systems Science. **2009**, 1226-1244

190 Molecular Genetics of Susceptibility to Coronary Heart Disease.

189 Viselkedésgenetika a humán genom megfejtsé eltt és utn: kvantitatív és molekuláris genetikai alapok. **2009**, 29, 3-23

188 Genetics of Type 2 Diabetes: From Candidate Genes to Genome-Wide Association Analysis. **2010**, 147-163

187 The Genetic Challenge of Coronary Artery Disease. **2010**, 297-307

186 Genetics of Obesity and Diabetes. **2010**, 499-521

o

185 11 Voeding. **2010**, 349-414

184 Functional Genomics and Proteomics in Allergy Research. **2010**, 1-18

183 [Progress in diabetes genetics]. **2010**, 130, 1145-9

182 Genetics of Gestational Diabetes Mellitus and Type 2 Diabetes. **2010**, 181-193

181 Chapter 5. Air Pollution and Diabetes. **2010**, 143-158

180 Biosynthesis, Processing, and Secretion of the Islet Hormones: Insulin, Islet Amyloid Polypeptide (Amylin), Glucagon, Somatostatin, and Pancreatic Polypeptide. **2010**, 603-623

179 12 Lichaamsmetabolisme. **2010**, 415-458

178 Joint Identification of Multiple Genetic Variants of Obesity in a Korean Genome-wide Association Study. **2010**, 8, 142-149

1

177 Risk Factors for Type 2 and Gestational Diabetes. **2010**, 33-64

176 Public Health Genomics of Type 1 Diabetes, Type 2 Diabetes, and Diabetic Complications. **2010**, 665-686

175 Genetic Studies of Schizophrenia. **2011**, 333-380

174 Genomics of Acute Lung Injury and Vascular Barrier Dysfunction. **2011**, 899-912

173 Recursive Partitioning Approaches to Modeling Genetics as a Source of Treatment Effect Heterogeneity.

- 172 Genome-wide association studies: Where we are heading?. **2011**, 1, 23 0
- 171 Using Ascertainment for Targeted Resequencing to Increase Power to Identify Causal Variants. **2011**, 4, 285-294
- 170 Interaction Between Exercise and Genetics in Type 2 Diabetes Mellitus: An Epidemiological Perspective. **2011**, 73-100
- 169 Knowledge-Driven, Data-Assisted Integrative Pathway Analytics. **2011**, 225-247
- 168 [Genome-wide association study on and the clinical application to chronic hepatitis C]. **2011**, 61, 15-24
- 167 Molecular genetics of atherosclerosis and acute coronary syndromes. **2011**, 35-43
- 166 Recent Progress in Identifying Genes Contributing to Type 2 Diabetes and Metabolic Syndrome. 106-119
- 165 References. 194-223
- 164 Metabolism: Hereditary Errors.
- 163 INCRETIN-BASED THERAPY. **2012**, 58, 490-497
- 162 Robust Procedures. **2012**, 151-206
- 161 Computational Complexity. **2012**, 561-578
- 160 An Association Rule Analysis Framework for Complex Physiological and Genetic Data. **2012**, 131-142 1
- 159 Autoimmune Thyroid Disease Genes Identified in Non-Caucasians. **2012**, 02, 107-116 1
- 158 Pharmacogenomics and Organ Transplantation. 133-145
- 157 The Regulatory Effect of Renin-Angiotensin-Aldosterone System on Insulin Secretion. **2013**, 01, 11-15
- 156 Genetic Testing in Endocrinology. **2014**, 1-8
- 155 Genetics of Childhood Obesity. **2013**, 1-21

154 Zinc Transport Proteins and Zinc Signaling. **2014**, 27-53

153 Zinc and Its Role in the Pathogenesis of Type 2 Diabetes. **2014**, 269-283

152 Vascular Complications of Diabetes Mellitus. **2014**, 1-65

151 Genetic variants at 10q23.33 are associated with plasma lipid levels in a Chinese population. **2014**, 28, 53-8 3

150 Prevention of Cancer and Cancer Re-Occurrences by Immunization, by Using Immune Competent Cells, and by Affecting Molecular Mechanisms of Cancerogenesis. **2014**, 03, 33-36

149 Designing algorithms for determining significance of DNA missense changes. **2014**, 1168, 251-62

148 Wnt Signaling in Pancreatic Islets. **2015**, 707-741 1

147 Assessing Gene-Environment Interactions in Genome-Wide Association Studies: Statistical Approaches. 2

146 Linkage Mapping: Localizing the Genes That Shape Human Variation. **2015**, 33-52

145 Mapping of Susceptibility Genes for Obesity, Type 2 Diabetes, and the Metabolic Syndrome in Human Populations. **2015**, 181-245

144 Lichaamsmetabolisme. **2015**, 403-445

143 Voeding. **2015**, 341-402

142 Genetic Determinants of Type 2 Diabetes in Asians. **2015**, 2015, 6

141 Genetics of Endocrinology. **2016**, 49-68 1

140 Genetics of Type 2 Diabetes: From Candidate Genes to Genome-Wide Association Analysis. **2016**, 1-24

139 Variations in our genome: From disease to individualized cure. **2016**, 289-301

138 Pathway and network-based strategies to translate genetic discoveries into effective therapies.

137 The Effect of Three Months of Resistance Training on TCF7L2 Expression in Pancreas Tissues of Type 2 Diabetic Rats. **2016**, In Press, 1

- 136 Relationship between Rainfall, Runoff, Soil Loss and Productivity in North Eastern Ghat Zone of Odisha. **2016**, 4,
- 135 Identification of Risk Factors for Type II Diabetes in Almadinah Almunawara, The Kingdom of Saudi Arabia. **2016**, 4,
- 134 Conducting Genome-Wide Association Studies (GWAS): Epistasis Scenarios. 65-84
- 133 Creating the Synthetic Gene Data. 31-36
- 132 Assessing Gene-Environment Interactions in Genome-Wide Association Studies (GWAS): Statistical Approaches. 85-116
- 131 Genetics of Type 2 Diabetes: From Candidate Genes to Genome-Wide Association Analysis. **2017**, 1-24
- 130 Improving Imputation Accuracy by Inferring Causal Variants in Genetic Studies. **2017**, 303-317 1
- 129 Epigenetics of Diabetic Nephropathy. **2017**, 1-20
- 128 Genetics of Type 2 Diabetes: From Candidate Genes to Genome-Wide Association Analysis. **2017**, 191-214
- 127 A Yeast Global Genetic Screen Reveals that Metformin Induces an Iron Deficiency-Like State.
- 126 Paraneoplastic Syndromes in Pancreatic Cancer. **2018**, 1-25
- 125 Method to estimate the approximate samples size that yield a certain number of significant GWAS signals in polygenic traits.
- 124 Penetrance of polygenic obesity susceptibility loci across the body mass index distribution: an update on scaling effects.
- 123 Genome-Wide Likelihood Ratio Tests under Heterogeneity. **2018**, 08, 468-478
- 122 Electrical Excitability of the Endoplasmic Reticulum Membrane Drives Electrical Bursting and the Pulsatile Secretion of Insulin in a Pancreatic Beta Cell Model.
- 121 Genetics of Diabetes and Diabetic Complications. **2018**, 81-139 1
- 120 Encyclopedia of Signaling Molecules. **2018**, 6047-6053
- 119 A unifying framework for summary statistic imputation.

- 118 Foraging theory and the propensity to be obese: an alternative to thrift. ○
- 117 Gene expression and SNP identification related to leaf angle traits using a genome-wide association study in rice (*Oryza sativa*L.). **2018**, 45, 17-29
- 116 Single Nucleotide Polymorphism at +276 G>T of the Adiponectin Gene and Plasma Adiponectin Level in Myanmar Type 2 Diabetic Patients. **2018**, 33, 160-164
- 115 Epigenome-wide meta-analysis of blood DNA methylation and its association with subcortical volumes: findings from the ENIGMA Epigenetics Working Group. ○
- 114 Increasing the resolution and precision of psychiatric GWAS by re-imputing summary statistics using a large, diverse reference panel.
- 113 Role of Zinc Transporters in Type 2 Diabetes and Obesity. **2019**, 229-242
- 112 Voeding. **2019**, 351-415
- 111 Lichaamsmetabolisme. **2019**, 417-458
- 110 An Understanding of Diabetes Mellitus Associated Complications, Treatment Modalities and Management Strategies. **2019**, 16, 195-209 ○
- 109 All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes.
- 108 Estimating Genetic Inheritance in Case-control Studies.
- 107 All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes. **2020**, 5, 175 ○
- 106 CTNNA3 genetic polymorphism may be a new genetic signal of type 2 diabetes in the Chinese Han population: a case control study. **2021**, 14, 257 ○
- 105  **2020**, 184-191 1
- 104 Polymorphism of Transcription Factor 7-Like 2 in Obese Patients with Type 2 Diabetes Mellitus. **2020**, 08, 9-15
- 103 RNA and metabolic disorders. **2020**, 175-199
- 102 Autophagic Dysfunction in Neurodegeneration. **2020**, 25-62
- 101 Contribution of genetic variant identified in gene in the overweight Saudi patients confirmed with type 2 diabetes mellitus.. **2022**, 29, 804-808 1

100	Knowledge-Driven, Data-Assisted Integrative Pathway Analytics. 173-194	
99	Genomic Epidemiology of Human Papillomavirus (HPV), Prostate Cancer, and Diabetes. 43-75	
98	Combining Protein-Protein Interaction (PPI) Network and Sequence Attributes for Predicting Hypertension Related Proteins. 2008 , 377-391	
97	Information Technology Solutions for Diabetes management and prevention Current Challenges and Future Research directions. 2007 , 14-17	
96	All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes. 5, 175	
95	Genome-wide association studies: progress in identifying genetic biomarkers in common, complex diseases. 2007 , 2, 283-92	12
94	Finding unique filter sets in PLATO: a precursor to efficient interaction analysis in GWAS data. 2010 , 315-26	44
93	Evaluation of BLID and LOC399959 as candidate genes for high myopia in the Chinese Han population. 2010 , 16, 1920-7	12
92	Pancreatic β -Cell Mass as a Pharmacologic Target in Diabetes. 2009 , 12, 51	2
91	Genomic approaches to coronary artery disease. 2010 , 132, 567-78	16
90	Whole genome association analysis shows that ACE is a risk factor for Alzheimer's disease and fails to replicate most candidates from Meta-analysis. 2010 , 1, 19-30	4
89	Genetic variation and association analyses of NEDD4 gene in Kazak Chinese patients with hypertension. 2010 , 1, 226-35	
88	Meta-analysis of association between the Pro12Ala polymorphism of the peroxisome proliferator-activated receptor- γ gene and diabetic retinopathy in Caucasians and Asians. 2012 , 18, 2352-60	26
87	Weight status of the first-degree relatives of patients with type 2 diabetes based on the glucose tolerance test. 2012 , 17, 269-74	2
86	Mining the human phenome using semantic web technologies: a case study for Type 2 Diabetes. 2012 , 2012, 699-708	8
85	MetaSeq: privacy preserving meta-analysis of sequencing-based association studies. 2013 , 356-67	3
84	Expression of metalloprotease insulin-degrading enzyme insulin in normal and malignant human tissues. 2008 , 22, 421-31	18
83	Regulation of insulin synthesis and secretion and pancreatic Beta-cell dysfunction in diabetes. 2013 , 9, 25-53	174

82	Polymorphism of Transcription Factor-7-Like 2 (TCF7L2) Gene and New-Onset Diabetes after Liver Transplantation. 2015 , 6, 14-22	6
81	Association of Type 2 Diabetes Mellitus related SNP genotypes with altered serum adipokine levels and metabolic syndrome phenotypes. 2015 , 8, 4464-71	3
80	Genetic underpinnings of left superior temporal gyrus thickness in patients with schizophrenia. 2015 , 1-11	5
79	Effect of Socioeconomic Factors and Family History on the Incidence of Diabetes in an Adult Diabetic Population from Algeria. 2016 , 45, 1636-1644	2
78	Comparative study of serum 8-hydroxydeoxy-guanosine levels among healthy offspring of diabetic and non-diabetic parents. 2017 , 11, 33-37	1
77	Association of GCKR rs780094 polymorphism with circulating lipid levels in type 2 diabetes and hyperuricemia in Uygur Chinese. 2018 , 11, 4684-4694	
76	KLF14 inhibits osteogenic differentiation of human bone marrow mesenchymal stem cells by downregulating WNT3A. 2020 , 12, 4445-4455	
75	Transcription factor 7-like 2 (TCF7L2): a culprit gene in Type 2 Diabetes Mellitus. 2021 , 24, 371-376	
74	Pharmacogenomics and Personalized Medicine in Type 2 Diabetes Mellitus: Potential Implications for Clinical Practice. 2021 , 14, 1441-1455	1
73	Identification of indole-based activators of insulin degrading enzyme. 2021 , 113982	1
72	Epigenome-wide association study of alcohol use disorder in five brain regions. 2021 ,	4
71	Multi-omics of a pre-clinical model of diabetic cardiomyopathy reveals increased fatty acid supply impacts mitochondrial metabolic selectivity. 2021 , 164, 92-109	1
70	Genome-Wide Association Study of Body Weight Traits in Inner Mongolia Cashmere Goats.. 2021 , 8, 752746	0
69	Stem Cell-Derived β Cells: A Versatile Research Platform to Interrogate the Genetic Basis of β Cell Dysfunction.. 2022 , 23,	0
68	The Oxidative Balance Orchestrates the Main Keystones of the Functional Activity of Cardiomyocytes.. 2022 , 2022, 7714542	1
67	Assessment of the relationship of transcription factor 7-like 2 rs4506565 (T/A) variant with type 2 diabetes in Iraqi Arab patients. 2022 , 31, 101008	
66	Heart Disease and Stroke Statistics-2022 Update: A Report From the American Heart Association.. 2022 , CIR0000000000001052	196
65	Lack of ZnT8 protects pancreatic islets from hypoxia- and cytokine induced cell death.. 2022 ,	1

- 64 The common rs13266634 C > T variant in SLC30A8 contributes to the heterogeneity of phenotype and clinical features of both type 1 and type 2 diabetic subtypes.. **2022**, 59, 545
- 63 Clinical Study on the Relationship between the SNP rs8192675 (C/C) Site of SLC2A2 Gene and the Hypoglycemic Effect of Metformin in Type 2 Diabetes.. **2022**, 2022, 3645336 ○
- 62 Genetics of murine type 2 diabetes and comorbidities.. **2022**, 1 ○
- 61 Novel diabetes gene discovery through comprehensive characterization and integrative analysis of longitudinal gene expression changes.. **2022**, ○
- 60 Common variants in genes involved in islet amyloid polypeptide (IAPP) processing and the degradation pathway are associated with T2DM risk: A Chinese population study.. **2022**, 109235 ○
- 59 The Role of Zinc in Cardiovascular Disease.. **2022**, 30, 100-108 ○
- 58 Impact of variants on type-2 diabetes risk genes identified through genomewide association studies in polycystic ovary syndrome: a case-control study. **2018**, 97, 1213-1223 1
- 57 A Role for lncRNAs in Regulating Inflammatory and Autoimmune Responses Underlying Type 1 Diabetes.. **2022**, 1363, 97-118 1
- 56 Maliciously Secure and Efficient Large-Scale Genome-Wide Association Study with Multi-party Computation. **2022**, 1-1 1
- 55 EXOC6 (Exocyst Complex Component 6) Is Associated with the Risk of Type 2 Diabetes and Pancreatic β -Cell Dysfunction.. **2022**, 11, ○
- 54 Human islet amyloid polypeptide: A therapeutic target for the management of type 2 diabetes mellitus. **2022**, ○
- 53 Genetic risk factors associated with gestational diabetes in a multi-ethnic population.. **2021**, 16, e0261137 ○
- 52 Hepatocyte-Specific Co-Delivery of Zinc Ions and Plasmid DNA by Lactosylated Poly(1-vinylimidazole) for Suppression of Insulin Receptor Internalization.. **2021**, 13, 1
- 51 Relationship Between Polymorphism and Type 2 Diabetes Risk in Northwestern China.. **2021**, 14, 1731-1751
- 50 Table_1.DOCX. **2018**,
- 49 Table_2.DOCX. **2018**,
- 48 Table_3.DOCX. **2018**,
- 47 The effect of zinc supplementation on glucose homeostasis: a randomised double-blind placebo-controlled trial.. **2022**, 1 ○

46	TCF7L2 gene polymorphism in populations of five Siberian ethnic groups.. 2022 , 26, 188-195	0
45	Analysis of circRNA-mRNA expression profiles and functional enrichment in diabetes mellitus based on high throughput sequencing.. 2022 ,	0
44	Type 2 Diabetes-Related Variants Influence the Risk of Developing Prostate Cancer: A Population-Based Case-Control Study and Meta-Analysis. 2022 , 14, 2376	1
43	A Brief Review on Deep Learning Applications in Genomic Studies. 2022 , 2,	0
42	The genetics of type 2 diabetes in youth: Where we are and the road ahead. 2022 ,	
41	Human Multi-omics Data Pre-processing for Predictive Purposes Using Machine Learning: A Case Study in Childhood Obesity. 2022 , 359-374	0
40	PhenGenVar: A User-Friendly Genetic Variant Detection and Visualization Tool for Precision Medicine. 2022 , 12, 959	1
39	Insulin-degrading enzyme ablation in mouse pancreatic alpha cells triggers cell proliferation, hyperplasia and glucagon secretion dysregulation. 2022 , 65, 1375-1389	0
38	ZnT8 loss-of-function accelerates functional maturation of hESC-derived β cells and resists metabolic stress in diabetes. 2022 , 13,	1
37	The role of proton in a eukaryotic zinc transporter.	
36	Unraveling the Influence of HHEX Risk Polymorphism rs7923837 on Multiple Sclerosis Pathogenesis. 2022 , 23, 7956	
35	Methionine metabolism regulates pluripotent stem cell pluripotency and differentiation through zinc mobilization. 2022 , 40, 111120	0
34	Exposure to per- and polyfluoroalkyl substances (PFAS) and type 2 diabetes risk. 13,	1
33	Genetics of Type 2 Diabetes: Past, Present, and Future. 2022 , 14, 3201	2
32	Nontargeted and Targeted Metabolomic Profiling Reveals Novel Metabolite Biomarkers of Incident Diabetes in African Americans.	0
31	Association of SLC30A8 (rs13266634) and GLIS3 (rs7034200) gene variant in development of type 2 diabetes mellitus in Indian population: A case-control study. 2022 , 28, 101655	
30	Prediction value of the genetic risk of type 2 diabetes on the amnesic mild cognitive impairment conversion to Alzheimer's disease. 14,	0
29	Comprehensive Diagnostic Criteria for MELAS Syndrome; a Case Study Involving an Elderly Patient With MT-TWm.5541C>T Mutation. Publish Ahead of Print,	0

- 28 Effect of TCF7L2 on the relationship between lifestyle factors and glycemic parameters: a systematic review. **2022**, 21, ○
- 27 Genetics of type 2 diabetes mellitus in Indian and Global Population: A Review. **2022**, 23, ○
- 26 Comparative Analysis of Multiple GWAS Results Identifies Metabolic Pathways Associated with Resistance to *A. flavus* Infection and Aflatoxin Accumulation in Maize. **2022**, 14, 738 ○
- 25 Importance of Heparan Sulfate Proteoglycans in Pancreatic Islets and β -Cells. **2022**, 23, 12082 ○
- 24 Probing the diabetes and colorectal cancer relationship using gene \times environment interaction analyses. ○
- 23 Advances in multi-omics study of biomarkers of glycolipid metabolism disorder. **2022**, 20, 5935-5951 ○
- 22 Association between TCF7L2 polymorphism and type 2 diabetes mellitus susceptibility: a case-control study among the Bangladeshi population. ○
- 21 Cryo-EM structure of a eukaryotic zinc transporter at a low pH suggests its Zn²⁺-releasing mechanism. **2023**, 215, 107926 ○
- 20 Advances in electrospun nanofibrous membrane sensors for ion detection. **2022**, 12, 34866-34891 ○
- 19 High resolution analysis of the cytosolic Ca²⁺ events in beta cell collectives in situ. ○
- 18 Dual Responsive Optical Sensor for The Detection of Zn²⁺ and Al³⁺ : Supportive Single-Crystal X-ray Structure of its Ni(II) Complex and DFT Studies. **2022**, 7, ○
- 17 Genetic diversity in the metronidazole metabolism genes nitroreductases and pyruvate ferredoxin oxidoreductases in susceptible and refractory clinical samples of *Giardia lamblia*. **2022**, 1 ○
- 16 Integrative analysis of blood cells DNA methylation, transcriptomics and genomics identifies novel epigenetic regulatory mechanisms of insulin resistance during puberty in children with obesity. 1
- 15 ABCA1 C69T Gene Polymorphism Association with Dysglycemia in Saudi Prediabetic Adults. **2022**, 13, 2277 ○
- 14 Integrating Common Risk Factors with Polygenic Scores Improves the Prediction of Type 2 Diabetes. **2023**, 24, 984 ○
- 13 Progress in genetics of type 2 diabetes and diabetic complications. ○
- 12 Personalized medicine: the role of sequencing technologies in diagnostics, prediction and selection of treatment of monogenous and multifactorial diseases. **2022**, 67, ○
- 11 Interactions between Bitter Taste Receptor Gene Variants and Dietary Intake Are Associated with the Incidence of Type 2 Diabetes Mellitus in Middle-Aged and Older Korean Adults. **2023**, 24, 2199 ○

- 10 Heart Disease and Stroke Statistics 2023 Update: A Report From the American Heart Association. 9
- 9 Effects of a genetic variant rs13266634 in the zinc transporter 8 gene (SLC30A8) on insulin and lipid levels before and after a high-fat mixed macronutrient tolerance test in U.S. adults. **2023**, 77, 127142 0
- 8 THADA inhibition in mice protects against type 2 diabetes mellitus by improving pancreatic β -cell function and preserving β -cell mass. **2023**, 14, 0
- 7 Risk prediction and interaction analysis using polygenic risk score of type 2 diabetes in a Korean population. 0
- 6 A whole blood-based transcriptional risk score for nonobese type 2 diabetes predicts dynamic changes in glucose metabolic traits. 0
- 5 Diabetic and Nephropathy. **2023**, 81-109 0
- 4 Association between Genotype and the Glycemic Response to an Oral Glucose Tolerance Test: A Systematic Review. **2023**, 15, 1695 0
- 3 You are what you drink? How associations between profiles of beverage consumption and type 2 diabetes risk are mediated by biomarker networks. **2023**, 0
- 2 Association of HHEX and SLC30A8 Gene Polymorphisms with Gestational Diabetes Mellitus Susceptibility: A Meta-analysis. 0
- 1 Mechanisms of ag85a/b DNA vaccine conferred immunotherapy and recovery from Mycobacterium tuberculosis -induced injury. **2023**, 11, 0