

First insights into the biodiversity and biogeography of

Nature

447, 307-311

DOI: [10.1038/nature05827](https://doi.org/10.1038/nature05827)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Modern benthic ostracodes from Lutzow-Holm Bay, East Antarctica: paleoceanographic, paleobiogeographic, and evolutionary significance. <i>Micropaleontology</i> , 2007, 53, 469-496. | 0.3 | 16 |
| 2 | Introduction to ANDEEP, summary and outlook. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1645-1651. | 0.6 | 24 |
| 3 | The biodiversity and biogeography of komokiaceans and other enigmatic foraminiferan-like protists in the deep Southern Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1691-1719. | 0.6 | 25 |
| 4 | Recent deep-water sedimentation, trace metal and radioisotope geochemistry across the Southern Ocean and Northern Weddell Sea, Antarctica. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1652-1681. | 0.6 | 26 |
| 5 | Composition, abundance and distribution of Peracarida from the Southern Ocean deep sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1752-1759. | 0.6 | 30 |
| 6 | Deep-sea isopod biodiversity, abundance, and endemism in the Atlantic sector of the Southern Ocean—Results from the ANDEEP III expeditions. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 1760-1775. | 0.6 | 97 |
| 7 | Climate Change and Invasibility of the Antarctic Benthos. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2007, 38, 129-154. | 3.8 | 248 |
| 8 | Species richness of the genus <i>Molgolaimus</i> (Nematoda) from local to ocean scale along continental slopes. <i>Marine Ecology</i> , 2007, 28, 446-459. | 0.4 | 22 |
| 10 | Peracarid composition, diversity and species richness in the area of the Northeast Water polynya, East Greenland (Crustacea, Malacostraca). <i>Polar Biology</i> , 2007, 31, 15-22. | 0.5 | 15 |
| 11 | Genetic differentiation between Arctic and Antarctic monothalamous foraminiferans. <i>Polar Biology</i> , 2008, 31, 1205-1216. | 0.5 | 43 |
| 12 | The thermohaline expressway: the Southern Ocean as a centre of origin for deep-sea octopuses. <i>Cladistics</i> , 2008, 24, 853-860. | 1.5 | 137 |
| 13 | Antarctic marine chemical ecology: what is next?. <i>Marine Ecology</i> , 2008, 29, 1-71. | 0.4 | 113 |
| 14 | Protecting Marine Biodiversity in Polar Areas Beyond National Jurisdiction. <i>Review of European Community and International Environmental Law</i> , 2008, 17, 3-13. | 0.6 | 13 |
| 15 | Surviving out in the cold: Antarctic endemic invertebrates and their refugia. <i>Journal of Biogeography</i> , 2008, 35, 2176-2186. | 1.4 | 117 |
| 16 | Deep-Sea Ecology: Infectious Impact on Ecosystem Function. <i>Current Biology</i> , 2008, 18, R1104-R1106. | 1.8 | 3 |
| 17 | Antarctic marine benthic diversity: patterns and processes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 366, 48-55. | 0.7 | 93 |
| 18 | Abyssal food limitation, ecosystem structure and climate change. <i>Trends in Ecology and Evolution</i> , 2008, 23, 518-528. | 4.2 | 511 |
| 19 | Deep-sea natural products. <i>Natural Product Reports</i> , 2008, 25, 1131. | 5.2 | 176 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Abyssal ostracods from the South and Equatorial Atlantic Ocean: Biological and paleoceanographic implications. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2008, 55, 490-497. | 0.6 | 20 |
| 21 | Abrupt climate change and collapse of deep-sea ecosystems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1556-1560. | 3.3 | 112 |
| 22 | Epibenthic macrofauna associated with the shelf and slope of a young and isolated Southern Ocean island. <i>Antarctic Science</i> , 2008, 20, 281-290. | 0.5 | 41 |
| 23 | Short Note: Late Miocene marine trace fossils from James Ross Island. <i>Antarctic Science</i> , 2008, 20, 591-592. | 0.5 | 7 |
| 24 | CLIMATIC INFLUENCES ON DEEP-SEA OSTRACODE (CRUSTACEA) DIVERSITY FOR THE LAST THREE MILLION YEARS. <i>Ecology</i> , 2008, 89, S53-65. | 1.5 | 60 |
| 25 | New species of Bairdioidea (Crustacea, Ostracoda) from the Southern Ocean and discussions on <i>Bairdopilata simplex</i> (Brady, 1880), <i>?Bairdopilata labiata</i> (Müller, 1908) and <i>Bythopussella aculeata</i> (Müller, 1908). <i>Zootaxa</i> , 2008, 1866, 373. | 0.2 | 20 |
| 26 | First record and new species of the genus <i>Hebefustis</i> Siebenaller & Hessler, 1977 (Isopoda: Asellota). <i>Tj ETQq0 0,0 rgBT / Overlock 1</i> | 0,2 | 2 |
| 27 | Holodentata gen. nov. (Isopoda: Asellota: Paramunnidae) with a description of two new species: <i>H. caeca</i> and <i>H. triangulata</i> from the Southern Ocean. <i>Zootaxa</i> , 2009, 2096, 395-412. | 0.2 | 3 |
| 28 | A new genus and two new species of saccamminid foraminiferans (Protista, Rhizaria) from the deep Southern Ocean. <i>Zootaxa</i> , 2009, 2096, 9-22. | 0.2 | 17 |
| 29 | Temporal latitudinal-gradient dynamics and tropical instability of deep-sea species diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21717-21720. | 3.3 | 88 |
| 30 | Multiple origins of deep-sea Asellota (Crustacea: Isopoda) from shallow waters revealed by molecular data. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 799-808. | 1.2 | 104 |
| 31 | On <i>Liljeborgia fissicornis</i> (M. Sars, 1858) and three related new species from Scandinavia, with a hypothesis on the origin of the group <i>fissicornis</i> . <i>Journal of Natural History</i> , 2009, 43, 2087-2139. | 0.2 | 5 |
| 32 | Ribosomal DNA shows extremely low genetic divergence in a world-wide distributed, but disjunct and highly adapted marine protozoan (<i>Virgulinea fragilis</i> , Foraminiferida). <i>Marine Micropaleontology</i> , 2009, 70, 8-19. | 0.5 | 39 |
| 33 | Molecular cold-adaptation: Comparative analysis of two homologous families of psychrophilic and mesophilic signal proteins of the protozoan ciliate, <i>Euplotes</i> . <i>IUBMB Life</i> , 2009, 61, 838-845. | 1.5 | 30 |
| 34 | Biodiversity of an unknown Antarctic Sea: assessing isopod richness and abundance in the first benthic survey of the Amundsen continental shelf. <i>Marine Biodiversity</i> , 2009, 39, 27-43. | 0.3 | 49 |
| 35 | Community structure and diversity of polychaetes (Annelida) in the deep Weddell Sea (Southern) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 30</i> | 0,3 | 30 |
| 36 | Benthic isopods (Crustacea, Malacostraca) from the Ross Sea, Antarctica: species checklist and their zoogeography in the Southern Ocean. <i>Polar Biology</i> , 2009, 32, 599-610. | 0.5 | 14 |
| 37 | Barcoding Antarctic Biodiversity: current status and the CAML initiative, a case study of marine invertebrates. <i>Polar Biology</i> , 2009, 32, 1629-1637. | 0.5 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 38 | Towards a generalized biogeography of the Southern Ocean benthos. <i>Journal of Biogeography</i> , 2009, 36, 162-177. | 1.4 | 176 |
| 39 | Marine, intertidal, freshwater and terrestrial biodiversity of an isolated polar archipelago. <i>Journal of Biogeography</i> , 2009, 36, 756-769. | 1.4 | 44 |
| 40 | Predicting global habitat suitability for stony corals on seamounts. <i>Journal of Biogeography</i> , 2009, 36, 1111-1128. | 1.4 | 264 |
| 41 | Ocean barriers and glaciation: evidence for explosive radiation of mitochondrial lineages in the Antarctic sea slug <i>Doris kerguelensis</i> (Mollusca, Nudibranchia). <i>Molecular Ecology</i> , 2009, 18, 965-984. | 2.0 | 144 |
| 42 | Microbial oceanography in a sea of opportunity. <i>Nature</i> , 2009, 459, 180-184. | 13.7 | 79 |
| 43 | Relationships within the Munnopsidae (Crustacea, Isopoda, Asellota) based on three genes. <i>Zoologica Scripta</i> , 2009, 38, 617-635. | 0.7 | 25 |
| 44 | Deep-sea benthic diversity linked to seasonality of pelagic productivity. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 835-841. | 0.6 | 70 |
| 45 | Ecological niches of Arctic deep-sea copepods: Vertical partitioning, dietary preferences and different trophic levels minimize inter-specific competition. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 741-756. | 0.6 | 36 |
| 46 | Diversity and large-scale biogeography of Paramesochridae (Copepoda, Harpacticoida) in South Atlantic Abyssal Plains and the deep Southern Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 1804-1815. | 0.6 | 28 |
| 47 | Bathymetric distribution patterns of Southern Ocean macrofaunal taxa: Bivalvia, Gastropoda, Isopoda and Polychaeta. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 2013-2025. | 0.6 | 45 |
| 48 | Southern Ocean deep-sea biodiversity—From patterns to processes. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2009, 56, 1732-1738. | 0.6 | 4 |
| 49 | Draconematidae (Nematoda) from cold-water corals in the Porcupine Seabight: The genus <i>Cygnonema</i> Allen & Noffsinger, 1978. <i>Organisms Diversity and Evolution</i> , 2009, 9, 37.e1-37.e20. | 0.7 | 2 |
| 50 | The Platycopid Signal of oxygen depletion in the ocean: A critical evaluation of the evidence from modern ostracod biology, ecology and depth distribution. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 283, 126-133. | 1.0 | 29 |
| 51 | High densities and depth-associated changes of epibenthic megafauna along the Aleutian margin from 2000 to 4200 Åm. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 1517-1527. | 0.4 | 4 |
| 52 | Geographic range shift responses to climate change by Antarctic benthos: where we should look. <i>Marine Ecology - Progress Series</i> , 2009, 393, 13-26. | 0.9 | 70 |
| 53 | Deep-sea ostracods from the South Atlantic sector of the Southern Ocean during the last 370,000 years. <i>Journal of Paleontology</i> , 2009, 83, 914-930. | 0.5 | 30 |
| 54 | In Linnaeus™ Wake: 300 Years of Marine Discovery. <i>Zoologica Scripta</i> , 2009, 38, 1-6. | 0.7 | 15 |
| 55 | Significance of the trace fossil <i>Zoophycos</i> in Pliocene deposits, Antarctic continental margin (ANDRILL 1B drill core). <i>Antarctic Science</i> , 2009, 21, 609-618. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | A new species of <i>Thaumastoderma</i> (Gastrotricha: Macrodasyida) from the Antarctic deep sea with a phylogenetic analysis of the whole genus. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 575-584. | 0.4 | 7 |
| 57 | Long-distance island hopping without dispersal stages: transportation across major zoogeographic barriers in a Southern Ocean isopod. <i>Die Naturwissenschaften</i> , 2010, 97, 583-594. | 0.6 | 80 |
| 58 | Cryptic mitochondrial lineages in the widespread pycnogonid <i>Colossendeis megalonyx</i> Hoek, 1881 from Antarctic and Subantarctic waters. <i>Polar Biology</i> , 2010, 33, 281-292. | 0.5 | 95 |
| 59 | Two new gorgonian genera (Octocorallia: Primnoidae) from Southern Ocean waters. <i>Polar Biology</i> , 2010, 33, 313-320. | 0.5 | 10 |
| 60 | Distribution and diversity of desmosomatid and nannoniscid isopods (Crustacea) on the Greenland-Iceland-Faeroe Ridge. <i>Polar Biology</i> , 2010, 33, 515-530. | 0.5 | 68 |
| 64 | Incongruence between molecular phylogeny and morphological classification in amphipod crustaceans: A case study of Antarctic lysianassoids. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 202-209. | 1.2 | 51 |
| 65 | Out of Antarctica? New insights into the phylogeny and biogeography of the Pleurobranchomorpha (Mollusca, Gastropoda). <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 996-1007. | 1.2 | 37 |
| 66 | The first metazoa living in permanently anoxic conditions. <i>BMC Biology</i> , 2010, 8, 30. | 1.7 | 262 |
| 67 | Areas of endemism in the Antarctic – a case study of the benthic hydrozoan genus <i>Oswaldella</i> (Cnidaria, Kirchenpaueriidae). <i>Journal of Biogeography</i> , 2010, 37, 617-623. | 1.4 | 20 |
| 68 | Bryozoans of the Weddell Sea continental shelf, slope and abyss: did marine life colonize the Antarctic shelf from deep water, outlying islands or <i>in situ</i> refugia following glaciations?. <i>Journal of Biogeography</i> , 2010, 37, 1648-1656. | 1.4 | 49 |
| 69 | Circumantarctic distribution in Southern Ocean benthos? A genetic test using the genus <i>Macroscapha</i> (Crustacea, Ostracoda) as a model. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 1055-1069. | 1.2 | 63 |
| 70 | Macrocyprididae (Ostracoda) from the Southern Ocean: taxonomic revision, macroecological patterns, and biogeographical implications. <i>Zoological Journal of the Linnean Society</i> , 0, 159, 567-672. | 1.0 | 22 |
| 71 | The contribution of deep-sea macrohabitat heterogeneity to global nematode diversity. <i>Marine Ecology</i> , 2010, 31, 6-20. | 0.4 | 208 |
| 72 | Macrofaunal community structure in the western Indian continental margin including the oxygen minimum zone. <i>Marine Ecology</i> , 2010, 31, 148-166. | 0.4 | 68 |
| 73 | Marine Biodiversity and Biogeography – Regional Comparisons of Global Issues, an Introduction. <i>PLoS ONE</i> , 2010, 5, e11871. | 1.1 | 27 |
| 74 | Biodiversity Trends along the Western European Margin. <i>PLoS ONE</i> , 2010, 5, e14295. | 1.1 | 40 |
| 75 | Antarctic Marine Biodiversity – What Do We Know About the Distribution of Life in the Southern Ocean?. <i>PLoS ONE</i> , 2010, 5, e11683. | 1.1 | 246 |
| 76 | Deep, diverse and definitely different: unique attributes of the world's largest ecosystem. <i>Biogeosciences</i> , 2010, 7, 2851-2899. | 1.3 | 619 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 77 | Temporal Change in Deep-Sea Benthic Ecosystems. <i>Advances in Marine Biology</i> , 2010, 58, 1-95. | 0.7 | 134 |
| 78 | Descriptions of two new species in the genus <i>Macrostylis</i> Sars, 1864 (Isopoda, Asellota, Macrostylidae) from the Weddell Sea (Southern Ocean), with a synonymisation of the genus <i>Desmostylis</i> Brandt, 1992 with <i>Macrostylis</i> . <i>ZooKeys</i> , 2010, 57, 9-49. | 0.5 | 28 |
| 79 | Diversity and distributional patterns of Polychaeta in the deep South Atlantic. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2010, 57, 1329-1344. | 0.6 | 18 |
| 80 | Benthic macrofauna and megafauna assemblages in the Arctic deep-sea Canada Basin. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2010, 57, 136-152. | 0.6 | 69 |
| 81 | Dispersal, survival and delayed growth of benthic foraminiferal propagules. <i>Journal of Sea Research</i> , 2010, 63, 36-51. | 0.6 | 120 |
| 82 | Submarine canyons: hotspots of benthic biomass and productivity in the deep sea. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 2783-2792. | 1.2 | 335 |
| 83 | Seasonality, the latitudinal gradient of diversity, and Eocene insects. <i>Paleobiology</i> , 2010, 36, 374-398. | 1.3 | 127 |
| 84 | Biodiversity of a Unique Environment: The Southern Ocean Benthos Shaped and Threatened by Climate Change. , 2011, , 503-526. | | 12 |
| 85 | Bioengineering Aspects in the Design of Gas Exchangers. , 2011, , . | | 17 |
| 86 | Is there a distinct continental slope fauna in the Antarctic?. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 91-104. | 0.6 | 33 |
| 87 | Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 74-83. | 0.6 | 142 |
| 88 | A lost world? Archaic crinoid-dominated assemblages on an Antarctic seamount. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 119-127. | 0.6 | 57 |
| 89 | DNA barcoding reveals new insights into the diversity of Antarctic species of <i>Orchomene sensu lato</i> (Crustacea: Amphipoda: Lysianassoidea). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 230-241. | 0.6 | 66 |
| 90 | How many species in the Southern Ocean? Towards a dynamic inventory of the Antarctic marine species. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 5-17. | 0.6 | 135 |
| 91 | Abundance, diversity, and latitudinal gradients of southeastern Atlantic and Antarctic abyssal gastropods. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 49-57. | 0.6 | 16 |
| 92 | The Antarctic region as a marine biodiversity hotspot for echinoderms: Diversity and diversification of sea cucumbers. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 264-275. | 0.6 | 56 |
| 93 | Evolutionary pathways among shallow and deep-sea echinoids of the genus <i>Sterechinus</i> in the Southern Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 205-211. | 0.6 | 66 |
| 94 | Diet insights of deep-sea polychaetes derived from fatty acid analyses. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2011, 58, 153-162. | 0.6 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 96 | ANT XXIV/2 (SYSTCO) Hexactinellida (Porifera) and bathymetric traits of Antarctic glass sponges (incorporating ANDEEP-material); including an emendation of the rediscovered genus <i>Lonchiphora</i> . Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 2013-2021. | 0.6 | 18 |
| 97 | Redescription of <i>Jenkinia articulata</i> Br ndsted from the deep Eckstr m Shelf, E-Weddell Sea, Antarctica and a comment on the possible mass occurrence of this species. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 2022-2026. | 0.6 | 7 |
| 98 | Maud Rise    a snapshot through the water column. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 1962-1982. | 0.6 | 35 |
| 99 | Diversity and distribution of Polychaeta in deep Antarctic and Subantarctic waters along the Greenwich meridian. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 2004-2012. | 0.6 | 9 |
| 101 | Fatty acid patterns of Southern Ocean shelf and deep sea peracarid crustaceans and a possible food source, foraminiferans. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 2027-2035. | 0.6 | 40 |
| 102 | Cosmopolitanism and Biogeography of the Genus <i>Manganonema</i> (Nematoda: Monhysterida) in the Deep Sea. <i>Animals</i> , 2011, 1, 291-305. | 1.0 | 20 |
| 103 | Description of two new species of munnopsid isopods (Crustacea: Isopoda: Asellota) from manganese nodules area of the Clarion-Clipperton Fracture Zone, Pacific Ocean. <i>Zootaxa</i> , 2011, 2783, . | 0.2 | 9 |
| 104 | Eukaryotic Richness in the Abyss: Insights from Pyrotag Sequencing. <i>PLoS ONE</i> , 2011, 6, e18169. | 1.1 | 207 |
| 105 | Larval Transport Modeling of Deep-Sea Invertebrates Can Aid the Search for Undiscovered Populations. <i>PLoS ONE</i> , 2011, 6, e23063. | 1.1 | 30 |
| 106 | The use of sediment profile imaging (SPI) for environmental impact assessments and monitoring studies. <i>Oceanography and Marine Biology</i> , 2011, , . | 1.0 | 10 |
| 107 | New species and occurrences of <i>BradleyaJournal of Micropalaeontology, 2011, 30, 141-166. | 1.3 | 11 |
| 108 | Predicting the number of known and unknown species in European seas using rates of description. <i>Global Ecology and Biogeography</i> , 2011, 20, 319-330. | 2.7 | 62 |
| 109 | Taxon-related diversity patterns from the continental shelf to the slope: a case study on nematodes from the Western Indian Ocean. <i>Marine Ecology</i> , 2011, 32, 453-467. | 0.4 | 20 |
| 110 | Evidence of hidden biodiversity, ongoing speciation and diverse patterns of genetic structure in giant Antarctic amphipods. <i>Molecular Ecology</i> , 2011, 20, 3439-3454. | 2.0 | 95 |
| 111 | Antarctic marine biology. <i>Current Biology</i> , 2011, 21, R451-R457. | 1.8 | 33 |
| 112 | Temperature-driven biogeography of the deep-sea family Lithodidae (Crustacea: Decapoda: Anomura) in the Southern Ocean. <i>Polar Biology</i> , 2011, 34, 363-370. | 0.5 | 38 |
| 113 | Antarctic DNA barcoding; a drop in the ocean?. <i>Polar Biology</i> , 2011, 34, 775-780. | 0.5 | 40 |
| 114 | Phylogenetic diversity of Gram-positive bacteria cultured from Antarctic deep-sea sponges. <i>Polar Biology</i> , 2011, 34, 1501-1512. | 0.5 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 115 | Gone with the currents: lack of genetic differentiation at the circum-continental scale in the Antarctic krill <i>Euphausia superba</i> . <i>BMC Genetics</i> , 2011, 12, 32. | 2.7 | 51 |
| 116 | Ultra-deep sequencing of foraminiferal microbarcodes unveils hidden richness of early monothalamous lineages in deep-sea sediments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13177-13182. | 3.3 | 127 |
| 117 | Are there widespread peracarid species in the deep sea (Crustacea: Malacostraca)?. <i>Polish Polar Research</i> , 2012, 33, 139-162. | 0.9 | 48 |
| 118 | Large-scale distribution analysis of Antarctic echinoids using ecological niche modelling. <i>Marine Ecology - Progress Series</i> , 2012, 463, 215-230. | 0.9 | 33 |
| 119 | Antarctic Marine Biodiversity and Deep-Sea Hydrothermal Vents. <i>PLoS Biology</i> , 2012, 10, e1001232. | 2.6 | 17 |
| 120 | The Discovery of New Deep-Sea Hydrothermal Vent Communities in the Southern Ocean and Implications for Biogeography. <i>PLoS Biology</i> , 2012, 10, e1001234. | 2.6 | 225 |
| 124 | Seafloor Geomorphology—Coast, Shelf, and Abyss. , 2012, , 109-155. | | 3 |
| 125 | Why might they be giants? Towards an understanding of polar gigantism. <i>Journal of Experimental Biology</i> , 2012, 215, 1995-2002. | 0.8 | 75 |
| 126 | On the genus <i>Thaumatoconcha</i> Kornicker and Sohn (Halocyprida) with description of two new species from Southern Ocean deep sea. <i>Helgoland Marine Research</i> , 2012, 66, 275-294. | 1.3 | 5 |
| 127 | Paleoceanographic significance of deep-sea benthic foraminiferal species diversity at southeastern Indian Ocean Hole 752A during the Neogene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 361-362, 94-103. | 1.0 | 31 |
| 128 | Spatial patterns and diversity of bryozoan communities from the Southern Ocean: South Shetland Islands, Bouvet Island and Eastern Weddell Sea. <i>Systematics and Biodiversity</i> , 2012, 10, 109-123. | 0.5 | 49 |
| 129 | Effects of Capability for Dispersal on the Evolution of Diversity in Antarctic Benthos. <i>Integrative and Comparative Biology</i> , 2012, 52, 470-482. | 0.9 | 50 |
| 130 | Benthic Foraminiferal Biogeography: Controls on Global Distribution Patterns in Deep-Water Settings. <i>Annual Review of Marine Science</i> , 2012, 4, 237-262. | 5.1 | 102 |
| 131 | Climatic forcing of Quaternary deep-sea benthic communities in the North Pacific Ocean. <i>Paleobiology</i> , 2012, 38, 162-179. | 1.3 | 60 |
| 132 | Diversity and Distribution Patterns in High Southern Latitude Sponges. <i>PLoS ONE</i> , 2012, 7, e41672. | 1.1 | 108 |
| 133 | Conquered from the Deep Sea? A New Deep-Sea Isopod Species from the Antarctic Shelf Shows Pattern of Recent Colonization. <i>PLoS ONE</i> , 2012, 7, e49354. | 1.1 | 39 |
| 134 | Presencia de <i>Cistenides Elhersi</i> Hesse, 1917 (Polychaeta Perctinariidae) en aguas someras magallánicas habitadas por praderas de <i>Ruppia Filifolia</i> : Evidencia de Euribatia, Eurihalididad y Euritermia?. <i>Anales Del Instituto De La Patagonia</i> , 2012, 40, 125-139. | 0.1 | 0 |
| 135 | Taxonomy and distribution of sea anemones (Cnidaria: Actiniaria and Corallimorpharia) from deep water of the northeastern Pacific. <i>Zootaxa</i> , 2012, 3375, 1. | 0.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 136 | New subgenus and new species of marine benthic ostracods of genus <i>Doloria</i> (Ostracoda); Tj ETQq0 0 0 rgBT /Overlock 10 Tf,50 742 Td | 0.2 | 2 |
| 137 | Possible effects of global environmental changes on Antarctic benthos: a synthesis across five major taxa. <i>Ecology and Evolution</i> , 2012, 2, 453-485. | 0.8 | 88 |
| 138 | Conservation in the Anthropocene. <i>Conservation Biology</i> , 2012, 26, 185-188. | 2.4 | 105 |
| 139 | Cenozoic evolution of Muricidae (Mollusca, Neogastropoda) in the Southern Ocean, with the description of a new subfamily. <i>Zoologica Scripta</i> , 2012, 41, 596-616. | 0.7 | 21 |
| 140 | <i>Eugerdella huberti</i> sp. nov. - a new species of Desmosomatidae Sars, 1897 (Crustacea, Isopoda) from the deep-sea of the South Atlantic Ocean. <i>Marine Biodiversity</i> , 2012, 42, 13-24. | 0.3 | 7 |
| 141 | Patterns, processes and vulnerability of Southern Ocean benthos: a decadal leap in knowledge and understanding. <i>Marine Biology</i> , 2013, 160, 2295-2317. | 0.7 | 79 |
| 142 | Adaptation and Evolution in Marine Environments, Volume 2. From Pole To Pole, 2013, , . | 0.1 | 5 |
| 143 | Sponge assemblages of the deep Weddell Sea: ecological and zoogeographic results of ANDEEP I and SYSTCO I expeditions. <i>Polar Biology</i> , 2013, 36, 1059-1068. | 0.5 | 19 |
| 144 | Macrofaunal crustaceans in the benthic boundary layer from the shelf break to abyssal depths in the Ross Sea (Antarctica). <i>Polar Biology</i> , 2013, 36, 445-451. | 0.5 | 31 |
| 145 | Feeding repellence in Antarctic bryozoans. <i>Die Naturwissenschaften</i> , 2013, 100, 1069-1081. | 0.6 | 45 |
| 146 | Plasticity in shell morphology and growth among deep-sea protobranch bivalves of the genus <i>Yoldiella</i> (Yoldiidae) from contrasting Southern Ocean regions. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2013, 81, 14-24. | 0.6 | 8 |
| 147 | Diversity and distribution of peracarid crustaceans (Malacostraca) from the continental slope and the deep-sea basin of the Sea of Japan. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 86-87, 66-78. | 0.6 | 47 |
| 148 | Description of <i>Baeonectes brandtae</i> sp. nov. and redescription of <i>Eurycope spinifrons</i> Gurjanova, 1933 (Crustacea, Isopoda, Munnopsidae) from the deep-sea basin of the Sea of Japan. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 86-87, 79-102. | 0.6 | 15 |
| 149 | Preliminary data on the composition and distribution of polychaetes in the deep-water areas of the north-western part of the Sea of Japan. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 86-87, 164-171. | 0.6 | 11 |
| 150 | Seeing stars: a molecular and morphological investigation into the evolutionary history of Odontasteridae (Asteroidea) with description of a new species from the Galapagos Islands. <i>Marine Biology</i> , 2013, 160, 821-841. | 0.7 | 5 |
| 151 | Introduction to SoJaBio (Sea of Japan Biodiversity Studies). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 86-87, 1-9. | 0.6 | 40 |
| 152 | Phylogenetic position of Antarctic Scalpelliformes (Crustacea: Cirripedia: Thoracica). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2013, 73, 99-116. | 0.6 | 21 |
| 153 | Epifauna of the Sea of Japan collected via a new epibenthic sledge equipped with camera and environmental sensor systems. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 86-87, 43-55. | 0.6 | 90 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 154 | Using fisheries by-catch data to predict octocoral habitat suitability around South Georgia. <i>Journal of Biogeography</i> , 2013, 40, 1688-1701. | 1.4 | 20 |
| 155 | Cytotoxic and apoptotic evaluations of marine bacteria isolated from brine-seawater interface of the Red Sea. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 29. | 3.7 | 30 |
| 156 | Cenozoic climate change and diversification on the continental shelf and slope: evolution of gastropod diversity in the family Solariellidae (Trochoidea). <i>Ecology and Evolution</i> , 2013, 3, 887-917. | 0.8 | 28 |
| 157 | Pole-to-Pole Gene Flow in Protozoan Ciliates. <i>From Pole To Pole</i> , 2013, , 55-66. | 0.1 | 3 |
| 158 | <p class="HeadingRunIn">Two new species of calcareous sponges (Porifera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 waters</p>. <i>Zootaxa</i> , 2013, 3692, 149. | 0.2 | 13 |
| 159 | Treatise Online no. 61: Part N, Revised, Volume 1, Chapter 4: The early shell: Ontogeny, features, and evolution. <i>Treatise Online</i> , 2013, . | 0.6 | 5 |
| 160 | Is the Species Flock Concept Operational? The Antarctic Shelf Case. <i>PLoS ONE</i> , 2013, 8, e68787. | 1.1 | 51 |
| 161 | Antarctic Crabs: Invasion or Endurance?. <i>PLoS ONE</i> , 2013, 8, e66981. | 1.1 | 49 |
| 162 | <p class="HeadingRunIn">Southern Ocean Macrostylidae reviewed with a key to the species and new descriptions from Maud Rise</p>. <i>Zootaxa</i> , 2013, 3692, 160. | 0.2 | 13 |
| 163 | A new species of <i>Fissarcturus</i> Brandt, 1990 (Isopoda, Valvifera, Antarcturidae) from the Southern Ocean, off the South Sandwich Islands. <i>Zootaxa</i> , 2013, 3692, . | 0.2 | 1 |
| 164 | <p class="HeadingRunIn">A new species of Acanthaspida Stebbing, 1898 (Isopoda, Asellota, Acanthaspidiidae) from the bathyal Weddell Sea (Southern) Tj ETQq0 0 0 rgBT /Overlock</p> | 0.2 | 1 |
| 165 | <p class="HeadingRunIn">Demospongiae of ANT XXIV/2 (SYSTCO I) Expeditionâ€™ Antarctic Eastern Weddell Sea</p>. <i>Zootaxa</i> , 2013, 3692, 28. | 0.2 | 16 |
| 166 | Anthropogenic Disturbance and Biodiversity of Marine Benthic Communities in Antarctica: A Regional Comparison. <i>PLoS ONE</i> , 2014, 9, e98802. | 1.1 | 42 |
| 167 | A Hierarchical Classification of Benthic Biodiversity and Assessment of Protected Areas in the Southern Ocean. <i>PLoS ONE</i> , 2014, 9, e100551. | 1.1 | 46 |
| 168 | Comparative Transcriptome Analysis of Two Oysters, <i>Crassostrea gigas</i> and <i>Crassostrea hongkongensis</i> Provides Insights into Adaptation to Hypo-Osmotic Conditions. <i>PLoS ONE</i> , 2014, 9, e111915. | 1.1 | 46 |
| 169 | New species of <i>Hebefustis</i> Siebenaller & Hessler 1977 (Isopoda, Asellota, Nannoniscidae) from the Clarion Clipperton Fracture Zone (equatorial NE Pacific). <i>Zootaxa</i> , 2014, 3784, 101-19. | 0.2 | 5 |
| 170 | A glimpse into the deep of the Antarctic Polar Front â€™ Diversity and abundance of abyssal molluscs. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 93-100. | 0.6 | 13 |
| 171 | Molecular differentiation in sympatry despite morphological stasis: deep-sea<i> Atlantoserolis</i>â€™. WÄgele, 1994 and<i> Glabroserolis</i>â€™. Menzies, 1962 from the south-west Atlantic (Crustacea: Isopoda: Serolidae). <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 318-359. | 1.0 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 172 | Cyclonic entrainment? The ichthyoplankton attributes of three major water mass types generated by the separation of the East Australian Current. <i>ICES Journal of Marine Science</i> , 2014, 71, 1696-1705. | 1.2 | 21 |
| 173 | Microbial community structure and nitrogenase gene diversity of sediment from a deep-sea hydrothermal vent field on the Southwest Indian Ridge. <i>Acta Oceanologica Sinica</i> , 2014, 33, 94-104. | 0.4 | 9 |
| 174 | Field and Laboratory Methods for DNA Studies on Deep-sea Isopod Crustaceans. <i>Polish Polar Research</i> , 2014, 35, 203-224. | 0.9 | 58 |
| 175 | ALPHA AND BETA DIVERSITY OF FORAMINIFERA THAT ENCRUST THE ANTARCTIC SCALLOP ADAMUSSIUM COLBECKI: ECOLOGICAL CONNECTIVITY AMONG SHELLS AND BETWEEN SITES. <i>Journal of Foraminiferal Research</i> , 2014, 44, 255-280. | 0.1 | 6 |
| 176 | Cheilostome bryozoan diversity from the southwest Atlantic region: Is Antarctica really isolated?. <i>Journal of Sea Research</i> , 2014, 85, 1-17. | 0.6 | 20 |
| 177 | Composition and distribution of selected munnopsid genera (Crustacea, Isopoda, Asellota) in Icelandic waters. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2014, 84, 142-155. | 0.6 | 22 |
| 178 | Response of deep-sea biodiversity to abrupt deglacial and Holocene climate changes in the North Atlantic Ocean. <i>Global Ecology and Biogeography</i> , 2014, 23, 957-967. | 2.7 | 47 |
| 179 | The spatial structure of Antarctic biodiversity. <i>Ecological Monographs</i> , 2014, 84, 203-244. | 2.4 | 286 |
| 180 | Ecological and evolutionary consequences of benthic community stasis in the very deep sea (>1500 m). <i>Journal of Geophysical Research</i> , 2014, 119, C00000. | 1.3 | 10 |
| 181 | The <i>Halomonhystera disjuncta</i> population is homogeneous across the Ronnefjord Mosby mud volcano (Barents Sea) but is genetically differentiated from its shallow-water relatives. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2014, 52, 203-216. | 0.6 | 12 |
| 182 | Diversity and abundance of deep-sea Isopoda along the Southern Polar Front: Results from the SYSTCO I and II expeditions. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 76-84. | 0.6 | 15 |
| 183 | Composition and abundance of epibenthic-sledge catches in the South Polar Front of the Atlantic. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 69-75. | 0.6 | 16 |
| 184 | Southern Polar Front macroecological and biogeographical insights gained from benthic Ostracoda. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 33-50. | 0.6 | 11 |
| 185 | Patchiness of deep-sea benthic Foraminifera across the Southern Ocean: Insights from high-throughput DNA sequencing. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 17-26. | 0.6 | 59 |
| 186 | Are boundary conditions in surface productivity at the Southern Polar Front reflected in benthic activity?. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 51-59. | 0.6 | 9 |
| 187 | Quaternary deep-sea ostracode taxonomy of Ocean Drilling Program Site 980, eastern North Atlantic Ocean. <i>Journal of Paleontology</i> , 2014, 88, 770-785. | 0.5 | 14 |
| 188 | The Southern Ocean deep sea: A benthic view to pelagic processes. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 1-5. | 0.6 | 5 |
| 189 | A new species of the cheilostome bryozoan <i>Chistosella</i> in the Southern Ocean, past and present. <i>Polar Biology</i> , 2014, 37, 773-779. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 190 | Explaining bathymetric diversity patterns in marine benthic invertebrates and demersal fishes: physiological contributions to adaptation of life at depth. <i>Biological Reviews</i> , 2014, 89, 406-426. | 4.7 | 119 |
| 191 | Challenging the paradigms of deep-sea ecology. <i>Trends in Ecology and Evolution</i> , 2014, 29, 465-475. | 4.2 | 280 |
| 192 | Recent advances in deep-sea natural products. <i>Natural Product Reports</i> , 2014, 31, 999-1025. | 5.2 | 177 |
| 193 | Indications for algae-degrading benthic microbial communities in deep-sea sediments along the Antarctic Polar Front. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 108, 6-16. | 0.6 | 56 |
| 194 | New genus of opecoelid trematode from <i>Pristipomoides aquilonaris</i> (Perciformes: Lutjanidae) and its phylogenetic affinity within the family Opecoelidae. <i>Folia Parasitologica</i> , 2014, 61, 223-230. | 0.7 | 25 |
| 195 | Molecular differentiation in sympatry despite morphological stasis: deep-sea <i>Atlantoserolis</i> Wägele, 1994 and <i>Glabroserolis</i> Menzies, 1962 from the south-west Atlantic (Crustacea: Isopoda: Serolidae). <i>Zoological Journal of the Linnean Society</i> , 0, . . . | 1.0 | 0 |
| 196 | <i>Diacyclops</i> (Copepoda: Cyclopoida) in Continental Antarctica, including three new species. <i>Antarctic Science</i> , 2014, 26, 250-260. | 0.5 | 12 |
| 197 | Patterns of diversity and distribution of aquatic invertebrates and their parasites. , 2015, , 39-57. | | 6 |
| 198 | Bioactive Coumarins from Marine Sources: Origin, Structural Features and Pharmacological Properties. <i>Current Topics in Medicinal Chemistry</i> , 2015, 15, 1755-1766. | 1.0 | 22 |
| 199 | Benthic Ostracods of <i>Skogsbergiella</i> (Myodocopina): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 Td (Cy 508. | 0.2 | 3 |
| 200 | First insights into the deep-sea tanaidacean fauna of the Ross Sea: species richness and composition across the shelf break, slope and abyss. <i>Polar Biology</i> , 2015, 38, 1429-1437. | 0.5 | 19 |
| 201 | The impacts of climate change on Antarctic nearshore mega-epifaunal benthic assemblages in a glacial fjord on King George Island: Responses and implications. <i>Ecological Indicators</i> , 2015, 57, 280-292. | 2.6 | 52 |
| 202 | Distribution patterns in Antarctic and Subantarctic echinoderms. <i>Polar Biology</i> , 2015, 38, 799-813. | 0.5 | 19 |
| 203 | How optically diverse is the coastal ocean?. <i>Remote Sensing of Environment</i> , 2015, 160, 235-251. | 4.6 | 101 |
| 204 | In hot and cold water: differential life-history traits are key to success in contrasting thermal deep-sea environments. <i>Journal of Animal Ecology</i> , 2015, 84, 898-913. | 1.3 | 31 |
| 205 | Natural products mediating ecological interactions in Antarctic benthic communities: a mini-review of the known molecules. <i>Natural Product Reports</i> , 2015, 32, 1114-1130. | 5.2 | 52 |
| 206 | Tanaidacea of the Amundsen and Scotia seas: an unexplored diversity. <i>Antarctic Science</i> , 2015, 27, 19-30. | 0.5 | 19 |
| 207 | Boreal echinoids from the Tethys Realm: <i>Infulaster</i> and <i>Hagenowia</i> from the Upper Cretaceous of eastern Sardinia (Italy). <i>Journal of Systematic Palaeontology</i> , 2015, 13, 741-751. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 208 | Factors influencing when species are first named and estimating global species richness. <i>Global Ecology and Conservation</i> , 2015, 4, 243-254. | 1.0 | 22 |
| 209 | The changing form of Antarctic biodiversity. <i>Nature</i> , 2015, 522, 431-438. | 13.7 | 277 |
| 210 | A roadmap for Antarctic and Southern Ocean science for the next two decades and beyond. <i>Antarctic Science</i> , 2015, 27, 3-18. | 0.5 | 158 |
| 211 | Deep-sea (cold-water) coral communities of the North Pacific and problems of their conservation. <i>Russian Journal of Marine Biology</i> , 2015, 41, 1-9. | 0.2 | 2 |
| 212 | The phylogenetic position and taxonomic status of <i>Sterechinus bernasconiae</i> Larrain, 1975 (Echinodermata, Echinoidea), an enigmatic Chilean sea urchin. <i>Polar Biology</i> , 2015, 38, 1223-1237. | 0.5 | 4 |
| 213 | A tale of two basins: An integrated physical and biological perspective of the deep Arctic Ocean. <i>Progress in Oceanography</i> , 2015, 139, 89-121. | 1.5 | 124 |
| 214 | Mathematics of Energy and Climate Change. <i>CIM Series in Mathematical Sciences</i> , 2015, , . | 0.4 | 1 |
| 215 | The Germanâ€“Russian deep-sea expedition KuramBio (Kurile Kamchatka biodiversity studies) on board of the RV Sonne in 2012 following the footsteps of the legendary expeditions with RV Vityaz. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 111, 1-9. | 0.6 | 63 |
| 216 | Composition and distribution of Munnopsidae (Crustacea, Isopoda, Asellota), collected during the KuramBio expedition 2012 from the Kurilâ€“Kamchatka Trench area. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 111, 245-255. | 0.6 | 16 |
| 217 | Deep down: Isopod biodiversity of the Kurilâ€“Kamchatka abyssal area including a comparison with data of previous expeditions of the RV Vityaz. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 111, 210-219. | 0.6 | 28 |
| 218 | Invertebrate diversity of the unexplored marine western margin of Australia: taxonomy and implications for global biodiversity. <i>Marine Biodiversity</i> , 2015, 45, 271-286. | 0.3 | 49 |
| 219 | Tanaidacean fauna of the Kurilâ€“Kamchatka Trench and adjacent abyssal plain â€“ abundance, diversity and rare species. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 111, 325-332. | 0.6 | 24 |
| 220 | A new genus and new species of Desmosomatidae Sars, 1897 (Isopoda) from the eastern South Atlantic abyss described by means of integrative taxonomy. <i>Marine Biodiversity</i> , 2015, 45, 7-61. | 0.3 | 36 |
| 221 | Cutting the Umbilical: New Technological Perspectives in Benthic Deep-Sea Research. <i>Journal of Marine Science and Engineering</i> , 2016, 4, 36. | 1.2 | 39 |
| 222 | Worldwide Analysis of Sedimentary DNA Reveals Major Gaps in Taxonomic Knowledge of Deep-Sea Benthos. <i>Frontiers in Marine Science</i> , 2016, 3, . | 1.2 | 138 |
| 223 | Future Challenges in Southern Ocean Ecology Research. <i>Frontiers in Marine Science</i> , 2016, 3, . | 1.2 | 53 |
| 224 | Depth-related gradients in community structure and relatedness of bivalves and isopods in the Southern Ocean. <i>Progress in Oceanography</i> , 2016, 144, 25-38. | 1.5 | 8 |
| 225 | Deep-sea diversity patterns are shaped by energy availability. <i>Nature</i> , 2016, 533, 393-396. | 13.7 | 202 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 226 | Kudos for female Antarctic researchers. <i>Nature</i> , 2016, 536, 148-148. | 13.7 | 5 |
| 227 | Biogeography of <i>Abyssocythere</i> and <i>Dutoitella</i> (Ostracoda), with descriptions of three new species. <i>Zootaxa</i> , 2016, 4139, 391. | 0.2 | 4 |
| 229 | Abyssal hills: Influence of topography on benthic foraminiferal assemblages. <i>Progress in Oceanography</i> , 2016, 148, 44-55. | 1.5 | 26 |
| 230 | Introduction to the special issue on the Life in Antarctica: Boundaries and Gradients in a Changing Environment (XIth SCAR Biology Symposium). <i>Polar Biology</i> , 2016, 39, 1-10. | 0.5 | 21 |
| 232 | Temperature impacts on deep-sea biodiversity. <i>Biological Reviews</i> , 2016, 91, 275-287. | 4.7 | 113 |
| 233 | Multivariate analyses of Antarctic and sub-Antarctic seaweed distribution patterns: An evaluation of the role of the Antarctic Circumpolar Current. <i>Journal of Sea Research</i> , 2016, 110, 29-38. | 0.6 | 15 |
| 234 | The genus <i>Polycope</i> (Poliopidae, Ostracoda) in the North Atlantic and Arctic: taxonomy, distribution, and ecology. <i>Systematics and Biodiversity</i> , 2016, 14, 198-223. | 0.5 | 14 |
| 235 | The Antarctic Circumpolar Current as a diversification trigger for deep-sea octocorals. <i>BMC Evolutionary Biology</i> , 2016, 16, 2. | 3.2 | 32 |
| 236 | Glyceriformia (Annelida) from the deep sea of the Atlantic sector of the Southern Ocean. <i>Polar Biology</i> , 2016, 39, 1505-1510. | 0.5 | 2 |
| 237 | Combining marine macroecology and palaeoecology in understanding biodiversity: microfossils as a model. <i>Biological Reviews</i> , 2017, 92, 199-215. | 4.7 | 76 |
| 238 | Reproductive strategy as a piece of the biogeographic puzzle: a case study using Antarctic sea stars (Echinodermata, Asteroidea). <i>Journal of Biogeography</i> , 2017, 44, 848-860. | 1.4 | 20 |
| 239 | Locked in the icehouse: Evolution of an endemic <i>Epimeria</i> (Amphipoda, Crustacea) species flock on the Antarctic shelf. <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 14-33. | 1.2 | 17 |
| 240 | Biology and ecology of the world's largest invertebrate, the colossal squid (<i>Mesonychoteuthis</i>). <i>Journal of Biogeography</i> , 2017, 44, 1075-1086. | 0.5 | 16 |
| 241 | Alpha richness and niche breadth of a widespread group of aquatic insects in Nearctic and Neotropical streams. <i>Freshwater Biology</i> , 2017, 62, 329-339. | 1.2 | 8 |
| 242 | Clones or clans: the genetic structure of a deep-sea sponge, <i>Aphrocallistes vastus</i> , in unique sponge reefs of British Columbia, Canada. <i>Molecular Ecology</i> , 2017, 26, 1045-1059. | 2.0 | 14 |
| 243 | New records of isopod species of the Antarctic Specially Managed Area No. 1, Admiralty Bay, South Shetland Islands. <i>Polish Polar Research</i> , 2017, 38, 409-419. | 0.9 | 0 |
| 244 | Deep-Sea Suprabenthic Communities: The Forgotten Biodiversity. <i>Deep Sea Research</i> , 2017, 143, 475-503. | | 12 |
| 245 | Biogeographical patterns among deep sea megabenthic communities across the Drake Passage. <i>Antarctic Science</i> , 2017, 29, 531-543. | 0.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 246 | Sponge Grounds as Key Marine Habitats: A Synthetic Review of Types, Structure, Functional Roles, and Conservation Concerns. , 2017, , 145-183. | | 72 |
| 247 | Distinct genetic differentiation and species diversification within two marine nematodes with different habitat preference in Antarctic sediments. BMC Evolutionary Biology, 2017, 17, 120. | 3.2 | 21 |
| 248 | Bipolarity in sea slugs: a new species of Doridunculus (Mollusca: Nudibranchia: Onchidoridoidea) from Antarctica. Organisms Diversity and Evolution, 2017, 17, 101-109. | 0.7 | 10 |
| 249 | Carnivorous sponges (Cladorhizidae) of the deep Weddell Sea, with descriptions of two new species. Deep-Sea Research Part II: Topical Studies in Oceanography, 2017, 137, 190-206. | 0.6 | 7 |
| 250 | Psychrophiles as Sources for Bioinspiration in Biomineralization and Biological Materials Science. , 2017, , 1-51. | | 3 |
| 251 | Global Patterns in Marine Biodiversity. , 0, , 501-524. | | 3 |
| 252 | Extent of Assessment of Marine Biological Diversity. , 0, , 525-554. | | 0 |
| 253 | Seafloor Hot Chimneys and Cold Seeps. , 2017, , 307-375. | | 11 |
| 254 | Population genetic structure in Sabatieria (Nematoda) reveals intermediary gene flow and admixture between distant cold seeps from the Mediterranean Sea. BMC Evolutionary Biology, 2017, 17, 154. | 3.2 | 6 |
| 255 | Distributional Patterns of Polychaetes Across the West Antarctic Based on DNA Barcoding and Particle Tracking Analyses. Frontiers in Marine Science, 2017, 4, . | 1.2 | 16 |
| 256 | Abyssal Solenogastres (Mollusca, Aplacophora) from the Northwest Pacific: Scratching the Surface of Deep-Sea Diversity Using Integrative Taxonomy. Frontiers in Marine Science, 2017, 4, . | 1.2 | 9 |
| 257 | Primnoidae (Cnidaria: Octocorallia) of the SW Indian Ocean: new species, genus revisions and systematics. Zoological Journal of the Linnean Society, 2017, 181, 70-97. | 1.0 | 12 |
| 258 | Evaluating environmental drivers of spatial variability in free-living nematode assemblages along the Portuguese margin. Biogeosciences, 2017, 14, 651-669. | 1.3 | 11 |
| 259 | Bathymetric distribution pattern in Antarctic benthic hydroids. Polar Biology, 2018, 41, 1245-1255. | 0.5 | 2 |
| 261 | Hidden diversity in two species complexes of munnopsid isopods (Crustacea) at the transition between the northernmost North Atlantic and the Nordic Seas. Marine Biodiversity, 2018, 48, 813-843. | 0.3 | 29 |
| 262 | Key stages in the evolution of the Antarctic marine fauna. Journal of Biogeography, 2018, 45, 986-994. | 1.4 | 39 |
| 263 | Does the Mid-Atlantic Ridge affect the distribution of abyssal benthic crustaceans across the Atlantic Ocean?. Deep-Sea Research Part II: Topical Studies in Oceanography, 2018, 148, 91-104. | 0.6 | 37 |
| 264 | Combining bathymetry, latitude, and phylogeny to understand the distribution of deep Atlantic hydroids (Cnidaria). Deep-Sea Research Part I: Oceanographic Research Papers, 2018, 133, 39-48. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 265 | 200 years of marine research at Senckenberg: selected highlights. <i>Marine Biodiversity</i> , 2018, 48, 159-178. | 0.3 | 4 |
| 266 | First records of deep-sea Munnopsidae (Isopoda: Asellota) from the Kuril Basin of the Sea of Okhotsk, with description of <i>Gurjanopsis kurilensis</i> sp. nov.. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2018, 154, 275-291. | 0.6 | 16 |
| 267 | Biogeographic distributions of Cytheropteron species (Ostracoda) in Icelandic waters (sub-polar) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 | 0.3 | 11 |
| 268 | Desmosomatidae (Isopoda: Asellota) from the Kuril Basin of the Sea of Okhotsk: First data on diversity with the description of the dominant species <i>Mirabilicoxa biramosa</i> sp. nov.. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2018, 154, 292-307. | 0.6 | 7 |
| 269 | First record of the deep-sea isopod family Dendrotionidae (Isopoda: Asellota) from the Northwest Pacific with description of two new species of <i>Dendromunna</i> . <i>Marine Biodiversity</i> , 2018, 48, 531-544. | 0.3 | 11 |
| 270 | Comparative marine biodiversity and depth zonation in the Southern Ocean: evidence from a new large polychaete dataset from Scotia and Amundsen seas. <i>Marine Biodiversity</i> , 2018, 48, 581-601. | 0.3 | 19 |
| 271 | The effects of depth, distance, and the Mid-Atlantic Ridge on genetic differentiation of abyssal and hadal isopods (Macrostylidae). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2018, 148, 74-90. | 0.6 | 42 |
| 272 | Composition of abyssal macrofauna along the Vema Fracture Zone and the hadal Puerto Rico Trench, northern tropical Atlantic. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2018, 148, 35-44. | 0.6 | 27 |
| 273 | Understanding processes at the origin of species flocks with a focus on the marine <sc>Antarctic fauna. <i>Biological Reviews</i> , 2018, 93, 481-504. | 4.7 | 21 |
| 275 | Invertebrate diversity in the deep Great Australian Bight (200â€“5000Âm). <i>Marine Biodiversity Records</i> , 2018, 11, . | 1.2 | 18 |
| 276 | Diversity of Mesopelagic Fishes in the Southern Ocean - A Phylogeographic Perspective Using DNA Barcoding. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, . | 1.1 | 23 |
| 277 | A Multidisciplinary Approach for Generating Globally Consistent Data on Mesophotic, Deep-Pelagic, and Bathyal Biological Communities. <i>Oceanography</i> , 2018, 31, . | 0.5 | 36 |
| 278 | Isolation by Miniaturized Culture Chip of an Antarctic bacterium <i>Aequorivita</i> sp. with antimicrobial and anthelmintic activity. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2018, 20, e00281. | 2.1 | 11 |
| 279 | Targeted Isolation of Tsitsikammamines from the Antarctic Deep-Sea Sponge <i>Latrunculia biformis</i> by Molecular Networking and Anticancer Activity. <i>Marine Drugs</i> , 2018, 16, 268. | 2.2 | 42 |
| 280 | The role of diatom resting spores in pelagicâ€“benthic coupling in the Southern Ocean. <i>Biogeosciences</i> , 2018, 15, 3071-3084. | 1.3 | 13 |
| 281 | Biodiversity and biogeographic affiliation of Bryozoa from King George Island (Antarctica). <i>Systematics and Biodiversity</i> , 2018, 16, 576-586. | 0.5 | 2 |
| 282 | Synergistic antibacterial activity between penicillanols and antibiotics against methicillin-resistant <i>Staphylococcus aureus</i>. <i>Royal Society Open Science</i> , 2018, 5, 172466. | 1.1 | 6 |
| 283 | Diversity and distribution of peracarid crustaceans (Malacostraca) from the abyss adjacent to the Kuril-Kamchatka Trench. <i>Marine Biodiversity</i> , 2019, 49, 1343-1360. | 0.3 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 284 | Depth zonation of Northwest Pacific deep-sea macrofauna. <i>Progress in Oceanography</i> , 2019, 176, 102131. | 1.5 | 30 |
| 285 | Epifaunal communities across marine landscapes of the deep Chukchi Borderland (Pacific Arctic). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2019, 151, 103065. | 0.6 | 15 |
| 286 | Benthic foraminiferal DNA metabarcodes significantly vary along a gradient from abyssal to hadal depths and between each side of the Kuril-Kamchatka trench. <i>Progress in Oceanography</i> , 2019, 178, 102175. | 1.5 | 20 |
| 287 | A Chemometric Analysis of Deep-Sea Natural Products. <i>Molecules</i> , 2019, 24, 3942. | 1.7 | 17 |
| 288 | Antarctic food web architecture under varying dynamics of sea ice cover. <i>Scientific Reports</i> , 2019, 9, 12454. | 1.6 | 28 |
| 289 | Diversity and distribution of Ischnomesidae (Crustacea: Isopoda: Asellota) along the Kuril-Kamchatka Trench – A genetic perspective. <i>Progress in Oceanography</i> , 2019, 178, 102174. | 1.5 | 19 |
| 290 | Preliminary investigation on the structural, taxonomic and functional diversities of benthic communities at different areas in the West Antarctic Peninsula. <i>Polar Science</i> , 2019, 20, 100-106. | 0.5 | 1 |
| 291 | North Atlantic Gateway: Test bed of deep-sea macroecological patterns. <i>Journal of Biogeography</i> , 2019, 46, 2056-2066. | 1.4 | 22 |
| 292 | Observations and models to support the first Marine Ecosystem Assessment for the Southern Ocean (MEASO). <i>Journal of Marine Systems</i> , 2019, 197, 103182. | 0.9 | 24 |
| 293 | Distribution of foraminifera from South Shetland Islands (Antarctic): Ecology and taphonomy. <i>Regional Studies in Marine Science</i> , 2019, 29, 100653. | 0.4 | 2 |
| 294 | Fauna of the Kemp Caldera and its upper bathyal hydrothermal vents (South Sandwich Arc). <i>Journal of Marine Research</i> , 2019, 77, 342-352. | 1.1 | 15 |
| 295 | Biodiversity and distribution of meiofauna in the Gioia, Petrace and Dohrn Canyons (Tyrrhenian Sea). <i>Progress in Oceanography</i> , 2019, 171, 162-174. | 1.5 | 7 |
| 296 | Can we generate robust species distribution models at the scale of the Southern Ocean?. <i>Diversity and Distributions</i> , 2019, 25, 21-37. | 1.9 | 14 |
| 297 | Seafloor geomorphology – coast, shelf, and abyss. , 2020, , 115-160. | | 2 |
| 298 | Epibenthic sled versus giant box corer – Comparison of sampling gears for tanaidacean species richness assessment in the abyssal benthic ecosystem. <i>Progress in Oceanography</i> , 2020, 181, 102255. | 1.5 | 18 |
| 299 | Unrecognized diversity of a scale worm, <i>Polyeunoa laevis</i> (Annelida: Polynoidae), that feeds on soft coral. <i>Zoologica Scripta</i> , 2020, 49, 236-249. | 0.7 | 4 |
| 300 | High Abundances of Microplastic Pollution in Deep-Sea Sediments: Evidence from Antarctica and the Southern Ocean. <i>Environmental Science & Technology</i> , 2020, 54, 13661-13671. | 4.6 | 152 |
| 301 | Diversity and composition of benthic asellote Isopoda from two different New Zealand continental margin habitats - implications of habitat heterogeneity, productivity and depth. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2020, 165, 103368. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 302 | Abundance and Distributional Patterns of Benthic Peracarid Crustaceans From the Atlantic Sector of the Southern Ocean and Weddell Sea. <i>Frontiers in Marine Science</i> , 2020, 7, . | 1.2 | 7 |
| 303 | Fauna associated with morphologically distinct macroalgae from Admiralty Bay, King George Island (Antarctica). <i>Polar Biology</i> , 2020, 43, 1535-1547. | 0.5 | 4 |
| 304 | Foraminifer and Ostracod Occurrence in a Cool-Water Carbonate Factory of the Cape Adare (Ross) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Geosciences (Switzerland), 2020, 10, 413. | 1.0 | 9 |
| 305 | Thermal and oxygen conditions during development cause common rough woodlice (Porcellio) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10 Tf 50 | 1.1 | 8 |
| 306 | Discovery of widely available abyssal rock patches reveals overlooked habitat type and prompts rethinking deep-sea biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15450-15459. | 3.3 | 30 |
| 307 | Biogeography and community structure of abyssal scavenging Amphipoda (Crustacea) in the Pacific Ocean. <i>Biogeosciences</i> , 2020, 17, 2731-2744. | 1.3 | 13 |
| 308 | Diversity hotspot and unique community structure of foraminifera in the world's deepest marine blue hole " Sansha Yongle Blue Hole. <i>Scientific Reports</i> , 2020, 10, 10257. | 1.6 | 14 |
| 309 | Molecular diversity and spatial distribution of benthic foraminifera of the seamounts and adjacent abyssal plains in the tropical Western Pacific Ocean. <i>Marine Micropaleontology</i> , 2020, 156, 101850. | 0.5 | 10 |
| 310 | Munnopsidae (Crustacea, Isopoda, Asellota) from the Kuril-Kamchatka Trench with a regional and inter-ocean comparison of their biogeographic and richness patterns. <i>Progress in Oceanography</i> , 2020, 183, 102289. | 1.5 | 12 |
| 311 | Benthic ecoregionalization based on echinoid fauna of the Southern Ocean supports current proposals of Antarctic Marine Protected Areas under IPCC scenarios of climate change. <i>Global Change Biology</i> , 2020, 26, 2161-2180. | 4.2 | 14 |
| 312 | Early Cenozoic evolution of the latitudinal diversity gradient. <i>Earth-Science Reviews</i> , 2020, 202, 103090. | 4.0 | 19 |
| 313 | Marine latitudinal diversity gradients, niche conservatism and out of the tropics and Arctic: Climatic sensitivity of small organisms. <i>Journal of Biogeography</i> , 2020, 47, 817-828. | 1.4 | 16 |
| 314 | Gradual and rapid shifts in the composition of assemblages of hydroids (Cnidaria) along depth and latitude in the deep Atlantic Ocean. <i>Journal of Biogeography</i> , 2020, 47, 1541-1551. | 1.4 | 5 |
| 315 | Taxonomy 2.0: computer-aided identification tools to assist Antarctic biologists in the field and in the laboratory. <i>Antarctic Science</i> , 2021, 33, 39-51. | 0.5 | 10 |
| 316 | Macroecology of Southern Ocean benthic Ostracoda (Crustacea) from the continental margin and abyss. <i>Zoological Journal of the Linnean Society</i> , 2022, 194, 226-255. | 1.0 | 4 |
| 317 | A Review and Meta-Analysis of Potential Impacts of Ocean Acidification on Marine Calcifiers From the Southern Ocean. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 75 |
| 318 | Species boundaries and phylogeographic patterns in new species of <i>Nannoniscus</i> (Janiroidea) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Zoological Journal of the Linnean Society, 2021, 193, 1020-1071. | 1.0 | 9 |
| 319 | Planning marine protected areas under the CCAMLR regime " The case of the Weddell Sea (Antarctica). <i>Marine Policy</i> , 2021, 124, 104370. | 1.5 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 320 | Deep-Sea Anemones (Cnidaria: Anthozoa: Actiniaria) from the South Atlantic. <i>Bulletin of the American Museum of Natural History</i> , 2021, 444, . | 1.2 | 1 |
| 322 | Ross Sea Benthic Ecosystems: Macro- and Mega-faunal Community Patterns From a Multi-environment Survey. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 10 |
| 323 | An approach using ddRADseq and machine learning for understanding speciation in Antarctic Antarctophilinidae gastropods. <i>Scientific Reports</i> , 2021, 11, 8473. | 1.6 | 8 |
| 324 | Responses of Southern Ocean Seafloor Habitats and Communities to Global and Local Drivers of Change. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 23 |
| 325 | Phylogenomic Species Delimitation Dramatically Reduces Species Diversity in an Antarctic Adaptive Radiation. <i>Systematic Biology</i> , 2021, 71, 58-77. | 2.7 | 20 |
| 326 | Ecogenomics and Adaptation Strategies of Southern Ocean Viral Communities. <i>MSystems</i> , 2021, 6, e0039621. | 1.7 | 11 |
| 327 | Biogeography, diversity and environmental relationships of shelf and deep-sea benthic Amphipoda around Iceland. <i>PeerJ</i> , 2021, 9, e11898. | 0.9 | 7 |
| 328 | Facilitating population genomics of non-model organisms through optimized experimental design for reduced representation sequencing. <i>BMC Genomics</i> , 2021, 22, 625. | 1.2 | 6 |
| 329 | Deep seabed mining and communities: A transdisciplinary approach to ecological risk assessment in the South Pacific. <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 664-673. | 1.6 | 2 |
| 330 | Drivers of abundance and spatial distribution in Southern Ocean peracarid crustacea. <i>Ecological Indicators</i> , 2021, 128, 107832. | 2.6 | 4 |
| 331 | In-situ Image Analysis of Habitat Heterogeneity and Benthic Biodiversity in the Prince Gustav Channel, Eastern Antarctic Peninsula. <i>Frontiers in Marine Science</i> , 2021, 8, . | 1.2 | 9 |
| 332 | From Ice to Penguins: The Role of Mathematics in Antarctic Research. <i>CIM Series in Mathematical Sciences</i> , 2015, , 389-414. | 0.4 | 4 |
| 333 | Sponge Grounds as Key Marine Habitats: A Synthetic Review of Types, Structure, Functional Roles, and Conservation Concerns. , 2015, , 1-39. | | 52 |
| 334 | Connecting Biodiversity Data During the IPY: The Path Towards e-Polar Science. <i>From Pole To Pole</i> , 2013, , 21-32. | 0.1 | 4 |
| 335 | The TUNU-Programme: Euro-Arctic Marine Fishesâ€™ Diversity and Adaptation. , 2012, , 35-50. | | 55 |
| 336 | Antarctic Marine Living Resources: â€˜The Future is not What it Used to beâ€™™. , 2014, , 61-95. | | 3 |
| 337 | An Overview on Bathyal Soft-Bottoms Megabenthos Off Mauritania. , 2017, , 277-315. | | 1 |
| 338 | Climatic forcing of quaternary deep-sea benthic communities in the North Pacific Ocean. <i>Paleobiology</i> , 2012, 38, 162-179. | 1.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 341 | First genetic data for species of the genus <i>Haploniscus</i> Richardson, 1908 (Isopoda: Asellota): Tj ETQq0 0 0 rgBT /Overlock 10, Tf 50 742 | 0.2 | 39 |
| 342 | Large-Scale Spatial Distribution Patterns of Echinoderms in Nearshore Rocky Habitats. <i>PLoS ONE</i> , 2010, 5, e13845. | 1.1 | 49 |
| 343 | Global Diversity of Marine Isopods (Except Asellota and Crustacean Symbionts). <i>PLoS ONE</i> , 2012, 7, e43529. | 1.1 | 109 |
| 344 | Genetic and Morphological Divergences in the Cosmopolitan Deep-Sea Amphipod <i>Eurythenes gryllus</i> Reveal a Diverse Abyss and a Bipolar Species. <i>PLoS ONE</i> , 2013, 8, e74218. | 1.1 | 120 |
| 345 | A Species Flock Driven by Predation? Secondary Metabolites Support Diversification of Slugs in Antarctica. <i>PLoS ONE</i> , 2013, 8, e80277. | 1.1 | 76 |
| 346 | Different Oceanographic Regimes in the Vicinity of the Antarctic Peninsula Reflected in Benthic Nematode Communities. <i>PLoS ONE</i> , 2015, 10, e0137527. | 1.1 | 19 |
| 347 | Southern Ocean deep-sea biodiversity: sampling strategies and predicting responses to climate change. <i>Climate Research</i> , 2008, 37, 165-179. | 0.4 | 27 |
| 348 | Ectosymbiosis is a critical factor in the local benthic biodiversity of the Antarctic deep sea. <i>Marine Ecology - Progress Series</i> , 2008, 364, 67-76. | 0.9 | 25 |
| 349 | Polychaete species diversity on the West Antarctic Peninsula deep continental shelf. <i>Marine Ecology - Progress Series</i> , 2011, 428, 119-134. | 0.9 | 15 |
| 350 | Adaptive radiation at a low taxonomic level: Divergence in buoyancy of the ecologically similar Antarctic fish <i>Notothenia coriiceps</i> and <i>N. rossii</i> . <i>Marine Ecology - Progress Series</i> , 2011, 438, 195-206. | 0.9 | 20 |
| 351 | Ecological functioning of mudflats: global analysis reveals both regional differences and widespread conservation of functioning. <i>Marine Ecology - Progress Series</i> , 2018, 604, 1-20. | 0.9 | 33 |
| 352 | Global biogeography of marine amphipod crustaceans: latitude, regionalization, and beta diversity. <i>Marine Ecology - Progress Series</i> , 2020, 638, 83-94. | 0.9 | 18 |
| 353 | Suprabenthic fauna from the Bellingshausen Sea and western Antarctic Peninsula: spatial distribution and community structure. <i>Scientia Marina</i> , 2009, 73, 357-368. | 0.3 | 17 |
| 356 | An integrated compilation of data sources for the development of a marine protected area in the Weddell Sea. <i>Earth System Science Data</i> , 2020, 12, 1003-1023. | 3.7 | 18 |
| 357 | Sustainable Management in the Southern Ocean: CCAMLR Science. , 2011, , 103-121. | | 15 |
| 358 | A bathypelagic ostracod <i>Conchoecissa nigromaculatus</i> sp. nov. (Mydocopa, Halocyprididae) from the South China Sea. <i>PeerJ</i> , 2018, 6, e5557. | 0.9 | 1 |
| 359 | <i>Macrostylis metallicola</i> spec. nov. "an isopod with geographically clustered genetic variability from a polymetallic-nodule area in the Clarion-Clipperton Fracture Zone. <i>PeerJ</i> , 2020, 8, e8621. | 0.9 | 12 |
| 360 | <i>Pseudotanais</i> sp. nov. (Crustacea: Peracarida) from the Southern Ocean: diversity and bathymetric pattern. , 2021, 88, 994-1070. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Evolution and phylogeny of the deep-sea isopod families Desmosomatidae Sars, 1897 and Nannoniscidae Hansen, 1916 (Isopoda: Asellota). <i>Organisms Diversity and Evolution</i> , 2021, , 1-27. | 0.7 | 7 |
| 362 | Cenozoic climatic changes drive evolution and dispersal of coastal benthic foraminifera in the Southern Ocean. <i>Scientific Reports</i> , 2021, 11, 19869. | 1.6 | 8 |
| 363 | Accretion and Shifts of the Levels of O ₂ and CO ₂ in the Biosphere. , 2011, , 1-29. | | 0 |
| 364 | Functional Designs of the Gas Exchangers. , 2011, , 141-221. | | 1 |
| 365 | Southern Ocean Deep-Sea Isopod Biodiversity Research: From Census to Ecosystem Functioning. , 2012, , 21-34. | | 0 |
| 366 | Yet Another, But This Time Realistic, Polar Synthesis, Meta-Analysis, and Outlook: Protecting Ice, Snow, People, Species, Habitats, and Global Temperatures for Good?. , 2012, , 265-330. | | 2 |
| 367 | Cytotoxic Activity of Antarctic Benthic Organisms Against the Common Sea Urchin <i>Sterechinus neumayeri</i> . <i>Oceanography Open Access</i> , 2013, 01, . | 0.1 | 2 |
| 368 | Ökosystem und Biodiversität. , 2014, , 147-174. | | 0 |
| 369 | Meiobenthos of the Sub-equatorial North-Eastern Pacific Abyssal Seafloor: A Synopsis. <i>SpringerBriefs in Earth System Sciences</i> , 2014, , 29-65. | 0.0 | 1 |
| 371 | Deep-Sea Suprabenthic Communities: The Forgotten Biodiversity. , 2016, , 1-29. | | 3 |
| 372 | Trophic ecology of three echinoderms in deep waters of the Weddell Sea (Antarctica). <i>Marine Ecology - Progress Series</i> , 2018, 596, 143-153. | 0.9 | 5 |
| 373 | A retrospective analysis of scientific publications on the deep sea from 1987 to 2016. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180414. | 0.3 | 0 |
| 374 | Connected across the ocean: taxonomy and biogeography of deep-water Nudibranchia from the Northwest Pacific reveal trans-Pacific links and two undescribed species. <i>Organisms Diversity and Evolution</i> , 2021, 21, 753-782. | 0.7 | 6 |
| 375 | Chemical War in Marine Animal Forests: Natural Products and Chemical Interactions. , 2020, , 239-307. | | 0 |
| 376 | Ökosystem und Biodiversität. , 2014, , 147-174. | | 0 |
| 377 | Diversity of Antarctic Echinoids and Ecoregions of the Southern Ocean. <i>Biology Bulletin</i> , 2020, 47, 683-698. | 0.1 | 0 |
| 378 | Octopuses and drilling snails as the main suspects of predation traces on shelled molluscs in West Antarctica. <i>Polar Biology</i> , 2022, 45, 127-141. | 0.5 | 3 |
| 379 | Ostracods in databases: State of the art, mobilization and future applications. <i>Marine Micropaleontology</i> , 2022, 174, 102094. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 380 | New Opportunities and Untapped Scientific Potential in the Abyssal Ocean. <i>Frontiers in Marine Science</i> , 2022, 8, . | 1.2 | 3 |
| 381 | A Hidden Diversity in the Atlantic and the SE Pacific: Hamatipedidae n. fam. (Crustacea: Tanaidacea). <i>Frontiers in Marine Science</i> , 2022, 8, . | 1.2 | 4 |
| 382 | Diversity of Pacific Agathotanaeis (Peracarida: Tanaidacea). <i>Frontiers in Marine Science</i> , 2022, 8, . | 1.2 | 3 |
| 383 | Megabenthos habitats influenced by nearby hydrothermal activity on the Sandwich Plate, Southern Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2022, 198, 105075. | 0.6 | 2 |
| 384 | The Environmental Drivers of Benthic Fauna Diversity and Community Composition. <i>Frontiers in Marine Science</i> , 2022, 9, . | 1.2 | 12 |
| 391 | The role of continental shelf bathymetry in shaping marine range shifts in the face of climate change. <i>Global Change Biology</i> , 2022, 28, 5185-5199. | 4.2 | 9 |
| 392 | The <i>Eurycope producta</i> Sars, 1868 Species Complex (Isopoda, Munnopsidae) at the Transition of the Northern North Atlantic and the Nordic Seas—Including Descriptions of Six New Species and a Key. <i>Diversity</i> , 2022, 14, 545. | 0.7 | 0 |
| 393 | Origin, diversity, and biogeography of Antarctic scale worms (Polychaeta: Polynoidae): a wide-scale barcoding approach. <i>Ecology and Evolution</i> , 2022, 12, . | 0.8 | 1 |
| 394 | Recent Ostracod Fauna of the Western Ross Sea (Antarctica): A Poorly Known Ingredient of Polar Carbonate Factories. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 937. | 0.8 | 2 |
| 395 | Evolutionary time and species diversity in aquatic ecosystems worldwide. <i>Biological Reviews</i> , 0, , . | 4.7 | 3 |
| 396 | Editorial: Recent and emerging innovations in deep-sea taxonomy to enhance biodiversity assessment and conservation. <i>Frontiers in Marine Science</i> , 0, 9, . | 1.2 | 1 |
| 397 | Relationship between Modern Deep-Sea Ostracods and Water Mass Structure in East Antarctica. <i>Paleontological Research</i> , 2022, 27, . | 0.5 | 0 |
| 398 | Deep-sea abyssal fauna of polymetallic nodule exploration areas, eastern Clarion-Clipperton Zone, central Pacific Ocean: Amphinomidae and Euphosinidae (Annelida, Amphinomida). <i>ZooKeys</i> , 0, 1137, 33-74. | 0.5 | 6 |
| 399 | Current concept of marine protected areas in Russia and in the world. <i>Hydrosphere Ecology</i> (2022), 0, 27-36. | 0.2 | 0 |
| 400 | Ostracod and Foraminifer Responses to Late Pleistocene–Holocene Volcanic Activity in Northern Victoria Land as Recorded in Ross Sea (Antarctica) Marine Sediments. <i>Geosciences (Switzerland)</i> , 2023, 13, 35. | 1.0 | 0 |
| 401 | Macrofauna-sized foraminifera in epibenthic sledge samples from five areas in the eastern Clarion-Clipperton Zone (equatorial Pacific). <i>Frontiers in Marine Science</i> , 0, 9, . | 1.2 | 4 |
| 402 | Late Cenozoic evolution of the latitudinal diversity gradient. <i>Journal of Biogeography</i> , 2023, 50, 1213-1220. | 1.4 | 2 |
| 413 | Bioinspired soft robots for deep-sea exploration. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 417 | Diversity hotspots on the benthosâ€”Case studies highlight hidden treasures. , 2024, , 131-168. | | 0 |