

CITATION REPORT

List of articles citing

The Contribution of Headwater Streams to Biodiversity in River Networks¹

DOI: 10.1111/j.1752-1688.2007.00008.x

Journal of the American Water Resources Association,
2007, 43, 86-103.

Source: <https://exaly.com/paper-pdf/42824666/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
492	Hydrological Connectivity of Headwaters to Downstream Waters: Introduction to the Featured Collection. <i>Journal of the American Water Resources Association</i> , 2007 , 43, 1-4	2.1	32
491	Hydrologic Connectivity and the Contribution of Stream Headwaters to Ecological Integrity at Regional Scales ¹ . <i>Journal of the American Water Resources Association</i> , 2007 , 43, 5-14	2.1	344
490	Ecological Linkages Between Headwaters and Downstream Ecosystems: Transport of Organic Matter, Invertebrates, and Wood Down Headwater Channels ¹ . <i>Journal of the American Water Resources Association</i> , 2007 , 43, 72-85	2.1	195
489	Hydrological Connectivity Between Headwater Streams and Downstream Waters: How Science Can Inform Policy ¹ . <i>Journal of the American Water Resources Association</i> , 2007 , 43, 118-133	2.1	185
488	Population genetic structure reveals terrestrial affinities for a headwater stream insect. 2007 , 52, 1881-1897		83
487	Integrating probabilistic and targeted compliance monitoring for comprehensive watershed assessment. 2008 , 144, 117-29		6
486	Critical influence of seasonal sampling on the ecological quality assessment of small headwater streams. 2008 , 610, 245-255		21
485	Aqua Incognita: the unknown headwaters. 2008 , 22, 1239-1242		213
484	Diversity and functions of leaf-decaying fungi in human-altered streams. 2008 , 53, 1658-1672		73
483	Macroinvertebrate diversity in headwater streams: a review. 2008 , 53, 1707-1721		290
482	Comparison of insect communities between adjacent headwater and main-stem streams in urban and rural watersheds. 2008 , 27, 161-175		34
481	A catchment-scale model of mountain stream channel morphologies in southeast Australia. 2008 , 95, 119-144		14
480	Non-navigable streams and adjacent wetlands: addressing science needs following the Supreme Court's Rapanos decision. 2008 , 6, 364-371		97
479	Disappearing headwaters: patterns of stream burial due to urbanization. 2008 , 6, 308-312		209
478	Comparison of the macroinvertebrate communities of seepage and lake-fed headwater streams. 2009 , 30, 685-689		
477	Urbanization affects the extent and hydrologic permanence of headwater streams in a midwestern US metropolitan area. 2009 , 28, 911-928		85
476	Effects of Hydrologic Alterations on the Ecological Quality of River Ecosystems. 2009 , 15-39		23

475	A top-down approach to characterise aquifer-river interaction processes. <i>Journal of Hydrology</i> , 2009 , 365, 145-155	6	34
474	Influence of mapping resolution on assessments of stream and streamside conditions: lessons from coastal Oregon, USA. 2009 , 19, 252-263		5
473	Collection strategies for quantifying protist assemblages in temperate headwater streams. 2009 , 630, 115-126		1
472	Potential impacts of global climate change on the hydrology and ecology of ephemeral freshwater systems of the forests of the northeastern United States. 2009 , 95, 469-483		143
471	Response of secondary production by macroinvertebrates to large wood addition in three Michigan streams. 2009 , 54, 1741-1758		45
470	Stream amphibians as metrics of critical biological thresholds in the Pacific Northwest, U.S.A.: a response to Kroll et al.. 2009 , 54, 2374-2382		1
469	Forecasting the combined effects of urbanization and climate change on stream ecosystems: from impacts to management options. 2009 , 46, 154-163		117
468	Demographic stability metrics for conservation prioritization of isolated populations. 2009 , 23, 1185-94		17
467	The ecology, restoration, and management of southeastern floodplain ecosystems: A synthesis. <i>Wetlands</i> , 2009 , 29, 624-634	1.7	31
466	Ecology and Role of Headwater Streams. 2009 , 357-365		1
465	Springs. 2009 , 734-755		32
464	Benthic Invertebrate Fauna, Small Streams. 2009 , 173-190		12
463	Dispersal by terrestrial stages of stream insects in urban watersheds: a synthesis of current knowledge. 2009 , 28, 1022-1037		58
462	Imperiled crayfishes use hyporheic zone during seasonal drying of an intermittent stream. 2009 , 28, 142-152		44
461	Hydrology of channelized and natural headwater streams / Hydrologie de cours d'eau recalibrés et naturels de tête de bassin. 2009 , 54, 929-948		22
460	Biodiversity of Aquatic Insects: Spatial Gradients and Environmental Correlates of Assemblage-Level Measures at Large Scales. 2009 , 2, 1-29		91
459	Redefining the Dam Removal Paradigm in Formerly Glaciated Forested Headwater Systems. 2010 ,		
458	Lateral input of particulate organic matter from bank slopes surpasses direct litter fall in the uppermost reaches of a headwater stream in Hokkaido, Japan. 2010 , 11, 77-84		13

457	Connectivity and Jurisdictional Issues for Rocky Mountains and Great Plains Aquatic Resources. <i>Wetlands</i> , 2010 , 30, 865-877	1.7	7
456	Effects of hydromorphological integrity on biodiversity and functioning of river ecosystems. 2010 , 657, 199-215		141
455	Can the distribution of headwater stream chemistry be predicted from downstream observations?. 2010 , 24, 2269-2276		19
454	Terrestrial reserve networks do not adequately represent aquatic ecosystems. 2010 , 24, 1002-11		86
453	Ecoregion and land-use influence invertebrate and detritus transport from headwater streams. 2010 , 55, 1205-1218		11
452	Inter-regional comparison of land-use effects on stream metabolism. 2010 , 55, 1874-1890		227
451	Dendritic network structure constrains metacommunity properties in riverine ecosystems. 2010 , 79, 571-80		323
450	Changes in the structure of fish assemblages in streams along an undisturbed-impacted gradient, upper Paran River basin, Central Brazil. 2010 , 8, 587-598		22
449	Science and regulation. Mountaintop mining consequences. 2010 , 327, 148-9		399
448	Habitat Use by Fishes in Groundwater-Dependent Streams of Southern Oklahoma. <i>American Midland Naturalist</i> , 2010 , 164, 201-216	0.7	7
447	The River Discontinuum: Applying Beaver Modifications to Baseline Conditions for Restoration of Forested Headwaters. 2010 , 60, 908-922		108
446	Forest clearance increases metabolism and organic matter processes in small headwater streams. 2010 , 29, 546-561		30
445	Before and after the deluge: rain-on-snow flooding effects on aquatic invertebrate communities of small streams in the Sierra Nevada, California. 2010 , 29, 1354-1366		20
444	A spatial autocorrelative model for targeting stream restoration to benefit sensitive nongame fishes. 2010 , 67, 165-176		10
443	Literature Citations. 2010 , 1022-1194		
442	A Multi-Taxa Biological Survey of Passage Creek, Virginia. 2011 , 18, 357-369		1
441	Comparison of Macroinvertebrate Diversity and Community Structure among Perennial and Non-Perennial Headwater Streams. 2011 , 18, 7-26		18
440	Examining spatial concordance of genetic and species diversity patterns to evaluate the role of dispersal limitation in structuring headwater metacommunities. 2011 , 30, 273-283		43

439	Small but mighty: headwaters are vital to stream network biodiversity at two levels of organization. 2011 , 30, 963-980		178
438	River networks as biodiversity hotlines. 2011 , 334, 420-34		19
437	Characteristics of small headwater wetlands in second-growth forests of Washington, USA. 2011 , 261, 1265-1274		6
436	A multiple watershed field test of hydrogeomorphic functional assessment of headwater streams. Variability in field measurements between independent teams. <i>Ecological Indicators</i> , 2011 , 11, 1472-1475	5.8	7
435	Incubation time, functional litter diversity, and habitat characteristics predict litter-mixing effects on decomposition. 2011 , 92, 160-9		122
434	Metacommunity theory as a multispecies, multiscale framework for studying the influence of river network structure on riverine communities and ecosystems. 2011 , 30, 310-327		163
433	Design guidelines for integrating amphibian habitat into golf course landscapes. 2011 , 103, 156-165		3
432	Ephemeral stream sensor design using state loggers. 2011 , 15, 1009-1021		20
431	Application of species distribution models and conservation planning software to the design of a reserve network for the riverine fishes of northeastern Mesoamerica. 2011 , 56, 71-88		60
430	Loss of genetic diversity in the North American mayfly <i>Ephemerella invaria</i> associated with deforestation of headwater streams. 2011 , 56, 1456-1467		13
429	Biophysical-Regulatory Classification and Profiling of Streams Across Management Units and Ecoregions1. <i>Journal of the American Water Resources Association</i> , 2011 , 47, 386-407	2.1	14
428	Physicochemical habitat association of a native and a non-native crayfish in the lower Flint river, Georgia: implications for invasion success. 2011 , 13, 499-511		15
427	Science and policy integration issues for stream and wetland jurisdictional determinations in a semi-arid region of the western U.S.. 2011 , 19, 351-371		10
426	Influence of flow permanence on headwater macroinvertebrate communities in a Cumberland Plateau watershed, USA. 2011 , 45, 185-195		16
425	Urban ecological systems: scientific foundations and a decade of progress. 2011 , 92, 331-62		601
424	Biodiversity values of small headwater streams in contrasting land uses in the Auckland region. 2011 , 45, 231-248		5
423	Catchment topography and wetland geomorphology drive macroinvertebrate community structure and juvenile salmonid distributions in south-central Alaska headwater streams. 2012 , 31, 341-364		17
422	Topographic Controls on Deep Groundwater Contributions to Mountain Headwater Streams and Sensitivity to Available Recharge. 2012 , 37, 349-371		26

421	The effects of human land use on flow regime and water chemistry of headwater streams in the highlands of Chiapas. 2012 , 09		7
420	Geomorphologic-Ecological Relationships Highly Variable between Headwater and Network Mountain Streams of Northern Idaho, United States1. <i>Journal of the American Water Resources Association</i> , 2012 , 48, 1221-1232	2.1	8
419	The influence of mesoscale habitat conditions on the macroinvertebrate composition of springs in a geologically homogeneous area. 2012 , 31, 668-679		15
418	Effects of Turbidity and Visual vs. Chemical Cues on Anti-Predator Response in the Endangered Fountain Darter (<i>Etheostoma fonticola</i>). 2012 , 118, 994-1000		19
417	The tragedy of the threshold: revising perceptions for aquatic conservation. 2012 , 22, 705-711		6
416	Bryophyte response to forest canopy treatments within the riparian zone of high-elevation small streams. 2012 , 42, 141-156		11
415	Structure and function of large wood in Ozark headwater streams and its relationship to fish community structure. 2012 , 27, 335-349		1
414	An expanded role for river networks. 2012 , 5, 678-679		120
413	River bed carbon and nitrogen cycling: state of play and some new directions. 2012 , 434, 143-58		81
412	The effects of local and regional environmental factors on the structure of fish assemblages in the Pirapó Basin, Southern Brazil. 2012 , 105, 336-344		40
411	Habitat associations of a semi-arid fish community in a karst spring-fed stream. 2012 , 76, 72-79		18
410	Crenic habitats, hotspots for freshwater biodiversity conservation: toward an understanding of their ecology. 2012 , 31, 463-480		142
409	Modeling Critical Forest Habitat in the Southern Coal Fields of West Virginia. 2012 , 2012, 1-10		10
408	Water quality characteristics of discharge from reforested loose-dumped mine spoil in eastern Kentucky. 2012 , 41, 454-68		38
407	Effects of abiotic variables on the distribution of fish assemblages in streams with different anthropogenic activities in southern Brazil. 2012 , 10, 643-652		22
406	Bacterial community dynamics in the hyporheic zone of an intermittent stream. 2012 , 6, 1078-88		72
405	Drivers and stressors of freshwater biodiversity patterns across different ecosystems and scales: a review. 2012 , 696, 1-28		147
404	Landscape and Wetland Influences on Headwater Stream Chemistry in the Kenai Lowlands, Alaska. <i>Wetlands</i> , 2012 , 32, 301-310	1.7	21

403	Multiple Scales of Influence on Wetland Vegetation Associated with Headwater Streams in Alaska, USA. <i>Wetlands</i> , 2012 , 32, 411-422	1.7	10
402	Improving the effectiveness of riparian management for aquatic invertebrates in a degraded agricultural landscape: stream size and land-use legacies. 2012 , 49, 213-222		39
401	Response of stream-breeding salamander larvae to sediment deposition in southern Appalachian (U.S.A.) headwater streams. 2012 , 57, 1535-1544		11
400	Determining vulnerability of stream communities to climate change at the landscape scale. 2012 , 57, 1689-1701		27
399	A Regional-Scale Habitat Suitability Model to Assess the Effects of Flow Reduction on Fish Assemblages in Michigan Streams1. <i>Journal of the American Water Resources Association</i> , 2012 , 48, 871-895	2.1	41
398	Consequences of variations in magnitude and duration of an instream environmental flow threshold across a longitudinal gradient. <i>Journal of Hydrology</i> , 2012 , 420-421, 17-24	6	7
397	Biodiversity loss in Appalachian headwater streams (Kentucky, USA): Plecoptera and Trichoptera communities. 2012 , 679, 97-117		49
396	Refining a kick sampling strategy for the bioassessment of benthic macroinvertebrates in headwater streams. 2012 , 683, 53-68		11
395	Distribution of amphipods (<i>Gammarus nipponensis</i> Ueno) among mountain headwater streams with different legacies of debris flow occurrence. <i>Ecohydrology</i> , 2013 , 6, 117-124	2.5	5
394	SPATIAL PATTERN, DENSITY AND CHARACTERISTICS OF LARGE WOOD IN CONNECTICUT STREAMS: IMPLICATIONS FOR STREAM RESTORATION PRIORITIES IN SOUTHERN NEW ENGLAND. 2013 , 29, 161-171		4
393	Aquatic insect assemblages associated with subalpine stream segment types in relict glaciated headwaters. 2013 , 6, 422-434		8
392	Effects of riparian land use on water quality and fish communities in the headwater stream of the Taizi River in China. 2013 , 7, 699-708		26
391	Streams and Their Valleys. 2013 , 265-276		
390	Relationships between macroinvertebrate communities and land use types within different riparian widths in three headwater streams of Taizi River, China. 2013 , 28, 307-328		17
389	Microdistributional Variability of Larval Caddisflies in Mediterranean-Climate Streams in Northern California. 2013 , 73, 261-269		4
388	Fish Passage through Culverts in Central Michigan Warmwater Streams. 2013 , 33, 652-664		25
387	Estimating reference nutrient criteria for Maryland ecoregions. 2013 , 185, 2123-37		6
386	Drivers of beta diversity of macroinvertebrate communities in tropical forest streams. 2013 , 58, 1126-1137		60

385	A catchment scale evaluation of multiple stressor effects in headwater streams. 2013 , 442, 420-31		43
384	Buried streams: Uncovering a potential threat to aquatic ecosystems. 2013 , 114, 37-41		20
383	Effects of mountaintop mining on fish distributions in central Appalachia. 2013 , 22, 578-586		13
382	Leaf litter decomposition of native and introduced tree species of contrasting quality in headwater streams: how does the regional setting matter?. 2013 , 458-460, 197-208		29
381	Effects of habitat size and isolation on species immigration-extinction dynamics and community nestedness in a desert river system. 2013 , 58, 1303-1312		38
380	Invertebrate communities of groundwater-dependent refugia with varying hydrology and riparian cover during a suprasedasonal drought. 2013 , 28, 251-270		4
379	Headwaters are critical reservoirs of microbial diversity for fluvial networks. 2013 , 280, 20131760		122
378	Spatial Considerations in Wet and Dry Periods for Phosphorus in Streams of the Fort Cobb Watershed, United States. <i>Journal of the American Water Resources Association</i> , 2013 , 49, 908-922	2.1	7
377	Nonlinear variation of stream-forest linkage along a stream-size gradient: an assessment using biogeochemical proxies of in-stream fine particulate organic matter. 2013 , 50, 1019-1027		12
376	Abrupt biological discontinuity in a small Michigan (USA) stream due to historical riparian canopy loss. 2013 , 28, 293-306		10
375	Regionalization of patterns of flow intermittence from gauging station records. 2013 , 17, 2685-2699		81
374	Environmental and Anthropogenic Factors Influencing Salamanders in Riparian Forests: A Review. 2014 , 5, 2679-2702		13
373	Conservation genetics of cyprinid fishes in the upper Nueces River basin in central Texas. <i>Southwestern Naturalist</i> , 2014 , 59, 1-8	0.3	4
372	Springs. 2014 ,		13
371	Using rarity to infer how dendritic network structure shapes biodiversity in riverine communities. 2014 , 37, 993-1001		23
370	Rebalancing the philosophy of river conservation. 2014 , 24, 147-152		34
369	Seasonal changes in the critical thermal maxima of four species of aquatic insects (Ephemeroptera, Trichoptera). 2014 , 43, 1059-66		9
368	Improving the predictive power of spatial statistical models of stream macroinvertebrates using weighted autocovariance functions. 2014 , 60, 320-330		27

367	Contrasting effects of nutrients and climate on algal communities in two lakes in the Windermere catchment since the late 19th century. 2014 , 59, 2605-2620		16
366	Modeling low-flow bedrock springs providing ecological habitats with climate change scenarios. <i>Journal of Hydrology</i> , 2014 , 515, 16-28	6	18
365	Fish assemblages in forest drainage ditches: Degraded small streams or novel habitats?. 2014 , 46, 37-44		6
364	Headwater biodiversity among different levels of stream habitat hierarchy. 2014 , 23, 63-80		7
363	Evaluating shallow flow-system response to climate change through analysis of spring deposits in southwestern Wisconsin, USA. 2014 , 22, 851-863		1
362	Investigation of biogeochemical functional proxies in headwater streams across a range of channel and catchment alterations. 2014 , 53, 534-48		4
361	Simulating the saturation threshold of a water environment's response to tourist activities: A case study in the Liupan mountain eco-tourism area. 2014 , 11, 156-166		
360	Carbon storage in mountainous headwater streams: The role of old-growth forest and logjams. <i>Water Resources Research</i> , 2014 , 50, 2376-2393	5-4	64
359	Woodland key habitats and stream biodiversity: Does small-scale terrestrial conservation enhance the protection of stream biota?. <i>Biological Conservation</i> , 2014 , 170, 10-19	6.2	22
358	Distributional ecology of a rare, endemic stonefly. 2014 , 33, 1119-1126		5
357	Dynamic, discontinuous stream networks: hydrologically driven variations in active drainage density, flowing channels and stream order. 2014 , 28, 5791-5803		154
356	TEMPORARY RIVERS: LINKING ECOHYDROLOGY, ECOLOGICAL QUALITY AND RECONCILIATION ECOLOGY. 2014 , 30, 1209-1215		42
355	How past riparian management practices can affect composition and structure of vegetation for headwater ecological restoration projects. 2014 , 161, 309-320		6
354	High frequency variability of environmental drivers determining benthic community dynamics in headwater streams. 2014 , 16, 1629-36		14
353	Effects of pool isolation on trophic ecology of fishes in a highland stream. 2014 , 85, 752-72		5
352	Tributary and mainstem benthic macroinvertebrate communities linked by direct dispersal and indirect habitat alteration. 2014 , 738, 75-85		15
351	Improving restoration practice by deriving appropriate techniques from analysing the spatial organization of river networks. 2014 , 45, 50-60		11
350	Log step and clast interactions in mountain streams in the central Cascade Range of Washington State, USA. 2014 , 216, 180-186		12

349	Assessing impacts of unconventional natural gas extraction on microbial communities in headwater stream ecosystems in Northwestern Pennsylvania. 2014 , 5, 522		28
348	The use of phytometers for evaluating restoration effects on riparian soil fertility. 2014 , 43, 1916-25		15
347	Riparian Deforestation Affects the Structural Dynamics of Headwater Streams in Southern Brazilian Amazonia. 2014 , 7, 657-676		19
346	Searching for similarity in topographic controls on carbon, nitrogen and phosphorus export from forested headwater catchments. 2014 , 28, 3201-3216		27
345	High Aquatic Biodiversity in an Intermittent Coastal Headwater Stream at Golden Gate National Recreation Area, California. <i>Northwest Science</i> , 2015 , 89, 188-197	0.8	10
344	Predicting fine-scale distributions of peripheral aquatic species in headwater streams. 2015 , 5, 152-63		7
343	Conservation value of post-mining headwaters: drainage channels at a lignite spoil heap harbour threatened stream dragonflies. 2015 , 19, 975-985		16
342	Terrestrial and Longitudinal Linkages of Headwater Streams. 2015 , 14, 65-86		7
341	Classification of Ephemeral, Intermittent, and Perennial Stream Reaches Using a TOPMODEL-Based Approach. <i>Journal of the American Water Resources Association</i> , 2015 , 51, 1739-1759	2.1	16
340	Long-term changes in seasonal fish assemblage dynamics in an adventitious desert stream. <i>Southwestern Naturalist</i> , 2015 , 60, 72-79	0.3	2
339	Using GIS to Delineate Headwater Stream Origins in the Appalachian Coalfields of Kentucky. <i>Journal of the American Water Resources Association</i> , 2015 , 51, 1667-1687	2.1	9
338	Resilience of imperilled headwater stream fish to an unpredictable high-magnitude flood. 2015 , 57,		6
337	Benthic Collector and Grazer Communities Are Threatened by Hemlock Woolly Adelgid-Induced Eastern Hemlock Loss. 2015 , 6, 2719-2738		4
336	Microbial responses to changes in flow status in temporary headwater streams: a cross-system comparison. 2015 , 6, 522		32
335	Small but powerful: top predator local extinction affects ecosystem structure and function in an intermittent stream. 2015 , 10, e0117630		25
334	Predicting the occurrence of cold-water patches at intermittent and ephemeral tributary confluences with warm rivers. 2015 , 34, 111-124		36
333	Model-based analysis of the influence of catchment properties on hydrologic partitioning across five mountain headwater subcatchments. <i>Water Resources Research</i> , 2015 , 51, 4109-4136	5.4	29
332	An evaluation of stream characteristics in glacial versus fluvial process domains in the Colorado Front Range. 2015 , 231, 72-82		29

331	Multiple drivers of decline in the global status of freshwater crayfish (Decapoda: Astacidea). 2015 , 370, 20140060	155
330	Finding lost streams and springs captured in combined sewers: a multiple lines of evidence approach. 2015 , 29, 288-297	14
329	Reach-scale geomorphic differences between headwater streams draining mountaintop mined and unmined catchments. 2015 , 236, 25-33	8
328	Effects of forest conversion on the assemblages structure of aquatic insects in subtropical regions. 2015 , 59, 43-49	18
327	Habitats of Freshwater Algae. 2015 , 13-74	17
326	Influence of thermal regime and land use on benthic invertebrate communities inhabiting headwater streams exposed to contrasted shading. 2015 , 505, 1112-26	13
325	Dominant mechanisms for the delivery of fine sediment and phosphorus to fluvial networks draining grassland dominated headwater catchments. 2015 , 523, 178-90	46
324	A terrestrial invader threatens a benthic community: potential effects of hemlock woolly adelgid-induced loss of eastern hemlock on invertebrate shredders in headwater streams. 2015 , 17, 1163-1179 ¹⁰	
323	Bidirectional connectivity in rivers and implications for watershed stability and management. 2015 , 72, 785-795	14
322	Why geodiversity matters in valuing nature's stage. 2015 , 29, 630-9	123
321	The Clean Water Rule: defining the scope of the Clean Water Act. 2015 , 34, 1585-1587	8
320	Controls on Temperature in Salmonid-Bearing Headwater Streams in Two Common Hydrogeologic Settings, Kenai Peninsula, Alaska. <i>Journal of the American Water Resources Association</i> , 2015 , 51, 84-98 ^{2.1}	15
319	The influence of wind farm development on the hydrochemistry and ecology of an upland stream. 2015 , 187, 518	4
318	Overview of Inland Water Habitats. 2015 , 23-56	3
317	Variation in fish assemblages across impoundments of low-head dams in headwater streams of the Qingyi River, China: effects of abiotic factors and native invaders. 2015 , 98, 101-112	17
316	Environmental and spatial processes: what controls the functional structure of fish assemblages in tropical rivers and headwater streams?. 2015 , 24, 317-328	47
315	Influence of urbanization on a karst terrain stream and fish community. 2015 , 18, 293-320	10
314	Map-based prediction of organic carbon in headwater streams improved by downstream observations from the river outlet. 2016 , 13, 399-413	2

313	Spatio-Temporal Variability in Benthic Macroinvertebrate Communities in Headwater Streams in South Korea. <i>Water (Switzerland)</i> , 2016 , 8, 99	3	6
312	Assessment of Streamside Management Zones for Conserving Benthic Macroinvertebrate Communities Following Timber Harvest in Eastern Kentucky Headwater Catchments. <i>Water (Switzerland)</i> , 2016 , 8, 261	3	13
311	Ecological Monitoring, Assessment, and Management in Freshwater Systems. <i>Water (Switzerland)</i> , 2016 , 8, 324	3	6
310	Molecular phylogeny and timing of diversification in Alpine Rhithrogena (Ephemeroptera: Heptageniidae). 2016 , 16, 194		12
309	Benthic soft-bodied algae as bioindicators of stream water quality. 2016 , 15		14
308	Longitudinal changes in stream invertebrate assemblages of Grand Teton National Park, Wyoming. 2016 , 9, 320-331		7
307	Comparison of macroinvertebrate communities of intermittent and perennial streams in the dry forest of Guanacaste, Costa Rica. <i>Ecohydrology</i> , 2016 , 9, 659-672	2.5	4
306	Little effects of reduced-impact logging on insect communities in eastern Amazonia. 2016 , 188, 441		14
305	Context dependency in biodiversity patterns of central German stream metacommunities. 2016 , 61, 607-620		67
304	Monitoring ephemeral headwater streams: a paired-sensor approach. 2016 , 30, 888-898		18
303	Spatiotemporal dynamics of intermittent stream fish metacommunities in response to prolonged drought and reconnectivity. 2016 , 67, 1667		16
302	The Distribution of a Stream-breeding Salamander, <i>Desmognathus ocoee</i> , in Terrestrial Habitat Suggests the Ecological Importance of Low-order Streams. 2016 , 104, 149-156		2
301	The role of biogeochemical hotspots, landscape heterogeneity, and hydrological connectivity for minimizing forestry effects on water quality. 2016 , 45 Suppl 2, 152-62		46
300	Under siege: Isolated tributaries are threatened by regionally impaired metacommunities. 2016 , 560-561, 170-8		12
299	Shifts in shredder communities and leaf breakdown along a disrupted stream continuum. 2016 , 35, 1312-1320		2
298	Sources and interpretation of channel complexity in forested subalpine streams of the Southern Rocky Mountains. <i>Water Resources Research</i> , 2016 , 52, 3910-3929	5.4	38
297	A modeling approach for identifying recolonisation source sites in river restoration planning. 2016 , 31, 2323-2342		5
296	The endangered damselfly <i>Coenagrion ornatum</i> in post-mining streams: population size, habitat requirements and restoration. 2016 , 20, 701-710		9

295	Top predator absence enhances leaf breakdown in an intermittent stream. 2016 , 572, 1123-1131	10
294	High β diversity maintains regional diversity in Brazilian tropical coastal stream fish assemblages. 2016 , 23, 531-539	4
293	Riparian subsidies and hierarchical effects of ecosystem structure on leaf breakdown in Appalachian coalfield constructed streams. 2016 , 97, 389-399	8
292	Movement and survival of an amphibian in relation to sediment and culvert design. 2016 , 80, 761-770	5
291	Aquatic insect β diversity is not dependent on elevation in Southern Rocky Mountain streams. 2016 , 61, 195-205	19
290	Macroinvertebrate and organic matter export from headwater tributaries of a Central Appalachian stream. 2016 , 779, 75-91	7
289	Effects of riparian zone buffer widths on vegetation diversity in southern Appalachian headwater catchments. 2016 , 376, 9-23	11
288	A trait-based approach reveals the feeding selectivity of a small endangered Mediterranean fish. 2016 , 6, 3299-310	9
287	Ecological factors influencing movement of creek chub in an intermittent stream of the Ozark Mountains, Arkansas. 2016 , 25, 190-202	8
286	Use of first-order tributaries by brown trout (<i>Salmo trutta</i>) as nursery habitat in a cold water stream network. 2016 , 25, 133-140	4
285	Flow intermittency, physico-chemistry and function of headwater streams in an Alpine glacial catchment. <i>Aquatic Sciences</i> , 2016 , 78, 327-341	2.5 25
284	Influences of the land use pattern on water quality in low-order streams of the Dongjiang River basin, China: A multi-scale analysis. 2016 , 551-552, 205-16	168
283	Stream biodiversity is disproportionately lost to urbanization when flow permanence declines: evidence from southwestern North America. 2016 , 35, 340-352	29
282	Biology and ecological functions of aquatic hyphomycetes in a warming climate. 2016 , 19, 201-218	30
281	Direct and indirect effects of human population density and land use on physical features and invertebrates of Iowa (U.S.A.) streams. 2016 , 19, 159-180	8
280	Long-term trends in groundwater recharge and discharge in a fractured bedrock aquifer [past and future conditions. 2016 , 41, 500-514	5
279	Structural Dynamics of Pristine Headwater Streams from Southern Brazilian Amazon. 2016 , 32, 473-482	4
278	Downstream flow and upstream movement determine the value of a stream reach for potadromous fish populations. 2017 , 10, 21-34	

277	Unconventional oil and gas spills: Materials, volumes, and risks to surface waters in four states of the U.S. 2017 , 581-582, 369-377	70
276	A review of the biology and status of Cape Fold Ecoregion freshwater fishes. 2017 , 27, 867-879	30
275	Thermal habitat restricts patterns of occurrence in multiple life-stages of a headwater fish. 2017 , 36, 402-414	11
274	Wildfire in boreal forest catchments influences leaf litter subsidies and consumer communities in streams: Implications for riparian management strategies. 2017 , 391, 29-41	8
273	The significance of small streams. 2017 , 11, 447-456	75
272	Watershed influences on the structure and function of riparian wetlands associated with headwater streams - Kenai Peninsula, Alaska. 2017 , 599-600, 124-134	10
271	Ephemeral and intermittent runoff generation processes in a low relief, highly weathered catchment. <i>Water Resources Research</i> , 2017 , 53, 7055-7077	5-4 51
270	Temporary streams in temperate zones: recognizing, monitoring and restoring transitional aquatic-terrestrial ecosystems. 2017 , 4, e1223	56
269	Climate change, water supply and environmental problems of headwaters: The paradigmatic case of the Tiber, Savio and Marecchia rivers (Central Italy). 2017 , 598, 733-748	19
268	Land use influences macroinvertebrate community composition in boreal headwaters through altered stream conditions. 2017 , 46, 311-323	25
267	Ecological Effects of Flow Intermittence in Gravel-Bed Rivers. 2017 , 261-297	1
266	Effort-based predictors of headwater stream conditions: comparing the proximity of land use pressures and instream stressors on macroinvertebrate assemblages. <i>Aquatic Sciences</i> , 2017 , 79, 765-787 ⁵	5
265	Manipulation of local environment produces different diversity outcomes depending on location within a river network. 2017 , 184, 663-674	13
264	What governs the functional diversity patterns of fishes in the headwater streams of the humid forest enclaves: environmental conditions, taxonomic diversity or biotic interactions?. 2017 , 100, 1023-1032	10
263	Minor food sources can play a major role in secondary production in detritus-based ecosystems. 2017 , 62, 1155-1167	36
262	Reduced Gene Flow in Two Common Headwater Fishes in the Ouachita Mountains: A Response to Stream Drying and In-stream Barriers. 2017 , 105, 33-42	1
261	Environmental and spatial controls of taxonomic versus trait composition of stream biota. 2017 , 62, 397-413	50
260	Looking Beyond the Fenceline: Assessing Protection Gaps for the World's Rivers. 2017 , 10, 384-394	55

259	Brown Trout Management for the 21st Century. 2017 , 735-769		1
258	Hydrologic metrics for status-and-trends monitoring in urban and urbanizing watersheds. 2017 , 31, 4507-4519		5
257	Riparian and microhabitat factors determine the structure of the EPT community in Andean headwater rivers of Ecuador. <i>Ecohydrology</i> , 2017 , 10, e1894	2.5	6
256	Understanding the mobilisation of metal pollution associated with historical mining in a carboniferous upland catchment. 2017 , 19, 1061-1074		4
255	Development of Regional Curves for Hydrologic Landscape Regions (HLR) in the Contiguous United States. <i>Journal of the American Water Resources Association</i> , 2017 , 53, 903-928	2.1	9
254	Microhabitat estimation of an imperiled headwater fish, the Yazoo darter (<i>Etheostoma raneyi</i>), in coastal plain streams. 2017 , 100, 1223-1235		5
253	Fishpond dams affect leaf-litter processing and associated detritivore communities along intermittent low-order streams. 2017 , 62, 1741-1755		1
252	The Biota of Intermittent Rivers and Ephemeral Streams: Prokaryotes, Fungi, and Protozoans. 2017 , 161-188		21
251	The Biota of Intermittent Rivers and Ephemeral Streams: Aquatic Invertebrates. 2017 , 217-243		27
250	The Biota of Intermittent Rivers and Ephemeral Streams: Fishes. 2017 , 273-298		14
249	The Biota of Intermittent and Ephemeral Rivers: Amphibians, Reptiles, Birds, and Mammals. 2017 , 299-322		7
248	Elevation in tropical sky islands as the common driver in structuring genes and communities of freshwater organisms. <i>Scientific Reports</i> , 2017 , 7, 16089	4.9	8
247	The importance of small waterbodies for biodiversity and ecosystem services: implications for policy makers. 2017 , 793, 3-39		200
246	Identification of Priority Areas for the Conservation of Stream Fish Assemblages: Implications for River Management in France. 2017 , 33, 524-537		8
245	Non-perennial Mediterranean rivers in Europe: Status, pressures, and challenges for research and management. 2017 , 577, 1-18		140
244	Analysis of structural and functional indicators for assessing the health state of mountain streams. <i>Ecological Indicators</i> , 2017 , 72, 553-564	5.8	14
243	Watershed Land Use and Seasonal Variation Constrain the Influence of Riparian Canopy Cover on Stream Ecosystem Metabolism. 2017 , 20, 553-567		18
242	Distribution and Abundance of Introduced Seal Salamanders (<i>Desmognathus monticola</i>) in Northwest Arkansas, USA. 2017 , 105, 678-688		2

241	Freshwater Megafauna: Flagships for Freshwater Biodiversity under Threat. 2017 , 67, 919-927		42
240	Measurement of the Ecological Integrity of Cerrado Streams Using Biological Metrics and the Index of Habitat Integrity. 2017 , 8,		5
239	Processes Governing Alkaline Groundwater Chemistry within a Fractured Rock (Ophiolitic Mlange) Aquifer Underlying a Seasonally Inhabited Headwater Area in the Aladaġar Range (Adana, Turkey). 2017 , 2017, 1-21		18
238	The Impact of Tourism Development on the Coastal Ecosystem in Calabar, Nigeria. 2017 ,		
237	Out of the pot and into the fire: Explaining the vulnerability of an endangered small headwater stream fish to black-bass <i>Micropterus</i> spp. invasion. 2018 , 92, 1035-1050		15
236	Comparative genetic isolation patterns for multiple headwater fishes in three geographic regions. 2018 , 92, 1090-1109		
235	CONNECTIVITY OF STREAMS AND WETLANDS TO DOWNSTREAM WATERS: AN INTEGRATED SYSTEMS FRAMEWORK. <i>Journal of the American Water Resources Association</i> , 2018 , 54, 298-322	2.1	69
234	BIOTA CONNECT AQUATIC HABITATS THROUGHOUT FRESHWATER ECOSYSTEM MOSAICS. <i>Journal of the American Water Resources Association</i> , 2018 , 54, 372-399	2.1	32
233	Environmental factors driving fungal distribution in freshwater lake sediments across the Headwater Region of the Yellow River, China. <i>Scientific Reports</i> , 2018 , 8, 3768	4.9	17
232	Multi-scale Homogenization of Caddisfly Metacomunities in Human-modified Landscapes. 2018 , 61, 687-699		4
231	Similarity of stream width distributions across headwater systems. 2018 , 9, 610		39
230	Global proliferation of small hydropower plants <i>Science and policy</i> . 2018 , 16, 91-100		148
229	Determinants of food resource assimilation by stream insects along a tropical elevation gradient. 2018 , 187, 731-744		4
228	Controls of event-based nutrient transport within nested headwater agricultural watersheds of the western Lake Erie basin. <i>Journal of Hydrology</i> , 2018 , 559, 749-761	6	27
227	Effects of anthropogenic disturbances on α and β diversity of fish assemblages and their longitudinal patterns in subtropical streams, China. 2018 , 27, 433-441		9
226	Headwater streams in the EU Water Framework Directive: Evidence-based decision support to select streams for river basin management plans. 2018 , 613-614, 1048-1054		14
225	Implementation of Environmental Flows for Intermittent River Systems: Adaptive Management and Stakeholder Participation Facilitate Implementation. 2018 , 61, 497-505		10
224	Two sampling strategies for an overview of pesticide contamination in an agriculture-extensive headwater stream. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 14280-14293	5.1	18

223	The effects of dispersal and river spatial structure on asynchrony in consumer-resource metacommunities. 2018 , 63, 100-113		15
222	Ecological uniqueness of macroinvertebrate communities in high-latitude streams is a consequence of deterministic environmental filtering processes. 2018 , 52, 17-33		15
221	Stream permanence is related to crayfish occupancy and abundance in the Ozark Highlands, USA. 2018 , 37, 54-63		4
220	The effect of human activities on benthic macroinvertebrate diversity in tributary lagoons surrounding Lake Biwa. 2018 , 19, 199-207		6
219	Beta diversity of diatom species and ecological guilds: Response to environmental and spatial mechanisms along the stream watercourse. 2018 , 63, 62-73		65
218	Demographic characteristics of an avian predator, Louisiana Waterthrush (<i>Parkesia motacilla</i>), in response to its aquatic prey in a Central Appalachian USA watershed impacted by shale gas development. 2018 , 13, e0206077		4
217	Southwestern Intermittent and Ephemeral Stream Connectivity. <i>Journal of the American Water Resources Association</i> , 2018 , 54, 400-422	2.1	27
216	Assessing Streamflow Maintenance Functions in Wetlands of the Blackfoot River Subbasin in Montana, United States. 2018 , 67-78		
215	Using geochemistry to understand water sources and transit times in headwater streams of a temperate rainforest. 2018 , 99, 1-12		14
214	Extrapolating regional probability of drying of headwater streams using discrete observations and gauging networks. 2018 , 22, 3033-3051		24
213	Modificaci3n de ambientes 3cicos para la extracci3n de carb3n a cielo abierto: efectos sobre la biota y recomendaciones. 2018 , 23, 17-29		
212	Small Water Bodies in Great Britain and Ireland: Ecosystem function, human-generated degradation, and options for restorative action. 2018 , 645, 1598-1616		50
211	Tropical stream diatom communities ¶The importance of headwater streams for regional diversity. <i>Ecological Indicators</i> , 2018 , 95, 183-193	5.8	12
210	The challenges of channel heads. 2018 , 185, 649-664		13
209	Using Natural Disturbance and Portfolio Concepts to Guide Aquatic Riparian Ecosystem Management. 2018 , 43, 406-422		12
208	Bacterial Biomarkers of Marcellus Shale Activity in Pennsylvania. 2018 , 9, 1697		7
207	Discovery of zero-order basins as an important link for progress in hydrogeomorphology. 2018 , 32, 3059-3065		11
206	Patterns of diversity and conservation status of freshwater fishes in the glacial fed and rain fed rivers of Eastern Nepal. 2018 , 101, 1295-1305		2

205	Recent range contractions in the globally threatened Pyrenean desman highlight the importance of stream headwater refugia. 2018 , 21, 515-525		13
204	An overview of patterns and dynamics of suspended sediment transport in an agroforest headwater system in humid climate: Results from a long-term monitoring. 2019 , 648, 33-43		14
203	How freshwater biomonitoring tools vary sub-seasonally reflects temporary river flow regimes. 2019 , 35, 1325		0
202	Natural channeling in riverine forests determines variations in their floristic composition, structure, and land use in southern Brazil. 2019 , 15, 347-362		1
201	Using density, dissimilarity, and taxonomic replacement to characterize mining-influenced benthic macroinvertebrate community alterations in central Appalachia. <i>Ecological Indicators</i> , 2019 , 106, 105535 ^{5.8}		6
200	Advocating for Science: Amici Curiae Brief of Wetland and Water Scientists in Support of the Clean Water Rule. <i>Wetlands</i> , 2019 , 39, 403-414	1.7	14
199	Groundwater and surface water interactions in flat lands: the importance of ecological and flow regulation perspectives. 2019 , 5, 1791-1801		2
198	Two tropical biodiversity hotspots, two different pathways for energy. <i>Ecological Indicators</i> , 2019 , 106, 105495	5.8	3
197	Modeling River Connectivity Using the Barrier Assessment Tool and Available Data on Registered Dams in the GuadalupeSan Antonio River System, Texas. 2019 , 71, 616-630		1
196	River network connectivity and fish diversity. 2019 , 689, 21-30		33
195	Effects of riparian forest buffers and agricultural land use on macroinvertebrate and fish community structure. 2019 , 841, 45-64		4
194	Basins, beaver ponds, and the storage and redistribution of trace elements in an industrially impacted coastal plain stream on the Savannah River Site, SC, USA. 2019 , 133, 105174		3
193	The Brazilian Forest Code and riparian preservation areas: spatiotemporal analysis and implications for hydrological ecosystem services. 2019 , 19, 2381-2394		6
192	Tree roots as a dominant agent of streambed habitat, profile pattern, and grade control. 2019 , 343, 81-91		5
191	Spatial patterns of water quality impairments from point source nutrient loads in Germany's largest national River Basin (Weser River). 2019 , 697, 134145		13
190	Connectivity and Nitrate Uptake Potential of Intermittent Streams in the Northeast USA. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	3
189	Microbial and macroinvertebrate communities, but not leaf decomposition, change along a mining-induced salinity gradient. 2019 , 64, 671-684		13
188	Headwater Streams and Wetlands are Critical for Sustaining Fish, Fisheries, and Ecosystem Services. 2019 , 44, 73-91		58

187	A classification approach to reconstruct local daily drying dynamics at headwater streams. 2019 , 33, 1896-1912		12
186	Correlation of Fish Assemblages with Habitat and Environmental Variables in a Headwater Stream Section of Lijiang River, China. <i>Sustainability</i> , 2019 , 11, 1135	3.6	7
185	Flow intermittency influences the trophic base, but not the overall diversity of alpine stream food webs. 2019 , 42, 1523-1535		9
184	Measuring function and structure of urban headwater streams with citizen scientists. 2019 , 10, e02720		2
183	Tracking seasonal food web dynamics and isotopic niche shifts in wild chubbyhead barb <i>Enteromius anoplus</i> within a southern temperate headwater stream. 2019 , 837, 87-107		2
182	Ecosystem shifts in Alpine streams under glacier retreat and rock glacier thaw: A review. 2019 , 675, 542-559		43
181	Drought ecohydrology alters the structure and function of benthic invertebrate communities in mountain streams. 2019 , 64, 886-902		17
180	Biological Diversity in Headwater Streams. <i>Water (Switzerland)</i> , 2019 , 11, 366	3	29
179	Springs drive downstream nitrate export from artificially-drained agricultural headwater catchments. 2019 , 671, 119-128		14
178	Influence of wildfire and harvesting on aquatic and terrestrial invertebrate drift patterns in boreal headwater streams. 2019 , 834, 27-45		5
177	Management of headwaters based on macroinvertebrate assemblages and environmental attributes. 2019 , 650, 438-451		4
176	Mixed-chemical exposure and predicted effects potential in wadeable southeastern USA streams. 2019 , 655, 70-83		26
175	Flow regimes filter species traits of benthic diatom communities and modify the functional features of lowland streams - a nationwide scale study. 2019 , 651, 357-366		27
174	Dynamics of organic material and invertebrates in a tropical headwater stream. 2020 , 847, 121-136		1
173	High stream intermittency in an alpine fluvial network: Val Roseg, Switzerland. 2020 , 65, 557-568		13
172	Local environmental, geo-climatic and spatial factors interact to drive community distributions and diversity patterns of stream benthic algae, macroinvertebrates and fishes in a large basin, Northeast China. <i>Ecological Indicators</i> , 2020 , 117, 106673	5.8	6
171	Baseflow Age Distributions and Depth of Active Groundwater Flow in a Snow-Dominated Mountain Headwater Basin. <i>Water Resources Research</i> , 2020 , 56, e2020WR028161	5.4	4
170	Streamflow permanence in headwater streams across four geomorphic provinces in Northern California. 2020 , 34, 4487-4504		5

169	Aqua temporaria incognita. 2020 , 34, 5704-5711		12
168	The Value of Local Farms for Insect Conservation: Local Teaching Opportunities. 2020 , 66, 20-22		
167	Riparian forest conditions along three northern Michigan rivers following Emerald Ash Borer invasion. 2020 , 50, 800-810		25
166	Stream fish metacommunity organisation across a Neotropical ecoregion: The role of environment, anthropogenic impact and dispersal-based processes. 2020 , 15, e0233733		7
165	Long-term hydrological response to forest harvest during seasonal low flow: Potential implications for current forest practices. 2020 , 730, 138926		14
164	Combining geostatistical and biotic interaction model to predict amphibian refuges under crayfish invasion across dendritic stream networks. 2020 , 26, 699-714		2
163	Assessing fish sampling effort in studies of Brazilian streams. 2020 , 123, 841-860		5
162	Modelling patterns of coexistence of three congeneric headwater fishes. 2020 , 65, 1017-1027		4
161	Headwater Streams. 2020 , 371-378		5
160	Intermittent Rivers and Ephemeral Streams: A Unique Biome With Important Contributions to Biodiversity and Ecosystem Services. 2020 , 419-429		6
159	Decadal patterns of anthropogenic salinisation in typical mountain streams in northeastern China: Increased rates and sources. 2020 , 246, 125789		2
158	Streams and riparian forests depend on each other: A review with a special focus on microbes. 2020 , 462, 117962		19
157	Small Arctic rivers mapped from Sentinel-2 satellite imagery and ArcticDEM. <i>Journal of Hydrology</i> , 2020 , 584, 124689	6	4
156	Disentangling the potential effects of land-use and climate change on stream conditions. 2020 , 26, 2251		9
155	Multi-region assessment of pharmaceutical exposures and predicted effects in USA wadeable urban-gradient streams. 2020 , 15, e0228214		17
154	Helocrenic springs as sources of nutrient rich fine particulate organic matter in small foothill watershed. 2020 , 15, e0230750		
153	Where's the Science? Recent Changes to Clean Water Act Threaten Wetlands and Thousands of Miles of Our Nation's Rivers and Streams. 2020 , 37, 173-177		3
152	Microbial Community Response to a Novel Salmon Resource Subsidy. <i>Frontiers in Ecology and Evolution</i> , 2020 , 7,	3-7	2

151	Drought alters the biogeochemistry of boreal stream networks. 2020 , 11, 1795		16
150	The effect of riverine networks on fish diversity patterns in a Neotropical system. 2021 , 848, 515-529		1
149	Genome-wide diversity and habitat underlie fine-scale phenotypic differentiation in the rainbow darter (<i>Percina caprodes</i>). 2021 , 14, 498-512		3
148	Conceptual Framework of Connectivity for a National Agroecosystem Model Based on Transport Processes and Management Practices. <i>Journal of the American Water Resources Association</i> , 2021 , 57, 154-169	2.1	3
147	Utilizing Geospatial Tools to Assign Unique Identifiers to Water Bodies in a Low-Income Country. 2021 , 13, 236-253		
146	Fish fauna of small-order streams of savannah and forest fragments landscape in the lower Tapajós River basin, Amazonia. <i>Biota Neotropica</i> , 2021 , 21,	1.3	0
145	Evaluating Coexistence of Fish Species with Coastal Cutthroat Trout in Low Order Streams of Western Oregon and Washington, USA. 2021 , 6, 4		2
144	River Corridors as a Refuge for Freshwater Biodiversity: Basic Information and Recommendations to the Policymakers for Possible Implications in Iraq. 2021 , 515-524		
143	Integrated empirical models to assess nutrient concentration in water resources: case study of a small basin in southeastern Brazil. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 23349-23367	5.1	1
142	Small Hydropower Plants' Proliferation Would Negatively Affect Local Herpetofauna. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	4
141	Linking Altered Flow Regimes to Biological Condition: an Example Using Benthic Macroinvertebrates in Small Streams of the Chesapeake Bay Watershed. 2021 , 67, 1171-1185		2
140	Environment-driven changes in diversity of riparian plant communities along a mountain river. 2021 , 11, 5690-5701		1
139	Conservation genetic assessment of the paleback darter, <i>Etheostoma pallidum</i> , a narrowly distributed endemic in the Ouachita Highlands, Arkansas, USA. 2021 , 31, 1817-1830		0
138	Evaluating the Relationships between Riparian Land Cover Characteristics and Biological Integrity of Streams Using Random Forest Algorithms. 2021 , 18,		2
137	Applications of a UV optical nitrate sensor in a surface water/groundwater quality field study. 2021 , 193, 303		0
136	High-resolution satellite-derived river network map reveals small Arctic river hydrography. <i>Environmental Research Letters</i> , 2021 , 16, 054015	6.2	0
135	The use of an integrative approach to improve accuracy of species identification and detection of new species in studies of stream fish diversity. 2021 , 149, 103-116		4
134	A tale of two habitats: whole-watershed comparison of disturbed and undisturbed river systems in northern Michigan (USA), based on adult Ephemeroptera, Plecoptera, and Trichoptera assemblages and functional feeding group biomass. 2021 , 848, 3429		2

133	Trends and gaps in studies of stream-dwelling fish in Brazil. 2021 , 848, 3955-3968		1
132	Assessing water resources availability in headwater sub-catchments of Pungwe River Basin in a changing climate. 2021 , 35, 100827		3
131	Multi-region assessment of chemical mixture exposures and predicted cumulative effects in USA wadeable urban/agriculture-gradient streams. 2021 , 773, 145062		4
130	Expanding catchment-scale hydrologic restoration in suburban watersheds via stream mitigation crediting: Northern Kentucky (USA) case study. 1		2
129	Investigation of environmental and land use impacts in forested permafrost headwaters of the Selenga-Baikal river system, Mongolia - Effects on discharge, water quality and macroinvertebrate diversity. 2021 , 9, 605-605		0
128	Landscape features and study design affect elements of metacommunity structure for stream fishes across the eastern U.S.A.. 2021 , 66, 1736-1750		0
127	Tropical forest understorey riparian and upland composition, structure, and function in areas with different past land use. 2021 , 24,		
126	A new species of (Decapoda, Cambaridae) from the State of Querfaro, Mexico. 2021 , 1048, 1-21		1
125	The Invasive Round Goby as a Potential Threat to Native Crayfish Populations. 2021 , 11,		0
124	Macroinvertebrates at the source: flow duration and seasonality drive biodiversity and trait composition in rheocrene springs of the Western Allegheny Plateau, USA. 2021 , 1		0
123	Occurrence of pesticides and their transformation products in headwater streams: Contamination status and effect of ponds on contaminant concentrations. 2021 , 788, 147715		9
122	Managing nonperennial headwater streams in temperate forests of the United States. 2021 , 497, 119523		1
121	Comparative assessment of macroinvertebrate communities within three Afromontane headwater streams influenced by different land use patterns. <i>Ecological Indicators</i> , 2021 , 129, 107972	5.8	3
120	Streams and Their Valleys. 2021 , 267-273		
119	Response of benthic invertebrate assemblages to seasonal and habitat condition in the Wewe River, Ashanti region (Ghana). 2021 , 16, 336-353		2
118	Contaminants in Appalachian Water Resources Generated by Non-acid-forming Coal-Mining Materials. 2021 , 217-243		8
117	. 2010 ,		44
116	Changes to anthropogenic pressures on reach-scale rivers in South and Southeast Asia from 1990 to 2014. <i>Environmental Research Letters</i> , 2021 , 16, 014025	6.2	3

115	Characteristics of Spatiotemporal Patterns in Benthic Macroinvertebrate Communities in Two Adjacent Headwater Streams.. 2018 , 51, 192-203		4
114	Recreating a Headwater Stream System on a Valley Fill in Appalachia, USA. 2017 , 147-174		1
113	Assessing historical fish community composition using surveys, historical collection data, and species distribution models. 2011 , 6, e25145		29
112	STRATEGIC ENVIRONMENTAL ASSESSMENT FOR PRIORITY BASINS OF THE COLOMBIAN ANDES: DILEMMAS, CHALLENGES AND NECESSITIES. 2013 , 19, 11		5
111	Ichthyofauna of the upper Juruena river on Chapada dos Parecis, Mato Grosso, Brazil. 2016 , 16,		4
110	Fishes community composition and patterns of species distribution in Neotropical streams. <i>Biota Neotropica</i> , 2020 , 20,	1.3	2
109	Effect of spawning migration on the variations of fish assemblage structures in the lower reaches of the Heishui River, Jinsha River. 2018 , 30, 753-762		1
108	Impacts of Small Impoundments On An Intermittent Headwater Stream Community. <i>Southwestern Naturalist</i> , 2018 , 63, 34-41	0.3	2
107	Managing the small stream network for improved water quality, biodiversity and ecosystem services protection (SSNet). 5,		3
106	Stream ichthyofauna of the Tapaj� National Forest, Par�Brazil. 2016 , 125-44		3
105	Regionalization of patterns of flow intermittence from gauging station records.		4
104	Ephemeral stream sensor design using state loggers.		3
103	Groundwater contribution to river flows using hydrograph separation, hydrological and hydrogeological models in a southern Quebec aquifer.		5
102	Mountainous areas and river systems. 2021 , 1-50		0
101	Aquatic Biological Diversity Responses to Flood Disturbance and Forest Management in Small, Forested Watersheds. <i>Water (Switzerland)</i> , 2021 , 13, 2793	3	3
100	Relating Land Use/Cover and Landscape Pattern to the Water Quality under the Simulation of SWAT in a Reservoir Basin, Southeast China. <i>Sustainability</i> , 2021 , 13, 11067	3.6	3
99	Effects of hydromorphological integrity on biodiversity and functioning of river ecosystems. 2010 , 199-215		
98	Assessment and Restoration Scaling of Stream Services Impaired by the Obed River 2002 Oil Spill. 2011 , 2011, abs39		

97	Map-based prediction of organic carbon in headwaters streams improved by downstream observations from the river outlet.		
96	Ictiofauna en el Arroyo Grande de Corozal; primer registro de 12 especies de peces para el departamento de Sucre, Colombia. 8, 368-376		1
95	1500 ans d'histoire fluviale dans la vallée du Gage (bassin supérieur de la Loire, sud-est du Massif central, France) : approche pluridisciplinaire. 2018, 24,		0
94	CURRENT STATUS OF CONCRETE REVETMENT IN THE UPPER RIVER BASIN OF CENTRAL AND NORTHERN KYUSHU, JAPAN, AND RELATED FACTORS. 2019, 75, 1_367-1_372		
93	Macroinvertebrates Pollution Tolerance Index in Calabar River, Cross River State, Nigeria. 2019, 3, 292-297		0
92	Microhabitat Use, Spawning Behavior, and Spawning Substrate Use of the Tallapoosa Darter (<i>Etheostoma tallapoosae</i>). <i>American Midland Naturalist</i> , 2019, 182, 216	0.7	1
91	Headwater Stream Ecosystems: An Initial Evaluation of Their Threat Status. 2020,		
90	Salmonid Habitat and Population Capacity Estimates for Steelhead Trout and Chinook Salmon Upstream of Scott Dam in the Eel River, California. <i>Northwest Science</i> , 2020, 94, 70	0.8	3
89	Hierarchical climate-driven dynamics of the active channel length in temporary streams. <i>Scientific Reports</i> , 2021, 11, 21503	4.9	5
88	Three reasons why the Water Framework Directive (WFD) fails to identify pesticide risks. <i>Water Research</i> , 2022, 208, 117848	12.5	2
87	Redefining Waters of the US: a Case Study from the Edge of the Okefenokee Swamp. <i>Wetlands</i> , 2021, 41, 1	1.7	
86	Watershed Management in the United States. <i>NATO Security Through Science Series C: Environmental Security</i> , 2008, 173-198		1
85	The tale of springs and streams: how different aquatic ecosystems impacted the mtDNA population structure of two riffle beetles in the Western Carpathians. <i>PeerJ</i> , 2020, 8, e10039	3.1	2
84	How Surface Water Management Can Benefit Fish Conservation in Urban Streams. <i>Journal of Fish and Wildlife Management</i> , 2021, 12, 383-394	0.7	
83	Future of Freshwater Ecosystems in a 1.5°C Warmer World. <i>Frontiers in Environmental Science</i> , 2021, 9,	4.8	0
82	Spatial Patterns and Sensitivity of Intermittent Stream Drying to Climate Variability. <i>Water Resources Research</i> , 2021, 57,	5.4	2
81	The Colonization of a Cold Spring Ecosystem by the Invasive Species <i>Potamopyrgus antipodarum</i> (Gray, 1843) (Gastropoda: Tateidae) (Southern Poland). <i>Water (Switzerland)</i> , 2021, 13, 3209	3	1
80	Impacts of land use and hydrological alterations on water quality and fish assemblage structure in headwater Pampean streams (Argentina). <i>Aquatic Sciences</i> , 2022, 84, 1	2.5	0

79	Benthic macroinvertebrates diversity and quality of water in first-order streams of Badiyar Gad, lesser Himalaya, Uttarakhand, India. <i>International Journal of Environmental Studies</i> , 1-16	1.8	0
78	Sources and mean transit times of intermittent streamflow in semi-arid headwater catchments. <i>Journal of Hydrology</i> , 2021 , 604, 127208	6	1
77	Riverine biodiversity and importance: Potential threat and conservational challenges. 2022 , 235-264		
76	AGE-SPECIFIC PATTERNS OF OCCURRENCE, DENSITY, AND GROWTH OF TWO CYPRINID FISHES IN HEADWATER PRAIRIE STREAMS. <i>Southwestern Naturalist</i> , 2022 , 65,	0.3	0
75	The spatial relationship between patterns of disappeared streams and residential development in Portland, Oregon, USA. <i>Journal of Maps</i> , 1-9	2.2	0
74	A new index to quantify longitudinal river fragmentation: Conservation and management implications. <i>Ecological Indicators</i> , 2022 , 136, 108680	5.8	0
73	Linking citizen science with contamination levels of small water bodies for generation of essential information for conservation and investment. <i>Lakes and Reservoirs: Research and Management</i> , 2022 , 27,	1.2	0
72	Do metapopulations and management matter for relict headwater bull trout populations in a warming climate?. <i>Ecological Applications</i> , 2022 , e2594	4.9	2
71	Sensitivity of headwater streamflow to thawing permafrost and vegetation change in a warming Arctic. <i>Environmental Research Letters</i> , 2022 , 17, 044074	6.2	1
70	Data_Sheet_1.PDF. 2019 ,		
69	Data_Sheet_1.docx. 2018 ,		
68	Table_1.XLSX. 2018 ,		
67	Table_2.XLSX. 2018 ,		
66	Table_3.XLSX. 2018 ,		
65	Table_4.XLSX. 2018 ,		
64	Table_5.XLSX. 2018 ,		
63	Table_6.XLSX. 2018 ,		
62	Data_Sheet_1.PDF. 2020 ,		

61 Data_Sheet_2.PDF. **2020**,

60 Data_Sheet_3.PDF. **2020**,

59 Data_Sheet_4.PDF. **2020**,

58 Data_Sheet_5.pdf. **2020**,

57 Data_Sheet_6.PDF. **2020**,

56 Data_Sheet_7.PDF. **2020**,

55 Table_1.XLSX. **2020**,

54 Table_10.XLSX. **2020**,

53 Table_2.XLSX. **2020**,

52 Table_3.XLSX. **2020**,

51 Table_4.XLSX. **2020**,

50 Table_5.XLSX. **2020**,

49 Table_6.XLSX. **2020**,

48 Table_7.XLSX. **2020**,

47 Table_8.XLSX. **2020**,

46 Table_9.XLSX. **2020**,

45 Effect of curve numbers on family benthic index in headwater streams in western North Carolina, USA. *Environmental Challenges*, **2022**, 7, 100521 2.6

44 Diversity of Spring Invertebrates and Their Habitats: A Story of Preferences. *Diversity*, **2022**, 14, 367 2.5

43	Combining spatial dependence occupancy models and conservation gap analyses to promote species conservation: A case study with a threatened semi-aquatic mammal. <i>Biological Conservation</i> , 2022 , 270, 109567	6.2	
42	Quantifying the ecological effects of water abstraction in Alpine streams through flume simulations. <i>Ecohydrology</i> ,	2.5	
41	Ecohydraulic Characteristics of a Differential Weir-Orifice Structure and Its Application to the Transition Reach of a Fishway. <i>Water (Switzerland)</i> , 2022 , 14, 1711	3	
40	Integration of ABC curve, three dimensions of alpha diversity indices, and spatial patterns of fish assemblages into the health assessment of the Chishui River basin, China. <i>Environmental Science and Pollution Research</i> ,	5.1	
39	Gene flow in a pioneer plant metapopulation (<i>Myricaria germanica</i>) at the catchment scale in a fragmented alpine river system. <i>Scientific Reports</i> , 2022 , 12,	4.9	○
38	Ephemeral Stream Network Extraction from Lidar-Derived Elevation and Topographic Attributes in Urban and Forested Landscapes. <i>Journal of the American Water Resources Association</i> ,	2.1	○
37	Agroforestry Contributions to Urban River Rehabilitation. <i>Sustainability</i> , 2022 , 14, 7657	3.6	
36	Fish fauna from a fragmented river in the Atlantic Forest. <i>Biota Neotropica</i> , 2022 , 22,	1.3	
35	Role of Impoundments Created by Low-Head Dams in Affecting Fish Assemblages in Subtropical Headwater Streams in China. <i>Frontiers in Ecology and Evolution</i> , 10,	3.7	○
34	Sediment substrate size influences fish diversity in tributary mouth areas in impounded boreal rivers in Sweden.		
33	Geochemistry and Multiomics Data Differentiate Streams in Pennsylvania Based on Unconventional Oil and Gas Activity.		
32	Urbanization affects the taxonomic and functional alpha and beta diversity of fish assemblages in streams of subtropical China. 2022 , 144, 109441		○
31	What physical habitat factors determine the distribution of gastropods in neotropical headwater streams?. 2022 , 100076		○
30	Automated Small River Mapping (ASRM) for the Qinghai-Tibet Plateau Based on Sentinel-2 Satellite Imagery and MERIT DEM. 2022 , 14, 4693		○
29	Hydrologic Connectivity and Flow Generation from California Vernal Pool, Swale, and Headwater Stream Complexes to Downstream Waters.		○
28	Hydrography90m: a new high-resolution global hydrographic dataset. 2022 , 14, 4525-4550	2	
27	Leaf-associated macroinvertebrate assemblage and leaf litter breakdown in headwater streams depend on local riparian vegetation.		○
26	Seasonal variability in macroinvertebrate assemblages in paired perennial and intermittent streams in Costa Rica.		○

- 25 Citizen science for assessing pesticide impacts in agricultural streams. **2023**, 857, 159607 ○
- 24 Transcriptome signatures of wastewater effluent exposure in larval zebrafish vary with seasonal mixture composition in an effluent-dominated stream. **2023**, 856, 159069 ○
- 23 Socioeconomic cost of dredge boat gold mining in the Tapaj  basin, eastern Amazon. **2022**, 103102 ○
- 22 Organic litter dynamics in headwater streams draining contrasting land uses. ○
- 21 Impacts of soil, climate, and phenology on retention of dissolved agricultural nutrients by permanent-cover buffers. **2022**, 160532 ○
- 20 Fish biodiversity in different types of tributary mouths located within impounded sections of Swedish boreal rivers. **2022**, ○
- 19 Spatial non-stationarity in the distribution of fish species richness of tropical streams. ○
- 18 Population structure of obligate groundwater amphipod crustaceans (*Stygobromus* sp.) in alluvial aquifers. ○
- 17 Sediment Dynamics and Bed Stability in Step-Pool Streams: Insights From 18 Years of Field Observations. **2023**, 59, ○
- 16 Mine tailings storage dams modify upstream headwater fish assemblages. **2023**, 100136 ○
- 15 Effects of urbanization-induced local alterations on the diversity and assemblage structure of macroinvertebrates in low-order streams. ○
- 14 Water Chemical Composition of the Selenga River in High Water Level Period. **2022**, 43, S92-S96 ○
- 13 Short-Term Effects of Forest Fire on Water Quality along a Headwater Stream in the Immediate Post-Fire Period. **2023**, 15, 131 ○
- 12 Rotifers of Inter-Forest Springs. **2023**, 15, 153 ○
- 11 Catchment-scale deer exclusion changes longitudinal patterns of macroinvertebrate communities through soil runoff mitigation. **2023**, 190, 106932 ○
- 10 Association of socioeconomic factors, state of the environment and disaster occurrences with environmental attitudes in Kerala, India. **2023**, 87, 103572 ○
- 9 Ecosystem Functions of a Spring-Fed Tributary in Providing Foraging Habitat and Thermal Refuge for Juvenile Masu Salmon. **2023**, 111, ○
- 8 From headwaters to outlets: Bird species accrual curves are faster downstream with different implications for varying landcovers and ecoregions. 11, ○

- 7 Spatial Conservation Assessment for Native Fishes in the Lahontan and Central Nevada Basins, USA. **2023**, 15, 1087 ○
- 6 Climate change impacts on native cutthroat trout habitat in Colorado streams. ○
- 5 Hydrodynamics and geomorphology of groundwater environments. **2023**, 3-37 ○
- 4 Hydrologic Connectivity and Flow Generation from California Vernal Pool, Swale, and Headwater Stream Complexes to Downstream Waters. **2023**, 43, ○
- 3 Observed and projected functional reorganization of riverine fish assemblages from global change. ○
- 2 Coleoptera associated with intermittent streams and their riparian zones in south coastal British Columbia. **2023**, 155, ○
- 1 Hydrological characteristics of extreme floods in the Klaserie River, a headwater stream in southern Africa. 82, ○