

Life-history traits of introduced Iberian pumpkinseed  
native populations. Can differences explain colonization

Journal of Fish Biology

71, 56-69

DOI: [10.1111/j.1095-8649.2007.01683.x](https://doi.org/10.1111/j.1095-8649.2007.01683.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Phenotypic plasticity in fish life-history traits in two neotropical reservoirs: Petit-Saut Reservoir in French Guiana and Brokopondo Reservoir in Suriname. <i>Neotropical Ichthyology</i> , 2009, 7, 683-692.	0.5	26
2	Life-history traits and potential invasiveness of introduced pumpkinseed <i>Lepomis gibbosus</i> populations in northwestern Europe. <i>Biological Invasions</i> , 2009, 11, 2171.	1.2	66
3	Feeding tactics and body condition of two introduced populations of pumpkinseed <i>Lepomis gibbosus</i> : taking advantages of human disturbances?. <i>Ecology of Freshwater Fish</i> , 2009, 18, 15-23.	0.7	42
4	Life-history traits of non-native black bullhead <i>Ameiurus melas</i> with comments on its invasive potential. <i>Journal of Applied Ichthyology</i> , 2009, 25, 79-84.	0.3	33
5	Life-history traits of invasive bighead goby <i>Neogobius kessleri</i> (Günther, 1861) from the middle Danube River, with a reflection on which goby species may win the competition. <i>Journal of Applied Ichthyology</i> , 2009, 25, 33-37.	0.3	54
6	Life history of the nonnative convict cichlid <i>Amatitlania nigrofasciata</i> in the Haebaru Reservoir on Okinawa-jima Island, Japan. <i>Environmental Biology of Fishes</i> , 2010, 88, 283-292.	0.4	17
7	Life-history variability of non-native centrarchids in regulated river systems of the lower River Guadiana drainage (southwest Iberian Peninsula). <i>Journal of Fish Biology</i> , 2010, 76, 522-537.	0.7	31
8	Introduction and distribution of alien freshwater fishes on the island of Sardinia (Italy): an assessment on the basis of existing data sources. <i>Journal of Applied Ichthyology</i> , 0, 26, 46-52.	0.3	19
9	Life history and population dynamics of invasive common carp, <i>Cyprinus carpio</i> , within a large turbid African impoundment. <i>Marine and Freshwater Research</i> , 2011, 62, 1270.	0.7	29
10	Genetic relationships among pumpkinseed ( <i>Lepomis gibbosus</i> ) ecomorphs in freshwater reservoirs of Portugal. <i>Ecology of Freshwater Fish</i> , 2011, 20, 287-298.	0.7	8
11	Trophic polymorphism in introduced pumpkinseed ( <i>Lepomis gibbosus</i> ) inhabiting Iberian reservoirs. <i>Environmental Biology of Fishes</i> , 2011, 91, 203-217.	0.4	15
12	Life-history traits of Amur sleeper, <i>Percottus glenii</i> , in the invaded Vistula River: early investment in reproduction but reduced growth rate. <i>Hydrobiologia</i> , 2011, 661, 197-210.	1.0	37
13	Parasite fauna of introduced pumpkinseed fish <i>Lepomis gibbosus</i> : first British record of <i>Onchocleidus dispar</i> (Monogenea). <i>Diseases of Aquatic Organisms</i> , 2011, 97, 65-73.	0.5	11
14	Nonnative African jewelfish are more fit but not bolder at the invasion front: a trait comparison across an Everglades range expansion. <i>Biological Invasions</i> , 2012, 14, 2159-2174.	1.2	35
15	Phenotypic shifts in white perch life history strategy across stages of invasion. <i>Biological Invasions</i> , 2012, 14, 2315-2329.	1.2	46
16	Cuckoldry features of introduced pumpkinseed sunfish ( <i>Lepomis gibbosus</i> ) in contrasting environmental conditions in southern Europe. <i>Canadian Journal of Zoology</i> , 2012, 90, 1051-1057.	0.4	10
17	Morphological variation between non-native lake- and stream-dwelling pumpkinseed <i>Lepomis gibbosus</i> in the Iberian Peninsula. <i>Journal of Fish Biology</i> , 2012, 81, 1915-1935.	0.7	12
18	Does longitudinal connectivity loss affect the distribution of freshwater fish?. <i>Ecological Engineering</i> , 2012, 48, 70-78.	1.6	71

#	ARTICLE	IF	CITATIONS
19	Reproductive biology, growth, and age composition of non-native Indian glassy fish <i>Parambassis ranga</i> (Hamilton, 1822) in Haebaru Reservoir, Okinawa-jima Island, southern Japan. <i>Journal of Applied Ichthyology</i> , 2012, 28, 231-237.	0.3	3
20	Intra-population variability of life-history traits and growth during range expansion of the invasive round goby, <i>Neogobius melanostomus</i> . <i>Fisheries Management and Ecology</i> , 2012, 19, 78-88.	1.0	65
21	Are introduced gibel carp <i>Carassius gibelio</i> in Turkey more invasive in artificial than in natural waters?. <i>Fisheries Management and Ecology</i> , 2012, 19, 178-187.	1.0	50
22	Predicting non-native fish dispersal under conditions of climate change: case study in England of dispersal and establishment of pumpkinseed <i>Lepomis gibbosus</i> in a floodplain pond. <i>Ecology of Freshwater Fish</i> , 2013, 22, 106-116.	0.7	31
23	Do invasive populations of topmouth gudgeon ( <i>Pseudorasbora parva</i> , Temminck and) Tj ETQq0 0 0 rgBT /Overlock 17 Review of <i>Hydrobiologia</i> , 2013, 98, 61-70.	0.5	17
24	Life history of an invasive and unexploited population of Nile tilapia ( <i>Oreochromis niloticus</i> ) and geographical variation across its native and non-native ranges. <i>Environmental Biology of Fishes</i> , 2013, 96, 603-616.	0.4	9
25	Removal control of the highly invasive fish <i>Gambusia holbrooki</i> and effects on its population biology: learning by doing. <i>Wildlife Research</i> , 2013, 40, 82.	0.7	15
26	The role of aggression in range expansion and biological invasions. <i>Environmental Epigenetics</i> , 2014, 60, 401-409.	0.9	47
27	Do invasive freshwater fish species grow better when they are invasive?. <i>Oikos</i> , 2014, 123, 279-289.	1.2	35
28	Old world versus new world: life-history alterations in a successful invader introduced across Europe. <i>Oecologia</i> , 2014, 174, 435-446.	0.9	35
29	Factors regulating the invasive success of an alien frog: a comparison of the ecology of the native and alien populations. <i>Hydrobiologia</i> , 2014, 730, 127-138.	1.0	11
30	Morphological change and phenotypic plasticity in native and non-native pumpkinseed sunfish in response to competition. <i>Die Naturwissenschaften</i> , 2014, 101, 479-492.	0.6	11
31	Phenotypic differentiation of Ponto-Caspian gobies during a contemporary invasion of the upper Danube River. <i>Hydrobiologia</i> , 2014, 721, 269-284.	1.0	20
32	Life-history traits of temperate and thermophilic barracudas (Teleostei: Sphyraenidae) in the context of sea warming in the Mediterranean Sea. <i>Journal of Fish Biology</i> , 2014, 84, 1940-1957.	0.7	15
33	Growth and reproduction of the non-native icefish <i>Neosalanx taihuensis</i> Chen, 1956 (Salangidae) in a plateau lake, southwestern China. <i>Journal of Applied Ichthyology</i> , 2014, 30, 862-869.	0.3	4
34	Living a century in warm thermal conditions: introduced populations of Pumpkinseed ( <i>Lepomis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 conditions. <i>Aquatic Sciences</i> , 2014, 76, 497-509.	0.6	5
35	The role of environmental factors and genetic diversity on colonization success of a non-native fish, <i>Lepomis gibbosus</i> from western part of Turkey. <i>Biochemical Systematics and Ecology</i> , 2015, 58, 195-203.	0.6	13
36	Life-history traits of non-native freshwater fish invaders differentiate them from natives in the Central European bioregion. <i>Reviews in Fish Biology and Fisheries</i> , 2015, 25, 165-178.	2.4	49

#	ARTICLE	IF	CITATIONS
37	Thermal Influences on Life-History Traits and Reproductive Effort of Introduced Pumpkinseed Sunfish ( <i>Lepomis Gibbosus</i> ) in the River Moselle Basin (Northeastern France). <i>River Research and Applications</i> , 2015, 31, 563-575.	0.7	9
38	Demographic flexibility influences colonization success: profiling invasive fish species in the Danube River by the use of population models. <i>Biological Invasions</i> , 2015, 17, 219-229.	1.2	10
39	Fish invading deserts: non-native species in arid Moroccan rivers. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2015, 25, 49-60.	0.9	31
40	Reproductive parameters in native and non-native areas of <i>Padogobius bonelli</i> and comparison with <i>P. nigricans</i> (Actynoptergii, Gobiidae). <i>Hydrobiologia</i> , 2016, 779, 173-182.	1.0	4
41	Research Article: Morphology of pumpkinseed sunfish ( <i>Lepomis gibbosus</i> ) is related to water body size. <i>Bios</i> , 2016, 87, 56-66.	0.0	0
42	A review of growth and life-history traits of native and non-native European populations of black bullhead <i>Ameiurus melas</i> . <i>Reviews in Fish Biology and Fisheries</i> , 2016, 26, 441-469.	2.4	23
43	Do non-native pumpkinseed <i>Lepomis gibbosus</i> affect the growth, diet and trophic niche breadth of native brown trout <i>Salmo trutta</i> ?. <i>Hydrobiologia</i> , 2016, 772, 63-75.	1.0	17
44	Fine scale spatio-temporal life history shifts in an invasive species at its expansion front. <i>Biological Invasions</i> , 2016, 18, 775-792.	1.2	31
45	Predictors of bigheaded carp drifting egg density and spawning activity in an invaded, free-flowing river. <i>Journal of Great Lakes Research</i> , 2016, 42, 83-89.	0.8	32
46	Seasonal gonadal development and age-related maturity patterns of introduced pumpkinseed ( <i>Lepomis</i> ) Tj ETQq1 1 0.784314 rgBT /Ov Biology, 2016, 58, 60-71.	1.1	5
47	Cooling water of power plant creates "hot spots" for tropical fishes and parasites. <i>Parasitology Research</i> , 2016, 115, 85-98.	0.6	32
48	Thermal physiology of native cool-climate, and non-native warm-climate Pumpkinseed sunfish raised in a common environment. <i>Journal of Thermal Biology</i> , 2017, 64, 48-57.	1.1	12
49	Divergent life histories of invasive round gobies ( <i>Neogobius melanostomus</i> ) in Lake Michigan and its tributaries. <i>Ecology of Freshwater Fish</i> , 2017, 26, 563-574.	0.7	35
50	Macroinvertebrate and fish communities in the watershed of a re-constructed Mediterranean water body: link to the ecological potential. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 106.	1.3	6
51	Alien freshwater fish species in the Balkans "Vectors and pathways of introduction. <i>Fish and Fisheries</i> , 2018, 19, 138-169.	2.7	47
52	Selection for life-history traits to maximize population growth in an invasive marine species. <i>Global Change Biology</i> , 2018, 24, 1164-1174.	4.2	24
53	Inter-population variability in growth and reproduction of invasive bleak <i>Alburnus alburnus</i> (Linnaeus, 1758) across the Iberian Peninsula. <i>Marine and Freshwater Research</i> , 2018, 69, 1326.	0.7	10
54	A common environment experiment reveals plastic and genetic contributions to the fast life-history strategy of an invasive fish. <i>Ecology of Freshwater Fish</i> , 2018, 27, 952-962.	0.7	9

#	ARTICLE	IF	CITATIONS
55	Understanding invasion success of <i>Pseudorasbora parva</i> in the Qinghai-Tibetan Plateau: Insights from life-history and environmental filters. <i>Science of the Total Environment</i> , 2019, 694, 133739.	3.9	19
56	Opportunistic-tended life history traits of <i>Siniperca kneri</i> in the Three Gorges Reservoir, China: potential responses to impoundment. <i>Journal of Oceanology and Limnology</i> , 2019, 37, 694-705.	0.6	2
57	Variation in Life History May Allow Colonization of Diverse Habitats in an Invasive Fish Species. <i>Copeia</i> , 2019, 107, 124.	1.4	1
58	Trophic plasticity and the invasion of a renowned piscivore: a diet synthesis of northern pike ( <i>Esox</i> ) Tj ETQq1 1 0.784314 rgBJ /Overl	1.2	1
59	Gonad development and reproductive hormones of invasive silver carp ( <i>Hypophthalmichthys molitrix</i> ) in the Illinois River. <i>Biology of Reproduction</i> , 2020, 102, 647-659.	1.2	12
60	New and Old World phylogeography of pumpkinseed <i>Lepomis gibbosus</i> (Linnaeus, 1758): the North American origin of introduced populations in Europe. <i>Hydrobiologia</i> , 2020, 847, 345-364.	1.0	13
61	Native drivers of fish life history traits are lost during the invasion process. <i>Ecology and Evolution</i> , 2020, 10, 8623-8633.	0.8	10
62	Can Invasiveness in Freshwater Fishes Be Predicted From Life-History Traits?. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	1.1	2
63	Phenotypic plasticity in life-history characteristics of invasive blue catfish, <i>Ictalurus furcatus</i> . <i>Fisheries Research</i> , 2020, 230, 105650.	0.9	7
64	First record of the American cestode <i>Proteocephalus ambloplitis</i> (Leidy, 1887) (Proteocephalidae) in Europe. <i>Journal of Helminthology</i> , 2020, 94, e144.	0.4	4
65	Two centuries for an almost complete community turnover from native to non-native species in a riverine ecosystem. <i>Global Change Biology</i> , 2021, 27, 606-623.	4.2	58
66	Spatial variation in invasive silver carp population ecology throughout the upper Mississippi River basin*. <i>Ecology of Freshwater Fish</i> , 2021, 30, 375-390.	0.7	1
67	Prolific pioneers and reserved settlers. Changes in the life-history of the western tubenose goby ( <i>Proterorhinus semilunaris</i> ) at different invasion stages. <i>Science of the Total Environment</i> , 2021, 750, 142316.	3.9	7
68	Consistency in the life history traits of four invasive <i>pseudorasbora parva</i> populations in Southern England. <i>Journal of Applied Ichthyology</i> , 2021, 37, 295-302.	0.3	5
69	Reproductive Characteristics Differ in Two Invasive Populations of Blue Catfish. <i>North American Journal of Fisheries Management</i> , 0, 41, S180.	0.5	2
70	Survival, Growth, and Reproduction: Comparison of Marbled Crayfish with Four Prominent Crayfish Invaders. <i>Biology</i> , 2021, 10, 422.	1.3	16
71	Invasion of pumpkinseed <i>Lepomis gibbosus</i> is facilitated by phenotypic plasticity across its invasion gradient. <i>Biological Invasions</i> , 2021, 23, 3201-3214.	1.2	7
72	Modeling effects of disturbance across life history strategies of stream fishes. <i>Oecologia</i> , 2021, 196, 413-425.	0.9	1

#	ARTICLE	IF	CITATIONS
73	How Will Climate Warming Affect Non-Native Pumpkinseed <i>Lepomis gibbosus</i> Populations in the U.K.?. PLoS ONE, 2015, 10, e0135482.	1.1	7
74	Impacts of non-native fishes on Iberian freshwater ichthyofauna: current knowledge and gaps. Aquatic Invasions, 2010, 5, 239-262.	0.6	86
75	Ontogenetic phenomena, temporal aspect, and ecological factors in the successful invasion of round goby <i>Neogobius melanostomus</i> in the River Danube. Aquatic Invasions, 2015, 10, 227-235.	0.6	13
76	Variation of Abundance and Demographic Structure of the Introduced Pumpkinseed, <i>Lepomis Gibbosus</i> (Actinopterygii: Perciformes: Centrarchidae), in Relation to Littoral Habitats and Water Body Use. Acta Ichthyologica Et Piscatoria, 2012, 42, 121-130.	0.3	1
77	Feeding ecology of non-native centrarchids (Actinopterygii: Perciformes: Centrarchidae) in two Iberian reservoirs with contrasting food resources. Acta Ichthyologica Et Piscatoria, 2014, 44, 23-35.	0.3	2
78	Desert pumpkinseed: diet composition and breadth in a Moroccan river. Knowledge and Management of Aquatic Ecosystems, 2021, , 34.	0.5	3
80	A comprehensive review of invasion and ecological impacts of introduced common carp ( <i>Cyprinus</i> )	0.6	9
81	Demographic Rate Variability of Bighead and Silver Carps Along an Invasion Gradient. Journal of Fish and Wildlife Management, 2021, 12, 338-353.	0.4	5
85	Age and growth rates of a translocated chub <i>Squalius cephalus</i> chalk-stream population with comparison to indigenous riverine populations in England. Knowledge and Management of Aquatic Ecosystems, 2022, , 17.	0.5	2
86	Population genetic structure, parasite infection and somatic condition of pumpkinseed <i>Lepomis gibbosus</i> (Actinopterygii: Centrarchidae) in the Oder river basin. Journal of Fish Biology, 2023, 102, 426-442.	0.7	1