

CITATION REPORT

List of articles citing

The hierarchical formation of the brightest cluster galaxies

DOI: 10.1111/j.1365-2966.2006.11287.x

Monthly Notices of the Royal Astronomical Society,
2007, 375, 2-14.

Source: <https://exaly.com/paper-pdf/42861390/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1251	The Evolution of Galaxies in X-Ray Luminous Groups. <i>Astrophysical Journal</i> , 2007 , 658, 865-883	4.7	46
1250	Stellar Populations of Globular Clusters in the Elliptical Galaxy NGC 1407. <i>Astronomical Journal</i> , 2007 , 134, 391-410	4.9	46
1249	Cosmic Evolution of Black Holes and Spheroids. II. Scaling Relations at $z = 0.36$. <i>Astrophysical Journal</i> , 2007 , 667, 117-130	4.7	126
1248	The Mass Assembly History of Spheroidal Galaxies: Did Newly Formed Systems Arise via Major Mergers?. <i>Astrophysical Journal</i> , 2007 , 665, L5-L8	4.7	63
1247	Assessing the Predictive Power of Galaxy Formation Models: A Comparison of Predicted and Observed Rest-Frame Optical Luminosity Functions at $z = 2.0$. <i>Astrophysical Journal</i> , 2007 , 663, L89-L92	4.7	15
1246	An Extremely Massive Dry Galaxy Merger in a Moderate Redshift Cluster. <i>Astrophysical Journal</i> , 2007 , 665, L9-L13	4.7	35
1245	Observational Evidence for the Coevolution of Galaxy Mergers, Quasars, and the Blue/Red Galaxy Transition. <i>Astrophysical Journal</i> , 2007 , 659, 976-996	4.7	91
1244	The Hierarchical Build-Up of Massive Galaxies and the Intracluster Light since $z = 1$. <i>Astrophysical Journal</i> , 2007 , 668, 826-838	4.7	168
1243	The VIMOS VLT Deep Survey. <i>Astronomy and Astrophysics</i> , 2007 , 474, 443-459	5.1	193
1242	The spatial clustering of mid-IR selected star forming galaxies at $z \sim 1$ in the GOODS fields. <i>Astronomy and Astrophysics</i> , 2007 , 475, 83-99	5.1	30
1241	The high-redshift galaxy population in hierarchical galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 376, 2-12	4.3	215
1240	Properties of luminous red galaxies in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 377, 787-805	4.3	12
1239	Modelling and interpreting the dependence of clustering on the spectral energy distributions of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 377, 1419-1430	4.3	71
1238	Spatially resolved kinematics and stellar populations of brightest cluster and group galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 378, 1507-1530	4.3	63
1237	Line emission in the brightest cluster galaxies of the NOAO Fundamental Plane and Sloan Digital Sky Surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 379, 100-110	4.3	83
1236	On the prevalence of radio-loud active galactic nuclei in brightest cluster galaxies: implications for AGN heating of cooling flows. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 379, 894-908	4.3	229
1235	How special are brightest group and cluster galaxies?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 379, 867-893	4.3	264

1234	The recycling of gas and metals in galaxy formation: predictions of a dynamical feedback model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 379, 1143-1154	4-3	115
1233	Statistical analysis of galaxy surveys - III. The non-linear clustering of red and blue galaxies in the 2dFGRS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 379, 1562-1570	4-3	23
1232	Strong lensing optical depths in a Λ CDM universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 382, 121-132	4-3	116
1231	Reproducing the assembly of massive galaxies within the hierarchical cosmogony. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 382, 903-914	4-3	55
1230	Diffuse UV light associated with the Spiderweb Galaxy: evidence for in situ star formation outside galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 931-942	4-3	43
1229	A census of metals and baryons in stars in the local Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 1439-1458	4-3	117
1228	Ram-pressure histories of cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 1336-1342	4-3	36
1227	The effect of dwarf galaxy disruption in semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 1649-1654	4-3	29
1226	Distant radio galaxies and their environments. 2008 , 15, 67-144		253
1225	Incorporating interactive three-dimensional graphics in astronomy research papers. 2008 , 13, 599-605		57
1224	The luminosity-halo mass relation for brightest cluster galaxies. 2008 , 385, L103-L107		51
1223	A test of the nature of cosmic acceleration using galaxy redshift distortions. 2008 , 451, 541-4		492
1222	Dynamical friction and galaxy merging time-scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 383, 93-101	4-3	296
1221	A non-parametric model for linking galaxy luminosity with halo/subhalo mass: are brightest cluster galaxies special?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 383, 355-368	4-3	30
1220	Galaxy growth in the concordance Λ CDM cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 384, 2-10	4-3	178
1219	Masses for the Local Group and the Milky Way. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 384, 1459-1468	4-3	191
1218	The dependence of galaxy formation on cosmological parameters: can we distinguish between the WMAP1 and WMAP3 parameter sets?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 384, 1304-1315	4-3	98
1217	Near-infrared evolution of brightest cluster galaxies in the most X-ray luminous clusters since $z = 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 384, 1502-1510	4-3	60

1216	Photometric properties and scaling relations of early-type Brightest Cluster Galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 385, 23-39	4-3	70
1215	The galaxy stellar mass-star formation rate relation: evidence for an evolving stellar initial mass function?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 385, 147-160	4-3	251
1214	The early-type galaxies NGC 1407 and NGC 1400. Star formation and chemical evolutionary history. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 385, 675-686	4-3	38
1213	Modelling the cosmological co-evolution of supermassive black holes and galaxies. BH scaling relations and the AGN luminosity function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 385, 1846-1858	4-3	92
1212	Luminous red galaxies in hierarchical cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 386, 2145-2160	4-3	37
1211	Strong-lensing optical depths in a Λ CDM universe. The influence of the stellar mass in galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 386, 1845-1854	4-3	79
1210	Mass, metal, and energy feedback in cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 387, 577-600	4-3	390
1209	Supermassive black holes and their environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 387, 1163-1178	4-3	30
1208	The evolution of the brightest cluster galaxies since $z \sim 1$ from the ESO Distant Cluster Survey (EDisCS). <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 387, 1253-1263	4-3	102
1207	Compact groups in theory and practice - I. The spatial properties of compact groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 387, 1281-1290	4-3	33
1206	Effects of AGN feedback on Λ CDM galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 388, 587-602	4-3	111
1205	A synthesis model for AGN evolution: supermassive black holes growth and feedback modes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , ???-???	4-3	110
1204	The evolution of the galaxy red sequence in simulated clusters and groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 389, 13-26	4-3	48
1203	Ongoing assembly of massive galaxies by major merging in large groups and clusters from the SDSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 388, 1537-1556	4-3	118
1202	Downsizing by shutdown in red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 389, 567-584	4-3	97
1201	Merger history trees of dark matter haloes in moving barrier models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 1729-1740	4-3	13
1200	Radial kinematics of brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 1009-1028	4-3	50
1199	The Galaxy and its stellar halo: insights on their formation from a hybrid cosmological approach. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 14-31	4-3	143

1198	A calibration of the relation between the abundance of close galaxy pairs and the rate of galaxy mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 1489-1498	4.3	135
1197	Why are AGN found in high-mass galaxies?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 785-792	4.3	17
1196	The effect of gas dynamics on semi-analytic modelling of cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 565-576	4.3	11
1195	Luminous satellite galaxies in gravitational lenses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 391, 959-966	4.3	8
1194	A Maximum Likelihood Method for Bidimensional Experimental Distributions and Its Application to the Galaxy Merger Fraction. 2008 , 120, 571-582		11
1193	Neutral Hydrogen in the Local Universe. 2008 ,		1
1192	A Confirmation of the Strong Clustering of Distant Red Galaxies at $z \sim 2$. <i>Astrophysical Journal</i> , 2008 , 685, L1-L4	4.7	48
1191	The star-formation history of the Milky Way Galaxy. 2008 , 4, 11-22		2
1190	Formation and evolution of disk galaxies. 2008 , 4, 401-410		
1189	Disk Sizes in a Λ CDM Universe. 2008 , 4, 411-416		
1188	The Galaxy and its stellar halo - insights from a hybrid cosmological approach. 2008 , 4, 423-428		
1187	Virial Scaling of Massive Dark Matter Halos: Why Clusters Prefer a High Normalization Cosmology. <i>Astrophysical Journal</i> , 2008 , 672, 122-137	4.7	265
1186	Environmental Effects on Real-Space and Redshift-Space Galaxy Clustering. <i>Astrophysical Journal</i> , 2008 , 686, 41-52	4.7	34
1185	Dissipation and the Fundamental Plane: Observational Tests. <i>Astrophysical Journal</i> , 2008 , 689, 17-48	4.7	76
1184	Quenching of Star Formation. 2008 ,		
1183	FIREWORKS: The Photometry of the GOODS Chandra Deep Field-South: Multiwavelength Catalog and Total Infrared Properties of Distant Ks-selected Galaxies. <i>Astrophysical Journal</i> , 2008 , 682, 985-1003	4.7	254
1182	The Regulation of Cooling and Star Formation in Luminous Galaxies by Active Galactic Nucleus Feedback and the Cooling-Time/Entropy Threshold for the Onset of Star Formation. <i>Astrophysical Journal</i> , 2008 , 687, 899-918	4.7	180
1181	The Late Stellar Assembly of Massive Cluster Galaxies via Major Merging. <i>Astrophysical Journal</i> , 2008 , 683, L17-L20	4.7	32

1180	The Environment of Galaxies at Low Redshift. <i>Astrophysical Journal</i> , 2008 , 674, L13-L16	4.7	21
1179	A Cosmological Framework for the Co-evolution of Quasars, Supermassive Black Holes, and Elliptical Galaxies. II. Formation of Red Ellipticals. 2008 , 175, 390-422		282
1178	A New Galaxy Group Finding Algorithm: Probability Friends-of-Friends. <i>Astrophysical Journal</i> , 2008 , 681, 1046-1057	4.7	15
1177	Adding Environmental Gas Physics to the Semianalytic Method for Galaxy Formation: Gravitational Heating. <i>Astrophysical Journal</i> , 2008 , 680, 54-69	4.7	96
1176	The ACS Virgo Cluster Survey. XV. The Formation Efficiencies of Globular Clusters in Early-Type Galaxies: The Effects of Mass and Environment. <i>Astrophysical Journal</i> , 2008 , 681, 197-224	4.7	229
1175	RX J1648.7+6109: Witnessing the Formation of a Massive Group/Poor Cluster and Its Brightest Galaxy. <i>Astrophysical Journal</i> , 2008 , 685, 138-146	4.7	4
1174	AEGIS: New Evidence Linking Active Galactic Nuclei to the Quenching of Star Formation. <i>Astrophysical Journal</i> , 2008 , 681, 931-943	4.7	106
1173	The Scale Dependence of Mass Assembly in Galaxies. <i>Astrophysical Journal</i> , 2008 , 684, L61-L64	4.7	8
1172	EAZY: A Fast, Public Photometric Redshift Code. <i>Astrophysical Journal</i> , 2008 , 686, 1503-1513	4.7	935
1171	The bright galaxy population of five medium redshift clusters. <i>Astronomy and Astrophysics</i> , 2008 , 487, 453-460	5.1	12
1170	Large-scale variations of the cosmic X-ray background and the X-ray emissivity of the local Universe. <i>Astronomy and Astrophysics</i> , 2008 , 483, 425-435	5.1	14
1169	Diffuse stellar emission in X-ray luminous galaxy clusters at $z \sim 0.3$. <i>Astronomy and Astrophysics</i> , 2008 , 483, 727-739	5.1	29
1168	The Vimos VLT deep survey. <i>Astronomy and Astrophysics</i> , 2008 , 486, 683-695	5.1	113
1167	Realistic simulations of gravitational lensing by galaxy clusters: extracting arc parameters from mock DUNE images. <i>Astronomy and Astrophysics</i> , 2008 , 482, 403-418	5.1	53
1166	Fossil groups in the Millennium Simulation. <i>Astronomy and Astrophysics</i> , 2008 , 490, 965-973	5.1	36
1165	The VIMOS-VLT Deep Survey (VVDS). <i>Astronomy and Astrophysics</i> , 2008 , 478, 299-310	5.1	65
1164	THE MASS-METALLICITY GRADIENT RELATION OF EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2009 , 691, L138-L141	4.7	93
1163	HOW DO DISKS SURVIVE MERGERS?. <i>Astrophysical Journal</i> , 2009 , 691, 1168-1201	4.7	391

1162	COLOR DISTRIBUTIONS, NUMBER, AND MASS DENSITIES OF MASSIVE GALAXIES AT 1.5 . <i>Astrophysical Journal</i> , 2009 , 700, 799-819	4-7	39
1161	THE REST-FRAME OPTICAL LUMINOSITY FUNCTION OF CLUSTER GALAXIES ATz <i>Astrophysical Journal</i> , 2009 , 700, 1559-1588	4-7	87
1160	A HEURISTIC PREDICTION OF THE COSMIC EVOLUTION OF THE CO-LUMINOSITY FUNCTIONS. <i>Astrophysical Journal</i> , 2009 , 702, 1321-1335	4-7	67
1159	STAR FORMATION IN THE CHANDRA DEEP FIELD SOUTH: OBSERVATIONS CONFRONT SIMULATIONS. <i>Astrophysical Journal</i> , 2009 , 705, 617-623	4-7	41
1158	HELIUM SEDIMENTATION AND THE ULTRAVIOLET UPTURN IN BRIGHTEST CLUSTER GALAXIES. <i>Astrophysical Journal</i> , 2009 , 705, L58-L61	4-7	21
1157	MAPPING THE DARK MATTER FROM UV LIGHT AT HIGH REDSHIFT: AN EMPIRICAL APPROACH TO UNDERSTAND GALAXY STATISTICS. <i>Astrophysical Journal</i> , 2009 , 695, 368-390	4-7	78
1156	ON THE CONTRIBUTION OF LARGE-SCALE STRUCTURE TO STRONG GRAVITATIONAL LENSING. <i>Astrophysical Journal</i> , 2009 , 695, 1233-1243	4-7	22
1155	THE XMM CLUSTER SURVEY: GALAXY MORPHOLOGIES AND THE COLOR-MAGNITUDE RELATION IN XMMXCS J2215.9 + 738 ATz= 1.46. <i>Astrophysical Journal</i> , 2009 , 697, 436-451	4-7	72
1154	AN OPTICAL GROUP CATALOG TOz= 1 FROM THE zCOSMOS 10 k SAMPLE. <i>Astrophysical Journal</i> , 2009 , 697, 1842-1860	4-7	95
1153	SPITZER IRS OBSERVATIONS OF k+a GALAXIES: A LINK BETWEEN POLYCYCLIC AROMATIC HYDROCARBON EMISSION PROPERTIES AND ACTIVE GALACTIC NUCLEUS FEEDBACK?. <i>Astrophysical Journal</i> , 2009 , 699, L1-L4	4-7	6
1152	STELLAR MASSES OF LYMAN BREAK GALAXIES, Ly α EMITTERS, AND RADIO GALAXIES IN OVERDENSE REGIONS ATz= 4-6. <i>Astrophysical Journal</i> , 2009 , 704, 548-563	4-7	33
1151	THE FIRST GENERATION OF VIRGO CLUSTER DWARF ELLIPTICAL GALAXIES?. <i>Astrophysical Journal</i> , 2009 , 706, L124-L128	4-7	43
1150	A VIRTUAL SKY WITH EXTRAGALACTIC H I AND CO LINES FOR THE SQUARE KILOMETRE ARRAY AND THE ATACAMA LARGE MILLIMETER/SUBMILLIMETER ARRAY. <i>Astrophysical Journal</i> , 2009 , 703, 1890-1903	4-7	67
1149	THE COSMIC DECLINE IN THE H ₂ /H I RATIO IN GALAXIES. <i>Astrophysical Journal</i> , 2009 , 696, L129-L132	4-7	87
1148	Star formation and mass assembly in high redshift galaxies. <i>Astronomy and Astrophysics</i> , 2009 , 504, 751-767		263
1147	The orbital velocity anisotropy of cluster galaxies: evolution. <i>Astronomy and Astrophysics</i> , 2009 , 501, 419-427	5-1	38
1146	The zCOSMOS redshift survey: the role of environment and stellar mass in shaping the rise of the morphology-density relation from z ~ 1. <i>Astronomy and Astrophysics</i> , 2009 , 503, 379-398	5-1	121
1145	The bright galaxy population of five medium redshift clusters. <i>Astronomy and Astrophysics</i> , 2009 , 506, 1071-1082	5-1	3

1144	SIMULATION OF THE COSMIC EVOLUTION OF ATOMIC AND MOLECULAR HYDROGEN IN GALAXIES. <i>Astrophysical Journal</i> , 2009 , 698, 1467-1484	4.7	129
1143	THE ROLE OF DRY MERGERS FOR THE FORMATION AND EVOLUTION OF BRIGHTEST CLUSTER GALAXIES. <i>Astrophysical Journal</i> , 2009 , 696, 1094-1102	4.7	56
1142	Wide and deep near-UV (360 nm) galaxy counts and the extragalactic background light with the Large Binocular Camera. <i>Astronomy and Astrophysics</i> , 2009 , 505, 1041-1048	5.1	16
1141	DARK MATTER SCALING RELATIONS AND THE ASSEMBLY EPOCH OF COMA EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2009 , 691, 770-782	4.7	60
1140	THE EVOLUTION OF THE STELLAR MASS FUNCTION OF GALAXIES FROM $z=4.0$ AND THE FIRST COMPREHENSIVE ANALYSIS OF ITS UNCERTAINTIES: EVIDENCE FOR MASS-DEPENDENT EVOLUTION. <i>Astrophysical Journal</i> , 2009 , 701, 1765-1796	4.7	395
1139	THE HALO MERGER RATE IN THE MILLENNIUM SIMULATION AND IMPLICATIONS FOR OBSERVED GALAXY MERGER FRACTIONS. <i>Astrophysical Journal</i> , 2009 , 701, 2002-2018	4.7	89
1138	NEARBY GALAXIES IN THE 2 nd ALL SKY SURVEY. I.K-BAND LUMINOSITY FUNCTIONS. <i>Astrophysical Journal</i> , 2009 , 702, 955-969	4.7	16
1137	ON THE ANTICORRELATION BETWEEN GALAXY LIGHT CONCENTRATION AND X-RAY-TO-OPTICAL FLUX RATIO. <i>Astrophysical Journal</i> , 2009 , 702, L51-L55	4.7	7
1136	THE SURVIVAL OF DARK MATTER HALOS IN THE CLUSTER Cl 0024+16. <i>Astrophysical Journal</i> , 2009 , 693, 970-983	4.7	79
1135	RECOVERING STELLAR POPULATION PROPERTIES AND REDSHIFTS FROM BROADBAND PHOTOMETRY OF SIMULATED GALAXIES: LESSONS FOR SED MODELING. <i>Astrophysical Journal</i> , 2009 , 696, 348-369	4.7	75
1134	MOIRCS DEEP SURVEY. IV. EVOLUTION OF GALAXY STELLAR MASS FUNCTION BACK TO $z\sim 3$. <i>Astrophysical Journal</i> , 2009 , 702, 1393-1412	4.7	91
1133	A HERTZSPRUNG-RUSSELL-LIKE DIAGRAM FOR GALAXIES: THEMATIC VERSUS M_{G} RELATION. <i>Astrophysical Journal</i> , 2009 , 703, 1502-1510	4.7	29
1132	RED NUGGETS AT $z\sim 1.5$: COMPACT PASSIVE GALAXIES AND THE FORMATION OF THE KORMENDY RELATION. <i>Astrophysical Journal</i> , 2009 , 695, 101-115	4.7	239
1131	MAPPING THE DARK SIDE WITH DEIMOS: GLOBULAR CLUSTERS, X-RAY GAS, AND DARK MATTER IN THE NGC 1407 GROUP. <i>Astronomical Journal</i> , 2009 , 137, 4956-4987	4.9	86
1130	THE WFC3 GALACTIC BULGE TREASURY PROGRAM: A FIRST LOOK AT RESOLVED STELLAR POPULATION TOOLS. <i>Astronomical Journal</i> , 2009 , 137, 3172-3180	4.9	19
1129	THE DYNAMICAL STATE OF BRIGHTEST CLUSTER GALAXIES AND THE FORMATION OF CLUSTERS. <i>Astronomical Journal</i> , 2009 , 137, 4795-4809	4.9	71
1128	Combining Semi-Analytic Models of Galaxy Formation with Simulations of Galaxy Clusters: the Need for AGN Heating. 2009 ,		
1127	Alignment between galaxies and large-scale structure. 2009 , 9, 41-58		56

1126 Λ CDM models of galaxy formation: successes and open problems. **2009**,

1125 The Clustering of Simulated Quasars. **2009**,

1124 The Role of Active Galactic Nuclei in Galaxy Formation. **2009**,

1123 The real-space clustering of luminous red galaxies aroundzMonthly Notices of the Royal Astronomical Society, **2009**, 397, 1862-1875 4.3 86

1122 Compact groups in theory and practice - II. Comparing the observed and predicted nature of galaxies in compact groups. *Monthly Notices of the Royal Astronomical Society*, **2009**, 392, 1141-1152 4.3 12

1121 Evaluating and improving semi-analytic modelling of dust in galaxies based on radiative transfer calculations. *Monthly Notices of the Royal Astronomical Society*, **2009**, 392, 553-569 4.3 49

1120 Mock observations with the Millennium Simulation: cosmological downsizing and intermediate-redshift observations. *Monthly Notices of the Royal Astronomical Society*, **2009**, 393, 1127-1140 4.3 27

1119 Simulating the formation of a protocluster atz~ 2. *Monthly Notices of the Royal Astronomical Society*, **2009**, 392, 795-800 4.3 16

1118 Constraints on the star formation histories of galaxies fromz~ 1 to 0. *Monthly Notices of the Royal Astronomical Society*, **2009**, 393, 406-418 4.3 43

1117 Λ CDM predictions for galaxy protoclusters - I. The relation between galaxies, protoclusters and quasars at. *Monthly Notices of the Royal Astronomical Society*, **2009**, 394, 577-594 4.3 69

1116 Massive, red galaxies in a hierarchical universe - I. Counts of extremely red objects and basic properties. *Monthly Notices of the Royal Astronomical Society*, **2009**, 398, 497-514 4.3 25

1115 The correlation of star formation quenching with internal galaxy properties and environment. *Monthly Notices of the Royal Astronomical Society*, **2009**, 394, 1131-1147 4.3 150

1114 Understanding the H2/H i ratio in galaxies. *Monthly Notices of the Royal Astronomical Society*, **2009**, 394, 1857-1874 4.3 89

1113 High-redshift galaxy populations and their descendants. *Monthly Notices of the Royal Astronomical Society*, **2009**, 396, 39-52 4.3 40

1112 The growth and assembly of a massive galaxy at. *Monthly Notices of the Royal Astronomical Society*, **2009**, 395, 114-125 4.3 38

1111 Evidence for recent star formation in BCGs: a correspondence between blue cores and UV excess. *Monthly Notices of the Royal Astronomical Society*, **2009**, 395, 462-471 4.3 48

1110 Milky Way type galaxies in a Λ CDM cosmology. *Monthly Notices of the Royal Astronomical Society*, **2009**, 395, 210-217 4.3 13

1109 Probing recent star formation with absorption-line strengths in hierarchical models and observations. *Monthly Notices of the Royal Astronomical Society*, **2009**, 395, 608-624 4.3 50

1108	Modelling the cosmological co-evolution of supermassive black holes and galaxies - II. The clustering of quasars and their dark environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 423-438	4-3	75
1107	Monte Carlo Markov Chain parameter estimation in semi-analytic models of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 535-547	4-3	68
1106	The spatial distribution of X-ray selected AGN in the Chandraseeep fields: a theoretical perspective. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 1404-1414	4-3	14
1105	Major dry mergers in early-type brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 2003-2010	4-3	43
1104	A comparison of galaxy merger history observations and predictions from semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 2345-2358	4-3	48
1103	Galaxy morphology in the Λ CDM cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 1972-1984	4-3	92
1102	Luminosity and surface brightness distribution of K-band galaxies from the UKIDSS Large Area Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 868-882	4-3	32
1101	Building a control sample for galaxy pairs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 748-756	4-3	26
1100	Substructures in hydrodynamical cluster simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 399, 497-514	4-3	558
1099	Estimating the H I gas fractions of galaxies in the local Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 1243-1253	4-3	78
1098	The many manifestations of downsizing: hierarchical galaxy formation models confront observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 1776-1790	4-3	288
1097	Stellar populations in the centres of brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 398, 133-156	4-3	54
1096	Resolving cosmic structure formation with the Millennium-II Simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 398, 1150-1164	4-3	670
1095	Cluster strong lensing in the Millennium simulation: the effect of galaxies and structures along the line-of-sight. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 398, 1298-1308	4-3	42
1094	The distribution of stellar mass in the low-redshift Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 398, 2177-2187	4-3	282
1093	On the role of the post-starburst phase in the buildup of the red sequence of intermediate-redshift clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 68-77	4-3	19
1092	Cosmic cartography of the large-scale structure with Sloan Digital Sky Survey data release 6. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 183-203	4-3	58
1091	Compactness of cold gas in high-redshift galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 665-669	4-3	13

1090	Modelling galaxy clustering: is new physics needed in galaxy formation models?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 1527-1540	4-3	45
1089	The statistics of voids as a tool to constrain cosmological parameters: Ω_8 and Ω_7 . <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 1835-1849	4-3	15
1088	Properties of long gamma-ray burst host galaxies in cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 1613-1624	4-3	19
1087	Compact groups in theory and practice - III. Compact groups of galaxies in the Sixth Data Release of the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 395, 255-268	4-3	64
1086	The luminosity function, halo masses and stellar masses of luminous Lyman-break galaxies at redshifts 5 <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 395, 2196-2209	4-3	141
1085	Galaxies in a simulated Λ CDM universe - II. Observable properties and constraints on feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 2332-2344	4-3	155
1084	Global environmental effects versus galaxy interactions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 399, 1157-1166	4-3	34
1083	Metallicity gradients at large galactocentric radii using the near-infrared Calcium triplet. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 2135-2146	4-3	41
1082	Early assembly of the most massive galaxies. 2009 , 458, 603-6		128
1081	On the common mass scale of the Milky Way satellites. 2009 , 397, L87-L91		35
1080	DISSIPATION AND EXTRA LIGHT IN GALACTIC NUCLEI. IV. EVOLUTION IN THE SCALING RELATIONS OF SPHEROIDS. <i>Astrophysical Journal</i> , 2009 , 691, 1424-1458	4-7	203
1079	THE CHANDRA SURVEY OF THE COSMOS FIELD. II. SOURCE DETECTION AND PHOTOMETRY. 2009 , 185, 586-601		59
1078	A PUBLIC, K -SELECTED, OPTICAL-TO-NEAR-INFRARED CATALOG OF THE EXTENDED CHANDRA DEEP FIELD SOUTH (ECDFS) FROM THE MULTIWAVELENGTH SURVEY BY YALE-CHILE (MUSYC). 2009 , 183, 295-319		123
1077	Control sample for galaxy pairs: Simulations and Observations. 2009 , 5, 410-411		
1076	Interchanging Interactive 3D Graphics for Astronomy. 2009 , 26, 64-74		5
1075	THE GALAXY CONTENT OF SDSS CLUSTERS AND GROUPS. <i>Astrophysical Journal</i> , 2009 , 699, 1333-1353	4-7	174
1074	PERTURBATION THEORY RELOADED. II. NONLINEAR BIAS, BARYON ACOUSTIC OSCILLATIONS, AND MILLENNIUM SIMULATION IN REAL SPACE. <i>Astrophysical Journal</i> , 2009 , 691, 569-595	4-7	72
1073	The galaxy major merger fraction to $\{z\} \sim 1$. <i>Astronomy and Astrophysics</i> , 2009 , 501, 505-518	5-1	61

1072 Large High Redshift Spectroscopic Surveys. **2010**, 6, 121-127

1071 THE COSMOS-WIRCam NEAR-INFRARED IMAGING SURVEY. I. BzK-SELECTED PASSIVE AND STAR-FORMING GALAXY CANDIDATES ATz= 1.4. *Astrophysical Journal*, **2010**, 708, 202-217 4.7 207

1070 THE PROPAGATION OF UNCERTAINTIES IN STELLAR POPULATION SYNTHESIS MODELING. II. THE CHALLENGE OF COMPARING GALAXY EVOLUTION MODELS TO OBSERVATIONS. *Astrophysical Journal*, **2010**, 708, 58-70 4.7 138

1069 MERGERS AND BULGE FORMATION IN Λ CDM: WHICH MERGERS MATTER?. *Astrophysical Journal*, **2010**, 715, 202-229 4.7 299

1068 Tracking the impact of environment on the galaxy stellar mass function up to $z \sim 1$ in the 10k zCOSMOS sample. *Astronomy and Astrophysics*, **2010**, 524, A76 5.1 140

1067 THE XMM-CLUSTER SURVEY: THE BUILD-UP OF STELLAR MASS IN BRIGHTEST CLUSTER GALAXIES AT HIGH REDSHIFT. *Astrophysical Journal*, **2010**, 718, 23-30 4.7 94

1066 Spectro-photometric close pairs in GOODS-S: major and minor companions of intermediate-mass galaxies. *Astronomy and Astrophysics*, **2010**, 518, A20 5.1 25

1065 PHAT: PHoto-zAccuracy Testing. *Astronomy and Astrophysics*, **2010**, 523, A31 5.1 176

1064 GALAXY FORMATION WITH COLD GAS ACCRETION AND EVOLVING STELLAR INITIAL MASS FUNCTION. *Astrophysical Journal*, **2010**, 713, 1301-1309 4.7 11

1063 ASPITZER-SELECTED GALAXY CLUSTER ATz= 1.62. *Astrophysical Journal*, **2010**, 716, 1503-1513 4.7 206

1062 THE ARECIBO LEGACY FAST ALFA SURVEY. X. THE H I MASS FUNCTION AND Ω_{H} FROM THE 40% ALFALFA SURVEY. *Astrophysical Journal*, **2010**, 723, 1359-1374 4.7 230

1061 On the buildup of massive early-type galaxies at $z \lesssim 1$. *Astronomy and Astrophysics*, **2010**, 519, A55 5.1 27

1060 zCOSMOS ~ 10 k-bright spectroscopic sample. *Astronomy and Astrophysics*, **2010**, 523, A13 5.1 297

1059 WHAT DOES CLUSTERING TELL US ABOUT THE BUILDUP OF THE RED SEQUENCE?. *Astrophysical Journal*, **2010**, 719, 88-103 4.7 86

1058 THE DENSITY FIELD OF THE 10k zCOSMOS GALAXIES. *Astrophysical Journal*, **2010**, 708, 505-533 4.7 100

1057 MERGERS IN Λ CDM: UNCERTAINTIES IN THEORETICAL PREDICTIONS AND INTERPRETATIONS OF THE MERGER RATE. *Astrophysical Journal*, **2010**, 724, 915-945 4.7 161

1056 ANISOTROPIC LOCATIONS OF SATELLITE GALAXIES: CLUES TO THE ORIENTATIONS OF GALAXIES WITHIN THEIR DARK MATTER HALOS. *Astrophysical Journal*, **2010**, 709, 1321-1336 4.7 62

1055 MAGNIFICATION AS A PROBE OF DARK MATTER HALOS AT HIGH REDSHIFTS. **2010**, 723, L13-L16 3.1 31

1054	THE STELLAR MASS COMPONENTS OF GALAXIES: COMPARING SEMI-ANALYTICAL MODELS WITH OBSERVATION. <i>Astrophysical Journal</i> , 2010 , 712, 734-745	4.7	39
1053	A NEW TEST OF THE STATISTICAL NATURE OF THE BRIGHTEST CLUSTER GALAXIES. <i>Astrophysical Journal</i> , 2010 , 715, 1486-1496	4.7	36
1052	ACTIVE GALACTIC NUCLEUS PAIRS: CHANCE SUPERPOSITIONS OR BLACK HOLE BINARIES?. 2010 , 713, L37-L40		9
1051	AN X-RAY-SELECTED GALAXY CLUSTER IN THE LOCKMAN HOLE AT REDSHIFT 1.753. <i>Astrophysical Journal</i> , 2010 , 725, 615-624	4.7	30
1050	THE ROLE OF RAM PRESSURE STRIPPING IN THE QUENCHING OF CLUSTER STAR FORMATION. <i>Astrophysical Journal</i> , 2010 , 716, 810-818	4.7	24
1049	THE MINOR ROLE OF GAS-RICH MAJOR MERGERS IN THE RISE OF INTERMEDIATE-MASS EARLY TYPES ATz? 1. <i>Astrophysical Journal</i> , 2010 , 710, 1170-1178	4.7	34
1048	BRIGHTEST CLUSTER GALAXIES AND CORE GAS DENSITY IN REXCESS CLUSTERS. <i>Astrophysical Journal</i> , 2010 , 713, 1037-1047	4.7	33
1047	SUPERDENSE MASSIVE GALAXIES IN THE ESO DISTANT CLUSTER SURVEY (EDiCS). 2010 , 721, L19-L23		70
1046	Radio and millimeter continuum surveys and their astrophysical implications. 2010 , 18, 1-65		186
1045	Galaxy formation theory. <i>Physics Reports</i> , 2010 , 495, 33-86	27.7	221
1044	Distinct core and halo stellar populations and the formation history of the bright Coma cluster early-type galaxy NGC 4889. 2010 , 407, L26-L30		73
1043	Ages and metallicities of central and satellite galaxies: implications for galaxy formation and evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 937-954	4.3	89
1042	Host galaxies of long gamma-ray bursts in the Millennium Simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 408, 647-656	4.3	13
1041	Ram pressure stripping in a galaxy formation model - I. A novel numerical approach. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 408, 2008-2021	4.3	57
1040	The evolution of galaxy cluster X-ray scaling relations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 408, 2213-2233	4.3	51
1039	LoCuSS: connecting the dominance and shape of brightest cluster galaxies with the assembly history of massive clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 169-183	4.3	73
1038	The atomic-to-molecular transition and its relation to the scaling properties of galaxy discs in the local Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 515-530	4.3	122
1037	Understanding the shape of the galaxy two-point correlation function at $z \approx 1$ in the COSMOS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 867-872	4.3	24

1036	Compact groups from the Millennium Simulations - I. Their nature and the completeness of the Hickson sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 1227-1243	4-3	24
1035	Reducing distance errors for standard candles and standard sirens with weak-lensing shear and flexion maps. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4-3	11
1034	The UV-optical colours of brightest cluster galaxies in optically and X-ray selected clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 401, 433-444	4-3	34
1033	A new measurement of the evolving near-infrared galaxy luminosity function out to $z \approx 4$: a continuing challenge to theoretical models of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 401, 1166-1176	4-3	122
1032	On the nature of the Milky Way satellites. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 401, 2036-2052	4-3	87
1031	Two-phase galaxy formation: the evolutionary properties of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 2113-2126	4-3	10
1030	A new empirical method to infer the starburst history of the Universe from local galaxy properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 985-1004	4-3	32
1029	Modelling galaxy stellar mass evolution from $z \sim 0.8$ to today. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 1796-1806	4-3	48
1028	The SAURON project. Modes of star formation in early-type galaxies and the evolution of the red sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 2140-2186	4-3	99
1027	Tidal disruption of satellite galaxies in a semi-analytic model of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 768-779	4-3	49
1026	Satellites in the field and lens galaxies: SDSS/COSMOS versus SLACS/CLASS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 826-837	4-3	12
1025	Recovering the non-linear density field from the galaxy distribution with a Poisson-lognormal filter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 589-604	4-3	57
1024	The velocity function of gas-rich galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 1969-1977	4-3	48
1023	Hierarchical models of high-redshift galaxies with thermally pulsing asymptotic giant branch stars: comparison with observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 1749-1758	4-3	29
1022	On merger bias and the clustering of quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	7
1021	Abundances, masses and weak-lensing mass profiles of galaxy clusters as a function of richness and luminosity in Λ CDM cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	7
1020	How do galaxies populate dark matter haloes?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	272
1019	Physical constraints on the central mass and baryon content of satellite galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	6

1018	The shapes of BCGs and normal ellipticals in nearby clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	10
1017	Star formation and AGN activity in SDSS cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	82
1016	Signature of cool core in Sunyaev-Zeldovich clusters: a multiwavelength approach. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	3
1015	Witnessing the active assembly phase of massive galaxies since $z=1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	11
1014	The redshift evolution of the mass function of cold gas in hierarchical galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 43-59	4-3	48
1013	The active and passive populations of extremely red objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	2
1012	Further constraining galaxy evolution models through the size function of SDSS early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	12
1011	The evolution of the density of galaxy clusters and groups: denser environments at higher redshifts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	9
1010	Alignment of brightest cluster galaxies with their host clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	20
1009	Bayesian power-spectrum inference for large-scale structure data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 60-85	4-3	85
1008	Specific star formation and the relation to stellar mass from 0. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4-3	42
1007	Clustering properties of galaxies selected in stellar mass: breaking down the link between luminous and dark matter in massive galaxies from $z=0$ to $z=2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 147-164	4-3	46
1006	3D-Matched-Filter galaxy cluster finder - I. Selection functions and CFHTLS Deep clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 673-688	4-3	49
1005	Gas cooling in semi-analytic models and smoothed particle hydrodynamics simulations: are results consistent?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4-3	6
1004	Feedback under the microscope - II. Heating, gas uplift and mixing in the nearest cluster core. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 2063-2074	4-3	68
1003	A semi-analytic model comparison - gas cooling and galaxy mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4-3	14
1002	Cluster galaxies die hard. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 2249-2266	4-3	112
1001	Photometric and clustering properties of hydrodynamical galaxies in a cosmological volume: results at $z=0$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 1376-1386	4-3	7

1000	Colour gradients and the colour-magnitude relation: different properties of brightest cluster galaxies and E/S0 galaxies in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 1231-1244	4.3	26
999	The parameter space of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 2017-2045	4.3	87
998	Formation, evolution and properties of isolated field elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4.3	10
997	One simulation to fit them all - changing the background parameters of a cosmological N-body simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4.3	55
996	Wide-angle tail galaxies in ATLAS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 2578-2590	4.3	27
995	HOW WELL DO COSMOLOGICAL SIMULATIONS REPRODUCE INDIVIDUAL HALO PROPERTIES?. <i>Astrophysical Journal</i> , 2010 , 711, 1198-1207	4.7	43
994	Evolution of the infrared Tully-Fisher relation up to $z = 1.4$. <i>Astronomy and Astrophysics</i> , 2010 , 521, A27	5.1	14
993	WITNESSING THE FORMATION OF A BRIGHTEST CLUSTER GALAXY IN A NEARBY X-RAY CLUSTER. <i>Astrophysical Journal</i> , 2010 , 717, 958-972	4.7	13
992	THE HALO MASS FUNCTION CONDITIONED ON DENSITY FROM THE MILLENNIUM SIMULATION: INSIGHTS INTO MISSING BARYONS AND GALAXY MASS FUNCTIONS. <i>Astrophysical Journal</i> , 2010 , 712, 484-493	4.7	12
991	Fundamental plane: dark matter and dissipation contributions. <i>Astronomy and Astrophysics</i> , 2010 , 521, A58	5.1	3
990	FAKE STAR FORMATION BURSTS: BLUE HORIZONTAL BRANCH STARS MASQUERADE AS YOUNG MASSIVE STARS IN OPTICAL INTEGRATED LIGHT SPECTROSCOPY. <i>Astrophysical Journal</i> , 2010 , 709, 88-96	4.7	34
989	THE MERGER-DRIVEN EVOLUTION OF MASSIVE GALAXIES. <i>Astrophysical Journal</i> , 2010 , 719, 844-850	4.7	79
988	STRONG GRAVITATIONAL LENSING BY THE SUPER-MASSIVE cD GALAXY IN ABELL 3827. 2010 , 715, L160-L164		22
987	EMBEDDING REALISTIC SURVEYS IN SIMULATIONS THROUGH VOLUME REMAPPING. 2010 , 190, 311-314		23
986	GALAXY CLUSTERING TOPOLOGY IN THE SLOAN DIGITAL SKY SURVEY MAIN GALAXY SAMPLE: A TEST FOR GALAXY FORMATION MODELS. 2010 , 190, 181-202		37
985	AN UPPER LIMIT TO THE DRY MERGER RATE AT $\langle z \rangle \sim 0.55$. <i>Astronomical Journal</i> , 2010 , 139, 794-802	4.9	22
984	SPITZER OBSERVATIONS OF A1763. II. CONSTRAINING THE NATURE OF ACTIVITY IN THE CLUSTER-FEEDING FILAMENT WITH VLA AND XMM-NEWTON DATA. <i>Astronomical Journal</i> , 2010 , 140, 1891-1904	4.9	8
983	GENUS STATISTICS USING THE DELAUNAY TESSELLATION FIELD ESTIMATION METHOD. I. TESTS WITH THE MILLENNIUM SIMULATION AND THE SDSS DR7. <i>Astrophysical Journal</i> , 2010 , 722, 812-824	4.7	10

982	DISSECTING THE GRAVITATIONAL LENS B1608+656. II. PRECISION MEASUREMENTS OF THE HUBBLE CONSTANT, SPATIAL CURVATURE, AND THE DARK ENERGY EQUATION OF STATE. <i>Astrophysical Journal</i> , 2010 , 711, 201-221	4.7	286
981	THE MID-LIFE CRISIS OF THE MILKY WAY AND M31. <i>Astrophysical Journal</i> , 2011 , 736, 84	4.7	44
980	THE FAINT STELLAR HALOS OF MASSIVE RED GALAXIES FROM STACKS OF MORE THAN 42,000 SDSS LRG IMAGES. <i>Astrophysical Journal</i> , 2011 , 731, 89	4.7	63
979	Stellar population and the origin of intra-cluster stars around brightest cluster galaxies: the case of NGC 3311. <i>Astronomy and Astrophysics</i> , 2011 , 533, A138	5.1	40
978	REJUVENATING POWER SPECTRA. II. THE GAUSSIANIZED GALAXY DENSITY FIELD. <i>Astrophysical Journal</i> , 2011 , 731, 116	4.7	42
977	A bias in cosmic shear from galaxy selection: results from ray-tracing simulations. <i>Astronomy and Astrophysics</i> , 2011 , 528, A51	5.1	26
976	Discovery of the X-ray selected galaxy cluster XMMU J0338.8+0021 at $z=1.49$. <i>Astronomy and Astrophysics</i> , 2011 , 532, L6	5.1	20
975	GALAXY CLUSTERS AT HIGH REDSHIFT AND EVOLUTION OF BRIGHTEST CLUSTER GALAXIES. <i>Astrophysical Journal</i> , 2011 , 734, 68	4.7	37
974	THE DARK SIDE OF QSO FORMATION AT HIGH REDSHIFTS. <i>Astrophysical Journal</i> , 2011 , 736, 66	4.7	24
973	DETECTING COLD GAS AT $z=3$ WITH THE ATACAMA LARGE MILLIMETER/SUBMILLIMETER ARRAY AND THE SQUARE KILOMETER ARRAY. <i>Astrophysical Journal</i> , 2011 , 743, 84	4.7	13
972	Redshift evolution of the 1.4 GHz volume averaged radio luminosity function in clusters of galaxies. <i>Astronomy and Astrophysics</i> , 2011 , 529, A124	5.1	7
971	Comparison of the VIMOS-VLT Deep Survey with the Munich semi-analytical model. <i>Astronomy and Astrophysics</i> , 2011 , 525, A125	5.1	18
970	Comparison of density estimation methods for astronomical datasets. <i>Astronomy and Astrophysics</i> , 2011 , 531, A114	5.1	22
969	Cosmic shear covariance: the log-normal approximation. <i>Astronomy and Astrophysics</i> , 2011 , 536, A85	5.1	63
968	Probing the dark-matter halos of cluster galaxies with weak lensing. <i>Astronomy and Astrophysics</i> , 2011 , 531, A169	5.1	20
967	Schwarzschild Modelling of Elliptical Galaxies and Their Black Holes. 2011 , 143-154		1
966	EVOLUTION OF BRIGHTEST CLUSTER GALAXY STRUCTURAL PARAMETERS IN THE LAST ~6 Gyr: FEEDBACK PROCESSES VERSUS MERGER EVENTS. <i>Astrophysical Journal</i> , 2011 , 726, 69	4.7	42
965	THE OH LINE CONTAMINATION OF 21 cm INTENSITY FLUCTUATION MEASUREMENTS FOR $z=1-4$. 2011 , 740, L20		22

964	KECK DEEP FIELDS. IV. LUMINOSITY-DEPENDENT CLUSTERING AND GALAXY DOWNSIZING IN UV-SELECTED GALAXIES AT $z=4, 3$, AND 2. <i>Astrophysical Journal</i> , 2011 , 737, 92	4-7	15
963	CONSTRAINING THE DARK ENERGY EQUATION OF STATE USING LISA OBSERVATIONS OF SPINNING MASSIVE BLACK HOLE BINARIES. <i>Astrophysical Journal</i> , 2011 , 732, 82	4-7	35
962	ON STAR FORMATION RATES AND STAR FORMATION HISTORIES OF GALAXIES OUT TO $z \sim 3$. <i>Astrophysical Journal</i> , 2011 , 738, 106	4-7	307
961	A mature cluster with X-ray emission at $z=2.07$. <i>Astronomy and Astrophysics</i> , 2011 , 526, A133	5-1	152
960	THE HST/ACS COMA CLUSTER SURVEY. IV. INTERGALACTIC GLOBULAR CLUSTERS AND THE MASSIVE GLOBULAR CLUSTER SYSTEM AT THE CORE OF THE COMA GALAXY CLUSTER. <i>Astrophysical Journal</i> , 2011 , 730, 23	4-7	79
959	THE DIRT ON DRY MERGERS. <i>Astrophysical Journal</i> , 2011 , 730, 130	4-7	3
958	THE NONLINEAR BIASING OF THE zCOSMOS GALAXIES UP TO $z \sim 1$ FROM THE 10k SAMPLE. <i>Astrophysical Journal</i> , 2011 , 731, 102	4-7	18
957	PROBING REIONIZATION WITH INTENSITY MAPPING OF MOLECULAR AND FINE-STRUCTURE LINES. 2011 , 728, L46		63
956	THE VELOCITY WIDTH FUNCTION OF GALAXIES FROM THE 40% ALFALFA SURVEY: SHEDDING LIGHT ON THE COLD DARK MATTER OVERABUNDANCE PROBLEM. <i>Astrophysical Journal</i> , 2011 , 739, 38	4-7	144
955	COUNTS-IN-CYLINDERS IN THE SLOAN DIGITAL SKY SURVEY WITH COMPARISONS TO N-BODY SIMULATIONS. <i>Astrophysical Journal</i> , 2011 , 726, 1	4-7	17
954	DISCOVERY AND COSMOLOGICAL IMPLICATIONS OF SPT-CL J2106-5844, THE MOST MASSIVE KNOWN CLUSTER AT $z > 1$. <i>Astrophysical Journal</i> , 2011 , 731, 86	4-7	100
953	REDSHIFT-SPACE ENHANCEMENT OF LINE-OF-SIGHT BARYON ACOUSTIC OSCILLATIONS IN THE SLOAN DIGITAL SKY SURVEY MAIN-GALAXY SAMPLE. <i>Astrophysical Journal</i> , 2011 , 728, 34	4-7	21
952	Visualizing High-Dimensional Structures by Dimension Ordering and Filtering using Subspace Analysis. 2011 , 30, 1121-1130		20
951	Group-finding with photometric redshifts: the photo-z probability peaks algorithm. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 410, 13-26	4-3	43
950	A radio Census of binary supermassive black holes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 410, 2113-2122	4-3	77
949	The ultraviolet upturn in brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 410, 2679-2689	4-3	23
948	Effects of distant large-scale structure on the precision of weak lensing mass measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 412, 2095-2103	4-3	77
947	From dwarf spheroidals to cD galaxies: simulating the galaxy population in a Λ CDM cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 101-131	4-3	853

946	Baryon fractions in clusters of galaxies: evidence against a pre-heating model for entropy generation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 691-704	4-3	36
945	The dependence of AGN activity on stellar and halo mass in semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 957-970	4-3	28
944	The effects of X-ray and UV background radiation on the low-mass slope of the galaxy mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 2421-2428	4-3	13
943	Local gravity versus local velocity: solutions for Ω and non-linear bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 2906-2922	4-3	108
942	Mass distribution in galaxy clusters: the role of Active Galactic Nuclei feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 195-208	4-3	139
941	Little change in the sizes of the most massive galaxies since $z = 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 445-457	4-3	70
940	Linking haloes to galaxies: how many halo properties are needed?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 1405-1417	4-3	26
939	Times, environments and channels of bulge formation in a Lambda cold dark matter cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 1439-1454	4-3	66
938	Order statistics of the early-type galaxy luminosity function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 1862-1874	4-3	8
937	The spatial distribution of cold gas in hierarchical galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 2367-2385	4-3	33
936	Dynamical masses of early-type galaxies: a comparison to lensing results and implications for the stellar initial mass function and the distribution of dark matter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 545-562	4-3	139
935	A SINFONI view of flies in the Spiderweb: a galaxy cluster in the making. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 2245-2256	4-3	36
934	Does stellar mass assembly history vary with environment?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 2818-2826	4-3	2
933	Structural analysis of the SDSS Cosmic Web - I. Non-linear density field reconstructions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 2494-2526	4-3	30
932	A comparison of galaxy group luminosity functions from semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 2798-2811	4-3	9
931	Mg2 gradients as a signature of brightest cluster galaxy evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 3013-3020	4-3	2
930	Galaxy Zoo: multimergers and the Millennium Simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 1745-1755	4-3	21
929	The effect of thermally pulsating asymptotic giant branch stars on the evolution of the rest-frame near-infrared galaxy luminosity function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 3571-3579	4-3	46

928	The effects of a hot gaseous halo in galaxy major mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 3750-3770	4-3	65
927	Dwarf galaxy populations in present-day galaxy clusters - I. Abundances and red fractions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 1197-1214	4-3	63
926	A tale of two populations: the stellar mass of central and satellite galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 1486-1499	4-3	35
925	A Bayesian approach to the semi-analytic model of galaxy formation: methodology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 1949-1964	4-3	95
924	Properties of dark matter haloes and their correlations: the lesson from principal component analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 2388-2400	4-3	39
923	Evaluating and improving semi-analytic modelling of dust in galaxies based on radiative transfer calculations. II. Dust emission in the infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 2962-2973	4-3	32
922	Properties of fossil groups in cosmological simulations and galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 2997-3008	4-3	31
921	Lensed arc statistics: comparison of Millennium simulation galaxy clusters to Hubble Space Telescope observations of an X-ray selected sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 418, 54-63	4-3	21
920	Metallicity properties of the simulated host galaxies of long gamma-ray bursts and the fundamental metallicity relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 1013-1024	4-3	28
919	The population of Milky Way satellites in the Λ CDM cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 1260-1279	4-3	110
918	On the puzzling plateau in the specific star formation rate at $z=2-7$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 2737-2751	4-3	88
917	The properties of brightest cluster galaxies in the Sloan Digital Sky Survey Data Release 6 adaptive matched filter cluster catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 2817-2830	4-3	15
916	The ATLAS3D project - VIII. Modelling the formation and evolution of fast and slow rotator early-type galaxies within Λ CDM. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 845-862	4-3	80
915	On the mass-to-light ratios of fossil groups. Are they simply dark clusters?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 418, 2054-2073	4-3	41
914	Spatial kinematics of Brightest Cluster Galaxies and their close companions from Integral Field Unit spectroscopy?. 2011 , 414, L80-L84		35
913	A spectroscopic measurement of galaxy formation time-scales with the Redshift One LDSS3 Emission line Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 304-320	4-3	39
912	Arecibo Legacy Fast ALFA H I data stacking - II. H I content of the host galaxies of active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 1739-1744	4-3	34
911	Compact groups in theory and practice - IV. The connection to large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 418, 1409-1422	4-3	21

910	The bright end of the colour-magnitude relation of cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 785-800	4.3	26
909	The SMBH mass versus M_G relation: a comparison between real data and numerical models. 2011 , 43, 1007-1024		12
908	Fitting the integrated spectral energy distributions of galaxies. 2011 , 331, 1-51		209
907	Shedding light on the galaxy luminosity function. 2011 , 19, 1		46
906	THE CENTRAL SLOPE OF DARK MATTER CORES IN DWARF GALAXIES: SIMULATIONS VERSUS THINGS. <i>Astronomical Journal</i> , 2011 , 142, 24	4.9	188
905	NEAR-INFRARED IMAGING OF SIX METAL-RICH QUASAR ABSORBER GALAXY FIELDS. <i>Astronomical Journal</i> , 2011 , 141, 206	4.9	3
904	UV-TO-FIR ANALYSIS OF SPITZER /IRAC SOURCES IN THE EXTENDED GROTH STRIP. II. PHOTOMETRIC REDSHIFTS, STELLAR MASSES, AND STAR FORMATION RATES. 2011 , 193, 30		86
903	Fundamental physics and cosmology with LISA. 2011 , 28, 114001		21
902	THE HUBBLE SPACE TELESCOPE WIDE FIELD CAMERA 3 EARLY RELEASE SCIENCE DATA: PANCHROMATIC FAINT OBJECT COUNTS FOR 0.2-2 μ m WAVELENGTH. 2011 , 193, 27		217
901	WIDE-FIELD PRECISION KINEMATICS OF THE M87 GLOBULAR CLUSTER SYSTEM. 2011 , 197, 33		138
900	From Dwarf Spheroidals to cDs: Simulating the Full Galaxy Population in a LCDM Cosmology. 2011 , 48, 447-453		1
899	PROBING COSMIC ACCELERATION WITH GALAXY REDSHIFT SURVEYS. 2011 , 20, 2109-2113		1
898	The x-ray luminous galaxy cluster population at 0.9 . 2011 , 13, 125014		70
897	On the thermodynamic self-similarity of the nearest, most relaxed, giant ellipticals. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 2731-2740	4.3	39
896	The journey of QSO haloes from $z \sim 6$ to the present. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 2722-2730	4.3	34
895	DOES A STOCHASTIC BACKGROUND OF GRAVITATIONAL WAVES EXIST IN THE PULSAR TIMING BAND?. <i>Astrophysical Journal</i> , 2012 , 761, 84	4.7	60
894	Dry minor mergers and size evolution of high-z compact massive early-type galaxies. 2012 ,		0
893	The morphologies of massive galaxies at 1 . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1666-1701	4.3	127

892	FURTHER EVIDENCE FOR LARGE CENTRAL MASS-TO-LIGHT RATIOS IN EARLY-TYPE GALAXIES: THE CASE OF ELLIPTICALS AND LENTICULARS IN THE A262 CLUSTER. <i>Astronomical Journal</i> , 2012 , 144, 78	4.9	40
891	The current status of galaxy formation. 2012 , 12, 917-946		145
890	Formation and evolution of early-type galaxies âIII. Dependence of the star formation history on the total mass and initial overdensity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1530-1554	4.3	19
889	TESTING FOR A LARGE LOCAL VOID BY INVESTIGATING THE NEAR-INFRARED GALAXY LUMINOSITY FUNCTION. <i>Astrophysical Journal</i> , 2012 , 754, 131	4.7	22
888	Galaxy-galaxy(-galaxy) lensing as a sensitive probe of galaxy evolution. <i>Astronomy and Astrophysics</i> , 2012 , 547, A77	5.1	6
887	THE COSMOLOGICAL SIZE AND VELOCITY DISPERSION EVOLUTION OF MASSIVE EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2012 , 744, 63	4.7	300
886	THE zCOSMOS 20k GROUP CATALOG. <i>Astrophysical Journal</i> , 2012 , 753, 121	4.7	76
885	A journey from the outskirts to the cores of groups. <i>Astronomy and Astrophysics</i> , 2012 , 539, A55	5.1	32
884	The WIRCam Deep Survey. <i>Astronomy and Astrophysics</i> , 2012 , 545, A23	5.1	127
883	INTENSITY MAPPING OF THE [C II] FINE STRUCTURE LINE DURING THE EPOCH OF REIONIZATION. <i>Astrophysical Journal</i> , 2012 , 745, 49	4.7	103
882	THE CLUSTERING CHARACTERISTICS OF H I-SELECTED GALAXIES FROM THE 40% ALFALFA SURVEY. <i>Astrophysical Journal</i> , 2012 , 750, 38	4.7	52
881	THE RELATION BETWEEN GALAXY MORPHOLOGY AND ENVIRONMENT IN THE LOCAL UNIVERSE: AN RC3-SDSS PICTURE. <i>Astrophysical Journal</i> , 2012 , 746, 160	4.7	42
880	THE CORRELATED FORMATION HISTORIES OF MASSIVE GALAXIES AND THEIR DARK MATTER HALOS. 2012 , 755, L5		31
879	A FIRST LOOK AT GALAXY FLYBY INTERACTIONS. I. CHARACTERIZING THE FREQUENCY OF FLYBYS IN A COSMOLOGICAL CONTEXT. <i>Astrophysical Journal</i> , 2012 , 751, 17	4.7	46
878	SINGLE PARAMETER GALAXY CLASSIFICATION: THE PRINCIPAL CURVE THROUGH THE MULTI-DIMENSIONAL SPACE OF GALAXY PROPERTIES. <i>Astrophysical Journal</i> , 2012 , 755, 143	4.7	6
877	THE EVOLUTION OF BRIGHTEST CLUSTER GALAXIES IN A HIERARCHICAL UNIVERSE. <i>Astrophysical Journal</i> , 2012 , 759, 43	4.7	48
876	The evolution of galaxy sizes. 2012 , 8, 151-154		2
875	The evolution of massive galaxies in semi-analytical models of galaxy formation. 2012 , 8, 191-199		

874	Integrated photometric redshifts and SED fitting as tool for galaxy evolution studies. 2012 , 8, 292-295		1
873	The size and mass evolution of the massive galaxies over cosmic time. 2012 , 8, 27-36		
872	Galaxy formation and evolution with the Dark Energy Survey. 2012 , 8, 137-140		
871	Evolution in cluster cores since $z \sim 1$. 2012 , 8, 172-173		
870	Dry minor mergers and the size evolution of high- z compact massive early-type galaxies. 2012 , 8, 183-183		
869	Modelling the formation of today's massive ellipticals. 2012 , 8, 340-349		6
868	CAN MINOR MERGING ACCOUNT FOR THE SIZE GROWTH OF QUIESCENT GALAXIES? NEW RESULTS FROM THE CANDELS SURVEY. <i>Astrophysical Journal</i> , 2012 , 746, 162	4-7	322
867	CANDELS OBSERVATIONS OF THE STRUCTURAL PROPERTIES OF CLUSTER GALAXIES AT $z = 1.62$. <i>Astrophysical Journal</i> , 2012 , 750, 93	4-7	114
866	THE ASSEMBLY OF THE RED SEQUENCE AT $z \sim 1$: THE COLOR AND SPECTRAL PROPERTIES OF GALAXIES IN THE CL1604 SUPERCLUSTER. <i>Astrophysical Journal</i> , 2012 , 745, 106	4-7	55
865	ENVIRONMENTAL DEPENDENCE OF THE GALAXY MERGER RATE IN A Λ CDM UNIVERSE. <i>Astrophysical Journal</i> , 2012 , 754, 26	4-7	38
864	On the stellar populations of massive galaxies. 2012 , 426, L61-L65		22
863	A $z \sim 3$ radio galaxy and its protocluster: evidence for a superstructure?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 801-813	4-3	15
862	Stellar population gradients in brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 841-861	4-3	27
861	Approximate Bayesian Computation for astronomical model analysis: a case study in galaxy demographics and morphological transformation at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 44-65	4-3	59
860	Measurement of the intracluster light at $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 2058-2068	4-3	51
859	Gravitational lensing simulations - I. Covariance matrices and halo catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 1262-1279	4-3	48
858	Origin of the antihierarchical growth of black holes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 237-257	4-3	95
857	Deep observations of CO line emission from star-forming galaxies in a cluster candidate at $z = 1.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 258-275	4-3	46

856	Compact groups of galaxies selected by stellar mass: the 2MASS compact group catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 296-316	4-3	31
855	Efficient Structure-Aware Selection Techniques for 3D Point Cloud Visualizations with 2DOF Input. 2012 , 18, 2245-54		31
854	A new scalable parallel DBSCAN algorithm using the disjoint-set data structure. 2012 ,		66
853	Dark matter and cosmic structure. 2012 , 524, 507-534		233
852	The growth of red sequence galaxies in a cosmological hydrodynamic simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1816-1829	4-3	73
851	Observed versus modelled u-,g-,r-,i-,z-band photometry of local galaxies – evaluation of model performance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 2376-2391	4-3	12
850	Semi-analytic galaxy formation in early dark energy cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 2335-2341	4-3	16
849	A fundamental problem in our understanding of low-mass galaxy evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 2797-2812	4-3	134
848	Evidence for significant growth in the stellar mass of brightest cluster galaxies over the past 10 billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 550-568	4-3	137
847	On the orbital and internal evolution of cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1024-1033	4-3	18
846	On the formation of cD galaxies and their parent clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 2047-2056	4-3	9
845	Herschel-ATLAS: the far-infrared properties and star formation rates of broad absorption line quasi-stellar objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1209-1218	4-3	17
844	Plunging fireworks: Why do infalling galaxies light up on the outskirts of clusters?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1252-1265	4-3	44
843	Statistical and systematic errors in redshift-space distortion measurements from large surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 2420-2436	4-3	33
842	A CONSTANT LIMITING MASS SCALE FOR FLAT EARLY-TYPE GALAXIES FROM $z \sim 1$ TO $z = 0$: DENSITY EVOLVES BUT SHAPES DO NOT. <i>Astrophysical Journal</i> , 2012 , 749, 96	4-7	40
841	THE DEEP2 GALAXY REDSHIFT SURVEY: THE VORONOI-DELAUNAY METHOD CATALOG OF GALAXY GROUPS. <i>Astrophysical Journal</i> , 2012 , 751, 50	4-7	35
840	EXPLORING THE UNUSUALLY HIGH BLACK-HOLE-TO-BULGE MASS RATIOS IN NGC 4342 AND NGC 4291: THE ASYNCHRONOUS GROWTH OF BULGES AND BLACK HOLES. <i>Astrophysical Journal</i> , 2012 , 753, 140	4-7	33
839	THE ONGOING ASSEMBLY OF A CENTRAL CLUSTER GALAXY: PHASE-SPACE SUBSTRUCTURES IN THE HALO OF M87. <i>Astrophysical Journal</i> , 2012 , 748, 29	4-7	83

838	A TALE OF DWARFS AND GIANTS: USING $A_z = 1.62$ CLUSTER TO UNDERSTAND HOW THE RED SEQUENCE GREW OVER THE LAST 9.5 BILLION YEARS. <i>Astrophysical Journal</i> , 2012 , 755, 14	4-7	49
837	MASS AND ENVIRONMENT AS DRIVERS OF GALAXY EVOLUTION. II. THE QUENCHING OF SATELLITE GALAXIES AS THE ORIGIN OF ENVIRONMENTAL EFFECTS. <i>Astrophysical Journal</i> , 2012 , 757, 4	4-7	282
836	THE STRUCTURES AND TOTAL (MINOR + MAJOR) MERGER HISTORIES OF MASSIVE GALAXIES UP TO $z \sim 3$ IN THE STARGOALS NICMOS SURVEY: A POSSIBLE SOLUTION TO THE SIZE EVOLUTION PROBLEM. <i>Astrophysical Journal</i> , 2012 , 747, 34	4-7	123
835	A POSSIBLE PHYSICAL CONNECTION BETWEEN HELIUM-RICH STELLAR POPULATIONS OF MASSIVE GLOBULAR CLUSTERS AND THE UV UPTURN OF GALACTIC SPHEROIDS. <i>Astrophysical Journal</i> , 2012 , 747, 78	4-7	8
834	Comparison of the VIMOS-VLT Deep Survey with the Munich semi-analytical model. <i>Astronomy and Astrophysics</i> , 2012 , 548, A108	5-1	14
833	Mass assembly of galaxies. <i>Astronomy and Astrophysics</i> , 2012 , 544, A68	5-1	40
832	A NEW METHOD FOR THE DETERMINATION OF THE GROWTH RATE FROM GALAXY REDSHIFT SURVEYS. <i>Astrophysical Journal</i> , 2012 , 744, 193	4-7	19
831	A GROUP-GALAXY CROSS-CORRELATION FUNCTION ANALYSIS IN zCOSMOS. <i>Astrophysical Journal</i> , 2012 , 755, 48	4-7	11
830	DISTRIBUTION OF MAXIMAL LUMINOSITY OF GALAXIES IN THE SLOAN DIGITAL SKY SURVEY. <i>Astrophysical Journal</i> , 2012 , 759, 100	4-7	4
829	Environmental effects on the bright end of the galaxy luminosity function in galaxy clusters. <i>Astronomy and Astrophysics</i> , 2012 , 540, A90	5-1	16
828	Milky Way simulations: The Galaxy, its stellar halo and its satellites – insights from a hybrid cosmological approach. 2012 , 333, 460-469		7
827	The cosmic evolution of halo pairs - I. Global trends. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 411-428	4-3	12
826	Antlia Dwarf Galaxy: distance, quantitative morphology and recent formation history via statistical field correction. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 1153-1162	4-3	5
825	What determines the fraction of elliptical galaxies in clusters?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 1324-1330	4-3	18
824	Autocorrelations of stellar light and mass at $z \sim 0$ and ~ 1 : from SDSS to DEEP2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 1557-1565	4-3	14
823	Disentangling galaxy environment and host halo mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 2133-2146	4-3	86
822	The evolution of K^* and the halo occupation distribution since $z = 1.5$: observations versus simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 2821-2835	4-3	15
821	Measures of galaxy environment - I. What is "environment"? <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 2670-2682	4-3	157

820	The evolution of active galactic nuclei across cosmic time: what is downsizing?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 2797-2820	4-3	137
819	Galaxy formation in semi-analytic models and cosmological hydrodynamic zoom simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 3200-3222	4-3	67
818	Convergence of galaxy properties with merger tree temporal resolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 3590-3603	4-3	23
817	The clustering of X-ray-selected active galactic nuclei at $z=0.1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 514-525	4-3	32
816	On the cosmological evolution of the black hole-host galaxy relation in quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 732-744	4-3	19
815	Statistics of substructures in dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 2978-2989	4-3	27
814	Halo shapes from weak lensing: the impact of galaxy-halo misalignment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 3303-3323	4-3	41
813	Spin flips - I. Evolution of the angular momentum orientation of Milky Way-mass dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 3324-3333	4-3	40
812	The formation of the brightest cluster galaxies in cosmological simulations: the case for active galactic nucleus feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 2859-2873	4-3	72
811	On the evolution of the star formation rate function of massive galaxies: constraints at from the GOODS-MUSIC catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , no-no	4-3	8
810	Dust reddening in star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , no-no	4-3	21
809	Relative merits of different types of rest-frame optical observations to constrain galaxy physical parameters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 421, 2002-2024	4-3	92
808	Galaxy formation in warm dark matter cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 421, 2384-2394	4-3	58
807	Galaxy properties from the ultraviolet to the far-infrared: Cold dark matter models confront observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 1992-2015	4-3	173
806	Confronting theoretical models with the observed evolution of the galaxy population out to $z=4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 421, 2904-2916	4-3	104
805	A modified star formation law as a solution to open problems in galaxy evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 421, 3450-3463	4-3	37
804	Hydrodynamical simulations and semi-analytic models of galaxy formation: two sides of the same coin. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 421, 3579-3593	4-3	24
803	The relation between metallicity, stellar mass and star formation in galaxies: an analysis of observational and model data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 215-231	4-3	162

802	Sunyaev-Zeldovich clusters in Millennium gas simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 1999-2023	4-3	61
801	Exploring galaxy formation models and cosmologies with galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 804-811	4-3	20
800	The radial distribution of galaxies in groups and clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 104-121	4-3	83
799	COLD GASS, an IRAM legacy survey of molecular gas in massive galaxies - III. Comparison with semi-analytic models of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 997-1006	4-3	38
798	The XMM Cluster Survey: the interplay between the brightest cluster galaxy and the intracluster medium via AGN feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 2213-2229	4-3	60
797	Star formation activities in early-type brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 422-436	4-3	49
796	Exploring the Cosmic Web in the Sloan Digital Sky Survey Data Release 7 using the Local Dimension. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 955-961	4-3	1
795	Galaxy groups and haloes in the seventh data release of the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 1583-1595	4-3	19
794	The environmental history of group and cluster galaxies in a Λ cold dark matter universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 1277-1292	4-3	211
793	The Aquila comparison project: the effects of feedback and numerical methods on simulations of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 1726-1749	4-3	355
792	The luminosities of the brightest cluster galaxies and brightest satellites in SDSS groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 1845-1855	4-3	19
791	The formation of galaxies hosting ~ 6 quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 2397-2406	4-3	34
790	On the density-profile slope of clusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 38-51	4-3	52
789	The fraction of early-type galaxies in low-redshift groups and clusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 3478-3485	4-3	25
788	Background, foreground and nearby matter influence on strong gravitational lenses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 325-332	4-3	12
787	The linear velocity field of 2MASS Redshift Survey, $K_s = 11.75$ galaxies: constraints on Λ and bulk flow from the luminosity function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 472-481	4-3	43
786	Satellite abundances around bright isolated galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 2574-2598	4-3	93
785	Shallow dark matter cusps in galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 747-753	4-3	38

784	The clustering of galaxies as a function of their photometrically estimated atomic gas content. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 1471-1482	4.3	36
783	The effect of star formation on the redshift evolution of interstellar metals, atomic and molecular gas in galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 2701-2714	4.3	50
782	The XMM Cluster Survey: evidence for energy injection at high redshift from evolution of the X-ray luminosity-temperature relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 2086-2096	4.3	25
781	Evolution of the red sequence giant to dwarf ratio in galaxy clusters out to $z \sim 0.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 204-221	4.3	21
780	The effects of halo alignment and shape on the clustering of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 2954-2960	4.3	21
779	Close companions to brightest cluster galaxies: support for minor mergers and downsizing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 287-295	4.3	35
778	EXPECTED NUMBER OF MASSIVE GALAXY RELICS IN THE PRESENT DAY UNIVERSE. 2013 , 773, L8		34
777	The dynamics of galaxy pairs in a cosmological setting. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 1765-1786	4.3	44
776	Semi-analytic galaxy formation in $f(R)$ -gravity cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 2672-2679	4.3	25
775	THE EVOLUTION OF ACTIVE GALACTIC NUCLEI IN WARM DARK MATTER COSMOLOGY. <i>Astrophysical Journal</i> , 2013 , 766, 110	4.7	22
774	The challenge of large and empty voids in the SDSS DR7 redshift survey. <i>Astronomy and Astrophysics</i> , 2013 , 553, A15	5.1	22
773	Stellar masses of SDSS-III/BOSS galaxies at $z \sim 0.5$ and constraints to galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 2764-2792	4.3	142
772	A scalable algorithm for single-linkage hierarchical clustering on distributed-memory architectures. 2013 ,		11
771	The satellites of the Milky Way – insights from semi-analytic modelling in a Λ CDM cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 725-743	4.3	62
770	The evolution of the rest-frame J- and H-band luminosity function of galaxies to $z=3.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 881-894	4.3	14
769	Insights into the content and spatial distribution of dust from the integrated spectral properties of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 2061-2091	4.3	75
768	Deep luminosity functions and colour-magnitude relations for cluster galaxies at 0.2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 3469-3486	4.3	40
767	The dark side of galaxy colour. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 1313-1324	4.3	143

766	The merger rates and sizes of galaxies across the peak epoch of star formation from the HiZELS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 1158-1170	4-3	48
765	Sussing Merger Trees: The Merger Trees Comparison Project. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 150-162	4-3	67
764	The ATLAS3D Project âXXIII. Angular momentum and nuclear surface brightness profiles. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 2812-2839	4-3	49
763	Subhaloes gone Notts: spin across subhaloes and finders. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 2739-2747	4-3	27
762	Structure finding in cosmological simulations: the state of affairs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 1618-1658	4-3	124
761	AGN-driven quenching of star formation: morphological and dynamical implications for early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 3297-3313	4-3	177
760	The detailed nature of active central cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 2933-2959	4-3	10
759	Star formation and metallicity gradients in semi-analytic models of disc galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 1531-1548	4-3	67
758	How do minor mergers promote inside-out growth of ellipticals, transforming the size, density profile and dark matter fraction?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 2924-2933	4-3	187
757	The Millennium Run Observatory: first light. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 778-803	4-3	38
756	Isolated galaxies in hierarchical galaxy formation models âpresent-day properties and environmental histories. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 1479-1491	4-3	31
755	Not too big, not too small: the dark haloes of the dwarf spheroidals in the Milky Way. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1696-1703	4-3	78
754	The most luminous quasars do not live in the most massive dark matter haloes at any redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 315-326	4-3	67
753	The rapid evolution of AGN feedback in brightest cluster galaxies: switching from quasar-mode to radio-mode feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 1638-1658	4-3	38
752	The growth in size and mass of cluster galaxies since $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 901-909	4-3	77
751	Dry minor mergers and size evolution of high-z compact massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 641-657	4-3	39
750	The initial conditions of the Universe from constrained simulations. 2013 , 429, L84-L88		72
749	Constraining the last 7 billion years of galaxy evolution in semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 2001-2016	4-3	37

748	On the role of feedback in shaping the cosmic abundance and clustering of neutral atomic hydrogen in galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 3366-3374	4-3	17
747	Galactic star formation and accretion histories from matching galaxies to dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 3121-3138	4-3	911
746	Growth of brightest cluster galaxies via mergers since $z=1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 2856-2865	4-3	45
745	The hierarchical origins of observed galaxy morphology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 2986-3004	4-3	38
744	The 6dF Galaxy Survey: dependence of halo occupation on stellar mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 3604-3618	4-3	24
743	Detecting massive galaxies at high redshift using the Dark Energy Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 296-312	4-3	5
742	Modelling element abundances in semi-analytic models of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 3500-3520	4-3	74
741	CFHTLenS: the environmental dependence of galaxy halo masses from weak lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 1439-1452	4-3	37
740	Galaxy evolution in groups and clusters: satellite star formation histories and quenching time-scales in a hierarchical Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 336-358	4-3	367
739	The strong environmental dependence of black hole scaling relations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 2708-2721	4-3	8
738	Evidence for a correlation between the sizes of quiescent galaxies and local environment to $z \sim 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 207-221	4-3	64
737	Galactic accretion and the outer structure of galaxies in the CDM model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 3348-3367	4-3	131
736	Simulations of the galaxy population constrained by observations from $z = 3$ to the present day: implications for galactic winds and the fate of their ejecta. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 3373-3395	4-3	176
735	Heating and enriching the intracluster medium. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1225-1247	4-3	11
734	The redshift-space cluster-galaxy cross-correlation function ξ . Modelling galaxy infall on to Millennium simulation clusters and SDSS groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 3319-3337	4-3	46
733	SPIDER $\hat{\mu}$ X. Classifying galaxy groups according to their velocity distribution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 784-795	4-3	30
732	Groups in the Millennium Simulation and in SDSS DR7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 380-394	4-3	23
731	Galaxy formation in WMAP1 and WMAP7 cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1351-1365	4-3	233

730	Detection of galaxy assembly bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 515-520.	4.3	59
729	The importance of major mergers in the build up of stellar mass in brightest cluster galaxies at $z \approx 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 825-837	4.3	82
728	An improved prescription for merger time-scales from controlled simulations. 2013 , 433, L49-L53		7
727	S0 galaxies in the Coma cluster: environmental dependence of the S0 offset from the Tully-Fisher relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 2667-2692	4.3	19
726	The dependence of galaxy properties on the large-scale tidal environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 3432-3444	4.3	25
725	The star-forming progenitors of massive red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 686-698	4.3	9
724	Size evolution of spheroids in a hierarchical Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 109-128	4.3	110
723	The impact of galaxy harassment on the globular cluster systems of early-type cluster dwarf galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 1066-1079	4.3	46
722	An empirical prediction for stellar metallicity distributions in nearby galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1766-1773	4.3	17
721	Luminosity Bias: From Haloes to Galaxies. 2013 , 30,		18
720	Reconstructing the lensing mass in the Universe from photometric catalogue data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 679-692	4.3	64
719	How robust are predictions of galaxy clustering?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 2717-2730	4.3	57
718	The Atacama Cosmology Telescope: the stellar content of galaxy clusters selected using the Sunyaev-Zel'dovich effect. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 3469-3480	4.3	17
717	Brighter galaxy bias: underestimating the velocity dispersions of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 2606-2615	4.3	32
716	CONFRONTING COLD DARK MATTER PREDICTIONS WITH OBSERVED GALAXY ROTATIONS. <i>Astrophysical Journal</i> , 2013 , 766, 137	4.7	18
715	A NOVEL APPROACH TO CONSTRAIN THE MASS RATIO OF MINOR MERGERS IN ELLIPTICAL GALAXIES: APPLICATION TO NGC 4889, THE BRIGHTEST CLUSTER GALAXY IN COMA. <i>Astrophysical Journal</i> , 2013 , 773, 34	4.7	17
714	Probing satellite haloes with weak gravitational lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 372-384	4.3	4
713	THE ZURICH ENVIRONMENTAL STUDY OF GALAXIES IN GROUPS ALONG THE COSMIC WEB. III. GALAXY PHOTOMETRIC MEASUREMENTS AND THE SPATIALLY RESOLVED COLOR PROPERTIES OF EARLY- AND LATE-TYPE SATELLITES IN DIVERSE ENVIRONMENTS. <i>Astrophysical Journal</i> , 2013 , 777, 116	4.7	31

7 ¹²	TOWARD UNBIASED GALAXY CLUSTER MASSES FROM LINE-OF-SIGHT VELOCITY DISPERSIONS. <i>Astrophysical Journal</i> , 2013 , 772, 47	4-7	95
7 ¹¹	THE SDSS-III BARYON OSCILLATION SPECTROSCOPIC SURVEY: THE QUASAR LUMINOSITY FUNCTION FROM DATA RELEASE NINE. <i>Astrophysical Journal</i> , 2013 , 773, 14	4-7	143
7 ¹⁰	ON THE ASSEMBLY HISTORY OF STELLAR COMPONENTS IN MASSIVE GALAXIES. <i>Astrophysical Journal</i> , 2013 , 766, 38	4-7	53
7 ⁰⁹	IMPROVED MOCK GALAXY CATALOGS FOR THE DEEP2 GALAXY REDSHIFT SURVEY FROM SUBHALO ABUNDANCE AND ENVIRONMENT MATCHING. 2013 , 208, 1		15
7 ⁰⁸	SUZAKU OBSERVATIONS OF THE TYPE 2 QSO IN THE CENTRAL GALAXY OF THE PHOENIX CLUSTER. <i>Astrophysical Journal</i> , 2013 , 778, 33	4-7	20
7 ⁰⁷	THE MASS OF THE MILKY WAY AND M31 USING THE METHOD OF LEAST ACTION. <i>Astrophysical Journal</i> , 2013 , 775, 102	4-7	25
7 ⁰⁶	A FIRST LOOK AT CREATING MOCK CATALOGS WITH MACHINE LEARNING TECHNIQUES. <i>Astrophysical Journal</i> , 2013 , 772, 147	4-7	18
7 ⁰⁵	THE ZURICH ENVIRONMENTAL STUDY OF GALAXIES IN GROUPS ALONG THE COSMIC WEB. I. WHICH ENVIRONMENT AFFECTS GALAXY EVOLUTION?. <i>Astrophysical Journal</i> , 2013 , 776, 71	4-7	49
7 ⁰⁴	THE GALAXY ENVIRONMENT OF A QSO AT $z \sim 5.7$. <i>Astrophysical Journal</i> , 2013 , 773, 178	4-7	44
7 ⁰³	Semi-numerical simulation of reionization with semi-analytical modeling of galaxy formation. 2013 , 13, 373-386		3
7 ⁰²	EVOLUTION OF GALAXIES AND THEIR ENVIRONMENTS AT $z = 0.1-3$ IN COSMOS. 2013 , 206, 3		129
7 ⁰¹	PHOTOMETRIC PROPERTIES AND LUMINOSITY FUNCTION OF NEARBY MASSIVE EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2013 , 773, 37	4-7	25
7 ⁰⁰	ANCIENT LIGHT FROM YOUNG COSMIC CITIES: PHYSICAL AND OBSERVATIONAL SIGNATURES OF GALAXY PROTO-CLUSTERS. <i>Astrophysical Journal</i> , 2013 , 779, 127	4-7	171
6 ⁹⁹	THE COSMIC EVOLUTION OF FAINT SATELLITE GALAXIES AS A TEST OF GALAXY FORMATION AND THE NATURE OF DARK MATTER. <i>Astrophysical Journal</i> , 2013 , 772, 146	4-7	30
6 ⁹⁸	ON THE FORMATION TIMESCALE OF MASSIVE CLUSTER ELLIPTICALS BASED ON DEEP NEAR-INFRARED SPECTROSCOPY AT $z \sim 2$. <i>Astrophysical Journal</i> , 2013 , 772, 113	4-7	36
6 ⁹⁷	Molecular cloud properties and CO line emission in $z \sim 6$ galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 2676-2692	4-3	17
6 ⁹⁶	On the scatter in the relation between stellar mass and halo mass: random or halo formation time dependent?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 600-608	4-3	15
6 ⁹⁵	Signatures of accretion events in the haloes of early-type galaxies from comparing PNe and GCs kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 1322-1334	4-3	38

694	Hot gas, cold gas and sub-haloes in a Lyman α blob at redshift 2.38. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 28-39	4.3	10
693	A giant elliptical galaxy with a lightweight initial mass function? <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 1964-1977	4.3	71
692	MODELING THE REDSHIFT EVOLUTION OF THE NORMAL GALAXY X-RAY LUMINOSITY FUNCTION. <i>Astrophysical Journal</i> , 2013 , 766, 19	4.7	19
691	SERENDIPITOUS DISCOVERY OF A MASSIVE cD GALAXY AT $z=1.096$: IMPLICATIONS FOR THE EARLY FORMATION AND LATE EVOLUTION OF cD GALAXIES. <i>Astrophysical Journal</i> , 2013 , 769, 147	4.7	11
690	A SYSTEMATIC ANALYSIS OF CAUSTIC METHODS FOR GALAXY CLUSTER MASSES. <i>Astrophysical Journal</i> , 2013 , 773, 116	4.7	58
689	Dwarf galaxy populations in present-day galaxy clusters α II. The history of early-type and late-type dwarfs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 1162-1177	4.3	37
688	Measures of galaxy environment α III. Difficulties in identifying protoclusters at $z \sim 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 3314-3324	4.3	22
687	Scalable parallel OPTICS data clustering using graph algorithmic techniques. 2013 ,		22
686	The MultiDark Database: Release of the Bolshoi and MultiDark cosmological simulations. 2013 , 334, 691-708		121
685	CAUGHT IN THE ACT: THE ASSEMBLY OF MASSIVE CLUSTER GALAXIES AT $z=1.62$. <i>Astrophysical Journal</i> , 2013 , 773, 154	4.7	50
684	ANGULAR MOMENTA, DYNAMICAL MASSES, AND MERGERS OF BRIGHTEST CLUSTER GALAXIES. <i>Astrophysical Journal</i> , 2013 , 778, 171	4.7	36
683	Giga- z : A 100,000 OBJECT SUPERCONDUCTING SPECTROPHOTOMETER FOR LSST FOLLOW-UP. 2013 , 208, 8		7
682	THE STELLAR MASS GROWTH OF BRIGHTEST CLUSTER GALAXIES IN THE IRAC SHALLOW CLUSTER SURVEY. <i>Astrophysical Journal</i> , 2013 , 771, 61	4.7	57
681	On rates of supernovae strongly lensed by galactic haloes in Millennium Simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 2392-2399	4.3	3
680	Encoding of the infrared excess in the NUVrK color diagram for star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2013 , 558, A67	5.1	100
679	INTENSITY MAPPING OF Ly α EMISSION DURING THE EPOCH OF REIONIZATION. <i>Astrophysical Journal</i> , 2013 , 763, 132	4.7	56
678	THE DENSITY PROFILES OF MASSIVE, RELAXED GALAXY CLUSTERS. I. THE TOTAL DENSITY OVER THREE DECADES IN RADIUS. <i>Astrophysical Journal</i> , 2013 , 765, 24	4.7	201
677	PROTO-GROUPS AT 1.8 . <i>Astrophysical Journal</i> , 2013 , 765, 109	4.7	42

676	GRAVITATIONALLY CONSISTENT HALO CATALOGS AND MERGER TREES FOR PRECISION COSMOLOGY. <i>Astrophysical Journal</i> , 2013 , 763, 18	4.7	334
675	Galaxy And Mass Assembly (GAMA): linking star formation histories and stellar mass growth. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 209-221	4.3	69
674	Chemical evolution of Local Group dwarf galaxies in a cosmological context â. A new modelling approach and its application to the Sculptor dwarf spheroidal galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 471-487	4.3	35
673	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2013 , 558, A23	5.1	76
672	Comparing galaxy populations in compact and loose groups of galaxies. <i>Astronomy and Astrophysics</i> , 2013 , 557, A61	5.1	6
671	Mass assembly in quiescent and star-forming galaxies sincez= 4 from UltraVISTA. <i>Astronomy and Astrophysics</i> , 2013 , 556, A55	5.1	669
670	QUASAR-GALAXY CLUSTERING THROUGH PROJECTED GALAXY COUNTS ATz= 0.6-1.2. <i>Astrophysical Journal</i> , 2013 , 773, 175	4.7	19
669	SHARDS: AN OPTICAL SPECTRO-PHOTOMETRIC SURVEY OF DISTANT GALAXIES. <i>Astrophysical Journal</i> , 2013 , 762, 46	4.7	70
668	THE RISE AND FALL OF THE STAR FORMATION HISTORIES OF BLUE GALAXIES AT REDSHIFTS 0.2		62
	2013, 762, L15		
667	RHAPSODY. I. STRUCTURAL PROPERTIES AND FORMATION HISTORY FROM A STATISTICAL SAMPLE OF RE-SIMULATED CLUSTER-SIZE HALOS. <i>Astrophysical Journal</i> , 2013 , 763, 70	4.7	41
666	The VIMOS VLT Deep Survey. <i>Astronomy and Astrophysics</i> , 2013 , 558, A135	5.1	1
665	Molecular gas mass functions of normal star-forming galaxies sincez=0.1. <i>Astronomy and Astrophysics</i> , 2013 , 555, L8	5.1	21
664	The evolution of the AGN content in groups up toz~ 1. <i>Astronomy and Astrophysics</i> , 2013 , 552, A111	5.1	17
663	SUPERDENSE GALAXIES AND THE MASS-SIZE RELATION AT LOW REDSHIFT. <i>Astrophysical Journal</i> , 2013 , 762, 77	4.7	137
662	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2013 , 557, A17	5.1	85
661	Monolithic View of Galaxy Formation and Evolution. 2014 , 2, 300-381		6
660	Big Data of the Cosmic Web. 2014 , 11, 255-266		
659	A mass threshold in the number density of passive galaxies atz~ 2. <i>Astronomy and Astrophysics</i> , 2014 , 571, A99	5.1	6

658 Dynamics of The Tranquil Cosmic Web. **2014**, 11, 77-86

657 UNDERSTANDING THE UNIQUE ASSEMBLY HISTORY OF CENTRAL GROUP GALAXIES. *Astrophysical Journal*, **2014**, 797, 62 4.7 14

656 THE INSIDE-OUT GROWTH OF THE MOST MASSIVE GALAXIES AT 0.3 . *Astrophysical Journal*, **2014**, 789, 134 4.7 17

655 THE NEXT GENERATION VIRGO CLUSTER SURVEY. V. MODELING THE DYNAMICS OF M87 WITH THE MADE-TO-MEASURE METHOD. *Astrophysical Journal*, **2014**, 792, 59 4.7 50

654 Herschel-ATLAS/GAMA: How does the far-IR luminosity function depend on galaxy group properties?. *Monthly Notices of the Royal Astronomical Society*, **2014**, 442, 2253-2270 4.3 8

653 The HST/ACS Coma Cluster Survey âVII. Structure and assembly of massive galaxies in the centre of the Coma cluster. *Monthly Notices of the Royal Astronomical Society*, **2014**, 441, 3083-3121 4.3 17

652 Bayesian inferences of galaxy formation from the K-band luminosity and H i mass functions of galaxies: constraining star formation and feedback. *Monthly Notices of the Royal Astronomical Society*, **2014**, 443, 1252-1266 4.3 30

651 Elemental abundances in Milky Way-like galaxies from a hierarchical galaxy formation model. *Monthly Notices of the Royal Astronomical Society*, **2014**, 445, 970-987 4.3 53

650 The dark side of galaxy colour: evidence from new SDSS measurements of galaxy clustering and lensing. *Monthly Notices of the Royal Astronomical Society*, **2014**, 444, 729-743 4.3 75

649 The SLUGGS survey: exploring the metallicity gradients of nearby early-type galaxies to large radii. *Monthly Notices of the Royal Astronomical Society*, **2014**, 442, 1003-1039 4.3 66

648 Galaxy And Mass Assembly (GAMA): stellar mass functions by Hubble type. *Monthly Notices of the Royal Astronomical Society*, **2014**, 444, 1647-1659 4.3 83

647 The rarity of star formation in brightest cluster galaxies as measured by WISE. **2014**, 444, L63-L67 32

646 HerMES: dust attenuation and star formation activity in ultraviolet-selected samples from $z \sim 4$ to ~ 1.5 . *Monthly Notices of the Royal Astronomical Society*, **2014**, 437, 1268-1283 4.3 80

645 The shape of dark matter subhaloes in the Aquarius simulations. *Monthly Notices of the Royal Astronomical Society*, **2014**, 439, 2863-2872 4.3 38

644 Galaxy And Mass Assembly (GAMA): testing galaxy formation models through the most massive galaxies in the Universe. *Monthly Notices of the Royal Astronomical Society*, **2014**, 440, 762-775 4.3 38

643 Dancing in the dark: galactic properties trace spin swings along the cosmic web. *Monthly Notices of the Royal Astronomical Society*, **2014**, 444, 1453-1468 4.3 455

642 A multiple dry merger at $z = 0.18$: witnessing the assembly of a massive elliptical galaxy. *Monthly Notices of the Royal Astronomical Society*, **2014**, 443, 288-298 4.3 2

641 Photometric redshift analysis in the Dark Energy Survey Science Verification data. *Monthly Notices of the Royal Astronomical Society*, **2014**, 445, 1482-1506 4.3 135

640	Multiwavelength investigations of co-evolution of bright cluster galaxies and their host clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 440, 588-600	4-3	14
639	Bulge mass is king: the dominant role of the bulge in determining the fraction of passive galaxies in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 599-629	4-3	155
638	The violent youth of bright and massive cluster galaxies and their maturation over 7 billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 589-615	4-3	26
637	A kinematically distinct core and minor-axis rotation: the MUSE perspective on M87. 2014 , 445, L79-L83		34
636	What triggers black hole growth? Insights from star formation rates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 3373-3384	4-3	31
635	A comparison of the distribution of satellite galaxies around Andromeda and the results of Λ CDM simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 438, 2916-2923	4-3	38
634	A semi-analytic model comparison: testing cooling models against hydrodynamical simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 2058-2077	4-3	18
633	The orbital ellipticity of satellite galaxies and the mass of the Milky Way. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 959-967	4-3	48
632	Pardicle: Parallel Approximate Density-Based Clustering. 2014 ,		15
631	Parallelizing OPTICS for multicore systems. 2014 ,		1
630	A $z = 2.5$ protocluster associated with the radio galaxy MRC 2104-242: star formation and differing mass functions in dense environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 440, 3262-3274	4-3	47
629	Building a predictive model of galaxy formation Λ . Phenomenological model constrained to the $z = 0$ stellar mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 2599-2636	4-3	37
628	Damped Ly α absorption systems in semi-analytic models with multiphase gas. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 939-963	4-3	23
627	Stellar populations in central cluster galaxies: the influence of cooling flows?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 416-431	4-3	2
626	On the formation and physical properties of the intracluster light in hierarchical galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 3787-3802	4-3	101
625	Brightest cluster galaxies in cosmological simulations with adaptive mesh refinement: successes and failures. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 443, 1500-1508	4-3	29
624	MAJOR CLUSTER MERGERS AND THE LOCATION OF THE BRIGHTEST CLUSTER GALAXY. <i>Astrophysical Journal</i> , 2014 , 786, 79	4-7	30
623	Globular cluster formation in the context of galaxy formation and evolution. 2014 , 31, 244006		109

622	SPT-CL J2040+451: AN SZ-SELECTED GALAXY CLUSTER AT $z=1.478$ WITH SIGNIFICANT ONGOING STAR FORMATION. <i>Astrophysical Journal</i> , 2014 , 794, 12	4-7	38
621	BACKGROUND CONTAMINATION IN Ly α INTENSITY MAPPING DURING THE EPOCH OF REIONIZATION. <i>Astrophysical Journal</i> , 2014 , 785, 72	4-7	44
620	BRIGHTEST CLUSTER GALAXIES AT THE PRESENT EPOCH. <i>Astrophysical Journal</i> , 2014 , 797, 82	4-7	92
619	WHAT DO SIMULATIONS PREDICT FOR THE GALAXY STELLAR MASS FUNCTION AND ITS EVOLUTION IN DIFFERENT ENVIRONMENTS?. <i>Astrophysical Journal</i> , 2014 , 788, 57	4-7	21
618	Investigating the star formation histories of the brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 808-826	4-3	12
617	Introducing the Illustris project: the evolution of galaxy populations across cosmic time. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 175-200	4-3	627
616	Use of Cross-Correlation Function to Study Formation Mechanism of Massive Elliptical Galaxies. 2014 , 31,		2
615	Dilution in elliptical galaxies: implications for the relation between metallicity, stellar mass and star formation rate. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 3817-3834	4-3	23
614	The similarity of the stellar mass fractions of galaxy groups and clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 1362-1377	4-3	46
613	Variations of the initial mass function in semi-analytical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 3138-3146	4-3	8
612	Environmental dependence of bulge-dominated galaxy sizes in hierarchical models of galaxy formation. Comparison with the local Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 3189-3212	4-3	52
611	THE PROGENITORS OF LOCAL ULTRA-MASSIVE GALAXIES ACROSS COSMIC TIME: FROM DUSTY STAR-BURSTING TO QUIESCENT STELLAR POPULATIONS. <i>Astrophysical Journal</i> , 2014 , 794, 65	4-7	75
610	THE ZURICH ENVIRONMENTAL STUDY (ZENS) OF GALAXIES IN GROUPS ALONG THE COSMIC WEB. V. PROPERTIES AND FREQUENCY OF MERGING SATELLITES AND CENTRALS IN DIFFERENT ENVIRONMENTS. <i>Astrophysical Journal</i> , 2014 , 797, 127	4-7	11
609	EVOLUTION OF THE MAJOR MERGER GALAXY PAIR FRACTION AT z <i>Astrophysical Journal</i> , 2014 , 795, 157	4-7	22
608	CANDELS+3D-HST: COMPACT SFGs AT $z\sim 2-3$, THE PROGENITORS OF THE FIRST QUIESCENT GALAXIES. <i>Astrophysical Journal</i> , 2014 , 791, 52	4-7	129
607	MEASURABLE RELATIONSHIP BETWEEN BRIGHT GALAXIES AND THEIR FAINT COMPANIONS IN WHL J085910.0+294957, A GALAXY CLUSTER AT $z=0.30$: VESTIGES OF INFALLEN GROUPS?. <i>Astrophysical Journal</i> , 2014 , 791, 82	4-7	3
606	THE CIRCULAR VELOCITY FUNCTION OF GROUP GALAXIES. <i>Astrophysical Journal</i> , 2014 , 793, 49	4-7	3
605	SEMI-ANALYTIC MODELS FOR THE CANDELS SURVEY: COMPARISON OF PREDICTIONS FOR INTRINSIC GALAXY PROPERTIES. <i>Astrophysical Journal</i> , 2014 , 795, 123	4-7	82

604	THE RISING STELLAR VELOCITY DISPERSION OF M87 FROM INTEGRATED STARLIGHT. <i>Astrophysical Journal</i> , 2014 , 785, 143	4.7	20
603	Ultimate age-dating method for galaxy groups; clues from the Millennium Simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 1578-1585	4.3	31
602	Cluster magnification and the massâ€richness relation in CFHTLenS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 3755-3764	4.3	40
601	The influence of the environmental history on quenching star formation in a ïcold dark matter universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 2938-2959	4.3	74
600	Evolution of the atomic and molecular gas content of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 2398-2418	4.3	128
599	Resolving the problem of galaxy clustering on small scales: any new physics needed?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 3385-3395	4.3	9
598	The influence of the matter along the line of sight and in the lens environment on the strong gravitational lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 2432-2441	4.3	8
597	VARIATIONS OF THE STELLAR INITIAL MASS FUNCTION IN THE PROGENITORS OF MASSIVE EARLY-TYPE GALAXIES AND IN EXTREME STARBURST ENVIRONMENTS. <i>Astrophysical Journal</i> , 2014 , 796, 75	4.7	91
596	Non-Gaussianity of the cosmic infrared background anisotropies â€. Diagrammatic formalism and application to the angular bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 123-142	4.3	16
595	ON THE RECOVERY OF THE LOCAL GROUP MOTION FROM GALAXY REDSHIFT SURVEYS. <i>Astrophysical Journal</i> , 2014 , 788, 157	4.7	19
594	LINKING THE SPIN EVOLUTION OF MASSIVE BLACK HOLES TO GALAXY KINEMATICS. <i>Astrophysical Journal</i> , 2014 , 794, 104	4.7	111
593	The Tomographic Ionized-Carbon Mapping Experiment (TIME) CII Imaging Spectrometer. 2014 , 176, 767-772		4
592	Stellar kinematics of X-ray bright massive elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 2013-2033	4.3	9
591	What Regulates Galaxy Evolution? Open questions in our understanding of galaxy formation and evolution. 2014 , 62-63, 1-14		11
590	HUBBLE SPACE TELESCOPEGRISM SPECTROSCOPY OF EXTREME STARBURSTS ACROSS COSMIC TIME: THE ROLE OF DWARF GALAXIES IN THE STAR FORMATION HISTORY OF THE UNIVERSE. <i>Astrophysical Journal</i> , 2014 , 789, 96	4.7	43
589	Are the halo occupation predictions consistent with large-scale galaxy clustering?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 1930-1941	4.3	20
588	Massive black hole seeds born via direct gas collapse in galaxy mergers: their properties, statistics and environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 1576-1592	4.3	44
587	Planck2013 results. XXX. Cosmic infrared background measurements and implications for star formation. <i>Astronomy and Astrophysics</i> , 2014 , 571, A30	5.1	171

586	Mining the gap: evolution of the magnitude gap in X-ray galaxy groups from the 3-square-degree XMM coverage of CFHTLS. <i>Astronomy and Astrophysics</i> , 2014 , 566, A140	5.1	29
585	Evolution of the galaxy luminosity function in progenitors of fossil groups. <i>Astronomy and Astrophysics</i> , 2014 , 571, A49	5.1	17
584	A census of stellar mass in ten massive haloes at $z \sim 1$ from the GCLASS Survey. <i>Astronomy and Astrophysics</i> , 2014 , 561, A79	5.1	51
583	Discovery of a rich proto-cluster at $z = 2.9$ and associated diffuse cold gas in the VIMOS Ultra-Deep Survey (VUDS). <i>Astronomy and Astrophysics</i> , 2014 , 570, A16	5.1	56
582	Coevolution of black holes and galaxies: the role of selection biases. 2014 , 11, 488-489		
581	The environment of bright QSOs at $z \sim 6$: star-forming galaxies and X-ray emission. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 2146-2174	4.3	62
580	Color and magnitude dependence of galaxy clustering. 2014 , 11, 293-294		
579	The ATLAS3D project XXXV. Two-dimensional kinematic analysis of simulated galaxies and the cosmological origin of fast and slow rotators. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 3357-3387	4.3	214
578	Intragroup and Intracluster Light. 2015 , 11, 27-34		5
577	Planetary Nebulae and their parent stellar populations. Tracing the mass assembly of M87 and Intracluster light in the Virgo cluster core. 2015 , 11, 69-76		
576	Galaxy morphology and star formation in the Illustris Simulation at $z = 0$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 1886-1908	4.3	116
575	On the dependence of galaxy morphologies on galaxy mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 2968-2977	4.3	13
574	Testing homogeneity in the Sloan Digital Sky Survey Data Release Twelve with Shannon entropy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 2647-2656	4.3	19
573	Coevolution of brightest cluster galaxies and intracluster light using CLASH. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 2353-2367	4.3	76
572	The accretion histories of brightest cluster galaxies from their stellar population gradients. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 3347-3359	4.3	24
571	Star formation in semi-analytic galaxy formation models with multiphase gas. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 4338-4368	4.3	89
570	COOL CORE CYCLES: COLD GAS AND AGN JET FEEDBACK IN CLUSTER CORES. <i>Astrophysical Journal</i> , 2015 , 811, 108	4.7	90
569	THE STAR FORMATION HISTORY OF BCGs TO $z = 1.8$ FROM THE SpARCS/SWIRE SURVEY: EVIDENCE FOR SIGNIFICANT IN SITU STAR FORMATION AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2015 , 814, 96	4.7	51

568	AN EXTREME STARBURST IN THE CORE OF A RICH GALAXY CLUSTER AT $z=1.7$. <i>Astrophysical Journal</i> , 2015 , 809, 173	4-7	39
567	The trace of a substantial assembly of massive E-S0 galaxies at 0.8. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 1158-1176	4-3	7
566	The SLUGGS survey: combining stellar and globular cluster metallicities in the outer regions of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 2625-2639	4-3	18
565	An analysis of the evolving comoving number density of galaxies in hydrodynamical simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 2770-2786	4-3	58
564	The merger rate of galaxies in the Illustris simulation: a comparison with observations and semi-empirical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 49-64	4-3	326
563	The stellar accretion origin of stellar population gradients in massive galaxies at large radii. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 528-550	4-3	73
562	The formation of massive, compact galaxies at $z \approx 2$ in the Illustris simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 361-372	4-3	158
561	The impact of mechanical AGN feedback on the formation of massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 4105-4116	4-3	98
560	Tracing galaxy populations through cosmic time: a critical test of methods for connecting the same galaxies between different redshifts at $z \approx 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 450, 3696-3707	4-3	30
559	What are protoclusters? âDefining high-redshift galaxy clusters and protoclusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 2528-2539	4-3	77
558	Star formation in mergers with cosmologically motivated initial conditions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 2984-3000	4-3	10
557	Evolution of the brightest cluster galaxies: the influence of morphology, stellar mass and environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 4445-4456	4-3	21
556	The abundance of satellites depends strongly on the morphology of the host galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 1605-1619	4-3	10
555	The galaxyâhalo connection from a joint lensing, clustering and abundance analysis in the CFHTLenS/VIPERS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 1352-1379	4-3	106
554	Unifying X-ray scaling relations from galaxies to clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 3806-3826	4-3	87
553	Evolution of the specific star formation rate function at z . <i>Astronomy and Astrophysics</i> , 2015 , 579, A2	5-1	105
552	The Ongoing Growth of the M87 Halo through Accretion Events. 2015 , 3, 212-219		1
551	The build-up of the cD halo of M 87: evidence for accretion in the last Gyr. <i>Astronomy and Astrophysics</i> , 2015 , 579, L3	5-1	43

550	Defying jet-gas alignment in two radio galaxies at $z \sim 2$ with extended light profiles: Similarities to brightest cluster galaxies. <i>Astronomy and Astrophysics</i> , 2015 , 579, A89	5.1	8
549	Galaxy stellar mass assembly: the difficulty matching observations and semi-analytical predictions. <i>Astronomy and Astrophysics</i> , 2015 , 575, A32	5.1	18
548	GALAXIES AT THE EXTREMES: ULTRA-DIFFUSE GALAXIES IN THE VIRGO CLUSTER. 2015 , 809, L21		147
547	Parallelizing OPTICS for Commodity Clusters. 2015 ,		5
546	Variation of galactic cold gas reservoirs with stellar mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 1610-1617	4.3	56
545	OBSERVATIONAL EVIDENCE FOR A DARK SIDE TO NGC 5128'S GLOBULAR CLUSTER SYSTEM. <i>Astrophysical Journal</i> , 2015 , 805, 65	4.7	28
544	Beyond halo mass: galactic conformity as a smoking gun of central galaxy assembly bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 1958-1969	4.3	76
543	The impact of environment and mergers on the H I content of galaxies in hydrodynamic simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 3981-3999	4.3	27
542	Constraining star formation rates in cool-core brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 450, 2564-2592	4.3	21
541	The redistribution of matter in the cores of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 1177-1189	4.3	39
540	Star formation in Herschel's Monsters versus semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 3419-3426	4.3	56
539	Redshift evolution of stellar mass versus gas fraction relation in 0. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 3792-3804	4.3	15
538	An algorithm to build mock galaxy catalogues using MICE simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 646-670	4.3	84
537	MASS CALIBRATION AND COSMOLOGICAL ANALYSIS OF THE SPT-SZ GALAXY CLUSTER SAMPLE USING VELOCITY DISPERSION AND X-RAY MEASUREMENTS. <i>Astrophysical Journal</i> , 2015 , 799, 214	4.7	100
536	On the origin of the intracluster light in massive galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 1162-1177	4.3	50
535	Semi-analytic galaxy formation in massive neutrino cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 3361-3367	4.3	8
534	FROM BLUE STAR-FORMING TO RED PASSIVE: GALAXIES IN TRANSITION IN DIFFERENT ENVIRONMENTS. <i>Astrophysical Journal</i> , 2015 , 798, 52	4.7	40
533	THE RELATION BETWEEN DYNAMICAL MASS-TO-LIGHT RATIO AND COLOR FOR MASSIVE QUIESCENT GALAXIES OUT TO $z \sim 2$ AND COMPARISON WITH STELLAR POPULATION SYNTHESIS MODELS. <i>Astrophysical Journal</i> , 2015 , 799, 125	4.7	14

532	RECENT STELLAR MASS ASSEMBLY OF LOW-MASS STAR-FORMING GALAXIES AT REDSHIFTS 0.3 . <i>Astrophysical Journal</i> , 2015 , 799, 36	4-7	5
531	Dependence of the bright end of composite galaxy luminosity functions on cluster dynamical states. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 2-8	4-3	13
530	Galaxy formation in the Planck cosmology Λ CDM. The high-redshift universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 2692-2702	4-3	23
529	ULTRAVIOLET MORPHOLOGY AND UNOBSERVED UV STAR FORMATION RATES OF CLASH BRIGHTEST CLUSTER GALAXIES. <i>Astrophysical Journal</i> , 2015 , 805, 177	4-7	57
528	nIFTy cosmology: comparison of galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 4029-4059	4-3	47
527	Surface photometry of brightest cluster galaxies and intracluster stars in Λ CDM. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 2703-2722	4-3	56
526	Semi-analytic galaxy formation in coupled dark energy cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 978-985	4-3	6
525	Ongoing growth of the brightest cluster galaxies via major dry mergers in the last ~ 6 Gyr. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 1491-1497	4-3	17
524	Strongly lensed neutral hydrogen emission: detection predictions with current and future radio interferometers. 2015 , 452, L49-L53		5
523	On the importance of using appropriate spectral models to derive physical properties of galaxies at 0.7 μ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 786-805	4-3	47
522	The galaxy-dark matter halo connection: which galaxy properties are correlated with the host halo mass?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 1861-1876	4-3	21
521	Chemical enrichment in very low metallicity environments: BoÈes I. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 446, 4220-4231	4-3	26
520	The size evolution of elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 636-645	4-3	6
519	Physical Models of Galaxy Formation in a Cosmological Framework. 2015 , 53, 51-113		667
518	Organic chemistry. A rhodium catalyst for single-step styrene production from benzene and ethylene. 2015 , 348, 421-4		76
517	Galaxy evolution. Isolated compact elliptical galaxies: stellar systems that ran away. 2015 , 348, 418-21		25
516	Stellar mass assembly of brightest cluster galaxies at late times. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 446, 1107-1114	4-3	12
515	Cosmological performance of SKA H I galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 450, 2251-2260	4-3	53

514	STAR-FORMING BLUE ETGS IN TWO NEWLY DISCOVERED GALAXY OVERDENSITIES IN THE HUDF AT $z=1.84$ AND 1.9 : UNVEILING THE PROGENITORS OF PASSIVE ETGS IN CLUSTER CORES. <i>Astrophysical Journal</i> , 2015 , 804, 117	4.7	28
513	PROSPECTS FOR DETECTING C II EMISSION DURING THE EPOCH OF REIONIZATION. <i>Astrophysical Journal</i> , 2015 , 806, 209	4.7	69
512	STRUCTURE AND FORMATION OF cD GALAXIES: NGC 6166 IN ABELL 2199. <i>Astrophysical Journal</i> , 2015 , 807, 56	4.7	48
511	SOLVING THE PUZZLE OF SUBHALO SPINS. <i>Astrophysical Journal</i> , 2015 , 801, 93	4.7	3
510	Mapping stellar content to dark matter haloes using galaxy clustering and galaxy-galaxy lensing in the SDSS DR7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 1161-1191	4.3	117
509	SURVEYING GALAXY PROTO-CLUSTERS IN EMISSION: A LARGE-SCALE STRUCTURE AT $z=2.44$ AND THE OUTLOOK FOR HETDEX. <i>Astrophysical Journal</i> , 2015 , 808, 37	4.7	42
508	A new methodology to test galaxy formation models using the dependence of clustering on stellar mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 852-871	4.3	22
507	The definition of environment and its relation to the quenching of galaxies at $z=1$ in a hierarchical Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 446, 2582-2598	4.3	17
506	Semi-analytic model predictions of mass segregation from groups to clusters. 2015 , 453, L53-L57		7
505	TOO BIG TO BE REAL? NO DEPLETED CORE IN HOLM 15A. <i>Astrophysical Journal</i> , 2015 , 807, 136	4.7	11
504	Missing black holes in brightest cluster galaxies as evidence for the occurrence of superkicks in nature. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 446, 38-55	4.3	31
503	LoCuSS: THE SLOW QUENCHING OF STAR FORMATION IN CLUSTER GALAXIES AND THE NEED FOR PRE-PROCESSING. <i>Astrophysical Journal</i> , 2015 , 806, 101	4.7	147
502	The illustris simulation: Public data release. 2015 , 13, 12-37		309
501	The intrinsic alignment of galaxies and its impact on weak gravitational lensing in an era of precision cosmology. <i>Physics Reports</i> , 2015 , 558, 1-59	27.7	165
500	SPECTRAL LINE DE-CONFUSION IN AN INTENSITY MAPPING SURVEY. <i>Astrophysical Journal</i> , 2016 , 832, 165	4.7	42
499	THE EVOLUTION OF STAR FORMATION HISTORIES OF QUIESCENT GALAXIES. <i>Astrophysical Journal</i> , 2016 , 832, 79	4.7	72
498	DUAL STELLAR HALOS IN THE STANDARD ELLIPTICAL GALAXY M105 AND FORMATION OF MASSIVE EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2016 , 822, 70	4.7	25
497	TIMING THE EVOLUTION OF QUIESCENT AND STAR-FORMING LOCAL GALAXIES. <i>Astrophysical Journal</i> , 2016 , 824, 45	4.7	29

496	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2016 , 586, A23	5.1	45
495	Quiescent luminous red galaxies as cosmic chronometers: on the significance of mass and environmental dependence. <i>Astronomy and Astrophysics</i> , 2016 , 585, A52	5.1	7
494	Size growth of red-sequence early-type galaxies in clusters in the last 10 Gyr. <i>Astronomy and Astrophysics</i> , 2016 , 593, A2	5.1	17
493	THE SPLASH SURVEY: QUIESCENT GALAXIES ARE MORE STRONGLY CLUSTERED BUT ARE NOT NECESSARILY LOCATED IN HIGH-DENSITY ENVIRONMENTS. <i>Astrophysical Journal</i> , 2016 , 817, 97	4.7	20
492	The VIPERS Multi-Lambda Survey. <i>Astronomy and Astrophysics</i> , 2016 , 590, A103	5.1	53
491	Galaxy formation through cosmic recycling. 2016 , 354, 1102-1103		0
490	Isolated elliptical galaxies in the local Universe. <i>Astronomy and Astrophysics</i> , 2016 , 588, A79	5.1	20
489	Scalable Parallel Algorithms for Shared Nearest Neighbor Clustering. 2016 ,		3
488	A Parallel Framework for Grid-Based Bottom-Up Subspace Clustering. 2016 ,		3
487	DISSECTING THE HIGH-z INTERSTELLAR MEDIUM THROUGH INTENSITY MAPPING CROSS-CORRELATIONS. <i>Astrophysical Journal</i> , 2016 , 833, 153	4.7	38
486	NUMERICAL SIMULATIONS CHALLENGED ON THE PREDICTION OF MASSIVE SUBHALO ABUNDANCE IN GALAXY CLUSTERS: THE CASE OF ABELL 2142. 2016 , 827, L5		14
485	THE PREFERENTIAL TIDAL STRIPPING OF DARK MATTER VERSUS STARS IN GALAXIES. <i>Astrophysical Journal</i> , 2016 , 833, 109	4.7	48
484	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2016 , 594, A62	5.1	16
483	Spatial Locality Aware, Fast, and Scalable SLINK Algorithm for Commodity Clusters. 2016 ,		3
482	. 2016 ,		4
481	THE FORNAX DEEP SURVEY WITH VST. I. THE EXTENDED AND DIFFUSE STELLAR HALO OF NGC 1399 OUT TO 192 kpc. <i>Astrophysical Journal</i> , 2016 , 820, 42	4.7	87
480	THE ABELL 85 BCG: A NUCLEATED, CORELESS GALAXY. <i>Astrophysical Journal</i> , 2016 , 819, 50	4.7	10
479	The stellar mass assembly of galaxies in the Illustris simulation: growth by mergers and the spatial distribution of accreted stars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 2371-2390	4.3	238

478	THE VLT LEGA-C SPECTROSCOPIC SURVEY: THE PHYSICS OF GALAXIES AT A LOOKBACK TIME OF 7 Gyr. 2016 , 223, 29		81
477	THE QUEST FOR THE LARGEST DEPLETED GALAXY CORE: SUPERMASSIVE BLACK HOLE BINARIES AND STALLED INFALLING SATELLITES. <i>Astrophysical Journal</i> , 2016 , 829, 81	4-7	15
476	The XXL survey XV: evidence for dry merger driven BCG growth in XXL-100-GC X-ray clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 4141-4156	4-3	23
475	MERGERS AND STAR FORMATION: THE ENVIRONMENT AND STELLAR MASS GROWTH OF THE PROGENITORS OF ULTRA-MASSIVE GALAXIES SINCE $z=2$. <i>Astrophysical Journal</i> , 2016 , 816, 86	4-7	24
474	DISCOVERY OF A GALAXY CLUSTER WITH A VIOLENTLY STARBURSTING CORE AT $z=2.506$. <i>Astrophysical Journal</i> , 2016 , 828, 56	4-7	111
473	A new method for testing isotropy with Shannon entropy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 1630-1641	4-3	8
472	EVOLUTION OF GALAXY GROUPS IN THE ILLUSTRIS SIMULATION. <i>Astrophysical Journal</i> , 2016 , 824, 140	4-7	15
471	Selection bias in dynamically measured supermassive black hole samples: consequences for pulsar timing arrays. 2016 , 463, L6-L11		42
470	The realm of the galaxy protoclusters. 2016 , 24, 1		119
469	A large difference in the progenitor masses of active and passive galaxies in the EAGLE simulation. 2016 , 463, L1-L5		12
468	Spin flips $\hat{\mu}$. Evolution of dark matter halo spin orientation, and its correlation with major mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 1338-1355	4-3	17
467	Stellar populations of BCGs, close companions and intracluster light in Abell 85, Abell 2457 and IIZw108. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 230-239	4-3	20
466	Galaxy assembly, stellar feedback and metal enrichment: the view from the gaea model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 1760-1785	4-3	89
465	Building disc structure and galaxy properties through angular momentum: the Dark Sage semi-analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 859-876	4-3	56
464	Dark-ages reionization and galaxy formation simulation $\hat{\mu}$. Modelling galaxy formation and the epoch of reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 250-276	4-3	73
463	Galaxies in the EAGLE hydrodynamical simulation and in the Durham and Munich semi-analytical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 3457-3482	4-3	72
462	Supermassive black holes in the EAGLE Universe. Revealing the observables of their growth. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 190-205	4-3	67
461	The influence of weak lensing on measurements of the Hubble constant with quad-image gravitational lenses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 1405-1414	4-3	4

460	Mapping the low-surface brightness Universe in the UV band with Ly α emission from IGM filaments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 1961-1971	4-3	7
459	The XMM Cluster Survey: evolution of the velocity dispersion-temperature relation over half a Hubble time. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 463, 413-428	4-3	4
458	Forming first-ranked early-type galaxies through hierarchical dissipationless merging. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 321-343	4-3	8
457	Unveiling the formation route of the largest galaxies in the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 344-351	4-3	1
456	STAR FORMATION IN INTERMEDIATE REDSHIFT 0.2 . <i>Astrophysical Journal</i> , 2016 , 833, 224	4-7	17
455	The Horizon-AGN simulation: morphological diversity of galaxies promoted by AGN feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 463, 3948-3964	4-3	210
454	Modelling the outskirts of galaxies in a cosmological context. 2016 , 11, 69-71		
453	GALAXIES IN X-RAY SELECTED CLUSTERS AND GROUPS IN DARK ENERGY SURVEY DATA. I. STELLAR MASS GROWTH OF BRIGHT CENTRAL GALAXIES SINCE $z \sim 1.2$. <i>Astrophysical Journal</i> , 2016 , 816, 98	4-7	39
452	An extremely dense group of massive galaxies at the centre of the protocluster at $z = 3.09$ in the SSA22 field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 3333-3344	4-3	23
451	The evolution in the stellar mass of brightest cluster galaxies over the past 10 billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 2862-2874	4-3	26
450	Massive relic galaxies prefer dense environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 156-163	4-3	14
449	The diversity of growth histories of Milky Way-mass galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 1929-1945	4-3	14
448	The WSRT ZoA Perseus-Pisces filament wide-field H I imaging survey â H I catalogue and atlas. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 923-941	4-3	18
447	The eagle simulations of galaxy formation: Public release of halo and galaxy catalogues. 2016 , 15, 72-89		285
446	Mass and size growth of early-type galaxies by dry mergers in cluster environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 300-313	4-3	11
445	The low-mass end of the neutral gas mass and velocity width functions of galaxies in Λ CDM. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 2415-2422	4-3	5
444	Resolution-independent modelling of environmental effects in semi-analytic models of galaxy formation that include ram-pressure stripping of both hot and cold gas. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 366-378	4-3	31
443	The Dark Energy Survey: more than dark energy â an overview. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 1270-1299	4-3	457

442	The growth of discs and bulges during hierarchical galaxy formation â Fast evolution versus secular processes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 4109-4129	4-3	35
441	The diverse evolutionary paths of simulated high-z massive, compact galaxies $z_{\text{toz}} = 0$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 1030-1048	4-3	79
440	Machine learning and cosmological simulations â Semi-analytical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 642-658	4-3	25
439	An artificial neural network approach for ranking quenching parameters in central galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 2086-2106	4-3	51
438	Extended TullyâFisher relations using H I stacking. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 3136-3147	4-3	6
437	Brightest group galaxies: stellar mass and star formation rate (paper I). <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 2762-2775	4-3	14
436	Linking the structural properties of galaxies and their star formation histories with STAGES. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 295-307	4-3	6
435	The Copernicus Complexio: a high-resolution view of the small-scale Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 3492-3509	4-3	65
434	Semi-analytic model predictions of the galaxy population in protoclusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 1924-1935	4-3	18
433	Exact, Fast and Scalable Parallel DBSCAN for Commodity Platforms. 2017 ,		5
432	DEEP CFHTY-BAND IMAGING OF VVDS-F22 FIELD. I. DATA PRODUCTS AND PHOTOMETRIC REDSHIFTS. <i>Astronomical Journal</i> , 2017 , 153, 53	4-9	2
431	Formation and Assembly History of Stellar Components in Galaxies as a Function of Stellar and Halo Mass. <i>Astrophysical Journal</i> , 2017 , 836, 161	4-7	11
430	THE SAMI GALAXY SURVEY: REVISITING GALAXY CLASSIFICATION THROUGH HIGH-ORDER STELLAR KINEMATICS. <i>Astrophysical Journal</i> , 2017 , 835, 104	4-7	83
429	The Fornax Deep Survey with VST. II. Fornax A: A Two-phase Assembly Caught in the Act. <i>Astrophysical Journal</i> , 2017 , 839, 21	4-7	53
428	Log-normal Star Formation Histories in Simulated and Observed Galaxies. <i>Astrophysical Journal</i> , 2017 , 839, 26	4-7	39
427	Near-infrared Spectroscopy of Five Ultra-massive Galaxies at 1.7 . <i>Astrophysical Journal</i> , 2017 , 838, 57	4-7	7
426	Relationship between the large scale structure of the universe and spatial distribution of GRBs. 2017 ,		2
425	Evolution of Compact and Fossil Groups of Galaxies from Semi-analytical Models of Galaxy Formation. <i>Astrophysical Journal</i> , 2017 , 840, 58	4-7	15

424	The chemical enrichment of long gamma-ray bursts nurseries up to $z = 2$. <i>Astronomy and Astrophysics</i> , 2017 , 599, A120	5.1	30
423	The SLUGGS survey: dark matter fractions at large radii and assembly epochs of early-type galaxies from globular cluster kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 3949-3964	4.3	33
422	Theoretical Challenges in Galaxy Formation. 2017 , 55, 59-109		285
421	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2017 , 602, A15	5.1	25
420	MOSFIRE SPECTROSCOPY OF QUIESCENT GALAXIES AT 1.5 . <i>Astrophysical Journal</i> , 2017 , 834, 18	4.7	63
419	THE QUENCHED MASS PORTION OF STAR-FORMING GALAXIES AND THE ORIGIN OF THE STAR FORMATION SEQUENCE SLOPE. <i>Astrophysical Journal</i> , 2017 , 834, 39	4.7	9
418	Variations of the stellar initial mass function in semi-analytical models: implications for the mass assembly and the chemical enrichment of galaxies in the gaea model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 3812-3824	4.3	37
417	The EAGLE simulations: atomic hydrogen associated with galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 4204-4226	4.3	100
416	Two phase formation of massive elliptical galaxies: study through cross-correlation including spatial effect. 2017 , 362, 1		9
415	A STUDY OF CENTRAL GALAXY ROTATION WITH STELLAR MASS AND ENVIRONMENT. <i>Astronomical Journal</i> , 2017 , 153, 89	4.9	14
414	THE BURRELL SCHMIDT DEEP VIRGO SURVEY: TIDAL DEBRIS, GALAXY HALOS, AND DIFFUSE INTRACLUSTER LIGHT IN THE VIRGO CLUSTER. <i>Astrophysical Journal</i> , 2017 , 834, 16	4.7	96
413	Galaxy properties from J-PAS narrow-band photometry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 4722-4746	4.3	6
412	What is the right way to quench star formation in semi-analytic models of galaxy formation?. 2017 , 17, 12		2
411	STAR FORMATION IN THE CLUSTER MERGER DLSCL J0916.2+2953. <i>Astrophysical Journal</i> , 2017 , 834, 205	4.7	5
410	What determines large scale galaxy clustering: halo mass or local density?. <i>Astronomy and Astrophysics</i> , 2017 , 598, A103	5.1	18
409	The local nanohertz gravitational-wave landscape from supermassive black hole binaries. 2017 , 1, 886-892		69
408	The role of mergers and halo spin in shaping galaxy morphology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 467, 3083-3098	4.3	93
407	Galaxy Environment in the 3D-HSTFields: Witnessing the Onset of Satellite Quenching at $z \sim 1.5$. <i>Astrophysical Journal</i> , 2017 , 835, 153	4.7	72

406	A remarkably large depleted core in the Abell 2029 BCG IC 1101. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 2321-2333	4-3	20
405	MASSIVE GALAXIES ARE LARGER IN DENSE ENVIRONMENTS: ENVIRONMENTAL DEPENDENCE OF MASS-SIZE RELATION OF EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2017 , 834, 73	4-7	23
404	Galaxy Merger Candidates in High-redshift Cluster Environments. <i>Astrophysical Journal</i> , 2017 , 843, 126	4-7	15
403	Dark-ages reionization and galaxy-formation simulation â€œVII. The sizes of high-redshift galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 3134-3142	4-3	13
402	Fitting Analysis using Differential evolution Optimization (FADO):. <i>Astronomy and Astrophysics</i> , 2017 , 603, A63	5-1	17
401	VEGAS: A VST Early-type GALaxy Survey. <i>Astronomy and Astrophysics</i> , 2017 , 603, A38	5-1	46
400	Strong Stellar-driven Outflows Shape the Evolution of Galaxies at Cosmic Dawn. 2017 , 842, L14		15
399	Building blocks of the Milky Way's accreted spheroid. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 863-875	4-3	3
398	Cosmology with intensity mapping techniques using atomic and molecular lines. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 1948-1965	4-3	43
397	The density of dark matter haloes of early-type galaxies in low-density environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 466, 974-995	4-3	12
396	A Universe of ultradiffuse galaxies: theoretical predictions from Λ CDM simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 470, 4231-4240	4-3	63
395	HOLICOW â€œIII. Quantifying the effect of mass along the line of sight to the gravitational lens HE0435â€œ223 through weighted galaxy counts?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 467, 4220-4242	4-3	70
394	Age-dating luminous red galaxies observed with the Southern African Large Telescope. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 467, 3239-3254	4-3	138
393	The close pair fraction of BCGs since $z \approx 0.5$: major mergers dominate recent BCG stellar mass growth. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 467, 4101-4117	4-3	14
392	Dissecting the evolution of dark matter subhaloes in the Bolshoi simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 885-909	4-3	51
391	The structural and dynamical properties of compact elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 4216-4245	4-3	31
390	The origin and evolution of fast and slow rotators in the Illustris simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 3883-3906	4-3	60
389	Hubble Frontier Fields: systematic errors in strong lensing models of galaxy clusters â€œimplications for cosmography. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 470, 1809-1825	4-3	31

388	Red but not dead: unveiling the star-forming far-infrared spectral energy distribution of SpARCS brightest cluster galaxies at $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 1259-1281	4-3	24
387	The Stripe 82 Massive Galaxy Project. III. A Lack of Growth among Massive Galaxies. <i>Astrophysical Journal</i> , 2017 , 851, 34	4-7	14
386	The unorthodox evolution of major merger remnants into star-forming spiral galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 470, 3946-3958	4-3	45
385	Stellar Dynamics and Star Formation Histories of $z \sim 1$ Radio-loud Galaxies. <i>Astrophysical Journal</i> , 2017 , 847, 72	4-7	20
384	SG1120-1202: Mass-quenching as Tracked by UV Emission in the Group Environment at $z = 0.37$. <i>Astrophysical Journal</i> , 2017 , 836, 7	4-7	2
383	Detection of a Substantial Molecular Gas Reservoir in a Brightest Cluster Galaxy at $z = 1.7$. 2017 , 844, L17		23
382	Selection bias in dynamically measured supermassive black hole samples: scaling relations and correlations between residuals in semi-analytic galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 4782-4791	4-3	20
381	The Frontier Fields lens modelling comparison project. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 3177-3216	4-3	110
380	The MUSE-Wide survey: detection of a clustering signal from Lyman α emitters in the range $3 < z < 12$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 3186-3192	4-3	8
379	Towards a consistent model for both the H I and stellar mass functions of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 1981-1990	4-3	6
378	AGN feedback and the origin of the α -enhancement in early-type galaxies â insights from the GAEA model. 2017 , 466, L88-L92		13
377	nIFTy cosmology: the clustering consistency of galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 749-762	4-3	21
376	Exploring the progenitors of brightest cluster galaxies at $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 1393-1414	4-3	10
375	Size evolution of normal and compact galaxies in the EAGLE simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 722-738	4-3	131
374	A finer view of the conditional galaxy luminosity function and magnitude-gap statistics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 2022-2038	4-3	12
373	The MUSE/Hubble Ultra Deep Field Survey. <i>Astronomy and Astrophysics</i> , 2017 , 608, A9	5-1	36
372	The evolution of the galaxy content of dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 2833-2848	4-3	16
371	ZFIRE: using H α -equivalent widths to investigate the in situ initial mass function at $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 3071-3108	4-3	15

370	On stellar mass loss from galaxies in groups and clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 4170-4193	4-3	21
369	H α -selected galaxies in hierarchical models of galaxy formation and evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 2236-2253	4-3	28
368	The new semi-analytic code GalICS 2.0 âreproducing the galaxy stellar mass function and the TullyâFisher relation simultaneously. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 1401-1427	4-3	31
367	Bimodal morphologies of massive galaxies at the core of a protocluster at $z = 3.09$ and the strong size growth of a brightest cluster galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 2235-2250	4-3	10
366	The difference in metallicity distribution functions of halo stars and globular clusters as a function of galaxy type. <i>Astronomy and Astrophysics</i> , 2017 , 606, A85	5-1	27
365	White dwarfs in the building blocks of the Galactic spheroid. <i>Astronomy and Astrophysics</i> , 2017 , 607, A99	5-1	1
364	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2017 , 606, A113	5-1	15
363	A chronicle of galaxy mass assembly in the EAGLE simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 1659-1675	4-3	113
362	The growth of discs and bulges during hierarchical galaxy formation âI. Metallicity, stellar populations and dynamical evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 4133-4146	4-3	4
361	H2-based star formation laws in hierarchical models of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 968-993	4-3	42
360	The most massive black holes on the Fundamental Plane of black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 1342-1360	4-3	21
359	The multiplicity and anisotropy of galactic satellite accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 1796-1810	4-3	39
358	Brightest group galaxies âIII: the relative contribution of BGGs to the total baryon content of groups at $z \ll 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 2787-2808	4-3	8
357	The frequency of very young galaxies in the local Universe: I. A test for galaxy formation and cosmological models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 1427-1450	4-3	12
356	SDSS-IV MaNGA: stellar angular momentum of about 2300 galaxies: unveiling the bimodality of massive galaxy properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 4711-4737	4-3	77
355	Metal Deficiency in Two Massive Dead Galaxies at $z \sim 2$. 2018 , 856, L4		10
354	Dynamics of merging: post-merger mixing and relaxation of an Illustris galaxy. 2018 , 2018, 033-033		1
353	Characterising and identifying galaxy protoclusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 4612-4628	4-3	20

352	First results from the IllustrisTNG simulations: the stellar mass content of groups and clusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 648-675	4-3	529
351	Exploring the cosmic evolution of habitability with galaxy merger trees. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 1829-1842	4-3	7
350	The Impact of Environment on the Stellar Mass-Halo Mass Relation. <i>Astrophysical Journal</i> , 2018 , 860, 2	4-7	14
349	The Fornax Cluster VLT Spectroscopic Survey II - Planetary Nebulae kinematics within 200 kpc of the cluster core. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 1880-1892	4-3	18
348	The Halo Masses of Galaxies to $z \sim 3$: A Hybrid Observational and Theoretical Approach. <i>Astrophysical Journal</i> , 2018 , 863, 42	4-7	5
347	The Spatial Distribution of Satellite Galaxies Selected from Redshift Space. <i>Astrophysical Journal</i> , 2018 , 862, 169	4-7	3
346	Detection of a Star-forming Galaxy in the Center of a Low-mass Galaxy Cluster. <i>Astrophysical Journal</i> , 2018 , 869, 105	4-7	3
345	A sample of 1959 massive galaxy clusters at high redshifts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 4158-4168	4-3	14
344	Sloshing in its cD halo: MUSE kinematics of the central galaxy NGC 3311 in the Hydra I cluster. <i>Astronomy and Astrophysics</i> , 2018 , 609, A78	5-1	22
343	Localized massive halo properties in bahamas and MACSIS simulations: scalings, lognormality, and covariance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 2618-2632	4-3	23
342	The Next Generation Virgo Cluster Survey (NGVS). XXXI. The Kinematics of Intracluster Globular Clusters in the Core of the Virgo Cluster. <i>Astrophysical Journal</i> , 2018 , 864, 36	4-7	19
341	Galaxy and Mass Assembly (GAMA): Accurate number densities and environments of massive ultra-compact galaxies at 0.02. <i>Astronomy and Astrophysics</i> , 2018 , 619, A137	5-1	14
340	Merger History of Central Galaxies in Semi-analytic Models of Galaxy Formation. <i>Astrophysical Journal</i> , 2018 , 863, 40	4-7	8
339	The KMOS Cluster Survey (KCS). II. The Effect of Environment on the Structural Properties of Massive Cluster Galaxies at Redshift 1.39. <i>Astrophysical Journal</i> , 2018 , 856, 8	4-7	12
338	Quenching and ram pressure stripping of simulated Milky Way satellite galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 548-567	4-3	88
337	Observing merger trees in a new light. 2018 , 35,		13
336	Search for C ii emission on cosmological scales at redshift $z \sim 2.6$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 1911-1924	4-3	32
335	HOLiCOW VIII. A weak-lensing measurement of the external convergence in the field of the lensed quasar HE 0435-1223. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 5657-5669	4-3	34

334	Structural and dynamical properties of galaxies in a hierarchical Universe: sizes and specific angular momenta. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 1376-1400	4-3	24
333	The JWST Extragalactic Mock Catalog: Modeling Galaxy Populations from the UV through the Near-IR over 13 Billion Years of Cosmic History. 2018 , 236, 33		59
332	Post-Newtonian evolution of massive black hole triplets in galactic nuclei âIII. A robust lower limit to the nHz stochastic background of gravitational waves. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 2599-2612	4-3	30
331	Spectroscopic decomposition of the galaxy and halo of the cD galaxy NGC 3311. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 4255-4267	4-3	6
330	Dark-ages Reionization and Galaxy Formation Simulation âXIV. Gas accretion, cooling, and star formation in dwarf galaxies at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 1318-1335	4-3	3
329	Anisotropies in the astrophysical gravitational-wave background: Predictions for the detection of compact binaries by LIGO and Virgo. 2018 , 98,		34
328	Cosmological simulations of black hole growth II: how (in)significant are merger events for fuelling nuclear activity?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 341-360	4-3	31
327	On the fast quenching of young low-mass galaxies up to $z \sim 0.6$: new spotlight on the lead role of environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 2147-2160	4-3	17
326	The peculiar velocity correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 5332-5341	4-3	8
325	Brightest galaxies as halo centre tracers in SDSS DR7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 2830-2851	4-3	19
324	AMICO: optimized detection of galaxy clusters in photometric surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 5221-5236	4-3	24
323	Climbing to the top of the galactic mass ladder: evidence for frequent prolate-like rotation among the most massive galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 5327-5337	4-3	29
322	Intracluster light at the Frontier âII. The Frontier Fields Clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 917-932	4-3	51
321	Identifying the progenitors of present-day early-type galaxies in observational surveys: correcting âprogenitor biasâ using the Horizon-AGN simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 3140-3151	4-3	11
320	Cosmic CARNage I: on the calibration of galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 2936-2954	4-3	18
319	Timing the formation and assembly of early-type galaxies via spatially resolved stellar populations analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 3700-3729	4-3	44
318	Exploring relations between BCG and cluster properties in the SPectroscopic IDentification of eROSITA Sources survey from 0.05â <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 4952-4973	4-3	11
317	Stellar Mass and 3.4âH/L Ratio Evolution of Brightest Cluster Galaxies in COSMOS since $z \sim 1.0$. <i>Astrophysical Journal</i> , 2018 , 857, 122	4-7	4

316	Galactic conformity measured in semi-analytic models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 1177-1189	4-3	12
315	SURFS: Riding the waves with Synthetic Universe For Surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 5338-5359	4-3	33
314	Revisiting the bulge halo conspiracy III. Towards explaining its puzzling dependence on redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 2878-2890	4-3	11
313	A new gas cooling model for semi-analytic galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 543-569	4-3	8
312	Accretion of satellites on to central galaxies in clusters: merger mass ratios and orbital parameters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 705-714	4-3	6
311	Metallicity effects in long gamma-ray burst populations in a Λ CDM Universe. 2018 , 65, 73-83		3
310	The Impact of Assembly Bias on the Galaxy Content of Dark Matter Halos. <i>Astrophysical Journal</i> , 2018 , 853, 84	4-7	64
309	Cosmic CARNage II: the evolution of the galaxy stellar mass function in observations and galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 1197-1210	4-3	11
308	The three phases of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 3994-4009	4-3	47
307	Deciphering the Activity and Quiescence of High-redshift Cluster Environments: ALMA Observations of Cl J1449+0856 at $z = 2$. <i>Astrophysical Journal</i> , 2018 , 862, 64	4-7	16
306	Connecting optical and X-ray tracers of galaxy cluster relaxation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 4704-4716	4-3	12
305	The route to massive black hole formation via merger-driven direct collapse: a review. 2019 , 82, 016901		30
304	The Fornax Deep Survey with the VST. <i>Astronomy and Astrophysics</i> , 2019 , 623, A1	5-1	30
303	Quiescent Galaxies at $z \geq 2.5$: Observations versus Models. 2019 , 880, L14		12
302	Inquiring into the nature of the Abell 2667 brightest cluster galaxy: physical properties from MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5593-5609	4-3	2
301	The evolution of sizes and specific angular momenta in hierarchical models of galaxy formation and evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5649-5665	4-3	12
300	The Brightest UV-selected Galaxies in Protoclusters at $z \sim 4$: Ancestors of Brightest Cluster Galaxies?. <i>Astrophysical Journal</i> , 2019 , 878, 68	4-7	12
299	An Assessment of Contamination in the Thermal-SZ Map Using Cross-correlations. <i>Astrophysical Journal</i> , 2019 , 884, 139	4-7	5

298	Dark-age reionization and galaxy formation simulation Λ CDM. Predictions of infrared excess and cosmic star formation rate density from UV observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 1357-1372	4-3	7
297	The redshift evolution of X-ray and Sunyaev-Zeldovich scaling relations in the fiducial simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 2439-2470	4-3	18
296	Early-type galaxy density profiles from IllustrisTNG Λ CDM. Evolutionary trend of the total density profile. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 5722-5738	4-3	7
295	A first quantification of the effects of absorption for H I intensity mapping experiments. <i>Astronomy and Astrophysics</i> , 2019 , 631, A115	5-1	1
294	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2019 , 631, A15	5-1	3
293	J-PLUS: Synthetic galaxy catalogues with emission lines for photometric surveys. <i>Astronomy and Astrophysics</i> , 2019 , 631, A82	5-1	9
292	Red and dead CANDELS: massive passive galaxies at the dawn of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 3309-3328	4-3	31
291	The diverse galaxy counts in the environment of high-redshift massive black holes in Horizon-AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 1206-1229	4-3	19
290	The complete local volume groups sample Λ CDM. Characteristics of group central radio galaxies in the Local Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 2488-2504	4-3	8
289	Satellite galaxies in the Illustris-1 simulation: anisotropic locations around relatively isolated hosts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 459-469	4-3	4
288	On the role of supermassive black holes in quenching star formation in local central galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 1606-1618	4-3	4
287	Extensions to the halo occupation distribution model for more accurate clustering predictions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 3532-3544	4-3	13
286	Origins of scaling relations of globular cluster systems. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 488, 5409-5419	4-3	21
285	From the far-ultraviolet to the far-infrared Λ CDM galaxy emission at $0 < z < 10$ in the shark semi-analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 4196-4216	4-3	40
284	HOLiCOW Λ CDM. Cosmographic analysis of the doubly imaged quasar SDSS 1206+4332 and a new measurement of the Hubble constant. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 4726-4753	4-3	182
283	The Simultaneous Formation of Cored, Tangentially Biased, and Kinematically Decoupled Centers in Massive Early-type Galaxies. 2019 , 872, L17		17
282	The effect of assembly bias on redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 486, 582-595	4-3	12
281	The Occurrence of Compact Groups of Galaxies through Cosmic Time. <i>Astrophysical Journal</i> , 2019 , 873, 124	4-7	1

280	Multiwavelength radio observations of a brightest cluster galaxy at $z=0.71$: detection of a modest active galactic nucleus and evidence for extended star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 1210-1217	4-3	8
279	The Impact of Environment on Late-time Evolution of the Stellar Mass-Halo Mass Relation. <i>Astrophysical Journal</i> , 2019 , 878, 14	4-7	7
278	Dark matter stripping in galaxy clusters: a look at the stellar-to-halo mass relation in the Illustris simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 653-666	4-3	15
277	Searches for Population III pair-instability supernovae: Impact of gravitational lensing magnification. 2019 , 71,		5
276	Horizon-AGN virtual observatory \hat{a} . SED-fitting performance and forecasts for future imaging surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 486, 5104-5123	4-3	29
275	The (M-sigma) relation between supermassive black holes and their host galaxies. 2019 , 51, 1		4
274	LARGe Survey \hat{a} . Dead monsters: the massive end of the passive galaxy stellar mass function at cosmic noon. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 486, 4880-4893	4-3	6
273	The effect of the Large Magellanic Cloud on the satellite galaxy population in Milky Way analogous galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 486, 2440-2448	4-3	12
272	Cosmic Pathways for Compact Groups in the Milli-Millennium Simulation. <i>Astrophysical Journal</i> , 2019 , 871, 242	4-7	2
271	First ranked galaxies of non-elliptical morphology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 4084-4095	4-3	5
270	The Parallelism between Galaxy Clusters and Early-type Galaxies. I. The Light and Mass Profiles. <i>Astrophysical Journal</i> , 2019 , 875, 103	4-7	3
269	Disruption of satellite galaxies in simulated groups and clusters: the roles of accretion time, baryons, and pre-processing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 2287-2311	4-3	26
268	Anisotropies in the Astrophysical Gravitational-Wave Background: The Impact of Black Hole Distributions. 2019 , 122, 111101		20
267	Comparing galaxy morphology in hydrodynamical simulation and in semi-analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 2083-2091	4-3	5
266	LoCuSS: scaling relations between galaxy cluster mass, gas, and stellar content. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 60-80	4-3	20
265	The evolution of the baryon fraction in haloes as a cause of scatter in the galaxy stellar mass in the eagle simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 3261-3273	4-3	9
264	Cosmological Interpretation of the Color-Magnitude Diagrams of Galaxy Clusters. <i>Astrophysical Journal</i> , 2019 , 870, 70	4-7	6
263	The Impact of Stripped Nuclei on the Supermassive Black Hole Number Density in the Local Universe. <i>Astrophysical Journal</i> , 2019 , 871, 159	4-7	24

262	The Next Generation Fornax Survey (NGFS). V. Discovery of a Dwarf Dwarf Galaxy Pair at $z = 0.30$ and Its Characterization Using Deep VLT/MUSE Observations. <i>Astrophysical Journal</i> , 2019 , 873, 59	4.7	6
261	Theoretical Predictions of Colors and Metallicity of the Intracluster Light. <i>Astrophysical Journal</i> , 2019 , 871, 24	4.7	16
260	Link between brightest cluster galaxy properties and large scale extensions of 38 DAFT/FADA and CLASH clusters in the redshift range 0.2 Astronomy and Astrophysics, 2019 , 622, A78	5.1	10
259	The evolution of assembly bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 1133-1148	4.3	32
258	De re metallica: the cosmic chemical evolution of galaxies. 2019 , 27, 1		203
257	Co-evolution of supermassive black holes with galaxies from semi-analytic model: stochastic gravitational wave background and black hole clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 503-513	4.3	2
256	The origin of the red-sequence galaxy population in the EAGLE simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 4401-4412	4.3	17
255	A Rapid Prototyping Approach for High Performance Density-Based Clustering. 2019 ,		2
254	Nonparametric Star Formation History Reconstruction with Gaussian Processes. I. Counting Major Episodes of Star Formation. <i>Astrophysical Journal</i> , 2019 , 879, 116	4.7	28
253	Stellar Mass Growth of Brightest Cluster Galaxy Progenitors in COSMOS Since $z \sim 3$. <i>Astrophysical Journal</i> , 2019 , 881, 150	4.7	14
252	Massive galaxies on the road to quenching: ALMA observations of powerful high redshift radio galaxies. <i>Astronomy and Astrophysics</i> , 2019 , 621, A27	5.1	19
251	Planck Far-infrared Detection of Hyper Suprime-Cam Protoclusters at $z \sim 4$: Hidden AGN and Star Formation Activity. <i>Astrophysical Journal</i> , 2019 , 887, 214	4.7	12
250	Stellar mass halo mass relation for the brightest central galaxies of X-ray clusters since $z \sim 0.65$. <i>Astronomy and Astrophysics</i> , 2019 , 631, A175	5.1	16
249	G.A.S.. <i>Astronomy and Astrophysics</i> , 2019 , 627, A132	5.1	7
248	A Virgo Environmental Survey Tracing Ionised Gas Emission (VESTIGE). <i>Astronomy and Astrophysics</i> , 2019 , 623, A52	5.1	11
247	DBSCAN: An Exact Scalable DBSCAN Algorithm for Big Data Exploiting Spatial Locality. 2019 ,		3
246	Shot noise in the astrophysical gravitational-wave background. 2019 , 100,		17
245	Co-interacting dark matter. 2019 , 100,		0

244	The Most Massive Galaxies with Large Depleted Cores: Structural Parameter Relations and Black Hole Masses. <i>Astrophysical Journal</i> , 2019 , 886, 80	4.7	11
243	Ellipticity of brightest cluster galaxies as tracer of halo orientation and weak-lensing mass bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 4889-4897	4.3	7
242	Massive and old quiescent galaxies at high redshift. <i>Astronomy and Astrophysics</i> , 2019 , 632, A80	5.1	16
241	Multifrequency JVLA observations of the X-shaped radio galaxy in Abell 3670. <i>Astronomy and Astrophysics</i> , 2019 , 631, A173	5.1	3
240	GABE: Galaxy Assembly with Binary Evolution. 2019 , 19, 151		2
239	Chandracentres for COSMOS X-ray galaxy groups: differences in stellar properties between central dominant and offset brightest group galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 3545-3565	4.3	30
238	The strong correlation between post-starburst fraction and environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 881-894	4.3	22
237	Starburst galaxies in semi-analytic models of galaxy formation and evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 4454-4465	4.3	6
236	Semi-analytic modelling of the europium production by neutron star mergers in the halo of the Milky Way. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 4397-4410	4.3	2
235	Nature versus nurture: what regulates star formation in satellite galaxies?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 5041-5051	4.3	22
234	Clocking the formation of today's largest galaxies: wide field integral spectroscopy of brightest cluster galaxies and their surroundings. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 2617-2638	4.3	14
233	Parallel SLINK for big data. 2020 , 9, 339-359		2
232	The growth of brightest cluster galaxies and intracluster light over the past 10 billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 3751-3759	4.3	26
231	Localizing merging black holes with sub-arcsecond precision using gravitational-wave lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 3395-3402	4.3	17
230	HOLiCOW XII. Lens mass model of WFI20331-17231 and blind measurement of its time-delay distance and H ₀ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 1440-1468	4.3	29
229	Incremental Density-based Clustering on Multicore Processors. 2020 , PP,		5
228	Gas accretion regulates the scatter of the mass-metallicity relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 3215-3227	4.3	10
227	Simulating kilonovae in the Λ CDM universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 926-939	4.3	1

226	Stellar property statistics of massive haloes from cosmological hydrodynamics simulations: common kernel shapes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 686-704	4-3	8
225	The stellar mass assembly of low-redshift, massive, central galaxies in SDSS and the TNG300 simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 4262-4275	4-3	2
224	A comparison of H2 formation models at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 5008-5023	4-3	3
223	Surrogate modelling the Baryonic Universe Λ . The colour of star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 2088-2104	4-3	11
222	Photometric redshifts for galaxies in the Subaru Hyper Suprime-Cam and unWISE and a catalogue of identified clusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 1003-1017	4-3	3
221	SDSS-IV MaNGA: The kinematic-morphology of galaxies on the mass versus star-formation relation in different environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 1958-1977	4-3	18
220	Massive low-surface-brightness galaxies in the eagle simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 496, 3996-4016	4-3	5
219	The baryon content of groups and clusters of galaxies in the FABLE simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 2114-2137	4-3	14
218	What does strong gravitational lensing? The mass and redshift distribution of high-magnification lenses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 3727-3739	4-3	20
217	AMICO galaxy clusters in KiDS-DR3: galaxy population properties and their redshift dependence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 4303-4315	4-3	1
216	[O ii] emitters in MultiDark-Galaxies and DEEP2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 5432-5453	4-3	6
215	The VANDELS survey: Discovery of massive overdensities of galaxies at $z > 2$. <i>Astronomy and Astrophysics</i> , 2020 , 640, A107	5-1	4
214	Multiple AGN activity during the BCG assembly of XDCPJ0044.0-2033 at $z \sim 1.6$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 2719-2733	4-3	0
213	Morphometric analysis of brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 4433-4449	4-3	1
212	Predictions for the FAST telescope's CRAFTS extragalactic H i survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 1741-1754	4-3	1
211	H0LiCOW Λ . A weak lensing measurement of the external convergence in the field of the lensed quasar B1608+656 using HST and Subaru deep imaging. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 1406-1419	4-3	3
210	The rise of active galactic nuclei in the galaxy evolution and assembly semi-analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 496, 3943-3960	4-3	7
209	GallCS 2.1: a new semianalytic model for cold accretion, cooling, feedback, and their roles in galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 279-301	4-3	2

208	Damped Ly α absorbers and atomic hydrogen in galaxies: the view of the GAEA model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 2469-2485	4-3	3
207	The influence of environment on satellite galaxies in the GAEA semi-analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 4327-4344	4-3	11
206	STRIDES: Spectroscopic and photometric characterization of the environment and effects of mass along the line of sight to the gravitational lenses DES J0408â354 and WGD 2038â008. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 3241-3274	4-3	3
205	Joint galaxyâgalaxy lensing and clustering constraints on galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 5804-5833	4-3	5
204	Stellar mass as a galaxy cluster mass proxy: application to the Dark Energy Survey redMaPPer clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 4591-4606	4-3	18
203	Gravitational Waves from Coalescing Binaries. 2020 , 2, 1-115		
202	Formation channels of slowly rotating early-type galaxies. <i>Astronomy and Astrophysics</i> , 2020 , 635, A129	5-1	13
201	The stellar-to-halo mass relation over the past 12 Gyr. <i>Astronomy and Astrophysics</i> , 2020 , 634, A135	5-1	23
200	Dynamical self-friction: how mass loss slows you down. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 4496-4507	4-3	10
199	Forecast for FAST: from galaxies survey to intensity mapping. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 5854-5870	4-3	15
198	Automatic parallelization of representative-based clustering algorithms for multicore cluster systems. 2020 , 10, 135-159		2
197	Velocity Dispersions of Brightest Cluster Galaxies and Their Host Clusters. <i>Astrophysical Journal</i> , 2020 , 891, 129	4-7	10
196	Stochastic Processes as the Origin of the Double Power-law Shape of the Quasar Luminosity Function. <i>Astrophysical Journal</i> , 2020 , 894, 124	4-7	8
195	Generating synthetic cosmological data with GalSampler. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 5040-5051	4-3	7
194	LARgE survey âIII. Environments of ultra-massive passive galaxies at cosmic noon: BCG progenitors growing through mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 494, 1366-1374	4-3	5
193	The atomic hydrogen content of the post-reionization Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 5434-5455	4-3	25
192	Rapid early coeval star formation and assembly of the most-massive galaxies in the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 4607-4621	4-3	9
191	High-redshift JWST predictions from IllustrisTNG: dust modelling and galaxy luminosity functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 5167-5201	4-3	48

190	Establishing a new technique for discovering large-scale structure using the ORELSE survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 5524-5554	4.3	8
189	Weak lensing reveals a tight connection between dark matter halo mass and the distribution of stellar mass in massive galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 3685-3707	4.3	9
188	Compact groups from semi-analytical models of galaxy formation II. A comparative study of frequency and nature. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 2588-2605	4.3	2
187	Molecular gas in distant brightest cluster galaxies. <i>Astronomy and Astrophysics</i> , 2020 , 635, A32	5.1	6
186	Environmental processing in cluster core galaxies at $z = 1.7$. <i>Astronomy and Astrophysics</i> , 2020 , 635, L10	5.1	7
185	The relationship between black hole mass and galaxy properties: examining the black hole feedback model in IllustrisTNG. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 1888-1906	4.3	68
184	The Formation History of Subhalos and the Evolution of Satellite Galaxies. <i>Astrophysical Journal</i> , 2020 , 893, 139	4.7	7
183	UV bright red-sequence galaxies: how do UV upturn systems evolve in redshift and stellar mass?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 2996-3011	4.3	5
182	Spatially resolved star formation and fuelling in galaxy interactions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 3113-3133	4.3	18
181	Probing the existence of a rich galaxy overdensity at $z \approx 5.2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 502, 4558-4575	4.3	1
180	Estimation of the Galaxy Quenching Rate in the Illustris Simulation. <i>Astrophysical Journal</i> , 2021 , 906, 129	4.7	1
179	Formation of the largest galactic cores through binary scouring and gravitational wave recoil. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 502, 4794-4814	4.3	8
178	Compact groups from semi-analytical models of galaxy formation II. Different assembly channels. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 394-405	4.3	1
177	Observational Evidence for Enhanced Black Hole Accretion in Giant Elliptical Galaxies. <i>Astrophysical Journal</i> , 2021 , 908, 85	4.7	4
176	Ultramassive Black Holes in the Most Massive Galaxies: M_{BH}^{UL} versus M_{BH}^{R} . <i>Astrophysical Journal</i> , 2021 , 908, 134	4.7	2
175	The VANDELS survey: The relation between the UV continuum slope and stellar metallicity in star-forming galaxies at $z \sim 3$. <i>Astronomy and Astrophysics</i> , 2021 , 646, A39	5.1	9
174	Deep extragalactic visible legacy survey (DEVILS): stellar mass growth by morphological type since $z = 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 136-160	4.3	2
173	L-GALAXIES 2020: The evolution of radial metallicity profiles and global metallicities in disc galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 4474-4495	4.3	11

172	WISDOM project VIII. Multiscale feedback cycles in the brightest cluster galaxy NGC 0708. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 5179-5192	4.3	5
171	MUSE analysis of gas around galaxies (MAGG) III. The gas and galaxy environment of $z = 3$ quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 3044-3064	4.3	11
170	The Buildup of the Intracluster Light of A85 as Seen by Subaru Hyper Suprime-Cam. <i>Astrophysical Journal</i> , 2021 , 910, 45	4.7	11
169	Machine learning the fates of dark matter subhaloes: a fuzzy crystal ball. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 504, 248-266	4.3	2
168	A CO Survey of SpARCS Star-forming Brightest Cluster Galaxies: Evidence for Uniformity in BCG Molecular Gas Processing across Cosmic Time. 2021 , 909, L29		3
167	Protocluster detection in simulations of HSC-SSP and the 10-yr LSST forecast, using PCcones. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 504, 5054-5073	4.3	0
166	Multitracer Cosmological Line Intensity Mapping Mock Light-cone Simulation. <i>Astrophysical Journal</i> , 2021 , 911, 132	4.7	7
165	The evolution of compact massive quiescent and star-forming galaxies derived from the Re σ_8 and Mstar σ_8 relations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 4555-4570	4.3	8
164	The galaxy size σ_8 mass scaling relations and clustering properties of central and satellite galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 3192-3205	4.3	4
163	The VLT-MUSE and ALMA view of the MACS 1931.8-2635 brightest cluster galaxy. <i>Astronomy and Astrophysics</i> , 2021 , 649, A23	5.1	2
162	The mass σ_8 relation of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 2932-2940	4.3	1
161	The VANDELS Survey: new constraints on the high-mass X-ray binary populations in normal star-forming galaxies at $z < 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 4798-4812	4.3	3
160	Physical properties of brightest cluster galaxies up to redshift 1.80 based on HST data. <i>Astronomy and Astrophysics</i> , 2021 , 649, A42	5.1	3
159	Simulating Groups and the IntraGroup Medium: The Surprisingly Complex and Rich Middle Ground between Clusters and Galaxies. 2021 , 7, 209		11
158	DeepMerge III. Building robust deep learning algorithms for merging galaxy identification across domains. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 506, 677-691	4.3	3
157	VEGAS: A VST Early-type GALaxy Survey. <i>Astronomy and Astrophysics</i> , 2021 , 651, A39	5.1	5
156	Simulating cosmic structure formation with the gadget-4 code. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	30
155	Infrared Surface Brightness Fluctuation Distances for MASSIVE and Type Ia Supernova Host Galaxies*. 2021 , 255, 21		4

154	Introducing the NEWHORIZON simulation: Galaxy properties with resolved internal dynamics across cosmic time. <i>Astronomy and Astrophysics</i> , 2021 , 651, A109	5.1	22
153	The assembly bias of emission-line galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 506, 3155-3168	4.3	1
152	Evolution of the galaxy stellar mass function: evidence for an increasing M^* from $z = 2$ to the present day. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 506, 4933-4951	4.3	3
151	Dynamical analysis of clusters of galaxies from cosmological simulations. <i>Astronomy and Astrophysics</i> , 2021 , 652, A90	5.1	0
150	An Empirical Determination of the Dependence of the Circumgalactic Mass Cooling Rate and Feedback Mass Loading Factor on Galactic Stellar Mass. <i>Astrophysical Journal</i> , 2021 , 916, 101	4.7	2
149	Brightest cluster galaxies are statistically special from $z \approx 0.3$ to $z \approx 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 4016-4029	4.3	1
148	On the Origin and Evolution of the Intra-Cluster Light: A Brief Review of the Most Recent Developments. 2021 , 9, 60		10
147	HST grism spectroscopy of $z \sim 3$ massive quiescent galaxies. <i>Astronomy and Astrophysics</i> , 2021 , 653, A32	5.1	3
146	The Formation of M101-alike galaxies in the cold dark matter model. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
145	Velocity dispersion of brightest cluster galaxies in cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 5780-5795	4.3	1
144	A Massive Quiescent Galaxy Confirmed in a Protocluster at $z = 3.09$. <i>Astrophysical Journal</i> , 2021 , 919, 6	4.7	3
143	An extreme case of galaxy and cluster co-evolution at $z = 0.7$. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
142	A flexible subhalo abundance matching model for galaxy clustering in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 508, 175-189	4.3	9
141	Predicting halo occupation and galaxy assembly bias with machine learning. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 4879-4899	4.3	3
140	The growth of intracluster light in XCS-HSC galaxy clusters from $0.1 < z < 0.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 502, 2419-2437	4.3	17
139	The Origin of the Morphology-Density Relation. 2011 , 215-220		1
138	The Dependence of Low Redshift Galaxy Properties on Environment. 2011 , 29-38		4
137	Predicting the Frequencies of Young and of Tiny Galaxies. 2012 , 39-46		4

136	Evolution of the early-type galaxy fraction in clusters since $z = 0.8$. <i>Astronomy and Astrophysics</i> , 2009 , 508, 1141-1159	5.1	45
135	Ray-tracing through the Millennium Simulation: Born corrections and lens-lens coupling in cosmic shear and galaxy-galaxy lensing. <i>Astronomy and Astrophysics</i> , 2009 , 499, 31-43	5.1	226
134	Evolution of red-sequence cluster galaxies from redshift 0.8 to 0.4: ages, metallicities, and morphologies. <i>Astronomy and Astrophysics</i> , 2009 , 499, 47-68	5.1	72
133	Multiwavelength observations of a rich galaxy cluster at $z \approx 1$. <i>Astronomy and Astrophysics</i> , 2009 , 501, 49-60	5.1	32
132	Building merger trees from cosmological N-body simulations. <i>Astronomy and Astrophysics</i> , 2009 , 506, 647-660	5.1	156
131	The VIMOS-VLT deep survey: the group catalogue. <i>Astronomy and Astrophysics</i> , 2010 , 520, A42	5.1	32
130	The zCOSMOS survey. The dependence of clustering on luminosity and stellar mass at $z=0.2$. <i>Astronomy and Astrophysics</i> , 2009 , 505, 463-482	5.1	84
129	Fossil groups in the Millennium simulation. <i>Astronomy and Astrophysics</i> , 2011 , 527, A129	5.1	14
128	Crazy heart: kinematics of the star pile in Abell 545. <i>Astronomy and Astrophysics</i> , 2011 , 528, A61	5.1	4
127	The scaling relation between the mass of supermassive black holes and the kinetic energy of random motions of the host galaxies. <i>Astronomy and Astrophysics</i> , 2012 , 537, A48	5.1	16
126	Towards understanding the relation between the gas and the attenuation in galaxies at kpc scales. <i>Astronomy and Astrophysics</i> , 2013 , 554, A14	5.1	28
125	New calibration and some predictions of the scaling relations between the mass of supermassive black holes and the properties of the host galaxies. <i>Astronomy and Astrophysics</i> , 2013 , 558, A108	5.1	7
124	The VIMOS Public Extragalactic Redshift Survey (VIPERS):. <i>Astronomy and Astrophysics</i> , 2014 , 563, A92	5.1	47
123	On the Fe abundance peak formation in cool-core clusters of galaxies: hints from cluster WARPJ1415.1+3612 at $z=1.03$. <i>Astronomy and Astrophysics</i> , 2014 , 567, A102	5.1	15
122	Galaxy population properties of the massive X-ray luminous galaxy cluster XDCP J0044.0-2033 at $z=1.58$. <i>Astronomy and Astrophysics</i> , 2014 , 568, A5	5.1	35
121	From star-forming galaxies to AGN: the global HI content from a stacking experiment. <i>Astronomy and Astrophysics</i> , 2015 , 580, A43	5.1	17
120	The outer regions of the giant Virgo galaxy M 87 Kinematic separation of stellar halo and intracluster light. <i>Astronomy and Astrophysics</i> , 2015 , 579, A135	5.1	45
119	A study on the multicolour evolution of red-sequence galaxy populations: insights from hydrodynamical simulations and semi-analytical models. <i>Astronomy and Astrophysics</i> , 2015 , 581, A50	5.1	4

118	The XXL Survey. <i>Astronomy and Astrophysics</i> , 2016 , 592, A9	5.1	10
117	The Hydra I cluster core. <i>Astronomy and Astrophysics</i> , 2016 , 589, A139	5.1	17
116	The VIMOS Public Extragalactic Redshift Survey (VIPERS). <i>Astronomy and Astrophysics</i> , 2017 , 604, A133	5.1	7
115	GOODS-ALMA: Optically dark ALMA galaxies shed light on a cluster in formation at $z = 3.5$. <i>Astronomy and Astrophysics</i> , 2020 , 642, A155	5.1	12
114	Towards a consistent framework of comparing galaxy mergers in observations and simulations. <i>Astronomy and Astrophysics</i> , 2020 , 644, A87	5.1	5
113	The DIANOGA simulations of galaxy clusters: characterising star formation in protoclusters. <i>Astronomy and Astrophysics</i> , 2020 , 642, A37	5.1	13
112	TDCOSMO. <i>Astronomy and Astrophysics</i> , 2020 , 643, A165	5.1	106
111	The XXL Survey. <i>Astronomy and Astrophysics</i> , 2020 , 642, A124	5.1	3
110	The origin of redshift asymmetries: how Λ CDM explains anomalous redshift. <i>Astronomy and Astrophysics</i> , 2009 , 494, 857-865	5.1	3
109	The Co-Formation of Spheroids and Quasars Traced in their Clustering. <i>Astrophysical Journal</i> , 2007 , 662, 110-130	4.7	85
108	Witnessing the Formation of a Galaxy Cluster at $z = 0.485$: Optical and X-Ray Properties of RX J1117.4+0743 ([VMF 98] 097). <i>Astrophysical Journal</i> , 2007 , 664, 777-790	4.7	11
107	COMBINING SEMIANALYTIC MODELS WITH SIMULATIONS OF GALAXY CLUSTERS: THE NEED FOR HEATING FROM ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2009 , 704, 915-929	4.7	26
106	K2: A NEW METHOD FOR THE DETECTION OF GALAXY CLUSTERS BASED ON CANADA-FRANCE-HAWAII TELESCOPE LEGACY SURVEY MULTICOLOR IMAGES. <i>Astrophysical Journal</i> , 2009 , 706, 571-591	4.7	20
105	THE XMM-CLUSTER SURVEY: THE STELLAR MASS ASSEMBLY OF FOSSIL GALAXIES. <i>Astrophysical Journal</i> , 2012 , 752, 12	4.7	42
104	THE LUMINOSITY PROFILES OF BRIGHTEST CLUSTER GALAXIES. 2011 , 195, 15		52
103	MAMMOTH: confirmation of two massive galaxy overdensities at $z = 2.24$ with H α emitters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 4354-4364	4.3	3
102	Brightest cluster galaxies: the centre can(not?) hold. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 310-318	4.3	6
101	Young stellar population gradients in central cluster galaxies from NUV and optical spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 3368-3381	4.3	3

100	Revisiting the gas kinematics in SSA22 Lyman- α Blob 1 with radiative transfer modelling in a multiphase, clumpy medium. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 502, 2389-2408	4-3	8
99	RADIAL DISTRIBUTION OF ISM GAS-PHASE METALLICITY IN CLASH CLUSTERS AT $z \sim 0.35$: A NEW OUTLOOK ON ENVIRONMENTAL IMPACT ON GALAXY EVOLUTION. <i>Astrophysical Journal</i> , 2016 , 831, 104	4-7	11
98	A New Census of the 0.2 Astrophysical Journal, 2020 , 893, 111	4-7	22
97	Star Formation in Massive Galaxies at Redshift $z \sim 0.5$. <i>Astrophysical Journal</i> , 2020 , 895, 100	4-7	4
96	The SAMI Galaxy Survey: Stellar Population Gradients of Central Galaxies. <i>Astrophysical Journal</i> , 2020 , 896, 75	4-7	15
95	Emergence of an Ultrared, Ultramassive Galaxy Cluster Core at $z = 4$. <i>Astrophysical Journal</i> , 2020 , 898, 133	4-7	12
94	The Assembly History of M87 through Radial Variations in Chemical Abundances of Its Field Star and Globular Cluster Populations. <i>Astrophysical Journal</i> , 2020 , 900, 95	4-7	6
93	On the Mass Distribution of the Intracluster Light in Galaxy Groups and Clusters. <i>Astrophysical Journal</i> , 2020 , 901, 128	4-7	6
92	Frequency of Tidal Features Correlates with Age and Internal Structure of Early-type Galaxies. <i>Astrophysical Journal</i> , 2020 , 905, 154	4-7	3
91	MASSIVE STRUCTURES OF GALAXIES AT HIGH REDSHIFTS IN THE GREAT OBSERVATORIES ORIGINS DEEP SURVEY FIELDS. 2015 , 48, 21-55		8
90	The role of mergers and gas accretion in black hole growth and galaxy evolution. 2021 , 21, 212		1
89	Probing Dark Energy with Cosmological Redshift Surveys at the VLT. 2009 , 177-181		
88	The VIMOS VLT Deep Survey: A Homogeneous Galaxy Group Catalogue Upto $z \sim 1$. 2011 , 39-41		
87	Galaxies in the Cosmological Context. 2013 , 451-502		
86	Exploring Massive Galaxy Evolution with the UKIDSS Ultra-Deep Survey. 2013 , 323-327		
85	Nearby Galaxies with UKIRT: Uncovering Star Formation, Structure and Stellar Masses. 2013 , 213-227		
84	Exploring the Structure and Assembly of Galaxies at the Heart of the Coma Cluster. 2015 , 89-160		
83	Properties of Brightest Cluster Galaxies as a Function of Cluster Classification Type. 2015 , 36, 427-436		

82	PROBING GALAXY FORMATION MODELS IN COSMOLOGICAL SIMULATIONS WITH OBSERVATIONS OF GALAXY GROUPS. 2015 , 30, 349-353		
81	The Physics of Galaxy Formation and Evolution. 2016 , 585-695		
80	Galaxy Evolution in the Era of Digital Surveys: A Theoretical Overview. 2016 , 33-40		
79	The role of AGN activity in the building up of the BCG at $z \sim 1.6$. 2019 , 15, 280-284		
78	Galaxy And Mass Assembly (GAMA): The Merging Potential of Brightest Group Galaxies. <i>Astrophysical Journal</i> , 2021 , 921, 47	4.7	0
77	The COLD SStream finder Algorithm (COSTA). <i>Astronomy and Astrophysics</i> , 2020 , 644, A134	5.1	1
76	The NEWFIRM HETDEX Survey: Photometric Catalog and a Conservative Sample of Massive Quiescent Galaxies at $z = 3$ over 17.5 deg ² in the SHELA Field. <i>Astrophysical Journal</i> , 2021 , 921, 58	4.7	5
75	The formation and evolution of massive galaxies. 2021 , 21, 218		0
74	The Velocity Dispersion Function for Quiescent Galaxies in Nine Strong-lensing Clusters. <i>Astrophysical Journal</i> , 2020 , 902, 17	4.7	3
73	Rapid build-up of the stellar content in the protocluster core SPT2349 at $z = 4.3$. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
72	OUP accepted manuscript. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
71	CLASH-VLT: Abell S1063. Cluster assembly history and spectroscopic catalogue. <i>Astronomy and Astrophysics</i> ,	5.1	3
70	OUP accepted manuscript. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
69	OUP accepted manuscript. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
68	Strong conformity and assembly bias: towards a physical understanding of the galaxy halo connection in SDSS clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 511, 1789-1807	4.3	3
67	Compact groups from semi-analytical models of galaxy formation III: purity and completeness of Hickson-like catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
66	The Three Hundred project: galaxy cluster mergers and their impact on the stellar component of brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
65	Evidence for Impact of Galaxy Mergers on Stellar Kinematics of Early-type Galaxies. <i>Astrophysical Journal</i> , 2022 , 925, 168	4.7	3

64	Chandra view of Abell 407: The central compact group of galaxies and the interaction between the radio AGN and the ICM. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	
63	Spectroscopic Confirmation of a Protocluster at $z = 3.37$ with a High Fraction of Quiescent Galaxies. <i>Astrophysical Journal</i> , 2022 , 926, 37	4.7	1
62	Stellar population gradients at cosmic noon as a constraint to the evolution of passive galaxies. <i>Astronomy and Astrophysics</i> ,	5.1	
61	OUP accepted manuscript. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
60	The Fornax3D project: The environmental impact on gas metallicity gradients in Fornax cluster galaxies. <i>Astronomy and Astrophysics</i> ,	5.1	0
59	Quantifying the Projected Suppression of Cluster Escape Velocity Profiles. <i>Astrophysical Journal</i> , 2022 , 926, 126	4.7	0
58	Precision tests of CO and [CII] power spectra models against simulated intensity maps. 2022 , 2022, 026		2
57	Scatter in the satellite galaxy SHMR: fitting functions, scaling relations & physical processes from the IllustrisTNG simulation. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
56	The Observed Evolution of the Stellar Mass-Halo Mass Relation for Brightest Central Galaxies. <i>Astrophysical Journal</i> , 2022 , 928, 28	4.7	2
55	Submillimetre galaxies in two massive protoclusters at $z = 2.24$: witnessing the enrichment of extreme starbursts in the outskirts of HAE density peaks. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
54	The Transition Region between Brightest Cluster Galaxies and Intracluster Light in Galaxy Groups and Clusters. <i>Astrophysical Journal</i> , 2022 , 928, 99	4.7	0
53	The faint light in groups and clusters of galaxies. 2022 , 6, 308-316		6
52	L-Galaxies 2020: the formation and chemical evolution of stellar haloes in Milky Way analogues and galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 510, 1945-1963	4.3	1
51	The HectoMAP Cluster Survey: Spectroscopically Identified Clusters and their Brightest Cluster Galaxies (BCGs). <i>Astrophysical Journal</i> , 2021 , 923, 143	4.7	2
50	Brightest cluster galaxies trace weak lensing mass bias and halo triaxiality in The Three Hundred Project. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	
49	Estimating transient rates from cosmological simulations and BPASS. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	7
48	The environmental dependence of the stellar and gas-phase mass-metallicity relation at $z < 4$. <i>Astronomy and Astrophysics</i> ,	5.1	0
47	An Assessment of the In Situ Growth of the Intracluster Light in the High-redshift Galaxy Cluster SpARCS1049+56. <i>Astrophysical Journal</i> , 2022 , 930, 25	4.7	0

46	Detection of a Superluminous Spiral Galaxy in the Heart of a Massive Galaxy Cluster. <i>Astrophysical Journal</i> , 2022 , 930, 138	4.7	0
45	Baryon cycles in the biggest galaxies. <i>Physics Reports</i> , 2022 , 973, 1-109	27.7	4
44	How Does Environment Affect the Morphology of Radio AGN?. <i>Astronomical Journal</i> , 2022 , 163, 280	4.9	
43	The Three Hundred project: The Gizmo-Simba run. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	4
42	Massive central galaxies of galaxy groups in the Romulus simulations: an overview of galaxy properties at $z = 0$. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
41	Groups and Protocluster Candidates in the CLAUDS and HSC-SSP Joint Deep Surveys. <i>Astrophysical Journal</i> , 2022 , 933, 9	4.7	
40	Merger histories of brightest group galaxies from MUSE stellar kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
39	High-resolution ALMA Study of CO $J = 2 \rightarrow 1$ Line and Dust Continuum Emissions in Cluster Galaxies at $z = 1.46$. <i>Astrophysical Journal</i> , 2022 , 933, 11	4.7	0
38	3D-DASH: The Widest Near-infrared Hubble Space Telescope Survey. <i>Astrophysical Journal</i> , 2022 , 933, 129	4.7	1
37	Correlations of Dark Matter, Gas, and Stellar Profiles in Dark Matter Halos. <i>Astrophysical Journal</i> , 2022 , 933, 48	4.7	0
36	SDSS-IV MaNGA: Cannibalism Caught in the Act On the Frequency of Occurrence of Multiple Cores in Brightest Cluster Galaxies. <i>Astrophysical Journal</i> , 2022 , 933, 61	4.7	
35	An orbital perspective on the starvation, stripping, and quenching of satellite galaxies in the eagle simulations. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	0
34	Physical properties of more than one thousand brightest cluster galaxies detected in the Canada-France-Hawaii Telescope Legacy Survey.		1
33	Star-forming and gas-rich brightest cluster galaxies at $z \sim 0.4$ in the Kilo-Degree Survey.		0
32	Identification and properties of isolated field elliptical galaxies from CFHTLS-W1. 2022 , 39,		0
31	Revealing the properties of void galaxies and their assembly using the EAGLE simulation.		0
30	Testing the key role of the stellar mass-halo mass relation in galaxy merger rates and morphologies via DECODE, a novel Discrete statistical sEmi-empiriCal mODEL. 2022 , 516, 3206-3233		0
29	From Clusters to Proto-Clusters: The Infrared Perspective on Environmental Galaxy Evolution. 2022 , 8, 554		0

28	Merging history of massive galaxies at $3 < z < 6$.	0
27	Galactic satellite systems in CDM, WDM and SIDM.	0
26	Origin of the differences in rotational support among early-type galaxies: The case of galaxies outside clusters.	0
25	Mass assembly and active galactic nucleus activity at $z \sim 1.5$ in the dense environment of XDCPJ0044.0-2033.	0
24	First Results from the JWST Early Release Science Program Q3D: Turbulent Times in the Life of a $z \sim 3$ Extremely Red Quasar Revealed by NIRSpect IFU. 2022 , 940, L7	0
23	A sparse regression approach for populating dark matter halos and subhalos with galaxies.	0
22	The buildup of galaxies and their spheroids: The contributions of mergers, disc instabilities and star formation.	0
21	The galaxy size to halo spin relation of disc galaxies in cosmological hydrodynamical simulations. 2022 , 518, 5253-5259	1
20	A Direct Measurement of Galaxy Major and Minor Merger Rates and Stellar Mass Accretion Histories at $Z \sim 3$ Using Galaxy Pairs in the REFINE Survey. 2022 , 940, 168	1
19	Colour and infall time distributions of satellite galaxies in simulated Milky-Way analogs.	0
18	The hot gas distribution, X-ray luminosity and baryon budget in the L-Galaxies semi-analytic model of galaxy formation.	0
17	CALSAGOS: Clustering ALgorithms Applied to Galaxies in Overdense Systems.	0
16	Can we constrain galaxy geometry parameters using spatially integrated SED fitting?.	0
15	Colour gradients of low-redshift galaxies in the DESI Legacy Imaging Survey. 2022 , 518, 3999-4023	0
14	Structural analysis of brightest cluster galaxies in poor and rich clusters. 2023 , 100, 101998	0
13	Relating galaxies across different redshift to study galaxy evolution. 2023 , 520, 1774-1788	0
12	The satellite population around luminous red galaxies in the 25 deg^2 DESI Legacy Imaging Surveys Early Data Release.	0
11	Consistent and simultaneous modelling of galaxy clustering and galaxy-galaxy lensing with subhalo abundance matching. 2023 , 520, 489-502	1

- 10 The Formation of the Brightest Cluster Galaxy and Intracluster Light in Cosmological N-body Simulations with the Galaxy Replacement Technique. **2023**, 943, 148
- 9 Probing the Earliest Phases in the Formation of Massive Galaxies with Simulated HST+JWST Imaging Data from Illustris. **2023**, 944, 3
- 8 Atmospheric Pressure and Molecular Cloud Formation in Early-type Galaxies. **2023**, 944, 69
- 7 Star-forming brightest cluster galaxies at $z \sim 0.4$ in KiDS. **2023**, 672, A139
- 6 The growth of brightest cluster galaxies in the TNG300 simulation: dissecting the contributions from mergers and in situ star formation. **2023**, 521, 800-817
- 5 The SAMI Galaxy Survey: Environmental analysis of the orbital structures of passive galaxies. **2023**, 521, 2671-2691
- 4 Impact of Galaxy Mergers on Stellar Population Profiles of Early-type Galaxies. **2023**, 946, 41
- 3 Off-centre supermassive black holes in bright central galaxies. **2023**, 522, 948-955
- 2 Dark against Luminous Matter around Isolated Central Galaxies: A Comparative Study between Modern Surveys and IllustrisTNG. **2023**, 947, 19
- 1 Anatomy of galactic star formation history: roles of different modes of gas accretion, feedback, and recycling. **2023**, 522, 4691-4717