

CITATION REPORT

List of articles citing

Validation of CADESI-03, a severity scale for clinical trials enrolling dogs with atopic dermatitis

DOI: 10.1111/j.1365-3164.2007.00569.x
Veterinary Dermatology, 2007, 18, 78-86.

Source: <https://exaly.com/paper-pdf/42872242/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
124	A pilot open trial evaluating the efficacy of low-dose aminopterin in the canine homologue of human atopic dermatitis. 2007 , 157, 1040-2		12
123	Frequency of appropriate and inappropriate presentation and analysis methods of ordered categorical data in the veterinary dermatology literature from January 2003 to June 2006. <i>Veterinary Dermatology</i> , 2007 , 18, 260-6	1.8	6
122	Development of an owner-assessed scale to measure the severity of pruritus in dogs. <i>Veterinary Dermatology</i> , 2007 , 18, 301-8	1.8	134
121	Allergen challenge decreases mRNA expression of regulatory cytokines in whole blood of high-IgE beagles. <i>Veterinary Dermatology</i> , 2007 , 18, 422-6	1.8	15
120	Determination of CADESI-03 thresholds for increasing severity levels of canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2008 , 19, 115-9	1.8	51
119	The efficacy of commercially available veterinary diets recommended for dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2008 , 19, 280-7	1.8	13
118	Dermatophagoides farinae-specific immunotherapy in atopic dogs with hypersensitivity to multiple allergens: a randomised, double blind, placebo-controlled study. 2009 , 180, 337-42		16
117	Observer ratings: Validity and value as a tool for animal welfare research. 2009 , 119, 1-14		133
116	Further validation of a pruritus severity scale for use in dogs. <i>Veterinary Dermatology</i> , 2009 , 20, 115-22	1.8	115
115	Efficacy of a 0.0584% hydrocortisone aceponate spray in the management of canine atopic dermatitis: a randomised, double blind, placebo-controlled trial. <i>Veterinary Dermatology</i> , 2009 , 20, 191-8 ^{1.8}		37
114	Immunohistochemical evaluation of filaggrin polyclonal antibody in atopic and normal beagles. <i>Veterinary Dermatology</i> , 2009 , 20, 547-54	1.8	32
113	The use of recombinant omega interferon therapy in canine atopic dermatitis: a double-blind controlled study. <i>Veterinary Dermatology</i> , 2009 , 20, 405-11	1.8	22
112	Therapeutic efficacy of topical hydrocortisone aceponate in experimental flea-allergy dermatitis in dogs. 2009 , 87, 287-91		12
111	Gene expression in canine atopic dermatitis and correlation with clinical severity scores. 2009 , 55, 27-33		45
110	Pilot study of the effect of individualised homeopathy on the pruritus associated with atopic dermatitis in dogs. <i>Veterinary Record</i> , 2009 , 164, 364-70	0.9	19
109	Temporal dynamic changes of phenotypic expression of peripheral CD4 cells during environmental allergen challenge in an experimental model of canine atopic dermatitis: a pilot study. 2009 , 71, 1177-81		7
108	Masitinib for the treatment of canine atopic dermatitis: a pilot study. 2010 , 34, 51-63		7

107	A randomized, double-blind, placebo-controlled study to evaluate the effect of EFF1001, an <i>Actinidia arguta</i> (hardy kiwi) preparation, on CADESI score and pruritus in dogs with mild to moderate atopic dermatitis. <i>Veterinary Dermatology</i> , 2010 , 21, 50-7	1.8	19
106	New diagnostic criteria for canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2010 , 21, 123-6	1.8	31
105	Development of a questionnaire to assess the impact of atopic dermatitis on health-related quality of life of affected dogs and their owners. <i>Veterinary Dermatology</i> , 2010 , 21, 63-9	1.8	58
104	Interventions for atopic dermatitis in dogs: a systematic review of randomized controlled trials. <i>Veterinary Dermatology</i> , 2010 , 21, 4-22	1.8	89
103	Transmission electron microscopy studies in an experimental model of canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2010 , 21, 81-8	1.8	47
102	The glucocorticoid sparing efficacy of Phytopica in the management of canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2010 , 21, 96-105	1.8	12
101	Correlation between pruritus score and grossly visible erythema in dogs. <i>Veterinary Dermatology</i> , 2010 , 21, 450-5	1.8	19
100	Impact of canine atopic dermatitis on the health-related quality of life of affected dogs and quality of life of their owners. <i>Veterinary Dermatology</i> , 2010 , 21, 456-62	1.8	37
99	Pilot evaluation of the efficacy of shampoo treatment with ultrapure soft water for canine pruritus. <i>Veterinary Dermatology</i> , 2010 , 21, 477-83	1.8	18
98	Barazone decreases skin lesions and pruritus and increases quality of life in dogs with atopic dermatitis: a randomized, blinded, placebo-controlled trial. 2010 , 33, 573-82		14
97	Genetic variability and phospholipase production of <i>Malassezia pachydermatis</i> isolated from dogs with diverse grades of skin lesions. 2010 , 48, 889-92		18
96	Spot-on skin lipid complex as an adjunct therapy in dogs with atopic dermatitis: an open pilot study. 2011 , 2011, 281846		14
95	The influence of topical unsaturated fatty acids and essential oils on normal and atopic dogs. 2011 , 47, 236-40		27
94	Allergic conjunctivitis and conjunctival provocation tests in atopic dogs. 2011 , 14, 248-56		19
93	<i>Malassezia dermatitis</i> in dogs in Brazil: diagnosis, evaluation of clinical signs and molecular identification. <i>Veterinary Dermatology</i> , 2011 , 22, 46-52	1.8	9
92	Ciclosporin A therapy is associated with disturbances in glucose metabolism in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2011 , 22, 173-80	1.8	14
91	Quality of life of dogs with skin diseases and their owners. Part 1: development and validation of a questionnaire. <i>Veterinary Dermatology</i> , 2011 , 22, 335-43	1.8	54
90	Quality of life of dogs with skin disease and of their owners. Part 2: administration of a questionnaire in various skin diseases and correlation to efficacy of therapy. <i>Veterinary Dermatology</i> , 2011 , 22, 344-51	1.8	37

89	Evaluation of the bacterial microflora of the conjunctival sac of healthy dogs and dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2011 , 22, 490-6	1.8	21
88	The effect of nematode administration on canine atopic dermatitis. 2011 , 181, 203-9		8
87	Kératoconjunctivites associées à des éosinophiles cornéens chez le chien : une étude rétrospective de 35 cas (2004-2009). 2011 , 46, 67-81		
86	Successful immunotherapy of canine flea allergy with injected Actinomycetales preparations. 2011 , 3, 971-8		13
85	Double-blinded, placebo-controlled study to evaluate an antipruritic shampoo for dogs with allergic pruritus. <i>Veterinary Record</i> , 2012 , 171, 97	0.9	9
84	Short-term prednisolone therapy has minimal impact on calcium metabolism in dogs with atopic dermatitis. 2012 , 193, 439-42		8
83	Early exposure to probiotics in a canine model of atopic dermatitis has long-term clinical and immunological effects. 2012 , 146, 185-9		33
82	Development and validation of the Canine Atopic Dermatitis Lesion Index, a scale for the rapid scoring of lesion severity in canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2012 , 23, 515-e103	1.8	38
81	Cyclosporin therapy is associated with minimal changes in calcium metabolism in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2012 , 23, 481-e91	1.8	4
80	Successful Treatment of Idiopathic Sebaceous Adenitis in a Lionhead Rabbit. <i>Journal of Exotic Pet Medicine</i> , 2012 , 21, 336-342	0.6	4
79	Comparable efficacy of a topical 0.0584% hydrocortisone aceponate spray and oral ciclosporin in treating canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2012 , 23, 4-10, e1-2	1.8	30
78	Efficacy of a 0.0584% hydrocortisone aceponate spray in presumed feline allergic dermatitis: an open label pilot study. <i>Veterinary Dermatology</i> , 2012 , 23, 11-6, e3-4	1.8	15
77	Transepidermal water loss in healthy and atopic dogs, treated and untreated: a comparative preliminary study. <i>Veterinary Dermatology</i> , 2012 , 23, 41-4, e9-10	1.8	19
76	Prednisolone is associated with an increase in serum insulin but not serum fructosamine concentrations in dogs with atopic dermatitis. 2012 , 192, 212-6		4
75	Prednisolone therapy for atopic dermatitis is less effective in dogs with lower pretreatment serum 25-hydroxyvitamin D concentrations. <i>Veterinary Dermatology</i> , 2012 , 23, 125-30, e27-8	1.8	14
74	Evaluation of methylprednisolone and triamcinolone for the induction and maintenance treatment of pruritus in allergic cats: a double-blinded, randomized, prospective study. <i>Veterinary Dermatology</i> , 2012 , 23, 387-e72	1.8	23
73	Responsiveness and validity of the SCORFAD, an extent and severity scale for feline hypersensitivity dermatitis. <i>Veterinary Dermatology</i> , 2012 , 23, 410-e77	1.8	34
72	Concurrent short-term use of prednisolone with cyclosporine A accelerates pruritus reduction and improvement in clinical scoring in dogs with atopic dermatitis. <i>BMC Veterinary Research</i> , 2013 , 9, 173	2.7	18

71	Plasma and skin vitamin E concentrations in canine atopic dermatitis. 2013 , 33, 2-6		2
70	A systematic review of randomized controlled trials for prevention or treatment of atopic dermatitis in dogs: 2008-2011 update. <i>Veterinary Dermatology</i> , 2013 , 24, 97-117.e25-6	1.8	40
69	Canine atopic dermatitis - what have we learned?. <i>Veterinary Record</i> , 2013 , 172, 201-7	0.9	22
68	A blinded, randomized, placebo-controlled trial of the efficacy and safety of the Janus kinase inhibitor oclacitinib (Apoquel [®]) in client-owned dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2013 , 24, 587-97, e141-2	1.8	71
67	Pilot study to evaluate the effect of topical dimethicone on clinical signs and skin barrier function in dogs with naturally occurring atopic dermatitis. 2013 , 2013, 239186		9
66	The efficacy of cetirizine hydrochloride on the pruritus of cats with atopic dermatitis: a randomized, double-blind, placebo-controlled, crossover study. <i>Veterinary Dermatology</i> , 2013 , 24, 576-81, e137-8	1.8	9
65	Altered mRNA and protein expression of filaggrin in the skin of a canine animal model for atopic dermatitis. <i>Veterinary Dermatology</i> , 2013 , 24, 329-36, e73	1.8	24
64	Does filaggrin expression correlate with severity of clinical signs in dogs with atopic dermatitis?. <i>Veterinary Dermatology</i> , 2013 , 24, 266-e59	1.8	4
63	Efficacy of dimetinden and hydroxyzine/chlorpheniramine in atopic dogs: a randomised, controlled, double-blinded trial. <i>Veterinary Record</i> , 2013 , 173, 423	0.9	12
62	A Systematic Review of Randomized Controlled Trials for Prevention or Treatment of Atopic Dermatitis in Dogs: 2008-2011 Update. 2013 , 108-128		1
61	LD-aminopterin in the canine homologue of human atopic dermatitis: a randomized, controlled trial reveals dosing factors affecting optimal therapy. 2014 , 9, e108303		3
60	Influence of a Diester Glucocorticoid Spray on the Cortisol Level and the CCR4(+) CD4(+) Lymphocytes in Dogs with Atopic Dermatitis: Open Study. 2014 , 2014, 492735		1
59	Filaggrin in Canine Skin. 2014 , 209-219		1
58	Use of activity monitors for assessment of pruritus in an acute model of canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2014 , 25, 441-e69	1.8	6
57	Efficacy of oclacitinib (Apoquel [®]) compared with prednisolone for the control of pruritus and clinical signs associated with allergic dermatitis in client-owned dogs in Australia. <i>Veterinary Dermatology</i> , 2014 , 25, 512-8, e86	1.8	31
56	Assessment of the relationship between transepidermal water loss (TEWL) and severity of clinical signs (CADESI-03) in atopic dogs. <i>Veterinary Dermatology</i> , 2014 , 25, 503-6, e83	1.8	5
55	Oral and subcutaneous therapy of canine atopic dermatitis with recombinant feline interferon omega. 2014 , 66, 54-9		19
54	Canine generalized demodicosis treated with varying doses of a 2.5% moxidectin+10% imidacloprid spot-on and oral ivermectin: parasitocidal effects and long-term treatment outcomes. 2014 , 205, 687-96		20

53	Clinical efficacy of low-level laser therapy on localized canine atopic dermatitis severity score and localized pruritic visual analog score in pedal pruritus due to canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2014 , 25, 464-e74	1.8	14
52	In vitro and in vivo activity of a killer peptide against <i>Malassezia pachydermatis</i> causing otitis in dogs. 2014 , 52, 350-5		12
51	Vitamin E supplementation in canine atopic dermatitis: improvement of clinical signs and effects on oxidative stress markers. <i>Veterinary Record</i> , 2014 , 175, 560	0.9	16
50	An open, self-controlled study on the efficacy of topical indoxacarb for eliminating fleas and clinical signs of flea-allergy dermatitis in client-owned dogs in Queensland, Australia. <i>Veterinary Dermatology</i> , 2014 , 25, 195-e49	1.8	9
49	Validation of the Canine Atopic Dermatitis Extent and Severity Index (CADESI)-4, a simplified severity scale for assessing skin lesions of atopic dermatitis in dogs. <i>Veterinary Dermatology</i> , 2014 , 25, 77-85, e25	1.8	79
48	The effect of a spot-on formulation containing polyunsaturated fatty acids and essential oils on dogs with atopic dermatitis. 2014 , 199, 39-43		29
47	Comparison of FEDESI and SCORFAD scoring systems for the evaluation of skin lesions in allergic cats. <i>Veterinary Dermatology</i> , 2015 , 26, 481-3, e112-3	1.8	10
46	A small-scale open-label study of the treatment of canine flea allergy dermatitis with fluralaner. <i>Veterinary Dermatology</i> , 2015 , 26, 417-20, e97-8	1.8	7
45	Review: Clinical and histological manifestations of canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2015 , 26, 79-e24	1.8	31
44	Reliability and agreement in the use of four- and six-point ordinal scales for the assessment of erythema in digital images of canine skin. <i>Veterinary Dermatology</i> , 2015 , 26, 165-70, e34	1.8	2
43	Changes in leukocyte counts, lymphocyte subpopulations and the mRNA expression of selected cytokines in the peripheral blood of dogs with atopic dermatitis. 2016 , 60, 644-653		1
42	Linoleic acid salt with ultrapure soft water as an antibacterial combination against dermato-pathogenic <i>Staphylococcus</i> spp. 2016 , 120, 280-8		4
41	Clinical and immunological responses of dust mite sensitive, atopic dogs to treatment with sublingual immunotherapy (SLIT). <i>Veterinary Dermatology</i> , 2016 , 27, 82-7e23	1.8	24
40	A blinded, randomized, placebo-controlled, dose determination trial of lokivetmab (ZTS-00103289), a caninized, anti-canine IL-31 monoclonal antibody in client owned dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2016 , 27, 478-e129	1.8	43
39	Use of a Canine Model of Atopic Dermatitis to Investigate the Efficacy of a CCR4 Antagonist in Allergen-Induced Skin Inflammation in a Randomized Study. 2016 , 136, 665-671		15
38	Longitudinal Evaluation of the Skin Microbiome and Association with Microenvironment and Treatment in 'Canine' Atopic Dermatitis. 2016 , 136, 1182-1190		81
37	Evaluation of cyclosporine-sparing effects of polyunsaturated fatty acids in the treatment of canine atopic dermatitis. 2016 , 210, 77-81		15
36	The effects of a topical lipid complex therapy on dogs with atopic dermatitis: a double blind, randomized, placebo-controlled study. <i>Veterinary Dermatology</i> , 2017 , 28, 369-e84	1.8	9

35	Preliminary evaluation of cytosine-phosphate-guanine oligodeoxynucleotides bound to gelatine nanoparticles as immunotherapy for canine atopic dermatitis. <i>Veterinary Record</i> , 2017 , 181, 118	0.9	8
34	A blinded, randomized clinical trial evaluating the efficacy and safety of lokivetmab compared to ciclosporin in client-owned dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2017 , 28, 593-e145	1.8	39
33	Randomized, double-blinded, placebo-controlled pilot study on the effects of topical blackcurrant emulsion enriched in essential fatty acids, ceramides and 18-beta glycyrrhetic acid on clinical signs and skin barrier function in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2017 , 28, 577-e140	1.8	8
32	Eficácia da ciclosporina no controle da dermatite atópica em cães. 2017 , 37, 729-733		1
31	Efficacy of fluralaner (Bravecto [®] chewable tablets) for the treatment of naturally acquired <i>Linognathus setosus</i> infestations on dogs. 2017 , 10, 426		12
30	Single blinded, randomized, placebo-controlled study on the effects of ciclosporin on cutaneous barrier function and immunological response in atopic beagles. 2018 , 197, 93-101		4
29	Vitamin D shows in vivo efficacy in a placebo-controlled, double-blinded, randomised clinical trial on canine atopic dermatitis. <i>Veterinary Record</i> , 2018 , 182, 406	0.9	14
28	Evaluation on the effects of 0.1% <i>Peumus boldus</i> leaf and <i>Spiraea ulmaria</i> plant extract combination on bacterial colonization in canine atopic dermatitis: A preliminary randomized, placebo controlled, double-blinded study. 2018 , 118, 164-170		5
27	Allergen immunotherapy in people, dogs, cats and horses - differences, similarities and research needs. 2018 , 73, 1989-1999		35
26	Long-term effects of intralymphatic immunotherapy (ILIT) on canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2018 , 29, 123-e49	1.8	11
25	Investigation of the correlation of serum IL-31 with severity of dermatitis in an experimental model of canine atopic dermatitis using beagle dogs. <i>Veterinary Dermatology</i> , 2018 , 29, 69-e28	1.8	9
24	Altered lipid properties of the stratum corneum in Canine Atopic Dermatitis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 526-533	3.8	15
23	The effect of an ex vivo boosted immune cell therapy on canine atopic dermatitis: an open, uncontrolled pilot study. <i>Veterinary Dermatology</i> , 2018 , 29, 504-e169	1.8	2
22	Evaluation of immunological parameters in pit bull terrier-type dogs with juvenile onset generalized demodicosis and age-matched healthy pit bull terrier-type dogs. <i>Veterinary Dermatology</i> , 2018 , 29, 482-e162	1.8	6
21	Development of a core outcome set for therapeutic clinical trials enrolling dogs with atopic dermatitis (COSCADQ8). <i>BMC Veterinary Research</i> , 2018 , 14, 238	2.7	16
20	Non-controlled, open-label clinical trial to assess the effectiveness of a dietetic food on pruritus and dermatologic scoring in atopic dogs. <i>BMC Veterinary Research</i> , 2019 , 15, 220	2.7	4
19	Comparison of three clinical scoring systems for <i>Culicoides</i> hypersensitivity in a herd of Icelandic horses. <i>Veterinary Dermatology</i> , 2019 , 30, 536-e163	1.8	9
18	Double blinded, vehicle controlled, crossover study on the efficacy of a topical endocannabinoid membrane transporter inhibitor in atopic Beagles. <i>Archives of Dermatological Research</i> , 2019 , 311, 795-800	2.3	4

17	A cream containing omega-3-fatty acids, humectants and emollients as an aid in the treatment of equine <i>Culicoides</i> hypersensitivity. <i>Veterinary Dermatology</i> , 2019 , 30, 155-e46	1.8	3
16	Development and validation of a graphic 2D investigator global assessment instrument for grading the overall severity of atopic dermatitis in dogs. <i>Veterinary Dermatology</i> , 2020 , 31, 207-e43	1.8	0
15	Allergen-specific immunotherapy in dogs with atopic dermatitis: is owner compliance the main success-limiting factor?. <i>Veterinary Record</i> , 2020 , 187, 493	0.9	2
14	Identification of differentially expressed microRNAs in the skin of experimentally sensitized naturally affected atopic beagles by next-generation sequencing. <i>Immunogenetics</i> , 2020 , 72, 241-250	3.2	2
13	Comparison of various treatment options for canine atopic dermatitis: a blinded, randomized, controlled study in a colony of research atopic beagle dogs. <i>Veterinary Dermatology</i> , 2020 , 31, 284-e69	1.8	6
12	Treatment of the feline atopic syndrome - a systematic review. <i>Veterinary Dermatology</i> , 2021 , 32, 43-e8	1.8	9
11	Efficacy of ozonized sunflower oil as treatment of canine generalized demodicosis. <i>Insights in Veterinary Science</i> , 2021 , 5, 015-021	0.3	1
10	Evaluation of a clinical scoring system for canine demodicosis. <i>Veterinary Dermatology</i> , 2021 , 32, 311-e84	1.8	8
9	Interobserver reliability of Feline Dermatitis Extent and Severity Index (FEDESI) and Scoring Feline Allergic Dermatitis (SCORFAD) and the relationship between lesion scores and pruritus. <i>Veterinary Dermatology</i> , 2021 , 32, 492-e135	1.8	0
8	Use of Lotilaner in Opossum (<i>Didelphis marsupialis</i>) infested with <i>Ornithonyssus</i> spp.. <i>Journal of Exotic Pet Medicine</i> , 2021 , 39, 37	0.6	0
7	The effect of atopic dermatitis on quality of life of affected dogs and their owners in Romania. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2021 , 46, 24-30	1.9	0
6	Comparison of Intradermal Tests, Total Serum IgE Concentrations and Allergen-Specific IgE Using an Arrayed Protein Chip in Atopic Dogs. <i>Journal of Animal and Veterinary Advances</i> , 2012 , 11, 3298-3303	0.1	1
5	A Case of Canine Atopic Dermatitis Administered with Oral Glucosylceramide Supplementation. <i>The Japanese Journal of Veterinary Dermatology</i> , 2008 , 14, 81-83	0	0
4	Assessment of a correlation between Canine Atopic Dermatitis Extent and Severity Index (CADESI-03) and selected biophysical skin measures (skin hydration, pH, and erythema intensity) in dogs with naturally occurring atopic dermatitis. <i>Canadian Journal of Veterinary Research</i> , 2015 , 79, 136-40	0.5	1
3	Topical β opioid receptor agonist asimadoline improves dermatitis in a canine model of atopic dermatitis. <i>Experimental Dermatology</i> , 2021 ,	4	0
2	Investigation on the Effect of Dose, Frequency and Duration of Allergen Exposure on Development of Staphylococcal Infections in a Chronic Model of Canine Atopic Dermatitis.. <i>Veterinary Sciences</i> , 2021 , 9,	2.4	0
1	A comprehensive analysis of gut and skin microbiota in canine atopic dermatitis in Shiba Inu dogs.		