

CITATION REPORT

List of articles citing

First report of multiresistant, mecA-positive
Staphylococcus intermedius in Europe: 12 cases from a
veterinary dermatology referral clinic in Germany

DOI: 10.1111/j.1365-3164.2007.00635.x

Veterinary Dermatology, 2007, 18, 412-21.

Source: <https://exaly.com/paper-pdf/42872308/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
138	Antimicrobial resistance: its emergence and transmission. 2008 , 9, 115-26		102
137	In vitro activity of fusidic acid and mupirocin against coagulase-positive staphylococci from pets. <i>Journal of Antimicrobial Chemotherapy</i> , 2008 , 62, 1301-4	5.1	34
136	Evaluation of Clinical Laboratory Standards Institute interpretive criteria for methicillin-resistant <i>Staphylococcus pseudintermedius</i> isolated from dogs. 2009 , 21, 684-8		52
135	Tandem repeat sequence analysis of staphylococcal protein A (spa) gene in methicillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Veterinary Microbiology</i> , 2009 , 135, 320-6	3.3	71
134	Identification of a predominant multilocus sequence type, pulsed-field gel electrophoresis cluster, and novel staphylococcal chromosomal cassette in clinical isolates of mecA-containing, methicillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Veterinary Microbiology</i> , 2009 , 139, 333-8	3.3	69
133	Risk of colonization or gene transfer to owners of dogs with methicillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Veterinary Dermatology</i> , 2009 , 20, 496-501	1.8	57
132	The <i>Staphylococcus intermedius</i> group of bacterial pathogens: species re-classification, pathogenesis and the emergence of methicillin resistance. <i>Veterinary Dermatology</i> , 2009 , 20, 490-5	1.8	89
131	Antimicrobial susceptibility of <i>Staphylococci</i> isolated from naturally occurring canine external ocular diseases. 2009 , 12, 216-20		21
130	Methicillin-resistant commensal staphylococci in healthy dogs as a potential zoonotic reservoir for community-acquired antibiotic resistance. 2009 , 9, 283-5		34
129	Evaluation of susceptibility test breakpoints used to predict mecA-mediated resistance in <i>Staphylococcus pseudintermedius</i> isolated from dogs. 2009 , 21, 53-8		93
128	Beware of the pet dog: a case of <i>Staphylococcus intermedius</i> infection. 2009 , 338, 425-7		44
127	Methicillin-resistant <i>Staphylococcus aureus</i> and <i>Staphylococcus pseudintermedius</i> in veterinary medicine. <i>Veterinary Microbiology</i> , 2010 , 140, 418-29	3.3	373
126	Widespread rapid emergence of a distinct methicillin- and multidrug-resistant <i>Staphylococcus pseudintermedius</i> (MRSP) genetic lineage in Europe. <i>Veterinary Microbiology</i> , 2010 , 144, 340-6	3.3	89
125	Bacterial Diseases. 2010 , 109-240		1
124	In vitro antimicrobial activity of a commercial ear antiseptic containing chlorhexidine and Tris-EDTA. <i>Veterinary Dermatology</i> , 2010 , 21, 282-6	1.8	31
123	Efficacy of a surgical scrub including 2% chlorhexidine acetate for canine superficial pyoderma. <i>Veterinary Dermatology</i> , 2010 , 21, 586-92	1.8	43
122	Comparison of two formulations of chlorhexidine for treating canine superficial pyoderma. 2010 , 167, 532-3		8

121	Clonal spread of methicillin-resistant <i>Staphylococcus pseudintermedius</i> in Europe and North America: an international multicentre study. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 1145-54	5.1	350
120	Molecular analysis of methicillin-resistant <i>Staphylococcus pseudintermedius</i> of feline origin from different European countries and North America. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 1826-8	5.1	63
119	Review on methicillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 2705-14	5.1	169
118	Comparison of a chlorhexidine and a benzoyl peroxide shampoo as sole treatment in canine superficial pyoderma. 2011 , 169, 249		39
117	Isolation of methicillin-resistant <i>Staphylococcus pseudintermedius</i> from breeding dogs. 2011 , 75, 115-21		17
116	Prevalence of canine methicillin resistant <i>Staphylococcus pseudintermedius</i> in a veterinary diagnostic laboratory in Italy. <i>Research in Veterinary Science</i> , 2011 , 91, 346-8	2.5	31
115	Carriage of methicillin-resistant <i>Staphylococcus pseudintermedius</i> in small animal veterinarians: indirect evidence of zoonotic transmission. 2011 , 58, 533-9		113
114	Determination of staphylococcal exotoxins, SCCmec types, and genetic relatedness of <i>Staphylococcus intermedius</i> group isolates from veterinary staff, companion animals, and hospital environments in Korea. 2011 , 12, 221-6		11
113	Antibiotic resistance of canine <i>Staphylococcus intermedius</i> group (SIG)--practical implications. 2011 , 14, 213-8		8
112	Dose assessment of 2% chlorhexidine acetate for canine superficial pyoderma. <i>Veterinary Dermatology</i> , 2011 , 22, 449-53	1.8	11
111	Methicillin-resistant <i>Staphylococcus pseudintermedius</i> among dogs admitted to a small animal hospital. <i>Veterinary Microbiology</i> , 2011 , 150, 191-7	3.3	90
110	Risk factors associated with the antimicrobial resistance of staphylococci in canine pyoderma. <i>Veterinary Microbiology</i> , 2011 , 150, 302-8	3.3	40
109	In vitro antimicrobial activity of nitrofurantoin against <i>Escherichia coli</i> and <i>Staphylococcus pseudintermedius</i> isolated from dogs and cats. <i>Veterinary Microbiology</i> , 2011 , 151, 396-9	3.3	17
108	Molecular characterization of <i>Staphylococcus pseudintermedius</i> strains isolated from clinical samples of animal origin. 2011 , 56, 415-22		11
107	Prevalence and antimicrogram of <i>Staphylococcus intermedius</i> group isolates from veterinary staff, companion animals, and the environment in veterinary hospitals in Korea. 2011 , 23, 268-74		17
106	Human <i>Staphylococcus intermedius</i> Infection in a Patient With Postradiation Changes. 2011 , 19, 426-427		0
105	Clonal diversity and biofilm-forming ability of methicillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 841-8	5.1	57
104	Comparison of two shampoos as sole treatment for canine bacterial overgrowth syndrome. 2012 , 170, 675		7

103 Validating topical skin therapies in randomised controlled studies. **2012**, 171, 95-6

102 Feline superficial pyoderma: a retrospective study of 52 cases (2001-2011). *Veterinary Dermatology*, **2012**, 23, 448-e86 1.8 12

101 Methicillin-resistant staphylococci: implications for our food supply?. **2012**, 13, 157-80 54

100 In vitro evaluation of topical biocide and antimicrobial susceptibility of *Staphylococcus pseudintermedius* from dogs. *Veterinary Dermatology*, **2012**, 23, 493-e95 1.8 28

99 Detection of methicillin-resistant *Staphylococcus pseudintermedius* with commercially available selective media. **2012**, 54, 26-31 9

98 Antimicrobial resistance of *Staphylococcus pseudintermedius* isolates from healthy dogs and dogs affected with pyoderma in Japan. *Veterinary Dermatology*, **2012**, 23, 17-22, e5 1.8 36

97 Comparative in vitro efficacy of antimicrobial shampoos: a pilot study. *Veterinary Dermatology*, **2012**, 23, 36-40, e8 1.8 30

96 What's happened to *Staphylococcus intermedius*? Taxonomic revision and emergence of multi-drug resistance. **2012**, 53, 147-54 41

95 Multi-resistant *Staphylococcus pseudintermedius*: a wake-up call in our approach to bacterial infection. **2012**, 53, 145-6 4

94 Influence of systemic antibiotics on the treatment of dogs with generalized demodicosis. **2012**, 188, 148-55 19

93 Treatment outcome of dogs with methicillin-resistant and methicillin-susceptible *Staphylococcus pseudintermedius* pyoderma. *Veterinary Dermatology*, **2012**, 23, 361-8, e65 1.8 46

92 Prevalence of methicillin-resistant *Staphylococcus pseudintermedius* (MRSP) from skin and carriage sites of dogs after treatment of their methicillin-resistant or methicillin-sensitive staphylococcal pyoderma. *Veterinary Dermatology*, **2012**, 23, 369-75, e66-7 1.8 78

91 Alternatives to conventional antimicrobial drugs: a review of future prospects. *Veterinary Dermatology*, **2012**, 23, 299-304, e59-60 1.8 26

90 *Staphylococcus pseudintermedius* in the dog: taxonomy, diagnostics, ecology, epidemiology and pathogenicity. *Veterinary Dermatology*, **2012**, 23, 253-66, e51-2 1.8 187

89 Methicillin-resistant *Staphylococcus pseudintermedius*: clinical challenge and treatment options. *Veterinary Dermatology*, **2012**, 23, 283-91, e56 1.8 68

88 Antimicrobial resistance of *Staphylococcus pseudintermedius*. *Veterinary Dermatology*, **2012**, 23, 276-82, e55 1.8 60

87 Misuse of antimicrobials and selection of methicillin-resistant *Staphylococcus pseudintermedius* strains in breeding kennels: genetic characterization of bacteria after a two-year interval. **2013**, 48, 1-6 14

86 Complicating Microbial Skin Infections in Allergic Dogs. **2013**, 161-174

85	Understanding methicillin resistance in staphylococci isolated from dogs with pyoderma. 2013 , 243, 817-24	7
84	Residual antibacterial activity of dog hairs after therapy with antimicrobial shampoos. <i>Veterinary Dermatology</i> , 2013 , 24, 250-e54	1.8 18
83	Multilocus sequence typing for characterization of <i>Staphylococcus pseudintermedius</i> . 2013 , 51, 306-10	97
82	Public health impact and antimicrobial selection of methicillin-resistant staphylococci in animals. 2013 , 1, 55-62	42
81	Antimicrobial resistance in staphylococci in small animals. 2013 , 43, 19-40	34
80	The canine and feline skin microbiome in health and disease. <i>Veterinary Dermatology</i> , 2013 , 24, 137-45.e318	44
79	Usefulness of cefovecin disk-diffusion test for predicting <i>mecA</i> gene-containing strains of <i>Staphylococcus pseudintermedius</i> and clinical efficacy of cefovecin in dogs with superficial pyoderma. <i>Veterinary Dermatology</i> , 2013 , 24, 162-7.e35-6	1.8 3
78	In vitro comparison of the effectiveness of polihexanide and chlorhexidine against canine isolates of <i>Staphylococcus pseudintermedius</i> , <i>Pseudomonas aeruginosa</i> and <i>Malassezia pachydermatis</i> . <i>Veterinary Dermatology</i> , 2013 , 24, 409-13, e88-9	1.8 8
77	Novel pseudo-staphylococcal cassette chromosome <i>mec</i> element (BCCmec57395) in methicillin-resistant <i>Staphylococcus pseudintermedius</i> CC45. 2013 , 57, 5509-15	45
76	Genome Sequence of <i>Staphylococcus pseudintermedius</i> Strain E140, an ST71 European-Associated Methicillin-Resistant Isolate. 2013 , 1, e0020712	13
75	Antimicrobial susceptibility profiles of <i>Staphylococcus intermedius</i> isolates from clinical cases of canine pyoderma in South Africa. 2013 , 84, E1-6	9
74	Genomic insights into the rapid emergence and evolution of MDR in <i>Staphylococcus pseudintermedius</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 997-1007	5.1 59
73	Pyoderma, the march of the staphylococci. <i>Veterinary Dermatology</i> , 2014 , 25, 285-6	1.8 1
72	Minimizing Nosocomial Infection. 2014 , 693-707	
71	Enhanced adherence of methicillin-resistant <i>Staphylococcus pseudintermedius</i> sequence type 71 to canine and human corneocytes. 2014 , 45, 70	20
70	Antimicrobial resistance and characterisation of staphylococci isolated from healthy Labrador retrievers in the United Kingdom. 2014 , 10, 17	27
69	Antimicrobial resistance in methicillin susceptible and methicillin resistant <i>Staphylococcus pseudintermedius</i> of canine origin: literature review from 1980 to 2013. <i>Veterinary Microbiology</i> , 2014 , 171, 337-41	3.3 54
68	Guidelines for the diagnosis and antimicrobial therapy of canine superficial bacterial folliculitis (Antimicrobial Guidelines Working Group of the International Society for Companion Animal Infectious Diseases). <i>Veterinary Dermatology</i> , 2014 , 25, 163-e43	1.8 135

67	Canine superficial bacterial folliculitis: current understanding of its etiology, diagnosis and treatment. <i>Veterinary Journal</i> , 2014 , 199, 217-22	2.5	20
66	Canine superficial bacterial pyoderma: evaluation of skin surface sampling methods and antimicrobial susceptibility of causal <i>Staphylococcus</i> isolates. 2014 , 92, 149-55		10
65	Case-control risk factor study of methicillin-resistant <i>Staphylococcus pseudintermedius</i> (MRSP) infection in dogs and cats in Germany. <i>Veterinary Microbiology</i> , 2014 , 168, 154-60	3.3	51
64	Methicillin-resistant <i>Staphylococcus pseudintermedius</i> (MRSP) from healthy dogs in Norway - occurrence, genotypes and comparison to clinical MRSP. 2015 , 4, 857-66		28
63	Effectiveness of a combined (4% chlorhexidine digluconate shampoo and solution) protocol in MRS and non-MRS canine superficial pyoderma: a randomized, blinded, antibiotic-controlled study. <i>Veterinary Dermatology</i> , 2015 , 26, 339-44, e72	1.8	39
62	Oxacillin sensitization of methicillin-resistant <i>Staphylococcus aureus</i> and methicillin-resistant <i>Staphylococcus pseudintermedius</i> by antisense peptide nucleic acids in vitro. <i>BMC Microbiology</i> , 2015 , 15, 262	4.5	20
61	Epidemiology of methicillin resistant <i>Staphylococcus pseudintermedius</i> in guide dogs in Finland. 2015 , 57, 37		22
60	Genotypic relatedness and antimicrobial resistance of <i>Staphylococcus schleiferi</i> in clinical samples from dogs in different geographic regions of the United States. <i>Veterinary Dermatology</i> , 2015 , 26, 406-10, e94	1.8	10
59	Susceptibility in vitro of canine methicillin-resistant and -susceptible staphylococcal isolates to fusidic acid, chlorhexidine and miconazole: opportunities for topical therapy of canine superficial pyoderma. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 2048-52	5.1	28
58	A bioengineered nisin derivative to control biofilms of <i>Staphylococcus pseudintermedius</i> . 2015 , 10, e0119684		56
57	MRSP: prevalence in practice. 2015 , 176, 170-1		3
56	Isolation of coagulase-positive staphylococci from bitches' colostrum and milk and genetic typing of methicillin-resistant <i>Staphylococcus pseudintermedius</i> strains. 2015 , 11, 160		10
55	Increasing antimicrobial resistance in clinical isolates of <i>Staphylococcus intermedius</i> group bacteria and emergence of MRSP in the UK. 2015 , 176, 172		28
54	Description of Methicillin-resistant <i>Staphylococcus pseudintermedius</i> from canine pyoderma in Minas Gerais state, Brazil. 2016 , 68, 299-306		4
53	Comparison of the In vitro Activity of Five Antimicrobial Drugs against <i>Staphylococcus pseudintermedius</i> and <i>Staphylococcus aureus</i> Biofilms. 2016 , 7, 1187		6
52	Clinical features, cytology and bacterial culture results in dogs with and without cheilitis and comparison of three sampling techniques. <i>Veterinary Dermatology</i> , 2016 , 27, 140-e37	1.8	4
51	Prior antibacterial drug exposure in dogs with methicillin-resistant <i>Staphylococcus pseudintermedius</i> (MRSP) pyoderma. <i>Veterinary Dermatology</i> , 2016 , 27, 72-8e20	1.8	17
50	Ecological features, pathogenic properties, and role of <i>Staphylococcus intermedius</i> group representatives in animal and human infectious pathology. 2016 , 31, 117-124		2

49	Public health risk of antimicrobial resistance transfer from companion animals. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 957-968	5.1	120
48	Characterization of <i>Staphylococcus pseudintermedius</i> isolated from diseased dogs in Lithuania. 2016 , 19, 7-14		16
47	A split-body, randomized, blinded study to evaluate the efficacy of a topical spray composed of essential oils and essential fatty acids from plant extracts with antimicrobial properties. <i>Veterinary Dermatology</i> , 2016 , 27, 464-e123	1.8	8
46	Interaction of chlorhexidine with trisEDTA or miconazole in vitro against canine methicillin-resistant and -susceptible <i>Staphylococcus pseudintermedius</i> isolates from two UK regions. <i>Veterinary Dermatology</i> , 2016 , 27, 340-e84	1.8	10
45	Recommendations for approaches to methicillin-resistant staphylococcal infections of small animals: diagnosis, therapeutic considerations and preventative measures.: Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2017 , 28, 304-e69	1.8	68
44	Resisting the resistance. Is there progress in maintaining antimicrobial efficacy?. 2017 , 199-205		
43	Frequency, antimicrobial susceptibility and clonal distribution of methicillin-resistant <i>Staphylococcus pseudintermedius</i> in canine clinical samples submitted to a veterinary diagnostic laboratory in Italy: A 3-year retrospective investigation. <i>Veterinary Microbiology</i> , 2017 , 211, 103-106	3.3	18
42	Characterisation of methicillin-susceptible <i>Staphylococcus pseudintermedius</i> isolates from canine infections and determination of virulence factors using multiplex PCR. 2017 , 62, 81-89		4
41	Activity In Vitro of Clotrimazole against Canine Methicillin-Resistant and Susceptible <i>Staphylococcus pseudintermedius</i> . <i>Antibiotics</i> , 2017 , 6,	4.9	3
40	Opportunities for topical antimicrobial therapy: permeation of canine skin by fusidic acid. 2017 , 13, 345		10
39	In vitro efficacy of a honey-based gel against canine clinical isolates of <i>Staphylococcus pseudintermedius</i> and <i>Malassezia pachydermatis</i> . <i>Veterinary Dermatology</i> , 2018 , 29, 180-e65	1.8	23
38	What has changed in canine pyoderma? A narrative review. <i>Veterinary Journal</i> , 2018 , 235, 73-82	2.5	33
37	Methicillin-Resistant <i>Staphylococcus aureus</i> : Molecular Characterization, Evolution, and Epidemiology. <i>Clinical Microbiology Reviews</i> , 2018 , 31,	34	448
36	Development of a sprayable hydrogel formulation for the skin application of therapeutic antibodies. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019 , 142, 123-132	5.7	9
35	Genetic resistance determinants to fusidic acid and chlorhexidine in variably susceptible staphylococci from dogs. <i>BMC Microbiology</i> , 2019 , 19, 81	4.5	9
34	Molecular characterisation of methicillin-resistant <i>Staphylococcus pseudintermedius</i> from dogs and the description of their SCCmec elements. <i>Veterinary Microbiology</i> , 2019 , 233, 196-203	3.3	9
33	Isolation and characterization of bacteriophages active against methicillin-resistant <i>Staphylococcus pseudintermedius</i> . <i>Research in Veterinary Science</i> , 2019 , 122, 81-85	2.5	12
32	EUCAST disc diffusion criteria for the detection of mecA-Mediated β -lactam resistance in <i>Staphylococcus pseudintermedius</i> : oxacillin versus cefoxitin. <i>Clinical Microbiology and Infection</i> , 2020 , 26, 122.e1-122.e6	9.5	2

31	Antimicrobial Activity of Some Essential Oils against Methicillin-Susceptible and Methicillin-Resistant -Associated Pyoderma in Dogs. <i>Animals</i> , 2020 , 10,	3.1	5
30	Prevalence of Antimicrobial Resistance in Bacterial Isolates from Dogs and Cats in a Veterinary Diagnostic Laboratory in Colombia from 2016-2019. <i>Veterinary Sciences</i> , 2020 , 7,	2.4	5
29	Genes on the Move: In Vitro Transduction of Antimicrobial Resistance Genes between Human and Canine Staphylococcal Pathogens. <i>Microorganisms</i> , 2020 , 8,	4.9	6
28	Epidemiology of the colonization and acquisition of methicillin-resistant staphylococci and vancomycin-resistant enterococci in dogs hospitalized in a clinic veterinary hospital in Spain. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020 , 72, 101501	2.6	3
27	Draft Genome Assemblies of Two Staphylococcus pseudintermedius Strains Isolated from Canine Skin Biopsy Specimens. <i>Microbiology Resource Announcements</i> , 2020 , 9,	1.3	2
26	Identification of fusidic acid resistance in clinical isolates of Staphylococcus pseudintermedius from dogs in Korea. <i>Veterinary Dermatology</i> , 2020 , 31, 267-e62	1.8	1
25	Diversity and Risk Factors Associated with Multidrug and Methicillin-Resistant Staphylococci Isolated from Cats Admitted to a Veterinary Clinic in Eastern Province, Saudi Arabia. <i>Antibiotics</i> , 2021 , 10,	4.9	1
24	Antimicrobial Prescribing Practices in Dogs and Cats by Colombian Veterinarians in the City of Medellin. <i>Veterinary Sciences</i> , 2021 , 8,	2.4	0
23	On Gram-Positive- and Gram-Negative-Bacteria-Associated Canine and Feline Skin Infections: A 4-Year Retrospective Study of the University Veterinary Microbiology Diagnostic Laboratory of Naples, Italy. <i>Animals</i> , 2021 , 11,	3.1	4
22	Infectious hazards from pets and domestic animals. <i>Advances in Experimental Medicine and Biology</i> , 2011 , 697, 261-72	3.6	2
21	Antimicrobial resistance in Staphylococcus pseudintermedius and the molecular epidemiology of methicillin-resistant S. pseudintermedius in small animals in Finland. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 1021-1030	5.1	18
20	Suscetibilidade antimicrobiana de Staphylococcus spp. isolados de cães com pioderma superficial. <i>Pesquisa Veterinaria Brasileira</i> , 2014 , 34, 355-361	0.4	3
19	Treatment of Selected Canine Dermatological Conditions in Portugal - A Research Survey. <i>Journal of Veterinary Research (Poland)</i> , 2018 , 62, 563-570	1.8	3
18	Methicillin-resistant or susceptible Staphylococcus pseudintermedius isolates from dogs and cats. <i>Korean Journal of Veterinary Service</i> , 2016 , 39, 175-181		2
17	Severe Pneumonia Caused by Methicillin-Resistant in an Oncology Patient: Case Report and Literature Review. <i>Microbial Drug Resistance</i> , 2021 ,	2.9	2
16	Antimicrobial Drug Susceptibility of Methicillin-Resistant Staphylococcus intermedius Group Isolated from Dogs and Cats. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2009 , 62, 882-885	0.1	
15	Prevalence and Antimicrobial Drug Susceptibility of Gram-Positive Cocci from Clinical Specimens of Cats and Dogs. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2012 , 65, 131-137	0.1	1
14	Prevalence and Antimicrobial Drug Susceptibility of Methicillin-Resistant Staphylococci from Dogs and Cats in Yamaguchi Prefecture. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2012 , 65, 283-288	0.1	

13	Topical Antimicrobial Therapy. 323-330		
12	Usefulness of Cefovecin Disk-Diffusion Test for Predicting MecaGene-Containing Strains of Staphylococcus Pseudintermedius and Clinical Efficacy of Cefovecin in Dogs with Superficial Pyoderma. 176-181		
11	The Canine and Feline Skin Microbiome in Health and Disease. 149-159		
10	Specific features of ecology, pathogenic properties, and role of the Staphylococcus intermedius group members in animal and human infectious pathology. <i>Molekuliarnaia Genetika, Mikrobiologiya i Virusologiya</i> , 2016 , 34, 83	0.3	
9	Efficacies of 11% Lactoferricin and 0.05% Chlorhexidine Otolological Solution compared, in the treatment of microbial otic overgrowth: A randomized single blinded study. <i>Insights in Veterinary Science</i> , 2017 , 1, 032-041	0.3	
8	Livestock-Associated Staphylococcus aureus Pathogenicity with Regards to Resistance and Virulence Genomics and Accessory Gene Regulator Locus Proteomics. <i>Asian Journal of Epidemiology</i> , 2017 , 10, 89-100	0.4	
7	ANTIBIOTIC RESISTANCE OF BACTERIA A GROWING THREAT FOR ANIMALS AND PUBLIC HEALTH. <i>Postepy Mikrobiologii</i> , 2019 , 58, 259-270	0.4	
6	Kedi ve K��eklerde ��ole Edilen Stafilokok T��erinde ��klu ��a Diren��lili��in (MDR) Ara��tmas�� <i>Ataturk Universitesi Veteriner Bilimleri Dergisi</i> ,	0.2	
5	In vitro antimicrobial activity of a black currant oil based shampoo versus a chlorhexidine 4% shampoo on bacteria strains isolated from canine pyoderma: A comparative study. <i>Insights in Veterinary Science</i> , 2020 , 4, 014-017	0.3	1
4	Escherichia coli and selected veterinary and zoonotic pathogens isolated from environmental sites in companion animal veterinary hospitals in southern Ontario. <i>Canadian Veterinary Journal</i> , 2010 , 51, 963-72	0.5	34
3	Resistance to fluoroquinolones and methicillin in ophthalmic isolates of Staphylococcus pseudintermedius from companion animals. <i>Canadian Veterinary Journal</i> , 2014 , 55, 678-82	0.5	9
2	Fluorescent Light Energy in the Management of Multi Drug Resistant Canine Pyoderma: A Prospective Exploratory Study. 2022 , 11, 1197		0
1	Detecting mecA in Faecal Samples: A Tool for Assessing Carriage of Meticillin-Resistant Staphylococci in Pets and Owners in the Microbiological East Age�� 2023 , 14, 60-66		0