The significance of compliance and persistence in the trand dyslipidaemia: a review

International Journal of Clinical Practice 62, 76-87

DOI: 10.1111/j.1742-1241.2007.01630.x

Citation Report

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Economic Benefits of Treating High-Risk Hypertension with Angiotensin II Receptor Antagonists (Blockers). Clinical Drug Investigation, 2008, 28, 211-220.   | 1.1 | 6         |
| 2  | Retrospective Comparison of the Effectiveness of a Fenofibrate 145 mg Formulation Compared with the Standard 160 mg Tablet. Clinical Drug Investigation, 2008, 28, 615-623.   | 1.1 | 5         |
| 3  | A randomized trial to determine the impact on compliance of a psychophysical peripheral cue based on the Elaboration Likelihood Model. Contemporary Clinical Trials, 2008, 29, 823-828.   | 0.8 | 3         |
| 4  | Nebivolol/Hydrochlorothiazide. High Blood Pressure and Cardiovascular Prevention, 2008, 15, 75-84.  | 1.0 | 4         |
| 5  | Combined Task Delegation, Computerized Decision Support, and Feedback Improve Cardiovascular Risk for Type 2 Diabetic Patients. Diabetes Care, 2008, 31, 2273-2275.   | 4.3 | 83        |
| 6  | Alcohol Screening Scores and Medication Nonadherence. Annals of Internal Medicine, 2008, 149, 795.  | 2.0 | 117       |
| 8  | Policies to enhance the efficiency of prescribing in the Spanish Catalan region: impact and future direction. Expert Review of Pharmacoeconomics and Outcomes Research, 2009, 9, 569-581.                                       | 0.7 | 40        |
| 9  | Medication Adherence and Its Effect on Relapse Among Patients Discharged from a Veterans Affairs<br>Posttraumatic Stress Disorder Treatment Program. Annals of Pharmacotherapy, 2009, 43, 1227-1232.                            | 0.9 | 28        |
| 10 | Evaluation of a hypertension medication therapy management program in patients with diabetes. Journal of the American Pharmacists Association: JAPhA, 2009, 49, 164-170.  | 0.7 | 102       |
| 11 | Validity of the adherence estimator in the prediction of 9-month persistence with medications prescribed for chronic diseases: A prospective analysis of data from pharmacy claims. Clinical Therapeutics, 2009, 31, 2584-2607. | 1.1 | 47        |
| 12 | Hypertension in Ireland: public awareness and doctors choice of therapy. Irish Journal of Medical Science, 2009, 178, 413-417.  | 0.8 | 3         |
| 14 | Predictors of persistence with 5â€aminosalicylic acid therapy for ulcerative colitis. Alimentary Pharmacology and Therapeutics, 2009, 29, 855-862.  | 1.9 | 37        |
| 15 | Potential savings without compromising the quality of care. International Journal of Clinical Practice, 2009, 63, 1320-1326.  | 0.8 | 48        |
| 16 | The cost and effectiveness of adherence-improving interventions for antihypertensive and lipid-lowering drugs*. International Journal of Clinical Practice, 2010, 64, 169-181.  | 0.8 | 44        |
| 17 | High blood pressure in Latin America: a call to action. Therapeutic Advances in Cardiovascular Disease, 2009, 3, 259-285.   | 1.0 | 23        |
| 18 | Evidence-based prescribing and adherence to antiplatelet therapy—How much difference do they make to patients with atherothrombosis?. International Journal of Cardiology, 2009, 134, 150-159.                                  | 0.8 | 11        |
| 20 | Patient characteristics, drug adherence patterns, and hypoglycemia costs for patients with type 2 diabetes mellitus newly initiated on exenatide or insulin glargine. Current Medical Research and Opinion, 2009, 25, 777-786.  | 0.9 | 64        |
| 21 | The Adherence Estimator: a brief, proximal screener for patient propensity to adhere to prescription medications for chronic disease. Current Medical Research and Opinion, 2009, 25, 215-238.                                  | 0.9 | 169       |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 22 | Impact of fixed-dose and multi-pill combination dyslipidemia therapies on medication adherence and the economic burden of sub-optimal adherence. Current Medical Research and Opinion, 2009, 25, 2765-2775.                                | 0.9 | 32        |
| 23 | Patients' concepts and attitudes about diabetes. Journal of Diabetes and Its Complications, 2010, 24, 398-403.   | 1.2 | 14        |
| 24 | Risk sharing arrangements for pharmaceuticals: potential considerations and recommendations for European payers. BMC Health Services Research, 2010, 10, 153.  | 0.9 | 201       |
| 25 | Effectiveness, safety and cost of drug substitution in hypertension. British Journal of Clinical Pharmacology, 2010, 70, 320-334.  | 1.1 | 47        |
| 26 | The utility of an electronic adherence assessment device in type 2 diabetes mellitus: a pilot study of single medication. Patient Preference and Adherence, 2010, 4, 247.  | 0.8 | 4         |
| 27 | Evidence-based approach for managing hypertension in type 2 diabetes. Integrated Blood Pressure Control, 2010, 3, 31.  | 0.4 | 2         |
| 28 | Factors affecting adherence to antihypertensive medication in Greece: results from a qualitative study. Patient Preference and Adherence, 2010, 4, 335.  | 0.8 | 37        |
| 29 | Relation between patient satisfaction, compliance and the clinical benefit of a teletreatment application for chronic pain. Journal of Telemedicine and Telecare, 2010, 16, 322-328.   | 1.4 | 34        |
| 30 | Compliance and persistence with medications for chronic obstructive pulmonary disease. Orvosi Hetilap, 2010, 4, 15-22.   | 0.2 | 0         |
| 31 | Darunavir Outcomes Study: Comparative Effectiveness of Virologic Suppression, Regimen Durability, and Discontinuation Reasons for Three-Class Experienced Patients at 48 Weeks. AIDS Research and Human Retroviruses, 2010, 26, 1279-1285. | 0.5 | 23        |
| 32 | MoviPill., 2010,,.   |     | 84        |
| 33 | Medication adherence: Pharmacist perspective. Journal of the American Pharmacists Association: JAPhA, 2010, 50, 394-406.   | 0.7 | 38        |
| 34 | Initiatives to enhance the quality and efficiency of statin and PPI prescribing in the UK: impact and implications. Expert Review of Pharmacoeconomics and Outcomes Research, 2010, 10, 73-85.   | 0.7 | 63        |
| 35 | Persistence with injectable antidiabetic agents in members with type 2 diabetes in a commercial managed care organization. Current Medical Research and Opinion, 2010, 26, 231-238.  | 0.9 | 68        |
| 36 | Control de las cifras de presi $	ilde{A}^3$ n arterial en diab $	ilde{A}$ ©ticos tipo 2 tratados con insulina. Avances En Diabetolog $	ilde{A}$ a, 2010, 26, 424-429.  | 0.1 | 0         |
| 37 | Impact of Adherence to Interferons in the Treatment of Multiple Sclerosis. Clinical Drug<br>Investigation, 2010, 30, 89-100.   | 1.1 | 223       |
| 38 | Initial effects of a reimbursement restriction to improve the cost-effectiveness of antihypertensive treatment. Health Policy, 2010, 94, 221-229.  | 1.4 | 64        |
| 39 | Initiatives to enhance renin–angiotensin prescribing efficiency in Austria: impact and implications for other countries. Expert Review of Pharmacoeconomics and Outcomes Research, 2010, 10, 199-207.                                      | 0.7 | 19        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 40 | Attitudes and Approaches to Decision Making About Antihypertensive Treatment in Elderly Patients. Journal of the American Medical Directors Association, 2011, 12, 121-128.  | 1.2  | 10        |
| 41 | Predictors of Duloxetine Treatment Persistence for Patients with Major Depressive Disorder. Health Outcomes Research in Medicine, 2011, 2, e3-e13.   | 0.6  | 1         |
| 42 | Bridging the efficacy–effectiveness gap: a regulator's perspective on addressing variability of drug response. Nature Reviews Drug Discovery, 2011, 10, 495-506.   | 21.5 | 293       |
| 43 | Medication Adherence: WHO Cares?. Mayo Clinic Proceedings, 2011, 86, 304-314.  | 1.4  | 1,461     |
| 44 | Benefits of once-daily therapies in the treatment of hypertension. Vascular Health and Risk Management, 2011, 7, 777.  | 1.0  | 39        |
| 45 | Medication Adherence, Comorbidities, and Health Risk Impacts on Workforce Absence and Job<br>Performance. Journal of Occupational and Environmental Medicine, 2011, 53, 595-604.                                     | 0.9  | 14        |
| 46 | Medication adherence: emerging use of technology. Current Opinion in Cardiology, 2011, 26, 279-287.  | 0.8  | 130       |
| 47 | Predictors of Patients' Perceived Need for Medication to Prevent Fracture. Medical Care, 2011, 49, 273-280.  | 1.1  | 19        |
| 48 | Policies to Enhance Prescribing Efficiency in Europe: Findings and Future Implications. Frontiers in Pharmacology, 2010, 1, 141.   | 1.6  | 90        |
| 49 | Underutilization of the AIDS Drug Assistance Program: Associated Factors and Policy Implications.<br>Health Services Research, 2011, 46, 982-995.  | 1.0  | 11        |
| 50 | Adherence to a guideline on cardiovascular prevention: A comparison between general practitioners and practice nurses. International Journal of Nursing Studies, 2011, 48, 798-807.                                  | 2.5  | 29        |
| 51 | Medication Adherence Affects Treatment Modifications in Patients With Type 2 Diabetes. Clinical Therapeutics, 2011, 33, 121-134.   | 1.1  | 25        |
| 52 | Adherence to Oral Antidiabetic Agents with Pioglitazone and Metformin: Comparison of Fixed-Dose Combination Therapy with Monotherapy and Loose-Dose Combination Therapy. Clinical Therapeutics, 2011, 33, 1281-1288. | 1.1  | 23        |
| 53 | Twelve-Month Persistency with Oral 5-Aminosalicylic Acid Therapy for Ulcerative Colitis: Results from a Large Pharmacy Prescriptions Database. Digestive Diseases and Sciences, 2011, 56, 3463-3470.                 | 1.1  | 23        |
| 54 | Translational Behavioral Medicine: a pathway to better health. Translational Behavioral Medicine, 2011, 1, 1-3.  | 1.2  | 23        |
| 55 | The Importance of Social Ties in Sustaining Medication Adherence in Resource-Limited Settings. Journal of General Internal Medicine, 2011, 26, 1391-1393.  | 1.3  | 14        |
| 56 | Non-adherence to drug therapy and drug acquisition costs in a national population - a patient-based register study. BMC Health Services Research, 2011, 11, 326.   | 0.9  | 47        |
| 57 | Combination of prescribing restrictions and policies to engineer low prices to reduce reimbursement costs. Expert Review of Pharmacoeconomics and Outcomes Research, 2011, 11, 121-129.                              | 0.7  | 49        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 58 | Estimates of Statin Discontinuation Rates are Influenced by Exposure and Outcome Definitions. Annals of Pharmacotherapy, 2011, 45, 576-581.   | 0.9 | 20        |
| 59 | Diabetes Performance Measures: Current Status and Future Directions. Diabetes Care, 2011, 34, 1651-1659.  | 4.3 | 121       |
| 60 | Antihypertensive treatment and control in a large primary care population of 21 167 patients. Journal of Human Hypertension, 2011, 25, 484-491.   | 1.0 | 37        |
| 61 | Influence of demand-side measures to enhance renin–angiotensin prescribing efficiency in Europe: implications for the future. Expert Review of Pharmacoeconomics and Outcomes Research, 2011, 11, 469-479.          | 0.7 | 68        |
| 62 | Discussion of prevalence and management of discomfort when swallowing pills: orodispersible tablets expand treatment options in patients with depression. Therapeutic Delivery, 2011, 2, 611-622.                   | 1.2 | 19        |
| 63 | Pharmacoeconomic aspects of poor adherence: can better adherence reduce healthcare costs?. Journal of Medical Economics, 2011, 14, 594-608.   | 1.0 | 33        |
| 64 | Consensus Report: Diabetes Performance Measures: Current Status and Future Directions. Clinical Diabetes, 2011, 29, 102-112.  | 1.2 | 2         |
| 65 | The role of adherence in the relationship between self-efficacy and self-management in diabetic patients undergoing CABG in Taiwan. Heart Asia, 2012, 4, 114-119.   | 1.1 | 5         |
| 66 | Determining the feasibility of objective adherence measurement with blister packaging smart technology. American Journal of Health-System Pharmacy, 2012, 69, 872-879.  | 0.5 | 28        |
| 67 | Multiple health behaviours: overview and implications. Journal of Public Health, 2012, 34, i3-i10.  | 1.0 | 275       |
| 68 | Possible ways to enhance renin–angiotensin prescribing efficiency: Republic of Serbia as a case history?. Journal of Comparative Effectiveness Research, 2012, 1, 539-549.  | 0.6 | 11        |
| 69 | Costs of pregabalin or gabapentin for painful diabetic peripheral neuropathy. Journal of Medical Economics, 2012, 15, 361-370.  | 1.0 | 12        |
| 70 | Imperative to consider multiple initiatives to maximize prescribing efficiency from generic availability: case history from Abu Dhabi. Expert Review of Pharmacoeconomics and Outcomes Research, 2012, 12, 115-124. | 0.7 | 25        |
| 71 | Catheter-based Arterial Sympathectomy: Hypertension and Beyond. Journal of Vascular and Interventional Radiology, 2012, 23, 1125-1134.  | 0.2 | 7         |
| 72 | Systematic Review of Pharmacist Interventions to Improve Adherence to Oral Antidiabetic Medications in People with Type 2 Diabetes. Canadian Journal of Diabetes, 2012, 36, 292-299.                                | 0.4 | 43        |
| 74 | El incumplimiento en el tratamiento de la diabetes mellitus tipo 2 en España. Hipertension Y Riesgo<br>Vascular, 2012, 29, 8-13.  | 0.3 | 2         |
| 75 | Pharmacoepidemiological profiles of oral hypoglycemic agents among 28,773 Chinese patients with diabetes. Diabetes Research and Clinical Practice, 2012, 96, 319-325.   | 1.1 | 5         |
| 76 | Unintentional non-adherence to chronic prescription medications: How unintentional is it really?. BMC Health Services Research, 2012, 12, 98.   | 0.9 | 283       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 77 | Selection of tools for reconciliation, compliance and appropriateness of treatment in patients with multiple chronic conditions. European Journal of Internal Medicine, 2012, 23, 506-512.  | 1.0 | 24        |
| 79 | Managing hypertension among nursing-home residents and community-dwelling elderly in Germany: a comparative pharmacoepidemiological study. European Journal of Clinical Pharmacology, 2012, 68, 867-875.  | 0.8 | 17        |
| 81 | Frequent insulin dosage adjustments based on glucose readings alone are sufficient for a safe and effective therapy. Journal of Diabetes and Its Complications, 2012, 26, 230-236.  | 1.2 | 10        |
| 82 | A new taxonomy for describing and defining adherence to medications. British Journal of Clinical Pharmacology, 2012, 73, 691-705.   | 1.1 | 1,308     |
| 83 | Persistence to antihypertensive drug treatment in Swedish primary healthcare. European Journal of Clinical Pharmacology, 2013, 69, 1955-1964.   | 0.8 | 54        |
| 84 | Pharmacological primary and secondary cardiovascular prevention among diabetic patients in a multiethnic general practice population: still room for improvements. BMC Health Services Research, 2013, 13, 182.                                     | 0.9 | 7         |
| 85 | Differential Impact of Longitudinal Medication Non-Adherence on Mortality by Race/Ethnicity among Veterans with Diabetes. Journal of General Internal Medicine, 2013, 28, 208-215.  | 1.3 | 34        |
| 86 | Medical Management of Stable Coronary Atherosclerosis. Current Atherosclerosis Reports, 2013, 15, 313.  | 2.0 | 6         |
| 87 | Proactive Pharmaceutical Care Interventions Improve Patients' Adherence to Lipid-Lowering Medication. Annals of Pharmacotherapy, 2013, 47, 1448-1456.   | 0.9 | 32        |
| 88 | Influence of multiple initiatives in Sweden to enhance ARB prescribing efficiency following generic losartan; findings and implications for other countries. International Journal of Clinical Practice, 2013, 67, 853-862.                         | 0.8 | 24        |
| 89 | How to use pharmacy claims data to measure patient nonadherence? The example of oral diabetics in therapy of type 2 diabetes mellitus. European Journal of Health Economics, 2013, 14, 551-568.   | 1.4 | 20        |
| 90 | Incretin-Based Therapies: Focus on Effects Beyond Glycemic Control Alone. Diabetes Therapy, 2013, 4, 221-238.   | 1.2 | 13        |
| 91 | Impact of Delisting ARBs, Apart from Losartan, on ARB Utilisation Patterns in Denmark: Implications for Other Countries. Applied Health Economics and Health Policy, 2013, 11, 677-685.   | 1.0 | 13        |
| 92 | RDD e PDD: strumenti per l'aderenza e la persistenza nelle analisi di farmacoutilizzazione: il caso degli<br>analoghi della somatostatina (2007–2011). Pharmacoeconomics Italian Research Articles, 2013, 15, 75-82.                                | 0.2 | 0         |
| 93 | Glycemic control and the first use of oral antidiabetic agents among patients with type 2 diabetes mellitus. Current Medical Research and Opinion, 2013, 29, 1587-1597.   | 0.9 | 1         |
| 94 | Treatment persistence, hypoglycaemia and clinical outcomes in type 2 diabetes patients with dipeptidyl peptidaseâ€4 inhibitors and sulphonylureas: a primary care database analysis. Diabetes, Obesity and Metabolism, 2013, 15, 55-61.             | 2.2 | 78        |
| 95 | Characterization of and costs associated to the profile of patients with type 2 diabetes treated with metformin who are added a second oral antidiabetic drug: A population study. EndocrinologÃa Y Nutrición (English Edition), 2013, 60, 557-569. | 0.5 | 5         |
| 96 | Consecuencias cl $\tilde{A}$ nicas y econ $\tilde{A}$ 3micas de la combinaci $\tilde{A}$ 3n de metformina con inhibidores de la dipeptidilpeptidasa en pacientes con diabetes tipo 2. Revista Clinica Espanola, 2013, 213, 377-384.                 | 0.2 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 98  | Clinical and economical consequences of the combination of metformin with dipeptidyl peptidase inhibitors in type 2 diabetes patients. Revista Clínica Espanõla, 2013, 213, 377-384.        | 0.3 | 2         |
| 99  | Drug related problems in type 2 diabetes patients with hypertension: a cross-sectional retrospective study. BMC Endocrine Disorders, 2013, 13, 2.   | 0.9 | 62        |
| 100 | The intriguing future of pharmacoepidemiology. European Journal of Clinical Pharmacology, 2013, 69, 43-51.  | 0.8 | 34        |
| 101 | A Serious Exergame for Patients Suffering from Chronic Musculoskeletal Back and Neck Pain: A Pilot Study. Games for Health Journal, 2013, 2, 299-307.                                       | 1.1 | 41        |
| 103 | Improved Cost, Health, and Satisfaction With a Health Home Benefit Plan for Self-Insured Employers and Small Physician Practices. Journal of Ambulatory Care Management, 2013, 36, 108-120. | 0.5 | 2         |
| 104 | Influence of retirement on nonadherence to medication for hypertension and diabetes. Cmaj, 2013, 185, E784-E790.  | 0.9 | 23        |
| 105 | Patient-Centered Outcomes of a Value-Based Insurance Design Program for Patients with Diabetes. Population Health Management, 2013, 16, 99-106.   | 0.8 | 20        |
| 106 | Refill adherence and selfâ€reported adverse drug reactions and subâ€therapeutic effects: a populationâ€based study. Pharmacoepidemiology and Drug Safety, 2013, 22, 1317-1325.              | 0.9 | 6         |
| 107 | A Crossâ€Sectional Survey to Assess the Migraineur's Medication Decisionâ€Making Beliefs: Determining When a Migraine Is Triptanâ€Worthy. Headache, 2013, 53, 1134-1146.                    | 1.8 | 8         |
| 108 | Effect of antihypertensive medication adherence on hospitalization for cardiovascular disease and mortality in hypertensive patients. Hypertension Research, 2013, 36, 1000-1005.           | 1.5 | 82        |
| 109 | Clinical trial participation improves outcome: A matched historical cohort study. Clinical Trials, 2013, 10, 735-743.   | 0.7 | 13        |
| 110 | Adherence and persistence associated with an appointment-based medication synchronization program. Journal of the American Pharmacists Association: JAPhA, 2013, 53, 576-583.               | 0.7 | 81        |
| 111 | Effect of depression onset on adherence to medication among hypertensive patients. Journal of Hypertension, 2013, 31, 1477-1484.  | 0.3 | 24        |
| 112 | Incomplete medication adherence of chronically ill patients in German primary care. Patient Preference and Adherence, 2013, 7, 237.   | 0.8 | 15        |
| 113 | Adherence in adults with type 1 diabetes mellitus correlates with treatment satisfaction but not with adverse events. Patient Preference and Adherence, 2013, 7, 867.                       | 0.8 | 19        |
| 114 | Introducing the Adherence Strategy Engineering Framework (ASEF). Methods of Information in Medicine, 2013, 52, 220-230.   | 0.7 | 9         |
| 115 | mHealth medication and blood pressure self-management program in Hispanic hypertensives: a proof of concept trial. Smart Homecare Technology and Telehealth, $0$ , , $1$ .                  | 0.3 | 21        |
| 116 | Patient Adherence and Persistence with Imatinib, Nilotinib, Dasatinib in Clinical Practice. PLoS ONE, 2013, 8, e56813.  | 1.1 | 42        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 117 | An Instrument to Measure Adherence to Weight Loss Programs: The Compliance Praxis Survey-Diet (COMPASS-Diet). Nutrients, 2013, 5, 3828-3838.  | 1.7 | 7         |
| 118 | Use of metformin and vildagliptin for treatment of type 2 diabetes in the elderly. Drug Design, Development and Therapy, 2014, 8, 811.  | 2.0 | 11        |
| 119 | Improving medication adherence in hypercholesterolemia: challenges and solutions. Vascular Health and Risk Management, 2014, 10, 615.   | 1.0 | 22        |
| 120 | Insulin-taking behavior and memory problems among people with diabetes in five countries: findings from a web survey. Patient Intelligence, 0, , 43.  | 0.2 | 2         |
| 121 | The Effectiveness of Short Term Mobile Phone Text Reminders in Improving Compliance among Hypertensive Patients. Korean Journal of Health Promotion, 2014, 14, 1.                                     | 0.1 | 3         |
| 122 | Beliefs About Diabetes and Medication Adherence Among Lumbee Indians Living in Rural Southeastern<br>North Carolina. Journal of Transcultural Nursing, 2014, 25, 167-175.                             | 0.6 | 9         |
| 124 | Improving Medication Adherence Among Patients With Type 2 Diabetes. Journal of Pharmacy Practice, 2014, 27, 187-194.  | 0.5 | 16        |
| 125 | Statin treatment reduces the risk of hepatocellular carcinoma but not colon cancer-results from a nationwide case-control study in Sweden. Pharmacoepidemiology and Drug Safety, 2014, 23, 1101-1106. | 0.9 | 31        |
| 126 | Conceptual Model and Economic Experiments to Explain Nonpersistence and Enable Mechanism Designs Fostering Behavioral Change. Value in Health, 2014, 17, 814-822.                                     | 0.1 | 7         |
| 127 | Retrospective Analysis of Long-Term Adherence to and Persistence with DPP-4 Inhibitors in US Adults with Type 2 Diabetes Mellitus. Advances in Therapy, 2014, 31, 1287-1305.                          | 1.3 | 59        |
| 128 | Changes in Use of Lipid-lowering Medications Among Black and White Dual Enrollees With Diabetes Transitioning From Medicaid to Medicare Part D Drug Coverage. Medical Care, 2014, 52, 695-703.        | 1.1 | 17        |
| 129 | Mobile Persuasive Technology: a Review on Thai elders health service opportunity. , 2014, , .   |     | 3         |
| 130 | Assessing medication adherence: options to consider. International Journal of Clinical Pharmacy, 2014, 36, 55-69.   | 1.0 | 220       |
| 131 | Disease acceptance and adherence to imatinib in Taiwanese chronic myeloid leukaemia outpatients. International Journal of Clinical Pharmacy, 2014, 36, 120-127.                                       | 1.0 | 36        |
| 132 | A Multistate Model and an Algorithm for Measuring Long-Term Adherence to Medication: A Case of Diabetes Mellitus Type 2. Value in Health, 2014, 17, 266-274.  | 0.1 | 12        |
| 133 | Barriers to the delivery of optimal antidiabetic therapy in the Middle East and Africa. International Journal of Clinical Practice, 2014, 68, 503-511.  | 0.8 | 10        |
| 134 | Family history of cardiovascular disease and influence on statin therapy persistence. European Journal of Clinical Pharmacology, 2014, 70, 701-707.   | 0.8 | 14        |
| 135 | Trial to Examine Text Message–Based mHealth in Emergency Department Patients With Diabetes (TExT-MED): AÂRandomizedÂControlled Trial. Annals of Emergency Medicine, 2014, 63, 745-754.e6.             | 0.3 | 224       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 137 | Sustainability of Improvements in Medication Adherence through a Mobile Health Intervention. Progress in Transplantation, 2015, 25, 217-223.  | 0.4 | 53        |
| 138 | Medication-taking behaviour in New South Wales patients with type 2 diabetes: an observational study.<br>Australian Journal of Primary Health, 2015, 21, 429.   | 0.4 | 8         |
| 139 | Prescribing of bisphosphonates and antibiotics in Pakistan: challenges and opportunities for the future. Journal of Pharmaceutical Health Services Research, 2015, 6, 111-121.                            | 0.3 | 27        |
| 140 | Association between concomitant psychiatric drug use, and patients' beliefs about and persistence with chronic cardiovascular medication. International Journal of Clinical Practice, 2015, 69, 328-335.  | 0.8 | 2         |
| 141 | Food Insecurity and Cost-Related Medication Underuse Among Nonelderly Adults in a Nationally Representative Sample. American Journal of Public Health, 2015, 105, e48-e59.                                | 1.5 | 71        |
| 142 | The importance of inhaler devices: the choice of inhaler device may lead to suboptimal adherence in COPD patients. International Journal of COPD, 2015, 10, 2335.   | 0.9 | 44        |
| 143 | Economic Impact of Combining Metformin with Dipeptidyl Peptidase-4 Inhibitors in Diabetic Patients with Renal Impairment in Spanish Patients. Diabetes and Metabolism Journal, 2015, 39, 74.              | 1.8 | 4         |
| 144 | Determinants of medication adherence among adults with type 2 diabetes mellitus in three Malaysian public health clinics: a cross-sectional study. Patient Preference and Adherence, 2015, 9, 639.        | 0.8 | 43        |
| 145 | Identification of validated questionnaires to measure adherence to pharmacological antihypertensive treatments. Patient Preference and Adherence, 2015, 9, 569.   | 0.8 | 43        |
| 146 | Knowledge and Adherence to Medications among Palestinian Geriatrics Living with Chronic Diseases in the West Bank and East Jerusalem. PLoS ONE, 2015, 10, e0129240.                                       | 1.1 | 14        |
| 147 | Interventions to Improve Adherence in Patients with Immune-Mediated Inflammatory Disorders: A Systematic Review. PLoS ONE, 2015, 10, e0145076.  | 1.1 | 42        |
| 148 | Impact of Appointment-Based Medication Synchronization on Existing Users of Chronic Medications.<br>Journal of Managed Care & Specialty Pharmacy, 2015, 21, 662-669.                                      | 0.5 | 26        |
| 149 | Prospective analysis of the medicine possession ratio of antidepressants in the private health sector of South Africa, 2006 - 2011. South African Medical Journal, 2015, 105, 139.                        | 0.2 | 3         |
| 150 | Meta-analysis of studies examining medication adherence, persistence, and discontinuation of oral antihyperglycemic agents in type 2 diabetes. Current Medical Research and Opinion, 2015, 31, 1283-1296. | 0.9 | 112       |
| 151 | Self-report measures of medication adherence behavior: recommendations on optimal use. Translational Behavioral Medicine, 2015, 5, 470-482.   | 1.2 | 524       |
| 152 | Phone-based Intervention under Nurse Guidance after Stroke: Concept for Lowering Blood Pressure after Stroke in Sub-Saharan Africa. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1-9.        | 0.7 | 20        |
| 153 | A management programme for suspected heart failure in primary care in cooperation with specialists in cardiology. European Journal of General Practice, 2015, 21, 26-32.                                  | 0.9 | 5         |
| 154 | Stress, depression and medication nonadherence in diabetes: test of the exacerbating and buffering effects of family support. Journal of Behavioral Medicine, 2015, 38, 363-371.                          | 1.1 | 36        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 155 | Unintentional Prescription Drug Non-Compliance for Financial Reasons in Families With a Child With a Limiting Health Condition. Social Work in Health Care, 2015, 54, 101-117.   | 0.8 | 3         |
| 156 | Factors associated with adherence to oral antihyperglycemic monotherapy in patients with type 2 diabetes. Patient Preference and Adherence, 2015, 9, 191.  | 0.8 | 24        |
| 158 | The impact of HIV/AIDS on compliance with antidepressant treatment in major depressive disorder: A prospective study in a South African private healthcare cohort. AIDS Research and Therapy, 2015, 12, 9.   | 0.7 | 5         |
| 159 | Initial therapy, persistence and regimen change in a cohort of newly treated type 2 diabetes patients.<br>British Journal of Clinical Pharmacology, 2015, 79, 1000-1009.   | 1.1 | 26        |
| 160 | Weight Gain on Antipsychotic Medication Is Associated With Sustained Use Among Veterans With Schizophrenia. Journal of Clinical Psychopharmacology, 2015, 35, 57-62.   | 0.7 | 3         |
| 161 | Economic benefits associated with beta blocker persistence in the treatment of hypertension: a retrospective database analysis. Current Medical Research and Opinion, 2015, 31, 615-622.   | 0.9 | 4         |
| 162 | Food Insecurity and Health Outcomes Among Older Adults: The Role of Cost-Related Medication Underuse. Journal of Nutrition in Gerontology and Geriatrics, 2015, 34, 319-342.   | 0.4 | 73        |
| 163 | Quality Indicators as a Tool in Improving the Introduction of New Medicines. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 146-157.   | 1.2 | 29        |
| 164 | Factors associated with adherence to oral antihyperglycemic monotherapy in patients with type 2 diabetes mellitus in the United Kingdom. Diabetes Research and Clinical Practice, 2015, 109, e27-e31.  | 1.1 | 12        |
| 165 | Effective Nurse Communication With Type 2 Diabetes Patients. Western Journal of Nursing Research, 2015, 37, 1100-1131.   | 0.6 | 28        |
| 166 | Proximal Predictors of Long-Term Discontinuance with Noninsulin Antihyperglycemic Agents. Journal of Managed Care & Specialty Pharmacy, 2016, 22, 1019-1027.   | 0.5 | 0         |
| 167 | Concordance between two methods in measuring treatment adherence in patients with type 2 diabetes. Patient Preference and Adherence, 2016, 10, 743.  | 0.8 | 4         |
| 168 | What Contributes to the Regularity of Patients with Hypertension or Diabetes Seeking Health Services? A Pilot Follow-Up, Observational Study in Two Sites in Hubei Province, China. International Journal of Environmental Research and Public Health, 2016, 13, 1268. | 1.2 | 12        |
| 169 | Patient considerations in type 2 diabetes & Diabetes, role of combination dapagliflozin amp; ndash; metformin XR. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2016, 9, 25.  | 1.1 | 7         |
| 170 | Association between adherence to medications for COPD and medications for other chronic conditions in COPD patients. International Journal of COPD, 2017, Volume 12, 115-122.  | 0.9 | 25        |
| 171 | Poor medication adherence in type 2 diabetes: recognizing the scope of the problem and its key contributors. Patient Preference and Adherence, 2016, Volume 10, 1299-1307.   | 0.8 | 448       |
| 172 | Risk factors associated with treatment discontinuation and down-titration in type 2 diabetes patients treated with sulfonylureas. Current Medical Research and Opinion, 2016, 32, 1567-1575.   | 0.9 | 5         |
| 173 | Adherence to Self-Care Behaviors among Patients with Type 2 Diabetesâ€"The Role of Risk Preferences. Value in Health, 2016, 19, 844-851.   | 0.1 | 21        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 174 | Medication Adherence to Tyrosine Kinase Inhibitors: 2-Year Analysis of Medication Adherence to Imatinib Treatment for Chronic Myeloid Leukemia and Correlation with the Depth of Molecular Response. Acta Haematologica, 2016, 136, 45-51.                      | 0.7 | 20        |
| 175 | Adherence to dipeptidyl peptidaseâ€4 inhibitor therapy among type 2 diabetes patients with employerâ€sponsored health insurance in Japan. Journal of Diabetes Investigation, 2016, 7, 737-743.  | 1.1 | 12        |
| 176 | Lipidâ€lowering treatment patterns in patients with new cardiovascular events – estimates from populationâ€based register data in Sweden. International Journal of Clinical Practice, 2016, 70, 222-228.  | 0.8 | 1         |
| 177 | Adherence to Treatment in Hypertension. Advances in Experimental Medicine and Biology, 2016, 956, 129-147.  | 0.8 | 20        |
| 178 | A mobile application improves therapy-adherence rates in elderly patients undergoing rehabilitation. Medicine (United States), 2016, 95, e4446.   | 0.4 | 63        |
| 179 | Medication Adherence Affects Risk of New Diabetes Complications. Annals of Pharmacotherapy, 2016, 50, 741-746.  | 0.9 | 43        |
| 180 | Long-term persistence to mono and combination therapies with angiotensin converting enzymes and angiotensin II receptor blockers in Australia. European Journal of Clinical Pharmacology, 2016, 72, 765-771.  | 0.8 | 7         |
| 181 | Non-Persistence and Non-Adherence of Patients with Type 2 Diabetes Mellitus in Therapy with GLP-1 Receptor Agonists: A Retrospective Analysis. Diabetes Therapy, 2016, 7, 105-124.  | 1.2 | 35        |
| 182 | Improving Medication Adherence and Health Care Outcomes in a Commercial Population through a Community Pharmacy. Population Health Management, 2016, 19, 454-461.   | 0.8 | 30        |
| 183 | Oral Alitretinoin in the Treatment of Severe Refractory Chronic Hand Eczema in the Spanish National Health System: Description and Analysis of Current Clinical Practice. Actas Dermo-sifiliográficas, 2016, 107, 142-148.                                      | 0.2 | 2         |
| 184 | Patients' willingness to work with peer supporters for chronic medication management. Journal of Pharmaceutical Health Services Research, 2016, 7, 81-88.   | 0.3 | 1         |
| 185 | Quality of life of patients with Diabetes Mellitus Types 1 and 2 from a referal health centre in Minas Gerais, Brazil. Expert Review of Clinical Pharmacology, 2016, 9, 739-746.  | 1.3 | 30        |
| 186 | Uso de la alitretinoÃna oral para el tratamiento del eczema crónico de manos grave y refractario al tratamiento en el sistema sanitario público español: descripción y análisis de la práctica clÃnica actual. Actas Dermo-sifiliográficas, 2016, 107, 142-148. | 0.2 | 8         |
| 187 | Predictors of medication adherence and persistence in Medicaid enrollees with developmental disabilities and type 2 diabetes. Research in Social and Administrative Pharmacy, 2016, 12, 592-603.  | 1.5 | 19        |
| 189 | Discrepancies between physicians' prescriptions and patients' use of antiepileptic drugs. Acta Neurologica Scandinavica, 2017, 135, 80-87.  | 1.0 | 20        |
| 190 | Are people with schizophrenia adherent to diabetes medication? A comparative meta-analysis. Psychiatry Research, 2017, 250, 17-24.  | 1.7 | 19        |
| 191 | Cost-effectiveness of vildagliptin for people with type 2 diabetes mellitus in Brazil; findings and implications. Expert Review of Pharmacoeconomics and Outcomes Research, 2017, 17, 109-119.  | 0.7 | 13        |
| 192 | Adherence and persistence in patients with type 2 diabetes mellitus newly initiating canagliflozin, dapagliflozin, dpp-4s, or glp-1s in the United States. Current Medical Research and Opinion, 2017, 33, 1317-1328.   | 0.9 | 21        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 193 | Medical visits, antihypertensive prescriptions and medication adherence among newly diagnosed hypertensive patients in Korea. Environmental Health and Preventive Medicine, 2017, 22, 10.   | 1.4 | 6         |
| 194 | Exploring factors associated with patients' adherence to antihypertensive drugs among people with primary hypertension in the United Kingdom. Journal of Hypertension, 2017, 35, 1881-1890.   | 0.3 | 12        |
| 195 | Patient-related beliefs and adherence toward their medications among the adult hypertensive outpatients in Tanzania. Journal of Comparative Effectiveness Research, 2017, 6, 185-193.   | 0.6 | 8         |
| 196 | Pharmacological control of diabetes and hypertension comorbidity in the elderly: A study of "real world―data. Primary Care Diabetes, 2017, 11, 348-359.   | 0.9 | 8         |
| 197 | Measuring medication adherence in patients with incident hypertension: a retrospective cohort study. BMC Health Services Research, 2017, 17, 135.   | 0.9 | 37        |
| 198 | Impact of Bubble Packaging on Adherence to Long-Term Oral Medications Used to Prevent<br>Cardiovascular Disease. Journal of Pharmacy Technology, 2017, 33, 114-120.   | 0.5 | 3         |
| 199 | Uptake of Community Pharmacist-Delivered MedsCheck Diabetes Medication Review Service in Ontario between 2010 and 2014. Canadian Journal of Diabetes, 2017, 41, 253-258.  | 0.4 | 20        |
| 200 | Medication adherence outcomes of 771 intervention trials: Systematic review and meta-analysis. Preventive Medicine, 2017, 99, 269-276.  | 1.6 | 253       |
| 201 | Prevalence, clinical characteristics and echocardiography parameters of non-resistant, resistant and refractory hypertension in Chinese. Postgraduate Medicine, 2017, 129, 187-192.   | 0.9 | 13        |
| 202 | Impact Of Hypertension versus Diabetes on Cardiovascular and All-cause Mortality in Iranian Older Adults: Results of 14 Years of Follow-up. Scientific Reports, 2017, 7, 14220.   | 1.6 | 21        |
| 203 | Refill adherence and persistence to lipid-lowering medicines in patients with type 2 diabetes: A nation-wide register-based study. Pharmacoepidemiology and Drug Safety, 2017, 26, 1220-1232.   | 0.9 | 10        |
| 204 | Aspirin for Evidence-Based Preeclampsia Prevention trial: influence of compliance on beneficial effect of aspirin in prevention of preterm preeclampsia. American Journal of Obstetrics and Gynecology, 2017, 217, 685.e1-685.e5.                     | 0.7 | 100       |
| 205 | Knowledge of hypertension and its management among hypertensive patients on chronic medicines at primary health care public sector facilities in South Africa; findings and implications. Expert Review of Cardiovascular Therapy, 2017, 15, 639-647. | 0.6 | 23        |
| 206 | Evaluation of the chronic disease management program for appropriateness of medication adherence and persistence in hypertension and type-2 diabetes patients in Korea. Medicine (United States), 2017, 96, e6577.                                    | 0.4 | 20        |
| 207 | Non-compliance in the Emergency Department: Is there a difference between medical and psychiatric patient's reasons and use of the Emergency Department. American Journal of Emergency Medicine, 2017, 35, 1961-1962.                                 | 0.7 | 0         |
| 208 | Metformin Use in Practice: Compliance With Guidelines for Patients With Diabetes and Preserved Renal Function. Clinical Diabetes, 2017, 35, 154-161.  | 1.2 | 8         |
| 209 | Use of pharmacy dispensing data to measure adherence and identify nonadherence with oral hypoglycemic agents. European Journal of Clinical Pharmacology, 2017, 73, 205-213.   | 0.8 | 10        |
| 210 | Short- and long-term use of medication for psychological distress after the diagnosis of cancer. Supportive Care in Cancer, 2017, 25, 757-768.  | 1.0 | 9         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 211 | Adherence, persistence, and treatment discontinuation with sitagliptin compared with sulfonylureas as addâ€ons to metformin: A retrospective cohort database study. Journal of Diabetes, 2017, 9, 677-688.   | 0.8 | 9         |
| 212 | Drug Brand Response and Its Impact on Compliance and Efficacy in Depression Patients. Frontiers in Pharmacology, 2017, 7, 540.   | 1.6 | 7         |
| 213 | Adherence, Persistence, and Health Care Costs for Patients Receiving Dipeptidyl Peptidase-4 Inhibitors. Journal of Managed Care & Decialty Pharmacy, 2017, 23, 299-306.  | 0.5 | 12        |
| 214 | Hypertension management: what is the role of case management?. Revista Da Escola De Enfermagem Da U S P, 2017, 51, e03291.   | 0.3 | 5         |
| 215 | A Motivational Interviewing Intervention by Pharmacy Students to Improve Medication Adherence. Journal of Managed Care & Decialty Pharmacy, 2017, 23, 549-560.   | 0.5 | 39        |
| 216 | The UK Pharmacy Care Plan service: Description, recruitment and initial views on a new community pharmacy intervention. PLoS ONE, 2017, 12, e0174500.  | 1.1 | 27        |
| 217 | Supportive and non-supportive interactions in families with a type 2 diabetes patient: an integrative review. Diabetology and Metabolic Syndrome, 2017, 9, 57.   | 1.2 | 56        |
| 218 | An upper and lower bound of the Medication Possession Ratio. Patient Preference and Adherence, 2017, Volume 11, 1469-1478.   | 0.8 | 48        |
| 219 | Patient participation in the development of a customized m-Health intervention to improve medication adherence in poorly adherent individuals with bipolar disorder (BD) and hypertension (HTN). International Journal of Healthcare, 2017, 4, 25. | 0.2 | 8         |
| 220 | Long-term mortality in outpatients with type 2 diabetes in a reference hospital in Cameroon: a retrospective cohort study. BMJ Open, 2018, 8, e019086.   | 0.8 | 8         |
| 221 | Cross-cultural adaptation and validation of a European Portuguese version of the 8-item Morisky medication adherence scale. Revista Portuguesa De Cardiologia, 2018, 37, 297-303.  | 0.2 | 13        |
| 222 | Adherence and quality of life in adults and children during 3-years of SLIT treatment with Grazax—a real life study. Npj Primary Care Respiratory Medicine, 2018, 28, 4.   | 1.1 | 21        |
| 223 | Drug adherence in treatment resistant and in controlled hypertensionâ€"Results from the Swedish Primary Care Cardiovascular Database ( <scp>SPCCD</scp> ). Pharmacoepidemiology and Drug Safety, 2018, 27, 315-321.                                | 0.9 | 2         |
| 224 | Factors Associated With Medication Engagement Among Older Adults With Diabetes: Systematic Review and Meta-Analysis. The Diabetes Educator, 2018, 44, 15-30.   | 2.6 | 13        |
| 225 | Pharmacy-based predictors of non-persistence with and non-adherence to statin treatment among patients on oral diabetes medication in the Netherlands. Current Medical Research and Opinion, 2018, 34, 1013-1019.                                  | 0.9 | 21        |
| 226 | Association between refill adherence to lipid-lowering medications and the risk of cardiovascular disease and mortality in Swedish patients with type 2 diabetes mellitus: a nationwide cohort study. BMJ Open, 2018, 8, e020309.                  | 0.8 | 19        |
| 227 | How does paid sick leave relate to health care affordability and poverty among US workers?. Social Work in Health Care, 2018, 57, 376-392.   | 0.8 | 8         |
| 228 | Patients' Interpersonal Communication Experiences in the Context of Type 2 Diabetes Care. Qualitative Health Research, 2018, 28, 1267-1282.  | 1.0 | 13        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 229 | Statin use in Brazil: findings and implications. Current Medical Research and Opinion, 2018, 34, 1809-1817.  | 0.9 | 21        |
| 231 | The relative benefits of claims and electronic health record data for predicting medication adherence trajectory. American Heart Journal, 2018, 197, 153-162.  | 1.2 | 26        |
| 232 | Child and parental executive functioning in type 1 diabetes: Their unique and interactive role toward treatment adherence and glycemic control. Pediatric Diabetes, 2018, 19, 520-526.   | 1.2 | 27        |
| 233 | PREVALENCE AND IMPACT OF PAINFUL DIABETIC PERIPHERAL NEUROPATHY IN PATIENTS WITH TYPE-2 DIABETES MELLITUS WITH LOW ECONOMIC STATUS. Asian Journal of Pharmaceutical and Clinical Research, 2018, 11, 377.                                  | 0.3 | O         |
| 234 | Assessment of drug related problems among type 2 diabetes mellitus patients with hypertension in Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia. BMC Research Notes, 2018, 11, 728.                                   | 0.6 | 26        |
| 235 | Psychological interventions for behavioral adjustments in diabetes care – a value-based approach to disease control. Psychology Research and Behavior Management, 2018, Volume 11, 145-155.  | 1.3 | 11        |
| 236 | Which drugs cause treatment-related problems? Analysis of 10,672 problems within the outpatient setting. Therapeutics and Clinical Risk Management, 2018, Volume 14, 2273-2281.  | 0.9 | 3         |
| 237 | Barriers for Access to New Medicines: Searching for the Balance Between Rising Costs and Limited Budgets. Frontiers in Public Health, 2018, 6, 328.  | 1.3 | 102       |
| 238 | Time to Filling of New Prescriptions for Chronic Disease Medications Among a Cohort of Elderly Patients in the USA. Journal of General Internal Medicine, 2018, 33, 1877-1884.   | 1.3 | 8         |
| 239 | Integrating factors associated with hypertensive patients' self-management using structural equation model: a cross-sectional study in Guangdong, China. Patient Preference and Adherence, 2018, Volume 12, 2169-2178.                     | 0.8 | 21        |
| 240 | Cross-cultural adaptation and validation of a European Portuguese version of the 8-item Morisky medication adherence scale. Revista Portuguesa De Cardiologia (English Edition), 2018, 37, 297-303.  | 0.2 | 2         |
| 241 | Persistence of oral antidiabetic treatment for type 2 diabetes characterized by drug class, patient characteristics and severity of renal impairment: A Japanese database analysis. Diabetes, Obesity and Metabolism, 2018, 20, 2830-2839. | 2.2 | 17        |
| 242 | Treatment Discontinuation and Clinical Events in Type 2 Diabetes Patients Treated with Dipeptidyl Peptidase-4 Inhibitors or NPH Insulin as Third-Line Therapy. Journal of Diabetes Research, 2018, 2018, 1-7.                              | 1.0 | 9         |
| 243 | Global Clinical Consequences of Poor Adherence. Updates in Hypertension and Cardiovascular Protection, 2018, , 297-314.  | 0.1 | 0         |
| 244 | Association of health literacy and medication self-efficacy with medication adherence and diabetes control. Patient Preference and Adherence, 2018, Volume 12, 793-802.  | 0.8 | 56        |
| 245 | Medication Persistence in Hypertension in General Practice. Updates in Hypertension and Cardiovascular Protection, 2018, , 173-184.  | 0.1 | 0         |
| 246 | Ongoing activities to optimize the quality and efficiency of lipid-lowering agents in the Scottish national health service: influence and implications. Expert Review of Pharmacoeconomics and Outcomes Research, 2018, 18, 655-666.       | 0.7 | 32        |
| 247 | Fatalism, faith and fear: A case study of selfâ€care practice among adults with Type 2 diabetes in urban Malaysia. Journal of Clinical Nursing, 2018, 27, 3758-3767.   | 1.4 | 7         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 248 | Socioeconomic inequality in medication persistence in primary and secondary prevention of coronary heart disease $\hat{a} \in A$ population-wide electronic cohort study. PLoS ONE, 2018, 13, e0194081.  | 1.1 | 13        |
| 249 | The Use of Measurements and Health Behavioral Models to Improve Medication Adherence. , 2018, , 53-69.   |     | 11        |
| 250 | Adherence to cardiovascular medication: a review of systematic reviews. Journal of Public Health, 2019, 41, e84-e94.   | 1.0 | 66        |
| 251 | Associations between untreated depression and secondary health care utilization in patients with hypertension and/or diabetes. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 255-276.  | 1.6 | 16        |
| 252 | Standardized classification and framework for reporting, interpreting, and analysing medication non-adherence in cardiovascular clinical trials: a consensus report from the Non-adherence Academic Research Consortium (NARC). European Heart Journal, 2019, 40, 2070-2085.             | 1.0 | 64        |
| 253 | ALIGNed on adherence: subanalysis of adherence in immuneâ€mediated inflammatory diseases in the DACH region of the global ALIGN study. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 234-241.  | 1.3 | 2         |
| 254 | Blunted cardiovascular responses to acute psychological stress predict low behavioral but not selfâ€reported perseverance. Psychophysiology, 2019, 56, e13449.   | 1,2 | 14        |
| 255 | <p>A nurse-based intervention for improving medication adherence in cardiovascular patients: an evaluation of a randomized controlled trial</p> . Patient Preference and Adherence, 2019, Volume 13, 837-852.  | 0.8 | 11        |
| 256 | Treatment compliance and adherence among patients with diabetic retinopathy and age-related macular degeneration treated by anti-vascular endothelial growth factor under universal health coverage. Graefe's Archive for Clinical and Experimental Ophthalmology, 2019, 257, 2119-2125. | 1.0 | 36        |
| 257 | Current status of stroke in Qatar: Including data from the BRAINS study. JRSM Cardiovascular Disease, 2019, 8, 204800401986916.  | 0.4 | 4         |
| 258 | Development and Validation of the Real-World Progression in Diabetes (RAPIDS) Model. Medical Decision Making, 2019, 39, 137-151.   | 1.2 | 4         |
| 259 | Risk of cardiovascular event and mortality in relation to refill and guideline adherence to lipid-lowering medications among patients with type 2 diabetes mellitus in Sweden. BMJ Open Diabetes Research and Care, 2019, 7, e000639.  | 1.2 | 10        |
| 260 | Affordability effect of diabetic medicine on Patient's treatment adherence case study: Itojo Hospital in Ntungamo District. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 2025-2031.   | 1.8 | 2         |
| 261 | Posterior Cervical Decompression and Fusion: Assessing Risk Factors for Nonhome Discharge and the Impact of Disposition on Postdischarge Outcomes. World Neurosurgery, 2019, 125, e958-e965.   | 0.7 | 11        |
| 262 | The Sub-Saharan Africa Conference on Stroke (SSACS): An idea whose time has come. Journal of the Neurological Sciences, 2019, 400, 194-198.  | 0.3 | 15        |
| 263 | A systematic review finds inconsistency in the measures used to estimate adherence and persistence to multiple cardiometabolic medications. Journal of Clinical Epidemiology, 2019, 108, 44-53.  | 2.4 | 16        |
| 264 | Never Too Old for Cardiac Rehabilitation. Clinics in Geriatric Medicine, 2019, 35, 407-421.  | 1.0 | 26        |
| 265 | Assessing medication adherence using Stata. The Stata Journal, 2019, 19, 820-831.  | 0.9 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 267 | Knowledge regarding medicines management of type 2 diabetes amongst patients attending a Community Health Centre in South Africa. Journal of Pharmaceutical Health Services Research, 2019, 10, 13-28.  | 0.3 | 12        |
| 268 | Comparing algorithms for composite measures of intra-disease multiple medication adherence: The case of diabetes. Research in Social and Administrative Pharmacy, 2019, 15, 1160-1167.  | 1.5 | 2         |
| 269 | Selection of interventions aimed at improving medication adherence in patients with multimorbidity. European Journal of Hospital Pharmacy, 2019, 26, 39-45.   | 0.5 | 4         |
| 270 | Utilidad de las concentraciones séricas de adalimumab como predictores de adherencia al tratamiento. ReumatologÃa ClÃnica, 2020, 16, 32-37.   | 0.2 | 1         |
| 271 | Clinical utility of serum concentrations of adalimumab as predictor of treatment adherence.<br>ReumatologÃa ClÃnica (English Edition), 2020, 16, 32-37.   | 0.2 | 0         |
| 272 | Drug adherence in patients with autoimmune vesiculobullous disorders – a cross sectional study. International Journal of Dermatology, 2020, 59, e41-e43.  | 0.5 | 0         |
| 273 | Sex differences in the risk of vascular disease associated with diabetes. Biology of Sex Differences, 2020, 11, 1.  | 1.8 | 146       |
| 274 | Comparison of persistence and adherence between DPP-4 inhibitor administration frequencies in patients with type 2 diabetes mellitus in Japan: a claims-based cohort study. Current Medical Research and Opinion, 2020, 36, 387-395.  | 0.9 | 6         |
| 275 | MAR: A Study of the Impact of Positive and Negative Reinforcement on Medication Adherence Reminders. , 2020, , .  |     | 2         |
| 276 | Relationship between loneliness and blood glucose control in diabetes. BMC Public Health, 2020, 20, 1140.   | 1.2 | 7         |
| 277 | Peer coach delivered storytelling program for diabetes medication adherence: Intervention development and process outcomes. Contemporary Clinical Trials Communications, 2020, 20, 100653.  | 0.5 | 13        |
| 278 | Are patients more adherent to newer drugs?. Health Care Management Science, 2020, 23, 605-618.  | 1.5 | 4         |
| 279 | Differences Between U.S. Workers With Asthma by Paid Sick Leave Status: An Analysis of the 2018 National Health Interview Survey. Policy, Politics, and Nursing Practice, 2020, 21, 164-173.  | 0.8 | 1         |
| 280 | Validation of self-reported medication use for hypertension, diabetes, and dyslipidemia among employees of large-sized companies in Japan. Journal of Occupational Health, 2020, 62, e12138.  | 1.0 | 4         |
| 281 | Realâ€world evaluation of the impact of statin intensity on adherence and persistence to therapy: A Scottish populationâ€based study. British Journal of Clinical Pharmacology, 2020, 86, 2349-2361.  | 1.1 | 16        |
| 282 | Tailoring Tofacitinib Oral Therapy in Rheumatoid Arthritis: The TuTORApp—A Usability Study.<br>International Journal of Environmental Research and Public Health, 2020, 17, 3469.   | 1.2 | 5         |
| 283 | The effect of health-related information seeking and financial strain on medication nonadherence among patients with diabetes and/or hypertension in central Texas. Journal of Pharmaceutical Health Services Research, 2020, 11, 261-268.  | 0.3 | 0         |
| 284 | Association Between the Level of Reported Good Medication Adherence and the Geographic Location of a Patient's Residence and Presence of a Glucometer Among Adult Patients with Diabetes in Ethiopia: A Systematic and Meta-Analysis. Current Therapeutic Research, 2020, 92, 100585. | 0.5 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 285 | Impact of mobile phone text messaging intervention on adherence among patients with diabetes in a rural setting. Medicine (United States), 2020, 99, e18953.   | 0.4 | 16        |
| 286 | How Public Health Campaigns Promote Public Health Disparities. Southern Communication Journal, The, 2020, 85, 85-96.   | 0.2 | 1         |
| 287 | <p>Non-Adherence to Prescribed Antihypertensives in Primary, Secondary and Tertiary Healthcare Settings in Islamabad, Pakistan: A Cross-Sectional Study</p> . Patient Preference and Adherence, 2020, Volume 14, 73-85.                                      | 0.8 | 18        |
| 288 | Predictive models of medication non-adherence risks of patients with T2D based on multiple machine learning algorithms. BMJ Open Diabetes Research and Care, 2020, 8, e001055.   | 1.2 | 20        |
| 289 | Adherence to lipid-lowering therapy and risk for cardiovascular disease and death in type 1 diabetes mellitus: a population-based study from the Swedish National Diabetes Register. BMJ Open Diabetes Research and Care, 2020, 8, e000719.                  | 1.2 | 7         |
| 290 | Assessment of a medication management program targeting hypertension and diabetes patients: Impact on medication adherence. Research in Social and Administrative Pharmacy, 2021, 17, 419-427.   | 1.5 | 1         |
| 291 | Microgel encapsulated nanoparticles for glucose-responsive insulin delivery. Biomaterials, 2021, 267, 120458.  | 5.7 | 32        |
| 292 | Adherence and persistence among patients with type 2 diabetes initiating dulaglutide compared with semaglutide and exenatide ⟨scp⟩BCise⟨ scp⟩: 6â€month followâ€up from ⟨scp⟩US realâ€world⟨ scp⟩ data. Diabetes, Obesity and Metabolism, 2021, 23, 106-115. | 2.2 | 20        |
| 293 | Patient-Provider Communication and Adherence to Cholesterol Management Advice: Findings from a Cross-Sectional Survey. Population Health Management, 2021, 24, 581-588.  | 0.8 | 1         |
| 294 | Effect of patient and treatment factors on persistence with antihypertensive treatment: A population-based study. PLoS ONE, 2021, 16, e0245610.  | 1.1 | 3         |
| 295 | Infusing Motivation into Reminders for Improving Medication Adherence. Lecture Notes in Computer Science, 2021, , 456-471.   | 1.0 | 0         |
| 296 | Influential factors in adherence to the therapeutic regime in patients with type 2 diabetes and hypertension. Diabetes Research and Clinical Practice, 2021, 173, 108693.  | 1.1 | 12        |
| 297 | Markers of Quality Care for Newly Diagnosed People With Epilepsy on Medicaid. Medical Care, 2021, 59, 588-596.   | 1.1 | 11        |
| 298 | Persistence and adherence to ocrelizumab compared with other disease-modifying therapies for multiple sclerosis in U.S. commercial claims data. Journal of Managed Care & Decialty Pharmacy, 2021, 27, 639-649.  | 0.5 | 9         |
| 299 | Peer coach delivered storytelling program improved diabetes medication adherence: A cluster randomized trial. Contemporary Clinical Trials, 2021, 104, 106358.   | 0.8 | 6         |
| 300 | Aspects of Medication and Patient participation—an Easy guideLine (AMPEL). A conversation guide increases patients' and physicians' satisfaction with prescription talks. Naunyn-Schmiedeberg's Archives of Pharmacology, 2021, 394, 1757-1767.              | 1.4 | 4         |
| 301 | Is therapeutic inertia present in hyperglycaemia, hypertension and hypercholesterolaemia management among adults with type 2 diabetes in three health clinics in Malaysia? a retrospective cohort study. BMC Family Practice, 2021, 22, 111.                 | 2.9 | 7         |
| 302 | Outcomes of Eyes With Diabetic Macular Edema That Are Lost to Follow-up After Anti–Vascular Endothelial Growth Factor Therapy. American Journal of Ophthalmology, 2022, 233, 1-7.  | 1.7 | 11        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 303 | Impact of Socioeconomic Factors and Gender on Refill Adherence and Persistence to Lipid-Lowering Therapy in Type 1 Diabetes. Diabetes Therapy, 2021, 12, 2371-2386.  | 1.2 | 5         |
| 304 | Impact of a motivational interviewing intervention targeting statins on adherence to concurrent hypertension or diabetes medications. Patient Education and Counseling, 2021, 104, 1756-1764.  | 1.0 | 4         |
| 305 | Population-wide impacts of aspirin, statins, and metformin use on prostate cancer incidence and mortality. Scientific Reports, 2021, 11, 16171.  | 1.6 | 6         |
| 307 | Impact of hypoglycemic events and HbA1c level on sulfonylurea discontinuation and down-titration. Expert Review of Pharmacoeconomics and Outcomes Research, 2017, 17, 213-220.   | 0.7 | 2         |
| 308 | Medication Adherence and its Related Factors in Patients with Type II Diabetes. Journal of Education and Community Health, 2017, 2, 3-12.  | 0.7 | 18        |
| 309 | Identifying Brief Message Content for Interventions Delivered via Mobile Devices to Improve<br>Medication Adherence in People With Type 2 Diabetes Mellitus: A Rapid Systematic Review. Journal of<br>Medical Internet Research, 2019, 21, e10421. | 2.1 | 33        |
| 310 | Novel Digital Architecture of a "Low Carb Program―for Initiating and Maintaining Long-Term Sustainable Health-Promoting Behavior Change in Patients with Type 2 Diabetes. JMIR Diabetes, 2020, 5, e15030.  | 0.9 | 11        |
| 311 | Evaluating User Perceptions of Mobile Medication Management Applications With Older Adults: A Usability Study. JMIR MHealth and UHealth, 2014, 2, e11.   | 1.8 | 168       |
| 312 | ClereMed: Lessons Learned From a Pilot Study of a Mobile Screening Tool to Identify and Support Adults Who Have Difficulty With Medication Labels. JMIR MHealth and UHealth, 2014, 2, e35.   | 1.8 | 9         |
| 313 | Efficacy of Mobile Apps to Support the Care of Patients With Diabetes Mellitus: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. JMIR MHealth and UHealth, 2017, 5, e4.  | 1.8 | 223       |
| 314 | Renal denervation in 2019. Siberian Medical Journal, 2019, 34, 21-32.  | 0.3 | 4         |
| 315 | Cross-cultural Adaptation and Validation of Beliefs about Medicines Questionnaire on Asthma and Chronic Obstructive Pulmonary Disease Patients. Turkish Thoracic Journal, 2018, 19, 36-40.   | 0.2 | 9         |
| 316 | Differences in Use of a Exercise-based Tele-rehabilitation Service Delivered as Substitute of or Supplement to Conventional Care. , 2012, , .  |     | 5         |
| 317 | What lessons can be learned from the launch of generic clopidogrel?. GaBI Journal, 2012, 1, 58-68.   | 0.4 | 24        |
| 318 | Adherence to Therapy in Chronic Obstructive Pulmonary Disease., 0, , .   |     | 5         |
| 319 | Working with the Noncompliant Patient. , 2010, 14, 54-60.  |     | 22        |
| 320 | Compliance To and Knowledge of Anti-Hypertensive Therapy amongst Hypertensive Patients Attending Lagos University Teaching Hospital (Luth), Idi-Araba, Lagos, Nigeria. IOSR Journal of Dental and Medical Sciences, 2014, 13, 108-115.             | 0.0 | 4         |
| 321 | Cognitive and Communicative Consequences of Cardiovascular Disease. Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders, 2008, 18, 152-161.   | 0.4 | 3         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 322 | Drinking and Drugs: When Is Enough Too Much?. Annals of Internal Medicine, 2008, 149, 830.   | 2.0 | 1         |
| 323 | Generic Substitution — A Challenge for Adherence in Primary Care and a Reason for Mistakes in Hospitals. The Open Conference Proceedings Journal, 2010, 1, 46-48.  | 0.6 | 0         |
| 324 | An estimation of the effect of $100\%$ Compliance with Diabetes Treatment: Can we reduce cost of illness with higher compliance rates? Innovations in Pharmacy, $2011$ , $2$ , .                                       | 0.2 | 0         |
| 325 | Knowledge and perceptions of prescribers regarding adherence to standard treatment guidelines for malaria: a comparative cross-sectional study from Pakistan. Eastern Mediterranean Health Journal, 2014, 20, 221-228. | 0.3 | 0         |
| 326 | Guideline adherence and control of diabetes mellitus with or without co-morbidities in various wards of a tertiary hospital in Malaysia. International Current Pharmaceutical Journal, 2014, 3, 309-312.               | 0.2 | 2         |
| 327 | Initiatives among Authorities to Improve the Quality and Efficiency of Prescribing and the Implications. Journal of Pharmaceutical Care & Health Systems, 2016, 1, .   | 0.1 | 5         |
| 328 | Effects on Blood Pressure Control and Compliance For Medical Treatment in Hypertensive Patients By Sending Daily SMS as a Reminder. Konuralp Tip Dergisi, 0, , 59-64.  | 0.1 | 1         |
| 330 | Rational Use of Drugs: Adherence with Medication. Kahramanmaraş Sütçü İmam Üniversitesi Tıp Fakültesi Dergisi, 2018, 13, 97-103.   | 0.1 | 0         |
| 332 | House dust mite immunotherapy in Germany: real-world adherence to aÂsubcutaneous allergoid and aÂsublingual tablet. Allergo Journal International, 2021, 30, 183-191.  | 0.9 | 4         |
| 333 | New Polyprenylated Acylphloroglucinol Derivatives and Xanthones From Hypericum wilsonii.<br>Frontiers in Chemistry, 2021, 9, 717904.   | 1.8 | 5         |
| 334 | Evaluating Medication Habits in Medical Mission Patients: A Cross-Sectional Study. Cureus, 2020, 12, e10533.   | 0.2 | 2         |
| 335 | A CROSS-SECTIONAL STUDY ON MEDICATION ADHERENCE AND HYPERTENSION. , 2020, , 14-16.   |     | 0         |
| 336 | Effect of prescription copayments on adherence and treatment failure with oral antidiabetic medications. P and T, 2008, 33, 532-53.  | 1.0 | 16        |
| 337 | Impact of glycemic control on healthcare resource utilization and costs of type 2 diabetes: current and future pharmacologic approaches to improving outcomes. American Health and Drug Benefits, 2013, 6, 382-92.     | 0.5 | 33        |
| 338 | Treatment Compliance among Patients with Hypertension and Type 2 Diabetes Mellitus in a Coastal Population of Southern India. International Journal of Preventive Medicine, 2014, 5, 992-8.                            | 0.2 | 22        |
| 339 | Achievement of LDL Cholesterol Goal and Adherence to Statin by Diabetes Patients in Kelantan. The Malaysian Journal of Medical Sciences, 2017, 24, 44-50.  | 0.3 | 5         |
| 340 | Adherence to Oral Hypoglycemic Drugs among Type 2 Diabetic Patients in a Resource-Poor Setting. International Journal of Applied & Basic Medical Research, 2020, 10, 102-109.  | 0.2 | 1         |
| 341 | Clinical profile of patients with diabetes mellitus in gusau, Northwestern, Nigeria. Annals of African Medicine, 2021, 20, 78-83.  | 0.2 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 342 | Non-compliance in pediatric nephrotic syndrome. , 2021, 6, 4.  |     | 1         |
| 343 | Durable strong efficacy and favorable long-term renal safety of the anatomically optimized distal renal denervation according to the 3 year follow-up extension of the double-blind randomized controlled trial. Heliyon, 2022, 8, e08747. | 1.4 | 2         |
| 344 | Diagnostic and therapeutic characteristics of diabetes mellitus and risk of out-of-hospital cardiac arrest. Scientific Reports, 2022, 12, 1293.  | 1.6 | 2         |
| 345 | Patient and practitioner views on a combined face-to-face and digital intervention to support medication adherence in hypertension: a qualitative study within primary care. BMJ Open, 2022, 12, e053183.                                  | 0.8 | 2         |
| 346 | Development of a Complex Intervention for Effective Management of Type 2 Diabetes in a Developing Country. Journal of Clinical Medicine, 2022, 11, 1149.   | 1.0 | 4         |
| 347 | Greater Adherence and Persistence with Injectable Dulaglutide Compared with Injectable Semaglutide at 1-Year Follow-up: Data from US Clinical Practice. Clinical Therapeutics, 2022, 44, 537-554.  | 1.1 | 4         |
| 348 | Improving Diabetes Care: A Fijian Diabetes Service Improvement Study. International Journal of Chronic Diseases, 2022, 2022, 1-9.  | 1.9 | 0         |
| 354 | Prevalence of poor medication adherence in type 2 diabetics in North Africa. Systematic review and meta-analysis Tunisie Medicale, 2021, 99, 932-945.  | 0.2 | 0         |
| 355 | Dahiliye Kliniklerine Başvuran Tip 2 Diyabet Hastalarında Aile Desteğinin Hastalığı Kabullenme ve Tedavi<br>Uyumuna Etkisi: Ordu İli Örneği. Turkish Journal of Diabetes and Obesity, 2022, 6, 39-48.                                      | 0.0 | 1         |
| 356 | Polypharmacy in diabetes: A nation-wide, pharmacy-based, observational study. Diabetes Epidemiology and Management, 2022, 8, 100088.   | 0.4 | 4         |
| 357 | Initiation of antihypertensive drugs to patients with confirmed COVIDâ€19 ―a populationâ€based cohort study in Sweden. Basic and Clinical Pharmacology and Toxicology, 0, , .  | 1.2 | 2         |
| 358 | Using mHealth to improve adherence and reduce blood pressure in individuals with hypertension and bipolar disorder (iTAB-CV): study protocol for a 2-stage randomized clinical trial. Trials, 2022, 23, .                                  | 0.7 | 3         |
| 359 | A systematic review and meta-analysis on impact of suboptimal use of antidepressants, bisphosphonates, and statins on healthcare resource utilisation and healthcare cost. PLoS ONE, 2022, 17, e0269836.                                   | 1.1 | 4         |
| 360 | Recent Trends in Health Literacy Research, Health Status of the Population and Disease Prevention: An Editorial. International Journal of Environmental Research and Public Health, 2022, 19, 8436.  | 1.2 | 1         |
| 361 | Evaluation of Medication Adherence and its Related Factors among Type 2 Diabetic Patients. Avicenna Journal of Clinical Medicine, 2021, 28, 158-165.   | 0.1 | 1         |
| 362 | Feasibility and patient's experiences of perioperative telemonitoring in major abdominal surgery: an observational pilot study. Expert Review of Medical Devices, 2022, 19, 515-523.   | 1.4 | 5         |
| 363 | Impact of Reduction in Pill Load Upon Use of a Once Weekly DPP-4 Inhibitor in 2 Cases of Type 2 Diabetes., 2022, 5, 84-88.   |     | 0         |
| 364 | Non-persistence to antihypertensive drug therapy in Lithuania. European Journal of Clinical Pharmacology, 2022, 78, 1687-1696.   | 0.8 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 365 | Patient Support Program and Healthcare Resource Utilization in Patients Using Clean Intermittent Catheterization for Bladder Management. Journal of Wound, Ostomy and Continence Nursing, 2022, 49, 470-480.   | 0.6 | 1         |
| 366 | Adherence to vitamin and mineral supplementation after bariatric surgery – A two-year cohort study.<br>Obesity Research and Clinical Practice, 2022, 16, 407-412.  | 0.8 | 7         |
| 367 | Development and assessment of novel machine learning models to predict medication non-adherence risks in type 2 diabetics. Frontiers in Public Health, $0,10,10$   | 1.3 | 3         |
| 368 | Medication adherence prediction through temporal modelling in cardiovascular disease management. BMC Medical Informatics and Decision Making, 2022, 22, .  | 1.5 | 0         |
| 369 | Sodium-glucose cotransporter 2 inhibitors for non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus: A nationwide propensity-score matched cohort study. Diabetes Research and Clinical Practice, 2022, 194, 110187.           | 1.1 | 5         |
| 370 | Japanese pharmacists' information strategy using behavioural economics: provision of numerical information with â€~peak-end rule' improves willingness to take a hypothetical medication. Journal of Pharmaceutical Health Services Research, 0, , . | 0.3 | 0         |
| 371 | Modeling human health behavior with a new index that measures connectivity. Preventive Medicine Reports, 2023, 33, 102172.   | 0.8 | 0         |
| 372 | Oral estradiol/micronized progesterone may be associated with lower risk of venous thromboembolism compared with conjugated equine estrogens/medroxyprogesterone acetate in real-world practice. Maturitas, 2023, 172, 23-31.                        | 1.0 | 0         |
| 373 | Real-World Evaluation of GLP-1 Receptor Agonist Therapy Persistence, Adherence and Therapeutic Inertia Among Obese Adults with Type 2 Diabetes. Diabetes Therapy, 2023, 14, 723-736.   | 1,2 | 3         |
| 374 | Does negative affectivity have an association with achieving target values in hypertensive patients: primary care perspective. Postgraduate Medicine, 2023, 135, 402-409.  | 0.9 | 0         |