

CITATION REPORT

List of articles citing

On the Vickers Indentation Fracture Toughness Test

DOI: 10.1111/j.1551-2916.2006.01482.x

Journal of the American Ceramic Society, 2007, 90, 673-680.

Source: <https://exaly.com/paper-pdf/42914440/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|
| 529 | Phenomena and mechanisms of crack propagation in glass-ceramics. 2008 , 1, 313-25 | | 97 |
| 528 | Comments on "Measurement of the microstructural fracture toughness of cortical bone using indentation fracture". 2008 , 41, 1379-80 | | 18 |
| 527 | Microstructure and mechanical properties of proton irradiated zirconium carbide. 2008 , 378, 341-348 | | 42 |
| 526 | Microstructure and properties of carbon nanotube/zirconia composite. 2008 , 28, 1023-1027 | | 106 |
| 525 | Towards engineering isotropic behaviour of mechanical properties in thermally sprayed ceramic coatings. 2008 , 202, 3643-3652 | | 12 |
| 524 | Fracture toughness evaluation using Palmqvist crack models on AISI 1045 borided steels. 2008 , 488, 562-568 | | 42 |
| 523 | On the brittleness of enamel and selected dental materials. 2008 , 24, 1477-85 | | 99 |
| 522 | Zirconia/carbon nanofiber composite. 2008 , 58, 520-523 | | 62 |
| 521 | Response to comment on "Effect of sintering temperature on single-wall carbon nanotube toughened alumina-based nanocomposite" 2008 , 58, 991-993 | | 28 |
| 520 | Indentation fracture of low-dielectric constant films: Part II. Indentation fracture mechanics model. 2008 , 23, 2443-2457 | | 14 |
| 519 | Ceramic and Glass Matrix Composites Containing Carbon Nanotubes. 2008 , 606, 61-77 | | 3 |
| 518 | . 2009 , | | 58 |
| 517 | Influence of nano-micrometre powder blends on microstructure and mechanical properties of silicon nitride. 2009 , 108, 167-173 | | 5 |
| 516 | Fracture Toughness of Si ₃ N ₄ Based Ceramics with Rare-Earth Oxide Sintering Additives. 2009 , 409, 377-381 | | 3 |
| 515 | Higher fracture toughness of tetragonal zirconia ceramics through nanocrystalline structure. 2009 , 61, 56-59 | | 48 |
| 514 | Calculation of contraction stresses in dental composites by analysis of crack propagation in the matrix surrounding a cavity. 2009 , 25, 543-50 | | 31 |
| 513 | Residual stress in glass: indentation crack and fractography approaches. 2009 , 25, 1453-8 | | 33 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 512 | Hot isostatic pressing (HIP) of Al_2O_3 submicron ceramics pressureless sintered at different temperatures: Improvement in mechanical properties for use in total hip arthroplasty (THA). 2009 , 27, 900-906 | | 21 |
| 511 | Differences in the crack resistance of interstitial, osteonal and trabecular bone tissue. 2009 , 37, 2574-82 | | 12 |
| 510 | Indentation techniques for evaluating the fracture toughness of biomaterials and hard tissues. 2009 , 2, 384-95 | | 159 |
| 509 | Fabrication and mechanical properties of nano-/micro-sized $\text{Al}_2\text{O}_3/\text{SiC}$ composites. 2009 , 504, 49-54 | | 88 |
| 508 | Vickers Indentation Fracture (VIF) modeling to analyze multi-cracking toughness of titania, alumina and zirconia plasma sprayed coatings. 2009 , 527, 65-76 | | 51 |
| 507 | Ceramic matrix composites containing carbon nanotubes. 2009 , 44, 1934-1951 | | 297 |
| 506 | Infrared nanoscopy of strained semiconductors. 2009 , 4, 153-7 | | 87 |
| 505 | Analytical Approaches to Stress Intensity Factor Evaluation for Indentation Cracks. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1093-1097 | 3.8 | 17 |
| 504 | Influence of MoSi_2 Addition on Load-Dependent Fretting Wear Properties of TiB_2 Against Cemented Carbide. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 2059-2066 | 3.8 | 11 |
| 503 | Properties of $\text{Ti}(\text{C},\text{N})$ cermets synthesized by mechanically induced self-sustaining reaction. 2009 , 29, 1173-1182 | | 16 |
| 502 | Correlation of wear behavior and indentation fracture resistance in silicon nitride ceramics hot-pressed with alumina and yttria. 2009 , 29, 1535-1542 | | 32 |
| 501 | Mechanical properties of 2.45GHz microwave sintered $\text{Si}_3\text{N}_4\text{-}\alpha\text{-}\text{ZrO}_2\text{-}\text{MgO}\text{-}\text{ZrO}_2$ system. 2009 , 29, 2037-2043 | | 18 |
| 500 | Hot pressed and spark plasma sintered zirconia/carbon nanofiber composites. 2009 , 29, 3177-3184 | | 84 |
| 499 | Relationship between fracture toughness determined by surface crack in flexure and fracture resistance measured by indentation fracture for silicon nitride ceramics with various microstructures. 2009 , 35, 493-501 | | 22 |
| 498 | On the R-curve behavior of human tooth enamel. 2009 , 30, 4037-46 | | 137 |
| 497 | Hardness, toughness, brittleness and cracking systems in an iron-based bulk metallic glass by indentation. 2009 , 17, 211-217 | | 89 |
| 496 | ISE and fracture toughness evaluation by Vickers hardness testing of an $\text{Al}_3\text{Nb}\text{-}\text{Nb}_2\text{Al}\text{-}\text{AlNbNi}$ in situ composite. 2009 , 472, 65-70 | | 28 |
| 495 | Glass forming ability and mechanical properties characterization on $\text{Mg}_{58}\text{Cu}_{31}\text{Y}_{11}\text{-}\text{Gdx}$ bulk metallic glasses. 2009 , 483, 40-43 | | 12 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 494 | Nanoscale residual stress-field mapping around nanoindentations in SiC by IR s-SNOM and confocal Raman microscopy. 2009 , 17, 22351-7 | 28 |
| 493 | Mechanical Properties of Carbon Nanotube/Ceramic Nanocomposites. 185-214 | 3 |
| 492 | Thermal shock resistance and fracture toughness of liquid-phase-sintered SiC-based ceramics. 2009 , 29, 2387-2394 | 64 |
| 491 | Thermo-mechanical properties of alumina films created using the atomic layer deposition technique. 2010 , 164, 58-67 | 72 |
| 490 | Fracture processes and mechanisms of crack growth resistance in human enamel. 2010 , 62, 76-82 | 25 |
| 489 | Effect of Nb + Ti coating on the wetting behavior, interfacial microstructure, and mechanical properties of Al/Al ₂ O ₃ joints. 2010 , 45, 2194-2202 | 4 |
| 488 | Calculation and experimental determinations of the residual stress distribution in alumina/Ni/alumina and alumina/Ni/nickel alloy systems. 2010 , 45, 4133-4140 | 5 |
| 487 | Fracture resistance of technical and optical glasses: edge flaking of specimens. 2010 , 42, 280-286 | 3 |
| 486 | Comparison of edge chipping resistance of PFM and veneered zirconia specimens. 2010 , 26, 13-20 | 51 |
| 485 | Sintering, microstructure and mechanical properties of Al ₂ O ₃ -ZrO ₂ -Y ₂ O ₃ (AYZ) eutectic composition ceramic microcomposites. 2010 , 30, 649-656 | 44 |
| 484 | Carbon nanotube toughened aluminium oxide nanocomposite. 2010 , 30, 865-873 | 166 |
| 483 | Fracture resistance estimation of elastic ceramics in edge flaking: EF baseline. 2010 , 30, 1223-1228 | 20 |
| 482 | Static and dynamic fracture of transparent nanograined alumina. 2010 , 58, 484-501 | 27 |
| 481 | Room temperature Young's modulus, shear modulus, Poisson's ratio and hardness of PbTe/BiSb thermoelectric materials. 2010 , 170, 58-66 | 80 |
| 480 | The fracture behaviour of dental enamel. 2010 , 31, 375-84 | 108 |
| 479 | Intrinsic stress effect on fracture toughness of plasma enhanced chemical vapor deposited SiN _x :H films. 2010 , 518, 4898-4907 | 53 |
| 478 | Fracture behaviour of Y-TZP ceramics: New outcomes. 2010 , 36, 345-350 | 28 |
| 477 | Indentation fracture resistance test round robin on silicon nitride ceramics. 2010 , 36, 899-907 | 15 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 476 | Multi-walled carbon nanotubes reinforced Al ₂ O ₃ nanocomposites: Mechanical properties and interfacial investigations. 2010 , 70, 1199-1206 | | 140 |
| 475 | Spark Plasma-Sintered WC-Co Nanocomposites with High Fracture Toughness and Strength. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1754 | 3.8 | 42 |
| 474 | Internal Residual Stress Measurements in a Bioactive Glass Ceramic Using Vickers Indentation. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2359-2368 | 3.8 | 16 |
| 473 | Fracture Resistance of Ceramics. 2010 , 601-631 | | |
| 472 | Glasses: New approach to fracture behavior analysis. 2010 , 356, 1021-1026 | | 17 |
| 471 | Elastic properties and surface damage resistance of nitrogen-rich (Ca,Sr) glasses. 2010 , 356, 2120-2126 | | 10 |
| 470 | Microstructure Development and Properties of Non-Oxide Ceramic Nanocomposites. 2011 , 366-390 | | |
| 469 | Indentation testing and its acoustic emission response: applications and emerging trends. 2011 , 56, 98-142 | | 45 |
| 468 | Mechanical behavior of Ceramics. 2011 , 34-64 | | |
| 467 | Determination of fracture toughness of bulk materials and thin films by nanoindentation: comparison of different models. 2011 , 91, 1163-1178 | | 45 |
| 466 | High resolution measurement of dynamic (nano) indentation impact energy: a step towards the determination of indentation fracture resistance. 2011 , 91, 1200-1220 | | 22 |
| 465 | Overview: Mechanical Properties of Ceramics. 2011 , 18-38 | | 1 |
| 464 | Fracture Toughness of Microplasma-Sprayed Hydroxyapatite Coating by Nanoindentation. 2011 , 8, 572-590 | | 21 |
| 463 | Rate Sensitive Indentation Response of a Coarse-Grained Magnesium Aluminate Spinel. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3960-3966 | 3.8 | 21 |
| 462 | Crack tip fracture toughness of base glasses for dental restoration glass-ceramics using crack opening displacements. 2011 , 4, 1291-8 | | 16 |
| 461 | Grain size dependence of fracture toughness for fine grained alumina. 2011 , 65, 143-146 | | 50 |
| 460 | Subcritical crack growth behavior and life data analysis of two types of dental Y-TZP ceramics. 2011 , 27, 684-91 | | 30 |
| 459 | Processing and properties of alumina-carbon nano fibre ceramic composites using standard ceramic technology. 2011 , 37, 3371-3379 | | 10 |

| | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 458 | On the mechanics of edge chipping from spherical indentation. 2011 , 169, 85-95 | 17 |
| 457 | Recent developments on WC-based bulk composites. 2011 , 46, 571-589 | 77 |
| 456 | Carbon nanotubes: do they toughen brittle matrices?. 2011 , 46, 4770-4779 | 52 |
| 455 | Quantitative optical fluorescence microprobe measurements of stresses around indentations in Al ₂ O ₃ and Al ₂ O ₃ /SiC nanocomposites: The influence of depth resolution and specimen translucency. 2011 , 59, 2637-2647 | 15 |
| 454 | Wear Behavior of Plasma-Sprayed Carbon Nanotube-Reinforced Aluminum Oxide Coating in Marine and High-Temperature Environments. 2011 , 20, 1217-1230 | 43 |
| 453 | Determination of the slow crack growth susceptibility coefficient of dental ceramics using different methods. 2011 , 99, 247-57 | 9 |
| 452 | Mechanical properties of nuclear waste glasses. 2011 , 408, 188-193 | 19 |
| 451 | Microstructure and mechanical properties of Al ₂ O ₃ /Er ₃ Al ₅ O ₁₂ eutectic rods grown by the laser-heated floating zone method. 2011 , 31, 1241-1250 | 57 |
| 450 | Reliability enhancement in nickel-particle-dispersed alkaline niobate piezoelectric composites and actuators. 2011 , 31, 795-800 | 18 |
| 449 | Mechanical and elastic properties of fine-grained polycrystalline scandia and erbia as determined by indentation techniques. 2011 , 31, 1703-1712 | 10 |
| 448 | Acoustic emission analysis of Vickers indentation fracture of cermet and ceramic coatings. 2011 , 22, 125704 | 4 |
| 447 | Experimental determination of the fracture toughness via microscratch tests: Application to polymers, ceramics, and metals. 2012 , 27, 485-493 | 89 |
| 446 | The Role of Strength in Determining Composite Material Toughness Using the Interface Indentation Fracture Test. 2012 , | |
| 445 | Probing material properties with sharp indenters: a retrospective. 2012 , 47, 1-22 | 63 |
| 444 | Selecting Ceramic Grinding Media: Part 1 – Theory. 2012 , 35, 2051-2057 | 3 |
| 443 | References. 2012 , 378-406 | 1 |
| 442 | Micromechanical properties of (Na,Zn)-sulfophosphate glasses. 2012 , 358, 1032-1037 | 16 |
| 441 | Residual stresses in porcelain-veneered zirconia prostheses. 2012 , 28, 873-9 | 76 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 440 | Alumina toughened zirconia from yttria coated powders. 2012 , 32, 3911-3918 | | 27 |
| 439 | Embrittlement study of electroplated nickel films by microindentation. 2012 , 67, 919-922 | | 4 |
| 438 | Effect of phase transformations on the fracture toughness of t? yttria stabilized zirconia. 2012 , 556, 927-935 | | 52 |
| 437 | Properties and Characteristics of ZrC. 2012 , 339-372 | | 28 |
| 436 | Micro- and macro-mechanical testing of transparent MgAl ₂ O ₄ spinel. 2012 , 47, 4821-4826 | | 20 |
| 435 | Characterization and mechanical testing of alumina-based nanocomposites reinforced with niobium and/or carbon nanotubes fabricated by spark plasma sintering. 2012 , 60, 622-632 | | 52 |
| 434 | Compositional and microstructural design of highly bioactive P ₂ O ₅ -Na ₂ O-CaO-SiO ₂ glass-ceramics. 2012 , 8, 321-32 | | 91 |
| 433 | Micro-indentation fracture from flat-ended cylindrical indenter. 2012 , 35, 45-55 | | 7 |
| 432 | A Study of the Microstructure and Vickers Indentation Fracture Toughness of Silicon Carbide Coatings on TRISO Fuel Particles. <i>Journal of the American Ceramic Society</i> , 2012 , 95, n/a-n/a | 3.8 | 2 |
| 431 | Hard and tough carbon nanotube-reinforced zirconia-toughened alumina composites prepared by spark plasma sintering. 2012 , 50, 706-717 | | 53 |
| 430 | Evaluation of fracture toughness of small volumes by means of cube-corner nanoindentation. 2012 , 66, 670-673 | | 33 |
| 429 | Evaluation of the micro-hardness and fracture toughness of amorphous and partially crystallized 3CaO/P ₂ O ₅ âSiO ₂ âMgO bioglasses. 2012 , 533, 26-32 | | 13 |
| 428 | Mechanical properties and toughening mechanisms of silicon carbide nano-particulate reinforced Alon composites. 2012 , 538, 118-124 | | 10 |
| 427 | WC-18 wt.% Co with simultaneous improvements in hardness and toughness derived from nanocrystalline powder. 2012 , 537, 39-48 | | 39 |
| 426 | Microstructure and mechanical properties of three porous Si ₃ N ₄ ceramics fabricated by different techniques. 2012 , 549, 43-49 | | 33 |
| 425 | Processing and characterization of high-density zirconiaâcarbon nanotube composites. 2012 , 549, 50-59 | | 27 |
| 424 | Toughness evaluation of hard coatings and thin films. 2012 , 520, 2375-2389 | | 182 |
| 423 | Revealing crack profiles in polycrystalline tetragonal zirconia by ageing. 2012 , 32, 1541-1549 | | 3 |

| | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 422 | Towards physical properties tailoring of carbon nanotubes-reinforced ceramic matrix composites. 2012 , 32, 3001-3020 | 173 |
| 421 | Indentation strength method to determine the fracture toughness of $\text{La}_{0.58}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ and $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ 2012 , 47, 2695-2699 | 20 |
| 420 | Fracture Mechanics Measurements. 2013 , 717-731 | 2 |
| 419 | Properties of open-cell porous metals and alloys for orthopaedic applications. 2013 , 24, 2293-325 | 91 |
| 418 | A preliminary investigation of fracture toughness of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ and its comparison to other solid Li-ionconductors. 2013 , 96, 117-120 | 61 |
| 417 | Injection molding of ceramic cutting tools for wood-based materials. 2013 , 33, 3115-3122 | 9 |
| 416 | Tomography of indentation cracks in feldspathic dental porcelain on zirconia. 2013 , 29, 348-56 | 14 |
| 415 | cBN reinforced Y-TiAlON composites. 2013 , 33, 2191-2198 | 23 |
| 414 | Effect of the anisotropic growth on the fracture toughness measurements obtained in the Fe_2B layer. 2013 , 237, 292-298 | 26 |
| 413 | Criteria of ceramics fracture (edge chipping and fracture toughness tests). 2013 , 39, 3293-3300 | 18 |
| 412 | Relaxation kinetics of the mechanical properties of an aluminosilicate glass. 2013 , 362, 40-46 | 19 |
| 411 | Effect of lithium-to-magnesium ratio in metaphosphate glasses on crack-tip condensation and sub-critical crack growth. 2013 , 375, 47-54 | 8 |
| 410 | Influence of Silver Incorporation on Toughness Improvement of Diamond-Like Carbon Film Prepared by Ion Beam Assisted Deposition. 2013 , 89, 578-593 | 12 |
| 409 | Fabrication of a high-strength lithium disilicate glass-ceramic in a complex glass systemPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. 2013 , 1, 46-52 | 31 |
| 408 | Round robin on indentation fracture resistance of silicon carbide ceramics by using a powerful optical microscope. 2013 , 39, 611-617 | 13 |
| 407 | The influence of residual thermal stresses on the mechanical properties of multilayer $\text{Al}_2\text{O}_3/\text{TiC}_x\text{N}_1$ coatings on WC/Co cutting tools. 2013 , 215, 119-126 | 19 |
| 406 | Review of graphene-ceramic matrix composites. 2013 , 112, 443-454 | 211 |
| 405 | Microstructure and mechanical properties of hot-pressed WC-MgO composites with Cr_3C_2 or VC addition. 2013 , 41, 41-47 | 7 |

| | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 404 | Hidden contributions of the enamel rods on the fracture resistance of human teeth. 2013 , 9, 4806-14 | 82 |
| 403 | Elastic and micromechanical properties of isostatically compressed soda-borate glasses. 2013 , 364, 44-52 | 50 |
| 402 | Improved accuracy of the measurements of indentation fracture resistance for silicon nitride ceramics by the powerful optical microscopy. 2013 , 39, 9499-9504 | 11 |
| 401 | Preparation-microstructure-property relationships in double-walled carbon nanotubes/alumina composites. 2013 , 53, 62-72 | 43 |
| 400 | Microstructure and mechanical properties of hot pressed Al ₂ O ₃ /SiC nanocomposites. 2013 , 33, 2291-2298 | 44 |
| 399 | Mechanical Properties of Ceramics. 2013 , 609-632 | 2 |
| 398 | Effect of nitrogen and fluorine on mechanical properties and bioactivity in two series of bioactive glasses. 2013 , 23, 133-48 | 19 |
| 397 | Fracture toughness of Co ₄ Sb ₁₂ and In _{0.1} Co ₄ Sb ₁₂ thermoelectric skutterudites evaluated by three methods. 2013 , 552, 492-498 | 45 |
| 396 | On the toughness enhancement in hydroxyapatite-based composites. 2013 , 61, 5198-5215 | 70 |
| 395 | Determination de la ténacité de matériaux fragiles ou ductiles à partir de l'essai d'indentation. 2013 , 110, 215-233 | 3 |
| 394 | Microstructure and mechanical properties of MgO-stabilized ZrO ₂ -Al ₂ O ₃ dental composites. 2013 , 18, 123-31 | 17 |
| 393 | Unprecedented simultaneous enhancement in strain tolerance, toughness and strength of Al ₂ O ₃ ceramic by multiwall-type failure of a high loading of carbon nanotubes. 2013 , 24, 155702 | 36 |
| 392 | Influence of diamond particles content on the critical load for crack initiation and fracture toughness of SiOC glass-diamond composites. 2013 , 33, 847-858 | 9 |
| 391 | Mechanical properties of ZrB ₂ - and HfB ₂ -based ultra-high temperature ceramics fabricated by spark plasma sintering. 2013 , 33, 1373-1386 | 126 |
| 390 | Environmental effects on fatigue of alkaline earth aluminosilicate glass with varying fictive temperature. 2013 , 379, 161-168 | 15 |
| 389 | High-speed wear testing of selected ceramics in abrasive slurry. 2013 , 47, 012013 | |
| 388 | Ceramic injection moulding of alumina-10 vol.-%YAG composites. 2013 , 112, 125-130 | 2 |
| 387 | Effects of electric field on the fracture toughness (K _{Ic}) of ceramic PZT. 2013 , 22, 094014 | 2 |

| | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 386 | Characterization of boron nitride-reinforced hydroxyapatite composites prepared by spark plasma sintering and hot press. 2013 , 121, 344-347 | 5 |
| 385 | Round Robin on Indentation Fracture Resistance of Silicon Carbide for Small Ceramic Products. 2013 , 143-150 | |
| 384 | . 2013 , | 1 |
| 383 | Recent advances in understanding the reinforcing ability and mechanism of carbon nanotubes in ceramic matrix composites. 2014 , 15, 064902 | 66 |
| 382 | Carbon Nanotube-Reinforced Ceramic Matrix Composites: Processing and Properties. 2014 , 131-157 | 5 |
| 381 | Fracture Resistance of Ceramics. 2014 , 601-631 | |
| 380 | Unit-sphere multiaxial stochastic-strength model applied to a composite material. 2014 , 48, 3395-3424 | 3 |
| 379 | On the Mechanics of Fatigue and Fracture in Teeth. 2014 , 66, 0308031-3080319 | 59 |
| 378 | Influence of heat treatments upon the mechanical properties and in vitro bioactivity of ZrO ₂ -toughened MgO-CaO-SiO ₂ -P ₂ O ₅ -CaF ₂ glass-ceramics. 2014 , 9, 031014 | 6 |
| 377 | Fracture Toughness of Plasma-Sprayed Thermal Barrier Ceramics: Influence of Processing, Microstructure, and Thermal Aging. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2736-2744 | 3.8 93 |
| 376 | Toughness measurement on ball specimens. Part II: Experimental procedure and measurement uncertainties. 2014 , 34, 1881-1892 | 9 |
| 375 | Chemically induced fracturing in alkali feldspar. 2014 , 41, 1-16 | 16 |
| 374 | Hardness and fracture toughness of thermoelectric La ₃ Te ₄ . 2014 , 49, 1150-1156 | 21 |
| 373 | Influence of veneering porcelain thickness and cooling rate on residual stresses in zirconia molar crowns. 2014 , 30, 271-80 | 43 |
| 372 | Mechanical properties up to 1900 K of Al ₂ O ₃ /Er ₃ Al ₅ O ₁₂ /ZrO ₂ eutectic ceramics grown by the laser floating zone method. 2014 , 34, 2081-2087 | 51 |
| 371 | Mechanical Properties and Reliability of Advanced Ceramics. 2014 , 173-199 | |
| 370 | Fracture Toughness and Tensile Strength of Core Soil. 2014 , 69-98 | |
| 369 | Fracture behaviour of Al ₂ O ₃ ceramics reinforced with a mixture of single-wall and multi-wall carbon nanotubes. 2014 , 60, 463-470 | 39 |

| | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 368 | Fabrication of Zn ₄ Sb ₃ Bulk Thermoelectric Materials Reinforced with SiC Whiskers. 2014 , 43, 2047-2052 | 16 |
| 367 | Characteristics of indentation cracking using cohesive zone finite element techniques for pyramidal indenters. 2014 , 51, 4327-4335 | 15 |
| 366 | Densification and mechanical properties of cBN-TiB ₂ composites prepared by spark plasma sintering of SiO ₂ -coated cBN powder. 2014 , 34, 3619-3626 | 24 |
| 365 | Review of mechanical characterization methods for ceramics used in energy technologies. 2014 , 40, 15371-15380 | 20 |
| 364 | Understanding residual stresses and fracture toughness in ceramic nanocomposites. 2014 , 256-292 | 7 |
| 363 | Improving CNT distribution and mechanical properties of MWCNT reinforced alumina matrix. 2014 , 617, 110-114 | 21 |
| 362 | Mechanical properties and deformation mechanisms of B ₄ C-TiB ₂ eutectic composites. 2014 , 34, 2043-2050 | 23 |
| 361 | Mechanical properties of silicon nitride rolling elements in dependence of size and shape. 2014 , 34, 4167-4176 | 9 |
| 360 | Refined measurements of indentation fracture resistance of alumina using powerful optical microscopy. 2014 , 40, 2777-2783 | 15 |
| 359 | An inset CT specimen for evaluating fracture in small samples of material. 2014 , 30, 358-68 | 9 |
| 358 | A comparison of microstructure and mechanical properties of 12Ce-TZP reinforced with alumina and in situ formed strontium- or lanthanum hexaaluminate precipitates. 2014 , 34, 413-423 | 40 |
| 357 | Influence of cyclic loading on the fracture toughness and load bearing capacities of all-ceramic crowns. 2014 , 6, 99-104 | 34 |
| 356 | A new method for the preparation of ultra-sharp V-notches to measure fracture toughness in ceramics. 2014 , 34, 4059-4062 | 25 |
| 355 | Fracture Toughness of Porous Material of LSCF in Bulk and Film Forms. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2183-2190 | 3.8 18 |
| 354 | The Compelling Case for Indentation as a Functional Exploratory and Characterization Tool. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2671-2680 | 3.8 58 |
| 353 | Interaction of Indentation-Induced Cracks on Single-Crystal Silicon Carbide. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1891-1897 | 3.8 7 |
| 352 | Toughness Evaluation of Thin Hard Coatings and Films. 2015 , 47-122 | 4 |
| 351 | Advanced Measurements of Indentation Fracture Resistance of Alumina by the Powerful Optical Microscopy for Small Ceramic Products. 2015 , 107-113 | |

| | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 350 | Restriction of Phase Transformation in Carbon Nanotube-Reinforced Yttria-Stabilized Zirconia. 2015 , 46, 2965-2974 | 13 |
| 349 | Crystallization toughening of a model glass-ceramic. 2015 , 86, 216-228 | 108 |
| 348 | Properties and Performance of Polycrystalline Cubic Boron Nitride. 2015 , 12, E74-E81 | 3 |
| 347 | Contact damage of silicon carbide ceramics with different grain structures measured by Hertzian and Vickers indentation. 2015 , 35, 1725-1736 | 22 |
| 346 | Novel measurement technique of crack length for indentation fracture (IF) method using high contrast image of crack tips through thin film coating. 2015 , 35, 2943-2948 | 3 |
| 345 | Fracture toughness testing of nanocrystalline alumina and fused quartz using chevron-notched microbeams. 2015 , 86, 385-395 | 80 |
| 344 | Geometry of nanoindentation cube-corner cracks observed by FIB tomography: Implication for fracture resistance estimation. 2015 , 35, 2949-2955 | 23 |
| 343 | Determination of fracture toughness of brittle materials by indentation. 2015 , 28, 221-234 | 17 |
| 342 | Large increase in fracture resistance of stishovite with crack extension less than one micrometer. 2015 , 5, 10993 | 19 |
| 341 | Instrumented and Vickers Indentation for the Characterization of Stiffness, Hardness and Toughness of Zirconia Toughened Al ₂ O ₃ and SiC Armor. 2015 , 31, 773-783 | 68 |
| 340 | Toughness measurement of thin films based on circumferential cracks induced at conical indentation. 2015 , 193, 117-130 | 9 |
| 339 | Ceramics and ceramic coatings in orthopaedics. 2015 , 35, 4327-4369 | 126 |
| 338 | Mechanical properties of soda-silica glasses with varying alkaline earth contents. 2015 , 429, 190-197 | 27 |
| 337 | Cracking resistance of Cr ₃ C ₂ -NiCr and WC-Cr ₃ C ₂ -Ni thermally sprayed coatings under tensile bending stress. 2015 , 281, 169-175 | 23 |
| 336 | Mechanical properties of 12Ce ₂ ZrO ₂ /3Y ₂ ZrO ₂ composites. 2015 , 41, 14988-14997 | 17 |
| 335 | Double-walled carbon nanotube/zirconia composites: Preparation by spark plasma sintering, electrical conductivity and mechanical properties. 2015 , 41, 13731-13738 | 25 |
| 334 | Mechanical and elastic properties of new silicon nitride ceramics produced by cold isostatic pressing and free sintering. 2015 , 41, 13716-13720 | 16 |
| 333 | International round-robin test on an improved indentation fracture (IF) method performed through high-magnification microscopy with a traveling stage. 2015 , 41, 13271-13276 | 2 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 332 | Elasticity, deformation and fracture of mixed fluoride-phosphate glasses. 2015 , 430, 99-107 | | 27 |
| 331 | Mechanical properties of pure and doped cerium oxide. 2015 , 35, 1539-1547 | | 18 |
| 330 | Properties of CMAS glass from desert sand. 2015 , 41, 3901-3909 | | 30 |
| 329 | Circular channel cracks during indentation in thin films on ductile substrates. 2015 , 98, 263-270 | | 5 |
| 328 | Unoxidized graphene/alumina nanocomposite: fracture- and wear-resistance effects of graphene on alumina matrix. 2014 , 4, 5176 | | 145 |
| 327 | Fracture-induced amorphization of polycrystalline SiO ₂ stishovite: a potential platform for toughening in ceramics. 2014 , 4, 6558 | | 18 |
| 326 | Fracture Toughness of Advanced Structural Ceramics: Applying ASTM C1421. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 607-615 | 3.8 | 12 |
| 325 | Nanoindentation and fracture toughness of nanostructured zirconia/multi-walled carbon nanotube composites. 2015 , 41, 2453-2461 | | 36 |
| 324 | Effect of notch depth on fracture toughness of Y-TZP and determination of its actual value. 2015 , 41, 869-872 | | 24 |
| 323 | A 2000-year perspective on indentation crack resistance and brittleness of glass. 2015 , 408, 51-56 | | 6 |
| 322 | In vitro fracture toughness of commercial Y-TZP ceramics: a systematic review. 2015 , 24, 1-11 | | 11 |
| 321 | Tenacidad a la fractura de compuestos cermetes 3Al ₂ O ₃ *2SiO ₂ /Ag manufacturados por molienda de alta energí. 2016 , 21, 243-251 | | 3 |
| 320 | Bulk Mechanical Properties Testing of Metallic Marginal Glass Formers. 2016 , 2016, 1-8 | | 6 |
| 319 | Evaluation of Sinking-In and Cracking Behavior of Soda-Lime Glass under Varying Angle of Trigonal Pyramid Indenter. 2016 , 3, | | 12 |
| 318 | Directionally Solidified Boride and Carbide Eutectic Ceramics. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 1837-1851 | 3.8 | 32 |
| 317 | Simplified method for determining fracture toughness of two dental ceramics. 2016 , 35, 76-81 | | 4 |
| 316 | Bulk elastic properties, hardness and fatigue of calcium aluminosilicate glasses in the intermediate-silica range. 2016 , 434, 1-12 | | 46 |
| 315 | Fracture toughness measurement in fused quartz using triangular chevron-notched micro-cantilevers. 2016 , 112, 132-135 | | 33 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 314 | Investigation of microstructure and mechanical properties at low and high temperatures of WCâCo. 2016 , 58, 172-181 | | 9 |
| 313 | Effect of sintering atmosphere on the hardness of ThO ₂ . 2016 , 477, 222-227 | | 6 |
| 312 | Micro-scale fracture experiments on zirconium hydrides and phase boundaries. 2016 , 475, 105-112 | | 27 |
| 311 | The effects of microstructure on Vickers indentation damage in TiC-316L stainless steel cermets. 2016 , 61, 151-161 | | 17 |
| 310 | Effect of CO ₂ Exposure on the Chemical Stability and Mechanical Properties of BaZrO ₃ -Ceramics. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 3685-3695 | 3.8 | 35 |
| 309 | Fatigue reliability evaluation of aluminium alloy coated with Diamond-Like Carbon/AlN hybrid coatings by UBMS. 2016 , 82, 16-00157-16-00157 | | 1 |
| 308 | Mechanical Properties of Plasma-Sprayed Mullite-Reinforced TitaniaâBioglass Composite. 2016 , 13, 1074-1083 | | 1 |
| 307 | Surface microstructural changes of spark plasma sintered zirconia after grinding and annealing. 2016 , 42, 15610-15617 | | 4 |
| 306 | Crucial effect of angular flexibility on the fracture toughness and nano-ductility of aluminosilicate glasses. 2016 , 454, 46-51 | | 18 |
| 305 | Enhancement of toughness and wear resistance in boron nitride nanoplatelet (BNNP) reinforced Si ₃ N ₄ nanocomposites. 2016 , 6, 27609 | | 36 |
| 304 | Dispersion and Reinforcing Mechanism of Carbon Nanotubes in a Ceramic Material. 2016 , 63, 955-964 | | 2 |
| 303 | Fracture Toughness of Hard and Superhard Materials: Testing Methods and Limitations. 2016 , 135-165 | | |
| 302 | VGF bulk growth, crystalline perfection and mechanical studies of CdZnTe single crystal: A detector grade materials. 2016 , 686, 438-446 | | 24 |
| 301 | Microscopic fracture characterization of gas shale via scratch testing. 2016 , 78, 86-92 | | 37 |
| 300 | Effect of sawing induced micro-crack orientations on fracture properties of silicon wafers. 2016 , 154, 262-271 | | 10 |
| 299 | Surface toughness of silicon nitride bioceramics: I, Raman spectroscopy-assisted micromechanics. 2016 , 54, 328-45 | | 8 |
| 298 | Application of ASTM C1421 to WC-Co fracture toughness measurement. 2016 , 58, 8-13 | | 7 |
| 297 | A Fracture Toughness Test Using the Ball-on-Three-Balls Test. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 249-256 | 3.8 | 18 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 296 | Grain size dependence of hardness and fracture toughness in pure near fully-dense boron carbide ceramics. 2016 , 36, 1829-1834 | 79 |
| 295 | Correlation of the indentation fracture resistance measured using high-resolution optics and the fracture toughness obtained by the single edge-notched beam (SEPB) method for typical structural ceramics with various microstructures. 2016 , 42, 7873-7876 | 13 |
| 294 | Additive-free hot-pressed silicon carbide ceramics—a material with exceptional mechanical properties. 2016 , 36, 1333-1341 | 30 |
| 293 | Ceramics: Fracture Toughness Testing. 2016 , | |
| 292 | Synthesis and properties of new SiAlon/TiN composites via a novel AlxTiy intermediate. 2016 , 42, 2330-2338 | 12 |
| 291 | On the importance of aging to the crack growth resistance of human enamel. 2016 , 32, 264-274 | 12 |
| 290 | R-curve analysis of solid-phase-sintered and liquid-phase-sintered silicon carbide ceramics by indentation fracture and indentation-strength-in-bending methods. 2016 , 42, 4011-4018 | 9 |
| 289 | Bioactive oxynitride glasses: Synthesis, structure and properties. 2016 , 36, 2869-2881 | 19 |
| 288 | Investigation of the mechanical behaviour of lithium-ion batteries by an indentation technique. 2016 , 105, 1-10 | 15 |
| 287 | The influence of unshielded small cracks in the fracture toughness of yttria and of ceria stabilised zirconia. 2016 , 36, 147-153 | 16 |
| 286 | A review of doped lanthanum gallates as electrolytes for intermediate temperature solid oxides fuel cells: From materials processing to electrical and thermo-mechanical properties. 2016 , 36, 1-16 | 51 |
| 285 | Tribological characterisation of silicon nitride/multilayer graphene nanocomposites produced by HIP and SPS technology. 2016 , 93, 269-281 | 32 |
| 284 | On the Development of Experimental Methods for the Determination of Fracture Mechanical Parameters of Ceramics. 2016 , 197-214 | 2 |
| 283 | Microscopic assessment of bone toughness using scratch tests. 2017 , 6, 17-25 | 16 |
| 282 | Vickers indentation fracture toughness of Y-TZP dental ceramics. 2017 , 64, 14-19 | 34 |
| 281 | Additive manufacturing and mechanical characterization of high density fully stabilized zirconia. 2017 , 43, 6082-6088 | 42 |
| 280 | Extended glaze firing on ceramics for hard machining: Crack healing, residual stresses, optical and microstructural aspects. 2017 , 33, 226-240 | 27 |
| 279 | Review of the mechanical and fracture behavior of perovskite lead-free ferroelectrics for actuator applications. 2017 , 26, 063001 | 57 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 278 | Microscale fracture mechanisms of a Cr ₃ C ₂ -NiCr HVOF coating. 2017 , 688, 62-69 | 8 |
| 277 | Nature-inspired design of strong, tough glass-ceramics. 2017 , 42, 220-225 | 25 |
| 276 | Mechanical properties and lifetime predictions of dense SrTi _{1-x} Fe _x O _{3-δ} (x = 0.25, 0.35, 0.5). 2017 , 37, 2629-2636 | 19 |
| 275 | High-strength, translucent glass-ceramics in the system MgO-ZnO-Al ₂ O ₃ -SiO ₂ -ZrO ₂ . 2017 , 37, 2685-2694 | 25 |
| 274 | Determination of fracture toughness of zirconia ceramics with different yttria concentrations by SEVNB method. 2017 , 43, 10572-10575 | 20 |
| 273 | ADM guidance-Ceramics: Fracture toughness testing and method selection. 2017 , 33, 575-584 | 57 |
| 272 | Microstructure and mechanical properties of nucleant-free Li ₂ O-CaO-SiO ₂ glass-ceramics. 2017 , 130, 347-360 | 25 |
| 271 | Absence of toughening behavior in 0.94(Na ^{1/2} Bi ^{1/2})TiO ₃ -0.06BaTiO ₃ relaxor ceramic. 2017 , 136, 115-119 | 11 |
| 270 | Boron carbide/graphene platelet ceramics with improved fracture toughness and electrical conductivity. 2017 , 37, 3773-3780 | 47 |
| 269 | Mechanical properties and sliding wear behaviour of Al ₂ O ₃ -SiC nanocomposites with 3±0 vol% SiC. 2017 , 37, 4297-4306 | 26 |
| 268 | Short crack fracture toughness in (1± δ)(Na ^{1/2} Bi ^{1/2})TiO ₃ ±BaTiO ₃ relaxor ferroelectrics. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4760-4769 | 3.8 18 |
| 267 | Accurate measurement of fracture toughness in structural ceramics. 2017 , 37, 4207-4212 | 28 |
| 266 | Academy of Dental Materials guidance-Resin composites: Part I-Mechanical properties. 2017 , 33, 880-894 | 111 |
| 265 | Ferroelectric glass-ceramics. 2017 , 42, 213-219 | 11 |
| 264 | Recent progress in graphene based ceramic composites: a review. 2017 , 32, 84-106 | 75 |
| 263 | Effect of Gd content on mechanical properties and erosion durability of sub-stoichiometric Gd ₂ Zr ₂ O ₇ . 2017 , 313, 177-183 | 21 |
| 262 | Critical evaluation of indentation fracture toughness measurements with Vickers indenter on yttria-stabilized zirconia dental ceramics. 2017 , 48, 767-772 | 4 |
| 261 | Directionally solidified Al ₂ O ₃ -ME ₃ Al ₅ O ₁₂ (ME: Y, Er and Yb) eutectic coatings for thermophotovoltaic systems. 2017 , 43, 16270-16275 | 1 |

| | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 260 | Determining the fracture resistance of B4C-NanoSiB6 nanocomposite by Vickers indentation method and exploring its mechanical properties. 2017 , 68, 159-165 | 9 |
| 259 | Crack growth and fracture toughness of amorphous Li-Si anodes: Mechanisms and role of charging/discharging studied by atomistic simulations. 2017 , 107, 542-559 | 17 |
| 258 | High temperature brittle film adhesion measured from annealing-induced circular blisters. 2017 , 138, 1-9 | 22 |
| 257 | A reinvestigation of the validity of the indentation fracture (IF) method as applied to ceramics. 2017 , 37, 4437-4441 | 16 |
| 256 | Characterisation of amorphous/nanocrystalline multilayer Si3N4/Si2N2O films prepared by alternately sputtering. 2017 , 33, 633-641 | 3 |
| 255 | The effect of TiO2 on the structure of Na2O-CaO-SiO2 glasses and its implications for thermal and mechanical properties. 2017 , 471, 6-18 | 32 |
| 254 | Effect of Stress-Induced Phase Transformation on the Fracture Toughness of Fe3Al Intermetallic Reinforced with Ytria-Partially Stabilized Zirconia Particles. 2017 , 48, 5046-5058 | |
| 253 | The fracture toughness of inorganic glasses. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4374-4396 | 70 |
| 252 | Low Modulus, Damage Resistant Glass for Ultra-Thin Applications. 2017 , 63-84 | 5 |
| 251 | Selective Separation of Fe-Concentrates in EAF Slags Using Mechanical Dissimilarity of Solid Phases. 2017 , 48, 617-626 | 3 |
| 250 | The inferomedial femoral neck is compromised by age but not disease: Fracture toughness and the multifactorial mechanisms comprising reference point microindentation. 2017 , 75, 399-412 | 10 |
| 249 | Spark plasma sintering of fine-grained alumina ceramics reinforced with alumina whiskers. 2017 , 43, 658-663 | 22 |
| 248 | 3.9 Microindentation. 2017 , 144-168 | 1 |
| 247 | BaTiO3-based piezoelectrics: Fundamentals, current status, and perspectives. 2017 , 4, 041305 | 487 |
| 246 | Fabrication of B4C/TiB2 Composite Ceramics Using Pulsed Electric Current Pressure Sintering. 2017 , 64, 538-546 | 1 |
| 245 | A Novel Methods for Fracture Toughness Evaluation of Tool Steels with Post-Tempering Cryogenic Treatment. 2017 , 7, 75 | 24 |
| 244 | Vickers Indentation Fracture Toughness of Near-Nano and Nanostructured WC-Co Cemented Carbides. 2017 , 7, 143 | 12 |
| 243 | Effect of sintering temperature on microstructural evolution of M48 high speed tool steel bonded NbC matrix cemented carbides sintered in inert atmosphere. 2018 , 74, 20-27 | 13 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 242 | Research on the dynamic mechanical properties of C-plane sapphire under impact loading. 2018 , 44, 9839-9847 | 33 |
| 241 | Young's modulus evaluation of high burnup structure in UO ₂ with nanometer resolution. 2018 , 508, 33-39 | 17 |
| 240 | R-curve behavior and flexural strength of zirconia-toughened alumina and partially stabilized zirconia composite laminates. 2018 , 44, 13463-13468 | 9 |
| 239 | Influence of composition and crystal structure on the fracture toughness of NbCo ₂ Laves phase studied by micro-cantilever bending tests. 2018 , 145, 116-121 | 18 |
| 238 | Nanotwinning and amorphization of boron suboxide. 2018 , 147, 195-202 | 15 |
| 237 | Slow-crack-growth and indentation damage in calcium magnesium aluminosilicate (CMAS) glass from desert sand. 2018 , 44, 2676-2682 | 4 |
| 236 | Effect of molten zone ablated by femtosecond laser on fracture toughness of oxide ceramics. 2018 , 38, 2440-2444 | 10 |
| 235 | Fracture toughness, fracture energy and slow crack growth of glass as investigated by the Single-Edge Precracked Beam (SEPB) and Chevron-Notched Beam (CNB) methods. 2018 , 146, 1-11 | 27 |
| 234 | Indentation for fracture toughness estimation of high-strength rail steels based on a stress triaxiality-dependent ductile damage model. 2018 , 94, 10-25 | 15 |
| 233 | Effect of calcia co-doping on ceria-stabilized zirconia. 2018 , 38, 2621-2631 | 27 |
| 232 | Mechanical behavior of Li-ion-conducting crystalline oxide-based solid electrolytes: a brief review. 2018 , 24, 1271-1276 | 80 |
| 231 | Thermo-mechanical properties of SPS produced self-healing thermal barrier coatings containing pure and alloyed MoSi ₂ particles. 2018 , 38, 4268-4275 | 17 |
| 230 | Load-deflection behavior of fracture toughness testing of ceramics by SEVNB method. 2018 , 15, 1310-1315 | 1 |
| 229 | Aging resistance, mechanical properties and translucency of different yttria-stabilized zirconia ceramics for monolithic dental crown applications. 2018 , 34, 879-890 | 127 |
| 228 | Strengthening of a lithium disilicate glass-ceramic by rapid cooling. 2018 , 44, 11650-11657 | 17 |
| 227 | The effect of microstructure and chromia content on the properties of zirconia toughened alumina. 2018 , 44, 2011-2020 | 25 |
| 226 | Influence of different reinforcements on toughening and strengthening of sintered stoneware from modified marble powder. 2018 , 159, 99-106 | 4 |
| 225 | On the fracture toughness of bulk metallic glasses under Berkovich nanoindentation. 2018 , 481, 321-328 | 17 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 224 | Quantitative analysis of toughening effect of crack deflection on Si ₃ N ₄ /Si ₂ N ₂ O composites through improved indentation method. 2018 , 44, 1894-1901 | 2 |
| 223 | Understanding the mechanism for the mechanical property degradation of a lithium disilicate glass-ceramic by annealing. 2018 , 78, 28-35 | 14 |
| 222 | Evaluation of LaAlO ₃ as top coat material for thermal barrier coatings. 2018 , 28, 1582-1592 | 14 |
| 221 | Fracture Mechanics Tests. 2018 , 37-78 | |
| 220 | Critical Distance Default Values for Structural Steels and a Simple Formulation to Estimate the Apparent Fracture Toughness in U-Notched Conditions. 2018 , 8, 871 | 5 |
| 219 | Using fractal geometry to examine failed implants and prostheses. 2018 , 34, 1748-1755 | 9 |
| 218 | The Sliding Wear Response of High-Performance Cermets. 2018 , 1-42 | 1 |
| 217 | VERIFICATION OF BEHAVIOUR OF HUMAN ENAMEL FOR FRACTURE TOUGHNESS DETERMINATION. 2018 , 58, 226 | 1 |
| 216 | Fracture toughness estimation for high-strength rail steels using indentation test. 2018 , 204, 469-481 | 3 |
| 215 | Influence of Lamellar Interface Morphology on Cracking Resistance of Plasma-Sprayed YSZ Coatings. 2018 , 8, 187 | 12 |
| 214 | Fracture Toughness of Thermal Spray Ceramics: Measurement Techniques and Processing Dependence. 2018 , 27, 1076-1089 | 6 |
| 213 | Fracture resistance of high entropy alloys: A review. 2018 , 99, 69-83 | 95 |
| 212 | Mechanical Properties of an Fe-Based SAM25-630 Metallic Glass Matrix Composite with Tungsten Particle Additions. 2018 , 20, 1800023 | 8 |
| 211 | The mechanical response characteristics of sapphire under dynamic and quasi-static indentation loading. 2018 , 44, 15208-15218 | 30 |
| 210 | Microfracture Characterization of Cement Paste at Early Age by Indentation Test. 2018 , 30, 04018110 | 7 |
| 209 | 6.6 Ceramic Matrix Nanocomposites. 2018 , 138-161 | 6 |
| 208 | Properties of 3Y-TZP zirconia ceramics with graphene addition obtained by spark plasma sintering. 2018 , 44, 16931-16936 | 20 |
| 207 | Mechanical properties, structure, bioactivity and cytotoxicity of bioactive Na-Ca-Si-P-O-(N) glasses. 2018 , 86, 284-293 | 7 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 206 | Enhancement of hardness, modulus and fracture toughness of the tetragonal (Fe,Cr) ₂ B and orthorhombic (Cr,Fe) ₂ B phases with addition of Cr. 2018 , 156, 113-124 | | 24 |
| 205 | Investigation of the mechanical properties of ZrO ₂ -doped UO ₂ ceramic pellets by indentation technique. 2018 , 509, 482-487 | | 9 |
| 204 | Determining indentation fracture toughness of ceramics by finite element method using virtual crack closure technique. 2018 , 197, 151-159 | | 10 |
| 203 | Sintering of carbon nanotube-reinforced zirconia-toughened alumina composites prepared by uniaxial pressing and cold isostatic pressing. 2018 , 5, 105602 | | 13 |
| 202 | Fracture toughness testing of biomedical ceramic-based materials using beams, plates and discs. 2018 , 38, 5533-5544 | | 36 |
| 201 | Failure analysis and mechanical reliability of cast higher manganese silicide. 2018 , 764, 745-754 | | 6 |
| 200 | High fracture toughness of HfC through nano-scale templating and novel sintering aids. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 997-1009 | 3.8 | 5 |
| 199 | Hardness and mechanical anisotropy of hexagonal SiC single crystal polytypes. 2019 , 770, 158-165 | | 23 |
| 198 | A new methodology to obtain the fracture toughness of YAG transparent ceramics. 2019 , 8, 418-426 | | 12 |
| 197 | Sintering kinetics, defect chemistry and room-temperature mechanical properties of titanium nitride prepared by spark plasma sintering. 2019 , 807, 151666 | | 5 |
| 196 | Reduced-graphene-oxide-reinforced boron carbide ceramics fabricated by spark plasma sintering from powder mixtures obtained by heterogeneous co-precipitation. 2019 , 45, 16496-16503 | | 10 |
| 195 | Growth, structural, third order nonlinear optical properties, dielectric properties, conductivity mechanisms and spectroscopic characterization of a luminescent material trans-diaqua-bis(pyridine-2-carboxylato)-cobalt(ii) dihydrate for optoelectronic applications. 2019 , 119, 105111 | | 3 |
| 194 | . 2019 , | | |
| 193 | A note on misspecification in general linear models with correlated errors for the analysis of crossover clinical trials. 2019 , 14, e0213436 | | 2 |
| 192 | References. 2019 , 381-413 | | |
| 191 | . 2019 , | | 17 |
| 190 | . 2019 , 7, 138637-138644 | | 1 |
| 189 | On the estimation and modeling of fracture toughness in structural ceramics in a simple way. 2019 , 103, 102273 | | 9 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 188 | Durable aluminate toughened zirconate composite thermal barrier coating (TBC) materials for high temperature operation. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 4781-4793 | 3.8 | 7 |
| 187 | Fracture Toughness of Modern and Ancient Glasses and Glass Ceramics as Measured by the SEPB Method. 2019 , 1-13 | | 4 |
| 186 | Microscale fracture mechanisms of HfO ₂ -Si environmental barrier coatings. 2019 , 39, 2409-2418 | | 11 |
| 185 | A study on fracture toughness of potassium dihydrogen phosphate single crystals. 2019 , 21, 1329-1334 | | 5 |
| 184 | Effect of vanadium oxide addition on thermomechanical behaviors of borosilicate glasses: Toward development of high crack resistant glasses for nuclear waste disposal. 2019 , 515, 88-97 | | 9 |
| 183 | Local fracture toughness measurements in polycrystalline cubic zirconia using micro-cantilever bending tests. 2019 , 136, 103086 | | 17 |
| 182 | Energy Partitioning in Granular Flow Depends on Mineralogy via Nanoscale Plastic Work. 2019 , 124, 6397-6408 | | 3 |
| 181 | The influence of intermetallic ordering on wear and indentation properties of TiC-Ni ₃ Al cermets. 2019 , 426-427, 390-400 | | 9 |
| 180 | Nanoscale properties and deformation of human enamel and dentin. 2019 , 97, 74-84 | | 3 |
| 179 | Microwave Sintering of SiAlON Ceramics with TiN Addition. 2019 , 12, | | 3 |
| 178 | Discrete element models of tooth enamel, a complex three-dimensional biological composite. 2019 , 94, 536-552 | | 12 |
| 177 | Static and dynamic mechanical properties of Yttrium Aluminum Garnet (YAG). 2019 , 45, 12256-12263 | | 8 |
| 176 | OXYNITRIDE GLASSES FOR POTENTIAL BIOMEDICAL USAGE. 2019 , 33-46 | | |
| 175 | Insights into intragranular precipitation and strengthening effect in Al ₂ O ₃ /SmAlO ₃ ceramic with eutectic composition. 2019 , 754, 382-389 | | 3 |
| 174 | Processing, microstructure and mechanical properties of HfB ₂ -ZrB ₂ -SiC composites: Effect of B ₄ C and carbon nanotube reinforcements. 2019 , 81, 111-118 | | 16 |
| 173 | Effects of the addition of boron nitride nanoplate on the fracture toughness, flexural strength, and Weibull Distribution of hydroxyapatite composites prepared by spark plasma sintering. 2019 , 93, 105-117 | | 21 |
| 172 | Nanocomposite and Its Morphological Characterization -Review. 2019 , 640, 012067 | | 3 |
| 171 | Mechanical Response of ZrB ₂ -SiC-ZrO ₂ Composite Laminate. 2019 , 62, 1438-1444 | | 5 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 170 | Fabrication of pressureless sintered Si ₃ N ₄ ceramic balls by powder injection molding. 2019 , 45, 6418-6424 | | 7 |
| 169 | Fabrication of dense B ₄ C-preceramic polymer derived SiC composite. 2019 , 39, 718-725 | | 12 |
| 168 | Directionally solidified Ni doped MgO-MgSZ eutectic composites for thermophotovoltaic devices. 2019 , 39, 1206-1213 | | 4 |
| 167 | Tougher and harder zirconia toughened alumina (ZTA) composites through in situ microstructural formation of LaMgAl ₁₁ O ₁₉ . 2019 , 79, 60-68 | | 10 |
| 166 | Enhanced fracture toughness of boron carbide from microalloying and nanotwinning. 2019 , 162, 306-310 | | 9 |
| 165 | Elasticity, hardness, and fracture toughness of sodium aluminoborosilicate glasses. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 4520-4537 | 3.8 | 13 |
| 164 | Determining the micro-fracture properties of Antrim gas shale by an improved micro-indentation method. 2019 , 62, 224-235 | | 18 |
| 163 | Indentation deformation in oxide glasses: Quantification, structural changes, and relation to cracking. 2019 , 1, 100007 | | 34 |
| 162 | Mechanical, thermal and electrical properties of nanostructured CNTs/SiC composites. 2019 , 45, 2566-2575 | | 19 |
| 161 | Indentation residual stresses in soda-lime and borosilicate glasses. 2019 , 503-504, 197-207 | | 3 |
| 160 | Sintering behavior of columnar thermal barrier coatings deposited by axial suspension plasma spraying (SPS). 2019 , 39, 482-490 | | 19 |
| 159 | Tailored microstructures of gadolinium zirconate/YSZ multi-layered thermal barrier coatings produced by suspension plasma spray: Durability and erosion testing. 2019 , 264, 283-294 | | 25 |
| 158 | Towards rational mechanical design of inorganic solid electrolytes for all-solid-state lithium ion batteries. 2020 , 26, 313-324 | | 48 |
| 157 | A detailed analysis of the determination of fracture toughness by nanoindentation induced radial cracks. 2020 , 40, 276-289 | | 2 |
| 156 | Residual stress effect on the fracture toughness of lithium disilicate glass-ceramics. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 465-479 | 3.8 | 17 |
| 155 | Thermal Stability and Mechanical Response of Bi ₂ Te ₃ -Based Materials for Thermoelectric Applications. 2020 , 3, 2078-2089 | | 20 |
| 154 | Fracture Toughness of Cold Sprayed Pure Metals. 2020 , 29, 147-157 | | 14 |
| 153 | Processing of fiber-reinforced ultra-high temperature ceramic composites: A review. 2020 , 2, 22-37 | | 26 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 152 | Assessing fracture toughness in sintered Al ₂ O ₃ -ZrO ₂ (3Y)-SiC ceramic composites through indentation technique. 2020 , 46, 27143-27149 | 4 |
| 151 | Damage tolerance of six dental zirconias with different translucencies. 2020 , 7, 126-133 | 3 |
| 150 | Hydrothermal degradation methods affect the properties and phase transformation depth of translucent zirconia. 2020 , 112, 104021 | 6 |
| 149 | Mechanical properties of BaCe _{0.65} Zr _{0.2} Y _{0.15} O _{3-δ} -proton-conducting material determined using different nanoindentation methods. 2020 , 40, 5653-5661 | 5 |
| 148 | Vat Polymerization-Printed Partially Stabilized Zirconia: Mechanical Properties, Reliability and Structural defects. 2020 , 36, 101450-101450 | 5 |
| 147 | Mechanical Properties of 2Y-TZP Fabricated from Detonation Synthesized Powder. 2020 , 3, 440-452 | 4 |
| 146 | Parametric optimization of laser deposited high entropy alloys using response surface methodology (RSM). 2020 , 109, 2719-2732 | 7 |
| 145 | Mg ₂ SiO ₄ -MgAl ₂ O ₄ directionally solidified eutectics: Hardness dependence modelled through an array of screw dislocations. 2020 , 40, 4171-4176 | 2 |
| 144 | Automated Analysis of Slow Crack Growth in Hydrus Soda-Lime Silicate Glasses. 2020 , 7, | 0 |
| 143 | Determination of stress-strain curves of materials at high strain rates using dynamic indentation technique. 2020 , 030932472094864 | 2 |
| 142 | Towards improved cover glasses for photovoltaic devices. 2020 , 28, 1187-1206 | 19 |
| 141 | Evaluation of fracture toughness of zirconia ceramics with heterogeneous yttrium distribution microstructures. 2020 , 56, 1229-1235 | 1 |
| 140 | Slip casting of highly concentrated ZnO suspensions: Rheological studies, two-step sintering and resistivity measurements. 2020 , 46, 19896-19903 | 5 |
| 139 | Influence of cBN content, Al ₂ O ₃ and Si ₃ N ₄ additives and their morphology on microstructure, properties, and wear of PCBN with NbN binder. 2020 , 46, 22230-22238 | 3 |
| 138 | Strengthening and toughening of a multi-component lithium disilicate glass-ceramic by ion-exchange. 2020 , 40, 4635-4646 | 20 |
| 137 | Fabrication and characterization of FAST sintered micro/nano boron carbide composites with enhanced fracture toughness. 2020 , 40, 5272-5285 | 8 |
| 136 | Influence of Vacuum Heat Treatments on Microstructure and Mechanical Properties of M35 High Speed Steel. 2020 , 10, 643 | 5 |
| 135 | A novel evaluation of fracture toughness for random fibrous material. 2020 , 243, 112179 | 4 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 134 | A cost-effective voice coil motor-based portable micro-indentation device for in situ testing. 2020 , 165, 108105 | 11 |
| 133 | Evaluation of the fracture energy of magnesium via ballistic impact experiments. 2020 , 10, 100652 | 1 |
| 132 | Development of a Multi-phase AlCuTaVW High-Entropy Alloy Using Powder Metallurgy Route and its Mechanical Properties. 2020 , 73, 613-618 | 5 |
| 131 | Enhancement of mechanical properties of ceria-calcia stabilized zirconia by alumina reinforcement. 2020 , 40, 3714-3722 | 7 |
| 130 | SiC-IrSi for High Oxidation Resistance. 2019 , 13, | 2 |
| 129 | On the relation between fracture toughness and crack resistance in oxide glasses. 2020 , 534, 119946 | 14 |
| 128 | Importance of tetragonal phase in high-translucent partially stabilized zirconia for dental restorations. 2020 , 36, 491-500 | 16 |
| 127 | Effect of crystallinity and microstructure on mechanical properties of CaO-Al ₂ O ₃ -SiO ₂ glass toughened by precipitation of hexagonal CaAl ₂ Si ₂ O ₈ crystals. 2020 , 534, 119948 | 8 |
| 126 | Toughening of Boron Carbide Composites with Hierarchical Microstructuring. 2020 , | 0 |
| 125 | Crack growth behavior of a biomedical polymer-ceramic interpenetrating scaffolds composite in the subcritical regimen. 2020 , 231, 107014 | 6 |
| 124 | Characterization of the structure and properties of processed alumina-graphene and alumina-zirconia composites. 2021 , 47, 367-380 | 3 |
| 123 | Load effect on the mechanical behaviour of zirconia-reinforced lithium silicate glass ceramics. 2021 , 47, 1353-1363 | 7 |
| 122 | Micro-scale evolution of mechanical properties of glass-ceramic sealant for solid oxide fuel/electrolysis cells. 2021 , 47, 3884-3891 | 2 |
| 121 | Additive manufacturing of advanced ceramic materials. 2021 , 116, 100736 | 76 |
| 120 | Low Temperature Degradation and Mechanical Properties of Alumina Reinforced Ceria-Zirconia by Colloidal Processing. 2021 , 41, 1459-1470 | 2 |
| 119 | Improvement of the mechanical and biological properties of bioactive glasses by the addition of zirconium oxide (ZrO ₂) as a synthetic bone graft substitute. 2021 , 109, 1196-1208 | 5 |
| 118 | Optimization of sintering conditions for improved microstructural and mechanical properties of dense Ce _{0.8} Gd _{0.2} O ₂ -FeCo ₂ O ₄ oxygen transport membranes. 2021 , 41, 509-516 | 12 |
| 117 | Effect of dip-coating process on mechanical behavior of 3Y-TZP using different aging-free coatings. 2021 , 47, 6896-6904 | 0 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 116 | Improved reliability of mechanical behavior for a thermal tempered lithium disilicate glass-ceramic by regulating the cooling rate. 2021 , 114, 104191 | | 2 |
| 115 | Fracture and electric-field-induced crack growth behavior in NBT-6BT relaxor ferroelectrics. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 2158-2169 | 3.8 | 1 |
| 114 | Fracture Toughness Measurement. 2021 , 762-774 | | |
| 113 | Indentation of Ceramics. 2021 , 718-732 | | |
| 112 | Toughening and strengthening mechanisms in ceramic nanocomposites. 2021 , 279-311 | | |
| 111 | Effect of Ti or Fe Addition and Annealing on Microstructural Evolution and Mechanical Properties of Hypereutectic Nb-Si-Mo Alloys. 2021 , 52, 1185-1211 | | 5 |
| 110 | Enhanced fracture toughness of silica glass by ion-implanted platinum nanoparticles. 2021 , 44, 1423-1438 | | 2 |
| 109 | A comparative study of nano-fillers to improve toughness and modulus of polymer-derived ceramics. 2021 , 11, 6951 | | 4 |
| 108 | A Critical Review of High Burnup Fuel Fragmentation, Relocation, and Dispersal under Loss-Of-Coolant Accident Conditions. 2021 , 546, 152750 | | 5 |
| 107 | Effects of irradiation on mechanical properties of nuclear UO ₂ fuels evaluated by Vickers indentation at room temperature. 2021 , 547, 152821 | | 0 |
| 106 | Shrinkage rate control during a flash state by current-ramping for 3 mol% Y ₂ O ₃ -doped ZrO ₂ polycrystals. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 4960-4967 | 3.8 | 4 |
| 105 | Spark plasma sintering of B ₄ C and B ₄ C-TiB ₂ composites: Deformation and failure mechanisms under quasistatic and dynamic loading. 2021 , 41, 3321-3332 | | 11 |
| 104 | Thermo-mechanical study of a novel rotating disk volumetric receiver. 2021 , 223, 302-317 | | 1 |
| 103 | Stress Corrosion Cracking in Amorphous Phase Separated Oxide Glasses: A Holistic Review of Their Structures, Physical, Mechanical and Fracture Properties. 2021 , 2, 412-446 | | 0 |
| 102 | Preparation of dense B ₄ C ceramics by spark plasma sintering of high-purity nanoparticles. 2021 , 41, 3929-39368 | | |
| 101 | Measuring fracture toughness of human dental enamel at small scale using notched microcantilever beams. 2021 , 7, 228 | | 0 |
| 100 | Measuring the fracture toughness of single WC grains of cemented carbides by means of microcantilever bending and micropillar splitting. 2021 , 98, 105529 | | |
| 99 | Fracture behavior of solid electrolyte LATP material based on micro-pillar splitting method. 2021 , 41, 5240-5247 | | 1 |

| | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 98 | Indentation of glasses. 2021 , 121, 100834 | 9 |
| 97 | Rapid sintering of 3 mol % Y ₂ O ₃ -doped ZrO ₂ by a combined rapid furnace heating and shrinkage-controlled flash sintering protocol. 2021 , 129, 551-554 | 6 |
| 96 | Mechanical properties of ceria-calcia stabilized zirconia ceramics with alumina additions. 2021 , 41, 5602-5612 | 1 |
| 95 | Interlaminar Fracture Toughness Measurement of Multilayered 2D Thermoelectric Materials Bi ₂ Te ₃ by a Tapered Cantilever Bending Experiment. 2021 , 1 | 1 |
| 94 | Micromechanical and microstructure characterization of BaO-Sm ₂ O ₃ -TiO ₂ ceramic with addition of Al ₂ O ₃ . 2021 , 48, 992-992 | 1 |
| 93 | Determination of the Fracture Toughness of Glasses via Scratch Tests with a Vickers Indenter. 1 | 0 |
| 92 | Application of Scratch Testing for the Assessment of the Adherent Properties of Scales and CO ₂ Corrosion Product Layers and their Relation to Corrosion. 2021 , 190, 109625 | 1 |
| 91 | Multicyclic indentation on brittle glasses. 2021 , 47, 26168-26177 | 0 |
| 90 | Fracture toughness of 3Y-TZP ceramic determined by modified SCF method based on femtosecond laser. <i>Journal of the American Ceramic Society</i> , | 3.8 |
| 89 | Toughening of soda-lime-silica glass by nanoscale phase separation: Molecular dynamics study. 2021 , 5, | 1 |
| 88 | Mammalian enamel: A universal tissue and diverse source of inspiration. 2021 , 136, 402-411 | 0 |
| 87 | Direct laser additive manufacturing of high performance oxide ceramics: A state-of-the-art review. 2021 , 41, 6087-6114 | 10 |
| 86 | Incorporation of graphene nano platelets in suspension plasma sprayed alumina coatings for improved tribological properties. 2021 , 570, 151227 | 3 |
| 85 | Test method for fracture toughness of monolithic ceramics by indentation fracture (IF) method. 2021 , 13, 29-44 | |
| 84 | Erosion Performance of Atmospheric Plasma Sprayed Thermal Barrier Coatings with Diverse Porosity Levels. 2021 , 11, 86 | 10 |
| 83 | Experimental and FEM based investigation of the influence of the deposition temperature on the mechanical properties of SiC coatings. 2021 , 10, 139-151 | 3 |
| 82 | Development of Carbon Nanotube-Reinforced Ceramic Matrix Nanocomposites for Advanced Structural Applications. 2019 , 1-46 | 0 |
| 81 | Mechanical Properties of Glass. 2019 , 227-271 | 3 |

| | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 80 | Chemical Strengthening of Glass. 2019 , 273-296 | 10 |
| 79 | Microindentation. 2011 , 75-90 | 1 |
| 78 | In-situ formation of composite having hard outer layer based on aluminum dross reinforced by SiC and TiO ₂ . 2020 , 248, 118638 | 7 |
| 77 | Practical and theoretical considerations on the fracture toughness testing of dental restorative materials. 2018 , 34, 97-119 | 47 |
| 76 | Indentation deformation and cracking in oxide glass – toward understanding of crack nucleation. 2019 , 1, 100009 | 17 |
| 75 | Fracture toughness of a metal-organic framework glass. 2020 , 11, 2593 | 31 |
| 74 | Sub-critical crack growth in silicate glasses: Role of network topology. 2015 , 107, 141901 | 19 |
| 73 | Modifier field strength effects on densification behavior and mechanical properties of alkali aluminoborate glasses. 2017 , 1, | 22 |
| 72 | Standardized test methods for mechanical properties of dental prosthetic/restorative materials and their applications. 2015 , 42, 259 | 7 |
| 71 | Entalhamento de cerâmicas para medida de tenacidade à fratura pelo método SEVNB. 2013 , 59, 285-292 | 2 |
| 70 | Impact of Phase Distribution on the Fracture Toughness of High Temperature Resistant Mo-Si-B Alloys. 2015 , 52, 295-313 | 8 |
| 69 | Analysis of Cracking Characteristics with Indenter Geometry Using Cohesive Zone Model. 2013 , 37, 1453-1463 | 1 |
| 68 | Fabrication of Fe-TiC Composite by High-Energy Milling and Spark-Plasma Sintering. 2013 , 20, 338-344 | 6 |
| 67 | Thermal Shock Tests and Thermal Shock Parameters for Ceramics. 2012 , 49, 385-396 | 4 |
| 66 | Fracture Toughness of 3Y-TZP Dental Ceramics by Using Vickers Indentation Fracture and SELNB Methods. 2019 , 56, 37-48 | 8 |
| 65 | Investigating load-dependent wear behavior and degradation mechanisms in Cr ₃ C ₂ -NiCr coatings deposited by HVOF and HVOF. 2021 , 15, 4595-4609 | 3 |
| 64 | Determination of fracture toughness on hard particles embedded in a soft matrix using microindentation and electron microscopy. 2010 , 47, 370-373 | |
| 63 | Novel Chemistry Modification Approach for Synthesis of SiAlON from Fly Ash. 131-142 | |

| | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 62 | Effective Methods to Determine Hardness and Toughness of Structural Ceramics. 355-361 | 1 |
| 61 | References. 161-174 | |
| 60 | Evaluation of Indentation Fracture Toughens in Brittle Materials Based on FEA Solutions. 2013 , 37, 1503-1512 | |
| 59 | Novel Visualizing Technique of The Tips of The Cracks For Indentation Fracture Resistance Method. 37-43 | |
| 58 | Indentation Fatigue Mechanics. 2018 , 1-31 | |
| 57 | Effect of Surface Roughness on the Mechanical Properties of Ceramic-Polymer Blocks for CAD/CAM Dental Restoration. 2018 , 45, 111-128 | 1 |
| 56 | Indentation Fatigue Mechanics. 2019 , 401-431 | |
| 55 | The Sliding Wear Response of High-Performance Cermets. 2019 , 2249-2290 | |
| 54 | Determination of Strength and Fracture Toughness from Indentation Tests in the Framework of Finite Fracture Mechanics. 2021 , 44-51 | 0 |
| 53 | Development of Carbon Nanotube-Reinforced Ceramic Matrix Nanocomposites for Advanced Structural Applications. 2020 , 929-974 | 1 |
| 52 | Effect of Pyrolysis Temperature on the Behaviour of Environmentally Friendly Hybrid Basalt Fibre Reinforced Composites. 1 | |
| 51 | The influence of yttria content on the microstructure, phase stability and mechanical properties of dental zirconia. 2021 , | 1 |
| 50 | Estimating the lower-limit of fracture toughness from ideal-strength calculations.. 2021 , | 1 |
| 49 | Indentation and abrasion in glass products: Lessons learned and yet to be learned. | 1 |
| 48 | Indentation Plastometry of Welds. | 4 |
| 47 | High strength and plasticity in Cr-Al-C composite. 2022 , 835, 142684 | 0 |
| 46 | Indentation Plastometry of Very Hard Metals. 2101398 | 4 |
| 45 | Few-layered-graphene/zirconia composites: Single-step powder synthesis, spark plasma sintering, microstructure and properties. 2022 , 42, 2349-2361 | 0 |

| | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 44 | Mechanical properties of BaCe _{0.65} Zr _{0.2} Y _{0.15} O _{3-δ} /Ce _{0.85} Gd _{0.15} O ₂ - dual-phase proton-conducting material with emphasis on micro-pillar splitting. 2022, | |
| 43 | Potential correlation of the hardness of CaO-Al ₂ O ₃ -SiO ₂ glasses with melting behavior. | 0 |
| 42 | Mechano-tribological performance of Graphene/CNT reinforced alumina nanocomposites âReview and quantitative insights. 2022, 48, 11879-11908 | 2 |
| 41 | Experimental analysis and modeling of the Knoop hardness of lithium disilicate glass-ceramics containing lithium tantalate as a secondary phase. 2022, 585, 121540 | 1 |
| 40 | Fabrication of Al/Al ₂ O ₃ /SiC/graphene hybrid nanocomposites from Al-dross by powder metallurgy: Sinterability, mechanical and electrical properties. 2022, | 4 |
| 39 | Towards a design framework for non-metallic concentrating solar power components. 2022, | |
| 38 | Mechanical Properties of Ceramics Reinforced with Allotropic Forms of Carbon. 2022, 100966 | 3 |
| 37 | Mechanical Properties of Oxide Glasses. 2022, 87, 229-281 | 1 |
| 36 | Morphology of subsurface cracks in glass-ceramics induced by Vickers indentation observed by synchrotron X-ray multiscale tomography.. 2022, 12, 6994 | 4 |
| 35 | Tough, bioinspired transparent glass-ceramics. | 0 |
| 34 | The Mechanics of Fracture in Dental Ceramics. 2022, 39-67 | |
| 33 | Synthesis, microstructure and properties of Ti(C,N)-(HfZrTaNbTi) ₅ -HEA high-entropy cermets by high-energy ball milling and spark plasma sintering. 2022, | |
| 32 | Comparison between different fracture toughness techniques in zirconia dental ceramics. | |
| 31 | Experimental Study on Nanomechanical Properties of Yunnan Red-Bed Mudstone. 2022, 2022, 1-10 | 0 |
| 30 | Micro-toughness of ZrB ₂ -based ceramics evaluated by ultra-shallow V-notch. 1-8 | |
| 29 | Evaluations on Ceramic Fracture Toughness Measurement by Edge Chipping. 2022, 12, 1146 | 1 |
| 28 | Pressureless sintering of yttria-gadolinia co-stabilized zirconia. 2022, | 0 |
| 27 | Influence of the Grain Size of ZrO ₂ (Y ₂ O ₃) Ceramics on the Hardness, Fracture Toughness and Formation of a Transformation-Deformation Relief in the Indentation Zone. 2022, 65, 635-642 | 0 |

- 26 Grain size and sintering temperatures effects on the mechanical properties of ZnO nanoparticle-based varistor ceramics. ○
- 25 A Method for Accurate Measuring the Tensile Strength of Single Rock Grain Interface. ○
- 24 Indentation cracking in mono and polycrystalline cubic zirconia: Methodology of an apparent fracture toughness evaluation. **2022**, 144261 ○
- 23 Enhancing the mechanical properties of ceramics by high temperature rolling: A first demonstration using alumina. ○
- 22 Investigation of the density and microstructure homogeneity of square-shaped B4C-ZrB2 composites produced by spark plasma sintering method. **2022**, ○
- 21 Modeling Deformation and Fracture of Boron-Based Ceramics with Nonuniform Grain and Phase Boundaries and Thermal-Residual Stress. **2022**, 3, 643-664 1
- 20 Temperature effect on elastic and fracture behaviour of lead-free piezoceramic BaTiO3. **2022**, ○
- 19 Mechanical properties of NaSICON: a brief review. ○
- 18 Comparative Estimation of Fracture Resistance Test Methods: Zirconia Ceramics. **2022**, 54, 841-849 ○
- 17 Experimental Study to Assess Fracture Toughness in SPS Sintered WC \hat{c} 10% Co Hardmetal by Modifying the Palmqvist Test. **2022**, 12, 1809 ○
- 16 On the determination of the elastic properties of anisotropic materials from indentation measurements. ○
- 15 Microstructure, mechanical properties and aging resistance of 12Ce-TZP reinforced with alumina and in situ formed manganese cerium hexaaluminate precipitates. **2022**, ○
- 14 Additive manufacturing of lithium disilicate glass-ceramic by vat polymerization for dental appliances. **2022**, 38, 2030-2040 ○
- 13 Determination of the parameters of material models using dynamic indentation test and artificial neural network. 030932472211409 ○
- 12 Knapping force as a function of stone heat treatment. **2022**, 17, e0278643 ○
- 11 A Simple Principle for Fracture Toughness Assessment of Ductile Materials by Ball Indentation Technique. **2023**, 43, 35-40 ○
- 10 Indenting glasses with indenters of varying stiffness and sharpness. **2023**, 603, 122111 ○
- 9 Investigation of the effect of indentation spacing, edge distance and specimen thickness on the measurement of hardness. **2023**, 37, 687-696 ○

- 8 CALPHAD aided mechanical properties screening in full composition space of NbC-TiC-VC-ZrC ultra-high temperature ceramics. **2023**, 113, 106191
- 7 The effects of radiation-induced grain subdivision and dislocations on the fracture properties of uranium dioxide. **2023**, 577, 154297
- 6 R-curve evaluation of 3YTZP/graphene composites by indirect compliance method. **2023**, 43, 3486-3497
- 5 3D Finite Element Simulations of Indentation Fracture Test of ZrO₂-Ceramics with Taking into Account its Microstructure. **2022**,
- 4 Using vacancies to tune mechanical and elastic properties in La₃Tl₄, Nd₃Tl₄, and Pr₃Tl₄ rare earth telluride thermoelectric materials. **2023**, 32, 101016
- 3 Thermal barrier coatings manufactured by suspension and solution precursor plasma spray—state of the art and recent progress. **2023**, 199-228
- 2 Will high-entropy carbides and borides be enabling materials for extreme environments?. **2023**, 5, 022002
- 1 Hydroxyapatite materials-synthesis routes, mechanical behavior, theoretical insights, and artificial intelligence models: a review.