

Prevalence of coronary artery disease risk factors in Ira

BMC Cardiovascular Disorders

7, 32

DOI: [10.1186/1471-2261-7-32](https://doi.org/10.1186/1471-2261-7-32)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Cultural barriers in the education of cardiovascular disease patients in Iran. <i>International Nursing Review</i> , 2008, 55, 360-366. | 1.5 | 37 |
| 2 | Changes in lipid profile of patients referred to a cardiac rehabilitation program. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 467-472. | 3.1 | 26 |
| 3 | Temporal Changes in Anthropometric Parameters and Lipid Profile according to Body Mass Index among an Adult Iranian Urban Population. <i>Annals of Nutrition and Metabolism</i> , 2008, 53, 13-22. | 1.0 | 14 |
| 4 | Family history of cardiovascular disease as a risk factor for coronary artery disease in adult offspring. <i>Monaldi Archives for Chest Disease</i> , 2008, 70, 84-7. | 0.3 | 13 |
| 5 | Cardiovascular Risk Factors Among Males With War-Related Bilateral Lower Limb Amputation. <i>Military Medicine</i> , 2009, 174, 1108-1112. | 0.4 | 27 |
| 6 | Effect of Folate Supplementation on Serum Homocysteine and Plasma Total Antioxidant Capacity in Hypercholesterolemic Adults under Lovastatin Treatment: A Double-blind Randomized Controlled Clinical Trial. <i>Archives of Medical Research</i> , 2009, 40, 380-386. | 1.5 | 18 |
| 7 | The Status of Glutathione Peroxidase, Superoxide Dismutase, Vitamins A, C, E and Malondialdehyde in Patients with Cardiovascular Disease in Zahedan, Southeast Iran. <i>Journal of Nutritional Science and Vitaminology</i> , 2009, 55, 309-316. | 0.2 | 25 |
| 8 | Predictive power of the components of metabolic syndrome in its development: a 6.5-year follow-up in the Tehran Lipid and Glucose Study (TLGS). <i>European Journal of Clinical Nutrition</i> , 2010, 64, 1207-1214. | 1.3 | 13 |
| 9 | Contribution of diet and major depression to incidence of acute myocardial infarction (AMI). <i>Lipids in Health and Disease</i> , 2010, 9, 133. | 1.2 | 17 |
| 10 | Paraoxonase Arg 192 allele is an independent risk factor for three-vessel stenosis of coronary artery disease. <i>Molecular Biology Reports</i> , 2011, 38, 5421-5428. | 1.0 | 24 |
| 11 | Socioeconomic status and mortality after acute myocardial infarction: a study from Iran. <i>International Journal for Equity in Health</i> , 2011, 10, 9. | 1.5 | 46 |
| 12 | An Association Study of ϵ 1131T>C Single Nucleotide Polymorphism of Apolipoprotein A5 Gene With Coronary Artery Disease. <i>Laboratory Medicine</i> , 2011, 42, 350-354. | 0.8 | 0 |
| 13 | Coronary Artery Disease Risk Factors in Urban Areas of Yazd City, Iran. <i>Asia-Pacific Journal of Public Health</i> , 2011, 23, 534-543. | 0.4 | 3 |
| 14 | Effect of exercise-based cardiac rehabilitation on ejection fraction in coronary artery disease patients: A randomized controlled trial. <i>Heart Views</i> , 2011, 12, 51. | 0.1 | 24 |
| 15 | Application of healthy heart program in the two semi-rural areas in EskiÅyehir. <i>Anatolian Journal of Cardiology</i> , 2011, 11, 485-91. | 0.4 | 2 |
| 16 | The impact of discharge plan upon re-admission, satisfaction with nursing care and the ability to self-care for coronary artery bypass graft surgery patients. <i>European Journal of Cardiovascular Nursing</i> , 2012, 11, 460-465. | 0.4 | 13 |
| 17 | Clinical characteristics and risk assessment of ST-segment elevation myocardial infarction patients of an Iranian referral center. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 708-715. | 0.6 | 7 |
| 18 | The control of non-communicable diseases in rural Iran. <i>Lancet, The</i> , 2012, 379, 6-7. | 6.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Association of Endothelial Nitric Oxide Synthase Gene Variant (G894T) With Coronary Artery Disease in Western Iran. <i>Angiology</i> , 2012, 63, 131-137. | 0.8 | 13 |
| 20 | High frequency of Neuropeptide Y Leu7Pro polymorphism in an Iranian population and its association with coronary artery disease. <i>Gene</i> , 2012, 496, 22-27. | 1.0 | 10 |
| 21 | Synergism between paraoxonase Arg 192 and the angiotensin converting enzyme D allele is associated with severity of coronary artery disease. <i>Molecular Biology Reports</i> , 2012, 39, 2723-2731. | 1.0 | 3 |
| 22 | Effectiveness of video information on coronary angiography patients'™ outcomes. <i>Collegian</i> , 2013, 20, 153-159. | 0.6 | 35 |
| 23 | The effect of home-based cardiac rehabilitation program on self efficacy of patients referred to cardiac rehabilitation center. <i>BMC Research Notes</i> , 2013, 6, 287. | 0.6 | 44 |
| 24 | Neuropeptide Y Leu7Pro Polymorphism Associated With the Metabolic Syndrome and Its Features in Patients With Coronary Artery Disease. <i>Angiology</i> , 2013, 64, 40-45. | 0.8 | 15 |
| 25 | CARDIAC PATIENTS'™ CAUSAL ATTRIBUTIONS FOR CORONARY HEART DISEASE. <i>International Journal of Research in Nursing</i> , 2013, 4, 22-28. | 1.8 | 2 |
| 26 | Survey of the Effect of Opioid Abuse on the Extent of Coronary Artery Diseases. <i>Global Journal of Health Science</i> , 2014, 6, 83-91. | 0.1 | 9 |
| 27 | Lack of an Association between a Functional Polymorphism in the Neuropeptide Y Gene Promoter and the Presence of Coronary Artery Disease in an Iranian Population. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 333-340. | 1.0 | 4 |
| 28 | Association between preprocedural hemoglobin level and 1-year outcome of elective percutaneous coronary intervention. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 331-335. | 0.6 | 18 |
| 29 | The Prevalence of Pre-hypertension and Hypertension in an Iranian Urban Population. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2014, 21, 127-135. | 1.0 | 18 |
| 30 | Secular trends in serum lipid levels of a Middle Eastern adult population; 10 years follow up in Tehran lipid and glucose study. <i>Lipids in Health and Disease</i> , 2014, 13, 20. | 1.2 | 30 |
| 31 | Changes in lipid measures and incident coronary heart disease: Tehran Lipid & Glucose Study. <i>Clinical Biochemistry</i> , 2014, 47, 1239-1244. | 0.8 | 31 |
| 32 | Strategies for recreating normal life: Iranian coronary heart disease patients' perspectives on coping strategies. <i>Journal of Clinical Nursing</i> , 2014, 23, 2151-2161. | 1.4 | 19 |
| 33 | Association of heat shock protein70-2 (HSP70-2) gene polymorphism with coronary artery disease in an Iranian population. <i>Gene</i> , 2014, 550, 180-184. | 1.0 | 21 |
| 34 | Serum HDL-C level of Iranian adults: results from sixth national Surveillance of Risk Factors of Non-Communicable Disease. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014, 13, 67. | 0.8 | 4 |
| 35 | Red meat intake, insulin resistance, and markers of endothelial function among Iranian women. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 315-322. | 1.5 | 25 |
| 36 | Psychometric properties of the Farsi version of the Myocardial Infarction Dimensional Assessment Scale. <i>Journal of Research in Nursing</i> , 2015, 20, 680-695. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Comparison Between Effects of Home Based Cardiac Rehabilitation Programs Versus Usual Care on the Patients' Health Related Quality of Life After Coronary Artery Bypass Graft. <i>Global Journal of Health Science</i> , 2015, 8, 196. | 0.1 | 13 |
| 38 | Fuzzy Rule-Based Classification System for Assessing Coronary Artery Disease. <i>Computational and Mathematical Methods in Medicine</i> , 2015, 2015, 1-8. | 0.7 | 27 |
| 39 | Association of Dietary Patterns with Sociodemographic and Health-related Factors among Coronary Artery Disease (CAD) Patients. <i>Ecology of Food and Nutrition</i> , 2015, 54, 4-19. | 0.8 | 6 |
| 40 | Mean serum lipid levels in Iranian adult populations: a systematic review and meta-analysis. <i>Clinical Lipidology</i> , 2015, 10, 449-464. | 0.4 | 3 |
| 41 | Assessment of Adherence to ACC/AHA Guidelines in Primary Management of Patients With NSTEMI in a Referral Cardiology Hospital. <i>Critical Pathways in Cardiology</i> , 2015, 14, 36-38. | 0.2 | 6 |
| 42 | Divergent pathway of lipid profile components for cardiovascular disease and mortality events: Results of over a decade follow-up among Iranian population. <i>Nutrition and Metabolism</i> , 2016, 13, 43. | 1.3 | 17 |
| 43 | A Subtle Threat to Urban Populations in Developing Countries. <i>Spine</i> , 2016, 41, 618-627. | 1.0 | 18 |
| 44 | Dyslipidemia and its risk factors among urban middle-aged Iranians: A population-based study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016, 10, 149-156. | 1.8 | 22 |
| 45 | A study of the prevalence of dyslipidemia among the adult population of Ahvaz, Iran. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016, 10, 190-193. | 1.8 | 8 |
| 46 | Association of miR-149 (RS2292832) Variant with the Risk of Coronary Artery Disease. <i>Journal of Medical Biochemistry</i> , 2017, 36, 251-258. | 0.7 | 17 |
| 47 | Mediterranean dietary quality index and dietary phytochemical index among patients candidate for coronary artery bypass grafting (CABG) surgery. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 114. | 0.7 | 29 |
| 48 | Sex-specific clustering of metabolic risk factors and their association with incident cardiovascular diseases: A population-based prospective study. <i>Atherosclerosis</i> , 2017, 263, 249-256. | 0.4 | 13 |
| 49 | Cardiovascular risk assessment by FRS and SCORE in Iranian adult population. <i>Journal of Diabetes and Metabolic Disorders</i> , 2017, 16, 35. | 0.8 | 12 |
| 50 | Dietary inflammatory index: a potent association with cardiovascular risk factors among patients candidate for coronary artery bypass grafting (CABG) surgery. <i>Nutrition Journal</i> , 2018, 17, 20. | 1.5 | 30 |
| 51 | Association assessment of Nerve growth factor gene promoter polymorphism and its expression status with susceptibility to coronary artery disease. <i>Meta Gene</i> , 2018, 15, 31-34. | 0.3 | 3 |
| 52 | The risk of cardiovascular events based on the Framingham criteria in Adults Living in Mashhad (Iran). <i>Electronic Physician</i> , 2018, 10, 7164-7173. | 0.2 | 8 |
| 53 | Empirically developed dietary inflammatory potential (EDIP) in patients candidate for coronary artery bypass grafting surgery (CABG): Association with metabolic parameters, dietary antioxidant quality score and dietary phytochemical index. <i>PLoS ONE</i> , 2018, 13, e0208711. | 1.1 | 12 |
| 54 | Dietary total antioxidant capacity (TAC) among candidates for coronary artery bypass grafting (CABG) surgery: Emphasis to possible beneficial role of TAC on serum vitamin D. <i>PLoS ONE</i> , 2018, 13, e0208806. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The Cardiac Risk Factors of Coronary Artery Disease and its relationship with Cardiopulmonary resuscitation: A retrospective study. <i>Egyptian Heart Journal</i> , 2018, 70, 389-392. | 0.4 | 2 |
| 56 | Association of tumor necrosis factor-alpha gene promoter polymorphism and its mRNA expression level in coronary artery disease. <i>Meta Gene</i> , 2018, 18, 122-126. | 0.3 | 7 |
| 57 | Reliability and Validity of the 14-point mediterranean diet adherence screener among the Iranian high risk population. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2018, 11, 323-329. | 0.2 | 8 |
| 58 | TP53 single nucleotide polymorphism (rs1042522) in Iranian patients with coronary artery disease. <i>Biomedical Reports</i> , 2018, 9, 259-265. | 0.9 | 4 |
| 59 | In the shadow of perceived threat: The live experience of Iranian patients candidate for undergoing coronary angiography. <i>Journal of Vascular Nursing</i> , 2018, 36, 140-144. | 0.2 | 3 |
| 60 | The expression of hSR-B1 on platelets of patients with coronary artery disease (CAD). <i>Clinical Hemorheology and Microcirculation</i> , 2019, 71, 9-15. | 0.9 | 1 |
| 61 | MicroRNA-copy number variations in coronary artery disease patients with or without type 2 diabetes mellitus. <i>Archives of Physiology and Biochemistry</i> , 2021, 127, 497-503. | 1.0 | 10 |
| 62 | Efficacy of Neurocognitive Rehabilitation After Coronary Artery Bypass Graft Surgery in Improving Quality of Life: An Interventional Trial. <i>Frontiers in Psychology</i> , 2019, 10, 1759. | 1.1 | 15 |
| 63 | Risk factors of premature coronary artery disease in Iran: A systematic review and meta-analysis. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13124. | 1.7 | 39 |
| 64 | Analysing cardiovascular risk factors and related outcomes in a middle-aged to older adults population in Iran: a cohort protocol of the Shiraz Heart Study (SHS). <i>BMJ Open</i> , 2019, 9, e026317. | 0.8 | 10 |
| 65 | There is an association between a genetic polymorphism in the ZNF259 gene involved in lipid metabolism and coronary artery disease. <i>Gene</i> , 2019, 704, 80-85. | 1.0 | 5 |
| 66 | Hypertension and Pre-Hypertension Among Iranian Adults Population: a Meta-Analysis of Prevalence, Awareness, Treatment, and Control. <i>Current Hypertension Reports</i> , 2019, 21, 27. | 1.5 | 25 |
| 67 | Cohort Profile: Ravansar Non-Communicable Disease cohort study: the first cohort study in a Kurdish population. <i>International Journal of Epidemiology</i> , 2019, 48, 682-683f. | 0.9 | 94 |
| 68 | Medicinal plants use among patients with dyslipidemia: an Iranian cross-sectional survey. <i>Journal of Complementary and Integrative Medicine</i> , 2019, 16, . | 0.4 | 17 |
| 69 | Reverse expression pattern of sirtuin-1 and histone deacetylase-9 in coronary artery disease. <i>Archives of Physiology and Biochemistry</i> , 2023, 129, 46-53. | 1.0 | 7 |
| 70 | Comparison home care service versus hospital-based care in patients with diabetic foot ulcer: an economic evaluation study. <i>Journal of Diabetes and Metabolic Disorders</i> , 2020, 19, 445-452. | 0.8 | 10 |
| 71 | Intelligent Assessment of Percutaneous Coronary Intervention Based on GAN and LSTM Models. <i>IEEE Access</i> , 2020, 8, 90640-90651. | 2.6 | 5 |
| 72 | An Empirical Study on the Effect of Short-Term Regular Vitamin D3 Supplement Therapy on Blood Pressure and Exercise Tolerance in Heart Failure Patients. <i>Clinical Nutrition Research</i> , 2020, 9, 20. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Heart Disease Is Associated With Anthropometric Indices and Change in Body Size Perception Over the Life Course: The Golestan Cohort Study. <i>Global Heart</i> , 2015, 10, 245. | 0.9 | 4 |
| 74 | Barriers to participation in center-based cardiac rehabilitation programs and patients' attitude toward home-based cardiac rehabilitation programs. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 158-168. | 0.6 | 47 |
| 75 | Comparison of the effectiveness of position change for patients with pain and vascular complications after transfemoral coronary angiography: a randomized clinical trial. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 114. | 0.7 | 7 |
| 76 | Dyslipidemia and its associated factors in southern Iranian women, Bandare-Kong Cohort study, a cross-sectional survey. <i>Scientific Reports</i> , 2021, 11, 9125. | 1.6 | 12 |
| 77 | Genetic associations of TP53 codon Pro72Arg polymorphism (rs1042522) in coronary artery disease: A meta-analysis of candidate genetic mutants. <i>Gene Reports</i> , 2021, 23, 101176. | 0.4 | 2 |
| 78 | The Interaction Between Fatty Acid Desaturase-2 (FADS2) rs174583 Genetic Variant and Dietary Quality Indices (DASH and MDS) Constructs Different Metabolic Phenotypes Among Obese Individuals. <i>Frontiers in Nutrition</i> , 2021, 8, 669207. | 1.6 | 3 |
| 79 | The effects of <i>Papaver somniferum</i> (Opium poppy) on health, its controversies and consensus evidence. <i>Toxin Reviews</i> , 2022, 41, 1030-1043. | 1.5 | 5 |
| 80 | Predictive value of women's weight trajectories in determining familial cardiovascular disorders: a family-based longitudinal study. <i>Scientific Reports</i> , 2021, 11, 17317. | 1.6 | 2 |
| 81 | Global Burden of Cardiovascular Disease. , 2012, , 1-20. | | 28 |
| 82 | Interesting Correlation Between the Circulating Pentraxin 3 and Cardiac Rehabilitation Program Outcomes in Coronary Artery Bypass Grafting Patients. <i>Cardiology Research</i> , 2016, 7, 59-65. | 0.5 | 2 |
| 83 | Association between Air Temperature and Acute Myocardial Infarction Hospitalizations in Tehran, Iran: A Time-Stratified CaseCrossover. <i>International Journal of Occupational and Environmental Medicine</i> , 2017, 8, 143-152. | 4.1 | 8 |
| 84 | Relationship between using raw opium and opioids with coronary artery stenosis based on coronary an-giography findings. <i>Journal of Biology and Today's World</i> , 2014, 3, . | 0.1 | 2 |
| 85 | Effect of <i>Amygdalus scoparia</i> kernel oil consumption on lipid profile of the patients with dyslipidemia: a randomized, open-label controlled clinical trial. <i>Oncotarget</i> , 2017, 8, 79636-79641. | 0.8 | 12 |
| 86 | Socioeconomic status, cardiac risk factors, and cardiovascular disease: A novel approach to determination of this association. <i>ARYA Atherosclerosis</i> , 2019, 15, 260-266. | 0.4 | 9 |
| 87 | Association between depression symptoms and Mediterian dietary adherence in adults with cardiovascular disease risk factors in the north of Iran in 2016. <i>Polish Annals of Medicine</i> , 0, , . | 0.3 | 1 |
| 88 | 9P21.3 locus; An Important Region in Coronary Artery Disease: A Panel Approach to Investigation of the Coronary Artery Disease Etiology. <i>International Journal of Cardiovascular Practice</i> , 2019, 4, 21-35. | 0.2 | 3 |
| 89 | Implementation of integrated management of non-communicable disease prevention and control in Iran: A proposal. <i>Payesh</i> , 2020, 19, 7-17. | 0.1 | 8 |
| 90 | The association between dietary pattern and coronary artery disease: A case-control study. <i>Journal of Cardiovascular and Thoracic Research</i> , 2020, 12, 294-302. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The effect of conjugated linoleic acids and omega-3 fatty acids supplementation on lipid profile in atherosclerosis. <i>Advanced Biomedical Research</i> , 2014, 3, 15. | 0.2 | 20 |
| 92 | Noise exposure as a risk factor of cardiovascular diseases in workers. <i>Journal of Education and Health Promotion</i> , 2013, 2, 14. | 0.3 | 10 |
| 93 | Coronary artery bypass graft surgery outcomes following 6.5 years: A nested caseâ€“control study. <i>International Journal of Preventive Medicine</i> , 2017, 8, 23. | 0.2 | 6 |
| 94 | Health-promoting lifestyle among people without heart disease in Isfahan. <i>International Journal of Preventive Medicine</i> , 2018, 9, 95. | 0.2 | 2 |
| 95 | Distribution of ideal cardiovascular health in a community-based cohort of Middle East population. <i>Annals of Saudi Medicine</i> , 2014, 34, 134-142. | 0.5 | 26 |
| 97 | Socioeconomic status and coronary heart disease. <i>Health Promotion Perspectives</i> , 2011, 1, 105-10. | 0.8 | 20 |
| 98 | Assessment of autonomic dysfunction in childhood guillain-barrÃ© syndrome. <i>Journal of Cardiovascular and Thoracic Research</i> , 2013, 5, 81-5. | 0.3 | 22 |
| 99 | The Mortality Rate of Myocardial Infraction Patients With and Without Opium Dependence. <i>International Journal of High Risk Behaviors & Addiction</i> , 2015, 4, e22576. | 0.1 | 7 |
| 100 | Environmental Determinants of Cardiovascular Diseases Risk Factors: A Qualitative Directed Content Analysis. <i>Iranian Red Crescent Medical Journal</i> , 2014, 16, e11573. | 0.5 | 19 |
| 101 | Angina Self-Management Plan and Quality of Life, Anxiety and Depression in Post Coronary Angioplasty Patients. <i>Iranian Red Crescent Medical Journal</i> , 2014, 16, e16981. | 0.5 | 11 |
| 102 | The Status of Coronary Artery Disease and Its Risk Factors in Iran: A Review. <i>Iranian Red Crescent Medical Journal</i> , 2011, 13, 610-23. | 0.5 | 92 |
| 103 | Marginalized Two-Part Joint Modeling of Longitudinal Semi-Continuous Responses and Survival Data: With Application to Medical Costs. <i>Mathematics</i> , 2021, 9, 2603. | 1.1 | 1 |
| 105 | Massage Therapy and Vital Signs of Patients in Coronary Care Units. <i>Nursing and Midwifery Studies</i> , 2012, 1, 111-2. | 0.7 | 1 |
| 106 | Distributions of ischemic heart disease risk factors in patients who were admitted for angioplasty in Iran. <i>World Journal of Cardiovascular Diseases</i> , 2013, 03, 45-49. | 0.0 | 0 |
| 107 | The Relation between Electrocardiogram Damage Rating and Hospitalization Outcome in Myocardial Infarction. <i>Thrita Journal of Medical Sciences</i> , 2013, 2, 52-5. | 0.2 | 2 |
| 108 | Immediate Result and Long Term Follow-up in Patients Going Under Primary Percutaneous Intervention for ST-Elevation Myocardial Infarction. <i>Razavi International Journal of Medicine</i> , 2014, 2, . | 0.1 | 0 |
| 109 | Association of lipid markers and impaired fasting glucose: A case-control study. <i>Annals of Tropical Medicine and Public Health</i> , 2015, 8, 182. | 0.1 | 0 |
| 110 | Effect of Walnut Consumption on Serum Lipid Profiles, High-Sensitivity C-Reactive Protein and Nitric Oxide in Patients With Coronary Artery Disease. <i>Jentashapir Journal of Health Research</i> , 2015, 6, . | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 112 | Demographic and Socioeconomic Factors of Patients With Coronary Artery Diseases Undertreatment of Coronary Artery Bypass Grafting, Percutaneous Coronary Intervention and Drug Therapy in Mashhad, Iran. <i>Iranian Red Crescent Medical Journal</i> , 2015, 17, e28238. | 0.5 | 0 |
| 113 | Analysis of Cardiovascular Diseases Costs and Their Effective Factors in Tabriz Hospitalized Patients, 2015. <i>Jundishapur Journal of Health Sciences</i> , 2016, 8, . | 0.1 | 1 |
| 114 | Health-related variables and predictors of Health-promoting Lifestyle in cardiovascular disease patients. <i>Electronic Physician</i> , 2016, 8, 2274-2280. | 0.2 | 4 |
| 115 | The Impact of Gender Differences on Healthy Lifestyle and its Subscales Among Patients With Coronary Artery Disease. <i>Research in Cardiovascular Medicine</i> , 2016, 5, . | 0.2 | 1 |
| 116 | Effect of Nursing Teaching Protocol on The Lifestyle Modification of Male Patients With Ischemic Heart Disease. <i>Assiut Scientific Nursing Journal</i> , 2016, 4, 89-102. | 0.0 | 0 |
| 117 | Effect of Lactation on myocardial vulnerability to ischemic insult in rats. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 108, 443-451. | 0.3 | 0 |
| 118 | The Effect of Family-Centered Care on the Duration of Weaning From Mechanical Ventilation in Coronary Artery Bypass Surgery Patients: A Clinical Trial Study. <i>Critical Care Nursing</i> , 2017, 10, . | 0.1 | 3 |
| 119 | Analysis of the mutations in exon 10 of MEFV gene in patients with premature coronary heart disease in west Azerbaijan province of Iran. <i>Journal of Cardiovascular and Thoracic Research</i> , 2018, 10, 20-23. | 0.3 | 0 |
| 120 | Tumor Necrosis Factor-alpha Gene Expression in PBMCs of Iranian Azeri Turkish Patients with Premature Coronary Artery Disease (Age ≥50 Years). <i>MÃdica</i> , 2018, 13, 12-16. | 0.4 | 2 |
| 121 | Health Education Performance in Health Houses: A Descriptive study from Iran during April-September 2011. <i>Shiraz E Medical Journal</i> , 2018, In Press, . | 0.1 | 1 |
| 122 | Evaluating the Effectiveness of Integrated Intervention Program in Improving on Quality of Life and Personality Type in Heart Disease Patients. <i>Jundishapur Journal of Chronic Disease Care</i> , 2019, In Press, . | 0.1 | 0 |
| 123 | 9P21.3 locus; An Important Region in Coronary Artery Disease: A Panel Approach to Investigation of the Coronary Artery Disease Etiology. <i>International Journal of Cardiovascular Practice</i> , 2019, 4, 21-35. | 0.2 | 0 |
| 124 | Comparison of frequency of symptomatic kidney stone and risk factors of coronary artery disease in patients with coronary artery stenosis and patients without coronary artery disease, 2017. <i>Medical Journal of Tabriz University of Medical Sciences & Health Services</i> , 2020, 42, 177-183. | 0.1 | 0 |
| 125 | How Fast Foods Impact Coronary Artery Disease Incidence: A Cross-Sectional Study. <i>European Journal of Medical and Health Sciences</i> , 2021, 3, 52-55. | 0.1 | 1 |
| 126 | Effect of Von Willebrand Antigen on Mortality and Major Adverse Cardiac Events in Diabetic and Non-diabetic Patients with Anterior ST Elevated Myocardial Infarction. <i>Jundishapur Journal of Chronic Disease Care</i> , 2020, 9, . | 0.1 | 1 |
| 127 | Estimation of the Economic Burden of Cardiovascular Diseases in Selected Hospitals of Yazd in 2018. <i>Majallah-i DÃnishgÃh-i PizishkÃi Qum</i> , 2020, 14, 58-68. | 0.2 | 0 |
| 128 | Opium addiction and severity of coronary artery disease: a case-control study. <i>Journal of Research in Medical Sciences</i> , 2010, 15, 27-32. | 0.4 | 31 |
| 129 | Immediate results and six-month outcomes after percutaneous coronary intervention in a referral heart center in Isfahan, Iran. <i>ARYA Atherosclerosis</i> , 2011, 7, 24-30. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 130 | Cytochrome P450 2C19 Polymorphism in Iranian Patients with Coronary Artery Disease. ARYA Atherosclerosis, 2011, 7, 106-10. | 0.4 | 6 |
| 131 | Quality of life one year after coronary artery bypass graft surgery. Iranian Red Crescent Medical Journal, 2011, 13, 171-7. | 0.5 | 12 |
| 132 | Gender differences in the risk of coronary artery disease in iran. Iranian Journal of Public Health, 2012, 41, 36-47. | 0.3 | 12 |
| 133 | Socioeconomic characteristics and controlled hypertension: Evidence from Isfahan Healthy Heart Program. ARYA Atherosclerosis, 2013, 9, 77-81. | 0.4 | 16 |
| 134 | Spirituality in survivors of myocardial infarction. Iranian Journal of Nursing and Midwifery Research, 2012, 17, 343-51. | 0.2 | 14 |
| 135 | Burden of circulatory system diseases and ignored barriers of knowledge translation. Journal of Cardiovascular and Thoracic Research, 2012, 4, 89-94. | 0.3 | 4 |
| 136 | Home and Clinical Cardiovascular Care Center (H4C): a Framework for Integrating Body Sensor Networks and QTRU Cryptography System. Journal of Cardiovascular and Thoracic Research, 2013, 5, 119-24. | 0.3 | 0 |
| 137 | Relationship between dietary approaches to stop hypertension score and presence or absence of coronary heart diseases in patients referring to Imam Hossein Hospital, Tehran, Iran. ARYA Atherosclerosis, 2013, 9, 319-25. | 0.4 | 0 |
| 138 | Effect of conjugated linoleic acid and omega-3 fatty acid supplementation on inflammatory and oxidative stress markers in atherosclerotic patients. ARYA Atherosclerosis, 2013, 9, 311-8. | 0.4 | 41 |
| 139 | Association between Serum Iron and the Severity of Coronary Artery Disease. , 2013, 7, 95-8. | | 8 |
| 140 | Prevalence of dyslipidemia in iran: a systematic review and meta-analysis study. International Journal of Preventive Medicine, 2014, 5, 373-93. | 0.2 | 64 |
| 141 | Behavioral determinants of cardiovascular diseases risk factors: A qualitative directed content analysis. ARYA Atherosclerosis, 2014, 10, 71-81. | 0.4 | 21 |
| 142 | Effect of physical activity on the life quality of coronary artery bypass graft patients. Journal of Medicine and Life, 2014, 7, 260-3. | 0.4 | 11 |
| 143 | Prevalence and associated factors of self-reported hypertension among Tehran adults in 2011: a population-based study (Urban HEART-2). Medical Journal of the Islamic Republic of Iran, 2014, 28, 105. | 0.9 | 12 |
| 144 | Different patterns of association between education and wealth with non-fatal myocardial infarction in Tehran, Iran: A population-based case-control study. Medical Journal of the Islamic Republic of Iran, 2015, 29, 160. | 0.9 | 0 |
| 145 | Electrocardiographic characteristics of posterior myocardial infarction in comparison to angiographic findings. ARYA Atherosclerosis, 2015, 11, 30-5. | 0.4 | 3 |
| 146 | A noninvasive method for coronary artery diseases diagnosis using a clinically-interpretable fuzzy rule-based system. Journal of Research in Medical Sciences, 2015, 20, 214-23. | 0.4 | 17 |
| 147 | 5,10-methylene tetrahydrofolate reductase C677T gene polymorphism, homocysteine concentration and the extent of premature coronary artery disease in southern Iran. EXCLI Journal, 2013, 12, 437-48. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 148 | Trends of 28 days case fatality rate after first acute myocardial infarction in Isfahan, Iran, from 2000 to 2009. <i>ARYA Atherosclerosis</i> , 2015, 11, 233-43. | 0.4 | 3 |
| 149 | Predictive factors of short-term survival from acute myocardial infarction in early and late patients in Isfahan and Najafabad, Iran. <i>ARYA Atherosclerosis</i> , 2016, 12, 59-67. | 0.4 | 2 |
| 150 | Modeling the Burden of Cardiovascular Diseases in Iran from 2005 to 2025: The Impact of Demographic Changes. <i>Iranian Journal of Public Health</i> , 2017, 46, 506-516. | 0.3 | 65 |
| 151 | The prevalence of hypertension and its relationship with demographic factors, biochemical, and anthropometric indicators: A population-based study. <i>ARYA Atherosclerosis</i> , 2016, 12, 259-265. | 0.4 | 13 |
| 152 | Analysis of Two CDKN2B-AS Polymorphisms in Relation to Coronary Artery Disease Patients in North of Iran. <i>International Journal of Molecular and Cellular Medicine</i> , 2017, 6, 31-37. | 1.1 | 11 |
| 153 | Tumor Necrosis Factor-alpha Gene Expression in PBMCs of Iranian Azeri Turkish Patients with Premature Coronary Artery Disease (Age .50 Years). <i>MÃ dica</i> , 2018, 13, 12-16. | 0.4 | 3 |
| 154 | Prevalence of Hypercholesterolemia, High LDL, and Low HDL in Iran: A Systematic Review and Meta-Analysis. <i>Iranian Journal of Medical Sciences</i> , 2018, 43, 449-465. | 0.3 | 13 |
| 155 | Interleukin-17 is Not Associated with Risk of Premature Coronary Artery Disease in Iranian Turks. <i>MÃ dica</i> , 2020, 15, 181-184. | 0.4 | 0 |
| 156 | The Effect of Individual and Group Education Done by Nurses on Smoking Dependency and Smoking Cessation Motivation in Patients with Coronary Artery Disease. <i>Addiction and Health</i> , 2020, 12, 269-277. | 0.3 | 2 |
| 157 | Risk factors for premature coronary artery disease (PCAD) in adults: a systematic review protocol. <i>F1000Research</i> , 2021, 10, 1228. | 0.8 | 9 |
| 158 | The Efficacy of an Intervention Program for Pain Intensity Reduction in Patients Undergoing Arterial Sheath Removal after Coronary Artery Angioplasty. <i>Journal of Tehran University Heart Center</i> , 0, , . | 0.2 | 0 |
| 159 | Modeling the diagnosis of coronary artery disease by discriminant analysis and logistic regression: a cross-sectional study. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 85. | 1.5 | 4 |
| 160 | Dietary supplements consumption and its association with socioeconomic factors, obesity and main non-communicable chronic diseases in the north of Iran: the PERSIAN Guilan Cohort Study (PGCS). <i>BMC Nutrition</i> , 2021, 7, 84. | 0.6 | 10 |
| 161 | The cost-effectiveness of B-type natriuretic peptide-guided care in compared to standard clinical assessment in outpatients with heart failure in Tehran, Iran. <i>Cost Effectiveness and Resource Allocation</i> , 2021, 19, 81. | 0.6 | 2 |
| 165 | Effect of media messages on health-promoting lifestyle of acute coronary syndrome patients: A randomized clinical trial.. <i>Journal of Education and Health Promotion</i> , 2021, 10, 448. | 0.3 | 0 |
| 168 | Estimation of 10-Year Risk of Cardiovascular Diseases Using WHO Risk Prediction Charts: A Population-Based Study in Southern Iran. <i>Iranian Journal of Public Health</i> , 0, , . | 0.3 | 0 |
| 169 | Evaluation of miR-146a (rs2910164) polymorphism in coronary artery disease: Case-control and silico analysis. <i>Gene Reports</i> , 2022, 29, 101687. | 0.4 | 1 |
| 170 | The evaluation of adiponectin gene polymorphisms (rs2241766 and rs1501299) in susceptibility to severe coronary artery disease in a north Iranian population.. , 2022, 34, 201118. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 171 | The effect of a low renal acid load diet on blood pressure, lipid profile, and blood glucose indices in patients with type 2 diabetes: a randomized clinical trial. Nutrition Journal, 2023, 22, . | 1.5 | 1 |