## CITATION REPORT List of articles citing

Results of double-blind placebo-controlled crossover study of sildenafil citrate (Viagra) in women suffering from obstructed voiding or retention associated with the primary disorder of sphincter relaxation (Fowlerls Syndro

DOI: 10.1016/j.eururo.2006.06.005 European Urology, 2007, 51, 489-95; discussion 495-7.

Source: https://exaly.com/paper-pdf/42947508/citation-report.pdf

Version: 2024-04-04

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
19	AUTONOMIC DISORDERS OF THE UROGENITAL SYSTEM. <i>CONTINUUM Lifelong Learning in Neurology</i> , <b>2007</b> , 13, 165-181	3	2
18	The treatment of female bladder outlet obstruction. <i>BJU International</i> , <b>2007</b> , 99, 211-2; author reply 212	5.6	1
17	The neural control of micturition. <i>Nature Reviews Neuroscience</i> , <b>2008</b> , 9, 453-66	13.5	908
16	Characterization of phosphodiesterase type 5 expression and functional activity in the human male lower urinary tract. <i>Journal of Sexual Medicine</i> , <b>2010</b> , 7, 59-69	1.1	109
15	Cortical and subcortical disorders. 167-186		
14	Urinary retention. 293-306		7
13	[The primary disorder of sphincter relaxation or Fowler's syndrome]. <i>Progres En Urologie</i> , <b>2010</b> , 20, 553	<b>3-9</b> 5.9	2
12	Influence of sildenafil on micturition and urethral tone in ovariectomized and non-ovariectomized mice. <i>Journal of Sexual Medicine</i> , <b>2012</b> , 9, 466-71	1.1	2
11	Phosphodiesterase type 5 (PDE5) is co-localized with key proteins of the nitric oxide/cyclic GMP signaling in the human prostate. <i>World Journal of Urology</i> , <b>2013</b> , 31, 609-14	4	7
10	Phosphodiesterase-5 expression and function in the lower urinary tract: a critical review. <i>Urology</i> , <b>2013</b> , 81, 480-7	1.6	12
9	Does sildenafil enhance the effect of tamsulosin in relieving acute urinary retention?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2014</b> , 40, 373-8	2	7
8	Fowler's syndromea cause of unexplained urinary retention in young women?. <i>Nature Reviews Urology</i> , <b>2014</b> , 11, 87-98	5.5	47
7	Sacral neuromodulation to treat voiding dysfunction in patients with previous pelvic surgery for deep infiltrating endometriosis: our centre's experience. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 1499-1504	2	О
6	Fowler∄ Syndrome of Recurrent Painless Retention in Women. <b>2021</b> , 61-75		
5	Recent advances in management of bladder overactivity. F1000 Medicine Reports, 2010, 2,		3
4	Benefits and Harms of Conservative, Pharmacological, and Surgical Management Options for Women with Bladder Outlet Obstruction: A Systematic Review from the European Association of Urology Non-neurogenic Female LUTS Guidelines Panel. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	
3	European Association of Urology Guidelines on the Management of Female Non-neurogenic Lower Urinary Tract Symptoms. Part 2: Underactive Bladder, Bladder Outlet Obstruction, and Nocturia <i>European Urology</i> , <b>2022</b> ,	10.2	O

## CITATION REPORT

3 THE EFFECT OF SINGLE-DOSE TADALAFIL ON URETHRAL PRESSURE AND VOIDING PARAMETERS: A DOUBLE-BLIND, RANDOMIZED, PLACEBO-CONTROLLED, CROSSOVER STUDY IN HEALTHY WOMEN. **2022**, 2, 1-2

Idiopathic Urinary Retention in the Female. 2022, 1-10

Ō