CITATION REPORT List of articles citing

The Estuarine Quality Paradox, Environmental Homeostasis and the difficulty of detecting anthropogenic stress in naturally stressed areas

DOI: 10.1016/j.marpolbul.2007.02.003 Marine Pollution Bulletin, 2007, 54, 640-5.

Source: https://exaly.com/paper-pdf/42969593/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
667	Indicadores sintticos de calidad ambiental: un modelo general para grandes zonas urbanas. 2006 , 32, 73		25
666	The guild approach to categorizing estuarine fish assemblages: a global review. 2007 , 8, 241-268		454
665	Preface: Biodiversity and ecosystem functioning in coastal and transitional waters. Edited by Anita Franco, Michael Elliott and Patrizia Torricelli. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 75, 1-3	2.9	6
664	Estuarine, coastal and marine ecosystem restoration: Confusing management and science IA revision of concepts. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 74, 349-366	2.9	284
663	Biodiversity conservation in Mediterranean and Black Sea lagoons: a trait-oriented approach to benthic invertebrate guilds. 2008 , 18, S4-S15		27
662	Three main stressors acting on the Ria Formosa lagoonal system (Southern Portugal): Physical stress, organic matter pollution and the landBcean gradient. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 77, 710-720	2.9	36
661	Estuarine production of resident and nursery fish species: Conditioning by drought events?. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 78, 51-60	2.9	78
660	The structure of the benthic macrofaunal assemblages and sediments characteristics of the Paraguaü estuarine system, NE, Brazil. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 78, 753-762	2.9	53
659	Structure and functioning of Mediterranean lagoon fish assemblages: A key for the identification of water body types. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 79, 549-558	2.9	44
658	Ecological indices tracking distinct impacts along disturbance-recovery gradients in a temperate NE Atlantic Estuary (Guidance on reference values. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 80, 130-140	2.9	37
657	Ecological quality of some Tunisian coast and lagoon locations, by using benthic community parameters and biotic indices. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 80, 269-280	2.9	73
656	How good is good? Human values and Europe's proposed Marine Strategy Directive. <i>Marine Pollution Bulletin</i> , 2008 , 56, 187-204	6.7	126
655	An intercalibration of classification metrics of benthic macroinvertebrates in coastal and transitional ecosystems of the Eastern Mediterranean ecoregion (Greece). <i>Marine Pollution Bulletin</i> , 2008 , 56, 116-26	6.7	58
654	A report card and quality indicators for the Seine estuary: from scientific approach to operational tool. <i>Marine Pollution Bulletin</i> , 2008 , 57, 187-201	6.7	23
653	Functions and ecological status of eight Italian lagoons examined using biological traits analysis (BTA). <i>Marine Pollution Bulletin</i> , 2008 , 56, 1076-85	6.7	67
652	Ecological status assessment in the lower Eo estuary (Spain). The challenge of habitat heterogeneity integration: a benthic perspective. <i>Marine Pollution Bulletin</i> , 2008 , 56, 1275-83	6.7	34
651	Assessing estuarine environmental quality using fish-based indices: performance evaluation under climatic instability. <i>Marine Pollution Bulletin</i> , 2008 , 56, 1834-43	6.7	40

650	In Recognition of Inevitable Uncertainties: From Fisheries Management to Managing Marine Resources. 491-533		2
649	Sustainable Use and Development of Watersheds. 2008,		2
648	Coastal Lagoons in the Context of Water Management in Spain and Europe. 2008, 299-321		3
647	Water Framework Directive: Defining the Ecological Quality Status in Transitional and Coastal Waters. 2008 , 323-335		4
646	Assessment of the ecological status of coastal areas and estuaries in France, using multiple fish-based indicators: a comparative analysis on the Vilaine estuary. 2009 , 22, 559-572		11
645	Analysis of trophic networks and carbon flows in south-eastern Baltic coastal ecosystems. 2009 , 81, 111	I-131	38
644	The estuarine quality paradox: Is it possible to define an ecological quality status for specific modified and naturally stressed estuarine ecosystems?. <i>Marine Pollution Bulletin</i> , 2009 , 59, 38-47	6.7	140
643	Animal-sediment relationships: evaluating the 'Pearson-Rosenberg paradigm' in Mediterranean coastal lagoons. <i>Marine Pollution Bulletin</i> , 2009 , 58, 478-86	6.7	50
642	Theoretical and practical aspects on benthic quality assessment according to the EU-Water Framework Directiveexamples from Swedish waters. <i>Marine Pollution Bulletin</i> , 2009 , 58, 1286-96	6.7	48
641	Quality assessment of benthic macroinvertebrates under the scope of WFD using BAT, the Benthic Assessment Tool. <i>Marine Pollution Bulletin</i> , 2009 , 58, 1477-86	6.7	53
640	A habitat-specific fish-based approach to assess the ecological status of Mediterranean coastal lagoons. <i>Marine Pollution Bulletin</i> , 2009 , 58, 1704-17	6.7	41
639	Estuarine eutrophication in the UK: current incidence and future trends. 2009 , 19, 43-56		39
638	Current status of macroinvertebrate methods used for assessing the quality of European marine waters: implementing the Water Framework Directive. 2009 , 633, 181-196		125
637	Relation of fish and shellfish distributions to habitat and water quality in the Mobile Bay estuary, USA. <i>Environmental Monitoring and Assessment</i> , 2009 , 150, 181-92	3.1	7
636	The value of stress protein 70 as an environmental biomarker of fish health under field conditions. 2009 , 24, 287-95		34
635	Benthic indicators and index approaches in the three main estuaries along the French Atlantic coast (Seine, Loire and Gironde). 2009 , 30, 228-240		18
634	Functional gains of including non-commercial epibenthic taxa in coastal beam trawl surveys: A note. <i>Continental Shelf Research</i> , 2009 , 29, 1189-1194	2.4	15
633	Benthic indices and ecological quality of shallow Algeria fine sand community. <i>Ecological Indicators</i> , 2009 , 9, 395-408	5.8	34

632	Feeding diversity in macroinvertebrate communities: A contribution to estimate the ecological status in shallow waters. <i>Ecological Indicators</i> , 2009 , 9, 1009-1019	5.8	29
631	The robustness of ecological indicators to detect long-term changes in the macrobenthos of estuarine systems. 2009 , 68, 25-36		66
630	Spatial distribution of subtidal Nematoda communities along the salinity gradient in southern European estuaries. 2009 , 35, 287-300		46
629	Seasonal and Spatial Variability of the Community and Trophic Structure of the Benthic Macrofauna within Tunisian Lagoonal and Marine Coastal Areas (Southwestern Mediterranean). 2009 , 256, 1198-1	209	13
628	Spatial distribution of subtidal meiobenthos along estuarine gradients in two southern European estuaries (Portugal). 2009 , 89, 1529-1540		22
627	Hydrological constraints to macrobenthic fauna biodiversity in transitional waters ecosystems. 2010 , 21, 301-314		24
626	The Response of Estuarine Macrobenthic Communities to Natural- and Human-Induced Changes: Dynamics and Ecological Quality. 2010 , 33, 1327-1339		46
625	Medium- and Long-term Recovery of Estuarine and Coastal Ecosystems: Patterns, Rates and Restoration Effectiveness. 2010 , 33, 1249-1260		266
624	Environmental quality of Korean coasts as determined by modified Shannon-Wiener evenness proportion. <i>Environmental Monitoring and Assessment</i> , 2010 , 170, 141-57	3.1	16
623	Assessing coastal benthic macrofauna community condition using best professional judgementdeveloping consensus across North America and Europe. <i>Marine Pollution Bulletin</i> , 2010 , 60, 589-600	6.7	75
622	Development of a fish-based index to assess the ecological quality of transitional waters: the case of French estuaries. <i>Marine Pollution Bulletin</i> , 2010 , 60, 908-18	6.7	82
621	Assessing the severity of disturbance for intertidal and subtidal macrobenthos: the phylum-level meta-analysis approach in tropical estuarine sites of northeastern Brazil. <i>Marine Pollution Bulletin</i> , 2010 , 60, 873-87	6.7	4
620	Principal processes within the estuarine salinity gradient: a review. <i>Marine Pollution Bulletin</i> , 2010 , 61, 149-55	6.7	157
619	The use of benthic indicators in Europe: from the Water Framework Directive to the Marine Strategy Framework Directive. <i>Marine Pollution Bulletin</i> , 2010 , 60, 2187-96	6.7	133
618	The European Water Framework Directive at the age of 10: a critical review of the achievements with recommendations for the future. 2010 , 408, 4007-19		631
617	The use of biotopes in assessing the environmental quality of tidal estuaries in Europe. <i>Estuarine, Coastal and Shelf Science,</i> 2010 , 86, 317-321	2.9	14
616	Does the Port 2000 harbour construction have an effect on the Seine estuary suprabenthic community?. <i>Estuarine, Coastal and Shelf Science</i> , 2010 , 86, 42-50	2.9	13
615	Fish under influence: A macroecological analysis of relations between fish species richness and environmental gradients among European tidal estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2010 , 86, 137-147	2.9	68

(2011-2010)

614	Functional diversity in European estuaries: Relating the composition of fish assemblages to the abiotic environment. <i>Estuarine, Coastal and Shelf Science</i> , 2010 , 88, 329-338	2.9	62
613	Modelling the effects of extreme events on the dynamics of the amphipod Corophium orientale. 2010 , 221, 459-466		5
612	Ecological restoration of tidal estuaries in North Western Europe: an adaptive strategy to multi-scale changes. 2010 , 5, 174-184		10
611	Chemical Introductions to the Systems. 2011 , 71-111		
610	Ecosystem and Biotic Classifications of Estuaries and Coasts. 2011 , 99-124		25
609	Integrated assessment of mangrove sediments in the Camamu Bay (Bahia, Brazil). 2011 , 74, 403-15		18
608	Assessing benthic health in stressed subtropical estuaries, eastern Florida, USA using AMBI and M-AMBI. <i>Ecological Indicators</i> , 2011 , 11, 295-303	5.8	92
607	Mediterranean coastal lagoons in an ecosystem and aquatic resources management context. 2011 , 36, 160-166		91
606	Classifying Ecological Quality and Integrity of Estuaries. 2011 , 125-162		19
605	Benthic macrofauna structure in the northeast area of Todos os Santos Bay, Bahia State, Brazil: patterns of spatial and seasonal distribution. 2011 , 59, 27-42		8
604	Food resource use in sympatric juvenile plaice and flounder in estuarine habitats. 2011 , 32, 96-101		10
603	Modeling the inter-annual variability of salinity in the lagoon of Venice in relation to the water framework directive typologies. 2011 , 54, 706-719		25
602	Factors structuring temporal and spatial dynamics of macrobenthic communities in a eutrophic coastal lagoon (Bidos lagoon, Portugal). 2011 , 71, 97-110		53
601	Biological responses to contaminants in the Humber Estuary: disentangling complex relationships. 2011 , 71, 295-303		20
600	Short-term variability of multiple biomarker response in fish from estuaries: Influence of environmental dynamics. 2011 , 72, 172-8		26
599	Regime shifts in the marine environment: the scientific basis and political context. <i>Marine Pollution Bulletin</i> , 2011 , 62, 7-20	5.7	34
598	Marine science and management means tackling exogenic unmanaged pressures and endogenic managed pressuresa numbered guide. <i>Marine Pollution Bulletin</i> , 2011 , 62, 651-5	ó.7	149
597	Response of single benthic metrics and multi-metric methods to anthropogenic pressure gradients, in five distinct European coastal and transitional ecosystems. <i>Marine Pollution Bulletin</i> , 2011 , 62, 499-513	5.7	121

596	Management of the marine environment: integrating ecosystem services and societal benefits with the DPSIR framework in a systems approach. <i>Marine Pollution Bulletin</i> , 2011 , 62, 215-26	6.7	304
595	Ecological quality assessment of small estuaries from the Portuguese coast based on fish assemblages indices. <i>Marine Pollution Bulletin</i> , 2011 , 62, 992-1001	6.7	13
594	Long-term trends in benthic habitat quality as determined by Multivariate AMBI and Infaunal Quality Index in relation to natural variability: a case study in Kinsale Harbour, south coast of Ireland. <i>Marine Pollution Bulletin</i> , 2011 , 62, 1427-36	6.7	20
593	Critical appraisal on the identification of Reference Conditions for the evaluation of ecological quality status along the Emilia-Romagna coast (Italy) using M-AMBI. <i>Marine Pollution Bulletin</i> , 2011 , 62, 1725-35	6.7	16
592	Macroalgal diversity along the Baltic Sea salinity gradient challenges Remane's species-minimum concept. <i>Marine Pollution Bulletin</i> , 2011 , 62, 1948-56	6.7	46
591	Long-term changes in the production by estuarine macrobenthos affected by multiple stressors. <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 92, 10-18	2.9	60
590	Benthic biodiversity patterns in Ria de Aveiro, Western Portugal: Environmental-biological relationships. <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 95, 338-348	2.9	57
589	The leaf-bag and the sediment sample: Two sides of the same ecological quality story?. <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 95, 326-337	2.9	16
588	A diagnostic modelling framework to construct indices of biotic integrity: A case study of fish in the Zeeschelde estuary (Belgium). <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 94, 222-233	2.9	6
587	Challenging paradigms in estuarine ecology and management. <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 94, 306-314	2.9	332
5 ⁸ 7		2.9	33 ²
	2011, 94, 306-314 Benthic diversity gradients and shifting baselines: implications for assessing environmental status.	2.9	
586	2011, 94, 306-314 Benthic diversity gradients and shifting baselines: implications for assessing environmental status. 2011, 21, 2172-86 Resilience of an isopod population (Cyathura carinata) to multiple stress factors in a temperate	2.9	65
586 585	2011, 94, 306-314 Benthic diversity gradients and shifting baselines: implications for assessing environmental status. 2011, 21, 2172-86 Resilience of an isopod population (Cyathura carinata) to multiple stress factors in a temperate estuarine system. 2011, 671, 13-25	2.9	65
586 585 584	Benthic diversity gradients and shifting baselines: implications for assessing environmental status. 2011, 21, 2172-86 Resilience of an isopod population (Cyathura carinata) to multiple stress factors in a temperate estuarine system. 2011, 671, 13-25 Coastal lagoons: Eransitional ecosystems/between transitional and coastal waters. 2011, 15, 369-392	2.9	65
586 585 584 583	Benthic diversity gradients and shifting baselines: implications for assessing environmental status. 2011, 21, 2172-86 Resilience of an isopod population (Cyathura carinata) to multiple stress factors in a temperate estuarine system. 2011, 671, 13-25 Coastal lagoons: Bransitional ecosystems/between transitional and coastal waters. 2011, 15, 369-392 Zooplankton composition in Lake Varano (Adriatic Sea coast, Italy). 2011, 78, 370-378	2.9	65 6 112 9
586 585 584 583 582	Benthic diversity gradients and shifting baselines: implications for assessing environmental status. 2011, 21, 2172-86 Resilience of an isopod population (Cyathura carinata) to multiple stress factors in a temperate estuarine system. 2011, 671, 13-25 Coastal lagoons: Bransitional ecosystems between transitional and coastal waters. 2011, 15, 369-392 Zooplankton composition in Lake Varano (Adriatic Sea coast, Italy). 2011, 78, 370-378 Introduction © Dverview. 2011, 1-15	2.9	65 6 112 9

578	An invertebrate multimetric index to classify the ecological status of small coastal lagoons in the Mediterranean ecoregion (MIBIIN). 2012 , 63, 801		10	
577	Spatio-Temporal Variability in Water Chemistry of Mediterranean Coastal Lagoons and its Management Implications. 2012 , 32, 1033-1045		11	
576	Sediment-seawater solute flux in a polluted New Zealand estuary. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2885-91	6.7	14	
575	Impacts of dredged material disposal on macrobenthic invertebrate communities: A comparison of structural and functional (secondary production) changes at disposal sites around England and Wales. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2199-210	6.7	37	
574	Environmental quality assessment combining sediment metal levels, biomarkers and macrobenthic communities: application to the Bidos coastal lagoon (Portugal). <i>Environmental Monitoring and Assessment</i> , 2012 , 184, 7141-51	3.1	13	
573	Fish assemblages as indicators of estuary ecosystem health. 2012 , 20, 477-490		35	
572	Macrobenthic community for assessment of estuarine health in tropical areas (Northeast, Brazil): review of macrofauna classification in ecological groups and application of AZTI Marine Biotic Index. <i>Marine Pollution Bulletin</i> , 2012 , 64, 1809-20	6.7	32	
571	Looking for suitable biomarkers in benthic macroinvertebrates inhabiting coastal areas with low metal contamination: comparison between the bivalve Cerastoderma edule and the Polychaete Diopatra neapolitana. 2012 , 75, 109-18		74	
570	Response of different benthic indices to diverse human pressures. <i>Ecological Indicators</i> , 2012 , 12, 143-1	1 53 8	44	
569	Low levels of agreement among experts using best professional judgment to assess benthic condition in the San Francisco Estuary and Delta. <i>Ecological Indicators</i> , 2012 , 12, 167-173	5.8	17	
568	Use case of biomass-based benthic invertebrate index for brackish waters in connection to climate and eutrophication. <i>Ecological Indicators</i> , 2012 , 12, 123-132	5.8	10	
567	Assessing proposed modifications to the AZTI marine biotic index (AMBI), using biomass and production. <i>Ecological Indicators</i> , 2012 , 12, 96-104	5.8	18	
566	Evaluating macrobenthic process indicators in relation to organic enrichment and hypoxia. <i>Ecological Indicators</i> , 2012 , 13, 1-12	5.8	27	
565	A benthic macroinvertebrate size spectra index for implementing the Water Framework Directive in coastal lagoons in Mediterranean and Black Sea ecoregions. <i>Ecological Indicators</i> , 2012 , 12, 72-83	5.8	53	
564	Ability of benthic indicators to assess ecological quality in estuaries following management. <i>Ecological Indicators</i> , 2012 , 19, 130-143	5.8	24	
563	The importance of setting targets and reference conditions in assessing marine ecosystem quality. <i>Ecological Indicators</i> , 2012 , 12, 1-7	5.8	191	
562	Do nematode and macrofauna assemblages provide similar ecological assessment information?. <i>Ecological Indicators</i> , 2012 , 14, 124-137	5.8	45	
561	Suitability of benthic macrophyte indices (EEI, E-MaQI and BENTHOS) for detecting anthropogenic pressures in a Mediterranean coastal lagoon (Mar Menor, Spain). <i>Ecological Indicators</i> , 2012 , 19, 48-60	5.8	14	

560	Feeding diversity index as complementary information in the assessment of ecological quality status. <i>Ecological Indicators</i> , 2012 , 19, 73-78	5.8	10
559	Ecological quality assessment of transitional waters based on fish assemblages in Portuguese estuaries: The Estuarine Fish Assessment Index (EFAI). <i>Ecological Indicators</i> , 2012 , 19, 144-153	5.8	57
558	Is parasitism in fish a good metric to assess ecological water quality in transitional waters? What can be learned from two estuarine resident species?. <i>Ecological Indicators</i> , 2012 , 19, 154-160	5.8	5
557	Benthic condition in low salinity areas of the Mira estuary (Portugal): Lessons learnt from freshwater and marine assessment tools. <i>Ecological Indicators</i> , 2012 , 19, 79-88	5.8	19
556	Impact of the sampling protocol in assessing ecological trends in an estuarine ecosystem: The empirical example of the Gironde estuary. <i>Ecological Indicators</i> , 2012 , 15, 18-29	5.8	13
555	Taxonomic sufficiency of polychaete taxocenes for estuary monitoring. <i>Ecological Indicators</i> , 2012 , 15, 149-156	5.8	24
554	Three hundred ways to assess Europe's surface waters: An almost complete overview of biological methods to implement the Water Framework Directive. <i>Ecological Indicators</i> , 2012 , 18, 31-41	5.8	641
553	Combining process indices from network analysis with structural population measures to indicate response of estuarine trophodynamics to pulse organic enrichment. <i>Ecological Indicators</i> , 2012 , 18, 652	- <i>€</i> 58	7
552	A biological trait approach to assess the functional composition of subtidal benthic communities in an estuarine ecosystem. <i>Ecological Indicators</i> , 2012 , 20, 121-133	5.8	87
551	Influence of sampling effort on metrics of fish-based indices for the assessment of estuarine ecological quality. <i>Ecological Indicators</i> , 2012 , 23, 9-18	5.8	13
550	Benthic foraminifera provide a promising tool for ecological quality assessment of marine waters. <i>Ecological Indicators</i> , 2012 , 23, 66-75	5.8	113
549	Assessment of the subtidal macrobenthic community functioning of a temperate estuary following environmental restoration. <i>Ecological Indicators</i> , 2012 , 23, 312-322	5.8	41
548	The effect of physical drivers on ecosystem indices derived from ecological network analysis: Comparison across estuarine ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 108, 132-143	2.9	33
547	Annual characterisation of four Mediterranean coastal lagoons subjected to intense human activity. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 114, 59-69	2.9	26
546	Trophic functioning of coastal ecosystems along an anthropogenic pressure gradient: A French case study with emphasis on a small and low impacted estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 112, 73-85	2.9	30
545	Management of coastal lagoons under climate change. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 110, 32-35	2.9	50
544	Dynamics of biogeochemical properties in temperate coastal areas of freshwater influence: Lessons from the Northern Adriatic Sea (Gulf of Trieste). <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 115, 63-74	2.9	27
543	Factors involved in spatiotemporal dynamics of submerged macrophytes in a Portuguese coastal lagoon under Mediterranean climate. <i>Estuarine, Coastal and Shelf Science,</i> 2012 , 110, 93-100	2.9	15

(2012-2012)

542	Inter-annual variations of macrobenthic communities over three decades in a land-locked coastal lagoon (Santo Andr, SW Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 110, 168-175	.9	13
541	Indices, multispecies and synthesis descriptors in benthic assessments: Intertidal organic enrichment from oyster farming. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 110, 190-201	.9	9
540	Functional diversity in three Mediterranean transitional water ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 110, 202-209	.9	18
539	A rapid bioassessment tool for the evaluation of the water quality of transitional waters. <i>Estuarine, Coastal and Shelf Science,</i> 2012 , 111, 129-138	.9	12
538	Changes in photosynthetic yield (Fv/Fm) responses of salt-marsh microalgal communities along an osmotic gradient (Mont-Saint-Michel Bay, France). <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 115, 326-333	3 9	5
537	Integrating ecological, economic and social aspects to generate useful management information under the EU Directives' Bcosystem approach 12012, 68, 169-188		108
536	Subtidal benthic macroinfaunal assemblages in tropical estuaries: generality amongst highly variable gradients. 2012 , 81, 43-52		28
535	Ecological status assessment and response of benthic communities to environmental variability: the Valli di Comacchio (Italy) as a study case. 2012 , 81, 53-61		20
534	Considerations for integrative environmental assessments of contaminated estuarine sediments. 2012 , 23, 400-413		5
533	Nekton response to freshwater inputs in a temperate European estuary with regulated riverine inflow. 2012 , 440, 261-71		12
532	Incorporating indirect ecosystem services into marine protected area planning and management. 2012 , 8, 273-285		15
531	Fuzziness and heterogeneity of benthic metacommunities in a complex transitional system. 2012 , 7, e52395		6
530	Saprobity: a unified view of benthic succession models for coastal lagoons. 2012 , 686, 15-28		38
529	Long-Term Changes in Population Dynamics of the Shrimp Palaemon longirostris in the Gironde Estuary. 2012 , 35, 1082-1099		8
528	Paradigms in estuarine ecology IA review of the Remane diagram with a suggested revised model for estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 97, 78-90	.9	174
527	Predictive distribution modeling of the sandy-beach supralittoral amphipod Atlantorchestoidea brasiliensis along a macroscale estuarine gradient. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 98, 84-93	.9	15
526	The effects of hydrological dynamics on benthic diatom community structure in a highly stratified estuary: The case of the Ebro Estuary (Catalonia, Spain). <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 101, 1-14	.9	24
525	The use of diatom assemblages as ecological indicators in highly stratified estuaries and evaluation of existing diatom indices. <i>Marine Pollution Bulletin</i> , 2012 , 64, 500-11	.7	33

524	Measuring the ecological integrity of an industrial district in the Amazon estuary, Brazil. <i>Marine Pollution Bulletin</i> , 2012 , 64, 489-99	6.7	17
523	Testing benthic foraminiferal distributions as a contemporary quantitative approach to biomonitoring estuarine heavy metal pollution. <i>Marine Pollution Bulletin</i> , 2012 , 64, 1039-48	6.7	24
522	Ecological quality assessment of small estuaries from the Portuguese coast based on benthic macroinvertebrate assemblages indices. <i>Marine Pollution Bulletin</i> , 2012 , 64, 1136-42	6.7	8
521	The gene expression response of the catadromous perciform barramundi Lates calcarifer to an acute heat stress. 2012 , 81, 81-93		6
520	Applicability and intercalibration of macrophyte quality indices to characterise the ecological status of Mediterranean transitional waters: the case of the Venice lagoon. 2012 , 33, 437-459		5
519	Particulate Thiol Peptides Along a Salinity Gradient of a Metal-Contaminated Estuary. 2012 , 35, 658-66	4	6
518	Intertidal macrofauna and environmental stress at a riverine-marine boundary. 2013, 92, 1-9		3
517	Pressures, stresses, shocks and trends in estuarine ecosystems [An introduction and synthesis. Estuarine, Coastal and Shelf Science, 2013, 130, 1-8	2.9	48
516	Is the distribution of the lancelet Branchiostoma caribaeum affected by sewage discharges? An analysis at multiple scales of variability. <i>Marine Pollution Bulletin</i> , 2013 , 69, 178-88	6.7	15
515	Ecological risk assessment of impacted estuarine areas: integrating histological and biochemical endpoints in wild Senegalese sole. 2013 , 95, 202-11		15
514	Fishes and fisheries in tropical estuaries: The last 10 years. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 135, 57-65	2.9	59
513	Respiratory responses to salinity, temperature and hypoxia of six caridean shrimps from different aquatic habitats. 2013 , 445, 108-115		20
512	Are coastal lagoons physically or biologically controlled ecosystems? Revisiting r vs. K strategies in coastal lagoons and estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 132, 17-33	2.9	31
511	Macroinvertebrates communities associated with the decomposition of Phragmites australis and Fucus vesiculosus in transitional systems. 2013 , 83, 72-82		5
510	Benthic macrofauna of an estuarine lake during a drought: spatio-temporal drivers under different hydrological states. 2013 , 492, 111-123		9
509	Macrobenthic community structure in tropical estuaries: the effect of sieve mesh-size and sampling depth on estimated abundance, biomass and composition. 2013 , 93, 1441-1456		6
508	PCBs in the fish assemblage of a southern European estuary. 2013 , 76, 22-30		11
507	Life in the salinity gradient: Discovering mechanisms behind a new biodiversity pattern. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 135, 317-327	2.9	75

506	Zooplankton composition along the confinement gradient of the Taranto Sea System (Ionian Sea, south-eastern Italy). 2013 , 128, 222-238		14
505	Strength and time lag of relationships between human pressures and fish-based metrics used to assess ecological quality of estuarine systems. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 134, 119-127	2.9	20
504	Towards the implementation of the Water Framework Directive in Mediterranean transitional waters: the use of macroinvertebrates as biological quality elements. 2013 , 4, 212-240		2
503	Reciprocal experimental transplantations to assess effects of organic enrichment on the recolonization of benthic macrofauna in a subtropical estuary. <i>Marine Pollution Bulletin</i> , 2013 , 67, 107-2	o ^{6.7}	11
502	Intertidal fish communities may make poor indicators of environmental quality: Lessons from a study of mangrove habitat modification. <i>Ecological Indicators</i> , 2013 , 24, 421-430	5.8	12
501	Evaluating marine ecosystem health: Case studies of indicators using direct observations and modelling methods. <i>Ecological Indicators</i> , 2013 , 24, 353-365	5.8	98
500	Microhabitat variability of macrobenthic organisms within tidal creek systems. 2013, 702, 15-25		3
499	North Atlantic coastal lagoons: conservation, management and research challenges in the twenty-first century. 2013 , 701, 1-11		20
498	Fish community-based measures of estuarine ecological quality and pressure Impact relationships. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 134, 128-137	2.9	22
497	A proposed integrated bioindex for the macrofouling biocoenosis of hard substrata in the lagoon of Venice. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 130, 190-201	2.9	10
496	Vegetation cyclic shift in eutrophic lagoon. Assessment of dystrophic risk indices based on standing crop evaluations. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 132, 99-107	2.9	10
495	Biochemical responses and physiological status in the crab Hemigrapsus crenulatus (Crustacea, Varunidae) from high anthropogenically-impacted estuary (Lenga, south-central Chile). 2013 , 83, 73-81		16
494	Natural variability and reference conditions: setting type-specific classification boundaries for lagoon macroinvertebrates in the Mediterranean and Black Seas. 2013 , 704, 325-345		25
493	A unifying approach to understanding transitional waters: Fundamental properties emerging from ecotone ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 132, 5-16	2.9	88
492	Phytoplankton composition indicators for the assessment of eutrophication in marine waters: present state and challenges within the European directives. <i>Marine Pollution Bulletin</i> , 2013 , 66, 7-16	6.7	60
491	A hierarchical Bayesian model for the ecological status classification of lagoons. 2013 , 263, 187-195		3
490	Assessing and managing sediment contamination in transitional waters. 2013 , 55, 71-91		88
489	Integrated quality assessment of sediments from harbour areas in Santos-Sö Vicente Estuarine System, Southern Brazil. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 130, 179-189	2.9	61

488	Testing different ecological scenarios in a temperate estuary: a contribution towards the implementation of the Ecological Potential assessment. <i>Marine Pollution Bulletin</i> , 2013 , 71, 168-78	ó.7	7
487	Estuarine and lagoon biodiversity and their natural goods and services. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 132, 1-4	9	39
486	Trends in water quality and subtidal benthic communities in a temperate estuary: Is the response to restoration efforts hidden by climate variability and the Estuarine Quality Paradox?. <i>Ecological Indicators</i> , 2013 , 24, 56-67	;.8	28
485	Temporal stability in estuarine systems: Implications for ecosystem services provision. <i>Ecological Indicators</i> , 2013 , 24, 246-253	:.8	15
484	Human-mediated drivers of change Impacts on coastal ecosystems and marine biota of South Africa. 2013 , 35, 403-425		38
483	Depurated fish as an alternative reference for field-based biomarker monitoring. <i>Environmental Monitoring and Assessment</i> , 2013 , 185, 1331-40	.1	7
482	Transitional and coastal waters ecological status assessment: advances and challenges resulting from implementing the European Water Framework Directive. 2013 , 704, 213-229		47
481	The use of benthic metabolic processes as indicators for environmental quality assessment in coastal lagoons. 2013 , 4, 194-211		1
480	Polychaete richness and abundance enhanced in anthropogenically modified estuaries despite high concentrations of toxic contaminants. 2013 , 8, e77018		33
479	Long-term ecosystem stability in an Early Miocene estuary. 2014 , 42, 7-10		31
478	Patterns and processes of habitat-specific demographic variability in exploited marine species. 2014 , 71, 638-647		36
477	Faster, Higher and Stronger? The Pros and Cons of Molecular Faunal Data for Assessing Ecosystem Condition. 2014 , 51, 1-40		24
476	Ichthyofauna as bioindicator of environmental quality in an industrial district in the amazon estuary, Brazil. 2014 , 74, 315-24		6
475	Macrofauna in Mediterranean and Black Sea transitional aquatic ecosystems: A comparative study of the benthic populations sampled by box corer and leaf bags. <i>Ecological Indicators</i> , 2014 , 38, 159-169	:.8	12
474	Mind the Data Gap: Identifying and Assessing Drivers of Changing Eutrophication Condition. 2014 , 37, 198-221		14
473	Modeling fish biological responses to contaminants and natural variability in estuaries. 2014 , 96, 45-55		20
472	Effects of substratum type on fish assemblages in shallow areas of a tropical estuary. 2014 , 35, 456-470		13
471	Structural and functional indices show similar performance in marine ecosystem quality assessment. <i>Ecological Indicators</i> , 2014 , 43, 271-280	:.8	20

470	Long term variation of an amphipod species[bopulation secondary production as indicator of incomplete resilience in a temperate estuary. <i>Ecological Indicators</i> , 2014 , 36, 324-333	5.8	5
469	Macrofaunal recovery following the intertidal recharge of dredged material: a comparison of structural and functional approaches. 2014 , 97, 15-29		21
468	Biodiversity in transitional waters: steeper ecotone, lower diversity. 2014 , 35, 78-84		22
467	Functional changes in benthic communities along a salinity gradient western Baltic case study. 2014 , 85, 315-324		42
466	Towards a suitable ecological status assessment of highly stratified mediterranean estuaries: A comparison of benthic invertebrate fauna indices. <i>Ecological Indicators</i> , 2014 , 46, 177-187	5.8	13
465	Human-induced biotic invasions and changes in plankton interaction networks. 2014 , 51, 1066-1074		16
464	Ecological effects of contaminated sediments following a decade of no industrial effluents emissions: the Sediment Quality Triad approach. <i>Marine Pollution Bulletin</i> , 2014 , 87, 117-130	6.7	12
463	Assessing benthic ecological status of urban sandy beaches (Northeast Atlantic, Morocco) using M-AMBI. <i>Ecological Indicators</i> , 2014 , 46, 586-595	5.8	10
462	Impact of sewage pollution on the structure and functioning of a rocky shore benthic community. 2014 , 65, 750		3
461	Juvenile salmon in estuaries: comparisons between North American Atlantic and Pacific salmon populations. 2014 , 24, 713-736		24
460	Compliance of the macrophyte quality index (MaQI) with the WFD (2000/60/EC) and ecological status assessment in transitional areas: The Venice lagoon as study case. <i>Ecological Indicators</i> , 2014 , 46, 536-547	5.8	28
459	A short-term laboratory and in situ sediment assay based on the postexposure feeding of the estuarine isopod Cyathura carinata. 2014 , 134, 242-50		11
458	Assessing the ecological status in the context of the European Water Framework Directive: where do we go now?. 2014 , 497-498, 332-344		129
457	New methodology for analysing and increasing the cost-efficiency of environmental monitoring networks. <i>Marine Pollution Bulletin</i> , 2014 , 86, 161-173	6.7	5
456	A full life cycle and spatially explicit individual-based model for the giant mud crab (Scylla serrata): a case study from a marine protected area. 2014 , 71, 484-498		8
455	Multiscale patterns in the diversity and organization of benthic intertidal fauna among French Atlantic estuaries. 2014 , 90, 95-110		20
454	The artisanal fishery of Cynoscion guatucupa in Argentina: Exploring the possible causes of the collapse in Baha Blanca estuary. 2014 , 88, 29-35		17
453	Problems and pressures, management and measures in a site of marine conservation importance: Carmarthen Bay and Estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2014 , 150, 288-298	2.9	8

452	Integrated assessment of metal contamination in sediments from two tropical estuaries. 2014 , 106, 195-203	46
451	Benthic macrophyte metrics as bioindicators of water quality: towards overcoming typological boundaries and methodological tradition in Mediterranean and Black Seas. 2014 , 740, 61-78	15
450	Is there a significant relationship between the benthic status of an area, determined by two broadly-used indices, and best professional judgment?. <i>Ecological Indicators</i> , 2014 , 45, 308-312	9
449	Variability and temporal stability of communities in estuaries (Mlalazi and Mpenjati, South Africa). 2014 , 500, 11-24	3
448	Life history of Sternaspis costata (Sternaspidae: Polychaeta) in Ariake Bay, Japan. 2015 , 1-9	2
447	Biological indicators for transitional water. 2015 , 1457-1460	
446	The physico-chemical characteristics, biota and fisheries of estuaries. 2015 , 48-79	7
445	Assessing the Environmental Quality in Heavily Modified Transitional Waters: The Application of MEDOCC (MEDiterranean OCCidental) Index in Ebre Delta Bays. 2015 , 227-247	
444	The effect of four environmental parameters on the structure of estuarine shoreline communities in Texas, USA. 2015 , 6, art258	3
443	The structure of disaster resilience: a framework for simulations and policy recommendations. 2015 , 15, 827-841	4
442	ICTIOFAUNA COMO INDICADOR DA INTEGRIDADE BIO TICA DE UM AMBIENTE DE ESTUA RIO. 2015 , 21,	1
441	Bottom-up control of macrobenthic communities in a guanotrophic coastal system. 2015 , 10, e0117544	14
440	Scavenging rate ecoassay: a potential indicator of estuary condition. 2015 , 10, e0127046	8
439	Detecting Subtle Shifts in Ecosystem Functioning in a Dynamic Estuarine Environment. 2015 , 10, e0133914	20
438	Impact of marine inundation after a period of drought on the lakeshore vegetation of Lake St Lucia, South Africa: resilience of estuarine vegetation. 2015 , 40, 175-185	
437	Annual characterization of the nutrients and trophic state in a Mediterranean coastal lagoon: The Marano and Grado Lagoon (northern Adriatic Sea). <i>Regional Studies in Marine Science</i> , 2015 , 2, 132-144	36
436	Efficacy of single and multi-metric fish-based indices in tracking anthropogenic pressures in estuaries: An 8-year case study. <i>Marine Pollution Bulletin</i> , 2015 , 101, 153-162	18
435	Biological Indicators to Assess the Ecological Status of River-Dominated Estuaries: The Case of Benthic Indicators in the Ebro River Estuary. 2015 , 149-170	1

(2015-2015)

434	A fish-based index for assessing the ecological status of Polish transitional and coastal waters. <i>Marine Pollution Bulletin</i> , 2015 , 101, 497-506	6.7	5
433	Benthic foraminifera as indicators of habitat change in anthropogenically impacted coastal wetlands of the Ebro Delta (NE Iberian Peninsula). <i>Marine Pollution Bulletin</i> , 2015 , 101, 163-173	6.7	14
432	New frameworks for species surrogacy in monitoring highly variable coastal ecosystems: Applying the BestAgg approach to Mediterranean coastal lagoons. <i>Ecological Indicators</i> , 2015 , 52, 207-218	5.8	10
431	Macrobenthic assemblages, sediment characteristics and heavy metal concentrations in soft-bottom Ebre Delta bays (NW Mediterranean). <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 71	3.1	2
430	Fine-scale movements, site fidelity and habitat use of an estuarine dependent sparid. 2015 , 98, 1599-16	508	21
429	Contrasting tropical estuarine ecosystem functioning and stability: A comparative study. <i>Estuarine</i> , <i>Coastal and Shelf Science</i> , 2015 , 155, 89-103	2.9	12
428	Assessing the ecological quality status of a temperate urban estuary by means of benthic biotic indices. <i>Marine Pollution Bulletin</i> , 2015 , 91, 441-53	6.7	25
427	Quality Standard Setting and Environmental Monitoring. 2015 , 51-76		
426	Temporal variability of biodiversity patterns and trophic structure of estuarine macrobenthic assemblages along a gradient of metal contamination. <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 167, 286-299	2.9	22
425	Bacterial diversity patterns of the intertidal biofilm in urban beaches of Rö de la Plata. <i>Marine Pollution Bulletin</i> , 2015 , 91, 476-82	6.7	11
424	The mosaic of habitats of the Seine estuary: Insights from food-web modelling and network analysis. 2015 , 312, 91-101		29
423	Habitat quality of estuarine nursery grounds: Integrating non-biological indicators and multilevel biological responses in Solea senegalensis. <i>Ecological Indicators</i> , 2015 , 58, 335-345	5.8	16
422	Seagrass-associated macrobenthic functional diversity and functional structure along an estuarine gradient. <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 164, 233-243	2.9	19
421	Evaluating the performance of benthic multi-metric indices across broad-scale environmental gradients. <i>Ecological Indicators</i> , 2015 , 58, 382-391	5.8	7
420	Molluscan assemblages under the influence of peat-draining rivers off East Sumatra, Indonesia. 2015 , 35, 81-94		4
419	Quantitative environmental risk assessments in the context of marine spatial management: current approaches and some perspectives. 2015 , 72, 1022-1042		47
418	Force majeure: Will climate change affect our ability to attain Good Environmental Status for marine biodiversity?. <i>Marine Pollution Bulletin</i> , 2015 , 95, 7-27	6.7	73
417	Predicting ecological changes on benthic estuarine assemblages through decadal climate trends along Brazilian Marine Ecoregions. <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 166, 74-82	2.9	56

416	Global patterns and predictors of fish species richness in estuaries. 2015, 84, 1331-41		61
415	Estuarine intertidal meiofauna and nematode communities as indicator of ecosystem's recovery following mitigation measures. <i>Ecological Indicators</i> , 2015 , 54, 184-196	5.8	27
414	Do fish larvae have advantages over adults and other components for assessing estuarine ecological quality?. <i>Ecological Indicators</i> , 2015 , 55, 74-85	5.8	19
413	Spatio-temporal population and reproductive responses in Perinereis gualpensis (Polychaeta: Nereididae) from estuaries under different anthropogenic influences. 2015 , 31, 308-319		2
412	Can biotic indicators distinguish between natural and anthropogenic environmental stress in estuaries?. 2015 , 102, 10-21		30
411	Zooplankton structure and dynamics in two estuaries from the Atlantic coast in relation to multi-stressors exposure. <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 167, 347-367	2.9	19
410	Distribution patterns of the demersal fish fauna on the inner continental shelf of Suriname. <i>Regional Studies in Marine Science</i> , 2015 , 2, 177-188	1.5	5
409	An evaluation of the weight of evidence approach to assess sediment quality in the Mvoti Estuary, KwaZulu-Natal, South Africa. 2015 , 40, 235-246		1
408	Habitat heterogeneity affects ecological functions of macrobenthic communities in a mangrove: Implication for the impact of restoration and afforestation. 2015 , 4, 423-433		27
407	The ecology, evolution, impacts and management of host-parasite interactions of marine molluscs. 2015 , 131, 177-211		20
406	Effects of organic pollution and physical stress on benthic macroinvertebrate communities from two intermittently closed and open coastal lagoons (ICOLLs). <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 167, 276-285	2.9	13
405	Inputs of anthropogenic nitrogen influence isotopic composition and trophic structure in SE Australian estuaries. <i>Marine Pollution Bulletin</i> , 2015 , 100, 217-223	6.7	17
404	Spatio-temporal distribution patterns of the epibenthic community in the coastal waters of Suriname. <i>Continental Shelf Research</i> , 2015 , 108, 25-40	2.4	9
403	The performance of biomass-based AMBI in lagoonal ecosystems. <i>Marine Pollution Bulletin</i> , 2015 , 99, 126-37	6.7	6
402	New Tools to Analyse the Ecological Status of Mediterranean Wetlands and Shallow Lakes. 2015 , 171	-199	6
401	Application of "taxocene surrogation" and "taxonomic sufficiency" concepts to fish farming environmental monitoring. Comparison of BOPA index versus polychaete assemblage structure.		17
	2015 , 103, 27-35		
400	2015, 103, 27-35 A multi-molecular marker assessment of organic pollution in shore sediments from the Rö de la Plata Estuary, SW Atlantic. <i>Marine Pollution Bulletin</i> , 2015, 91, 461-75	6.7	43

(2016-2015)

398	Freshwater scarcity effects on the aquatic macrofauna of a European Mediterranean-climate estuary. 2015 , 503-504, 213-21		32
397	A review on the ecological quality status assessment in aquatic systems using community based indicators and ecotoxicological tools: what might be the added value of their combination?. <i>Ecological Indicators</i> , 2015 , 48, 8-16	5.8	62
396	Estuarine ecological structure and functioning. 2016 , 157-193		2
395	Fish assemblages in a coastal bay adjacent to a network of marine protected areas in southern Brazil. 2016 , 64, 295-308		4
394	Benthic estuarine communities in Brazil: moving forward to long term studies to assess climate change impacts. 2016 , 64, 81-96		23
393	Managing the Marine Environment, Conceptual Models and Assessment Considerations for the European Marine Strategy Framework Directive. <i>Frontiers in Marine Science</i> , 2016 , 3,	4.5	32
392	What Is Marine Biodiversity? Towards Common Concepts and Their Implications for Assessing Biodiversity Status. <i>Frontiers in Marine Science</i> , 2016 , 3,	4.5	18
391	Effects of dredging operations on the demersal fish fauna of a South American tropical-subtropical transition estuary. 2016 , 89, 890-920		22
390	A review of Australian approaches for monitoring, assessing and reporting estuarine condition: I. International context and evaluation criteria. <i>Environmental Science and Policy</i> , 2016 , 66, 260-269	6.2	21
389	Evaluating ecological states of rocky intertidal communities: A Best Professional Judgment exercise. <i>Ecological Indicators</i> , 2016 , 60, 802-814	5.8	10
388	Palaeo-ecological quality status based on foraminifera of Boulogne-sur-Mer harbour (Pas-de-Calais, Northeastern France) over the last 200 years. 2016 , 117, 32-43		29
387	Classification efficiency of the B-IBI comparing water body size classes in Chesapeake Bay. <i>Ecological Indicators</i> , 2016 , 63, 144-153	5.8	4
386	'The past is the future of the present': Learning from long-time series of marine monitoring. 2016 , 566-567, 698-711		41
385	An experimental approach to assess Corbicula fluminea (Mler, 1774) resistance to osmotic stress in estuarine habitats. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 176, 110-116	2.9	13
384	Hydrodynamic properties of San Quintin Bay, Baja California: Merging models and observations. <i>Marine Pollution Bulletin</i> , 2016 , 108, 203-14	6.7	6
383	Natural and human controls of water quality of an Amazon estuary (Caet-PA, Brazil). 2016 , 124, 42-52		19
382	Mid- to late-Holocene environmental evolution of the Loire estuary as observed from sedimentary characteristics and benthic foraminiferal assemblages. 2016 , 118, 17-34		9
381	Biomarker responses of mussels exposed to earthquake disturbances. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 182, 98-111	2.9	5

380	Artificial soft sediment resuspension and high density opportunistic macroalgal mat fragmentation as method for increasing sediment zoobenthic assemblage diversity in a eutrophic lagoon. <i>Marine Pollution Bulletin</i> , 2016 , 110, 212-220	6.7	3
379	The biology of environmental stress: molecular biomarkers in Sydney rock oysters (Saccostrea glomerata). 2016 , 18, 1129-39		9
378	How functional traits of estuarine macrobenthic assemblages respond to metal contamination?. <i>Ecological Indicators</i> , 2016 , 71, 645-659	5.8	32
377	Spatial patterns of distribution and the influence of seasonal and abiotic factors on demersal ichthyofauna in an estuarine tropical bay. 2016 , 89, 821-46		32
376	Characterisation of a Tunisian coastal lagoon through hyperspectral underwater irradiance. 2016 , 41, 217-225		2
375	Is meiofauna community structure in Artificial Substrate Units a good tool to assess anthropogenic impact in estuaries?. <i>Marine Pollution Bulletin</i> , 2016 , 110, 354-361	6.7	12
374	Benthic macrofaunal communities along an estuarine gradient in the Jiaojiang River estuary, China. 2016 , 19, 314-325		2
373	Can the Effects of Anthropogenic Pressures and Environmental Variability on Nekton Fauna Be Detected in Fishery Data? Insights from the Monitoring of the Artisanal Fishery Within the Venice Lagoon. 2016 , 39, 1164-1182		15
372	Simple processes drive unpredictable differences in estuarine fish assemblages: Baselines for understanding site-specific ecological and anthropogenic impacts. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 170, 61-69	2.9	20
371	Effects of metal contamination in situ on osmoregulation and oxygen consumption in the mudflat fiddler crab Uca rapax (Ocypodidae, Brachyura). 2016 , 185-186, 102-111		13
370	Evaluation of abiotic stresses of temperate estuaries by using resident zooplankton: A community vs. population approach. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 170, 102-111	2.9	5
369	A test of biological trait analysis with nematodes and an anthropogenic stressor. <i>Environmental Monitoring and Assessment</i> , 2016 , 188, 140	3.1	4
368	Impact of a flood event on the zooplankton of an estuarine lake. 2016 , 12, 158-167		11
367	Using an integrated approach to assess the sediment quality of an estuary from the semi-arid coast of Brazil. <i>Marine Pollution Bulletin</i> , 2016 , 104, 70-82	6.7	12
366	Patchy sediment contamination scenario and the habitat selection by an estuarine mudsnail. 2016 , 25, 412-8		7
365	Reducing spatial variation in environmental assessment of marine benthic fauna. <i>Marine Pollution Bulletin</i> , 2016 , 104, 129-38	6.7	8
364	Rating species sensitivity throughout gradient systems (b) consistent approach for the Baltic Sea. <i>Ecological Indicators</i> , 2016 , 61, 447-455	5.8	5
363	Functional diversity of macrobenthic assemblages decreases in response to sewage discharges. <i>Ecological Indicators</i> , 2016 , 66, 65-75	5.8	65

(2017-2016)

Propensity to metal accumulation and oxidative stress responses of two benthic species (Cerastoderma edule and Nephtys hombergii): are tolerance processes limiting their responsiveness?. 2016 , 25, 664-76		24	
Assessing estuarine quality: A cost-effective in situ assay with amphipods. 2016 , 212, 382-391		4	
Polychaete/amphipod ratios: An approach to validating simple benthic indicators. <i>Ecological Indicators</i> , 2016 , 63, 89-99	5.8	47	
Intertidal assemblage variation across a subtropical estuarine gradient: How good conceptual and empirical models are?. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 170, 91-101	2.9	14	
Experiences from Surface Water Quality Monitoring. 2016 ,		2	•
Functional composition of epifauna in the south-eastern North Sea in relation to habitat characteristics and fishing effort. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 169, 182-194	2.9	14	
Experiences from Ground, Coastal and Transitional Water Quality Monitoring. 2016,		O	
Assessment of long-term water quality variation affected by high-intensity land-based inputs and land reclamation in Jiaozhou Bay, China. <i>Ecological Indicators</i> , 2017 , 75, 210-219	5.8	23	
Live-dead analysis reveals long-term response of the estuarine bivalve community to water diversions along the Colorado River. 2017 , 106, 749-756		17	
Can mangrove plantation enhance the functional diversity of macrobenthic community in polluted mangroves?. <i>Marine Pollution Bulletin</i> , 2017 , 116, 454-461	6.7	14	
Differences in biological traits composition of benthic assemblages between unimpacted habitats. 2017 , 126, 1-13		37	
Living under stressful conditions: Fish life history strategies across environmental gradients in estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 188, 18-26	2.9	26	
Interdecadal changes in the community, population and individual levels of the fish fauna of an extensively modified estuary. 2017 , 90, 1734-1767		16	
Fish-based indicators of estuarine condition that do not require reference data. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 191, 209-220	2.9	13	
Environmental Impact of Offshore Gas Activities on the Benthic Environment: A Case Study. 2017 , 60, 340-356		8	
Comparative efficacy of benthic biotic indices in assessing the Ecological Quality Status (EcoQS) of the stressed Ulhas estuary, India. <i>Marine Pollution Bulletin</i> , 2017 , 120, 192-202	6.7	23	
Estuaries and coastal lagoons. 2017 , 483-509		7	
Addressing a gap in the Water Framework Directive implementation: Rocky shores assessment based on benthic macroinvertebrates. <i>Ecological Indicators</i> , 2017 , 78, 489-501	5.8	3	
	(Cerastoderma edule and Nephtys hombergii): are tolerance processes limiting their responsiveness?. 2016, 25, 664-76 Assessing estuarine quality: A cost-effective in situ assay with amphipods. 2016, 212, 382-391 Polychaete/amphipod ratios: An approach to validating simple benthic indicators. Ecological Indicators, 2016, 63, 89-99 Intertidal assemblage variation across a subtropical estuarine gradient: How good conceptual and empirical models are?. Estuarine, Coastal and Shelf Science, 2016, 170, 91-101 Experiences from Surface Water Quality Monitoring. 2016, Functional composition of epifauna in the south-eastern North Sea in relation to habitat characteristics and fishing effort. Estuarine, Coastal and Shelf Science, 2016, 169, 182-194 Experiences from Ground, Coastal and Transitional Water Quality Monitoring, 2016, Assessment of long-term water quality variation affected by high-intensity land-based inputs and land reclamation in Jiaozhou Bay, China. Ecological Indicators, 2017, 75, 210-219 Live-dead analysis reveals long-term response of the estuarine bivalve community to water diversions along the Colorado River. 2017, 106, 749-756 Can mangrove plantation enhance the functional diversity of macrobenthic community in polluted mangroves?. Marine Pollution Bulletin, 2017, 116, 454-461 Differences in biological traits composition of benthic assemblages between unimpacted habitats. 2017, 126, 1-13 Living under stressful conditions: Fish life history strategies across environmental gradients in estuaries. Estuarine, Coastal and Shelf Science, 2017, 188, 18-26 Interdecadal changes in the community, population and individual levels of the fish fauna of an extensively modified estuary. 2017, 90, 1734-1767 Fish-based indicators of estuarine condition that do not require reference data. Estuarine, Coastal and Shelf Science, 2017, 191, 209-220 Environmental Impact of Offshore Gas Activities on the Benthic Environment: A Case Study. 2017, 60, 340-356 Comparative efficacy of benthic biotic indices in asses	(Cerastoderma edule and Nephtys hombergii): are tolerance processes limiting their responsiveness?. 2016, 25, 664-76 Assessing estuarine quality: A cost-effective in situ assay with amphipods. 2016, 212, 382-391 Polychaete/amphipod ratios: An approach to validating simple benthic indicators. Ecological Indicators, 2016, 63, 89-99 Intertidal assemblage variation across a subtropical estuarine gradient: How good conceptual and empirical models are?. Estuarine, Coastal and Shelf Science, 2016, 170, 91-101 Experiences from Surface Water Quality Monitoring. 2016, Functional composition of epifauna in the south-eastern North Sea in relation to habitat characteristics and fishing effort. Estuarine, Coastal and Shelf Science, 2016, 169, 182-194 Experiences from Ground, Coastal and Transitional Water Quality Monitoring. 2016, Assessment of long-term water quality variation affected by high-intensity land-based inputs and land reclamation in Jiaozhou Bay, China. Ecological Indicators, 2017, 75, 210-219 Live-dead analysis reveals long-term response of the estuarine bivalve community to water diversions along the Colorado River. 2017, 106, 749-756 Can mangrove plantation enhance the functional diversity of macrobenthic community in polluted mangroves?. Marine Pollution Bulletin, 2017, 116, 454-461 Differences in biological traits composition of benthic assemblages between unimpacted habitats. 2017, 126, 1-13 Living under stressful conditions: Fish life history strategies across environmental gradients in estuaries. Estuarine, Coastal and Shelf Science, 2017, 188, 18-26 Interdecadal changes in the community, population and individual levels of the fish fauna of an extensively modified estuary. 2017, 90, 1734-1767 Fish-based indicators of estuarine condition that do not require reference data. Estuarine, Coastal and Shelf Science, 2017, 191, 209-220 Environmental Impact of Offshore Gas Activities on the Benthic Environment: A Case Study. 2017, 60, 340-356 Comparative efficacy of benthic biotic indices in asses	(Cerastoderma edule and Nephtys hombergii): are tolerance processes limiting their responsiveness?, 2016, 25, 664-76 Assessing estuarine quality: A cost-effective in situ assay with amphipods. 2016, 212, 382-391 4 Polychaete/amphipod ratios: An approach to validating simple benthic indicators. Ecological Indicators, 2016, 63, 89-99 Intertidal assemblage variation across a subtropical estuarine gradient: How good conceptual and empirical models are?. Estuarine, Coastal and Shelf Science, 2016, 170, 91-101 Experiences from Surface Water Quality Monitoring, 2016, Functional composition of epifauna in the south-eastern North Sea in relation to habitat characteristics and fishing effort. Estuarine, Coastal and Shelf Science, 2016, 169, 182-194 Experiences from Ground, Coastal and Transitional Water Quality Monitoring. 2016, Assessment of long-term water quality variation affected by high-intensity land-based inputs and land reclamation in Jisozhou Bay, China. Ecological Indicators, 2017, 75, 210-219 Live-dead analysis reveals long-term response of the estuarine bivalve community to water diversions along the Colorado River. 2017, 106, 749-756 Can mangrove plantation enhance the functional diversity of macrobenthic community in polluted mangroves?. Marine Pollution Bulletin, 2017, 116, 454-461 Differences in biological traits composition of benthic assemblages between unimpacted habitats. 2017, 126, 1-13 Living under stressful conditions: Fish life history strategies across environmental gradients in extuaries. Estuarine, Coastal and Shelf Science, 2017, 188, 18-26 Interdecadal changes in the community, population and individual levels of the fish fauna of an extensively modified estuary. 2017, 90, 1734-1767 Fish-based indicators of estuarine condition that do not require reference data. Estuarine, Coastal and Shelf Science, 2017, 191, 209-220 Environmental Impact of Offshore Gas Activities on the Benthic Environment: A Case Study. 2017, 60, 340-356 Comparative efficacy of benthic biotic indices in as

344	Can ecosystem functional recovery be traced to decomposition and nitrogen dynamics in estuaries of the Lower Laguna Madre, Texas?. 2017 , 25, 618-628		4
343	Effects of environmental and water quality parameters on the functioning of copepod assemblages in tropical estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 194, 150-161	2.9	10
342	Using Hydroacoustics to Describe Pelagic Fish Distribution in the Penobscot Estuary, Maine. 2017 , 146, 817-833		2
341	Biomarker responses to environmental contamination in estuaries: A comparative multi-taxa approach. <i>Aquatic Toxicology</i> , 2017 , 189, 31-41	5.1	31
340	A combination of salinity and pH affects the recruitment of Gladioferens pectinatus (Brady) (Copepoda; Calanoida). 2017 , 62, 1799-1809		1
339	Assessing candidate metrics for the ecological quality of TFTW (tidal freshwaters in transitional waters) in Ireland using benthic invertebrates. 2017 , 143, 115-121		2
338	Good or bad vibrations? Impacts of anthropogenic vibration on the marine epibenthos. 2017 , 595, 255-	268	33
337	What are the factors driving long-term changes of the suprabenthos in the Seine estuary?. <i>Marine Pollution Bulletin</i> , 2017 , 118, 307-318	6.7	4
336	Multiple stressors in sediments impact adjacent hard substrate habitats and across biological domains. 2017 , 592, 295-305		17
335	Crustacean assemblages of coastal wetlands from fragmented and scarcely isolated islands compared with the mainland. 2017 , 68, 889		1
334	The use of meiofauna in freshwater sediment assessments: Structural and functional responses of meiobenthic communities to metal and organics contamination. <i>Ecological Indicators</i> , 2017 , 78, 512-525	5 ^{5.8}	8
333	The cumulative effects assessment of a coastal ecological restoration project in China: An integrated perspective. <i>Marine Pollution Bulletin</i> , 2017 , 118, 254-260	6.7	5
332	Differences in the structure of copepod assemblages in four tropical estuaries: Importance of pollution and the estuary hydrodynamics. <i>Marine Pollution Bulletin</i> , 2017 , 115, 412-420	6.7	18
331	Do structural and functional attributes show concordant responses to disturbance? Evidence from rocky shore macroinvertebrate communities. <i>Ecological Indicators</i> , 2017 , 75, 57-72	5.8	11
330	Functional changes in polychaete and mollusc communities in two tropical estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 187, 62-73	2.9	26
329	Ecological restoration assessment of Adyar creek and estuary using meiofaunal communities as ecological indicators for aquatic pollution. <i>Regional Studies in Marine Science</i> , 2017 , 9, 135-144	1.5	12
328	Microbial dynamics in a tropical monsoon influenced estuary: Elucidation through field observations and microcosm experiments on biofilms. 2017 , 497, 86-98		5
327	Hydrodynamic conditioning of diversity and functional traits in subtidal estuarine macrozoobenthic communities. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 197, 80-92	2.9	16

326	Extreme dissolved oxygen variability in urbanised tropical wetlands: The need for detailed monitoring to protect nursery ground values. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 198, 163-171	2.9	17
325	Current limitations of global conservation to protect higher vulnerability and lower resilience fish species. 2017 , 7, 7702		12
324	Can we assess the ecological status of estuaries based on larval fish assemblages?. <i>Marine Pollution Bulletin</i> , 2017 , 124, 367-375	6.7	10
323	Can the leaf-bag technique detect benthic macrofauna responses to sediment contamination by metals and metalloids in estuaries?. <i>Marine Pollution Bulletin</i> , 2017 , 124, 171-180	6.7	4
322	The Amended European Environmental Impact Assessment Directive: UK marine experience and recommendations. 2017 , 148, 131-142		18
321	Estuaries and Lagoons. 277-312		
320	Spatial and Temporal Variation in the Diets of Pacific Staghorn Sculpins Related to Hydrological Factors in a Glacially Influenced Estuary. 2017 , 146, 1156-1167		8
319	Unbounded boundaries and shifting baselines: Estuaries and coastal seas in a rapidly changing world. <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 198, 311-319	2.9	18
318	Effects of the herbicide Roundup on the polychaeta Laeonereis acuta: Cholinesterases and oxidative stress. 2017 , 135, 259-266		16
317	Life Under Exceptional Conditions Botopic Niches of Benthic Invertebrates in the Estuarine Maximum Turbidity Zone. 2017 , 40, 502-512		6
317 316		5.8	12
	Maximum Turbidity Zone. 2017 , 40, 502-512 Urbanization effects on different biological organization levels of an estuarine polychaete tolerant	5.8	
316	Maximum Turbidity Zone. 2017, 40, 502-512 Urbanization effects on different biological organization levels of an estuarine polychaete tolerant to pollution. <i>Ecological Indicators</i> , 2017, 73, 698-707 Environmental quality assessment of El Bibane lagoon (Tunisia) using taxonomic and functional	5.8	12
316	Maximum Turbidity Zone. 2017, 40, 502-512 Urbanization effects on different biological organization levels of an estuarine polychaete tolerant to pollution. <i>Ecological Indicators</i> , 2017, 73, 698-707 Environmental quality assessment of El Bibane lagoon (Tunisia) using taxonomic and functional diversity of meiofauna and nematodes. 2017, 97, 1593-1603 Use of phytoplankton assemblages to assess the quality of coastal waters of a transitional		12
316 315 314	Urbanization effects on different biological organization levels of an estuarine polychaete tolerant to pollution. <i>Ecological Indicators</i> , 2017 , 73, 698-707 Environmental quality assessment of El Bibane lagoon (Tunisia) using taxonomic and functional diversity of meiofauna and nematodes. 2017 , 97, 1593-1603 Use of phytoplankton assemblages to assess the quality of coastal waters of a transitional ecosystem: Rö de la Plata estuary. <i>Continental Shelf Research</i> , 2017 , 150, 10-17 Inter-annual changes in fish communities of a tropical bay in southeastern Brazil: What can be	2.4	12 22 10
316 315 314 313	Urbanization effects on different biological organization levels of an estuarine polychaete tolerant to pollution. <i>Ecological Indicators</i> , 2017 , 73, 698-707 Environmental quality assessment of El Bibane lagoon (Tunisia) using taxonomic and functional diversity of meiofauna and nematodes. 2017 , 97, 1593-1603 Use of phytoplankton assemblages to assess the quality of coastal waters of a transitional ecosystem: Rö de la Plata estuary. <i>Continental Shelf Research</i> , 2017 , 150, 10-17 Inter-annual changes in fish communities of a tropical bay in southeastern Brazil: What can be inferred from anthropogenic activities?. <i>Marine Pollution Bulletin</i> , 2017 , 114, 102-113 Diatom Assemblages in Surface Sediments Along Nutrient and Salinity Gradients of Thi Vai Estuary	2.4	12 22 10
316 315 314 313 312	Urbanization effects on different biological organization levels of an estuarine polychaete tolerant to pollution. <i>Ecological Indicators</i> , 2017 , 73, 698-707 Environmental quality assessment of El Bibane lagoon (Tunisia) using taxonomic and functional diversity of meiofauna and nematodes. 2017 , 97, 1593-1603 Use of phytoplankton assemblages to assess the quality of coastal waters of a transitional ecosystem: R\(\textit{0}\) de la Plata estuary. <i>Continental Shelf Research</i> , 2017 , 150, 10-17 Inter-annual changes in fish communities of a tropical bay in southeastern Brazil: What can be inferred from anthropogenic activities?. <i>Marine Pollution Bulletin</i> , 2017 , 114, 102-113 Diatom Assemblages in Surface Sediments Along Nutrient and Salinity Gradients of Thi Vai Estuary and Can Gio Mangrove Forest, Southern Vietnam. 2017 , 40, 479-492 Assessement and management of environmental quality conditions in marine sandy beaches for its	2.4	12 22 10 19

308	Factors shaping species richness and biodiversity of riverine macroinvertebrate assemblages at the local and regional scale. 2017 , 18, 227-236		3
307	SIMILARITY BETWEEN THE DEAD AND LIVING FORAMINIFERAL ASSEMBLAGES IN THE NE SECTOR OF GUANABARA BAY (BRAZIL). 2017 , 1,		3
306	Can benthic foraminifera serve as proxies for changes in benthic macrofaunal community structure? Implications for the definition of reference conditions. 2018 , 137, 24-36		16
305	Adaptation and application of multivariate AMBI (M-AMBI) in US coastal waters. <i>Ecological Indicators</i> , 2018 , 89, 818-827	:.8	16
304	Benthic foraminifera in transitional environments in the English Channel and the southern North Sea: A proxy for regional-scale environmental and paleo-environmental characterisations. 2018 , 137, 37-48		15
303	Response of soft-bottom macrobenthic assemblages to artisanal trawling fisheries in a subtropical estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2018 , 207, 142-153	9	7
302	Resilience Measures in Ecosystems and Socioeconomic Networks. 2018 , 183-208		
301	Impacts of Salinity and Temperature on the Thyroidogenic Effects of the Biocide Diuron in Menidia beryllina. 2018 , 52, 3146-3155		16
300	Short-term variability of fish condition and growth in estuarine and shallow coastal areas. 2018 , 134, 130-137		6
299	Anthropogenic pollution along the coast of a temperate estuary: effects on tintinnid assemblages. 2018 , 809, 201-219		5
298	The application of two benthic indices to investigate the effects of land-based fish farms in coastal transitional ecosystems: two case studies in Tuscany region (Italy). 2018 , 26, 543-555		1
297	Biochemical changes in mussels submitted to different time periods of air exposure. 2018 , 25, 8903-8913		19
296	Linking pipefishes and seahorses to seagrass meadows in the Venice lagoon: Implications for conservation. 2018 , 28, 282-295		6
295	Composition and Spatial Distribution of Mesozooplankton along Confinement and Anthropogenic-Impact Gradients in the Gulf of Vlor[(Albania). 2018, 341, 174-184		2
294	The role of catchment land use and tidal exchange in structuring estuarine fish assemblages. 2018 , 811, 173-191		5
293	Ecological risk assessment of trace metals in the surface sediments of the Persian Gulf and Gulf of Oman: Evidence from subtropical estuaries of the Iranian coastal waters. 2018 , 191, 485-493		42
292	Assessing the ecological status of Italian lagoons using a biomass-based index. <i>Marine Pollution Bulletin</i> , 2018 , 126, 600-605	У	12
291	Nekton communities of tidally restored marshes: A whole-estuary approach. <i>Estuarine, Coastal and Shelf Science</i> , 2018 , 207, 368-382	9	9

290	Benthic foraminifera to assess Ecological Quality Statuses in Italian transitional waters. <i>Ecological Indicators</i> , 2018 , 84, 130-139	35
289	Marine ecosystem restoration and biodiversity offset. 2018 , 120, 585-594	32
288	Complex relationships between shallow muddy benthic assemblages, sediment chemistry and toxicity in estuaries in southern New South Wales, Australia. <i>Marine Pollution Bulletin</i> , 2018 , 129, 573-591.7	6
287	Comparison of benthic indices for the evaluation of ecological status of three Slovenian transitional water bodies (northern Adriatic). <i>Marine Pollution Bulletin</i> , 2018 , 129, 813-821	6
286	Environmental metabolomics with data science for investigating ecosystem homeostasis. 2018 , 104, 56-88	33
285	Metals and As content in sediments and Manila clam Ruditapes philippinarum in the Tagus estuary (Portugal): Impacts and risk for human consumption. <i>Marine Pollution Bulletin</i> , 2018 , 126, 281-292	16
284	Temperature-induced variability in metabolic activity of ecologically important estuarine macrobenthos. 2018 , 165, 1	7
283	Environmental drivers of taxonomic, functional and phylogenetic diversity (alpha, beta and gamma components) in estuarine fish communities. 2018 , 45, 406-417	18
282	Metal bioaccumulation and oxidative stress profiles in Ruditapes philippinarum Insights towards its suitability as bioindicator of estuarine metal contamination. <i>Ecological Indicators</i> , 2018 , 95, 1087-1099.	14
281	An assessment of the current usage of ecological engineering and reconciliation ecology in managing alterations to habitats in urban estuaries. 2018 , 120, 560-573	23
280	References. 2018 , 199-256	
279	. 2018,	1
278	Reproductive resilience of an estuarine fish in the eye of a hurricane. 2018 , 14,	14
277	Population fluctuations of Cerithidea decollata (Gastropoda: Potamididae) in mangrove habitats of the St Lucia Estuary, South Africa. 2018 , 40, 461-466	
276	Change in fish functional diversity and assembly rules in the course of tidal marsh restoration. 2018 , 13, e0209025	7
275	Vulnerability of juvenile hermit crabs to reduced seawater pH and shading. 2018 , 142, 130-140	4
274	Using Historic Land Cover Data to Predict Estuarine Macrobenthos Characteristics in South Africa. 2018 , 34, 1116	1
273	Evaluation of estuarine biotic indices to assess macro-benthic structure and functioning following nutrient remediation actions: A case study on the Eden estuary Scotland. <i>Regional Studies in Marine</i> 1.5 <i>Science</i> , 2018 , 24, 379-391	3

272	Analyzing the effects of afforestation on estuarine environment of river Subarnarekha, India using geospatial technologies and participatory appraisals. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 645	3.1	10
271	Live-Dead Mismatch of Molluscan Assemblages Indicates Disturbance from Anthropogenic Eutrophication in the Barnegat Bay-Little Egg Harbor Estuary. 2018 , 37, 615-624		7
270	Assessing the impacts of seabed mineral extraction in the deep sea and coastal marine environments: Current methods and recommendations for environmental risk assessment. <i>Marine Pollution Bulletin</i> , 2018 , 135, 1183-1197	6.7	31
269	Beyond classic ecological assessment: The use of functional indices to indicate fish assemblages sensitivity to human disturbance in estuaries. 2018 , 639, 465-475		18
268	Live benthic foraminifera from the Volturno River mouth (central Tyrrhenian Sea, Italy). 2018, 29, 559-5	570	4
267	Effects of dams on downstream molluscan predator-prey interactions in the Colorado River estuary. 2018 , 285,		7
266	Maximizing the benefits of oyster reef restoration for finfish and their fisheries. 2018 , 19, 931-947		34
265	Are the impacts of carbon nanotubes enhanced in Mytilus galloprovincialis submitted to air exposure?. <i>Aquatic Toxicology</i> , 2018 , 202, 163-172	5.1	12
264	Benthic Estuarine Assemblages of the Eastern Marine Brazilian Ecoregion (EME). 2018, 95-116		4
263	Local Habitat and Seascape Structure Influence Seagrass Fish Assemblages in the Venice Lagoon: The Importance of Conservation at Multiple Spatial Scales. 2018 , 41, 2410-2425		7
262	Brazilian Estuaries. 2018 ,		11
261	A multimetric-index approach using fisheries data to assess fish assemblage structure in relation to salinity gradient in a tropical West African estuary. 2018 , 40, 175-185		
260	Microtidal estuaries warrant special management measures that recognise their critical vulnerability to pollution and climate change. <i>Marine Pollution Bulletin</i> , 2018 , 135, 41-46	6.7	38
259	Impacts of green tides on estuarine fish assemblages. <i>Estuarine, Coastal and Shelf Science</i> , 2018 , 213, 176-184	2.9	7
258	Disentangling settlement responses to nutrient-rich contaminants: Elevated nutrients impact marine invertebrate recruitment via water-borne and substrate-bound cues. 2018 , 645, 984-992		2
257	Ecological quality status evaluation of a monsoonal tropical estuary using benthic indices: comparison via a seasonal approach. 2018 , 25, 22672-22688		7
256	The response of zooplankton communities to the 2016 extreme hydrological cycle in floodplain lakes connected to the Yangtze River in China. 2018 , 25, 23286-23293		5
255	Differential biochemical responses to metal/metalloid accumulation in organs of an edible fish (Centropomus parallelus) from Neotropical estuaries. 2018 , 161, 260-269		15

Interannual and seasonal effects of environmental factors on the zooplankton distribution in the solar saltern of Sfax (south-western Mediterranean sea). <i>Continental Shelf Research</i> , 2018 , 165, 1-11	2.4	5	
Global Changes Jeopardize the Trophic Carrying Capacity and Functioning of Estuarine Ecosystems. 2019 , 22, 473-495		10	
Expected Shifts in Nekton Community Following Salinity Reduction: Insights into Restoration and Management of Transitional Water Habitats. 2019 , 11, 1354		6	
The difficulty of disentangling natural from anthropogenic forcing factors makes the evaluation of ecological quality problematic: A case study from Adriatic lagoons. 2019 , 150, 104756		8	
Impact of Salinity Stress on Growth and Development of Aquatic Fungi. 2019 , 155-168			
Anthropogenic pollutant-driven geographical distribution of mesozooplankton communities in estuarine areas of the Bohai Sea, China. 2019 , 9, 9668		11	
Diversity and distribution of tintinnid ciliates along salinity gradient in the Pearl River Estuary in southern China. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 226, 106268	2.9	7	
The use of epilithic diatoms grown on artificial substrata to indicate water quality changes in the lower reaches of the St Lucia Estuary, South Africa. 2019 , 45,		2	
Nutrient criteria for surface waters under the European Water Framework Directive: Current state-of-the-art, challenges and future outlook. 2019 , 695, 133888		59	
Response of a marine benthic invertebrate community and biotic indices to organic enrichment from sewage disposal. 2019 , 99, 1721-1734		5	
Tracing pollution in estuarine benthic organisms and its impacts on food webs of the Vitoria Bay estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 229, 106410	2.9	7	
Natural factors and chemical contamination control the structure of macrobenthic communities in the Santos Estuarine System (SP, Brazil). 2019 , 20, 121-137		5	
Assessing the ecological status of an estuarine ecosystem: linking biodiversity and food-web indicators. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 228, 106339	2.9	6	
Modelling the impact of dredging inlets on the salinity and temperature regimes in coastal lagoons. 2019 , 180, 104913		8	
Assessing Nearshore Nekton Abundance, Substrate, and Environmental Conditions in the Northern Gulf of Mexico: Are There Differences Among Three Adjacent Coastal Areas and Have There Been Changes over Three Decades (1986\(\textstyle{\textstyle{1}} \) 15/2. 2019 , 42, 2139-2169		2	
Epifaunal and infaunal responses to submarine mine tailings in a Norwegian fjord. <i>Marine Pollution Bulletin</i> , 2019 , 149, 110560	6.7	9	
Estuarine ecocline function and essential habitats for fish larvae in tropical South Western Atlantic estuaries. 2019 , 151, 104786		5	
Response of estuarine benthic invertebrates to field applications of insecticide. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 218, 86-94	2.9	2	
	solar saltern of Sfax (south-western Mediterranean sea). Continental Shelf Research, 2018, 165, 1-11 Clobal Changes Jeopardize the Trophic Carrying Capacity and Functioning of Estuarine Ecosystems. 2019, 22, 473-495 Expected Shifts in Nekton Community Following Salinity Reduction: Insights into Restoration and Management of Transitional Water Habitats. 2019, 11, 1354 The difficulty of disentangling natural from anthropogenic forcing factors makes the evaluation of ecological quality problematic: A case study from Adriatic lagoons. 2019, 150, 104756 Impact of Salinity Stress on Growth and Development of Aquatic Fungi. 2019, 155-168 Anthropogenic pollutant-driven geographical distribution of mesozooplankton communities in estuarine areas of the Bohai Sea, China. 2019, 9, 9668 Diversity and distribution of tintinnid ciliates along salinity gradient in the Pearl River Estuary in southern China. Estuarine, Coastal and Shelf Science, 2019, 226, 106268 The use of epilithic diatoms grown on artificial substrata to indicate water quality changes in the lower reaches of the St Lucia Estuary, South Africa. 2019, 45, Nutrient criteria for surface waters under the European Water Framework Directive: Current state-of-the-art, challenges and future outlook. 2019, 695, 133888 Response of a marine benthic invertebrate community and biotic indices to organic enrichment from sewage disposal. 2019, 99, 1721-1734 Tracing pollution in estuarine benthic organisms and its impacts on food webs of the Vitoria Bay estuary. Estuarine, Coastal and Shelf Science, 2019, 229, 106410 Natural factors and chemical contamination control the structure of macrobenthic communities in the Santos Estuarine System (SP, Brazil). 2019, 20, 121-137 Assessing the ecological status of an estuarine ecosystem: linking biodiversity and food-web indicators. Estuarine, Coastal and Shelf Science, 2019, 228, 106339 Modelling the impact of dredging inlets on the salinity and temperature regimes in coastal lagoons. 2019, 180, 104913 Assessing Nearshore	Solar saltern of Sfax (south-western Mediterranean sea). Continental Shelf Research, 2018, 165, 1-11 Global Changes Jeopardize the Trophic Carrying Capacity and Functioning of Estuarine Ecosystems. 2019, 22, 473-495 Expected Shifts in Nekton Community Following Salinity Reduction: Insights into Restoration and Management of Transitional Water Habitats. 2019, 11, 1354 The difficulty of disentangling natural from anthropogenic forcing factors makes the evaluation of ecological quality problematic: A case study from Adriatic Iagoons. 2019, 150, 104756 Impact of Salinity Stress on Growth and Development of Aquatic Fungi. 2019, 155-168 Anthropogenic pollutant-driven geographical distribution of mesozooplankton communities in estuarine areas of the Bohai Sea, China. 2019, 9, 9668 Diversity and distribution of tintinnid ciliates along salinity gradient in the Pearl River Estuary in southern China. Estuarine, Coastal and Shelf Science, 2019, 226, 106268 The use of epilithic diatoms grown on artificial substrata to indicate water quality changes in the lower reaches of the St Lucia Estuary, South Africa. 2019, 45, Nutrient criteria for surface waters under the European Water Framework Directive: Current state-of-the-art, challenges and future outlook. 2019, 695, 133888 Response of a marine benthic invertebrate community and biotic indices to organic enrichment from sewage disposal. 2019, 99, 1721-1734 Tracing pollution in estuarine benthic organisms and its impacts on food webs of the Vitoria Bay estuary. Estuarine, Coastal and Shelf Science, 2019, 229, 106410 Natural factors and chemical contamination control the structure of macrobenthic communities in the Santos Estuarine System (SP, Brazil). 2019, 20, 121-137 Assessing the ecological status of an estuarine ecosystem: linking biodiversity and food-web indicators. Estuarine, Coastal and Shelf Science, 2019, 228, 106339 Modelling the impact of dredging inlets on the salinity and temperature regimes in coastal lagoons. 2019, 180, 104913 Assessing Nearshore	Solar saltern of Sfax (south-western Mediterranean sea). Continental Shelf Research, 2018, 165, 1-11 Global Changes Jeopardize the Trophic Carrying Capacity and Functioning of Estuarine Ecosystems. 2019, 22, 473-495 Expected Shifts in Nekton Community Following Salinity Reduction: Insights into Restoration and Management of Transitional Water Habitats. 2019, 11, 1354 The difficulty of disentangling natural from anthropogenic forcing factors makes the evaluation of ecological quality problematic A case study from Adriatic lagoons. 2019, 150, 104756 Impact of Salinity Stress on Growth and Development of Aquatic Fungi. 2019, 155-168 Anthropogenic pollutant-driven geographical distribution of mesozooplankton communities in estuarine areas of the Bohai Sea, China. 2019, 9, 9668 Diversity and distribution of tintinnid clitates along salinity gradient in the Pearl River Estuary in southern China. Estuarine, Coastal and Shelf Science, 2019, 226, 106268 The use of epilithic diatoms grown on artificial substrata to indicate water quality changes in the lower reaches of the St Lucia Estuary, South Africa. 2019, 45, Nutrient criteria for surface waters under the European Water Framework Directive: Current state-of-the-art, challenges and future outlook. 2019, 695, 133888 Response of a marine benthic invertebrate community and biotic indices to organic enrichment from sewage disposal. 2019, 99, 1721-1734 Tracing pollution in estuarine benthic organisms and its impacts on food webs of the Vitoria Bay estuary. Estuarine, Coastal and Shelf Science, 2019, 229, 106410 Natural Factors and chemical contamination control the structure of macrobenthic communities in the Santos Estuarine System (SP, Brazil). 2019, 20, 121-137 Assessing Nearshore Nekton Abundance, Substrate, and Environmental Conditions in the Northern Gull of Mexico. Are There Differences Among Three Adjacent Coastal Areas and Have There Been Changes over Three Decades (19868015)?. 2019, 42, 2139-2169 Epifaunal and infaunal responses to submarine mine ta

236	Recovery trajectories following the reduction of urban nutrient inputs along the eutrophication gradient in French Mediterranean lagoons. 2019 , 171, 1-10		14
235	Decomposition processes in coastal lagoons and their implications for the assessment of ecological health. 2019 , 29, 450-460		
234	Coastal Lagoons: Environmental Variability, Ecosystem Complexity, and Goods and Services Uniformity. 2019 , 253-276		14
233	Molluscan metacommunity dynamics in the Colorado River estuary, Mexico before upstream water diversion. 2019 , 25, 100194		5
232	Impact of birds on intertidal food webs assessed with ecological network analysis. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 219, 107-119	2.9	2
231	Physiological responses to estuarine stress gradient affect performance and field distribution of the non-native crustacean Synidotea laticauda. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 225, 106233	2.9	2
230	Predicting the response of nekton assemblages to seagrass transplantations in the Venice lagoon: An approach to assess ecological restoration. 2019 , 29, 849-864		5
229	Systematic Review of Fish Ecology and Anthropogenic Impacts in South American Estuaries: Setting Priorities for Ecosystem Conservation. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	14
228	Spatio-temporal variability in macrobenthic communities and trophic structure of a tropical estuary and its adjacent coastal waters. <i>Environmental Monitoring and Assessment</i> , 2019 , 191, 341	3.1	4
227	Effect of environment on spatio-temporal structuring of fish assemblages in a monsoon-influenced tropical estuary. <i>Environmental Monitoring and Assessment</i> , 2019 , 191, 305	3.1	7
226	Long-Term Dynamic in Nutrients, Chlorophyll a, and Water Quality Parameters in a Coastal Lagoon During a Process of Eutrophication for Decades, a Sudden Break and a Relatively Rapid Recovery. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	41
225	Biomarker and behavioural responses of an estuarine fish following acute exposure to fluoxetine. 2019 , 147, 24-31		18
224	Phytoplankton Species Richness along Coastal and Estuarine Salinity Continua. 2019 , 194, E41-E51		11
223	Inter-individual differences in ontogenetic trophic shifts among three marine predators. 2019 , 189, 621	-636	15
222	Influence of natural and anthropogenic disturbances on foraminifera and free-living nematodes in four lagoons of the Po delta system. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 220, 99-110	2.9	11
221	Body condition in fish as a tool to detect the effects of anthropogenic pressures in transitional waters. 2019 , 53, 21-35		13
220	An ecological status indicator for all time: Are AMBI and M-AMBI effective indicators of change in deep time?. <i>Marine Pollution Bulletin</i> , 2019 , 140, 472-484	6.7	6
219	RÖ de la Plata: A Neotropical Estuarine System. 2019 , 45-56		4

218	Functional response of tropical estuarine benthic assemblages to perturbation by Polycyclic Aromatic Hydrocarbons. <i>Ecological Indicators</i> , 2019 , 96, 229-240	5.8	29
217	Mesozooplankton characterization surrounding anthropogenic sewage inputs in the southeastern eutrophic Brazilian estuary of Guanabara Bay. <i>Marine Pollution Bulletin</i> , 2019 , 138, 511-519	6.7	3
216	Evaluating anthropogenic impacts on naturally stressed ecosystems: Revisiting river classifications and biomonitoring metrics along salinity gradients. 2019 , 658, 912-921		12
215	Sustainability perspectives and spatial patterns of multiple ecosystem services in the Venice lagoon: Possible roles in the implementation of the EU Water Framework Directive. <i>Ecological Indicators</i> , 2019 , 98, 556-567	5.8	9
214	Hydrology and parasites: What divides the fish community of the lower Dniester and Dniester estuary into three?. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 217, 120-131	2.9	2
213	Distribution of macrozoobenthos in an Arctic estuary (Pechora Bay, SE Barents Sea) during the spring flood period. 2019 , 42, 1667-1684		5
212	Relationship between physical environmental factors and presence of molluscan species in medium and small river estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 218, 300-309	2.9	2
211	Interaction between the land and the sea: sources and patterns of nutrients in the scattered coastal zone of a eutrophied sea. <i>Environmental Monitoring and Assessment</i> , 2018 , 191, 24	3.1	6
210	Growth of the estuarine fish Fundulus heteroclitus in response to diel-cycling hypoxia and acidification: interaction with temperature. 2019 , 76, 1295-1304		7
209	Using macrofaunal communities to inform estuarine classification. 2019 , 70, 371		2
208	Evaluation of macrobenthic community responses to dredging through a multimetric approach: Effective or apparent recovery?. <i>Ecological Indicators</i> , 2019 , 96, 656-668	5.8	10
207	Macrobenthic functional feeding groups in a microtidal monsoonal estuary (KodungallurAzhikode estuary, India). <i>Regional Studies in Marine Science</i> , 2019 , 25, 100444	1.5	8
206	Young does not mean unstable: a trophic model for an estuarine lagoon system in the Southern Mexican Pacific. 2019 , 827, 225-246		4
205	The Estuarine Quality Paradox Concept. 2019 , 78-85		5
204	Salinity and temperature influence on Scyphozoan jellyfish abundance in the Western Gulf of Mexico. 2019 , 827, 247-262		10
203	Distribution, sources and consequences of nutrients, persistent organic pollutants, metals and microplastics in South American estuaries. 2019 , 651, 1199-1218		148
202	Unraveling the dispersion and environmental impact of anthropogenic discharges in transitional water ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 216, 204-217	2.9	4
201	Are biochemical composition parameters of sediment good tools for assessing the environmental quality of estuarine areas in tropical systems?. 2019 , 99, 9-18		2

200	How much can the occurrence and coverage of charophytes in an estuarine lagoon (Curonian Lagoon) be explained by environmental factors?. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 216, 128-138	8 ^{2.9}	7
199	Fish-based indices for assessing ecological quality and biotic integrity in transitional waters: A systematic review. <i>Ecological Indicators</i> , 2020 , 109, 105665	5.8	18
198	New Zealand estuary benthic health indicators summarised nationally and by estuary type. 2020 , 54, 24-44		2
197	Macrofaunal bioturbation attributes in relation to riverine influence: What can we learn from the Po River lagoonal system (Adriatic Sea)?. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 232, 106405	2.9	3
196	Macrozoobenthos monitoring in relation to dredged sediment disposal: The case of the Marano and Grado Lagoon (northern Adriatic Sea, Italy). <i>Regional Studies in Marine Science</i> , 2020 , 33, 100916	1.5	4
195	Natural disturbances can produce misleading bioassessment results: Identifying metrics to detect anthropogenic impacts in intermittent rivers. 2020 , 57, 283-295		19
194	Can an oligotrophic coastal lagoon support high biological productivity? Sources and pathways of primary production. 2019 , 153, 104824		9
193	Factors structuring spatio-temporal dynamics of macrobenthic communities of three differently modified tropical estuaries. <i>Marine Pollution Bulletin</i> , 2020 , 150, 110767	6.7	10
192	Stress responses to warming in the mussel Brachidontes rodriguezii (d'Orbigny, 1842) from different environmental scenarios. <i>Aquatic Toxicology</i> , 2020 , 228, 105647	5.1	0
191	Long-term coastal monitoring data show nutrient-driven reduction in chlorophyll. 2020 , 164, 101925		1
190	Influence of elevated river flow on hypoxia occurrence, nutrient concentration and microbial dynamics in a tropical estuary. <i>Environmental Monitoring and Assessment</i> , 2020 , 192, 660	3.1	1
189	Resilience to the interactive effects of climate change and discard stress in the commercially important blue swimmer crab (Portunus armatus). 2020 , 159, 105009		3
188	Ecological Status Assessment of Transitional Waters. 2020 , 12, 3159		1
187	Food limitation of juvenile marine fish in a coastal and estuarine nursery. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 241, 106670	2.9	7
186	Can the ecological status of three differentially impacted monsoonal tropical estuaries in NW India, be adequately assessed by a common estuarine benthic index?. <i>Ecological Indicators</i> , 2020 , 119, 106807	5.8	5
185	Reconstruction of the palaeo-ecological quality status in an impacted estuary using benthic foraminifera: The Santos Estuary (SB Paulo state, SE Brazil). 2020 , 162, 105121		8
184	Conservation Paleobiology as a Tool to Define Reference Conditions in Naturally Stressed Transitional Settings: Micropaleontological Insights from the Holocene of the Po Coastal Plain (Italy). 2020 , 12, 3420		2
183	Comparing structural and functional approaches to distinguish benthic communities from eutrophic and non-eutrophic estuaries. <i>Marine Pollution Bulletin</i> , 2020 , 157, 111290	6.7	3

(2021-2020)

182	Multiannual Trend of Micro-Pollutants in Sediments and Benthic Community Response in a Mediterranean Lagoon (Sacca di Goro, Italy). 2020 , 12, 1074		5
181	Modern Trends in Diatom Identification. 2020,		6
180	Ecosystem services as a resilience descriptor in habitat risk assessment using the InVEST model. <i>Ecological Indicators</i> , 2020 , 115, 106426	5.8	13
179	Multidisciplinary study to monitor consequences of pollution on intertidal benthic ecosystems (Hauts de France, English Channel, France): Comparison with natural areas. 2020 , 160, 105034		15
178	Fifty years of ecological changes: Regime shifts and drivers in a coastal Mediterranean lagoon during oligotrophication. 2020 , 732, 139292		5
177	Abiotic and biotic responses to the 2016/2017 restoration project at the St Lucia Estuary mouth, South Africa. 2020 , 45, 153-166		4
176	The importance of climatic variability and human influence in driving aspects of temporarily open-closed estuaries. 2020 , 13, e2205		2
175	Plastic intake does not depend on fish eating habits: Identification of microplastics in the stomach contents of fish on an urban beach in Brazil. <i>Marine Pollution Bulletin</i> , 2020 , 153, 110959	6.7	20
174	Natural dynamics overshadow anthropogenic impact on marine fauna at an urbanised coastal embayment. 2020 , 716, 137009		3
173	Benthic foraminifera to assess ecological quality statuses: The case of salmon fish farming. <i>Ecological Indicators</i> , 2020 , 117, 106607	5.8	9
172	Nutrient enrichment as a threat to the ecological resilience and health of South African microtidal estuaries. 2020 , 45, 23-40		24
171	Long-Term Stability of the Faunal Community of a Subtropical Estuary: Evaluating Disturbances in the Context of Interannual Variability. 2020 , 43, 347-359		3
170	Influences of environmental conditions in the fish assemblage structure of a tropical estuary. <i>Marine Biodiversity</i> , 2020 , 50, 1	1.4	6
169	Defining ecological reference conditions in naturally stressed environments - How difficult is it?. 2020 , 156, 104885		14
168	Patterns of fish use in urban estuaries: Engineering maintenance schedules to protect broader seascape habitat. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 238, 106729	2.9	1
167	A Metacommunity Approach to Improve Biological Assessments in Highly Dynamic Freshwater Ecosystems. 2020 , 70, 427-438		32
166	Multilevel decomposition of spatial and environmental effects on nearshore fish assemblages in tropical semi-enclosed ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 237, 106691	2.9	5
165	A New Approach to Functionally Assess Estuarine Fish Communities in Response to Hydrologic Change. 2021 , 44, 1118-1131		O

164	Responses of functional traits of macrobenthic communities on the presence of Polycyclic Aromatic Hydrocarbons contamination in three tropical estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 250, 107105	2.9	3
163	Using sentinel-2 satellite imagery to develop microphytobenthos-based water quality indices in estuaries. <i>Ecological Indicators</i> , 2021 , 121, 107184	5.8	7
162	A Lagrangian-to-Eulerian Metric to Identify Estuarine Pelagic Habitats. 2021 , 44, 1231-1249		4
161	Disentangling natural vs. anthropogenic induced environmental variability during the Holocene: Marambaia Cove, SW sector of the Sepetiba Bay (SE Brazil). 2021 , 28, 22612-22640		5
160	Life Below Water. Encyclopedia of the UN Sustainable Development Goals, 2021, 1-22	0.1	1
159	Distribution of Charophyte Oospores in the Curonian Lagoon and their Relationship to Environmental Forcing. 2021 , 13, 117		O
158	Ecosystem health status and trophic modeling of an anthropogenically impacted small tropical estuary along India's west coast. 2021 , 28, 35073-35093		2
157	Multiple Evidence for Climate Patterns Influencing Ecosystem Productivity across Spatial Gradients in the Venice Lagoon. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 363	2.4	1
156	Indicative value of benthic foraminifera for biomonitoring: Assignment to ecological groups of sensitivity to total organic carbon of species from European intertidal areas and transitional waters. <i>Marine Pollution Bulletin</i> , 2021 , 164, 112071	6.7	14
155	Saline gradient drives functional nestedness of polychaete communities in tropical estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 251, 107185	2.9	1
154	Spatial Patterns of Macrozoobenthos Assemblages in a Sentinel Coastal Lagoon: Biodiversity and Environmental Drivers. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 461	2.4	2
153	The influence of estuary eutrophication on the benthic diatom community: a molecular approach. 2021 , 43, 171-186		1
152	Abiotic stability promotes dinoflagellate blooms in marine coastal ecosystems. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 251, 107239	2.9	3
151	Estuaries Ihow challenging are these constantly changing aquatic environments for associated fish species?. 2021 , 104, 517-528		3
150	Effects of the lack of basic public sanitation on the water quality of the Caet'River estuary in northern Brazil. 2021 , 21, 299-314		O
149	Influence of land-derived stressors and environmental variability on compositional turnover and diversity of estuarine benthic communities. 2021 , 666, 1-18		O
148	Seasonal implications of the benthic ecological status assessment in a protected Mediterranean coastal lagoon: Stagno Longu of Posada (Sardinia, Italy). <i>Regional Studies in Marine Science</i> , 2021 , 44, 101759	1.5	1
147	Movement of non-native rainbow trout in an estuary with periodic summer hypoxia. 2021 , 848, 4001-40	016	2

146	Otolith Fingerprints and Tissue Stable Isotope Information Enable Allocation of Juvenile Fishes to Different Nursery Areas. 2021 , 13, 1293		О
145	A Trophic Model for a Periodically Closed Coastal Lagoon System in the Southern Mexican Pacific. 2021 , 41, 1		О
144	Environmental factors drive interannual variation in estuarine food-chain length. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 252, 107241	2.9	2
143	Disentangling the Effect of Seasonal Dynamics on Meiobenthic Community Structure From River Matla of Sundarbans Estuarine System, India. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	О
142	Marine Macrobenthos of NorthWest India-Reviewing the Known and Unknown. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	О
141	Long-term response of marine benthic fauna to thin-layer capping with powdered activated carbon in the Grenland fjords, Norway. 2021 , 776, 145971		2
140	Benthic Foraminiferal Indices and Environmental Quality Assessment of Transitional Waters: A Review of Current Challenges and Future Research Perspectives. 2021 , 13, 1898		3
139	Benthic macroinvertebrate community response to environmental changes over seven decades in an urbanized estuary in the northeastern United States. 2021 , 169, 105323		
138	Response of Benthic Fauna to Habitat Heterogeneity in a Shallow Temperate Lake. 2021 , 11,		О
137	Evaluating the Sampling Design of a Long-Term Community-Based Estuary Monitoring Program. 2021 , 6, 27		О
136	Spatio-temporal sublittoral macrobenthic distribution and dominant species in Guanabara Bay, Rio de Janeiro, Brazil. 2021 , 81, 750-764		
135	Metal Bioaccumulation and Oxidative Stress in Ulva laetevirens in the Venice Lagoon: Early Warning Biomarker for Metal Bioaccumulation. 2021 , 13, 2626		О
134	Middle Holocene marine and land-tetrapod biodiversity recovered from Galeß shell mound, Guanabara Bay, Brazil. 2021 , 610, 80-80		2
133	Microplastics and plankton: Knowledge from laboratory and field studies to distinguish contamination from pollution. 2021 , 417, 126057		11
132	Influence of water quality on the macroinvertebrate community in a tropical estuary (Buenaventura Bay). 2021 ,		0
131	From meso to hyperhaline: the importance of Neotropical coastal lagoons in supporting the functional fish diversity at regional scale. 1		1
130	Noble fan-shell, Pinna nobilis, in Lake Faro (Sicily, Italy): Ineluctable decline or extreme opportunity?. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 261, 107536	2.9	0
129	Benthic community responses to organic enrichment during an ENSO event (2009\(\textbf{0}010 \)), in the north coast of Rio de la Plata estuary. 2021 , 222, 103597		1

128	Disentangling the relative roles of natural and anthropogenic-induced stressors in shaping benthic ciliate diversity in a heavily disturbed bay. 2021 , 801, 149683	0
127	Ecosystem modelling to understand the trophic dynamics and ecosystem health of a small tropical Indian estuary. 2021 , 66, 101429	O
126	Estuarine Ecoclines and the Associated Fauna: Ecological Information as the Basis for Ecosystem Conservation. 2017 , 479-512	3
125	How Can Accurate Landing Stats Help in Designing Better Fisheries and Environmental Management for Western Atlantic Estuaries?. 2017 , 631-703	3
124	Estuary Form and Function: Implications for Palaeoecological Studies. 2017, 9-44	7
123	The effect of temperature and meal size on the aerobic scope and specific dynamic action of two temperate New Zealand finfish Chrysophrys auratus and Aldrichetta forsteri. 2020 , 190, 169-183	5
122	The Diatoms: Applications for the Environmental and Earth Sciences. 309-323	9
121	Tropical Estuarine Macrobenthic Communities Are Structured by Turnover Rather than Nestedness. 2016 , 11, e0161082	20
120	Framework for understanding marine ecosystem health. 2013 , 494, 1-27	127
119	Reaction of an estuarine food web to disturbance: Lindeman perspective. 2014 , 512, 141-154	17
118	Long-term effects of tidal restriction on fish assemblages in east Atlantic coastal marshlands. 2016 , 543, 209-222	5
117	Abrupt shifts in the Gironde fish community: an indicator of ecological changes in an estuarine ecosystem. 2016 , 549, 137-151	13
116	Trophic guild concept: factors affecting within-guild consistency for tropical estuarine fish. 2017 , 564, 175-186	4
115	Response of intertidal benthic macrofauna to migrating megaripples and hydrodynamics. 2017 , 585, 17-30	7
114	Multivariate approach for identifying environmental indicator species in estuarine systems. 2019 , 611, 19-29	1
113	Debunking paradigms in estuarine fish species richness. 2019 , 613, 125-138	5
112	Macrobenthic functional trait diversity at multiple scales along a subtropical estuarine gradient. 2019 , 624, 23-37	1

110	Community structure of benthic macroinvertebrates inhabiting a highly stratified Mediterranean estuary. 2011 , 75, 577-584	16
109	La dînarche de dîveloppement dîndicateurs bass sur lîthtyofaune pour îvaluer la qualit de la compart de la compart de la compart de la DCE de la DCE de la DCE de la compart de la la la compart del compart de la compart de l	2
108	Components of standard metabolic rate variability in three species of gammarids. 2019 , 19, 1-13	7
107	Human Health and Ocean Pollution. 2020 , 86, 151	58
106	Salinity as a Key Factor on the Benthic Fauna Diversity in the Coastal Lakes. 2021 , 11,	O
105	What does measuring species diversity in estuarine seagrass systems actually assess?. 2021 , 172, 105500	1
104	Habitat heterogeneity: A confounding factor for the effect of pollutants on macrobenthic community in coastal waters. 2021 , 172, 105499	О
103	Ecosystem-Based Quality Index in a harbor bay: Assessing the status of a heterogeneous system in a functional framework at a local scale. <i>Ecological Indicators</i> , 2021 , 132, 108260	1
102	Indicators for the Management of Coastal Lagoons. 2010 , 357-390	
101	Potential Effects of Climate Changes on the Marine Ecosystem Stability. 2013 , 1-42	
101	Potential Effects of Climate Changes on the Marine Ecosystem Stability. 2013, 1-42 The structure of disaster resilience: a framework for simulations and policy recommendations.	
100	The structure of disaster resilience: a framework for simulations and policy recommendations.	o
100	The structure of disaster resilience: a framework for simulations and policy recommendations. References. 2016, 269-306	0
100 99 98	The structure of disaster resilience: a framework for simulations and policy recommendations. References. 2016, 269-306 Anthropogenic pollution of estuaries in south Primorye: a review. 2016, 187, 3-18 Newly Recorded Species of Diatoms in Korea, from Estuarine Sandflats of the Nakdong River and	0
100 99 98 97	The structure of disaster resilience: a framework for simulations and policy recommendations. References. 2016, 269-306 Anthropogenic pollution of estuaries in south Primorye: a review. 2016, 187, 3-18 Newly Recorded Species of Diatoms in Korea, from Estuarine Sandflats of the Nakdong River and Seagrasses of Yeongil Bay. 2017, 35, 227-239	
100 99 98 97 96	The structure of disaster resilience: a framework for simulations and policy recommendations. References. 2016, 269-306 Anthropogenic pollution of estuaries in south Primorye: a review. 2016, 187, 3-18 Newly Recorded Species of Diatoms in Korea, from Estuarine Sandflats of the Nakdong River and Seagrasses of Yeongil Bay. 2017, 35, 227-239 Beta diversity changes in estuarine fish communities due to environmental change. 2018, 603, 161-173 Newly Reported Diatoms (Bacillariophyta) in Korea from Random Collections in the Freshwater and	

92	Benthic Foraminifera and Diatoms as Ecological Indicators. 2020 , 257-280		1
91	Assessment of the Ecological Status of Rongjiang Estuary (China) Under Human Pressure, Using Biotic Indices Based on Benthic Macroinvertebrates. 2021 , 9,		1
90	Effects of a no-take reserve on mangrove fish assemblages: incorporating seascape connectivity. 2020 , 649, 141-153		1
89	Introduction: Reclaiming and Rewilding River Cities for Outdoor Recreation. 2021, 1-7		
88	With Rivers to the Sea: Ecological Restoration of Rivers and Estuaries and Nature-Based Activities. 2021 , 17-28		
87	Comparing production and life-history traits of a key amphipod species within and between estuaries under different levels of anthropogenic pressure. 2021 , 173, 105538		1
86	Shifts in Estuarine Macroinvertebrate Communities Associated With Water Quality and Climate Change. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	О
85	Functional Trait Responses of Macrobenthos to Anthropogenic Pressure in Three Temperate Intertidal Communities. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	1
84	Social@nvironmental analysis of estuary water quality in a populous urban area. 2021, 9,		1
83	A reply to "Reviewing the effects of contamination on the biota of Brazilian coastal ecosystems: Scientific challenges for a developing country in a changing world" 2022 , 153048		
82	Seasonal succession and spatial heterogeneity of the nekton community associated with environmental factors in Hangzhou Bay, China. <i>Regional Studies in Marine Science</i> , 2022 , 49, 102108	1.5	0
81	Holistic environmental monitoring in ports as an opportunity to advance sustainable development, marine science, and social inclusiveness. 2022 , 10,		O
80	Appendix B: Study Methods. 2022 , 941-1005		3
79	Foraminiferal Distribution in Two Estuarine Intertidal Mudflats of the French Atlantic Coast: Testing the Marine Influence Index. 2022 , 14, 645		1
78	Conservation of Estuarine Fishes. 2022 , 617-683		4
77	Habitat Use and Connectivity. 2022 , 188-254		10
76	Estuarine Degradation and Rehabilitation. 2022 , 458-552		6
75	Fishes and Estuarine Environmental Health. 2022 , 332-379		7

74	Climate Change and Fishes in Estuaries. 2022 , 380-457		7
73	Ecological habitat quality assessment of a tropical estuary using macrobenthic functional characteristics and biotic indices 2022 , 1		Ο
72	Fish and Fisheries in Estuaries. 2022 , 798-873		O
71	How drought affects range and variability of environmental conditions in subtropical South African estuaries.		
70	The Marine Influence Index (MII): A Tool to Assess Estuarine Intertidal Mudflat Environments for the Purpose of Foraminiferal Biomonitoring. 2022 , 14, 676		1
69	Unraveling Anthropocene Paleoenvironmental Conditions Combining Sediment and Foraminiferal Data: Proof-of-Concept in the Sepetiba Bay (SE, Brazil). 2022 , 10,		1
68	The nutritional and sensory quality of seafood in a changing climate 2022, 176, 105590		1
67	Ecological quality status assessment of tropical estuaries with benthic indices using differently derived reference conditions <i>Marine Pollution Bulletin</i> , 2022 , 177, 113457	6.7	O
66	Niche separation between two dominant crustacean predators in European estuarine soft-bottom habitats. <i>Ecological Indicators</i> , 2022 , 138, 108839	5.8	О
65	Integrated analysis of fish intestine biomarkers: Complementary tools for pollution assessment <i>Marine Pollution Bulletin</i> , 2022 , 178, 113590	6.7	O
64	50 years of estuarine cockles (Cerastoderma edule L.): Shifting cohorts, dwindling sizes and the impact of improved wastewater treatment. <i>Estuarine, Coastal and Shelf Science</i> , 2022 , 270, 107834	2.9	1
63	Ecosystem functioning and ecological status in the Venice lagoon, which relationships?. <i>Ecological Indicators</i> , 2021 , 133, 108461	5.8	O
62	All-In-One: Microbial Response to Natural and Anthropogenic Forcings in a Coastal Mediterranean Ecosystem, the Syracuse Bay (Ionian Sea, Italy). <i>Journal of Marine Science and Engineering</i> , 2022 , 10, 19	2.4	O
61	Anthropogenic influences on sedimentary geochemistry of Itapessoca Estuarine Complex, Pernambuco, Brazil <i>Environmental Monitoring and Assessment</i> , 2021 , 194, 43	3.1	1
60	Macrobenthic community responses to multiple environmental stressors in a subtropical estuary <i>PeerJ</i> , 2021 , 9, e12427	3.1	1
59	Managing estuaries under a changing climate: A case study of the Humber Estuary, UK. Environmental Science and Policy, 2022 , 134, 75-84	6.2	O
58	Image_1.JPEG. 2019 ,		
57	Data_Sheet_1.pdf. 2019 ,		

56	Recolonisation and Recovery of an Arctic Benthic Community Subject to Mine-Tailings Deposits. SSRN Electronic Journal,	1	
55	Biomarker for monitoring heavy metal pollution in aquatic environment: An overview toward molecular perspectives. <i>Emerging Contaminants</i> , 2022 , 8, 195-205	5.8	O
54	Multivariate approaches to assess the drivers of benthic macroinvertebrate communities and biotic indices in a highly urbanized fluvial-estuarine system. <i>Ecological Indicators</i> , 2022 , 139, 108956	5.8	О
53	Metazoan Meiofauna: Benthic Assemblages for Sustainable Marine and Estuarine Ecosystems. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2022 , 694-715	0.1	
52	Substrate-Borne Vibrational Noise in the Anthropocene: From Land to Sea. <i>Animal Signals and Communication</i> , 2022 , 123-155	1.4	
51	Benthic B elagic Coupling in the Oligotrophic Eastern Mediterranean: A Synthesis of the HYPOXIA Project Results. <i>Frontiers in Marine Science</i> , 2022 , 9,	4.5	
50	Estuarine fish diversity as indicator of natural environmental gradients. <i>Marine Biodiversity</i> , 2022 , 52,	1.4	
49	Boat-induced pressure does not influence breeding site selection of a vulnerable fish species in a highly anthropized coastal area. <i>Marine Pollution Bulletin</i> , 2022 , 180, 113750	6.7	
48	Trace metal elements and organic contaminants are differently related to the growth and body condition of wild European sea bass juveniles. <i>Aquatic Toxicology</i> , 2022 , 248, 106207	5.1	О
47	Assessing the benthic quality status of three fine sand tropical beaches from the Andaman Islands through the application of marine biotic indices. <i>Environmental Monitoring and Assessment</i> , 2022 , 194,	3.1	O
46	Categorizing estuarine fish assemblages in the Warm Temperate Southwestern Atlantic Province: The case of Patos Lagoon Estuary, Brazil. <i>Regional Studies in Marine Science</i> , 2022 , 54, 102482	1.5	
45	Natural stress vs. anthropogenic pressure. How do they affect benthic communities?. <i>Marine Pollution Bulletin</i> , 2022 , 181, 113935	6.7	O
44	Effects of intrinsic and extrinsic factors on the heavy metal influx in fiddler crab (Austruca iranica) inhabiting the marine environment of Pakistan. <i>Continental Shelf Research</i> , 2022 , 104809	2.4	О
43	Disentangling the effects of eutrophication and natural variability on macrobenthic communities across French coastal lagoons.		O
42	Ecology and effects of metazoan parasites of fish in transitional waters. 1-58		
41	Assessment of ecological quality status using macrobenthic faunal diversity as tools in anthropogenically disturbed Ennore estuary, Tamil Nadu, India. 2022 , 102629		O
40	Environmental influences, particularly river flow alteration, on larval fish assemblages in the Douro Estuary, Portugal. 2022 , 102617		1
39	Challenges in identifying indicator fish species in highly dynamic systems such as estuaries. 2022 , 1080)19	

38	Ambiente bentflico. 2009 , 208-241	O
37	Sea-level rise effects on macrozoobenthos distribution within an estuarine gradient using Species Distribution Modeling. 2022 , 71, 101816	O
36	Temporal analyses of the fish functional arrangement of Celestň coastal lagoon, in Yucatan, Mexico. 2022 , 70, 126269	0
35	Effect of environmental variables on mercury accumulation in sediments of an anthropogenically impacted tropical estuary (Buenaventura Bay, Colombian Pacific).	О
34	How much city is too much city? Biodiversity and ecosystem functioning along an urban gradient at the interface of land and sea. 9,	0
33	Influence of environmental variables on the spatiotemporal dynamics of water quality in Buenaventura Bay, Colombian Pacific. 2022 , 194,	1
32	Macrobenthic community of an anthropogenically influenced mangrove associated estuary on the East coast of India: An approach for ecological assessment. 9,	2
31	Environmental impact of removal of a large-scale sluice gate on Nakaumi Lagoon and adjacent coastal waters, southwest Japan: Evidence from long-term foraminiferal monitoring. 2022 , 105767	O
30	Benthic community resilience in two differently impacted tropical estuaries: Taxonomic vs functional approaches. 2022 , 324, 116264	0
29	Macrozoobenthic Community Structure in the Kemayungan-Linduk Waters, Banten Bay. 2022 , 1083, 012050	O
		O
28	Benthic Diatom Diversity and Eutrophication in Temporarily Closed Estuaries.	0
28	Benthic Diatom Diversity and Eutrophication in Temporarily Closed Estuaries. Biotransformation and oxidative stress responses in fish (Astyanax aeneus) inhabiting a Caribbean	0
28	Benthic Diatom Diversity and Eutrophication in Temporarily Closed Estuaries. Biotransformation and oxidative stress responses in fish (Astyanax aeneus) inhabiting a Caribbean estuary contaminated with pesticide residues from agricultural runoff. Immediate effect of sewerage improvement on the phytoplankton and physicochemical conditions	0
28 27 26	Benthic Diatom Diversity and Eutrophication in Temporarily Closed Estuaries. Biotransformation and oxidative stress responses in fish (Astyanax aeneus) inhabiting a Caribbean estuary contaminated with pesticide residues from agricultural runoff. Immediate effect of sewerage improvement on the phytoplankton and physicochemical conditions in the Urdaibai estuary (southeastern Bay of Biscay). 2022, 102707 Functional and taxonomic diversity of macroinvertebrates present opposite patterns in tropical	0 0
28 27 26 25	Benthic Diatom Diversity and Eutrophication in Temporarily Closed Estuaries. Biotransformation and oxidative stress responses in fish (Astyanax aeneus) inhabiting a Caribbean estuary contaminated with pesticide residues from agricultural runoff. Immediate effect of sewerage improvement on the phytoplankton and physicochemical conditions in the Urdaibai estuary (southeastern Bay of Biscay). 2022, 102707 Functional and taxonomic diversity of macroinvertebrates present opposite patterns in tropical estuarine ecosystems. 2022, 278, 108093 Temporal variations in scale cortisol indicate consistent local-and broad-scale constraints in a wild	0 0
28 27 26 25 24	Benthic Diatom Diversity and Eutrophication in Temporarily Closed Estuaries. Biotransformation and oxidative stress responses in fish (Astyanax aeneus) inhabiting a Caribbean estuary contaminated with pesticide residues from agricultural runoff. Immediate effect of sewerage improvement on the phytoplankton and physicochemical conditions in the Urdaibai estuary (southeastern Bay of Biscay). 2022, 102707 Functional and taxonomic diversity of macroinvertebrates present opposite patterns in tropical estuarine ecosystems. 2022, 278, 108093 Temporal variations in scale cortisol indicate consistent local-and broad-scale constraints in a wild marine teleost fish. 2022, 182, 105783 Dissimilar behavioral and spatial avoidance responses by shrimps from tropical and temperate	000000

20	Resilience and Species Accumulation across Seafloor Habitat Transitions in a Northern New Zealand Harbour. 2022 , 14, 998	0
19	Fish community structure and functional guild composition in a large tropical estuary (Vembanad Lake, India).	O
18	From organismal physiology to ecological processes: Effects of nutrient enrichment and salinity variation in a freshwater ecosystem.	0
17	Influence of maintenance dredging on polychaete community composition in an estuary (Tropical Eastern Pacific).	О
16	Application and Validation of an Ecological Quality Index, ISEP, in the Yellow Sea. 2022, 10, 1908	О
15	COVID-19 Lockdown Pandemic Period Effects in Highly Impacted Aquatic Ecosystems.	O
14	Monitoreo de contaminantes y deteccifi de genes alkb en la Zona Comñ de Pesca Argentino-Uruguaya. 2023 , 36,	О
13	Inferring the ecological quality status based on living benthic foraminiferal indices in transitional areas of the Guanabara bay (SE Brazil). 2023 , 121003	О
12	The relative roles of multiple drivers on benthic ciliate communities in an intertidal zone. 2023, 187, 114510	О
11	Recolonization and recovery of an Arctic benthic community subject to mine-tailings deposits. 2023 , 191, 102327	O
10	A multi-metric fish index to measure the ecological quality of tropical predominantly open estuaries along the western coast of India. 2023 , 195,	О
9	A preliminary study of soft bottom benthic communities in an area affected by intense maritime traffic (Slovenian Sea, Northern Adriatic). 2023 , 188, 114672	O
8	Keystone microbial taxa organize micropollutant-related modules shaping the microbial community structure in estuarine sediments. 2023 , 448, 130858	О
7	Impact of hydrotechnical construction on aquatic ecosystems of the Kiliia branch of the Danube Delta. 2022 , 30, 359-371	O
6	A functional perspective of nematode assemblages as proxy of quality in tropical estuarine tidal flats. 2023 , 186, 105922	Ο
5	Persistent eutrophication and hypoxia in the coastal ocean. 2023 , 1,	О
4	An Overview of Ecological Indicators of Fish to Evaluate the Anthropogenic Pressures in Aquatic Ecosystems: From Traditional to Innovative DNA-Based Approaches. 2023 , 15, 949	0
3	Transition of an estuarine benthic meiofauna assemblage 1.7 and 2.8 years after a mining disaster. 11, e14992	О

CITATION REPORT

Ecological restoration promotes zooplankton network complexity in Mediterranean coastal lagoons.

О

Middle-Scale Spatial and Temporal Patterns in Estuaries: Rocky Intertidal Macrobenthic Communities in the Hangzhou Bay and Zhoushan Sea.

О