CITATION REPORT List of articles citing



DOI: 10.1016/j.scitotenv.2006.11.018 Science of the Total Environment, 2007, 373, 250-69.

Source: https://exaly.com/paper-pdf/42973558/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
219	Occurrence and fate of polycyclic musks in wastewater treatment plants in Kentucky and Georgia, USA. 2007 , 68, 2011-20		94
218	Novel analytical procedures for screening of drug residues in water, waste water, sediment and sludge. 2007 , 593, 129-39		129
217	An assessment of estrogenic organic contaminants in Canadian wastewaters. <i>Science of the Total Environment</i> , 2007 , 373, 250-69	10.2	213
216	Correlation between production amounts of DEHP and daily intake. <i>Science of the Total Environment</i> , 2007 , 388, 389-91	10.2	25
215	Elimination of Endocrine Disrupting Chemicals using White Rot Fungi and their Lignin Modifying Enzymes: A Review. 2007 , 7, 429-456		132
214	Application of SPME to the determination of alkylphenols and bisphenol A in cyanobacteria culture media. 2008 , 391, 425-32		14
213	DEHP (Di(2-ethylhexyl)phthalat). 2008 , 20, 94-96		
212	Are steroids really the cause for fish feminization? A mini-review of in vitro and in vivo guided TIEs. 2008 , 57, 250-4		24
211	3,3',5-Triiodo-L-thyronine-like activity in effluents from domestic sewage treatment plants detected by in vitro and in vivo bioassays. 2008 , 226, 309-17		23
210	Sex hormone-binding globulin in fish gills is a portal for sex steroids breached by xenobiotics. 2008 , 149, 4269-75		55
209	Seasonal variability of the reduction in estrogenic activity at a municipal WWTP. <i>Water Research</i> , 2008 , 42, 3075-81	12.5	29
208	Phthalate esters (PAEs): emerging organic contaminants in agricultural soils in peri-urban areas around Guangzhou, China. <i>Environmental Pollution</i> , 2008 , 156, 425-34	9.3	180
207	Choriogenin mRNA as a sensitive molecular biomarker for estrogenic chemicals in developing brackish medaka (Oryzias melastigma). 2008 , 71, 200-8		39
206	Occurrence of phthalate esters in water and sediment of urban lakes in a subtropical city, Guangzhou, South China. 2008 , 34, 372-80		172
205	Detection of estrogenic activity in municipal wastewater effluent using primary cell cultures from three-spined stickleback and chemical analysis. 2008 , 73, 1064-70		22
204	10th Anniversary Perspective: Reflections on endocrine disruption in the aquatic environment: from known knowns to unknown unknowns (and many things in between). 2008 , 10, 1476-85		90
203	Assessing the concentrations of polar organic microcontaminants from point sources in the aquatic environment: measure or model?. 2008 , 42, 5390-9		84

202	Use of goldfish to monitor wastewater and reuse water for xenobiotics. 2008 , 7, 369-383	24
201	Detection, Occurrence and Fate of Emerging Contaminants in Agricultural Environments. 2008 , 80, 868-209	2 ₇
200	Occurrence of Transformation Products in the Environment. 2008 , 83-100	5
199	Quantification of Plant Sterols in Pulp and Paper Mill Effluents. 2008, 43, 173-181	4
198	Monitoring of Pharmaceutical Residues in Sewage Effluents. 2009 , 315-342	3
197	Phthalate removal throughout wastewater treatment plant: case study of Marne Aval station (France). Science of the Total Environment, 2009 , 407, 1235-44	2 139
196	Analysis of environmental endocrine disrupting chemicals using the E-screen method and stir bar sorptive extraction in wastewater treatment plant effluents. <i>Science of the Total Environment</i> , 2009 , 407, 1842-51	2 53
195	Urinary excretion rates of natural estrogens and androgens from humans, and their occurrence and fate in the environment: a review. <i>Science of the Total Environment</i> , 2009 , 407, 4975-85	2 150
194	Toxicity identification fractionation of environmental estrogens in waste water and sludge using gas and liquid chromatography coupled to mass spectrometry and recombinant yeast assay. 2009 , 393, 957-68	40
193	Analysis of selected phytotoxins and mycotoxins in environmental samples. 2009 , 395, 1261-89	42
192	Chemical and biological analysis of estrogenic, progestagenic and androgenic steroids in the environment. 2009 , 28, 635-652	95
191	Distribution of phthalate esters in urban soils of subtropical city, Guangzhou, China. 2009 , 164, 1171-8	163
190	Enhancement of chemical derivatization of steroids by gas chromatography/mass spectrometry (GC/MS). 2009 , 877, 3237-42	45
189	Removal mechanisms for endocrine disrupting compounds (EDCs) in wastewater treatment - physical means, biodegradation, and chemical advanced oxidation: a review. <i>Science of the Total Environment</i> , 2009 , 407, 731-48	2 536
188	Endocrine-Disrupting Compounds. 115-246	1
187	Development and validation of chemical and biological analyses to determine the antiestrogenic potency of resin acids in paper mill effluents. 2009 , 43, 9300-5	10
186	Determination of estrogenic compounds in wastewater using liquid chromatography-tandem mass spectrometry with electrospray and atmospheric pressure photoionization following desalting extraction. 2009 , 74, 508-14	42
185	The endocrine disrupting activity of surface waters and of wastewater treatment plant effluents in relation to chlorination. 2009 , 75, 335-40	49

184	Aerobic removal of stigmasterol contained in kraft mill effluents. 2009 , 12, 0-0	9
183	Transformation Products of Synthetic Chemicals in the Environment. 2009,	12
182	Water Infrastructure for Sustainable Communities: China and the World. 2010 , 9,	2
181	Bioassay Guided Fractionation (Toxicity Identification and Evaluation) for the Determination of Estrogenic Agents in Environmental Samples. 2010 , 519-537	
180	Removal of Endocrine Disrupting Compounds Using Molecularly Imprinted Polymers: A Review. 2010 , 7-23	1
179	Biological analysis of endocrine-disrupting compounds in Tunisian sewage treatment plants. 2010 , 59, 1-12	31
178	In vitro and immunological assessment of the estrogenic activity and concentrations of 17beta-estradiol, estrone, and ethinyl estradiol in treated effluent from 45 wastewater treatment plants in Victoria, Australia. 2010 , 58, 576-86	35
177	Detection of estrogenic activity from kraft mill effluents by the yeast estrogen screen. 2010 , 84, 165-9	28
176	Combined effects of two environmental endocrine disruptors nonyl phenol and di-n-butyl phthalate on rat Sertoli cells in vitro. 2010 , 30, 438-45	31
175	Estrogenic and AhR activities in dissolved phase and suspended solids from wastewater treatment plants. <i>Science of the Total Environment</i> , 2010 , 408, 2608-15	30
174	Bioaccumulation of the pharmaceutical 17alpha-ethinylestradiol in shorthead redhorse suckers (Moxostoma macrolepidotum) from the St. Clair River, Canada. <i>Environmental Pollution</i> , 2010 , 158, 2566 े 7 ने	68
173	The influence of gill and liver metabolism on the predicted bioconcentration of three pharmaceuticals in fish. 2010 , 81, 1189-95	60
172	Quantifying the antiestrogen activity of wastewater treatment plant effluent using the yeast estrogen screen. 2010 , 29, 73-8	12
171	Presence of natural and anthropogenic organic contaminants and potential fish health impacts along two river gradients in Alberta, Canada. 2010 , 29, 2379-87	42
170	Adsorption of bisphenol A from water by surfactant-modified zeolite. 2010 , 348, 585-90	181
169	Meeting report: pharmaceuticals in water-an interdisciplinary approach to a public health challenge. 2010 , 118, 1016-20	57
168	Fate of endocrine-active compounds during municipal biosolids treatment: a review. 2010 , 44, 8367-76	52
167	A review of phytoestrogens: their occurrence and fate in the environment. <i>Water Research</i> , 2010 , 44, 567-77	88

(2011-2010)

166	Reproductive responses in fathead minnow and Japanese medaka following exposure to a synthetic progestin, Norethindrone. 2010 , 99, 256-62	115
165	Determination of Estrogenic Endocrine Disruptors in Environmental Samples Review of Chromatographic Methods. 2010 , 40, 194-201	24
164	Monitoring endocrine activity in kraft mill effluent treated by aerobic moving bed bioreactor system. 2010 , 62, 154-61	11
163	Uptake of di-(2-ethylhexyl) phthalate of vegetables from plastic film greenhouses. 2011 , 59, 11585-8	75
162	Occurrence of androgens and progestogens in wastewater treatment plants and receiving river waters: comparison to estrogens. <i>Water Research</i> , 2011 , 45, 732-40	235
161	Organic Contaminants in Marine Mammals. 2011 , 349-376	12
160	Analyses of Drugs and Pharmaceuticals in the Environment. 2011 , 439-462	8
159	Biodegradation of di(2-ethylhexyl)phthalate in a typical tropical soil. 2011 , 197, 40-8	29
158	Occurrence, fate and removal of synthetic oral contraceptives (SOCs) in the natural environment: a review. <i>Science of the Total Environment</i> , 2011 , 409, 5149-61	81
157	Emerging pollutants in wastewater: a review of the literature. 2011 , 214, 442-8	714
157 156	Emerging pollutants in wastewater: a review of the literature. 2011 , 214, 442-8 Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis and in vitro assay in the context of granular activated carbon upgrade. 2011 , 84, 1512-20	714 39
	Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis	
156	Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis and in vitro assay in the context of granular activated carbon upgrade. 2011 , 84, 1512-20 The role of the acquisition methods in the analysis of natural and synthetic steroids and cholic acids	39
156 155	Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis and in vitro assay in the context of granular activated carbon upgrade. 2011, 84, 1512-20 The role of the acquisition methods in the analysis of natural and synthetic steroids and cholic acids by gas chromatography-mass spectrometry. 2011, 1218, 8264-72 Derivatization and fragmentation pattern analysis of natural and synthetic steroids, as their trimethylsilyl (oxime) ether derivatives by gas chromatography mass spectrometry: analysis of	39
156 155 154	Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis and in vitro assay in the context of granular activated carbon upgrade. 2011, 84, 1512-20 The role of the acquisition methods in the analysis of natural and synthetic steroids and cholic acids by gas chromatography-mass spectrometry. 2011, 1218, 8264-72 Derivatization and fragmentation pattern analysis of natural and synthetic steroids, as their trimethylsilyl (oxime) ether derivatives by gas chromatography mass spectrometry: analysis of dissolved steroids in wastewater samples. 2011, 1218, 1878-90 A yeast estrogen screen without extraction provides fast, reliable measures of estrogenic activity.	39 23 26
156 155 154 153	Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis and in vitro assay in the context of granular activated carbon upgrade. 2011, 84, 1512-20 The role of the acquisition methods in the analysis of natural and synthetic steroids and cholic acids by gas chromatography-mass spectrometry. 2011, 1218, 8264-72 Derivatization and fragmentation pattern analysis of natural and synthetic steroids, as their trimethylsilyl (oxime) ether derivatives by gas chromatography mass spectrometry: analysis of dissolved steroids in wastewater samples. 2011, 1218, 1878-90 A yeast estrogen screen without extraction provides fast, reliable measures of estrogenic activity. 2011, 30, 2261-9 Current approaches to trace analysis of pharmaceuticals and personal care products in the	39 23 26
156 155 154 153	Endocrine disrupting activities in sewage effluent and river water determined by chemical analysis and in vitro assay in the context of granular activated carbon upgrade. 2011, 84, 1512-20 The role of the acquisition methods in the analysis of natural and synthetic steroids and cholic acids by gas chromatography-mass spectrometry. 2011, 1218, 8264-72 Derivatization and fragmentation pattern analysis of natural and synthetic steroids, as their trimethylsilyl (oxime) ether derivatives by gas chromatography mass spectrometry: analysis of dissolved steroids in wastewater samples. 2011, 1218, 1878-90 A yeast estrogen screen without extraction provides fast, reliable measures of estrogenic activity. 2011, 30, 2261-9 Current approaches to trace analysis of pharmaceuticals and personal care products in the environment. 2011, 1218, 603-18 Influence of salinity and natural organic matter on the solid phase extraction of sterols and stanols:	39 23 26 10

148	Occurrence and biodegradation of nonylphenol in the environment. 2012 , 13, 491-505		98
147	Fate of estrogenic hormones in wastewater and sludge treatment: A review of properties and analytical detection techniques in sludge matrix. <i>Water Research</i> , 2012 , 46, 5813-33	12.5	180
146	Progestins and antiprogestins affect gene expression in early development in zebrafish (Danio rerio) at environmental concentrations. 2012 , 46, 5183-92		84
145	Occurrence and removal of endocrine-disrupting chemicals in wastewater treatment plants in the Three Gorges Reservoir area, Chongqing, China. 2012 , 14, 2204-11		43
144	Ex-situ bioremediation of Brazilian soil contaminated with plasticizers process wastes. 2012 , 29, 77-86		20
143	An Overview of the Persistent Organic Pollutants in the Freshwater System. 2012,		1
142	Mycotoxins in animals: Occurrence, effects, prevention and management. 2012 , 4, 13-28		45
141	Biorremediali de solo contaminado por isobutanol, Bis-2-etil-hexilftalato e Di-isodecilftalato. 2012 , 36, 643-652		
140	The occurrence of steroidal estrogens in south-eastern Ontario wastewater treatment plants. <i>Science of the Total Environment</i> , 2012 , 430, 119-25	10.2	63
139	High-sensitivity analysis of female-steroid hormones in environmental samples. 2012 , 34, 35-58		82
138	Bisphenol A exposure, effects, and policy: a wildlife perspective. <i>Journal of Environmental Management</i> , 2012 , 104, 19-34	7.9	474
137	Sewage Treatment Plants Efficiencies in Removal of Sterols and Sterol Ratios as Indicators of Fecal Contamination Sources. 2012 , 223, 1017-1031		48
136	Fate of selected pharmaceuticals and synthetic endocrine disrupting compounds during wastewater treatment and sludge anaerobic digestion. 2013 , 244-245, 259-67		144
135	On-line solid-phase extraction coupled to liquid chromatography tandem mass spectrometry optimized for the analysis of steroid hormones in urban wastewaters. 2013 , 115, 349-60		54
134	Application of ozone for the removal of bisphenol A from water and wastewatera review. 2013 , 90, 2197-207		144
133	Preparation of Fe3O4@TiO2/graphene oxide magnetic microspheres for microchip-based preconcentration of estrogens in milk and milk powder samples. 2013 , 5, 3984		27
132	Hollow fiber liquid-liquid-liquid microextraction combined with high performance liquid chromatography-ultraviolet detection for the determination of various environmental estrogens in environmental and biological samples. 2013 , 1305, 17-26		62
131	Evaluation of the toxic effects of municipal wastewater effluent on mice using omic approaches. 2013 , 47, 9470-7		17

130	Hormones, sterols, and fecal indicator bacteria in groundwater, soil, and subsurface drainage following a high single application of municipal biosolids to a field. 2013 , 91, 275-86	28
129	Ecological risk of estrogenic endocrine disrupting chemicals in sewage plant effluent and reclaimed water. <i>Environmental Pollution</i> , 2013 , 180, 339-44	73
128	New way to quantify multiple steroidal compounds in wastewater by comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry. 2013 , 761, 217-26	19
127	Sample preparation for combined chemical analysis and in vitro bioassay application in water quality assessment. 2013 , 36, 1291-303	16
126	Tissue-specific bioconcentration of the synthetic steroid hormone medroxyprogesterone acetate in the common carp (Cyprinus carpio). 2013 , 36, 1120-6	20
125	Chemical behavior of phthalates under abiotic conditions in landfills. 2013 , 224, 39-52	18
124	Separation of phthalates by cyclodextrin modified micellar electrokinetic chromatography: quantitation in perfumes. 2013 , 782, 67-74	16
123	The synthetic progestin levonorgestrel is a potent androgen in the three-spined stickleback (Gasterosteus aculeatus). 2013 , 47, 2043-51	59
122	Hollow Fiber Supported Ionic Liquid Liquid-Phase Microextraction for Determination of Parathion in Environmental Water Sample. 2013 , 830, 319-322	3
121	Endocrine Disrupting Chemicals and Human Health Risk Assessment: A Critical Review. 2013 , 43, 2297-2351	24
120	Isolation and determination of estrogens in water samples by solid-phase extraction using molecularly imprinted polymers and HPLC. 2013 , 36, 2299-305	28
119	Determination of Phoxim in Water Sample by Hollow Fiber Supported Ionic Liquid Coupled with High Performance Liquid Chromatography. 2014 , 881-883, 219-222	
118	Extraction of bisphenol-A and 17\textradiol from water samples via solid-phase extraction (SPE). 2014 , 33,	5
117	Emerging Contaminants. 2014 , 245-266	4
116	Occurrence, removal, and fate of progestogens, androgens, estrogens, and phenols in six sewage treatment plants around Dianchi Lake in China. 2014 , 21, 12898-908	55
115	Treatment of Organic Micropollutants in Water and Wastewater by UV-Based Processes: A Literature Review. 2014 , 44, 1443-1476	105
114	Evaluation of different wastewater treatment techniques in three WWTPs in Istanbul for the removal of selected EDCs in liquid phase. <i>Environmental Monitoring and Assessment</i> , 2014 , 186, 525-39 ^{3.1}	20
113	What level of estrogenic activity determined by in vitro assays in municipal waste waters can be considered as safe?. 2014 , 64, 98-109	110

112	Laccases to take on the challenge of emerging organic contaminants in wastewater. 2014 , 98, 9931-52		73
111	Effects of individual and binary mixtures of estrogens on male goldfish (Carassius auratus). 2014 , 40, 1927-35		9
110	Evaluation of sensitizers found in wastewater from paper recycling areas, and their activation of the aryl hydrocarbon receptor in vitro. <i>Science of the Total Environment</i> , 2014 , 493, 156-61	10.2	2
109	Developmental toxicity and risk assessment of nonylphenol to the South American toad, Rhinella arenarum. 2014 , 38, 634-42		12
108	Occurrence, fate and effects of Di (2-ethylhexyl) Phthalate in wastewater treatment plants: a review. <i>Environmental Pollution</i> , 2014 , 194, 281-293	9.3	101
107	The in vitro interference of synthetic progestogens with carp steroidogenic enzymes. 2014 , 155, 314-21		8
106	Efficient analysis of selected estrogens using fabric phase sorptive extraction and high performance liquid chromatography-fluorescence detection. 2014 , 1359, 16-25		104
105	Occurrence of estrogenic endocrine disrupting chemicals concern in sewage plant effluent. 2014 , 8, 18-2	26	47
104	Occurrence, fate and environmental risk assessment of endocrine disrupting compounds at the wastewater treatment works in Pietermaritzburg (South Africa). <i>Science of the Total Environment</i> , 2014 , 468-469, 584-97	10.2	104
103	Sorption-desorption and biosorption of bisphenol A, triclosan, and 17Eethinylestradiol to sewage sludge. <i>Science of the Total Environment</i> , 2014 , 487, 813-21	10.2	45
102	Pharmaceutically active compounds in water, Aksaray, Turkey. 2015, 43, 1381-1388		11
101	Removal of natural estrogens and their conjugates in municipal wastewater treatment plants: a critical review. 2015 , 49, 5288-300		109
100	A model of the transient kinetics of laccase-catalyzed oxidation of phenol at micromolar concentrations. 2015 , 99, 1-15		12
99	Screening for contaminant hotspots in the marine environment of Kuwait using ecotoxicological and chemical screening techniques. 2015 , 100, 681-8		25
98	Exposing native cyprinid (Barbus plebejus) juveniles to river sediments leads to gonadal alterations, genotoxic effects and thyroid disruption. 2015 , 169, 223-39		10
97	Estrogenic activity and identification of potential xenoestrogens in a coking wastewater treatment plant. 2015 , 112, 238-46		14
96	Recovery of a wild fish population from whole-lake additions of a synthetic estrogen. 2015 , 49, 3136-44		30
95	Assessment of the removal of estrogenicity in biological nutrient removal wastewater treatment processes. <i>Science of the Total Environment</i> , 2015 , 514, 202-10	10.2	9

(2016-2015)

94	Monitoring of selected estrogen mimics in complicated samples using polymeric ionic liquid-based multiple monolithic fiber solid-phase microextraction combined with high-performance liquid chromatography. 2015 , 1385, 12-9		63
93	Bisphenol-A removal in various wastewater treatment processes: operational conditions, mass balance, and optimization. <i>Journal of Environmental Management</i> , 2015 , 152, 192-200	7.9	67
92	Do we underestimate the concentration of estriol in raw municipal wastewater?. 2015 , 22, 4753-8		19
91	Effects of progesterone and norethindrone on female fathead minnow (Pimephales promelas) steroidogenesis. 2015 , 34, 379-90		19
90	Removal of micropollutants by fungal laccases in model solution and municipal wastewater: evaluation of estrogenic activity and ecotoxicity. 2015 , 100, 185-194		57
89	Slurry Phase Biological Treatment of Latosol Contaminated with Phthalates, Adipate, and Alcohols. 2015 , 141, 04014046		2
88	The current preference for the immuno-analytical ELISA method for quantitation of steroid hormones (endocrine disruptor compounds) in wastewater in South Africa. 2015 , 407, 4949-70		23
87	Chronic exposures to low and high concentrations of ibuprofen elicit different gene response patterns in a euryhaline fish. 2015 , 22, 17397-413		37
86	Estimated human excretion rates of natural estrogens calculated from their concentrations in raw municipal wastewater and its application. 2015 , 22, 9554-62		13
85	Phytoestrogens and mycoestrogens in surface watersTheir sources, occurrence, and potential contribution to estrogenic activity. 2015 , 81, 26-44		33
84	Characterisation of microcontaminants in Darwin Harbour, a tropical estuary of northern Australia undergoing rapid development. <i>Science of the Total Environment</i> , 2015 , 536, 639-647	10.2	23
83	Global Assessment of Bisphenol A in the Environment: Review and Analysis of Its Occurrence and Bioaccumulation. 2015 , 13, 1559325815598308		333
82	Progestins as endocrine disrupters in aquatic ecosystems: Concentrations, effects and risk assessment. 2015 , 84, 115-30		138
81	Investigation on removal pathways of Di 2-ethyl hexyl phthalate from synthetic municipal wastewater using a submerged membrane bioreactor. 2015 , 37, 37-50		15
80	Photodegradation of 4-tert-butylphenol in aqueous solution by UV-C, UV/H2O2 and UV/S2O8(2-) system. 2016 , 51, 440-5		10
79	Contamination of soils and groundwater with new organic micropollutants: A review. 2016 , 49, 560-569		19
78	Molecular simulation of carbon nanotubes as sorptive materials: sorption effects towards retene, perylene and cholesterol to 100 degrees Celsius and above. 2016 , 42, 1183-1192		3
77	Collection and separation of extract in dispersive liquid-liquid microextraction with hollow fiber. 2016 , 408, 3359-67		5

76	Differential BPA levels in sewage wastewater effluents from metro Detroit communities. <i>Environmental Monitoring and Assessment</i> , 2016 , 188, 585	3.1	7
75	Modeling the loading and fate of estrogens in wastewater treatment plants. 2016 , 2, 1222690		6
74	Occurrence, fate, and risk assessment of selected endocrine disrupting chemicals in wastewater treatment plants and receiving river of Shanghai, China. 2016 , 23, 25442-25450		22
73	Multiple monolithic fiber solid-phase microextraction based on a polymeric ionic liquid with high-performance liquid chromatography for the determination of steroid sex hormones in water and urine. 2016 , 39, 566-75		42
72	Multivariate calibration-assisted high-performance liquid chromatography with dual UV and fluorimetric detection for the analysis of natural and synthetic sex hormones in environmental waters and sediments. <i>Environmental Pollution</i> , 2016 , 209, 114-22	9.3	26
71	Magnetic nanoparticles based dispersive micro-solid-phase extraction as a novel technique for the determination of estrogens in pork samples. 2016 , 204, 135-140		36
70	Sensitive determination of estrogens in environmental waters treated with polymeric ionic liquid-based stir cake sorptive extraction and liquid chromatographic analysis. 2016 , 152, 98-104		36
69	Occurrence of endocrine disrupting compounds in aqueous environment and their bacterial degradation: A review. 2016 , 46, 1-59		112
68	Occurrence of Natural Contaminants of Emerging Concern in the Douro River Estuary, Portugal. 2016 , 70, 361-71		22
67	Factors Affecting Distribution of Estrogenicity in the Influents, Effluents, and Biosolids of Canadian Wastewater Treatment Plants. 2016 , 70, 682-91		3
66	An alternative perspective of hollow fiber-mediated extraction: Bundled hollow fiber array-liquid-phase microextraction with sonication-assisted desorption and liquid chromatography-tandem mass spectrometry for determination of estrogens in aqueous matrices.		19
65	2017 , 1488, 26-36 Acute Exposure to 17Ethinylestradiol Alters Aggressive Behavior of Mosquitofish (Gambusia affinis) Toward Japanese Medaka (Oryzias latipes). 2017 , 98, 643-648		2
64	Simultaneous Detection of 13 Endocrine Disrupting Chemicals in Water by a Combination of SPE-BSTFA Derivatization and GC-MS in Transboundary Rivers (France-Belgium). 2017 , 228, 1		14
63	Salting-Out Assisted Liquid/Liquid Extraction Coupled with Low-Temperature Purification for Analysis of Endocrine-Disrupting Chemicals in Milk and Infant Formula by Ultra High Performance Liquid Chromatography-Tandem Mass Spectrometry. 2017 , 10, 1523-1534		4
62	Occurrence and fate of endogenous steroid hormones, alkylphenol ethoxylates, bisphenol A and phthalates in municipal sewage treatment systems. 2017 , 61, 49-58		55
61	How consistent are we? Interlaboratory comparison study in fathead minnows using the model estrogen 17Ethinylestradiol to develop recommendations for environmental transcriptomics. 2017 , 36, 2614-2623		15
60	Determination of sterols and steroid hormones in surface water and wastewater using liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. 2017 , 135, 39-47		20
59	Reduced Graphene Oxide Based IIurn-OnIFluorescence Sensor for Highly Reproducible and Sensitive Detection of Small Organic Pollutants. 2017 , 5, 604-615		35

58	Hazardous Pollutants in Biological Treatment Systems: Fundamentals and a Guide to Experimental Research. 2017 , 16, 9781780407715	1
57	Occurrence, fate and risk assessment of androgens in ten wastewater treatment plants and receiving rivers of South China. 2018 , 201, 644-654	23
56	Estrogenic Compounds: Chemical Characteristics, Detection Methods, Biological and Environmental Effects. 2018 , 229, 1	8
55	Seasonal variations of steroid hormones released by wastewater treatment plants to river water and sediments: Distribution between particulate and dissolved phases. <i>Science of the Total</i> Environment, 2018 , 635, 144-155	29
54	Steroid dissipation and formation in the course of farmyard manure composting. 2018, 118, 47-57	10
53	Impact of Suspended Solids on the Use of LuminoTox to Detect Toxicity of Micropollutants. 2018 , 74, 633-644	
52	Reproductive effects of synthetic progestin norgestrel in zebrafish (Danio rerio). 2018, 190, 17-24	17
51	A Microextraction Coupled with HPLC-UV for a Sensitive Detection of Estrogens in Water. 2018 , 8, 606-621	1
50	Behavior of Micropollutants in Polishing Units that Combine Sorption and Biodegradation Mechanisms to Improve the Quality of Activated Sludge Effluent. 2018 , 229, 1	6
49	Modeling the exposure of wild fish to endocrine active chemicals: Potential linkages of total estrogenicity to field-observed intersex. <i>Water Research</i> , 2018 , 139, 187-197	22
48	Occurrence, removal and risk assessment of steroid hormones in two wastewater stabilization pond systems in Morogoro, Tanzania. 2018 , 212, 1142-1154	15
47	General Fate Model for Microconstituents in an Activated Sludge System. 2018 , 90, 543-553	1
46	Bisphenol A Removal from Water and Wastewater. 2019 ,	8
45	Occurrence and removal of progestagens in municipal wastewater treatment plants from different regions in China. <i>Science of the Total Environment</i> , 2019 , 668, 1191-1199	21
44	The utility of vitellogenin as a biomarker of estrogenic endocrine disrupting chemicals in molluscs. <i>Environmental Pollution</i> , 2019 , 248, 1067-1078	31
43	17EEthinylestradiol in Lakes of Hanoi and its effect on seed germination. 2019 , 101, 420-432	
42	Assessment of bisphenol-A in the urban water cycle. <i>Science of the Total Environment</i> , 2019 , 650, 900-9070.2	46
41	Occurrence and spatial distribution of phthalate esters in sediments of the Bohai and Yellow seas. Science of the Total Environment, 2019 , 653, 792-800	43

40	Systems analysis of the liver transcriptome in adult male zebrafish exposed to the non-ionic surfactant nonylphenol. 2019 , 271, 1-14		4
39	Chromatographic Methods for the Determination of Emerging Contaminants in Natural Water and Wastewater Samples: A Review. 2019 , 49, 160-186		27
38	Bisphenol A removal from water by biomass-based carbon: isotherms, kinetics and thermodynamics studies. 2020 , 41, 971-980		7
37	The progestin norethindrone alters growth, reproductive histology and gene expression in zebrafish (Danio rerio). 2020 , 242, 125285		16
36	Assessment of water contamination and health risk of endocrine disrupting chemicals in outdoor and indoor swimming pools. <i>Science of the Total Environment</i> , 2020 , 704, 135277	10.2	8
35	Occurrence and risk assessment of steroid estrogens in environmental water samples: A five-year worldwide perspective. <i>Environmental Pollution</i> , 2020 , 267, 115405	9.3	20
34	Effective elimination of endocrine disrupting bisphenol A and S from drinking water using phenolic resin-based activated carbon fiber: Adsorption, thermodynamic and kinetic studies. 2020 , 14, 100316		8
33	Trace determination of eleven natural estrogens and insights from their occurrence in a municipal wastewater treatment plant and river water. <i>Water Research</i> , 2020 , 182, 115976	12.5	19
32	The synthetic progestin norethindrone causes thyroid endocrine disruption in adult zebrafish. 2020 , 236, 108819		3
31	Exclusion of Estrogenic and Androgenic Steroid Hormones from Municipal Membrane Bioreactor Wastewater Using UF/NF/RO Membranes for Water Reuse Application. 2020 , 10,		16
30	Distribution and risk assessment of phthalates in water and sediment of the Pearl River Delta. 2020 , 27, 12550-12565		23
29	Assessment of the potential ecological risk of residual endocrine-disrupting chemicals from wastewater treatment plants. <i>Science of the Total Environment</i> , 2020 , 714, 136689	10.2	14
28	Biotransformation strategies for steroid estrogen and androgen pollution. 2020 , 104, 2385-2409		16
27	Tracing sewage contamination based on sterols and stanols markers within the mainland aquatic ecosystem: a case study of Linggi catchment, Malaysia. 2021 , 28, 20717-20736		1
26	Possible overestimation of bisphenol analogues in municipal wastewater analyzed with GC-MS. <i>Environmental Pollution</i> , 2021 , 273, 116505	9.3	4
25	Endocrine disruptors of sex hormone activities. 2022 , 539, 111415		1
24	Ecotoxicity of the Adipate Plasticizers: Influence of the Structure of the Alcohol Substituent. 2021 , 26,		2
23	Minimization of Environmental Impact of Kraft Pulp Mill Effluents: Current Practices and Future Perspectives towards Sustainability. 2021 , 13, 9288		2

22	Norethisterone exposure alters the transcriptome of Marine Medaka (Oryzias melastigma) larvae. 1-13		O
21	Sensitivity of the LuminoTox tool to monitor contaminants of emerging concern in municipal secondary wastewater effluent. <i>Science of the Total Environment</i> , 2017 , 598, 1065-1075	10.2	6
20	Determination of progestogens in surface and waste water using SPE extraction and LC-APCI/APPI-HRPS. <i>Science of the Total Environment</i> , 2018 , 621, 1066-1073	10.2	39
19	Determination of Toxicological Parameters of Selected Bioactive Organic Chemicals Using the Ostracodtoxkit FTM. <i>Chemistry, Didactics, Ecology, Metrology,</i> 2018 , 23, 113-126	0.9	4
18	Endocrine Disruptors as Pollutants in Marine Ecosystem: A Case Study in Egypt. <i>Open Biotechnology Journal</i> , 2016 , 10, 131-150	2	3
17	Pharmaceutical Compounds in Estuarine and Coastal Waters. 2009,		
16	Encyclopedia of Sustainability Science and Technology. 2012 , 11961-11984		
15	Phytoremediation of the Endocrine Disruptors Bisphenol A, Linuron and 17Eethinylestradiol in NOM-Enriched Water and Freshwaters. 2013 , 607-610		
14	Determination of ethinylestradiol and norgestrel in water using solid-phase microextraction. Chemical Bulletin of Kazakh National University, 2016 , 52-62	O	
13	Biological Wastewater Treatment Technologies for BPA Removal. 2019 , 79-101		O
12	Encyclopedia of Sustainability Science and Technology. 2020 , 1-28		
11	Analysis of pharmaceuticals, hormones and bacterial communities in a municipal wastewater treatment plant - Comparison of parallel full-scale membrane bioreactor and activated sludge systems. <i>Environmental Pollution</i> , 2022 , 292, 118433	9.3	1
10	Monitoring estrogen and androgen residues from livestock farms in Phayao Lake, Thailand. <i>Environmental Monitoring and Assessment</i> , 2021 , 193, 812	3.1	O
9	Occurrence and removal of progestogens from wastewater treatment plants in China: Spatiotemporal variation and process comparison <i>Water Research</i> , 2022 , 211, 118038	12.5	1
8	Norethindrone alters growth, sex differentiation and gene expression in marine medaka (Oryzias melastigma) <i>Environmental Toxicology</i> , 2022 ,	4.2	0
7	Transformation Products of Emerging Pollutants Explored Using Non-Target Screening: Perspective in the Transformation Pathway and Toxicity Mechanism-A Review <i>Toxics</i> , 2022 , 10,	4.7	1
6	Estrogenic activity and ecological risk of steroids, bisphenol A and phthalates after secondary and tertiary sewage treatment processes <i>Water Research</i> , 2022 , 214, 118189	12.5	3
5	Insight into the effect of wastewater-derived dissolved organic matter composition on norgestrel degradation in activated sludge: Coupled bacterial community and molecular characteristics <i>Water Research</i> , 2022 , 216, 118255	12.5	O

4	Study of the Rheological Properties of PVC Composites Plasticized with Butoxyethyl Adipates. <i>ChemEngineering</i> , 2021 , 5, 85	2.6	О
3	Evaluating land application of pulp and paper mill sludge: A review. <i>Journal of Environmental Management</i> , 2022 , 317, 115439	7.9	4
2	The Environmental and Health Impacts of Steroids and Hormones in Wastewater Effluent, as Well as Existing Removal Technologies: A Review. <i>Ecologies</i> , 2022 , 3, 206-224	0.3	4
1	Short-term exposure to norethisterone affected swimming behavior and antioxidant enzyme activity of medaka larvae, and led to masculinization in the adult population. 2023 , 310, 136844		O