## Recovery of titanium compounds from molten Ti-beari dynamic oxidation condition

Minerals Engineering 20, 684-693 DOI: 10.1016/j.mineng.2007.01.003

**Citation Report** 

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Isothermal precipitation and growth process of perovskite phase in oxidized titanium bearing slag.<br>Transactions of Nonferrous Metals Society of China, 2008, 18, 459-462.   | 1.7 | 22        |
| 2  | Study on recovery of metallic Fe and enrichment behaviour of titanium in Ti bearing blast furnace<br>slag. Ironmaking and Steelmaking, 2009, 36, 388-392.  | 1.1 | 18        |
| 3  | Modification of ilmenite surface chemistry for enhancing surfactants adsorption and bubble attachment. Journal of Colloid and Interface Science, 2009, 329, 167-172.   | 5.0 | 86        |
| 4  | Production of TiO2 from CaTiO3 by alkaline roasting method. Rare Metals, 2010, 29, 162-167.  | 3.6 | 13        |
| 5  | Synthesis of rutile from high titania slag by pyrometallurgical route. Transactions of Nonferrous<br>Metals Society of China, 2011, 21, 2317-2322.   | 1.7 | 18        |
| 6  | Solid state reduction of Panzhihua titanomagnetite concentrates with pulverized coal. Minerals Engineering, 2011, 24, 864-869.   | 1.8 | 134       |
| 7  | Preparation of titania-containing photocatalysts from metallurgical slag waste and<br>photodegradation of 2,4-dichlorophenol. Journal of Industrial and Engineering Chemistry, 2011, 17,<br>461-467.                           | 2.9 | 9         |
| 8  | Influence of TiO <sub>2</sub> and basicity on viscosity of Ti bearing slag. Ironmaking and Steelmaking, 2012, 39, 133-139.   | 1.1 | 100       |
| 9  | Crystallization and Coarsening Kinetics of Rutile Phase in Modified Ti-Bearing Blast Furnace Slag.<br>Industrial & Engineering Chemistry Research, 2012, , 120911122753003.  | 1.8 | 2         |
| 10 | Reduction mechanism of titanomagnetite concentrate by hydrogen. International Journal of Mineral<br>Processing, 2013, 125, 122-128.  | 2.6 | 59        |
| 11 | Preparation and visible-light photocatalytic property of nanostructured Fe-doped TiO2 from titanium containing electric furnace molten slag. International Journal of Minerals, Metallurgy and Materials, 2013, 20, 1012-1020. | 2.4 | 24        |
| 12 | Desilication from titanium–vanadium slag by alkaline leaching. Transactions of Nonferrous Metals<br>Society of China, 2013, 23, 3076-3082.   | 1.7 | 50        |
| 13 | A novel process for recovery of iron, titanium, and vanadium from titanomagnetite concentrates:<br>NaOH molten salt roasting and water leaching processes. Journal of Hazardous Materials, 2013,<br>244-245, 588-595.          | 6.5 | 146       |
| 14 | Thermodynamic Analysis of Extraction of Synthetic Rutile from Modified Slag. Industrial &<br>Engineering Chemistry Research, 2013, 52, 4924-4931.  | 1.8 | 17        |
| 15 | Effect of Oxidation on Phase Transformation in Ti-Bearing Blast Furnace Slag. Advanced Materials<br>Research, 2013, 641-642, 363-366.  | 0.3 | 2         |
| 16 | Effect of TiO2 Content on the Structure of CaO–SiO2–TiO2 System by Molecular Dynamics Simulation.<br>ISIJ International, 2013, 53, 1131-1137.  | 0.6 | 41        |
| 17 | Solid State Reduction of Titanomagnetite Concentrate by Graphite. ISIJ International, 2013, 53, 564-569.   | 0.6 | 30        |
| 18 | Structure Analysis of CaO–SiO2–Al2O3–TiO2 Slag by Molecular Dynamics Simulation and FT-IR<br>Spectroscopy. ISIJ International, 2014, 54, 734-742.  | 0.6 | 46        |

CITATION REPORT

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Crystallization Behavior of Molten Blast Furnace Slag Using Confocal Scanninglaser Microscope. ,<br>2014, , 597-603.   |     | 0         |
| 20 | Processes for Recycling. , 2014, , 1507-1561.  |     | 9         |
| 21 | Study on the Preparation Process of Photocatalysts by the Acidolysis of High Titanium Slag with Hydrochloric Acid. Applied Mechanics and Materials, 0, 662, 3-6.   | 0.2 | 3         |
| 22 | Effect of cooling rate on the crystallization behavior of perovskite in high titanium-bearing blast furnace slag. International Journal of Minerals, Metallurgy and Materials, 2014, 21, 1052-1061.  | 2.4 | 17        |
| 23 | Low-cost Vâ^'Wâ^'Ti SCR catalyst from titanium-bearing blast furnace slag. Journal of Environmental<br>Chemical Engineering, 2014, 2, 1007-1010.   | 3.3 | 26        |
| 24 | A novel method to extract iron, titanium, vanadium, and chromium from high-chromium vanadium-bearing titanomagnetite concentrates. Hydrometallurgy, 2014, 149, 106-109.  | 1.8 | 94        |
| 25 | Crystallization Behavior of Perovskite in the Synthesized High-Titanium-Bearing Blast Furnace Slag<br>Using Confocal Scanning Laser Microscope. Metallurgical and Materials Transactions B: Process<br>Metallurgy and Materials Processing Science, 2014, 45, 76-85. | 1.0 | 31        |
| 27 | Reduction mechanism of high-chromium vanadium–titanium magnetite pellets by H2–CO–CO2 gas<br>mixtures. International Journal of Minerals, Metallurgy and Materials, 2015, 22, 562-572.   | 2.4 | 33        |
| 28 | Formation mechanism of the protective layer in a blast furnace hearth. International Journal of Minerals, Metallurgy and Materials, 2015, 22, 1017-1024.   | 2.4 | 44        |
| 29 | Preparation of H2TiO3–lithium adsorbent using low-grade titanium slag. Hydrometallurgy, 2015, 157,<br>90-96.   | 1.8 | 43        |
| 30 | Melting Separation Behavior and Mechanism of High-chromium Vanadium–bearing Titanomagnetite<br>Metallized Pellet Got from Gas-based Direct Reduction. ISIJ International, 2016, 56, 210-219.   | 0.6 | 34        |
| 32 | Selective Separation of Perovskite (CaTiO <sub>3</sub> ) from Titanium Bearing Slag Melt by<br>Super Gravity. ISIJ International, 2016, 56, 1352-1357.   | 0.6 | 20        |
| 33 | Upgrading V2O5-WO3/TiO2 deNOx Catalyst with TiO2-SiO2 Support Prepared from Ti-Bearing Blast<br>Furnace Slag. Catalysts, 2016, 6, 56.  | 1.6 | 18        |
| 34 | Oxidation Kinetics and Oxygen Capacity of Ti-Bearing Blast Furnace Slag under Dynamic Oxidation Conditions. Metals, 2016, 6, 105.  | 1.0 | 13        |
| 37 | Crystallization Behavior and Growing Process of Rutile Crystals in Ti-Bearing Blast Furnace Slag.<br>High Temperature Materials and Processes, 2016, 35, 787-797.  | 0.6 | 1         |
| 38 | A novel synergistic extraction method for recovering vanadium (V) from high-acidity chloride leaching liquor. Separation and Purification Technology, 2016, 165, 166-172.  | 3.9 | 38        |
| 39 | Influence of aluminium nitride as a foaming agent on the preparation of foam glass-ceramics from<br>high-titanium blast furnace slag. International Journal of Minerals, Metallurgy and Materials, 2016,<br>23, 595-600.   | 2.4 | 28        |
| 40 | Preparation of TiC by carbothermal reduction in vacuum and acid leaching using blast furnace slag bearing titania. Green Processing and Synthesis, 2016, 5, .  | 1.3 | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 41 | Selective Precipitation and Concentrating of Perovskite Crystals from Titanium-Bearing Slag Melt in<br>Supergravity Field. Metallurgical and Materials Transactions B: Process Metallurgy and Materials<br>Processing Science, 2016, 47, 2459-2467.                                      | 1.0 | 41        |
| 42 | Effects of additives on the phase transformation, occurrence state, and the interface of the Ti<br>component in Ti-bearing blast furnace slag. International Journal of Minerals, Metallurgy and<br>Materials, 2016, 23, 1029-1040.  | 2.4 | 9         |
| 43 | Leaching of vanadium, sodium, and silicon from molten V-Ti-bearing slag obtained from low-grade<br>vanadium-bearing titanomagnetite. International Journal of Minerals, Metallurgy and Materials, 2016,<br>23, 898-905.  | 2.4 | 3         |
| 44 | Effects of MgO and TiO2 on the viscous behaviors and phase compositions of titanium-bearing slag.<br>International Journal of Minerals, Metallurgy and Materials, 2016, 23, 868-880.   | 2.4 | 38        |
| 45 | Recovery of Titanium Compounds from Ti-enriched Product of Alkali Melting Ti-bearing Blast Furnace<br>Slag by Dilute Sulfuric Acid Leaching. Procedia Environmental Sciences, 2016, 31, 977-984.   | 1.3 | 44        |
| 46 | Preparation of rutile titanium dioxide pigment from low-grade titanium slag pretreated by the NaOH molten salt method. Dyes and Pigments, 2016, 125, 384-391.  | 2.0 | 38        |
| 47 | Gas-Based Direct Reduction of Hongge Vanadium Titanomagnetite-Oxidized Pellet and Melting<br>Separation of the Reduced Pellet. Steel Research International, 2017, 88, 1600120.  | 1.0 | 29        |
| 48 | A novel process for the recovery of iron, titanium, and vanadium from vanadium-bearing<br>titanomagnetite: sodium modification–direct reduction coupled process. International Journal of<br>Minerals, Metallurgy and Materials, 2017, 24, 504-511.                                      | 2.4 | 35        |
| 49 | Investigation of Reduction Mechanism and Kinetics of Vanadium Titanomagnetite Carbon Composite<br>Hot Briquette at 1173-1373 K. Steel Research International, 2017, 88, 1600306.   | 1.0 | 8         |
| 50 | Structure and performance of a<br>V <sub>2</sub> O <sub>5</sub> –WO <sub>3</sub> /TiO <sub>2</sub> –SiO <sub>2</sub> catalyst derived<br>from blast furnace slag (BFS) for DeNO <sub>x</sub> . RSC Advances, 2017, 7, 18108-18119.   | 1.7 | 13        |
| 51 | Manganese-cerium oxide (MnO <sub>x</sub> -CeO <sub>2</sub> ) catalysts supported by titanium-bearing<br>blast furnace slag for selective catalytic reduction of nitric oxide with ammonia at low temperature.<br>Journal of the Air and Waste Management Association, 2017, 67, 899-909. | 0.9 | 13        |
| 52 | Experimental study of phase equilibria in the MgO-SiO2-TiO system. Journal of Alloys and Compounds, 2017, 695, 3476-3483.  | 2.8 | 16        |
| 53 | Carbothermic Reduction Reactions at the Metal–Slag Interface in Ti-Bearing Slag from a Blast Furnace.<br>Jom, 2017, 69, 2397-2403.   | 0.9 | 22        |
| 54 | Effects of super-gravity field on precipitation and growth kinetics of perovskite crystals in<br>CaO–TiO <sub>2</sub> –SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –MgO melt. Ironmaking and<br>Steelmaking, 2017, 44, 692-698.   | 1.1 | 3         |
| 55 | Effects of MgO on the Reduction of Vanadium Titanomagnetite Concentrates with Char. Jom, 2017, 69, 1759-1766.  | 0.9 | 16        |
| 56 | Direct extraction of perovskite CaTiO3 via efficient dissociation of silicates from synthetic Ti-bearing blast furnace slag. Hydrometallurgy, 2017, 167, 8-15.   | 1.8 | 40        |
| 57 | Energy Saving and Emission Reduction from the Steel Industry: Heat Recovery from High Temperature<br>Slags. Lecture Notes in Energy, 2017, , 249-280.  | 0.2 | 1         |
| 58 | Flotation Behaviors of Perovskite, Titanaugite, and Magnesium Aluminate Spinel Using Octyl<br>Hydroxamic Acid as the Collector. Minerals (Basel, Switzerland), 2017, 7, 134.   | 0.8 | 15        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 59 | Kinetic study of titanium-bearing electric arc furnace molten slag treated by molten sodium<br>hydroxide. Minerals and Metallurgical Processing, 2017, 34, 44-52.   | 0.7 | 2         |
| 60 | Effects of Low-temperature Pre-oxidation on the Titanomagnetite Ore Structure and Reduction<br>Behaviors in a Fluidized Bed. Metallurgical and Materials Transactions B: Process Metallurgy and<br>Materials Processing Science, 2018, 49, 846-857. | 1.0 | 13        |
| 61 | A method for recovery of iron, titanium, and vanadium from vanadium-bearing titanomagnetite.<br>International Journal of Minerals, Metallurgy and Materials, 2018, 25, 131-144.   | 2.4 | 55        |
| 62 | Synthesis and Kinetics of Titanium Silicides from Photovoltaic Industry Waste and Steelmaking Slag<br>for Silicon and Titanium Recovery. ACS Sustainable Chemistry and Engineering, 2018, 6, 7078-7085.   | 3.2 | 18        |
| 63 | Novelty on reduction of raw and pre-oxidised titaniferous magnetite ore with boiler grade coal.<br>Ironmaking and Steelmaking, 2018, 45, 469-477.   | 1.1 | 0         |
| 64 | Preparation of Ti5Si3 by silicothermic reduction of titanium-bearing blast furnace slag. Canadian<br>Metallurgical Quarterly, 2018, 57, 80-88.  | 0.4 | 17        |
| 65 | Preparation of glass-ceramic foams using extracted titanium tailing and glass waste as raw materials.<br>Construction and Building Materials, 2018, 190, 896-909.   | 3.2 | 89        |
| 66 | Activation Mechanism of Lead Ions in Perovskite Flotation with Octyl Hydroxamic Acid Collector.<br>Minerals (Basel, Switzerland), 2018, 8, 341.   | 0.8 | 7         |
| 67 | Leaching of Titanium and Silicon from Low-Grade Titanium Slag Using Hydrochloric Acid Leaching.<br>Jom, 2018, 70, 1985-1990.  | 0.9 | 1         |
| 68 | Selective precipitation and <i>in situ</i> separation of rutile crystals from titanium bearing slag melt<br>in a super-gravity field. CrystEngComm, 2018, 20, 3868-3876.  | 1.3 | 15        |
| 69 | Production of ferrotitanium alloy from titania slag based on aluminothermic reduction. Journal of Alloys and Compounds, 2019, 810, 151969.  | 2.8 | 18        |
| 70 | Investigations of MgO on Sintering Performance and Metallurgical Property of High-Chromium<br>Vanadium-Titanium Magnetite. Minerals (Basel, Switzerland), 2019, 9, 324.   | 0.8 | 10        |
| 71 | Effect of surface dissolution by oxalic acid on flotation behavior of minerals. Journal of Materials<br>Research and Technology, 2019, 8, 2336-2349.  | 2.6 | 24        |
| 72 | A novel method of selectively enriching and separating rare earth elements from rare-earth concentrate under super gravity. Minerals Engineering, 2019, 133, 27-34.   | 1.8 | 12        |
| 73 | Solid state reduction of Iranian titanomagnetite concentrate optimization and study. Mineral<br>Processing and Extractive Metallurgy: Transactions of the Institute of Mining and Metallurgy, 2021,<br>130, 409-415.                                | 0.1 | 0         |
| 74 | New integrated method to recover the TiO2 component and prepare glass-ceramics from molten titanium-bearing blast furnace slag. Ceramics International, 2019, 45, 24236-24243.  | 2.3 | 31        |
| 75 | Thermodynamic study of direct reduction of high-chromium vanadium–titanium magnetite (HCVTM)<br>based on phase equilibrium calculation model. Journal of Thermal Analysis and Calorimetry, 2019, 136,<br>885-892.                                   | 2.0 | 10        |
| 76 | Selective extraction of titanium from Ti-bearing slag via the enhanced depolarization effect of liquid copper cathode. Journal of Energy Chemistry, 2020, 42, 43-48.  | 7.1 | 23        |

CITATION REPORT

| #  | Article   | IF        | CITATIONS |
|----|---|-----------|-----------|
| 77 | Blast Furnace Ironmaking Process with Super-High TiO2 in the Slag: Viscosity and Melting Properties of the Slag. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2020, 51, 722-731.                | 1.0       | 32        |
| 78 | The influence of basicity and TiO <sub>2</sub> on the crystallization behavior of high Ti-bearing slags.<br>CrystEngComm, 2020, 22, 361-370.  | 1.3       | 21        |
| 79 | Particle size controllable jet milling technology for efficiently recycling titanium-bearing blast<br>furnace slag: Numerical simulation and industrial test. Journal of Cleaner Production, 2020, 247,<br>119144.                                  | 4.6       | 12        |
| 80 | Structure, viscosity, and crystallization of glass melt from molten blast furnace slag. International<br>Journal of Applied Glass Science, 2020, 11, 676-684.   | 1.0       | 13        |
| 81 | Effect of rutile crystal shapes on its settlement. Transactions of Nonferrous Metals Society of China, 2020, 30, 2848-2860.   | 1.7       | 6         |
| 82 | Phase equilibria of the CaO–SiO2–TiO2–Al2O3–MgO system in air at 1250–1400 °C. Ceramics<br>International, 2020, 46, 27702-27710.  | 2.3       | 10        |
| 83 | Pull-In and Snap-Through Analysis of Electrically Actuated Viscoelastic Curved Microbeam. Advances<br>in Materials Science and Engineering, 2020, 2020, 1-16.   | 1.0       | 2         |
| 84 | Blast Furnace Ironmaking Process with Super High TiO2 in the Slag: High-Temperature Structure of the Slag. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2020, 51, 2348-2357.                    | 1.0       | 13        |
| 85 | Slag-metal Separation and Reduction Behaviors of Vanadium-bearing Titanomagnetite Metallized<br>Pellets. ISIJ International, 2020, 60, 823-831.   | 0.6       | 4         |
| 86 | Effect of TiO2 on reduction behavior of Cr2O3 in CaO–SiO2–Al2O3–MgO–TiO2–Cr2O3 by carbon fro<br>Fe–C melt. Journal of Iron and Steel Research International, 2020, 27, 1145-1152.   | 0m<br>1.4 | 3         |
| 87 | Formation of calcium titanate in the carbothermic reduction of vanadium titanomagnetite<br>concentrate by adding CaCO3. International Journal of Minerals, Metallurgy and Materials, 2020, 27,<br>745-753.  | 2.4       | 5         |
| 88 | Carbonization and nitridation of vanadium–bearing titanomagnetite during carbothermal reduction<br>with coal. Journal of Materials Research and Technology, 2020, 9, 4272-4282.   | 2.6       | 15        |
| 89 | CFD modeling and simulation of gas-phase extraction processes in fluidized bed reactor. Minerals Engineering, 2020, 149, 106238.  | 1.8       | 6         |
| 90 | Conversion of extracted titanium tailing and waste glass to value-added porous glass ceramic with improved performances. Journal of Environmental Management, 2020, 261, 110197.  | 3.8       | 20        |
| 91 | Effects of calcium compounds on the carbothermic reduction of vanadium titanomagnetite concentrate. International Journal of Minerals, Metallurgy and Materials, 2020, 27, 301-309.   | 2.4       | 23        |
| 92 | Energy Technology 2020: Recycling, Carbon Dioxide Management, and Other Technologies. Minerals,<br>Metals and Materials Series, 2020, , .   | 0.3       | 3         |
| 93 | Combined Effect of SiO <sub>2</sub> and O <sub>2</sub> on the Crystallization Behavior of Modified<br>Ti-Bearing Blast Furnace Slag. ACS Omega, 2020, 5, 8619-8628.   | 1.6       | 4         |
| 94 | Efficient separation of vanadium, titanium, and iron from vanadium-bearing titanomagnetite by<br>pressurized pyrolysis of ammonium chloride-acid leaching-solvent extraction process. Separation and<br>Purification Technology, 2021, 255, 117169. | 3.9       | 22        |

CITATION REPORT

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 95  | A novel recycling approach for efficient extraction of titanium from high-titanium-bearing blast<br>furnace slag. Waste Management, 2021, 120, 626-634.  | 3.7 | 64        |
| 96  | An approach for simultaneous treatments of diamond wire saw silicon kerf and Ti-bearing blast<br>furnace slag. Journal of Hazardous Materials, 2021, 401, 123446.  | 6.5 | 23        |
| 97  | Influence of TiO2 on the viscosity of the molten slag and the confirmation of the acid–base property on TiO2. Ironmaking and Steelmaking, 2021, 48, 387-392.   | 1.1 | 2         |
| 98  | Extraction of vanadium and enrichment of titanium from modified Ti-bearing blast furnace slag.<br>Hydrometallurgy, 2021, 201, 105577.  | 1.8 | 14        |
| 99  | Influence of TiO2 on viscosity, phase composition and structure of chromium-containing<br>high-titanium blast furnace slag. Journal of Materials Research and Technology, 2021, 12, 1615-1622.                                 | 2.6 | 27        |
| 100 | Viscosity of CaO-MgO-Al2O3-SiO2-TiO2-FeO slag with varying TiO2 content: The Effect of Crystallization on Viscosity Abrupt Behavior. Ceramics International, 2021, 47, 17445-17454.  | 2.3 | 23        |
| 101 | Novel CeZrTiAl catalyst for NH3-SCR of NOx based on Ti-bearing BFS. Journal of Environmental<br>Chemical Engineering, 2021, 9, 105233.   | 3.3 | 6         |
| 102 | Corrosion behavior of carbon, Al2O3, and MgO refractories during the preparation of a Ti–Si–Al<br>alloy via the aluminothermic reduction of a Ti-bearing blast-furnace slag. Ceramics International,<br>2021, 47, 18044-18052. | 2.3 | 12        |
| 103 | Influence of pelletizing process parameters on the performance of V–Ti magnetite green pellets for composite agglomeration. Ironmaking and Steelmaking, 2022, 49, 16-23.   | 1.1 | 1         |
| 104 | Waste to wealth: Recovery of value-added products from steel slag. Journal of Environmental<br>Chemical Engineering, 2021, 9, 105640.  | 3.3 | 29        |
| 105 | Experimental Study on the Phase Relations of the SiO2-MgO-TiO2 System in Air at 1500°C. Jom, 0, , 1.   | 0.9 | 9         |
| 106 | Review of Liquidus Surface and Phase Equilibria in the TiO2-SiO2-Al2O3-MgO-CaO Slag System at PO2<br>Applicable in Fluxed Titaniferous Magnetite Smelting. , 2016, , 105-114.  |     | 4         |
| 107 | Effects of microwave pre-treatment on the flotation of ilmenite and titanaugite. Minerals<br>Engineering, 2020, 155, 106452.   | 1.8 | 23        |
| 108 | Effect of Mineral Elements Migration on Softening–melting Properties of Ti–bearing High Basicity<br>Sinter. ISIJ International, 2019, 59, 245-252.   | 0.6 | 14        |
| 109 | Crystallization Behavior of Molten Blast Furnace Slag Using Confocal Scanning Laser Microscope. ,<br>2014, , 597-603.  |     | 0         |
| 111 | Review and Thermodynamic Calculation of Gas-based Shaft Furnace Direct Reduction Ironmaking. E3S<br>Web of Conferences, 2020, 218, 01032.  | 0.2 | 0         |
| 113 | A green approach for simultaneously preparing Ti5Si3 and Ti5Si4-TiAl3 alloys using spent SCR catalyst,<br>Ti-bearing blast furnace slag, and Al alloy scrap. Chemical Engineering Journal, 2022, 430, 132916.                  | 6.6 | 16        |
| 114 | Granulation and Carbonization Process of Titanium-Bearing Blast Furnace Slag. Minerals, Metals and<br>Materials Series, 2020, , 169-178.   | 0.3 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 115 | Recovery of Fe, V, and Ti in modified Ti-bearing blast furnace slag. Transactions of Nonferrous Metals<br>Society of China, 2022, 32, 333-344.  | 1.7 | 5         |
| 116 | Recent progress of efficient utilization of titanium-bearing blast furnace slag. International Journal of Minerals, Metallurgy and Materials, 2022, 29, 22-31.  | 2.4 | 15        |
| 117 | Preparation of TiC ceramics from hot Ti-bearing blast furnace slag: Carbothermal reduction,<br>supergravity separation and spark plasma sintering. Journal of the European Ceramic Society, 2022, 42,<br>2055-2061.                                 | 2.8 | 10        |
| 118 | Preparing Metatitanic Acid from Perovskite-Type Titanium Slag Using a Sulfuric–Chloric Mixture Acid.<br>Jom, 2022, 74, 1070.  | 0.9 | 0         |
| 119 | Blast furnace ironmaking process with super high TiO2 in the slag: Density and surface tension of the slag. International Journal of Minerals, Metallurgy and Materials, 2022, 29, 1170-1178.   | 2.4 | 7         |
| 120 | Hismelt Smelting Vanadium Titano-Magnetite: The Effect of Composition and Temperature on the<br>Distribution Ratio of V, Ti, Si and the Feasibility of Smelting Vanadium Titano-Magnetite with Natural<br>Basicity. SSRN Electronic Journal, 0, , . | 0.4 | 1         |
| 121 | A comprehensive review of properties of concrete containing lithium refinery residue as partial replacement of cement. Construction and Building Materials, 2022, 328, 127053.  | 3.2 | 13        |
| 122 | Hydrogen reduction behaviors and mechanisms of vanadium titanomagnetite ore under fluidized bed conditions. Powder Technology, 2022, 402, 117340.   | 2.1 | 7         |
| 123 | Effect of MgO/Al2O3 and CaO/SiO2 on the Metallurgical Properties of CaO–SiO2–Al2O3–MgO–TiO2<br>Slag. Journal of Non-Crystalline Solids, 2022, 585, 121545.  | 1.5 | 13        |
| 124 | Extraction of valuable metals from acidic wastewater and blast furnace slag by a collaborative utilization process. Asia-Pacific Journal of Chemical Engineering, 2022, 17, .   | 0.8 | 2         |
| 125 | Mechanism of Sodium Carbonate-Assisted Carbothermic Reduction of Titanomagnetite Concentrate.<br>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science,<br>2022, 53, 2272-2292.                           | 1.0 | 6         |
| 126 | Phase equilibria of MgO–Al <sub>2</sub> O <sub>3</sub> –TiO <sub>2</sub> system at 1600°C in air:<br>Emphasis on pseudobrookite and spinel solid solution phases. Journal of the American Ceramic<br>Society, 2022, 105, 6953-6964.                 | 1.9 | 5         |
| 127 | An approach towards utilization of water-quenched blast furnace slag for recovery of titanium, magnesium, and aluminum. Journal of Environmental Chemical Engineering, 2022, 10, 108153.  | 3.3 | 9         |
| 128 | Effect of Roasting Characteristics on the Alkali Fusion Behavior and Mechanism of Melting Titanium<br>Slag. Journal of Sustainable Metallurgy, 2022, 8, 1381-1391.  | 1.1 | 2         |
| 129 | Recovery of Residual Carbon from Ti-Extraction Blast Furnace Slag by Flotation with Simultaneous<br>Dechlorination. Energies, 2022, 15, 6777.   | 1.6 | 2         |
| 130 | Beneficiation of fluxed titaniferous slag to a marketable titania product using the modified upgraded slag process. Mineral Processing and Extractive Metallurgy: Transactions of the Institute of Mining and Metallurgy, 2022, 131, 239-249.       | 0.1 | 0         |
| 131 | Phase equilibrium studies of titanomagnetite and ilmenite smelting slags. International Journal of<br>Minerals, Metallurgy and Materials, 2022, 29, 2162-2171.  | 2.4 | 2         |
| 132 | Role of Na2O and TiO2 on viscosity and structure of Sodium-Titanium-bearing slag. Journal of Non-Crystalline Solids, 2023, 602, 122080.   | 1.5 | 4         |

0

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 133 | Simultaneous recycling of Si and Ti from diamond wire saw silicon powder and Ti–bearing blast<br>furnace slag via reduction smelting: An investigation of the effects of refractories on recycling.<br>Waste Management, 2023, 157, 36-46. | 3.7 | 7         |
| 134 | High-temperature X-ray diffraction study of anorthite-tialite materials. Canadian Metallurgical Quarterly, 0, , 1-9.   | 0.4 | 0         |
| 135 | Particle migration behavior between TiO2 and magnetite under high-temperature oxidative roasting:<br>An experimental and molecular dynamics study. Powder Technology, 2023, 416, 118226.   | 2.1 | 3         |
| 136 | Sustainable recovery of titanium from secondary resources: A review. Journal of Environmental<br>Management, 2023, 339, 117818.  | 3.8 | 7         |
| 137 | Isothermal reduction kinetics and microstructure evolution of various vanadium titanomagnetite pellets in direct reduction. Journal of Alloys and Compounds, 2023, 953, 170126.  | 2.8 | 19        |
| 138 | Influence of MgO on the alkali fusion behavior and mechanism of titanium-containing melting slag.<br>Journal of Materials Research and Technology, 2023, 23, 2116-2122.  | 2.6 | 1         |
| 139 | The Photocatalytic Activity of CaTiO3 Derived from the Microwave-Melting Heating Process of Blast Furnace Slag. Nanomaterials, 2023, 13, 1412.   | 1.9 | 3         |
| 140 | An Overview of Precious Metal Recovery from Steel Industry Slag: Recovery Strategy and Utilization.<br>Industrial & Engineering Chemistry Research, 2023, 62, 9006-9031.   | 1.8 | 20        |
|     |  |     |           |

143 Selective Crystallization and Separation of Ti in Ti-Bearing Slag. , 2024, , 19-103.