CITATION REPORT List of articles citing

High-resolution crystal structure of an engineered human beta2-adrenergic G protein-coupled receptor

DOI: 10.1126/science.1150577 Science, 2007, 318, 1258-65.

Source: https://exaly.com/paper-pdf/43028178/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2286	Energy Landscapes Reveal Agonist Control of G Protein-Coupled Receptor Activation via Microswitches.		
2285	Benzazaborinines as Novel Bioisosteric Replacements of Naphthalene: Propranolol as an Example.		
2284	Characterizing Conformational Dynamics of Proteins Using Evolutionary Couplings.		
2283	How Effectively Can Adaptive Sampling Methods Capture Spontaneous Ligand Binding?.		
2282	Visual-vestibular interaction and cerebellar atrophy. 1979 , 29, 116-9		60
2281	Purification of the human G protein-coupled receptor adenosine A(2a)R in a stable and functional form expressed in Pichia pastoris. 2012 , Chapter 29, Unit 29.4		2
2280	Radioligand binding analysis as a tool for quality control of GPCR production for structural characterization: adenosine A(2a)R as a template for study. 2012 , Chapter 29, Unit 29.3		
2279	G Protein-Coupled Receptors. 2004 , 1-11		
2278	GPCR engineering yields high-resolution structural insights into beta2-adrenergic receptor function. <i>Science</i> , 2007 , 318, 1266-73	33.3	1173
2277	Structural biology: a receptor unlocked. 2007 , 450, 355-6		11
2276	Biochemistry. Signaling across the cell membrane. <i>Science</i> , 2007 , 318, 1253-4	33.3	19
2275	An adrenaline (and gold?) rush for the GPCR community. 2007, 2, 783-6		3
2274	Generation of protein structures for the 21(st) century. 2007 , 15, 1517-9		4
2273	Using EGFP fusions to monitor the functional expression of GPCRs in the Drosophila Schneider 2 cells. 2008 , 57, 101-9		9
2272	Biosynthesis and NMR-studies of a double transmembrane domain from the Y4 receptor, a human GPCR. 2008 , 42, 257-69		15
2271	Community benchmarks for virtual screening. 2008 , 22, 193-9		126
2270	The specificity of binding of glycoprotein hormones to their receptors. 2008 , 65, 2484-92		44

2269	A dynamic view of peptides and proteins in membranes. 2008 , 65, 3028-39	26
2268	Lipid-mediated dimerization of beta2-adrenergic receptor reveals important clues for cannabinoid receptors. 2008 , 65, 2277-9	13
2267	Molecular and structural effects of inverse agonistic mutations on signaling of the thyrotropin receptora basally active GPCR. 2008 , 65, 3664-76	17
2266	Preferences of transmembrane helices for cooperative amplification of G(alpha)s and G (alpha)q signaling of the thyrotropin receptor. 2008 , 65, 4028-38	19
2265	The full-length mu-opioid receptor: a conformational study by circular dichroism in trifluoroethanol and membrane-mimetic environments. 2008 , 223, 49-57	14
2264	Reviews in molecular biology and biotechnology: transmembrane signaling by G protein-coupled receptors. 2008 , 39, 239-64	105
2263	Computational studies of the binding site of alpha1A-adrenoceptor antagonists. 2008, 14, 957-66	24
2262	Genomics of selected human odorant receptors. 2008 , 139, 1537-1544	2
2261	PCR-based gene synthesis to produce recombinant proteins for crystallization. 2008 , 8, 44	20
2260	[The medicinal chemistry of alpha 1 blockers]. 2008, 37, 284-8	O
2259	[GPCRstructure of the human beta-2 receptor clarified]. 2008, 37, 191-2	
2258	Description of the low-affinity interaction between nociceptin and the second extracellular loop of its receptor by fluorescence and NMR spectroscopies. 2008 , 14, 1183-94	6
2257	Studies of the structure of the N-terminal domain from the Y4 receptor - a G protein-coupled receptor - and its interaction with hormones from the NPY family. 2008 , 9, 2276-84	19
2256	Theoretical study of the human bradykinin-bradykinin B2 receptor complex. 2008 , 9, 2487-97	9
2255	Rapid identification of a putative interaction between beta2-adrenoreceptor agonists and ATF4 using a chemical genomics approach. 2008 , 3, 742-4	10
2254	Crystal structures of a second g protein-coupled receptor: triumphs and implications. 2008 , 3, 1021-3	6
2253	Multi-receptor binding profile of clozapine and olanzapine: a structural study based on the new beta2 adrenergic receptor template. 2008 , 3, 1194-8	48
2252	Expression and biophysical analysis of two double-transmembrane domain-containing fragments from a yeast G protein-coupled receptor. 2008 , 90, 117-30	19

2251	Inter-residue interactions in protein structures exhibit power-law behavior. 2008, 89, 1174-8	4
2250	The structure of the neuropeptide bradykinin bound to the human G-protein coupled receptor bradykinin B2 as determined by solid-state NMR spectroscopy. 2008 , 47, 1668-71	78
2249	Exogenous agents that target transmembrane domains of proteins. 2008, 47, 2744-52	19
2248	Betablockers at work: the crystal structure of the beta2-adrenergic receptor. 2008 , 47, 3314-6	13
2247	Crystallography-independent determination of ligand binding modes. 2008, 47, 7736-40	36
2246	The Structure of the Neuropeptide Bradykinin Bound to the Human G-Protein Coupled Receptor Bradykinin B2 as Determined by Solid-State NMR Spectroscopy. 2008 , 120, 1692-1695	11
2245	Exogene Wirkstoffe zur Erkennung von Transmembrandomßen von Proteinen. 2008 , 120, 2784-2793	3
2244	Betablocker in Aktion: die Struktur des 🛭-Adrenozeptors im Kristall. 2008 , 120, 3360-3362	10
2243	Crystallography-Independent Determination of Ligand Binding Modes. 2008, 120, 7850-7854	10
2242	The structure of human serotonin 2c G-protein-coupled receptor bound to agonists and antagonists. 2008 , 27, 66-81	29
2241	Novel insights into GPCR-peptide interactions: mutations in extracellular loop 1, ligand backbone methylations and molecular modeling of neurotensin receptor 1. 2008 , 16, 9359-68	33
2240	Molecular modeling aided design of nicotinic acid receptor GPR109A agonists. 2008 , 18, 4963-7	19
2239	Use of the X-ray structure of the beta2-adrenergic receptor for drug discovery. Part 2: Identification of active compounds. 2008 , 18, 5391-5	83
2238	Toward deciphering the code to aminergic G protein-coupled receptor drug design. 2008, 15, 343-53	32
2237	Ligand-binding architecture of human CB2 cannabinoid receptor: evidence for receptor subtype-specific binding motif and modeling GPCR activation. 2008 , 15, 1207-19	79
2236	Stabilization of Membrane Proteins: the Case of G-Protein-Coupled Receptors. 2008 , 8, 207-217	3
2235	Probes for narcotic receptor mediated phenomena. 37. Synthesis and opioid binding affinity of the final pair of oxide-bridged phenylmorphans, the ortho- and para-b-isomers and their N-phenethyl analogues, and the synthesis of the N-phenethyl analogues of the ortho- and para-d-isomers. 2008,	17
2234	51, 7866-81 A virtual screen for diverse ligands: discovery of selective G protein-coupled receptor antagonists. 2008, 130, 5115-23	71

2233	Computational chemistry approaches to drug discovery in signal transduction. 2008 , 3, 452-70	19
2232	Cell-based assays in GPCR drug discovery. 2008 , 3, 471-83	56
2231	The 2.6 angstrom crystal structure of a human A2A adenosine receptor bound to an antagonist. <i>Science</i> , 2008 , 322, 1211-7	1549
2230	Dimerization and oligomerization of G-protein-coupled receptors: debated structures with established and emerging functions. 2008 , 196, 435-53	80
2229	Serotonin receptors. 2008 , 108, 1614-41	597
2228	G protein-coupled receptor structures, molecular associations, and modes of regulation. 2008 , 1144, 1-5	5
2227	Informed development of drugs acting at family B G protein-coupled receptors. 2008, 1144, 203-9	2
2226	HGM2008 structural proteomics symposium abstracts. 2008 , 2, 145-6	
2225	Dopamine D2 receptors form higher order oligomers at physiological expression levels. 2008 , 27, 2293-304	286
2224	Identification of a serotonin/glutamate receptor complex implicated in psychosis. 2008, 452, 93-7	623
2223	Crystal structure of squid rhodopsin. 2008 , 453, 363-7	426
2222	Crystal structure of the ligand-free G-protein-coupled receptor opsin. 2008 , 454, 183-7	794
2221	Structure of a beta1-adrenergic G-protein-coupled receptor. 2008 , 454, 486-91	1235
2220	Crystal structure of opsin in its G-protein-interacting conformation. 2008 , 455, 497-502	934
2219	A crystal clear view of the beta2-adrenergic receptor. 2008 , 26, 189-91	26
2218	Regulating rejection with cell therapy. 2008 , 26, 191-2	4
2217	Structural biology: A moving story of receptors. 2008 , 455, 473-4	29
2216	Structure, function and physiological consequences of virally encoded chemokine seven transmembrane receptors. 2008 , 153 Suppl 1, S154-66	36

2215	G-protein-coupled receptor phosphorylation: where, when and by whom. 2008, 153 Suppl 1, S167-76	149
2214	Insights into signaling from the beta2-adrenergic receptor structure. 2008 , 4, 397-403	87
2213	Chemical biology expands its horizons. 2008 , 4, 1-1	6
2212	How chemokines invite leukocytes to dance. 2008 , 9, 953-9	249
2211	Engineering GPCR signaling pathways with RASSLs. 2008 , 5, 673-8	197
2210	Protein crystallization: from purified protein to diffraction-quality crystal. 2008 , 5, 147-53	269
2209	Crystal clear. 2008 , 7, 19-19	1
2208	Structural diversity of G protein-coupled receptors and significance for drug discovery. 2008 , 7, 339-57	1077
2207	Pseudoreceptor models in drug design: bridging ligand- and receptor-based virtual screening. 2008 , 7, 667-77	69
2206	'Fight or flight' receptor revealed. 2008 , 9, 4-4	
	'Fight or flight' receptor revealed. 2008, 9, 4-4 Cellular cholesterol trafficking and compartmentalization. 2008, 9, 125-38	962
2205		962 38
2205	Cellular cholesterol trafficking and compartmentalization. 2008 , 9, 125-38	
2205 2204	Cellular cholesterol trafficking and compartmentalization. 2008 , 9, 125-38 Sweet taste in man: a review. 2008 , 73, R81-90 Expression and comparative characterization of Gq-coupled invertebrate visual pigments and	38
2205 2204 2203	Cellular cholesterol trafficking and compartmentalization. 2008, 9, 125-38 Sweet taste in man: a review. 2008, 73, R81-90 Expression and comparative characterization of Gq-coupled invertebrate visual pigments and melanopsin. 2008, 105, 883-90 Conformational change of the transmembrane helices II and IV of metabotropic glutamate	38 77
2205 2204 2203 2202 2201	Cellular cholesterol trafficking and compartmentalization. 2008, 9, 125-38 Sweet taste in man: a review. 2008, 73, R81-90 Expression and comparative characterization of Gq-coupled invertebrate visual pigments and melanopsin. 2008, 105, 883-90 Conformational change of the transmembrane helices II and IV of metabotropic glutamate receptor involved in G protein activation. 2008, 106, 850-9 Amino acids involved in conformational dynamics and G protein coupling of an odorant receptor:	38 77 13
2205 2204 2203 2202 2201	Cellular cholesterol trafficking and compartmentalization. 2008, 9, 125-38 Sweet taste in man: a review. 2008, 73, R81-90 Expression and comparative characterization of Gq-coupled invertebrate visual pigments and melanopsin. 2008, 105, 883-90 Conformational change of the transmembrane helices II and IV of metabotropic glutamate receptor involved in G protein activation. 2008, 106, 850-9 Amino acids involved in conformational dynamics and G protein coupling of an odorant receptor: targeting gain-of-function mutation. 2008, 107, 1261-70	38 77 13 32

2197	Purification and mass spectrometric analysis of the kappa opioid receptor. 2008 , 1230, 13-26		14
2196	Regulation of G protein-coupled receptor signalling: focus on the cardiovascular system and regulator of G protein signalling proteins. 2008 , 585, 278-91		67
2195	Cloning and pharmacological characterization of the dog histamine H4 receptor. 2008, 592, 26-32		25
2194	Dimerization of chemokine receptors in living cells: key to receptor function and novel targets for therapy. 2008 , 13, 625-32		46
2193	Lipids and membrane protein structures. 2008 , 18, 406-11		150
2192	Overcoming the challenges of membrane protein crystallography. 2008 , 18, 581-6		298
2191	United we stand: combining structural methods. 2008 , 18, 617-22		37
2190	Structural insights into G-protein-coupled receptor activation. 2008 , 18, 734-40		74
2189	Constitutive activation of G protein-coupled receptors and diseases: insights into mechanisms of activation and therapeutics. 2008 , 120, 129-48		120
2188	A specific cholesterol binding site is established by the 2.8 A structure of the human beta2-adrenergic receptor. 2008 , 16, 897-905		794
2187	A lipidic-sponge phase screen for membrane protein crystallization. 2008 , 16, 1003-9		55
2186	The insulin receptor: a prototype for dimeric, allosteric membrane receptors?. 2008 , 33, 376-84		126
2185	A cell-based assay to assess the persistence of action of agonists acting at recombinant human beta(2) adrenoceptors. 2008 , 58, 189-97		26
2184	Combinatorial QSAR modeling of specificity and subtype selectivity of ligands binding to serotonin receptors 5HT1E and 5HT1F. <i>Journal of Chemical Information and Modeling</i> , 2008 , 48, 997-1013	6.1	31
2183	Homodimerization of neurotensin 1 receptor involves helices 1, 2, and 4: insights from quaternary structure predictions and dimerization free energy estimations. <i>Journal of Chemical Information and Modeling</i> , 2008 , 48, 1669-78	6.1	27
2182	G-Protein-Coupled Receptors. 2008 , 15-52		
2181	Synthesis, binding affinity, and molecular docking analysis of new benzofuranone derivatives as potential antipsychotics. 2008 , 51, 6085-94		23
2180	Hot-spots-guided receptor-based pharmacophores (HS-Pharm): a knowledge-based approach to identify ligand-anchoring atoms in protein cavities and prioritize structure-based pharmacophores. <i>Journal of Chemical Information and Modeling</i> , 2008 , 48, 1396-410	6.1	78

2179	beta-Adrenergic receptor modulation of wound repair. 2008 , 58, 158-64	32
2178	Mechanism of signal propagation upon retinal isomerization: insights from molecular dynamics simulations of rhodopsin restrained by normal modes. 2008 , 95, 789-803	66
2177	Alpha-helical topology prediction and generation of distance restraints in membrane proteins. 2008 , 95, 5281-95	14
2176	Large-scale functional expression of WT and truncated human adenosine A2A receptor in Pichia pastoris bioreactor cultures. 2008 , 7, 28	40
2175	Modeling molecular mechanisms of binding of the anaphylatoxin C5a to the C5a receptor. 2008 , 47, 3117-30	27
2174	Stable interactions between the transmembrane domains of the adenosine A2A receptor. 2008 , 17, 1188-99	20
2173	Efficient production of membrane-integrated and detergent-soluble G protein-coupled receptors in Escherichia coli. 2008 , 17, 1857-63	58
2172	Thioredoxin as a fusion tag for carrier-driven crystallization. 2008 , 17, 2070-9	29
2171	Structural basis for ligand binding and specificity in adrenergic receptors: implications for GPCR-targeted drug discovery. 2008 , 47, 11013-23	56
2170	Meeting review: advances from the GPCR Retreat. 2008 , 28, 3-14	
2170 2169		45
,	Chemical synthesis and semisynthesis of membrane proteins. 2008 , 4, 733-40	45
2169	Chemical synthesis and semisynthesis of membrane proteins. 2008 , 4, 733-40 Modeling and molecular dynamics simulation of the human gonadotropin-releasing hormone	
2169 2168	Chemical synthesis and semisynthesis of membrane proteins. 2008 , 4, 733-40 Modeling and molecular dynamics simulation of the human gonadotropin-releasing hormone receptor in a lipid bilayer. 2008 , 112, 10704-13 Drug discovery paradigms: past, present, future - a centennial symposium of the American Society	
2169 2168 2167	Chemical synthesis and semisynthesis of membrane proteins. 2008 , 4, 733-40 Modeling and molecular dynamics simulation of the human gonadotropin-releasing hormone receptor in a lipid bilayer. 2008 , 112, 10704-13 Drug discovery paradigms: past, present, future - a centennial symposium of the American Society for Pharmacology and Experimental Therapeutics. 2008 , 3, 1145-54 On the applicability of GPCR homology models to computer-aided drug discovery: a comparison	31
2169 2168 2167 2166	Chemical synthesis and semisynthesis of membrane proteins. 2008, 4, 733-40 Modeling and molecular dynamics simulation of the human gonadotropin-releasing hormone receptor in a lipid bilayer. 2008, 112, 10704-13 Drug discovery paradigms: past, present, future - a centennial symposium of the American Society for Pharmacology and Experimental Therapeutics. 2008, 3, 1145-54 On the applicability of GPCR homology models to computer-aided drug discovery: a comparison between in silico and crystal structures of the beta2-adrenergic receptor. 2008, 51, 2907-14 Negative cooperativity in H2 relaxin binding to a dimeric relaxin family peptide receptor 1. 2008,	31
2169 2168 2167 2166 2165	Chemical synthesis and semisynthesis of membrane proteins. 2008, 4, 733-40 Modeling and molecular dynamics simulation of the human gonadotropin-releasing hormone receptor in a lipid bilayer. 2008, 112, 10704-13 Drug discovery paradigms: past, present, future - a centennial symposium of the American Society for Pharmacology and Experimental Therapeutics. 2008, 3, 1145-54 On the applicability of GPCR homology models to computer-aided drug discovery: a comparison between in silico and crystal structures of the beta2-adrenergic receptor. 2008, 51, 2907-14 Negative cooperativity in H2 relaxin binding to a dimeric relaxin family peptide receptor 1. 2008, 296, 10-7 Stabilization of the human beta2-adrenergic receptor TM4-TM3-TM5 helix interface by	31 134 34

(2008-2008)

2161	G-protein-coupled receptors. 2008 , 382, 539-55		72
2160	Three-layer ONIOM studies of the dark state of rhodopsin: the protonation state of Glu181. 2008 , 383, 106-21		37
2159	Characterization of the prostaglandin H2 mimic: binding to the purified human thromboxane A2 receptor in solution. 2008 , 477, 396-403		6
2158	Large-scale expression and purification of the major HIV-1 coreceptor CCR5 and characterization of its interaction with RANTES. 2008 , 61, 155-62		26
2157	New G-protein-coupled receptor crystal structures: insights and limitations. 2008, 29, 79-83		203
2156	Conformational changes involved in G-protein-coupled-receptor activation. 2008 , 29, 616-25		65
2155	Delineation of agonist binding to the human histamine H4 receptor using mutational analysis, homology modeling, and ab initio calculations. <i>Journal of Chemical Information and Modeling</i> , 2008 , 48, 1455-63	5.1	58
2154	Homology model-based virtual screening for GPCR ligands using docking and target-biased scoring. Journal of Chemical Information and Modeling, 2008, 48, 1104-17	5.1	60
2153	Activation mechanism of the human histamine H4 receptoran explicit membrane molecular dynamics simulation study. <i>Journal of Chemical Information and Modeling</i> , 2008 , 48, 1199-210	5.1	34
2152	Lysophospholipid interactions with protein targets. 2008 , 1781, 540-6		29
2151	Functional role of the conserved proline in helix 6 of the human bradykinin B2 receptor. 2008 , 366, 1001-	-6	3
2150	Identification of the orphan GPCR, P2Y(10) receptor as the sphingosine-1-phosphate and lysophosphatidic acid receptor. 2008 , 371, 707-12		113
2149	Intracellular third loop-C-terminal tail interaction in prostaglandin EP3beta receptor. 2008, 371, 846-9		1
2148	Advanced method for high-throughput expression of mutated eukaryotic membrane proteins in Saccharomyces cerevisiae. 2008 , 371, 841-5		28
2147	Target flexibility: an emerging consideration in drug discovery and design. 2008, 51, 6237-55		244
2146	Acylguanidines as bioisosteres of guanidines: NG-acylated imidazolylpropylguanidines, a new class of histamine H2 receptor agonists. 2008 , 51, 7193-204		63
2145	Use of the X-ray structure of the Beta2-adrenergic receptor for drug discovery. 2008 , 18, 1598-602		49
2144	LCP-FRAP Assay for Pre-Screening Membrane Proteins for in Meso Crystallization. 2008 , 8, 4307-4315		55

2143	Cross-talk between anti-beta1-adrenoceptor antibodies in dilated cardiomyopathy and Chagas' heart disease. 2008 , 41, 429-33	23
2142	On the Mechanism of Membrane Protein Crystallization in Lipidic Mesophases. 2008 , 8, 4244-4254	56
2141	Molecular electron microscopy: state of the art and current challenges. 2008 , 3, 268-81	60
2140	Vasopressin receptor mutations in nephrogenic diabetes insipidus. 2008 , 28, 245-51	64
2139	Les rcepteurs olfactifs et le codage des odeurs. 2008 , 43, 282-288	3
2138	Genetic polymorphisms in beta1 and beta2 adrenergic receptors: variations without a theme?. 2008 , 5, 822-5	2
2137	The influence of sterols on the conformation of recombinant mitochondrial porin in detergent. 2008 , 86, 539-45	6
2136	Role of beta-adrenoceptor signaling in skeletal muscle: implications for muscle wasting and disease. 2008 , 88, 729-67	285
2135	Design, synthesis, and evaluation of potent and selective ligands for the dopamine 3 (D3) receptor with a novel in vivo behavioral profile. 2008 , 51, 5905-8	27
2134	Residues accessible in the binding-site crevice of transmembrane helix 6 of the CB2 cannabinoid receptor. 2008 , 47, 13811-21	22
2133	Activation of the mu opioid receptor involves conformational rearrangements of multiple transmembrane domains. 2008 , 47, 10576-86	10
2132	The Protein Data Bank (PDB), its related services and software tools as key components for in silico guided drug discovery. 2008 , 51, 7021-40	81
2131	G-protein-coupled receptors: from classical modes of modulation to allosteric mechanisms. 2008 , 3, 530-41	140
2130	A second disulfide bridge from the N-terminal domain to extracellular loop 2 dampens receptor activity in GPR39. 2008 , 47, 9198-207	25
2129	Mechanisms of inter- and intramolecular communication in GPCRs and G proteins. 2008, 130, 4310-25	34
2128	GPC receptors and not ligands decide the binding mode in neuropeptide Y multireceptor/multiligand system. 2008 , 47, 5905-14	23
2127	Microfluidic electrocapture-assisted mass spectrometry of membrane-associated polypeptides. 2008 , 80, 7116-20	9
2126	The micelle-associated 3D structures of Boc-Y(SO3)-Nle-G-W-Nle-D-2-phenylethylester (JMV-180) and CCK-8(s) share conformational elements of a calculated CCK1 receptor-bound model. 2008 , 51, 3742-54	4

(2008-2008)

2125	Reconstitution of rhodopsin into polymerizable planar supported lipid bilayers: influence of dienoyl monomer structure on photoactivation. 2008 , 24, 11067-75	22
2124	Cys-loop neuroreceptors: structure to the rescue?. 2008 , 108, 1642-53	91
2123	Mesoscopic Monte Carlo simulations of stochastic encounters between photoactivated rhodopsin and transducin in disc membranes. 2008 , 112, 4419-26	34
2122	Discovery of novel human histamine H4 receptor ligands by large-scale structure-based virtual screening. 2008 , 51, 3145-53	88
2121	Neurobiological applications of small molecule screening. 2008, 108, 1774-86	13
2120	Use of multidimensional fluorescence resonance energy transfer to establish the orientation of cholecystokinin docked at the type A cholecystokinin receptor. 2008 , 47, 9574-81	9
2119	Selective structure-based virtual screening for full and partial agonists of the beta2 adrenergic receptor. 2008 , 51, 4978-85	124
2118	Heterologous expression and purification of the serotonin type 4 receptor from transgenic mouse retina. 2008 , 47, 13296-307	11
2117	Active state-like conformational elements in the beta2-AR and a photoactivated intermediate of rhodopsin identified by dynamic properties of GPCRs. 2008 , 47, 7317-21	18
2116	Functional and biophysical analysis of the C-terminus of the CGRP-receptor; a family B GPCR. 2008 , 47, 8434-44	38
2115	Modulating G-protein coupled receptor/G-protein signal transduction by small molecules suggested by virtual screening. 2008 , 51, 5297-303	22
2114	Detergent-associated solution conformations of helical and beta-barrel membrane proteins. 2008 , 112, 13349-54	13
2113	Efficient cell-free production of olfactory receptors: detergent optimization, structure, and ligand binding analyses. 2008 , 105, 15726-31	127
2112	Ric-8A catalyzes guanine nucleotide exchange on G alphai1 bound to the GPR/GoLoco exchange inhibitor AGS3. 2008 , 283, 23150-60	49
2111	Identification of a putative intracellular allosteric antagonist binding-site in the CXC chemokine receptors 1 and 2. 2008 , 74, 1193-202	68
2110	Rhodopsin's active state is frozen like a DEER in the headlights. 2008 , 105, 7343-4	6
2109	Application of Network Theory in Understanding and Predicting Protein Structure and Function. 2008 , 5, 181-190	1
2108	GCR2 is a new member of the eukaryotic lanthionine synthetase component C-like protein family. 2008 , 3, 307-10	15

2107	Over-expression, solubilization, and purification of G protein-coupled receptors for structural biology. 2008 , 11, 439-62	34
2106	A heterozygous mutation in the third transmembrane domain causes a dominant-negative effect on signalling capability of the MC4R. 2008 , 1, 155-62	29
2105	Binding site detection via mutual information. 2008,	1
2104	Conformational thermostabilization of the beta1-adrenergic receptor in a detergent-resistant form. 2008 , 105, 877-82	365
2103	Site-specific incorporation of keto amino acids into functional G protein-coupled receptors using unnatural amino acid mutagenesis. 2008 , 283, 1525-1533	131
2102	Spatial approximation between secretin residue five and the third extracellular loop of its receptor provides new insight into the molecular basis of natural agonist binding. 2008 , 74, 413-22	33
2101	Structural constraints for the binding of short peptides to claudin-4 revealed by surface plasmon resonance. 2008 , 283, 30585-95	49
2100	Co-evolving stability and conformational homogeneity of the human adenosine A2a receptor. 2008 , 105, 10744-9	179
2099	High-resolution distance mapping in rhodopsin reveals the pattern of helix movement due to activation. 2008 , 105, 7439-44	385
2098	Disease-causing mutation in GPR54 reveals the importance of the second intracellular loop for class A G-protein-coupled receptor function. 2008 , 283, 31068-78	58
2097	Structure of the complement factor 5a receptor-ligand complex studied by disulfide trapping and molecular modeling. 2008 , 283, 7763-75	24
2096	Multiple roles for the C-terminal tail of the chemokine scavenger D6. 2008 , 283, 7972-82	52
2095	Linking non-peptide ligand binding mode to activity at the human cholecystokinin-2 receptor. 2008 , 283, 35860-8	11
2094	Phenylalanine 169 in the second extracellular loop of the human histamine H4 receptor is responsible for the difference in agonist binding between human and mouse H4 receptors. 2008 , 327, 88-96	47
2093	Identification and functional characterization of allosteric agonists for the G protein-coupled receptor FFA2. 2008 , 74, 1599-609	116
2092	Engineering G protein-coupled receptor expression in bacteria. 2008, 105, 14747-8	9
2091	Full pharmacological efficacy of a novel S1P1 agonist that does not require S1P-like headgroup interactions. 2008 , 74, 1308-18	95
2090	Wide turn diversity in protein transmembrane helices implications for G-protein-coupled receptor and other polytopic membrane protein structure and function. 2008 , 73, 1092-104	19

(2008-2008)

2089	Signaling, 2008 , 1, ra4	.8	215
2088	The receptor basis of sweet taste in mammals. 2009 , 47, 187-202		25
2087	Two protonation switches control rhodopsin activation in membranes. 2008 , 105, 17795-800		134
2086	Cholesterol content drives distinct pharmacological behaviours of micro-opioid receptor in different microdomains of the CHO plasma membrane. 2008 , 25, 423-35		13
2085	Implications of new monoclonal antibodies and the crystal structure of the TSH receptor for the treatment and management of thyroid diseases. 2008 , 2, 567-76		3
2084	Directed evolution of a G protein-coupled receptor for expression, stability, and binding selectivity. 2008 , 105, 14808-13		151
2083	Ligand-specific contribution of the N terminus and E2-loop to pharmacological properties of the histamine H1-receptor. 2008 , 326, 783-91		31
2082	A low-molecular-weight antagonist for the human thyrotropin receptor with therapeutic potential for hyperthyroidism. 2008 , 149, 5945-50		74
2081	Vertebrate membrane proteins: structure, function, and insights from biophysical approaches. 2008 , 60, 43-78		83
2080	A novel adrenocorticotropin receptor mutation alters its structure and function, causing familial glucocorticoid deficiency. 2008 , 93, 3097-105		11
2079	Role of key transmembrane residues in agonist and antagonist actions at the two conformations of the human beta1-adrenoceptor. 2008 , 74, 1246-60		20
2078	A novel mechanism of G protein-coupled receptor functional selectivity. Muscarinic partial agonist McN-A-343 as a bitopic orthosteric/allosteric ligand. 2008 , 283, 29312-21		147
2077	Structural motifs of importance for the constitutive activity of the orphan 7TM receptor EBI2: analysis of receptor activation in the absence of an agonist. 2008 , 74, 1008-21		25
2076	Crystallizing thinking about the beta2-adrenergic receptor. 2008 , 73, 1333-8		32
2075	Evidence for cooperative signal triggering at the extracellular loops of the TSH receptor. 2008 , 22, 2798-8	808	39
2074	Crystal structure of squid rhodopsin with intracellularly extended cytoplasmic region. 2008 , 283, 17753-6		105
2073	FSH and TSH binding to their respective receptors: similarities, differences and implication for glycoprotein hormone specificity. 2008 , 41, 145-64		25
2072	Extended hormone binding site of the human thyroid stimulating hormone receptor: distinctive acidic residues in the hinge region are involved in bovine thyroid stimulating hormone binding and receptor activation. 2008 , 283, 18048-55		39

2071	Antithyroid drugs are 65 years old: time for retirement?. 2008 , 149, 5943-4	5
2070	Advances in the Development and Application of Computational Methodologies for Structural Modeling of G-Protein Coupled Receptors. 2008 , 3, 343-355	16
2069	A perspective on more effective GPCR-targeted drug discovery efforts. 2008, 3, 375-89	9
2068	Receptor-mediated changes at the myristoylated amino terminus of Galpha(il) proteins. 2008, 47, 10281-93	15
2067	Membrane Protein Structure: Techniques. 2008 , 1	
2066	Two amino acid substitutions within the first external loop of CCR5 induce human immunodeficiency virus-blocking antibodies in mice and chickens. 2008 , 82, 4125-34	19
2065	Protein Structure Modeling. 2008 , 3-35	9
2064	[In silico drug discovery based on the integration of bioinformatics and chemoinformatics]. 2008 , 128, 1645-51	4
2063	Practical Aspects of Using NMR in Fragment-Based Screening. 63-98	1
2062	Melatonin receptor agonists: SAR and applications to the treatment of sleep-wake disorders. 2008 , 8, 954-68	54
2061	G????????. 2008 , 46, 166-172	
2060	. 2008,	3
2059	. 2008,	21
2058	Receptors for Parathyroid Hormone (PTH) and PTH-Related Protein. 2008, 555-576	5
2057	Study of a synthetic human olfactory receptor 17-4: expression and purification from an inducible mammalian cell line. 2008 , 3, e2920	57
2056	Parathyroid Hormone R eceptor Interactions. 2008 , 595-637	2
2055	Bibliography. 374-439	
2054	. 2009,	1

2053	A Selective Pharmacophore Model for beta(2)-Adrenoceptor Agonists. <i>Molecules</i> , 2009 , 14, 4486-96 4.8	5
2052	High-level production, solubilization and purification of synthetic human GPCR chemokine receptors CCR5, CCR3, CXCR4 and CX3CR1. 2009 , 4, e4509	73
2051	Computing highly correlated positions using mutual information and graph theory for G protein-coupled receptors. 2009 , 4, e4681	20
2050	Targeting of Drosophila rhodopsin requires helix 8 but not the distal C-terminus. 2009 , 4, e6101	4
2049	Comparative sequence and structural analyses of G-protein-coupled receptor crystal structures and implications for molecular models. 2009 , 4, e7011	63
2048	Discovery of a functional immunoreceptor tyrosine-based switch motif in a 7-transmembrane-spanning receptor: role in the orexin receptor OX1R-driven apoptosis. 2009 , 23, 4069-80	39
2047	Diseases associated with mutations of the human lutropin receptor. <i>Progress in Molecular Biology and Translational Science</i> , 2009 , 89, 97-114	27
2046	Molecular modeling and QSAR-based design of histamine receptor ligands. 2009, 4, 1061-75	3
2045	Multifaceted approach to determine the antagonist molecular mechanism and interaction of ibodutant ([1-(2-phenyl-1R-[[1-(tetrahydropyran-4-ylmethyl)-piperidin-4-ylmethyl]-carbamoyl]-ethylcarbamoyl)-cycloper	12 ntyl]-amid
2044	at the human tachykinin NK2 receptor. 2009 , 329, 486-95 Dual role of the second extracellular loop of the cannabinoid receptor 1: ligand binding and receptor localization. 2009 , 76, 833-42	58
2043	Conformational toggle switches implicated in basal constitutive and agonist-induced activated states of 5-hydroxytryptamine-4 receptors. 2009 , 75, 982-90	49
2042	Mutagenic mapping suggests a novel binding mode for selective agonists of M1 muscarinic acetylcholine receptors. 2009 , 75, 331-41	47
2041	An intracellular loop 2 amino acid residue determines differential binding of arrestin to the dopamine D2 and D3 receptors. 2009 , 75, 19-26	28
2040	Ligand selectivity of D2 dopamine receptors is modulated by changes in local dynamics produced by sodium binding. 2009 , 328, 40-54	29
2039	Helix 8 of leukotriene B4 type-2 receptor is required for the folding to pass the quality control in the endoplasmic reticulum. 2009 , 23, 1470-81	23
2038	Structural basis of the interaction between chemokine stromal cell-derived factor-1/CXCL12 and its G-protein-coupled receptor CXCR4. 2009 , 284, 35240-50	118
2037	The melanocortin-1 receptor gene polymorphism and association with human skin cancer. <i>Progress in Molecular Biology and Translational Science</i> , 2009 , 88, 85-153	26
2036	Structural rearrangements of rhodopsin subunits in a dimer complex: a molecular dynamics simulation study. 2009 , 27, 127-47	40

2035	Elucidating membrane protein function through long-timescale molecular dynamics simulation. 2009 , 2009, 2340-2	7
2034	The effect of ligand efficacy on the formation and stability of a GPCR-G protein complex. 2009 , 106, 9501-6	186
2033	Anterograde trafficking of G protein-coupled receptors: function of the C-terminal F(X)6LL motif in export from the endoplasmic reticulum. 2009 , 75, 751-61	61
2032	Structural waters define a functional channel mediating activation of the GPCR, rhodopsin. 2009 , 106, 14367-72	160
2031	Lipid protein interactions couple protonation to conformation in a conserved cytosolic domain of G protein-coupled receptors. 2009 , 284, 28801-9	16
2030	Engineered protein connectivity to actin mimics PDZ-dependent recycling of G protein-coupled receptors but not its regulation by Hrs. 2009 , 284, 2448-58	15
2029	Pirenzepine promotes the dimerization of muscarinic M1 receptors through a three-step binding process. 2009 , 284, 19533-43	36
2028	The fifth transmembrane domain of angiotensin II Type 1 receptor participates in the formation of the ligand-binding pocket and undergoes a counterclockwise rotation upon receptor activation. 2009 , 284, 31953-61	15
2027	Characterization of the A2B adenosine receptor from mouse, rabbit, and dog. 2009 , 329, 2-13	31
2026	Analysis of students' aptitude to provide meaning to images that represent cellular components at the molecular level. 2009 , 8, 226-38	10
2025	Two arginine-glutamate ionic locks near the extracellular surface of FFAR1 gate receptor activation. 2009 , 284, 3529-36	49
2024	Nonpeptidergic allosteric antagonists differentially bind to the CXCR2 chemokine receptor. 2009 , 329, 783-90	33
2023	Functional importance of a structurally distinct homodimeric complex of the family B G protein-coupled secretin receptor. 2009 , 76, 264-74	44
2022	SDR: a database of predicted specificity-determining residues in proteins. 2009 , 37, D191-4	14
2021	Identification of two distinct inactive conformations of the beta2-adrenergic receptor reconciles structural and biochemical observations. 2009 , 106, 4689-94	247
2020	Coarse-grained modeling of allosteric regulation in protein receptors. 2009 , 106, 14253-8	42
2019	Probing the role of the cation-pi interaction in the binding sites of GPCRs using unnatural amino acids. 2009 , 106, 11919-24	61
2018	Conserved waters mediate structural and functional activation of family A (rhodopsin-like) G protein-coupled receptors. 2009 , 106, 8555-60	201

2017	Differential effect of membrane cholesterol removal on mu- and delta-opioid receptors: a parallel comparison of acute and chronic signaling to adenylyl cyclase. 2009 , 284, 22108-22122	49
2016	The C-terminal tail of CRTH2 is a key molecular determinant that constrains Galphai and downstream signaling cascade activation. 2009 , 284, 1324-36	51
2015	Factors regulating tachyphylaxis triggered by N-terminal-modified angiotensin II analogs. 2009 , 390, 1265-70	2
2014	G-protein-coupled receptors, cholesterol and palmitoylation: facts about fats. 2009 , 42, 371-9	108
2013	Thyroid stimulating autoantibody M22 mimics TSH binding to the TSH receptor leucine rich domain: a comparative structural study of protein-protein interactions. 2009 , 42, 381-95	27
2012	Subtype-specific differences in corticotropin-releasing factor receptor complexes detected by fluorescence spectroscopy. 2009 , 76, 1196-210	25
2011	Structural and kinetic modeling of an activating helix switch in the rhodopsin-transducin interface. 2009 , 106, 10660-5	43
2010	Computational Biology of Olfactory Receptors. 2009 , 4, 8-15	15
2009	Chapter 6 Membrane Protein Crystallization: Approaching the Problem and Understanding the Solutions. 2009 , 127-149	1
2008	Customizing G Protein-coupled receptor models for structure-based virtual screening. 2009 , 15, 4026-48	62
2007	Chapter 11 Bacterial Membrane Proteins. 2009 , 63, 269-297	О
2006	Binary particle swarm optimization based prediction of G-protein-coupled receptor families with feature selection. 2009 ,	3
2005	Structural requirements for ligands of the Eppioid receptor. 2009 , 74, 1207-1217	1
2004	Chapter 5 Practical Aspects of Membrane Proteins Crystallization in Bicelles. 2009 , 63, 109-125	9
2003	SuperScenta database of flavors and scents. 2009 , 37, D291-4	90
2002	Comparative analysis of the packing topology of structurally important residues in helical membrane and soluble proteins. 2009 , 22, 67-73	11
2001	Dual activities of odorants on olfactory and nuclear hormone receptors. 2009 , 284, 30547-55	16
2000	VRQ397 (CRAVKY): a novel noncompetitive V2 receptor antagonist. 2009 , 297, R1009-18	16

1999	Functional characterization and structural modeling of obesity associated mutations in the melanocortin 4 receptor. 2009 , 150, 114-25	65
1998	PROKR2 missense mutations associated with Kallmann syndrome impair receptor signalling activity. 2009 , 18, 75-81	156
1997	Elucidation of binding sites of dual antagonists in the human chemokine receptors CCR2 and CCR5. 2009 , 75, 1325-36	48
1996	Overlapping binding site for the endogenous agonist, small-molecule agonists, and ago-allosteric modulators on the ghrelin receptor. 2009 , 75, 44-59	64
1995	Structure-based discovery of beta2-adrenergic receptor ligands. 2009 , 106, 6843-8	265
1994	Small-molecule agonists for the thyrotropin receptor stimulate thyroid function in human thyrocytes and mice. 2009 , 106, 12471-6	85
1993	Activation induces structural changes in the liganded angiotensin II type 1 receptor. 2009 , 284, 26603-12	12
1992	Rastering strategy for screening and centring of microcrystal samples of human membrane proteins with a sub-10 microm size X-ray synchrotron beam. 2009 , 6 Suppl 5, S587-97	138
1991	Selection and characterization of DARPins specific for the neurotensin receptor 1. 2009 , 22, 357-66	31
1990	Molecular basis for the selective interaction of synthetic agonists with the human histamine H1-receptor compared with the guinea pig H1-receptor. 2009 , 75, 454-65	23
1989	Topology of class A G protein-coupled receptors: insights gained from crystal structures of rhodopsins, adrenergic and adenosine receptors. 2009 , 75, 1-12	97
1988	Promiscuous drugs as therapeutics for chemokine receptors. 2009 , 11, e1	34
1987	Interactions of histamine H1-receptor agonists and antagonists with the human histamine H4-receptor. 2009 , 76, 1019-30	49
1986	Functional Selectivity of G Protein-Coupled Receptor Ligands. 2009,	9
1985	Functional selectivity of GPCR ligand stereoisomers: new pharmacological opportunities. 2009, 75, 13-8	49
1984	Engineering of recombinant crystallization chaperones. 2009 , 19, 449-57	115
1983	Membrane protein crystallization from lipidic phases. 2009 , 19, 372-8	68
1982	Engineering G protein-coupled receptors to facilitate their structure determination. 2009 , 19, 386-95	157

1981	Structural snapshots of conformational changes in a seven-helix membrane protein: lessons from bacteriorhodopsin. 2009 , 19, 433-9	59
1980	Discovery of new GPCR biology: one receptor structure at a time. 2009 , 17, 8-14	165
1979	Outcome of a workshop on applications of protein models in biomedical research. 2009, 17, 151-9	102
1978	A role for a specific cholesterol interaction in stabilizing the Apo configuration of the human A(2A) adenosine receptor. 2009 , 17, 1660-1668	100
1977	Passing the baton in class B GPCRs: peptide hormone activation via helix induction?. 2009 , 34, 303-10	162
1976	A G protein-coupled receptor at work: the rhodopsin model. 2009 , 34, 540-52	289
1975	Human olfaction: from genomic variation to phenotypic diversity. 2009 , 25, 178-84	127
1974	Structure-based drug design: from nucleic acid to membrane protein targets. 2009 , 86, 141-50	48
1973	Agonist-dependent phosphorylation of the formyl peptide receptor is regulated by the membrane proximal region of the cytoplasmic tail. 2009 , 1793, 406-17	7
1972	Identification of transmembrane domain 6 & 7 residues that contribute to the binding pocket of the urotensin II receptor. 2009 , 77, 1374-82	10
1971	X-ray structure breakthroughs in the GPCR transmembrane region. 2009 , 78, 11-20	96
1970	Lipid membrane interactions of indacaterol and salmeterol: do they influence their pharmacological properties?. 2009 , 38, 533-47	71
1969	Structures of micelle-bound selected insect neuropeptides and analogues: implications for receptor selection. 2009 , 10, 2644-53	5
1968	N(G)-acylated aminothiazolylpropylguanidines as potent and selective histamine H(2) receptor agonists. 2009 , 4, 232-40	38
1967	2,3-Dihydro-1-benzofuran derivatives as a series of potent selective cannabinoid receptor 2 agonists: design, synthesis, and binding mode prediction through ligand-steered modeling. 2009 , 4, 1615-29	57
1966	Toward the design of cannabinoid CB1 receptor inverse agonists and neutral antagonists. 2009 , 70, 585-600	7
1965	Molecular modeling of A1 and A2A adenosine receptors: comparison of rhodopsin- and beta2-adrenergic-based homology models through the docking studies. 2009 , 30, 14-32	27
1964	Ligand and structure-based models for the prediction of ligand-receptor affinities and virtual screenings: Development and application to the beta(2)-adrenergic receptor. 2010 , 31, 707-20	36

1963	Analysis of full and partial agonists binding to beta2-adrenergic receptor suggests a role of transmembrane helix V in agonist-specific conformational changes. 2009 , 22, 307-18	100
1962	Dopamine D1 receptor ligands: where are we now and where are we going. 2009 , 29, 272-94	86
1961	Comparing four different approaches for the determination of inter-residue interactions provides insight for the structure prediction of helical membrane proteins. 2009 , 91, 547-56	5
1960	Structural analysis of the human cannabinoid receptor one carboxyl-terminus identifies two amphipathic helices. 2009 , 91, 565-73	23
1959	Genetic analysis of G protein-coupled receptor expression in Escherichia coli: inhibitory role of DnaJ on the membrane integration of the human central cannabinoid receptor. 2009 , 102, 357-67	39
1958	Prokaryotic expression, in vitro folding, and molecular pharmacological characterization of the neuropeptide Y receptor type 2. 2009 , 25, 1732-9	20
1957	Homology modeling and flex-ligand docking studies on the guinea pig beta(2) adrenoceptor: structural and experimental similarities/ differences with the human beta(2). 2009 , 15, 1203-11	10
1956	Monitoring the human beta1, beta2, beta3 adrenergic receptors expression and purification in Pichia pastoris using the fluorescence properties of the enhanced green fluorescent protein. 2009 , 31, 49-55	5
1955	Synthesis, pharmacological and in silico evaluation of 1-(4-di-hydroxy-3,5-dioxa-4-borabicyclo[4.4.0]deca-7,9,11-trien-9-yl)-2-(tert-butylamino)ethanol, a compound designed to act as a beta2 adrenoceptor agonist. 2009 , 44, 2840-6	17
1954	Ligand and structure-based methodologies for the prediction of the activity of G protein-coupled receptor ligands. 2009 , 23, 747-54	23
1953	Conserved network properties of helical membrane protein structures and its implication for improving membrane protein homology modeling at the twilight zone. 2009 , 23, 755-63	5
1952	Identifying conformational changes of the beta(2) adrenoceptor that enable accurate prediction of ligand/receptor interactions and screening for GPCR modulators. 2009 , 23, 273-88	57
1951	Computational study of the heterodimerization between mu and delta receptors. 2009, 23, 321-32	29
1950	Homology modelling of the human adenosine A2B receptor based on X-ray structures of bovine rhodopsin, the beta2-adrenergic receptor and the human adenosine A2A receptor. 2009 , 23, 807-28	33
1949	Computation of 3D queries for ROCS based virtual screens. 2009 , 23, 853-68	23
1948	Ratiocinative screen of eukaryotic integral membrane protein expression and solubilization for structure determination. 2009 , 10, 9-16	9
1947	Adenovirus mediated expression "in vivo" of the chemokine receptor CXCR1. 2009, 10, 17-23	4
1946	Stress responses to heterologous membrane protein expression in Escherichia coli. 2009 , 31, 1775-82	10

1945	interaction?. 2009 , 26, 711-20	79
1944	Allosteric modulation of adenosine receptors. 2009 , 5, 51-61	31
1943	Membrane functional organisation and dynamic of mu-opioid receptors. 2009 , 66, 2093-108	9
1942	An indel in transmembrane helix 2 helps to trace the molecular evolution of class A G-protein-coupled receptors. 2009 , 68, 475-89	29
1941	Structural basis of the anti-inflammatory activity of quercetin: inhibition of the 5-hydroxytryptamine type 2 receptor. 2009 , 38, 865-71	15
1940	Structural and dynamic effects of cholesterol at preferred sites of interaction with rhodopsin identified from microsecond length molecular dynamics simulations. 2009 , 76, 403-17	100
1939	Predicting structurally conserved contacts for homologous proteins using sequence conservation filters. 2009 , 77, 448-53	10
1938	Properties of the N-terminal domains from Y receptors probed by NMR spectroscopy. 2009 , 15, 184-91	7
1937	Aspartic acid scaffold in bradykinin B1 antagonists. 2009 , 15, 423-34	2
1936	Structural determinants for selective recognition of peptide ligands for endothelin receptor subtypes ETA and ETB. 2009 , 15, 479-91	23
1935	Identification of Novel Scaffolds from an Original Chemical Library as Potential Antipsychotics. 2009 , 28, 856-860	6
1934	Interaction and conformational dynamics of membrane-spanning protein helices. 2009 , 18, 1343-58	90
1933	G-protein-coupled receptor structures were not built in a day. 2009 , 18, 1335-42	26
1932	Progress toward heterologous expression of active G-protein-coupled receptors in Saccharomyces cerevisiae: Linking cellular stress response with translocation and trafficking. 2009 , 18, 2356-70	45
1931	Engineering a G protein-coupled receptor for structural studies: stabilization of the BLT1 receptor ground state. 2009 , 18, 727-34	13
1930	Effects of impurities on membrane-protein crystallization in different systems. 2009, 65, 1062-73	27
1929	Mini-beam collimator enables microcrystallography experiments on standard beamlines. 2009 , 16, 217-25	71
1928	The multiple faces of self-assembled lipidic systems. 2009 , 2, 3	55

1927	Ligand-regulated oligomerization of beta(2)-adrenoceptors in a model lipid bilayer. 2009, 28, 3315-28	157
1926	Biophysical dissection of membrane proteins. 2009 , 459, 344-6	223
1925	The structure and function of G-protein-coupled receptors. 2009 , 459, 356-63	1583
1924	Protein structures: Structures of desire. 2009 , 459, 24-7	24
1923	GPCRs: insane in the membrane. 2009 , 6, 929-933	8
1922	Crystallizing membrane proteins using lipidic mesophases. 2009 , 4, 706-31	516
1921	Helix movement is coupled to displacement of the second extracellular loop in rhodopsin activation. 2009 , 16, 168-75	184
1920	Complement factor 5a receptor chimeras reveal the importance of lipid-facing residues in transport competence. 2009 , 276, 2786-800	2
1919	High-level production and characterization of a G-protein coupled receptor signaling complex. 2009 , 276, 4515-28	5
1918	Comparative analysis of GPCR crystal structures. 2009 , 85, 425-30	39
1917	Designing point mutants to detect structural coupling in a heterotrimeric G protein alpha-subunit by NMR spectroscopy. 2009 , 85, 431-6	2
1916	G-protein-coupled receptor heteromers or how neurons can display differently flavoured patterns in response to the same neurotransmitter. 2009 , 158, 23-31	16
1915	Molecular and biochemical pharmacology of the histamine H4 receptor. 2009 , 157, 14-23	120
1914	Subtype-selective targeting of voltage-gated sodium channels. 2009 , 158, 1413-25	79
1913	7TM RECEPTORS. 2009 , 158, S5-S101	2
1912	Selectivity and functional consequences of interactions of family A G protein-coupled receptors with neurochondrin and periplakin. 2009 , 109, 182-92	15
1911	Lipid rafts regulate 2-arachidonoylglycerol metabolism and physiological activity in the striatum. 2009 , 109, 371-81	37
1910	Three amino acids in the D2 dopamine receptor regulate selective ligand function and affinity. 2009 , 110, 45-57	7

1909	Membrane Proteins. 2009 , 55, 335-360		132
1908	Toward the three-dimensional structure and lysophosphatidic acid binding characteristics of the LPA(4)/p2y(9)/GPR23 receptor: a homology modeling study. 2009 , 28, 70-9		7
1907	Docking and chemoinformatic screens for new ligands and targets. 2009 , 20, 429-36		147
1906	Synthesis, structure-affinity relationships, and modeling of AMDA analogs at 5-HT2A and H1 receptors: structural factors contributing to selectivity. 2009 , 17, 6496-504		17
1905	Structural basis of the selectivity of the beta(2)-adrenergic receptor for fluorinated catecholamines. 2009 , 17, 7987-92		15
1904	Conformationally constrained opioid ligands: the Dmt-Aba and Dmt-Aia versus Dmt-Tic scaffold. 2009 , 19, 433-7		21
1903	14-O-Heterocyclic-substituted naltrexone derivatives as non-peptide mu opioid receptor selective antagonists: design, synthesis, and biological studies. 2009 , 19, 1825-9		17
1902	Benzimidazolone-based serotonin 5-HT1A or 5-HT7R ligands: synthesis and biological evaluation. 2009 , 19, 1600-3		20
1901	Hit-to-lead optimization of pyrrolo[1,2-a]quinoxalines as novel cannabinoid type 1 receptor antagonists. 2009 , 19, 3471-5		27
1900	Discovery of highly potent and selective biphenylacylsulfonamide-based beta3-adrenergic receptor agonists and molecular modeling based on the solved X-ray structure of the beta2-adrenergic receptor: part 6. 2009 , 19, 4679-83		12
1899	Use of 5-hydroxy-4H-benzo[1,4]oxazin-3-ones as beta2-adrenoceptor agonists. 2009 , 19, 6640-4		27
1898	Detergent screening of a G-protein-coupled receptor using serial and array biosensor technologies. 2009 , 386, 98-104		34
1897	Mammalian G-protein-coupled receptor expression in Escherichia coli: I. High-throughput large-scale production as inclusion bodies. 2009 , 386, 147-55		32
1896	Molecular dynamics simulation of the heterodimeric mGluR2/5HT(2A) complex. An atomistic resolution study of a potential new target in psychiatric conditions. <i>Journal of Chemical Information</i> 6, and Modeling, 2009 , 49, 1602-16	.1	51
1895	Recent advances in structure-based virtual screening of G-protein coupled receptors. 2009 , 11, 178-85		18
1894	Discovery of a new class of potential multifunctional atypical antipsychotic agents targeting dopamine D3 and serotonin 5-HT1A and 5-HT2A receptors: design, synthesis, and effects on behavior. 2009 , 52, 151-69		71
1893	Latest advances in cannabinoid receptor agonists. 2009 , 19, 1647-73		73
1892	Surface plasmon resonance for high-throughput ligand screening of membrane-bound proteins. 2009 , 4, 1542-58		84

1891	On transversal hydrophobicity of some proteins and their modules. <i>Journal of Chemical Information and Modeling</i> , 2009 , 49, 1821-30	6
1890	Lipid rafts as functional heterogeneity in cell membranes. 2009 , 37, 955-60	175
1889	GPCR expression using baculovirus-infected Sf9 cells. 2009 , 552, 115-29	12
1888	[Prediction of the spatial structure of proteins: emphasis on membrane targets]. 2009 , 35, 744-60	
1887	PTH and PTH antagonist induce different conformational changes in the PTHR1 receptor. 2009 , 24, 925-34	5
1886	Allosteric functional switch of neurokinin A-mediated signaling at the neurokinin NK2 receptor: structural exploration. 2009 , 52, 5999-6011	12
1885	New insight into the binding mode of peptide ligands at Urotensin-II receptor: structure-activity relationships study on P5U and urantide. 2009 , 52, 3927-40	21
1884	Pyrido[2,3-e]-1,2,4-triazolo[4,3-a]pyrazin-1-one as a new scaffold to develop potent and selective human A3 adenosine receptor antagonists. Synthesis, pharmacological evaluation, and ligand-receptor modeling studies. 2009 , 52, 2407-19	33
1883	Observing self-assembled lipid nanoparticles building order and complexity through low-energy transformation processes. 2009 , 3, 2789-97	59
1882	Ligand-specific conformation determines agonist activation and antagonist blockade in purified human thromboxane A2 receptor. 2009 , 48, 3157-65	12
1881	The molecular basis of species-specific ligand activation of trace amine-associated receptor 1 (TAAR(1)). 2009 , 4, 209-20	34
1880	N6-Cycloalkyl- and N6-bicycloalkyl-C5'(C2')-modified adenosine derivatives as high-affinity and selective agonists at the human A1 adenosine receptor with antinociceptive effects in mice. 2009 , 52, 2393-406	37
1879	N-(4-(4-(2,3-dichloro- or 2-methoxyphenyl)piperazin-1-yl)butyl)heterobiarylcarboxamides with functionalized linking chains as high affinity and enantioselective D3 receptor antagonists. 2009 , 52, 2559-70	73
1878	Computational Screening of Rhodopsin Mutations Associated with Retinitis Pigmentosa. 2009 , 5, 2472-85	12
1877	Elucidation of the molecular basis of cholecystokinin Peptide docking to its receptor using site-specific intrinsic photoaffinity labeling and molecular modeling. 2009 , 48, 5303-12	22
1876	Key determinants of nucleotide-activated G protein-coupled P2Y(2) receptor function revealed by chemical and pharmacological experiments, mutagenesis and homology modeling. 2009 , 52, 2762-75	65
1875	Synthesis and structure-activity relationships of long-acting beta2 adrenergic receptor agonists incorporating arylsulfonamide groups. 2009 , 52, 2280-8	38
1874	Amphipol-assisted in vitro folding of G protein-coupled receptors. 2009 , 48, 6516-21	90

1873	Comparative docking study of anibamine as the first natural product CCR5 antagonist in CCR5 homology models. <i>Journal of Chemical Information and Modeling</i> , 2009 , 49, 120-32	6.1	32
1872	Anticonvulsant Met-enkephalin analogues containing backbone spacers reveal alternative non-opioid signaling in the brain. 2009 , 4, 659-71		11
1871	Exploring molecular mechanisms of ligand recognition by opioid receptors with metadynamics. 2009 , 48, 10020-9		71
1870	Molecular basis of glucagon-like peptide 1 docking to its intact receptor studied with carboxyl-terminal photolabile probes. 2009 , 284, 34135-44		35
1869	From purified GPCRs to drug discovery: the promise of protein-based methodologies. 2009 , 9, 629-35		29
1868	Rhodopsin: structure, signal transduction and oligomerisation. 2009 , 41, 721-4		13
1867	Are specific nonannular cholesterol binding sites present in G-protein coupled receptors?. 2009 , 1788, 295-302		92
1866	Solid-state NMR and molecular dynamics characterization of cannabinoid receptor-1 (CB1) helix 7 conformational plasticity in model membranes. 2009 , 1788, 1159-67		17
1865	Comparison of functional non-glycosylated GPCRs expression in Pichia pastoris. 2009, 380, 271-6		34
1864	Fluorescence-based optimization of human bitter taste receptor expression in Saccharomyces cerevisiae. 2009 , 382, 704-10		13
1863	Structural biology of human cannabinoid receptor-2 helix 6 in membrane-mimetic environments. 2009 , 384, 243-8		15
1862	Efficient silkworm expression of human GPCR (nociceptin receptor) by a Bombyx mori bacmid DNA system. 2009 , 385, 375-9		14
1861	NMR solution structure of human cannabinoid receptor-1 helix 7/8 peptide: candidate electrostatic interactions and microdomain formation. 2009 , 390, 441-6		18
1860	Polymorphisms determine beta-adrenoceptor conformation: implications for cardiovascular disease and therapy. 2009 , 30, 188-93		7
1859	Ligand binding and micro-switches in 7TM receptor structures. 2009 , 30, 249-59		269
1858	Multiple switches in G protein-coupled receptor activation. 2009 , 30, 494-502		99
1857	Opioid receptors: from binding sites to visible molecules in vivo. 2009 , 56 Suppl 1, 205-12		119
1856	Distinct binding mode of 125I-AngII to AT1 receptor without the Cys18-Cys274 disulfide bridge. 2009 , 158, 14-8		2

1855	A novel, generic and effective method for the rapid purification of G protein-coupled receptors. 2009 , 64, 1-7	12
1854	Improved yield of a ligand-binding GPCR expressed in E. coli for structural studies. 2009 , 64, 32-8	25
1853	Expression and purification of human TRPV1 in baculovirus-infected insect cells for structural studies. 2009 , 65, 38-50	11
1852	Development and crystallization of a minimal thermostabilised G protein-coupled receptor. 2009 , 65, 204-13	83
1851	Expression, purification and in vitro functional reconstitution of the chemokine receptor CCR1. 2009 , 66, 73-81	26
1850	Functional interactions between 7TM receptors in the renin-angiotensin systemdimerization or crosstalk?. 2009 , 302, 203-12	33
1849	Mechanisms and functions of agonist-independent activation in the angiotensin II type 1 receptor. 2009 , 302, 140-7	24
1848	Role of helix 8 in G protein-coupled receptors based on structure-function studies on the type 1 angiotensin receptor. 2009 , 302, 118-27	47
1847	New functions of cholesterol binding proteins. 2009 , 303, 1-6	17
1846	Solution state NMR structure and dynamics of KpOmpA, a 210 residue transmembrane domain possessing a high potential for immunological applications. 2009 , 385, 117-30	43
1845	Selecting optimum eukaryotic integral membrane proteins for structure determination by rapid expression and solubilization screening. 2009 , 385, 820-30	51
1844	Thermostabilization of the neurotensin receptor NTS1. 2009 , 390, 262-77	133
1843	Uropathogenic E. coli adhesin-induced host cell receptor conformational changes: implications in transmembrane signaling transduction. 2009 , 392, 352-61	39
1842	Ligand entry and exit pathways in the beta2-adrenergic receptor. 2009 , 392, 1102-15	80
1841	Structural evidence for a sequential release mechanism for activation of heterotrimeric G proteins. 2009 , 393, 882-97	40
1840	Structure-based virtual ligand screening: recent success stories. 2009 , 12, 1000-16	101
1839	An overview on GPCRs and drug discovery: structure-based drug design and structural biology on GPCRs. 2009 , 552, 51-66	90
1838	Synthesis and structure-activity relationships of cyanoguanidine-type and structurally related histamine H4 receptor agonists. 2009 , 52, 6297-313	57

1837	Computational fragment-based approach at PDB scale by protein local similarity. <i>Journal of Chemical Information and Modeling</i> , 2009 , 49, 280-94	38
1836	Identification of specific transmembrane residues and ligand-induced interface changes involved in homo-dimer formation of a yeast G protein-coupled receptor. 2009 , 48, 10976-87	26
1835	Identification of amino acids at two dimer interface regions of the alpha-factor receptor (Ste2). 2009 , 48, 7132-9	29
1834	Chapter 4 Monoacylglycerols. 2009 , 63, 83-108	27
1833	Transmembrane helical domain of the cannabinoid CB1 receptor. 2009 , 96, 3251-62	30
1832	Location, structure, and dynamics of the synthetic cannabinoid ligand CP-55,940 in lipid bilayers. 2009 , 96, 4916-24	32
1831	Aqueous phase behavior of lipids with isoprenoid type hydrophobic chains. 2009 , 113, 10196-209	34
1830	Tuning microbial hosts for membrane protein production. 2009 , 8, 69	60
1829	Observation of "ionic lock" formation in molecular dynamics simulations of wild-type beta 1 and beta 2 adrenergic receptors. 2009 , 48, 4789-97	60
1828	Crystallizing membrane proteins for structure determination: use of lipidic mesophases. 2009 , 38, 29-51	183
1828	Crystallizing membrane proteins for structure determination: use of lipidic mesophases. 2009 , 38, 29-51 Sphingosine 1-phosphate receptor signaling. 2009 , 78, 743-68	183 345
	Sphingosine 1-phosphate receptor signaling. 2009, 78, 743-68 Molocular modeling and docking studies of human 5 hydroxytryptamine 24 (5 HT24) receptor for	
1827	Sphingosine 1-phosphate receptor signaling. 2009 , 78, 743-68 Molecular modeling and docking studies of human 5-hydroxytryptamine 2A (5-HT2A) receptor for	345
1827 1826	Sphingosine 1-phosphate receptor signaling. 2009 , 78, 743-68 Molecular modeling and docking studies of human 5-hydroxytryptamine 2A (5-HT2A) receptor for the identification of hotspots for ligand binding. 2009 , 5, 1877-88	345
1827 1826 1825	Sphingosine 1-phosphate receptor signaling. 2009, 78, 743-68 Molecular modeling and docking studies of human 5-hydroxytryptamine 2A (5-HT2A) receptor for the identification of hotspots for ligand binding. 2009, 5, 1877-88 Eine Strukturbiologie ffl Membranproteine. 2009, 57, 27-31	345
1827 1826 1825	Sphingosine 1-phosphate receptor signaling. 2009, 78, 743-68 Molecular modeling and docking studies of human 5-hydroxytryptamine 2A (5-HT2A) receptor for the identification of hotspots for ligand binding. 2009, 5, 1877-88 Eine Strukturbiologie ffl Membranproteine. 2009, 57, 27-31 From Molecules to Medicines. 2009, Definition of the G protein-coupled receptor transmembrane bundle binding pocket and	345 32 1
1827 1826 1825 1824 1823	Sphingosine 1-phosphate receptor signaling. 2009, 78, 743-68 Molecular modeling and docking studies of human 5-hydroxytryptamine 2A (5-HT2A) receptor for the identification of hotspots for ligand binding. 2009, 5, 1877-88 Eine Strukturbiologie ffl Membranproteine. 2009, 57, 27-31 From Molecules to Medicines. 2009, Definition of the G protein-coupled receptor transmembrane bundle binding pocket and calculation of receptor similarities for drug design. 2009, 52, 4429-42	345 32 1

1819	G Protein-Coupled Receptors in Drug Discovery. 2009 ,	2
1818	Modern homology modeling of G-protein coupled receptors: which structural template to use?. 2009 , 52, 5207-16	139
1817	Sequence-derived three-dimensional pharmacophore models for G-protein-coupled receptors and their application in virtual screening. 2009 , 52, 2923-32	60
1816	Electron crystallography as a technique to study the structure on membrane proteins in a lipidic environment. 2009 , 38, 89-105	56
1815	Synthesis of new serotonin 5-HT7 receptor ligands. Determinants of 5-HT7/5-HT1A receptor selectivity. 2009 , 52, 2384-92	44
1814	Cross-linking of a DOPA-containing peptide ligand into its G protein-coupled receptor. 2009 , 48, 2033-44	22
1813	Dopamine D2, D3, and D4 selective phenylpiperazines as molecular probes to explore the origins of subtype specific receptor binding. 2009 , 52, 4923-35	75
1812	Chemosensory Systems in Mammals, Fishes, and Insects. 2009 ,	5
1811	Increasing selectivity of CC chemokine receptor 8 antagonists by engineering nondesolvation related interactions with the intended and off-target binding sites. 2009 , 52, 7706-23	26
1810	Selective 5-hydroxytryptamine 2C receptor agonists derived from the lead compound tranylcypromine: identification of drugs with antidepressant-like action. 2009 , 52, 1885-902	45
1809	Computational molecular biology approaches to ligand-target interactions. 2009 , 3, 228-39	10
1808	Chemoinformatics-applications in food chemistry. 2009 , 58, 33-56	15
1807	In meso Approaches to Membrane Protein Crystallization. 2009 , 259-281	
1806	High-throughput protein crystallization. 2009 , 77, 1-22	16
1805	GRIP: a server for predicting interfaces for GPCR oligomerization. 2009 , 29, 312-7	18
1804	Order of lipid phases in model and plasma membranes. 2009 , 106, 16645-50	328
1803	6-Methoxy-N-alkyl isatin acylhydrazone derivatives as a novel series of potent selective cannabinoid receptor 2 inverse agonists: design, synthesis, and binding mode prediction. 2009 , 52, 433-44	64
1802	Chapter 12. The use of receptor homology modeling to facilitate the design of selective chemokine receptor antagonists. 2009 , 461, 249-79	21

1801	Modeling small molecule-compound binding to G-protein-coupled receptors. 2009 , 460, 263-88	17
1800	Design, synthesis, and biological evaluation of 6alpha- and 6beta-N-heterocyclic substituted naltrexamine derivatives as mu opioid receptor selective antagonists. 2009 , 52, 1416-27	54
1799	Purification of recombinant G-protein-coupled receptors. 2009 , 463, 631-45	42
1798	Transferability of thermostabilizing mutations between beta-adrenergic receptors. 2009 , 26, 385-96	46
1797	Lateral organization of membrane proteins: tetraspanins spin their web. 2009 , 420, 133-54	317
1796	Thyrotropin and homologous glycoprotein hormone receptors: structural and functional aspects of extracellular signaling mechanisms. 2009 , 30, 133-51	113
1795	Chemokine receptors and other G protein-coupled receptors. 2009 , 4, 88-95	32
1794	Current World Literature. 2009, 4, 159-64	
1793	Unraveling the structure and function of G protein-coupled receptors through NMR spectroscopy. 2009 , 15, 4003-16	24
1792	An overview on benzylisoquinoline derivatives with dopaminergic and serotonergic activities. 2009 , 16, 2441-67	32
1791	Human A3 adenosine receptor as versatile G protein-coupled receptor example to validate the receptor homology modeling technology. 2009 , 15, 4069-84	9
1790	Progress in elucidating the structural and dynamic character of G Protein-Coupled Receptor oligomers for use in drug discovery. 2009 , 15, 4017-25	11
1789	Computational modeling of intramolecular and intermolecular communication in GPCRs. 2009, 10, 173-85	13
1788	Ligand-receptor communication and drug design. 2009 , 10, 186-93	6
1787	Cannabinoid system in neurodegeneration: new perspectives in Alzheimer's disease. 2009 , 9, 539-59	26
1786	Rhodopsin and the others: a historical perspective on structural studies of G protein-coupled receptors. 2009 , 15, 3994-4002	56
1785	Energy landscapes as a tool to integrate GPCR structure, dynamics, and function. 2010 , 25, 293-303	194
1784	New tools for membrane protein research. 2010 , 11, 156-65	6

1783	GPR55, a lysophosphatidylinositol receptor with cannabinoid sensitivity?. 2010 , 10, 799-813	40
1782	5-HT6 receptor antagonists as potential therapeutics for cognitive impairment. 2010 , 10, 207-21	60
1781	GPCR Homology Model Development and Application. 2010 , 279-300	3
1780	GPCR somatostatin receptor extracellular loop 2 is a key ectodomain for making subtype-selective antibodies with agonist-like activities in the pancreatic neuroendocrine tumor BON cell line. 2010 , 39, 1155-66	4
1779	Prediction of G-protein-coupled receptor classes in low homology using Chou's pseudo amino acid composition with approximate entropy and hydrophobicity patterns. 2010 , 17, 559-67	118
1778	Receptor Targets in Drug Discovery. 2010 , 499-548	
1777	Structure and Modeling of GPCRs: Implications for Drug Discovery. 2010 , 385-433	2
1776	X-Ray Structure Developments for GPCR Drug Targets. 2010 , 434-459	1
1775	Receptor-Mediated G Protein Activation: How, How Many, and Where?. 2010, 88-112	
1774	Modeling and Validation of Transmembrane Protein Structures. 2010 , 369-401	4
1774 1773	Modeling and Validation of Transmembrane Protein Structures. 2010 , 369-401 Assays with GPCRs. 2010 , 265-288	4
	Assays with GPCRs. 2010 , 265-288	4
1773	Assays with GPCRs. 2010, 265-288 Fundamental Principles of Cell-Based Assays. 2010, 213-238	9
1773 1772	Assays with GPCRs. 2010, 265-288 Fundamental Principles of Cell-Based Assays. 2010, 213-238 One-Micron Beams for Macromolecular Crystallography at GM/CA-CAT. 2010,	9
1773 1772 1771	Assays with GPCRs. 2010, 265-288 Fundamental Principles of Cell-Based Assays. 2010, 213-238 One-Micron Beams for Macromolecular Crystallography at GM/CA-CAT. 2010, Methods for combinatorial and parallel library design. 2011, 672, 387-434	9 4
1773 1772 1771	Assays with GPCRs. 2010, 265-288 Fundamental Principles of Cell-Based Assays. 2010, 213-238 One-Micron Beams for Macromolecular Crystallography at GM/CA-CAT. 2010, Methods for combinatorial and parallel library design. 2011, 672, 387-434 Beyond rhodopsin: G protein-coupled receptor structure and modeling incorporating the beta2-adrenergic and adenosine A(2A) crystal structures. 2011, 672, 359-86	4
1773 1772 1771 1770	Assays with GPCRs. 2010, 265-288 Fundamental Principles of Cell-Based Assays. 2010, 213-238 One-Micron Beams for Macromolecular Crystallography at GM/CA-CAT. 2010, Methods for combinatorial and parallel library design. 2011, 672, 387-434 Beyond rhodopsin: G protein-coupled receptor structure and modeling incorporating the beta2-adrenergic and adenosine A(2A) crystal structures. 2011, 672, 359-86 Structure-based discovery of novel chemotypes for adenosine A(2A) receptor antagonists. 2010,	13

1765	Crystallography of membrane proteins: from crystallization to structure. 2010 , 654, 79-103		3
1764	Structures of membrane proteins. 2010 , 43, 65-158		108
1763	Molecular dynamics simulations reveal fundamental role of water as factor determining affinity of binding of beta-blocker nebivolol to beta(2)-adrenergic receptor. 2010 , 114, 8374-86		30
1762	Lipid rafts as a membrane-organizing principle. <i>Science</i> , 2010 , 327, 46-50	33.3	3114
1761	Update 1 of: Over one hundred peptide-activated G protein-coupled receptors recognize ligands with turn structure. 2010 , 110, PR1-41		58
1760	Superactive mutants of thromboxane prostanoid receptor: functional and computational analysis of an active form alternative to constitutively active mutants. 2010 , 67, 2979-89		12
1759	On-chip photoactivation of heterologously expressed rhodopsin allows kinetic analysis of G-protein signaling by surface plasmon resonance spectroscopy. 2010 , 397, 2967-76		10
1758	Homology modelling and spectroscopy, a never-ending love story. 2010 , 39, 551-63		43
1757	Crystal structures of all-alpha type membrane proteins. 2010 , 39, 723-55		26
1756	1,3-Dioxolane-based ligands incorporating a lactam or imide moiety: structure-affinity/activity relationship at alpha1-adrenoceptor subtypes and at 5-HT1A receptors. 2010 , 45, 3740-51		19
1755	Comparative molecular field analysis of fenoterol derivatives: A platform towards highly selective and effective beta(2)-adrenergic receptor agonists. 2010 , 18, 728-36		38
1754	New vistas in GPCR 3D structure prediction. 2010 , 16, 183-91		21
1753	Docking studies on a refined human beta(2) adrenoceptor model yield theoretical affinity values in function with experimental values for R-ligands, but not for S-antagonists. 2010 , 16, 401-9		10
1752	Improving performance of docking-based virtual screening by structural filtration. 2010 , 16, 1223-30		15
1751	Distinct interactions between the human adrenergic beta(2) receptor and Galpha(s)an in silico study. 2010 , 16, 1307-18		6
1750	A Plug-Based Microfluidic System for Dispensing Lipidic Cubic Phase (LCP) Material Validated by Crystallizing Membrane Proteins in Lipidic Mesophases. 2010 , 8, 789-798		30
1749	The N-terminal end truncated mu-opioid receptor: from expression to circular dichroism analysis. 2010 , 160, 2175-86		8
1748	Allosteric antagonist binding sites in class B GPCRs: corticotropin receptor 1. 2010 , 24, 659-74		10

1747	In silico analysis of the histaprodifen induced activation pathway of the guinea-pig histamine H(1)-receptor. 2010 , 24, 759-69	3
1746	Ligand-guided optimization of CXCR4 homology models for virtual screening using a multiple chemotype approach. 2010 , 24, 1023-33	21
1745	Mechanism of noradrenaline-induced stimulation of Na-K ATPase activity in the rat brain: implications on REM sleep deprivation-induced increase in brain excitability. 2010 , 336, 3-16	11
1744	Third joint Italian-German Purine Club meeting: "Purinergic receptors: new frontiers for novel therapies". 2010 , 6, 49-115	1
1743	Influence of MT7 toxin on the oligomerization state of the M1 muscarinic receptor. 2010 , 102, 409-20	10
1742	VPAC1 receptor binding site: contribution of photoaffinity labeling approach. 2010 , 44, 127-32	24
1741	Broad-spectrum amino acid-sensing class C G-protein coupled receptors: molecular mechanisms, physiological significance and options for drug development. 2010 , 127, 252-60	59
1740	Sf9 cells: a versatile model system to investigate the pharmacological properties of G protein-coupled receptors. 2010 , 128, 387-418	53
1739	Evolution: a guide to perturb protein function and networks. 2010 , 20, 351-9	22
1738	The crystallographic structure of the human adenosine A2A receptor in a high-affinity antagonist-bound state: implications for GPCR drug screening and design. 2010 , 20, 401-14	39
1737	Unlocking the eukaryotic membrane protein structural proteome. 2010 , 20, 464-70	28
1736	Internally bridging water molecule in transmembrane alpha-helical kink. 2010 , 20, 456-63	14
1735	Oligomeric forms of G protein-coupled receptors (GPCRs). 2010 , 35, 595-600	79
1734	A novel chemogenomics analysis of G protein-coupled receptors (GPCRs) and their ligands: a potential strategy for receptor de-orphanization. 2010 , 11, 316	40
1733	Model of the complex of Parathyroid hormone-2 receptor and Tuberoinfundibular peptide of 39 residues. 2010 , 3, 270	3
1732	Involvement of tryptophan W276 and of two surrounding amino acid residues in the high constitutive activity of the ghrelin receptor GHS-R1a. 2010 , 643, 153-61	12
1731	Modulation of bitter taste perception by a small molecule hTAS2R antagonist. 2010 , 20, 1104-9	118
1730	Computational quantum chemistry and adaptive ligand modeling in mechanistic QSAR. 2010 , 15, 859-66	18

(2010-2010)

1729	design. 2010 , 15, 951-7	21
1728	The endocannabinoid 2-arachidonylglycerol is a negative allosteric modulator of the human A3 adenosine receptor. 2010 , 79, 48-56	39
1727	Development of tolerance in D3 dopamine receptor signaling is accompanied by distinct changes in receptor conformation. 2010 , 79, 897-907	18
1726	Temperature dependent photolabeling of the human angiotensin II type 1 receptor reveals insights into its conformational landscape and its activation mechanism. 2010 , 80, 990-9	9
1725	Comparison of the pharmacological properties of human and rat histamine H(3)-receptors. 2010 , 80, 1437-49	27
1724	Role of the extracellular amino terminus and first membrane-spanning helix of dopamine D1 and D5 receptors in shaping ligand selectivity and efficacy. 2010 , 22, 106-16	12
1723	Structural determinants underlying constitutive dimerization of unoccupied human follitropin receptors. 2010 , 22, 247-56	44
1722	Membrane rafting: from apical sorting to phase segregation. 2010 , 584, 1685-93	62
1721	Site-directed mutagenesis and PBAN activation of the Helicoverpa zea PBAN-receptor. 2010 , 584, 1212-6	15
1720	Tricks of the trade used to accelerate high-resolution structure determination of membrane proteins. 2010 , 584, 2539-47	40
1719	Allosteric rescuing of loss-of-function FFAR2 mutations. 2010 , 584, 4208-14	10
1718	Site-specific attachment of palmitate or stearate to cytoplasmic versus transmembrane cysteines is a common feature of viral spike proteins. 2010 , 398, 49-56	35
1717	Clinical resistance to vicriviroc through adaptive V3 loop mutations in HIV-1 subtype D gp120 that alter interactions with the N-terminus and ECL2 of CCR5. 2010 , 400, 145-55	37
1716	Molecular modeling studies on the human neuropeptide S receptor and its antagonists. 2010 , 5, 371-83	15
1715	Synthesis, 3D-QSAR, and structural modeling of benzolactam derivatives with binding affinity for the D(2) and D(3) receptors. 2010 , 5, 1300-17	15
1714	Agonist-selective signaling of G protein-coupled receptor: mechanisms and implications. 2010 , 62, 112-9	36
1713	Specific ligands as pharmacological chaperones: The transport of misfolded G-protein coupled receptors to the cell surface. 2010 , 62, 453-9	9
1712	Ligand Binding Sensitivity of the Extracellular Loop Two of the Cannabinoid Receptor 1. 2010 , 71, 404-411	19

1711	The G-protein-coupled receptor, GPR84, is important for eye development in Xenopus laevis. 2010 , 239, 3024-37	10
1710	Thematische Variationen zur Stereochemie: BEgenstock Edie 45ste!. 2010 , 122, 5350-5353	
1709	Thematic Variations on Stereochemistry: Bfgenstock, the 45th!. 2010 , 49, 5222-5225	
1708	Allosteric ligands for G protein-coupled receptors: a novel strategy with attractive therapeutic opportunities. 2010 , 30, 463-549	72
1707	3D-QSAR CoMFA Study to Predict Orientation of Suprahistaprodifens and Phenoprodifens in the Binding-Pocket of Four Histamine H1 -Receptor Species. 2010 , 29, 333-41	6
1706	Isoprenoid-chained lipid EXylOC16+4A novel molecule for in meso membrane protein crystallization. 2010 , 312, 3326-3330	29
1705	Structure and function of G protein-coupled receptors using NMR spectroscopy. 2010 , 57, 159-80	32
1704	Mammalian G protein-coupled receptor expression in Escherichia coli: II. Refolding and biophysical characterization of mouse cannabinoid receptor 1 and human parathyroid hormone receptor 1. 2010 , 401, 74-80	43
1703	Studies of ion channels using expressed protein ligation. 2010 , 14, 797-802	11
1702	A general chemical method to regulate protein stability in the mammalian central nervous system. 2010 , 17, 981-8	243
1701	Synthesis and structural and pharmacological properties of cyclopropane-based conformationally restricted analogs of 4-methylhistamine as histamine H3/H4 receptor ligands. 2010 , 18, 1076-82	6
1700	Affinity of aporphines for the human 5-HT2A receptor: insights from homology modeling and molecular docking studies. 2010 , 18, 5562-75	29
1699	Structure-activity relationships in 1,4-benzodioxan-related compounds. 10. Novel #-adrenoreceptor antagonists related to openphendioxan: synthesis, biological evaluation, and #d computational study. 2010 , 18, 7065-77	12
1698	Building a MCHR1 homology model provides insight into the receptor-antagonist contacts that are important for the development of new anti-obesity agents. 2010 , 18, 7365-79	8
1697	Synthesis, binding studies and molecular modeling of novel cannabinoid receptor ligands. 2010 , 18, 8463-77	11
1696	A vHTS approach for the identification of beta-adrenoceptor ligands. 2010 , 20, 3399-404	2
1695	Non-basic ligands for aminergic GPCRs: the discovery and development diaryl sulfones as selective, orally bioavailable 5-HT2A receptor antagonists for the treatment of sleep disorders. 2010 , 20, 3708-12	9
1694	Design, synthesis and in vitro evaluation of (R)-4-(2-(tert-butylamino)-1-hydroxyethyl)-2-(hydroxymethyl)phenyl hydrogen phenylboronate: a novel salbutamol derivative with high intrinsic efficacy on the 2 adrenoceptor. 2010 , 20, 5623-9	11

(2010-2010)

1693	intramolecular disulfide bond constraints. 2010 , 20, 6040-4	5
1692	3D-QSAR, homology modeling, and molecular docking studies on spiropiperidines analogues as agonists of nociceptin/orphanin FQ receptor. 2010 , 20, 7004-10	15
1691	A reconstitution protocol for the in vitro folded human G protein-coupled Y2 receptor into lipid environment. 2010 , 150, 29-36	28
1690	Synthesis and pharmacological evaluation of new 5-(cyclo)alkyl-5-phenyl- and 5-spiroimidazolidine-2,4-dione derivatives. Novel 5-HT1A receptor agonist with potential antidepressant and anxiolytic activity. 2010 , 45, 1295-303	33
1689	Novel structural insights for drug design of selective 5-HT(2C) inverse agonists from a ligand-biased receptor model. 2010 , 45, 5086-99	6
1688	Overcoming merohedral twinning in crystals of bacteriorhodopsin grown in lipidic mesophase. 2010 , 66, 26-32	13
1687	Application of protein engineering to enhance crystallizability and improve crystal properties. 2010 , 66, 604-15	81
1686	Crystallization of small proteins assisted by green fluorescent protein. 2010 , 66, 1059-66	28
1685	Forced unbinding of GPR17 ligands from wild type and R255I mutant receptor models through a computational approach. 2010 , 10, 8	25
1684	A synergistic approach to protein crystallization: combination of a fixed-arm carrier with surface entropy reduction. 2010 , 19, 901-13	112
1683	GPCR 3D homology models for ligand screening: lessons learned from blind predictions of adenosine A2a receptor complex. 2010 , 78, 197-211	111
1682	Modeling the possible conformations of the extracellular loops in G-protein-coupled receptors. 2010 , 78, 271-85	25
1681	Modeling G protein-coupled receptors for structure-based drug discovery using low-frequency normal modes for refinement of homology models: application to H3 antagonists. 2010 , 78, 457-73	23
1680	New computational method for prediction of interacting protein loop regions. 2010 , 78, 1748-59	12
1679	FoldGPCR: structure prediction protocol for the transmembrane domain of G protein-coupled receptors from class A. 2010 , 78, 2189-201	31
1678	The impact of GPCR structures on pharmacology and structure-based drug design. 2010 , 159, 986-96	109
1677	Phe369(7.38) at human 5-HT(7) receptors confers interspecies selectivity to antagonists and partial agonists. 2010 , 159, 1069-81	12
1676	Ligand-directed signalling at beta-adrenoceptors. 2010 , 159, 1022-38	121

1675	Mechanisms of multimodal sensing by extracellular Ca(2+)-sensing receptors: a domain-based survey of requirements for binding and signalling. 2010 , 159, 1039-50	23
1674	Identification of a novel snake peptide toxin displaying high affinity and antagonist behaviour for the $\frac{1}{2}$ -adrenoceptors. 2010 , 161, 1361-74	31
1673	Mapping the druggable allosteric space of G-protein coupled receptors: a fragment-based molecular dynamics approach. 2010 , 76, 201-17	91
1672	The quest to understand heterotrimeric G protein signaling. 2010 , 17, 650-2	48
1671	Ligand-specific regulation of the extracellular surface of a G-protein-coupled receptor. 2010 , 463, 108-12	393
1670	Expression of G-protein coupled receptors in Escherichia coli for structural studies. <i>Biochemistry</i> (Moscow), 2010 , 75, 881-91	26
1669	Structural biology: The gatekeepers revealed. 2010 , 465, 823-6	11
1668	Bfgenstock 2010: Stereochemistry on the shores. 2010 , 2, 1011-3	1
1667	Structural basis of G protein-coupled receptor-G protein interactions. 2010 , 6, 541-8	68
1666	A decade of chemical biology. 2010 , 6, 847-54	20
1665	Maltose-neopentyl glycol (MNG) amphiphiles for solubilization, stabilization and crystallization of membrane proteins. 2010 , 7, 1003-8	316
1664	Functional studies of isolated GPCR-G protein complexes in the membrane bilayer of lipoprotein particles. 32-52	
1663	Kinetics of GPCR, G protein, and effector activation. 145-158	
1662	. 2010,	15
1661	Zinc Transporter YiiP from Escherichia coli. 2010 ,	2
1660	Lipids and membrane lateral organization. 2010 , 1, 153	33
1659	An essential role of the cytoplasmic tail of CXCR4 in G-protein signaling and organogenesis. 2010 , 5, e15397	14
1658	A full pharmacological analysis of the three turkey 🗟 drenoceptors and comparison with the human 🗗 drenoceptors. 2010 , 5, e15487	17

The Adrenergic Receptor as a Model for G-Protein-Coupled Receptor Structure and Activation by Diffusible Hormones. **2010**, 163-169

1656 Structures of Heterotrimeric G Proteins and their Complexes. 2010 , 119-128	1
Computer-aided drug design: a practical guide to protein-structure-based modeling. 181-196	2
1654 GPCR 3D modeling. 248-256	
Functional differences of invariant and highly conserved residues in the extracellular domain of the glycoprotein hormone receptors. 2010 , 285, 34813-27	15
Analysis of transmembrane domains 1 and 4 of the human angiotensin II AT1 receptor by cysteine-scanning mutagenesis. 2010 , 285, 2284-93	12
Brain-derived neurotrophic factor controls cannabinoid CB1 receptor function in the striatum. 2010 , 30, 8127-37	54
Impact of the DRY motif and the missing "ionic lock" on constitutive activity and G-protein coupling of the human histamine H4 receptor. 2010 , 333, 382-92	48
Octopamine receptors from the barnacle balanus improvisus are activated by the alpha2-adrenoceptor agonist medetomidine. 2010 , 78, 237-48	46
Membrane cholesterol modulates the outward facing conformation of the dopamine transporter and alters cocaine binding. 2010 , 285, 32616-26	103
Structural requirements for inverse agonism and neutral antagonism of indole-, benzimidazole-, and thienopyrrole-derived histamine H4 receptor ligands. 2010 , 334, 513-21	28
Evolution-guided discovery and recoding of allosteric pathway specificity determinants in psychoactive bioamine receptors. 2010 , 107, 7787-92	72
Subtle conformational changes between CX3CR1 genetic variants as revealed by resonance energy transfer assays. 2010 , 24, 4585-98	9
Pharmacochaperoning of the A1 adenosine receptor is contingent on the endoplasmic reticulum. 2010 , 77, 940-52	36
Proteins of the Hedgehog signaling pathway as therapeutic targets against cancer. 2010 , 7, 601-12	2
1642 Tasser-Based Protein Structure Prediction. 2010 , 219-242	2
Reversible, allosteric small-molecule inhibitors of regulator of G protein signaling proteins. 2010 , 78, 524-33	65
1640 Molecular determinants of ligand binding to H4R species variants. 2010 , 77, 734-43	50

1639	A conserved motif in the membrane proximal C-terminal tail of human muscarinic m1 acetylcholine receptors affects plasma membrane expression. 2010 , 332, 76-86	21
1638	Ligand-supported purification of the urotensin-II receptor. 2010 , 78, 639-47	4
1637	Membrane domain structures of three classes of histidine kinase receptors by cell-free expression and rapid NMR analysis. 2010 , 107, 10902-7	91
1636	A conserved aromatic lock for the tryptophan rotameric switch in TM-VI of seven-transmembrane receptors. 2010 , 285, 3973-3985	107
1635	Identification of specific lipid-binding sites in integral membrane proteins. 2010 , 285, 10519-26	29
1634	Third extracellular loop (EC3)-N terminus interaction is important for seven-transmembrane domain receptor function: implications for an activation microswitch region. 2010 , 285, 31472-83	19
1633	Orthosteric and allosteric modes of interaction of novel selective agonists of the M1 muscarinic acetylcholine receptor. 2010 , 78, 94-104	57
1632	Nitro-oleic acid inhibits angiotensin II-induced hypertension. 2010 , 107, 540-8	96
1631	A lipid pathway for ligand binding is necessary for a cannabinoid G protein-coupled receptor. 2010 , 285, 17954-64	166
1630	Computational modeling of constitutively active mutants of GPCRs C5a receptor. 2010 , 485, 369-91	
1629	Mapping the binding pocket of dual antagonist almorexant to human orexin 1 and orexin 2 receptors: comparison with the selective OX1 antagonist SB-674042 and the selective OX2 antagonist	35
1628	N-ethyl-2-[(6-methoxy-pyridin-3-yl)-(toluene-2-sulfonyl)-amino]-N-pyridin-3-ylmethyl-acetamide (FMPA), 2010, 78, 81-93 New Techniques to Express and Crystallize G Protein-Coupled Receptors. 2010, 324-384	1
1627	Challenges and opportunities for new protein crystallization strategies in structure-based drug design. 2010 , 5, 1039-45	23
1626	Analysis of hydrophobic interactions of antagonists with the beta2-adrenergic receptor. 2010 , 21, 37-55	4
1625	Evidence that interaction between conserved residues in transmembrane helices 2, 3, and 7 are crucial for human VPAC1 receptor activation. 2010 , 78, 394-401	28
1624	Cholesterol and lipid phases influence the interactions between serotonin receptor agonists and lipid bilayers. 2010 , 285, 41402-11	4
1623	Angiotensin I-converting enzyme inhibitors are allosteric enhancers of kinin B1 and B2 receptor function. 2010 , 55, 214-20	96
1622	Mutagenesis of nucleophilic residues near the orthosteric binding pocket of M1 and M2 muscarinic receptors: effect on the binding of nitrogen mustard analogs of acetylcholine and McN-A-343. 2010 , 78, 745-55	8

1621	Interactions between intracellular domains as key determinants of the quaternary structure and function of receptor heteromers. 2010 , 285, 27346-27359	86
1620	GPRC6A mediates the non-genomic effects of steroids. 2010 , 285, 39953-64	132
1619	In Cubo Crystallization of Membrane Proteins. 2010, 237-272	5
1618	Conserved water-mediated hydrogen bond network between TM-I, -II, -VI, and -VII in 7TM receptor activation. 2010 , 285, 19625-36	39
1617	Tissue repair: The hidden drama. 2010 , 6, 225-33	143
1616	The annexin I sequence gln(9)-ala(10)-trp(11)-phe(12) is a core structure for interaction with the formyl peptide receptor 1. 2010 , 285, 14338-45	28
1615	Ligand-specific conformation of extracellular loop-2 in the angiotensin II type 1 receptor. 2010 , 285, 16341-50	58
1614	Development of a dopaminergic system in sea urchin embryos and larvae. 2010 , 213, 2808-19	21
1613	Bioinformatics. 2010 , 569-593	3
1612	Induced effects of sodium ions on dopaminergic G-protein coupled receptors. 2010 , 6, e1000884	77
1611	Structure and Function of G-Protein-Coupled Receptors. 2010 , 151-156	0
1610	Structural Bioinformatics of Membrane Proteins. 2010 ,	6
1609	Ligand-based peptide design and combinatorial peptide libraries to target G protein-coupled receptors. 2010 , 16, 3071-88	78
1608	Structure elucidation of dimeric transmembrane domains of bitopic proteins. 2010 , 4, 284-98	29
1607	Thermodynamics of peptide and non-peptide interactions with the human 5HT1a receptor. 2010 , 86, 6-14	1
1606	Receptor-driven identification of novel human Aladenosine receptor antagonists as potential therapeutic agents. 2010 , 485, 225-44	7
1605	Thyrotropin (TSH) receptor residue E251 in the extracellular leucine-rich repeat domain is critical for linking TSH binding to receptor activation. 2010 , 151, 1940-7	17
1604	Computational modeling of structure-function of g protein-coupled receptors with applications for drug design. 2010 , 17, 1167-80	42

1603	Pharmacological strategies to contend against myocardial reperfusion damage: diverse chemicals for multiple targets. 2010 , 17, 2261-73	5
1602	Endocannabinoid binding to the cannabinoid receptors: what is known and what remains unknown. 2010 , 17, 1468-86	111
1601	Adenosine receptor modeling: what does the A2A crystal structure tell us?. 2010 , 10, 993-1018	39
1600	Understanding functional residues of the cannabinoid CB1. 2010 , 10, 779-98	24
1599	Modeling the interactions between alpha(1)-adrenergic receptors and their antagonists. 2010, 6, 165-78	9
1598	Molecular insights into amyloid regulation by membrane cholesterol and sphingolipids: common mechanisms in neurodegenerative diseases. 2010 , 12, e27	127
1597	The melanocortin-4 receptor: physiology, pharmacology, and pathophysiology. 2010 , 31, 506-43	357
1596	Constitutive activity of neural melanocortin receptors. 2010 , 484, 267-79	51
1595	Hydration Site Thermodynamics Explain SARs for Triazolylpurines Analogues Binding to the A2A Receptor. 2010 , 1, 160-4	91
1594	Synthesis and structure-activity relationships of long-acting beta2 adrenergic receptor agonists incorporating metabolic inactivation: an antedrug approach. 2010 , 53, 4522-30	86
1593	Protein crystallization using microfluidic technologies based on valves, droplets, and SlipChip. 2010 , 39, 139-58	147
1592	Benzimidazole derivatives as new serotonin 5-HT6 receptor antagonists. Molecular mechanisms of receptor inactivation. 2010 , 53, 1357-69	50
1591	4-Oxo-1,4-dihydropyridines as selective CB2 cannabinoid receptor ligands: structural insights into the design of a novel inverse agonist series. 2010 , 53, 7918-31	28
1590	Cholesterol and cardiac arrhythmias. 2010 , 8, 965-79	30
1589	Heterodimerization of the GABAB receptor-implications for GPCR signaling and drug discovery. 2010 , 58, 63-91	16
1588	Structural and functional analysis of the C-terminus of Galphaq in complex with the human thromboxane A2 receptor provides evidence of constitutive activity. 2010 , 49, 6365-74	8
1587	Concerted interconversion between ionic lock substates of the beta(2) adrenergic receptor revealed by microsecond timescale molecular dynamics. 2010 , 98, 76-84	61
1586	LCP-Tm: an assay to measure and understand stability of membrane proteins in a membrane environment. 2010 , 98, 1539-48	55

1585	derivatives with a combination of acetylcholinesterase inhibition and cannabinoid CB1 receptor antagonism. 2010 , 53, 1338-46	50
1584	Computational mapping of the conformational transitions in agonist selective pathways of a G-protein coupled receptor. 2010 , 132, 5205-14	53
1583	NMR analyses of the interaction between CCR5 and its ligand using functional reconstitution of CCR5 in lipid bilayers. 2010 , 132, 6768-77	65
1582	Scope and difficulty in generating theoretical insights regarding ligand recognition and activation of the beta 2 adrenergic receptor. 2010 , 53, 923-32	15
1581	Using the 🛘 -Adrenoceptor for Structure-Based Drug Design. 2010 , 87, 625-627	6
1580	A tripod molecular tip for single molecule ligand-receptor force spectroscopy by AFM. 2010 , 26, 7117-25	20
1579	Hydrophobic residues in helix 8 of cannabinoid receptor 1 are critical for structural and functional properties. 2010 , 49, 502-11	33
1578	Structure of a GPCR ligand in its receptor-bound state: leukotriene B4 adopts a highly constrained conformation when associated to human BLT2. 2010 , 132, 9049-57	63
1577	Functionalized congeners of P2Y1 receptor antagonists: 2-alkynyl (N)-methanocarba 2'-deoxyadenosine 3',5'-bisphosphate analogues and conjugation to a polyamidoamine (PAMAM) dendrimer carrier. 2010 , 21, 1190-205	19
1576	Ligand-steered modeling and docking: A benchmarking study in class A G-protein-coupled receptors. <i>Journal of Chemical Information and Modeling</i> , 2010 , 50, 2119-28	57
1575	Molecular Dynamics Simulation at High Sodium Chloride Concentration: Toward the Inactive Conformation of the Human Adenosine A2A Receptor. 2010 , 1, 1008-1013	8
1574	Lessons from free energy simulations of delta-opioid receptor homodimers involving the fourth transmembrane helix. 2010 , 49, 6771-6	42
1573	Dynamics of the beta2-adrenergic G-protein coupled receptor revealed by hydrogen-deuterium exchange. 2010 , 82, 1100-8	102
1572	Subtype selectivity of dopamine receptor ligands: insights from structure and ligand-based methods. <i>Journal of Chemical Information and Modeling</i> , 2010 , 50, 1970-85	55
1571	Exploring atomic resolution physiology on a femtosecond to millisecond timescale using molecular dynamics simulations. 2010 , 135, 555-62	131
1570	Docking and Scoring in Drug Discovery. 2010 , 601-684	2
1569	Discovery and characterization of novel subtype-selective allosteric agonists for the investigation of M(1) receptor function in the central nervous system. 2010 , 1, 104-121	86
1568	Visualizing water molecules in transmembrane proteins using radiolytic labeling methods. 2010 , 49, 827-34	41

1567	Identification of orthosteric and allosteric site mutations in M2 muscarinic acetylcholine receptors that contribute to ligand-selective signaling bias. 2010 , 285, 7459-74		130
1566	Analysis of adenosine All receptor stability: effects of ligands and disulfide bonds. 2010 , 49, 9181-9		20
1565	Computational modeling toward understanding agonist binding on dopamine 3. <i>Journal of Chemical Information and Modeling</i> , 2010 , 50, 1633-43	6.1	15
1564	High-throughput virtual screening of proteins using GRID molecular interaction fields. <i>Journal of Chemical Information and Modeling</i> , 2010 , 50, 155-69	6.1	61
1563	Mass spectrometry-based GPCR proteomics: comprehensive characterization of the human cannabinoid 1 receptor. 2010 , 9, 1746-53		18
1562	Investigation of the bioactive conformation of histamine H3 receptor antagonists by the cyclopropylic strain-based conformational restriction strategy. 2010 , 53, 3585-93		35
1561	Structure of the human dopamine D3 receptor in complex with a D2/D3 selective antagonist. <i>Science</i> , 2010 , 330, 1091-5	33.3	938
1560	Seven transmembrane receptors as shapeshifting proteins: the impact of allosteric modulation and functional selectivity on new drug discovery. 2010 , 62, 265-304		491
1559	Structures of the CXCR4 chemokine GPCR with small-molecule and cyclic peptide antagonists. <i>Science</i> , 2010 , 330, 1066-71	33.3	1432
1558	Heterologous expression of membrane proteins for structural analysis. 2010 , 601, 1-16		15
1557	Determining receptor-ligand interaction of human galanin receptor type 3. 2010 , 57, 804-11		12
1556	Predicted 3D structures for adenosine receptors bound to ligands: comparison to the crystal structure. 2010 , 170, 10-20		48
1555	Recent advances in the production of proteins in insect and mammalian cells for structural biology. 2010 , 172, 55-65		82
1554	Structural determinants stabilizing helical distortions related to proline. 2010 , 171, 266-76		13
1553	Modulation of G-protein coupled receptor sample quality by modified cell-free expression protocols: a case study of the human endothelin A receptor. 2010 , 172, 94-106		41
1552	Light activation of rhodopsin: insights from molecular dynamics simulations guided by solid-state NMR distance restraints. 2010 , 396, 510-27		50
1551	A conserved protonation-induced switch can trigger "ionic-lock" formation in adrenergic receptors. 2010 , 397, 1339-49		30
1550	The membrane complex between transducin and dark-state rhodopsin exhibits large-amplitude interface dynamics on the sub-microsecond timescale: insights from all-atom MD simulations. 2010 , 398, 161-73		19

1549	Increasingly accurate dynamic molecular models of G-protein coupled receptor oligomers: Panacea or Pandora's box for novel drug discovery?. 2010 , 86, 590-7	33
1548	Genetics and phenomics of hypothyroidism due to TSH resistance. 2010 , 322, 72-82	71
1547	Emerging roles for the FSH receptor adapter protein APPL1 and overlap of a putative 14-3-3 ninteraction domain with a canonical G-protein interaction site. 2010 , 329, 17-25	34
1546	Cholesterol involvement in the pathogenesis of neurodegenerative diseases. 2010 , 43, 33-42	143
1545	Ciblage peptidique en oncologie nuclàire : intft de la modlisation molculaire. 2010 , 34, 289-294	1
1544	Functional analysis of melanocortin-4-receptor mutants identified in severely obese subjects living in Southern Italy. 2010 , 457, 35-41	12
1543	The endocannabinoid system: its roles in energy balance and potential as a target for obesity treatment. 2010 , 42, 1788-801	36
1542	Chemokine receptor oligomerization: functional considerations. 2010 , 10, 38-43	58
1541	Retinal dynamics during light activation of rhodopsin revealed by solid-state NMR spectroscopy. 2010 , 1798, 177-93	31
1540	Preparation of stable isotope-labeled peripheral cannabinoid receptor CB2 by bacterial fermentation. 2010 , 70, 236-47	27
1539	Purification of transmembrane proteins from Saccharomyces cerevisiae for X-ray crystallography. 2010 , 71, 207-23	30
1538	Expression, purification and characterization of leukotriene B(4) receptor, BLT1 in Pichia pastoris. 2010 , 72, 66-74	9
1537	A purified C-terminally truncated human adenosine A(2A) receptor construct is functionally stable and degradation resistant. 2010 , 74, 80-7	20
1536	Heterologous high yield expression and purification of neurotensin and its functional fragment in Escherichia coli. 2010 , 74, 65-8	7
1535	Functional coupling of Cys-226 and Cys-296 in the glucagon-like peptide-1 (GLP-1) receptor indicates a disulfide bond that is close to the activation pocket. 2010 , 31, 2289-93	17
1534	The hinge region: an important receptor component for GPHR function. 2010 , 21, 111-22	33
1533	The minor binding pocket: a major player in 7TM receptor activation. 2010 , 31, 567-74	93
1532	Mutagenesis of human neuropeptide Y/peptide YY receptor Y2 reveals additional differences to Y1 in interactions with highly conserved ligand positions. 2010 , 163, 120-9	14

1531	Recent progress in the structure determination of GPCRs, a membrane protein family with high potential as pharmaceutical targets. 2010 , 654, 141-68	49
1530	Practical considerations of membrane protein instability during purification and crystallisation. 2010 , 601, 187-203	88
1529	G Protein-Coupled Receptor Structures. 2010 , 129-138	
1528	Rational design of CCR2 antagonists: a survey of computational studies. 2010 , 5, 543-57	12
1527	Conserved binding mode of human beta2 adrenergic receptor inverse agonists and antagonist revealed by X-ray crystallography. 2010 , 132, 11443-5	297
1526	Structure and activation of the visual pigment rhodopsin. 2010 , 39, 309-28	147
1525	Homology modeling and docking evaluation of aminergic G protein-coupled receptors. <i>Journal of Chemical Information and Modeling</i> , 2010 , 50, 626-37	88
1524	Structure-based discovery of A2A adenosine receptor ligands. 2010 , 53, 3748-55	195
1523	Membrane protein dynamics from femtoseconds to seconds. 2010 , 654, 423-40	9
1522	Introduction to Macromolecular X-Ray Crystallography. 2010 , 51-89	
1522 1521	Introduction to Macromolecular X-Ray Crystallography. 2010 , 51-89 Histamine in Inflammation. 2010 ,	5
1521		5
1521	Histamine in Inflammation. 2010,	
1521 1520	Histamine in Inflammation. 2010 , Nonlinear optical imaging of integral membrane protein crystals in lipidic mesophases. 2010 , 82, 491-7 Probing the structural determinants for the function of intracellular loop 2 in structurally cognate	66
1521 1520 1519	Histamine in Inflammation. 2010, Nonlinear optical imaging of integral membrane protein crystals in lipidic mesophases. 2010, 82, 491-7 Probing the structural determinants for the function of intracellular loop 2 in structurally cognate G-protein-coupled receptors. 2010, 49, 10691-701	66 16
1521 1520 1519 1518	Histamine in Inflammation. 2010, Nonlinear optical imaging of integral membrane protein crystals in lipidic mesophases. 2010, 82, 491-7 Probing the structural determinants for the function of intracellular loop 2 in structurally cognate G-protein-coupled receptors. 2010, 49, 10691-701 The year in G protein-coupled receptor research. 2010, 24, 261-74 Structural basis for ligand recognition of incretin receptors. 2010, 84, 251-78	66 16 117
1521 1520 1519 1518	Histamine in Inflammation. 2010, Nonlinear optical imaging of integral membrane protein crystals in lipidic mesophases. 2010, 82, 491-7 Probing the structural determinants for the function of intracellular loop 2 in structurally cognate G-protein-coupled receptors. 2010, 49, 10691-701 The year in G protein-coupled receptor research. 2010, 24, 261-74 Structural basis for ligand recognition of incretin receptors. 2010, 84, 251-78	66 16 117

1513	Heterologous Expression of Membrane Proteins. 2010 ,	2
1512	TonB-dependent transporters: regulation, structure, and function. 2010 , 64, 43-60	574
1511	Modeling Protein-Ligand Binding by Mining Minima. 2010 , 6, 3540-3557	50
1510	Engineering a GPCR-ligand pair that simulates the activation of D(2L) by Dopamine. 2010 , 1, 25-35	19
1509	Dimerization of G protein-coupled purinergic receptors: increasing the diversity of purinergic receptor signal responses and receptor functions. 2010 , 30, 337-46	19
1508	Structural divergence and functional versatility of the rhodopsin superfamily. 2010 , 9, 1458-65	32
1507	Incorporation of the dopamine D2L receptor and bacteriorhodopsin within bicontinuous cubic lipid phases. 1. Relevance to in meso crystallization of integral membrane proteins in monoolein systems. 2010 , 6, 4828	39
1506	Simulating ligand-induced conformational changes in proteins using a mechanical disassembly method. 2010 , 12, 8268-76	28
1505	The amino-terminus of angiotensin II contacts several ectodomains of the angiotensin II receptor AT1. 2010 , 53, 2063-75	16
1504	The changing world of G protein-coupled receptors: from monomers to dimers and receptor mosaics with allosteric receptor-receptor interactions. 2010 , 30, 272-83	63
1503	Membrane catalysis of peptide-receptor binding. 2010 , 88, 203-10	23
1502	Incorporation of the dopamine D2L receptor and bacteriorhodopsin within bicontinuous cubic lipid phases. 2. Relevance to in meso crystallization of integral membrane proteins in novel lipid systems. 2010 , 6, 4838	33
1501	Functional analysis of the second extracellular loop of rhodopsin by characterizing split variants. 2010 , 9, 1490-7	9
1500	Evidence that membrane curvature distorts the tertiary structure of bacteriorhodopsin. 2010 , 6, 4339	13
1499	An efficient asymmetric synthesis of the potent beta-blocker ICI-118,551 allows the determination of enantiomer dependency on biological activity. 2010 , 46, 3953-4	2
1498	Preparation of an activated rhodopsin/transducin complex using a constitutively active mutant of rhodopsin. 2011 , 50, 10399-407	16
1497	Cardiolipin deficiency in Rhodobacter sphaeroides alters the lipid profile of membranes and of crystallized cytochrome oxidase, but structure and function are maintained. 2011 , 50, 3879-90	24
1496	Enhanced uptake of an integral membrane protein, the dopamine D2L receptor, by cubic nanostructured lipid nanoparticles doped with Ni(II) chelated EDTA amphiphiles. 2011 , 7, 567-578	28

1495	Molecular modeling of the human serotonin(1A) receptor: role of membrane cholesterol in ligand binding of the receptor. 2011 , 7, 224-34	55
1494	Heterogeneous and homogeneous crystal nucleation in colloidal hard-sphere like microgels at low metastabilities. 2011 , 7, 11267	26
1493	Identification of a novel allosteric binding site in the CXCR2 chemokine receptor. 2011 , 80, 1108-18	26
1492	International Union of Basic and Clinical Pharmacology. LXXXII: Nomenclature and Classification of Hydroxy-carboxylic Acid Receptors (GPR81, GPR109A, and GPR109B). 2011 , 63, 269-90	126
1491	Probing the steric space at the floor of the D1 dopamine receptor orthosteric binding domain: 7日 8日 and 8日 and 8日 substituted dihydrexidine analogues. 2011 , 54, 5508-21	14
1490	HiLiDe S ystematic Approach to Membrane Protein Crystallization in Lipid and Detergent. 2011 , 11, 2098-2106	63
1489	Modelling the structure of the red cell membrane. 2011 , 89, 200-15	63
1488	New insights into the binding mode of melanin concentrating hormone receptor-1 antagonists: homology modeling and explicit membrane molecular dynamics simulation study. <i>Journal of</i> 6.1 <i>Chemical Information and Modeling</i> , 2011 , 51, 635-46	10
1487	Identification of the GPR55 agonist binding site using a novel set of high-potency GPR55 selective ligands. 2011 , 50, 5633-47	55
1486	Binding between a distal C-terminus fragment of cannabinoid receptor 1 and arrestin-2. 2011 , 50, 2223-34	16
1485	MIF-chemokine receptor interactions in atherogenesis are dependent on an N-loop-based 2-site binding mechanism. 2011 , 25, 894-906	40
1484	Structural elements of the signal propagation pathway in squid rhodopsin and bovine rhodopsin. 2011 , 115, 6172-9	9
1483	Homology Model Versus X-ray Structure in Receptor-based Drug Design: A Retrospective Analysis with the Dopamine D3 Receptor. 2011 , 2, 293-7	19
1482	The Implication of the First Agonist Bound Activated GPCR X-ray Structure on GPCR in Silico Modeling. 2011 , 2, 414-8	10
1481	Recombinant expression and functional characterization of mouse olfactory receptor mOR256-17 in mammalian cells. 2011 , 50, 7228-35	20
1480	Acoustically mounted microcrystals yield high-resolution X-ray structures. 2011 , 50, 4399-401	41
1479	Development of an Automated High Throughput LCP-FRAP Assay to Guide Membrane Protein Crystallization in Lipid Mesophases. 2011 , 11, 1193-1201	45
1478	X-ray diffraction from membrane protein nanocrystals. 2011 , 100, 198-206	56

1477	Organization of higher-order oligomers of the serotonin(A) receptor explored utilizing homo-FRET in live cells. 2011 , 100, 361-8	88
1476	Toward rational design of protein detergent complexes: determinants of mixed micelles that are critical for the in vitro stabilization of a G-protein coupled receptor. 2011 , 101, 1938-48	38
1475	Salt effects on the conformational stability of the visual G-protein-coupled receptor rhodopsin. 2011 , 101, 2798-806	11
1474	The use of GPCR structures in drug design. 2011 , 62, 1-36	34
1473	Structural basis for the Endrenergic receptor subtype selectivity of the representative agonists and antagonists. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 1405-22	18
1472	Computational study of the binding modes of caffeine to the adenosine A2A receptor. 2011 , 115, 13880-90	15
1471	Fragment screening of stabilized G-protein-coupled receptors using biophysical methods. 2011 , 493, 115-36	91
1470	The use of G-protein coupled receptor models in lead optimization. 2011 , 3, 709-21	14
1469	Identification of a potent and selective free fatty acid receptor 1 (FFA1/GPR40) agonist with favorable physicochemical and in vitro ADME properties. 2011 , 54, 6691-703	58
1468	Synthesis, biological evaluation, and automated docking of constrained analogues of the opioid peptide H-Dmt-D-Ala-Phe-Gly-NHlusing the 4- or 5-methyl substituted 4-amino-1,2,4,5-tetrahydro-2-benzazepin-3-one scaffold. 2011 , 54, 6538-47	12
1467	Homology modeling of class a G protein-coupled receptors. 2012 , 857, 259-79	41
1466	Biological and pharmacological roles of HCA receptors. 2011 , 62, 219-50	38
1465	Genome-Wide Protein Structure Prediction. 2011 , 255-279	2
1464	Allosteric modulation of metabotropic glutamate receptors. 2011 , 62, 37-77	42
1463	Investigation of the structure requirement for 5-HT[binding affinity of arylsulfonyl derivatives: a computational study. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 5011-30	13
1462	The mouse eugenol odorant receptor: structural and functional plasticity of a broadly tuned odorant binding pocket. 2011 , 50, 843-53	72
1461	Development of a bivalent dopamine Direceptor agonist. 2011 , 54, 7911-9	29
1460	Celebrating structural biology. 2011 , 18, 1304-16	8

1459	N-(3-fluoro-4-(4-(2-methoxy or 2,3-dichlorophenyl)piperazine-1-yl)butyl)arylcarboxamides as selective dopamine D3 receptor ligands: critical role of the carboxamide linker for D3 receptor selectivity. 2011 , 54, 3581-94		54
1458	Experimental challenges to targeting poorly characterized GPCRs: uncovering the therapeutic potential for free fatty acid receptors. 2011 , 62, 175-218		41
1457	Differential hydrogen/deuterium exchange mass spectrometry analysis of protein-ligand interactions. 2011 , 8, 43-59		177
1456	Virtual Screening on Homology Models. 2011 , 381-410		3
1455	The Opiate Receptors. 2011 ,		8
1454	Receptor Signal Transduction Protocols. 2011,		1
1453	A polymorphism-specific "memory" mechanism in the (2)-adrenergic receptor. <i>Science Signaling</i> , 2011 , 4, ra53	8.8	20
1452	Terbutaline causes immobilization of single 2 -adrenergic receptor-ligand complexes in the plasma membrane of living A549 cells as revealed by single-molecule microscopy. 2011 , 16, 026013		10
1451	Dissecting the functions of conserved prolines within transmembrane helices of the D2 dopamine receptor. 2011 , 6, 1063-8		21
1450	From Coarse Grained to Atomistic: A Serial Multiscale Approach to Membrane Protein Simulations. 2011 , 7, 1157-66		2 00
1450 1449	2011 , 7, 1157-66		200
	2011, 7, 1157-66 Chemoinformatics and Computational Chemical Biology. 2011,		
1449	2011, 7, 1157-66 Chemoinformatics and Computational Chemical Biology. 2011,		6
1449 1448 1447	2011, 7, 1157-66 Chemoinformatics and Computational Chemical Biology. 2011, Homology modeling of transporter proteins (carriers and ion channels). 2012, 857, 281-99		6
1449 1448 1447	Chemoinformatics and Computational Chemical Biology. 2011, Homology modeling of transporter proteins (carriers and ion channels). 2012, 857, 281-99 Methods for the Discovery and Characterization of G Protein-Coupled Receptors. 2011, Crystallizing Membrane Proteins in Lipidic Mesophases. A Host Lipid Screen. 2011, 11, 530-537 Structure-based prediction of subtype selectivity of histamine H3 receptor selective antagonists in	6.1	6 18
1449 1448 1447 1446	Chemoinformatics and Computational Chemical Biology. 2011, Homology modeling of transporter proteins (carriers and ion channels). 2012, 857, 281-99 Methods for the Discovery and Characterization of G Protein-Coupled Receptors. 2011, Crystallizing Membrane Proteins in Lipidic Mesophases. A Host Lipid Screen. 2011, 11, 530-537 Structure-based prediction of subtype selectivity of histamine H3 receptor selective antagonists in clinical trials. Journal of Chemical Information and Modeling, 2011, 51, 3262-74 Molecular determinants of ligand binding modes in the histamine H(4) receptor: linking	6.1	6 18
1449 1448 1447 1446	Chemoinformatics and Computational Chemical Biology. 2011, Homology modeling of transporter proteins (carriers and ion channels). 2012, 857, 281-99 Methods for the Discovery and Characterization of G Protein-Coupled Receptors. 2011, Crystallizing Membrane Proteins in Lipidic Mesophases. A Host Lipid Screen. 2011, 11, 530-537 Structure-based prediction of subtype selectivity of histamine H3 receptor selective antagonists in clinical trials. Journal of Chemical Information and Modeling, 2011, 51, 3262-74 Molecular determinants of ligand binding modes in the histamine H(4) receptor: linking ligand-based three-dimensional quantitative structure-activity relationship (3D-QSAR) models to in	6.1	6 18 43 36

1441	Ligand discovery from a dopamine D3 receptor homology model and crystal structure. 2011 , 7, 769-78	250
1440	Applications and Success Stories in Virtual Screening. 2011 , 319-358	17
1439	Decoding the signaling of a GPCR heteromeric complex reveals a unifying mechanism of action of antipsychotic drugs. 2011 , 147, 1011-23	226
1438	Structural features of adenosine receptors: from crystal to function. 2011 , 1808, 1233-44	47
1437	Cholesterol depletion enhances adrenergic signaling in cardiac myocytes. 2011 , 1808, 461-5	31
1436	Bioinformatics and mathematical modelling in the study of receptor-receptor interactions and receptor oligomerization: focus on adenosine receptors. 2011 , 1808, 1267-83	12
1435	Solution- and solid-state NMR studies of GPCRs and their ligands. 2011 , 1808, 1462-75	37
1434	Homology modeling of human CCR5 and analysis of its binding properties through molecular docking and molecular dynamics simulation. 2011 , 1808, 802-17	51
1433	Lipid-binding surfaces of membrane proteins: evidence from evolutionary and structural analysis. 2011 , 1808, 1092-102	63
1432	Structural and functional roles of small group-conserved amino acids present on helix-H7 in the (P)-adrenergic receptor. 2011 , 1808, 1170-8	14
1431	Recent progress in the study of G protein-coupled receptors with molecular dynamics computer simulations. 2011 , 1808, 1868-78	67
1430	Expression of a chloroplast ATP/ADP transporter in E. coli membranes: behind the Mistic strategy. 2011 , 1808, 2059-66	17
1429	Desmosterol replaces cholesterol for ligand binding function of the serotonin(1A) receptor in solubilized hippocampal membranes: support for nonannular binding sites for cholesterol?. 2011 , 1808, 2428-34	12
1428	Comparative NMR analysis of an 80-residue G protein-coupled receptor fragment in two membrane mimetic environments. 2011 , 1808, 2674-84	11
1427	Identification of cholesterol recognition amino acid consensus (CRAC) motif in G-protein coupled receptors. 2011 , 404, 569-73	120
1426	Mutational analysis of G-protein coupled receptorFFA2. 2011 , 405, 122-7	14
1425	Making structural sense of dimerization interfaces of delta opioid receptor homodimers. 2011 , 50, 1682-90	66
1424	Computational analysis of the structural mechanism of inhibition of chemokine receptor CXCR4 by small molecule antagonists. 2011 , 236, 844-50	22

1423	Dimerization and ligand binding affect the structure network of A(2A) adenosine receptor. 2011 , 1808, 1256-66	53
1422	HISTORICAL PERSPECTIVE: From Receptors to G Proteincoupled Receptors to Seven Transmembrane Receptors: A Journey of Discovery. 2011 , P021-P035	
1421	Molecular dynamics simulations reveal insights into key structural elements of adenosine receptors. 2011 , 50, 4194-208	60
1420	When simple agonism is not enough: emerging modalities of GPCR ligands. 2011 , 331, 241-7	49
1419	Evolution of three human GPCRs for higher expression and stability. 2011 , 408, 599-615	68
1418	Differential interactions of fluorescent agonists and antagonists with the yeast G protein coupled receptor Ste2p. 2011 , 409, 513-28	21
1417	Thermostabilisation of an agonist-bound conformation of the human adenosine A(2A) receptor. 2011 , 409, 298-310	98
1416	Engineering an ultra-thermostable [1])-adrenoceptor. 2011 , 413, 628-38	45
1415	Molecular dynamics simulations of the effect of the G-protein and diffusible ligands on the Q -adrenergic receptor. 2011 , 414, 611-23	29
1414	Dynamical behaviour of the human 1 -adrenoceptor under agonist binding. 2011 , 37, 907-913	7
1414	Dynamical behaviour of the human II-adrenoceptor under agonist binding. 2011, 37, 907-913 Chapter 18:Structure-based Virtual Screening for Ligands of G Protein-coupled Receptors. 2011, 359-374	7
1413	Chapter 18:Structure-based Virtual Screening for Ligands of G Protein-coupled Receptors. 2011 , 359-374 Chapter 21:Investigating Mechanisms of Ligand Recognition, Activation and Oligomerization in	
1413 1412	Chapter 18:Structure-based Virtual Screening for Ligands of G Protein-coupled Receptors. 2011, 359-374 Chapter 21:Investigating Mechanisms of Ligand Recognition, Activation and Oligomerization in GPCRs Using Enhanced Molecular Dynamics Methods. 2011, 401-428	4
1413 1412 1411 1410	Chapter 18:Structure-based Virtual Screening for Ligands of G Protein-coupled Receptors. 2011, 359-374 Chapter 21:Investigating Mechanisms of Ligand Recognition, Activation and Oligomerization in GPCRs Using Enhanced Molecular Dynamics Methods. 2011, 401-428 Progress in structure based drug design for G protein-coupled receptors. 2011, 54, 4283-311 Ligand functional selectivity and quantitative pharmacology at G protein-coupled receptors. 2011,	191
1413 1412 1411 1410	Chapter 18:Structure-based Virtual Screening for Ligands of G Protein-coupled Receptors. 2011, 359-374 Chapter 21:Investigating Mechanisms of Ligand Recognition, Activation and Oligomerization in GPCRs Using Enhanced Molecular Dynamics Methods. 2011, 401-428 Progress in structure based drug design for G protein-coupled receptors. 2011, 54, 4283-311 Ligand functional selectivity and quantitative pharmacology at G protein-coupled receptors. 2011, 6, 811-25 Crystallization chaperone strategies for membrane proteins. 2011, 55, 293-302	4 191 61
1413 1412 1411 1410	Chapter 18:Structure-based Virtual Screening for Ligands of G Protein-coupled Receptors. 2011, 359-374 Chapter 21:Investigating Mechanisms of Ligand Recognition, Activation and Oligomerization in GPCRs Using Enhanced Molecular Dynamics Methods. 2011, 401-428 Progress in structure based drug design for G protein-coupled receptors. 2011, 54, 4283-311 Ligand functional selectivity and quantitative pharmacology at G protein-coupled receptors. 2011, 6, 811-25 Crystallization chaperone strategies for membrane proteins. 2011, 55, 293-302 Characterization of lipid matrices for membrane protein crystallization by high-throughput small	4 191 61 28

1405	Crystallizing membrane proteins using lipidic bicelles. 2011 , 55, 337-41	92
1404	GPCR stabilization using the bicelle-like architecture of mixed sterol-detergent micelles. 2011 , 55, 310-7	66
1403	Characterizing and predicting the functional and conformational diversity of seven-transmembrane proteins. 2011 , 55, 405-14	15
1402	Recent advances in the search for D3- and D4-selective drugs: probes, models and candidates. 2011 , 32, 148-57	90
1401	GPCR agonist binding revealed by modeling and crystallography. 2011 , 32, 637-43	52
1400	Expression, purification and NMR characterization of the cyclic recombinant form of the third intracellular loop of the vasopressin type 2 receptor. 2011 , 78, 131-8	5
1399	Heterologous expression and purification of membrane-bound pyrophosphatases. 2011 , 79, 25-34	12
1398	Open conformation of adipokinetic hormone receptor from the malaria mosquito facilitates hormone binding. 2011 , 32, 553-9	10
1397	Analysis of the glucagon receptor first extracellular loop by the substituted cysteine accessibility method. 2011 , 32, 1593-9	17
1396	Allosteric modulation of metabotropic glutamate receptors: structural insights and therapeutic potential. 2011 , 60, 66-81	99
1395	Structure-based drug discovery and protein targets in the CNS. 2011 , 60, 7-23	21
1394	Transmembrane signaling by GPCRs: insight from rhodopsin and opsin structures. 2011 , 60, 52-7	42
1393	Exploration of structure-based drug design opportunities for mGluRs. 2011 , 60, 93-101	14
1392	Sensing G protein-coupled receptor activation. 2011 , 60, 45-51	23
1391	Importance of receptor flexibility in binding of cyclam compounds to the chemokine receptor CXCR4. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 139-47	14
1390	Biophysical mapping of the adenosine A2A receptor. 2011 , 54, 4312-23	99
1389	Refining efficacy: allosterism and bias in G protein-coupled receptor signaling. 2011 , 756, 3-35	66
1388	Exploring a model of a chemokine receptor/ligand complex in an explicit membrane environment by molecular dynamics simulation: the human CCR1 receptor. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 2717-30	21

1387	Identification of a novel selective serotonin reuptake inhibitor by coupling monoamine transporter-based virtual screening and rational molecular hybridization. 2011 , 2, 544-552		17
1386	Transmembrane Helix 2 and 7 are important for small molecule-mediated activation of the GLP-1 receptor. 2011 , 88, 340-8		8
1385	Substituted pyrazolo[3,4-b]pyridines as human A1 adenosine antagonists: developments in understanding the receptor stereoselectivity. 2011 , 9, 4448-55		15
1384	The role of conformational ensembles in ligand recognition in G-protein coupled receptors. 2011 , 133, 13197-204		62
1383	Structure of an agonist-bound human A2A adenosine receptor. <i>Science</i> , 2011 , 332, 322-7	33.3	706
1382	Identification of essential cannabinoid-binding domains: structural insights into early dynamic events in receptor activation. 2011 , 286, 33422-35		30
1381	. 2011,		26
1380	[Structure of the adenosine-bound conformation of the human adenosine A(2A) receptor]. 2011 , 27, 926-8		3
1379	Knowledge Based Membrane Protein Structure Prediction: From X-Ray Crystallography to Bioinformatics and Back to Molecular Biology. 2011 ,		
1378	Zinc Transporter YiiP from Escherichia coli. 2011 ,		
1377	Functional and Structural Overview of G-Protein-Coupled Receptors Comprehensively Obtained from Genome Sequences. 2011 , 4, 652-664		19
1376	High resolution structure of the ba3 cytochrome c oxidase from Thermus thermophilus in a lipidic environment. 2011 , 6, e22348		94
1375	Production of a bioengineered G-protein coupled receptor of human formyl peptide receptor 3. 2011 , 6, e23076		15
1374	Molecular basis of ligand dissociation in Eadrenergic receptors. 2011 , 6, e23815		70
1373	Differential modulation of Beta-adrenergic receptor signaling by trace amine-associated receptor 1 agonists. 2011 , 6, e27073		42
1372	Modeling of human prokineticin receptors: interactions with novel small-molecule binders and potential off-target drugs. 2011 , 6, e27990		26
1371	Specificity of Three Vasopressin Receptor Antagonists. 2011 , 8, 529-535		
1370	Virtual high throughput screening in new lead identification. 2011 , 14, 840-60		47

1369 Homology models in docking and high-throughput docking. 2011 , 11, 1528-34	36
1368 Histamine Hireceptor: a novel target for inflammation therapy. 2011 , 11, 143-58	9
1367 How to Understand LipidProtein Interactions in Biological Membranes. 2011 , 273-313	1
1366 Introduction. 2011 , 1-9	
Heterologous Production of Active Mammalian G-Protein-Coupled Receptors Using Baculovirus-Infected Insect Cells. 2011 , 109-138	
1364 Crystallization of membrane proteins in lipidic mesophases. 2011 ,	17
1363 Cell signalling: It's all about the structure. 2011 , 476, 387-90	6
Study of two G-protein coupled receptor variants of human trace amine-associated receptor 5. 2011 , 1, 102	20
1361 Expression of G-Protein-Coupled Receptors. 2011 , 219-248	3
1360 G ????????????????. 2011 , 8, 12-13	
1359 Antibody fragments as tools in crystallography. 2011 , 165, 285-91	48
1358 Membrane organization and dynamics of the serotonin1A receptor in live cells. 2011 , 116, 726-33	21
1357 The cannabinoid type-1 receptor carboxyl-terminus, more than just a tail. 2011 , 117, 1-18	19
Comparison of the molecular interactions of two antagonists, MEN16132 or icatibant, at the human kinin Blreceptor. 2011 , 162, 1202-12	8
The design, synthesis and pharmacological characterization of novel Endrenoceptor antagonists. 2011 , 164, 317-31	6
1354 Endocannabinoid tone versus constitutive activity of cannabinoid receptors. 2011 , 163, 1329-43	87
Structural determinants of allosteric antagonism at metabotropic glutamate receptor 2: mechanistic studies with new potent negative allosteric modulators. 2011 , 164, 521-37	41
1352 Adrenoceptor activity of muscarinic toxins identified from mamba venoms. 2011 , 164, 538-50	17

1351	Involvement of the first transmembrane segment of human (2) -adrenoceptors in the subtype-selective binding of chlorpromazine, spiperone and spiroxatrine. 2011 , 164, 1558-72	10
1350	Guide to Receptors and Channels (GRAC), 5th edition. 2011 , 164 Suppl 1, S1-324	702
1349	Consultants. 2011 , 164, S3-S3	7
1348	G PROTEIN-COUPLED RECEPTORS. 2011 , 164, S5-S113	14
1347	LIGAND-GATED ION CHANNELS. 2011 , 164, S115-S135	5
1346	ION CHANNELS. 2011 , 164, S137-S174	9
1345	NUCLEAR RECEPTORS. 2011 , 164, S175-S188	78
1344	CATALYTIC RECEPTORS. 2011 , 164, S189-S212	1
1343	TRANSPORTERS. 2011 , 164, S213-S278	2
1342	ENZYMES. 2011 , 164, S279-S324	2
1341	Alterations in the photoactivation pathway of rhodopsin mutants associated with retinitis pigmentosa. 2011 , 278, 1493-505	8
1340	Binding site analysis of CCR2 through in silico methodologies: docking, CoMFA, and CoMSIA. 2011 , 78, 161-74	16
1339	Structure of a nanobody-stabilized active state of the (2) adrenoceptor. 2011 , 469, 175-80	1299
1338	The structural basis for agonist and partial agonist action on a [1]-adrenergic receptor. 2011 , 469, 241-4	512
1337	The structural basis of agonist-induced activation in constitutively active rhodopsin. 2011 , 471, 656-60	395
1336	Overcoming barriers to membrane protein structure determination. 2011 , 29, 335-40	293
1335	Cell signalling: Binding the receptor at both ends. 2011 , 469, 172-3	21
1334	Status of GPCR modeling and docking as reflected by community-wide GPCR Dock 2010 assessment. 2011 , 19, 1108-26	243

(2011-2011)

1333	Structure of the adenosine A(2A) receptor in complex with ZM241385 and the xanthines XAC and caffeine. 2011 , 19, 1283-93	433
1332	Ligand-dependent perturbation of the conformational ensemble for the GPCR I adrenergic receptor revealed by HDX. 2011 , 19, 1424-32	111
1331	Structural basis for Eppioid receptor binding and activation. 2011 , 19, 1683-90	23
1330	Assembling good amyloid: some structures at last. 2011 , 19, 1207-9	5
1329	Trapping small caffeine in a large GPCR pocket. 2011 , 19, 1204-7	5
1328	Molecular simulation approaches to membrane proteins. 2011 , 19, 1562-72	136
1327	Cell membranes: the lipid perspective. 2011 , 19, 1543-8	162
1326	Influence of solubilizing environments on membrane protein structures. 2011 , 36, 117-25	169
1325	Allostery in GPCRs: 'MWC' revisited. 2011, 36, 663-72	55
1324	Identification of positions in the human neuropeptide Y/peptide YY receptor Y2 that contribute to pharmacological differences between receptor subtypes. 2011 , 45, 293-300	11
1323	Femtosecond nanocrystallography using X-ray lasers for membrane protein structure determination. 2011 , 21, 509-16	69
1322	Structural insights into agonist-induced activation of G-protein-coupled receptors. 2011 , 21, 541-51	180
1321	Nanobody stabilization of G protein-coupled receptor conformational states. 2011 , 21, 567-72	186
1320	Uncovering the intimate relationship between lipids, cholesterol and GPCR activation. 2011 , 21, 802-7	183
1319	Evidence for the presence of a critical disulfide bond in the mouse EP3 receptor. 2011, 94, 53-8	1
1318	Comprehensive analysis of host gene expression in Autographa californica nucleopolyhedrovirus-infected Spodoptera frugiperda cells. 2011 , 412, 167-78	55
1317	Characterisation and expression of 🗈-, 🗈- and 🖰-adrenergic receptors in the fathead minnow (Pimephales promelas). 2011 , 173, 483-90	13
1316	Synthesis and biological investigation of potential atypical antipsychotics with a tropane core. Part 1. 2011 , 46, 4474-88	10

1315	Homology modeling in tandem with 3D-QSAR analyses: a computational approach to depict the agonist binding site of the human CB2 receptor. 2011 , 46, 4489-505	32
1314	Agonist-dependent effects of mutations in the sphingosine-1-phosphate type 1 receptor. 2011 , 667, 105-12	13
1313	Chimeric, mutant orexin receptors show key interactions between orexin receptors, peptides and antagonists. 2011 , 667, 120-8	22
1312	The structure of active opsin as a basis for identification of GPCR agonists by dynamic homology modelling and virtual screening assays. 2011 , 585, 3587-92	12
1311	Interaction of novel hybrid compounds with the D3 dopamine receptor: Site-directed mutagenesis and homology modeling studies. 2011 , 81, 157-63	24
1310	Strategies for the identification of allosteric modulators of G-protein-coupled receptors. 2011 , 81, 691-702	64
1309	CH/Ihydrogen bonds play a role in ligand recognition and equilibrium between active and inactive states of the I adrenergic receptor: an ab initio fragment molecular orbital (FMO) study. 2011 , 19, 5231-7	40
1308	Synthesis and in vitro evaluation of derivatives of the Endrenergic receptor antagonist HX-CH 44. 2011 , 21, 5506-9	6
1307	Mepyramine-JNJ7777120-hybrid compounds show high affinity to hH(1)R, but low affinity to hH(4)R. 2011 , 21, 6274-80	9
1306	A mhage ^trois made in heaven: G-protein-coupled receptors, lipids and TRP channels. 2011 , 50, 9-26	33
1306 1305	A mhage ^trois made in heaven: G-protein-coupled receptors, lipids and TRP channels. 2011, 50, 9-26 The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are involved in receptor-G-protein coupling. 2011, 23, 1843-9	337
1305	The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are	
1305	The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are involved in receptor-G-protein coupling. 2011 , 23, 1843-9	7
1305 1304	The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are involved in receptor-G-protein coupling. 2011 , 23, 1843-9 Chemogenomic discovery of allosteric antagonists at the GPRC6A receptor. 2011 , 18, 1489-98 Predicted structures and dynamics for agonists and antagonists bound to serotonin 5-HT2B and	7
1305 1304 1303	The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are involved in receptor-G-protein coupling. 2011, 23, 1843-9 Chemogenomic discovery of allosteric antagonists at the GPRC6A receptor. 2011, 18, 1489-98 Predicted structures and dynamics for agonists and antagonists bound to serotonin 5-HT2B and 5-HT2C receptors. Journal of Chemical Information and Modeling, 2011, 51, 420-33 Agonist-bound adenosine A2A receptor structures reveal common features of GPCR activation.	7 30 25
1305 1304 1303 1302	The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are involved in receptor-G-protein coupling. 2011, 23, 1843-9 Chemogenomic discovery of allosteric antagonists at the GPRC6A receptor. 2011, 18, 1489-98 Predicted structures and dynamics for agonists and antagonists bound to serotonin 5-HT2B and 5-HT2C receptors. Journal of Chemical Information and Modeling, 2011, 51, 420-33 Agonist-bound adenosine A2A receptor structures reveal common features of GPCR activation. 2011, 474, 521-5 Supported Lipid Bilayer Electrophoresis for Separation and Analytical Studies of Cell Membrane	7 30 25 685
1305 1304 1303 1302	The hydrophobic amino acids in putative helix 8 in carboxy-terminus of histamine H(3) receptor are involved in receptor-G-protein coupling. 2011, 23, 1843-9 Chemogenomic discovery of allosteric antagonists at the GPRC6A receptor. 2011, 18, 1489-98 Predicted structures and dynamics for agonists and antagonists bound to serotonin 5-HT2B and 5-HT2C receptors. Journal of Chemical Information and Modeling, 2011, 51, 420-33 Agonist-bound adenosine A2A receptor structures reveal common features of GPCR activation. 2011, 474, 521-5 Supported Lipid Bilayer Electrophoresis for Separation and Analytical Studies of Cell Membrane Biomolecules. 2011, 99-121	7 30 25 685 2

1297	Differential response to morphine of the oligomeric state of Eppioid in the presence of Eppioid receptors. 2011 , 50, 2829-37		35
1296	Comparison of common homology modeling algorithms: application of user-defined alignments. 2012 , 857, 399-414		23
1295	Update 1 of: computational modeling approaches to structure-function analysis of G protein-coupled receptors. 2011 , 111, PR438-535		61
1294	Chapter 15:Activation of G Protein-Coupled Receptor (GPCR) Kinases by GPCRs. 2011 , 297-315		1
1293	G protein- and agonist-bound serotonin 5-HT2A receptor model activated by steered molecular dynamics simulations. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 315-25	6.1	44
1292	Snooker: a structure-based pharmacophore generation tool applied to class A GPCRs. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 2277-92	6.1	51
1291	Targeting the histamine H4 receptor. 2011 , 111, 7121-56		44
1290	Conformational dynamics of single G protein-coupled receptors in solution. 2011 , 115, 13328-38		81
1289	Structure of the human histamine H1 receptor complex with doxepin. 2011 , 475, 65-70		630
1288	Lipidic cubic phase technologies for membrane protein structural studies. 2011 , 21, 559-66		165
1287	Human cannabinoid 1 GPCR C-terminal domain interacts with bilayer phospholipids to modulate the structure of its membrane environment. 2011 , 13, 92-8		18
1286	Strategies to discover unexpected targets for drugs active at G protein-coupled receptors. 2011 , 51, 117-44		152
1285	Synthesis of heterologous G protein-coupled receptors in the methylotrophic yeast P. pastoris. 2011 , 441, 280-2		
1284	Protein structure determination by solid-state NMR. 2012 , 326, 187-213		13
1283	Enabling future drug discovery by de novo design. 2011 , 1, 742-759		51
1282	Theoretical studies on the interaction of partial agonists with the 5-HT2A receptor. 2011 , 25, 51-66		16
1281	Interaction of clozapine and its nitrenium ion with rat D2 dopamine receptors: in vitro binding and computational study. 2011 , 25, 163-9		6
1280	Comparison of three GPCR structural templates for modeling of the P2Y12 nucleotide receptor. 2011 , 25, 329-38		30

1279	In silico identification of new ligands for GPR17: a promising therapeutic target for neurodegenerative diseases. 2011 , 25, 743-52	45
1278	Electrostatically-driven fast association and perdeuteration allow detection of transferred cross-relaxation for G protein-coupled receptor ligands with equilibrium dissociation constants in the high-to-low nanomolar range. 2011 , 50, 191-5	18
1277	Synthesis and biological evaluation of 125I-nebivolol as a potential cardioselective agent for imaging 1 -adrenoceptors. 2011 , 289, 239-245	31
1276	Insights into the binding modes of human Endrenergic receptor agonists with ligand-based and receptor-based methods. 2011 , 15, 817-31	8
1275	Insights into subtype selectivity of opioid agonists by ligand-based and structure-based methods. 2011 , 17, 477-93	11
1274	Homology model and docking studies on porcine didrenoceptor: description of two binding sites. 2011 , 17, 2525-38	8
1273	Ligand supported homology modeling and docking evaluation of CCR2: docked pose selection by consensus scoring. 2011 , 17, 2707-16	16
1272	Modeling of ligand binding to G protein coupled receptors: cannabinoid CB1, CB2 and adrenergic [] 2 AR. 2011 , 17, 2353-66	27
1271	Towards non-peptide ANG II AT1 receptor antagonists based on urocanic acid: rational design, synthesis and biological evaluation. 2011 , 40, 411-20	8
1270	Chiral Separation of EAdrenergic Blockers in Human Plasma by SPE-HPLC. 2011 , 73, 251-256	60
1269	Conserved amino acids participate in the structure networks deputed to intramolecular communication in the lutropin receptor. 2011 , 68, 1227-39	46
1268	Light on the structure of thromboxane Affeceptor heterodimers. 2011 , 68, 3109-20	21
1267	Activation of protease-activated receptor (PAR) 1 by frog trefoil factor (TFF) 2 and PAR4 by human TFF2. 2011 , 68, 3771-80	29
1266	Homology modeling of human CCR2 receptor. 2011 , 20, 1704-1712	8
1265	Role of the second and third extracellular loops of the histamine H(4) receptor in receptor activation. 2011 , 384, 301-17	19
1264	Effects of lipid-analog detergent solubilization on the functionality and lipidic cubic phase mobility of the Torpedo californica nicotinic acetylcholine receptor. 2011 , 243, 47-58	8
1263	Membrane protein dynamics in different environments: simulation study of the outer membrane protein X in a lipid bilayer and in a micelle. 2011 , 40, 39-58	13
1262	Effect of dehydroleucodine on intestinal transit: structural basis of the interaction with the (型)-adrenergic receptor. 2011 , 40, 981-6	1

1261	Structural determinants of the alpha2 adrenoceptor subtype selectivity. 2011 , 29, 1030-8	13
1260	Hydrogen/deuterium exchange mass spectrometry and optical spectroscopy as complementary tools for studying the structure and dynamics of a membrane protein. 2011 , 302, 3-11	20
1259	Cell-free synthesis of a functional G protein-coupled receptor complexed with nanometer scale bilayer discs. 2011 , 11, 57	48
1258	Evaluation of the Pichia pastoris expression system for the production of GPCRs for structural analysis. 2011 , 10, 24	28
1257	Automated sample-scanning methods for radiation damage mitigation and diffraction-based centering of macromolecular crystals. 2011 , 18, 717-22	57
1256	GPCR-SSFE: a comprehensive database of G-protein-coupled receptor template predictions and homology models. 2011 , 12, 185	46
1255	ss-TEA: Entropy based identification of receptor specific ligand binding residues from a multiple sequence alignment of class A GPCRs. 2011 , 12, 332	20
1254	[Structure and evolution of adrenergic receptors]. 2011 , 40, 470-3	1
1253	Why are polar residues within the membrane core evolutionary conserved?. 2011 , 79, 79-91	36
1252	Distinct second extracellular loop structures of the brain cannabinoid CB(1) receptor: implication in ligand binding and receptor function. 2011 , 79, 581-97	3
1251	Simplified modeling approach suggests structural mechanisms for constitutive activation of the C5a receptor. 2011 , 79, 787-802	6
1250	Modeling GPCR active state conformations: the (卫)-adrenergic receptor. 2011 , 79, 1441-57	23
1249	Predicted structures of agonist and antagonist bound complexes of adenosine A3 receptor. 2011 , 79, 1878-97	27
1248	Progress in the structural prediction of G protein-coupled receptors: D3 receptor in complex with eticlopride. 2011 , 79, 1695-703	21
1247	Molecular modeling study of the opioid receptor interactions with series of cyclic deltorphin analogues. 2011 , 17, 554-64	
1246	Polymer-based cell-free expression of ligand-binding family B G-protein coupled receptors without detergents. 2011 , 20, 1030-41	41
1245	An approach to crystallizing proteins by metal-mediated synthetic symmetrization. 2011 , 20, 1876-90	54
1244	Proteins, lipids, and water in the gas phase. 2011 , 11, 50-9	65

1243	Challenges and advances in computational docking: 2009 in review. 2011 , 24, 149-64	210
1242	Differential Virtual Screening (DVS) with Active and Inactive Molecular Models for Finding and Profiling GPCR Modulators: Case of the CCK1 Receptor. 2011 , 30, 345-58	4
1241	Evaluation of 1-arylpiperazine derivative of hydroxybenzamides as 5-HT1A and 5-HT7 serotonin receptor ligands: An experimental and molecular modeling approach. 2011 , 48, 192-198	23
1240	Mapping the catechol binding site in dopamine Direceptors: synthesis and evaluation of two parallel series of bicyclic dopamine analogues. 2011 , 6, 1024-40	17
1239	Structure-based discovery of allosteric modulators of two related class B G-protein-coupled receptors. 2011 , 6, 2159-69	57
1238	Substructure-based virtual screening for adenosine A2A receptor ligands. 2011 , 6, 2302-11	21
1237	Applying in silico tools to the discovery of novel CXCR4 inhibitors. 2011 , 72, 95-111	3
1236	Optochemische Genetik. 2011 , 123, 12362-12390	86
1235	Optochemical genetics. 2011 , 50, 12156-82	306
1234	Solution conformation of non-mammalian tachykinin physalaemin in lipid micelles by nuclear magnetic resonance. 2011 , 96, 252-9	3
1233	Comparison analysis of primary ligand-binding sites in seven-helix membrane proteins. 2011 , 95, 31-8	1
1232	Expression and biophysical analysis of a triple-transmembrane domain-containing fragment from a yeast G protein-coupled receptor. 2011 , 96, 757-71	9
1231	Metabolites as global regulators: a new view of protein regulation: systematic investigation of metabolite-protein interactions may help bridge the gap between genome-wide association studies and small molecule screening studies. 2011 , 33, 485-9	28
1230	A chimeric GPCR model mimicking the ligand binding site of the human Y1 receptor studied by NMR spectroscopy. 2011 , 12, 1690-3	4
1229	Effect of fenoterol stereochemistry on the 🛭 adrenergic receptor system: ligand-directed chiral recognition. 2011 , 23 Suppl 1, E1-6	11
1228	Site-specific in vitro and in vivo incorporation of molecular probes to study G-protein-coupled receptors. 2011 , 15, 392-8	37
1227	Structure-based druggability assessmentidentifying suitable targets for small molecule therapeutics. 2011 , 15, 463-8	121
1226	Evidence from Chlamydomonas on the photoactivation of rhodopsins without isomerization of their chromophore. 2011 , 18, 733-42	3

1225	Design driven HtL: The discovery and synthesis of new high efficacy 🗟 gonists. 2011 , 21, 4027-31	19
1224	Binding specificity of the ectodomain of the parathyroid hormone receptor. 2011 , 154, 66-72	8
	Theoretical study of 3-D molecular similarity and ligand binding modes of orthologous human and rat D2 dopamine receptors. 2011 , 41, 537-45	13
1222	Biacore analysis with stabilized G-protein-coupled receptors. 2011 , 409, 267-72	56
	Docking-based virtual screening for ligands of G protein-coupled receptors: not only crystal structures but also in silico models. 2011 , 29, 614-23	58
	Studying the catechol binding cavity in comparative models of human dopamine D2 receptor. 2011 , 29, 685-92	6
1219	In silico analysis of the binding of agonists and blockers to the 2 -adrenergic receptor. 2011 , 29, 809-17	43
	Structure-function relationships of the human bitter taste receptor hTAS2R1: insights from molecular modeling studies. 2011 , 31, 229-40	17
	Third-generation long-acting 卧drenoceptor agonists: medicinal chemistry strategies employed in the identification of once-daily inhaled 卧drenoceptor agonists. 2011 , 3, 1607-22	13
	Present perspectives on the automated classification of the G-protein coupled receptors (GPCRs) at the protein sequence level. 2011 , 11, 1994-2009	4
	Regulation of G-Protein-Coupled Receptor Signalling by the Scaffolding Proteins Spinophilin/Neurabin 2 and Neurabin 1. 2011 , 5,	
	Structural, dynamic, and functional aspects of helix association in membranes: a computational view. 2011 , 83, 129-61	10
1213	Historical perspective for understanding of adrenergic receptors. 2011 , 67, 1-17	4
1212	Organizational complexity of Eadrenergic receptor signaling systems. 2011 , 67, 19-49	3
1211	Pre- versus postsynaptic signaling by {2)-adrenoceptors. 2011 , 67, 139-60	11
1210	Molecular pharmacology, physiology, and structure of the P2Y receptors. 2011 , 61, 373-415	96
	Multiscale computational methods for mapping conformational ensembles of G-protein-coupled receptors. 2011 , 85, 253-80	5
	Minireview: recent developments in the physiology and pathology of the lysophosphatidylinositol-sensitive receptor GPR55. 2011 , 25, 1835-48	115

1207	The hinge region of the TSH receptor stabilizes ligand binding and determines different signaling profiles of human and bovine TSH. 2011 , 152, 3986-96	11
1206	Oligomerization of G protein-coupled receptors: computational methods. 2011 , 18, 4588-605	28
1205	Drug design of GPCR ligands using physicogenetics and chemogenomicsprinciples and case studies. 2011 , 11, 1882-901	12
1204	G protein-coupled receptor transmembrane binding pockets and their applications in GPCR research and drug discovery: a survey. 2011 , 11, 1902-24	17
1203	A ligand's view of target similarity: chemogenomic binding site-directed techniques for drug discovery. 2011 , 11, 1872-81	13
1202	Cell signalling caught in the act. 2011 , 475, 273-4	2
1201	Pathway and mechanism of drug binding to G-protein-coupled receptors. 2011 , 108, 13118-23	544
1200	Lipid cubic phase as a membrane mimetic for integral membrane protein enzymes. 2011 , 108, 8639-44	52
1199	Multiple ligand-specific conformations of the ᠒-adrenergic receptor. 2011 , 7, 692-700	204
1198	Beta-arrestin2 as a competitor for GRK2 interaction with the GLP-1 receptor upon receptor activation. 2011 , 88, 174-81	16
1197	Loss of the C terminus of melanocortin receptor 2 (MC2R) results in impaired cell surface expression and ACTH insensitivity. 2011 , 96, E65-72	10
1196	Molecular basis of secretin docking to its intact receptor using multiple photolabile probes distributed throughout the pharmacophore. 2011 , 286, 23888-99	28
1195	Role of the transmembrane domain 4/extracellular loop 2 junction of the human gonadotropin-releasing hormone receptor in ligand binding and receptor conformational selection. 2011 , 286, 34617-26	11
1194	Analysis of multiple compound-protein interactions reveals novel bioactive molecules. 2011 , 7, 472	102
1193	GPCR Conformations: Implications for Rational Drug Design. 2011 , 4, 7-43	14
1192	Soft X-ray Laser Microscopy of Lipid Rafts towards GPCR-Based Drug Discovery Using Time-Resolved FRET Spectroscopy. 2011 , 4, 524-550	78
1191	In Silico Veritas: The Pitfalls and Challenges of Predicting GPCR-Ligand Interactions. 2011 , 4, 1196-1215	16
1190	WDR36 acts as a scaffold protein tethering a G-protein-coupled receptor, Ga and phospholipase Clin a signalling complex. 2011 , 124, 3292-304	20

1189	recognition site. 2011 , 79, 701-9	23
1188	Structural model of ligand-G protein-coupled receptor (GPCR) complex based on experimental double mutant cycle data: MT7 snake toxin bound to dimeric hM1 muscarinic receptor. 2011 , 286, 31661-75	33
1187	Crystallizing membrane proteins for structure-function studies using lipidic mesophases. 2011 , 39, 725-32	41
1186	Comparative modeling: the state of the art and protein drug target structure prediction. 2011 , 14, 532-47	33
1185	Cholesterol-induced conformational changes in the oxytocin receptor. 2011 , 437, 541-53	27
1184	Chemogenomic approaches for the exploration of GPCR space. 2011 , 11, 1944-55	10
1183	Templates and models of monoamine transporter proteins. 2011 , 18, 4651-8	
1182	Activation mechanism of the 🛭-adrenergic receptor. 2011 , 108, 18684-9	395
1181	Beta2-adrenergic receptor lysosomal trafficking is regulated by ubiquitination of lysyl residues in two distinct receptor domains. 2011 , 286, 12785-95	45
1180	Alpha2B-adrenergic receptor interaction with tubulin controls its transport from the endoplasmic reticulum to the cell surface. 2011 , 286, 14080-9	36
1179	From molecular details of the interplay between transmembrane helices of the thyrotropin receptor to general aspects of signal transduction in family a G-protein-coupled receptors (GPCRs). 2011 , 286, 25859-71	20
1178	Engineering a prokaryotic Cys-loop receptor with a third functional domain. 2011 , 286, 34635-42	27
1177	Recognition in the face of diversity: interactions of heterotrimeric G proteins and G protein-coupled receptor (GPCR) kinases with activated GPCRs. 2011 , 286, 7715-7721	49
1176	Allosteric and orthosteric sites in CC chemokine receptor (CCR5), a chimeric receptor approach. 2011 , 286, 37543-54	37
1175	Two distinct conformations of helix 6 observed in antagonist-bound structures of a beta1-adrenergic receptor. 2011 , 108, 8228-32	154
1174	Regulation of human EGF receptor by lipids. 2011 , 108, 9044-8	217
1173	Structural Biology of Membrane Proteins. 2011 , 249-273	2
1172	Structural Insights for Homology Modeling of Chemokine Receptors. 2011 , 33-50	

1171	Expression and Purification of G-Protein-Coupled Receptors for Nuclear Magnetic Resonance Structural Studies. 2011 , 297-316	3
1170	Bacterial Systems. 2011 , 11-35	3
1169	Human genetic polymorphisms in T1R1 and T1R3 taste receptor subunits affect their function. 2011 , 36, 527-37	50
1168	Predicting novel binding modes of agonists to ladrenergic receptors using all-atom molecular dynamics simulations. 2011 , 7, e1001053	33
1167	Ligand-induced modulation of the free-energy landscape of G protein-coupled receptors explored by adaptive biasing techniques. 2011 , 7, e1002193	63
1166	Efficient Synthesis of Unsaturated 1-Monoacyl Glycerols for in meso Crystallization of Membrane Proteins. 2010 , 2011, 809-812	7
1165	NMR structures of polytopic integral membrane proteins. 2011 , 28, 370-97	16
1164	GPCRs Revisited: New Insights Lead to Novel Drugs. 2011 , 4, 244-272	14
1163	The structure of the adenosine receptors: implications for drug discovery. 2011 , 61, 1-40	9
1162	Conversion of scFv peptide-binding specificity for crystal chaperone development. 2011 , 24, 419-28	11
1161	Differential determinants for coupling of distinct G proteins with the class B secretin receptor. 2012 , 302, C1202-12	18
1160	GDP release preferentially occurs on the phosphate side in heterotrimeric G-proteins. 2012 , 8, e1002595	16
1159	Ligand-dependent conformations and dynamics of the serotonin 5-HT(2A) receptor determine its activation and membrane-driven oligomerization properties. 2012 , 8, e1002473	84
1158	Molecular modeling of the M3 acetylcholine muscarinic receptor and its binding site. 2012 , 2012, 789741	9
1157	A novel evolutionarily conserved domain of cell-adhesion GPCRs mediates autoproteolysis. 2012 , 31, 1364-78	243
1156	Structure-function dissection of the frizzled receptor in Drosophila melanogaster suggests different mechanisms of action in planar polarity and canonical Wnt signaling. 2012 , 192, 1295-313	12
1155	A novel G protein-coupled receptor of Schistosoma mansoni (SmGPR-3) is activated by dopamine and is widely expressed in the nervous system. 2012 , 6, e1523	31
1154	News in brief. 2012 , 11, 821-821	2

1153	Functions of transmembrane domain 3 of human melanocortin-4 receptor. 2012 , 49, 221-35	34
1152	Small molecule drug discovery at the glucagon-like peptide-1 receptor. 2012 , 2012, 709893	53
1151	Adrenergic Action in Breast Cancer. 2012 , 8, 90-99	2
1150	Pleiotropic functions of the transmembrane domain 6 of human melanocortin-4 receptor. 2012 , 49, 237-48	25
1149	Molecular docking of opiates and opioid peptides, a tool for the design of selective agonists and antagonists, and for the investigation of atypical ligand-receptor interactions. 2012 , 19, 1587-601	24
1148	Structure-based design in the GPCR target space. 2012 , 19, 544-56	20
1147	Clinical implications of recent insights into the structural biology of beta2 adrenoceptors. 2012 , 13, 1336-46	6
1146	Compound activity prediction using models of binding pockets or ligand properties in 3D. 2012 , 12, 1869-82	33
1145	Functional selectivity in GPCR signaling: understanding the full spectrum of receptor conformations. 2012 , 12, 817-30	20
1144	The G-protein coupled receptor family: actors with many faces. 2012 , 18, 175-85	28
1143	Study on CCR5 analogs and affinity peptides. 2012 , 25, 97-105	3
1142	Ice breaking in GPCR structural biology. 2012 , 33, 324-34	39
1141	The essential role for aromatic cluster in the B adrenergic receptor. 2012, 33, 1062-8	3
1140	Modeling and simulation studies of human B adrenergic receptor and its interactions with agonists. 2012 , 8, 283-95	4
1139	Automatic modeling of mammalian olfactory receptors and docking of odorants. 2012, 25, 377-86	47
1138	Allostery. 2012,	4
1137	Probing the interaction of SR141716A with the CB1 receptor. 2012 , 287, 38741-54	13
1136	Identification of three residues essential for 5-hydroxytryptamine 2A-metabotropic glutamate 2 (5-HT2AľmGlu2) receptor heteromerization and its psychoactive behavioral function. 2012 , 287, 44301-19	94

1135	Molecular characterization of oxysterol binding to the Epstein-Barr virus-induced gene 2 (GPR183). 2012 , 287, 35470-35483	35
1134	Turning receptors on and off with intracellular pepducins: new insights into G-protein-coupled receptor drug development. 2012 , 287, 12787-96	113
1133	The extracellular loops of Smoothened play a regulatory role in control of Hedgehog pathway activation. 2012 , 139, 612-21	25
1132	Cholesterol increases kinetic, energetic, and mechanical stability of the human 🛭 -adrenergic receptor. 2012 , 109, E3463-72	121
1131	Modulation of constitutive activity and signaling bias of the ghrelin receptor by conformational constraint in the second extracellular loop. 2012 , 287, 33488-502	30
1130	Ring substituents on substituted benzamide ligands indirectly mediate interactions with position 7.39 of transmembrane helix 7 of the D4 dopamine receptor. 2012 , 342, 472-85	8
1129	Identification of structural motifs critical for epstein-barr virus-induced molecule 2 function and homology modeling of the ligand docking site. 2012 , 82, 1094-103	13
1128	Naturally evolved G protein-coupled receptors adopt metastable conformations. 2012 , 109, 13284-9	40
1127	Crucial role of copper in detection of metal-coordinating odorants. 2012 , 109, 3492-7	89
1126	Pharmacological characterization and modeling of the binding sites of novel 1,3-bis(pyridinylethynyl)benzenes as metabotropic glutamate receptor 5-selective negative allosteric modulators. 2012 , 82, 929-37	32
1125	The thyrotropin receptor hinge region as a surrogate ligand: identification of loci contributing to the coupling of thyrotropin binding and receptor activation. 2012 , 153, 5058-67	9
1124	Catecholamines. 2012 , 283-299	7
1123	Spatial proximity between the VPAC1 receptor and the amino terminus of agonist and antagonist peptides reveals distinct sites of interaction. 2012 , 26, 2060-71	21
1122	Differential sensitivity of types 1 and 2 cholecystokinin receptors to membrane cholesterol. 2012 , 53, 137-48	40
1121	Intracellular Loop 2 Peptides of the Human 5HT1a Receptor are Differential Activators of Gi. 2012 , 2012, 490734	2
1120	The arginine of the DRY motif in transmembrane segment III functions as a balancing micro-switch in the activation of the 🛭 -adrenergic receptor. 2012 , 287, 31973-82	24
1119	Ligand-mimicking receptor variant discloses binding and activation mode of prolactin-releasing peptide. 2012 , 287, 32181-94	7
1118	PheVI:09 (Phe6.44) as a sliding microswitch in seven-transmembrane (7TM) G protein-coupled receptor activation. 2012 , 287, 43516-26	27

1117	Induction of intracellular calcium concentration by environmental benzo(a)pyrene involves a 2-adrenergic receptor/adenylyl cyclase/Epac-1/inositol 1,4,5-trisphosphate pathway in endothelial cells. 2012 , 287, 4041-52		47
1116	Evolution of class A G-protein-coupled receptors: implications for molecular modeling. 2012 , 19, 1110-8		10
1115	Homology Modeling and Antagonist Binding Site Study of the Human Histamine H2 Receptor. 2012 , 8, 1084-1092		2
1114	A closer look into G protein coupled receptor activation: X-ray crystallography and long-scale molecular dynamics simulations. 2012 , 19, 1135-45		16
1113	Recent progress in understanding of structure, ligand interactions and the mechanism of activation of the 🗈 drenergic receptor. 2012 , 19, 1155-63		15
1112	The family B1 GPCR: structural aspects and interaction with accessory proteins. 2012, 13, 103-15		36
1111	Action of molecular switches in GPCRstheoretical and experimental studies. 2012 , 19, 1090-109		298
1110	Harvesting and cryo-cooling crystals of membrane proteins grown in lipidic mesophases for structure determination by macromolecular crystallography. 2012 , e4001		35
1109	9.8 G Protein Coupled Receptors. 2012 , 123-148		
1108	G-protein-coupled receptors signal victory. 2012 , 151, 1148-50		12
1108	Studies on the interactions between A adrenergic recentor and Gs protein by molecular dynamics	6.1	12 36
	Studies on the interactions between 2 adrenergic receptor and Gs protein by molecular dynamics	6.1	
1107	Studies on the interactions between 2 adrenergic receptor and Gs protein by molecular dynamics simulations. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 1005-14 Allosteric modulation of seven transmembrane spanning receptors: theory, practice, and	6.1	36
1107	Studies on the interactions between 2 adrenergic receptor and Gs protein by molecular dynamics simulations. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 1005-14 Allosteric modulation of seven transmembrane spanning receptors: theory, practice, and opportunities for central nervous system drug discovery. 2012 , 55, 1445-64 Membrane protein structure determination using crystallography and lipidic mesophases: recent	6.1	36 184
1107 1106 1105	Studies on the interactions between 2 adrenergic receptor and Gs protein by molecular dynamics simulations. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 1005-14 Allosteric modulation of seven transmembrane spanning receptors: theory, practice, and opportunities for central nervous system drug discovery. 2012 , 55, 1445-64 Membrane protein structure determination using crystallography and lipidic mesophases: recent advances and successes. 2012 , 51, 6266-88 Design and synthesis of lipids for the fabrication of functional lipidic cubic-phase biomaterials. 2012	6.1	36 184 96
1107 1106 1105	Studies on the interactions between 2 adrenergic receptor and Gs protein by molecular dynamics simulations. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 1005-14 Allosteric modulation of seven transmembrane spanning receptors: theory, practice, and opportunities for central nervous system drug discovery. 2012 , 55, 1445-64 Membrane protein structure determination using crystallography and lipidic mesophases: recent advances and successes. 2012 , 51, 6266-88 Design and synthesis of lipids for the fabrication of functional lipidic cubic-phase biomaterials. 2012 , 77, 10583-95 Cholesterol and sphingomyelin drive ligand-independent T-cell antigen receptor nanoclustering. 2012 , 287, 42664-74	6.1	36 184 96
1107 1106 1105 1104 1103	Studies on the interactions between 2 adrenergic receptor and Gs protein by molecular dynamics simulations. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 1005-14 Allosteric modulation of seven transmembrane spanning receptors: theory, practice, and opportunities for central nervous system drug discovery. 2012 , 55, 1445-64 Membrane protein structure determination using crystallography and lipidic mesophases: recent advances and successes. 2012 , 51, 6266-88 Design and synthesis of lipids for the fabrication of functional lipidic cubic-phase biomaterials. 2012 , 77, 10583-95 Cholesterol and sphingomyelin drive ligand-independent T-cell antigen receptor nanoclustering. 2012 , 287, 42664-74	6.1	36 184 96 15 98

1099	Cyclopropane-based stereochemical diversity-oriented conformational restriction strategy: histamine H3 and/or H4 receptor ligands with the 2,3-methanobutane backbone. 2012 , 10, 736-45	12
1098	Flexible P-type ATPases interacting with the membrane. 2012 , 22, 491-9	20
1097	Target based virtual screening by docking into automatically generated GPCR models. 2012, 914, 255-70	1
1096	Chapter 7:A Nuclear G Protein-coupled Estrogen Receptor, GPER. Homology Modeling Studies Toward Its Ligand-binding Mode Characterization. 2012 , 117-137	5
1095	C(X)CR in silico: Computer-aided prediction of chemokine receptor-ligand interactions. 2012 , 9, e227-314	16
1094	Predicted structure of agonist-bound glucagon-like peptide 1 receptor, a class B G protein-coupled receptor. 2012 , 109, 19988-93	41
1093	Crystal structure of a lipid G protein-coupled receptor. <i>Science</i> , 2012 , 335, 851-5	538
1092	Molecular basis for binding and subtype selectivity of 1,4-benzodiazepine antagonist ligands of the cholecystokinin receptor. 2012 , 287, 18618-35	19
1091	Comparison of the binding and functional properties of two structurally different D2 dopamine receptor subtype selective compounds. 2012 , 3, 1050-62	25
1090	Synthesis, biological evaluation, and docking studies of tetrahydrofuran- cyclopentanone- and cyclopentanol-based ligands acting at adrenergic Hand serotonine 5-HT1A receptors. 2012 , 55, 23-36	33
1089	Die sieben Sülen der molekularen Pharmakologie: GPCR-Forschung mit Chemie-Nobelpreis geehrt. 2012 , 124, 12338-12341	6
1088	The seven pillars of molecular pharmacology: GPCR research honored with Nobel Prize for chemistry. 2012 , 51, 12172-5	11
1087	Neuropeptides and neuropeptide receptors: drug targets, and peptide and non-peptide ligands: a tribute to Prof. Dieter Seebach. 2012 , 9, 2367-87	67
1086	In silico and in vitro pharmacological investigations of a natural alkaloid. 2012 , 21, 4100-4107	
1085	Antibodies to cardiac receptors. 2012 , 37, 843-8	6
1084	Homology modeling of the human 5-HT1A, 5-HT 2A, D1, and D2 receptors: model refinement with molecular dynamics simulations and docking evaluation. 2012 , 18, 3639-55	24
1083	In silico investigation of interactions between human cannabinoid receptor-1 and its antagonists. 2012 , 18, 3831-45	6
1082	Fractal dimension as a measure of surface roughness of G protein-coupled receptors: implications for structure and function. 2012 , 18, 4465-75	14

1081	Restructuring G-protein- coupled receptor activation. 2012 , 151, 14-23	208
1080	Fragment screening at adenosine-A(3) receptors in living cells using a fluorescence-based binding assay. 2012 , 19, 1105-15	67
1079	Ligand and decoy sets for docking to G protein-coupled receptors. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 1-6	88
1078	Fabrication of X-ray compatible microfluidic platforms for protein crystallization. 2012 , 174, 1-9	53
1077	The role of protein structural analysis in the next generation sequencing era. 2014 , 336, 67-98	12
1076	Oxysterols are allosteric activators of the oncoprotein Smoothened. 2012 , 8, 211-20	201
1075	Insertion of T4-lysozyme (T4L) can be a useful tool for studying olfactory-related GPCRs. 2012 , 8, 1750-9	11
1074	Synthesis of dual AChE/5-HT4 receptor multi-target directed ligands. 2012 , 3, 627	14
1073	High-throughput analysis of the structural evolution of the monoolein cubic phase in situ under crystallogenesis conditions. 2012 , 8, 2310	30
1072	Post-translational modifications of the serotonin type 4 receptor heterologously expressed in mouse rod cells. 2012 , 51, 214-24	12
1071	An aromatic region to induce a switch between agonism and inverse agonism at the ghrelin receptor. 2012 , 55, 7437-49	39
1070	Identification of cholesterol binding sites in the serotonin1A receptor. 2012 , 116, 12991-6	113
1069	Selective mode of action of guanidine-containing non-peptides at human NPFF receptors. 2012 , 55, 6124-36	17
1068	Evolutionarily conserved residues at glucagon-like peptide-1 (GLP-1) receptor core confer ligand-induced receptor activation. 2012 , 287, 3873-84	19
1067	Second extracellular loop of human glucagon-like peptide-1 receptor (GLP-1R) has a critical role in GLP-1 peptide binding and receptor activation. 2012 , 287, 3642-58	74
1066	New insights for drug design from the X-ray crystallographic structures of G-protein-coupled receptors. 2012 , 82, 361-71	75
1065	A structure-based approach to understanding somatostatin receptor-4 agonism (sst4). <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 171-86	16
1064	Synthesis and pharmacological evaluation of dual acting antioxidant A(2A) adenosine receptor agonists. 2012 , 55, 3521-34	17

1063	Predictions for cholesterol interaction sites on the A2A adenosine receptor. 2012 , 134, 16512-5	81
1062	Structural transitions of transmembrane helix 6 in the formation of metarhodopsin I. 2012 , 116, 10477-89	16
1061	Imaging of protein crystals with two-photon microscopy. 2012 , 51, 1625-37	24
1060	Microscopic binding of M5 muscarinic acetylcholine receptor with antagonists by homology modeling, molecular docking, and molecular dynamics simulation. 2012 , 116, 532-41	10
1059	Synthesis and structure-affinity relationships of selective high-affinity 5-HT(4) receptor antagonists: application to the design of new potential single photon emission computed tomography tracers. 2012 , 55, 9693-707	70
1058	Homology model-assisted elucidation of binding sites in GPCRs. 2012 , 914, 179-205	31
1057	Mistic and TarCF as fusion protein partners for functional expression of the cannabinoid receptor 2 in Escherichia coli. 2012 , 83, 128-34	13
1056	An expression and purification system for the biosynthesis of adenosine receptor peptides for biophysical and structural characterization. 2012 , 84, 224-35	3
1055	Ligand-specific interactions modulate kinetic, energetic, and mechanical properties of the human darenergic receptor. 2012 , 20, 1391-402	79
1054	A fluorescence-detection size-exclusion chromatography-based thermostability assay for membrane protein precrystallization screening. 2012 , 20, 1293-9	172
1053	Diversity and modularity of G protein-coupled receptor structures. 2012 , 33, 17-27	348
1052	Domain coupling in GPCRs: the engine for induced conformational changes. 2012 , 33, 79-88	59
1051	New insights from structural biology into the druggability of G protein-coupled receptors. 2012 , 33, 249-60	150
1050	Biomolecular membrane protein crystallization. 2012 , 92, 2648-2661	9
1049	Ligand binding and activation of the secretin receptor, a prototypic family B G protein-coupled receptor. 2012 , 166, 18-26	13
1048	Conformational switches in the VPAC(1) receptor. 2012 , 166, 79-84	5
1047	Effects of palmitoylation of Cys(415) in helix 8 of the CB(1) cannabinoid receptor on membrane localization and signalling. 2012 , 165, 2635-51	45
1046	Reversed binding of a small molecule ligand in homologous chemokine receptors - differential role of extracellular loop 2. 2012 , 166, 258-75	13

(2012-2012)

1045	Drug-like actions of autoantibodies against receptors of the autonomous nervous system and their impact on human heart function. 2012 , 166, 847-57	25
1044	Ensemble of G protein-coupled receptor active states. 2012 , 19, 1146-54	36
1043	Vibrationally assisted electron transfer mechanism of olfaction: myth or reality?. 2012, 14, 13861-71	47
1042	Membrane Protein Structure and Dynamics. 2012 ,	6
1041	Comparative modeling of lipid receptors. 2012 , 914, 207-18	2
1040	Structure prediction of G protein-coupled receptors and their ensemble of functionally important conformations. 2012 , 914, 237-54	22
1039	Cholesterol level influences opioid signaling in cell models and analgesia in mice and humans. 2012 , 53, 1153-62	26
1038	Peptides from second extracellular loop of C-C chemokine receptor type 5 (CCR5) inhibit diverse strains of HIV-1. 2012 , 287, 15076-86	20
1037	Chemokine receptor antagonists. 2012 , 55, 9363-92	78
1036	Dopamine D1 receptor and serotonin 5-HT1A receptor agonist effects of the natural product (I) stepholidine: molecular modelling and dynamics simulations. 2012 , 38, 970-979	1
1035	Glycines: role in Helical membrane protein structures and a potential indicator of native conformation. 2012 , 51, 4779-89	54
1034	Identifying functionally important conformational changes in proteins: activation of the yeast Factor receptor Ste2p. 2012 , 418, 367-78	6
1033	Maximizing detergent stability and functional expression of a GPCR by exhaustive recombination and evolution. 2012 , 422, 414-28	46
1032	Derivatives of Ergot-alkaloids: Molecular structure, physical properties, and structureEctivity relationships. 2012 , 1024, 18-31	4
1031	Transient transfection coupled to baculovirus infection for rapid protein expression screening in insect cells. 2012 , 179, 46-55	18
1030	Lipid-protein interactions in biological membranes: a dynamic perspective. 2012 , 1818, 172-7	67
1029	Artificial membrane-like environments for in vitro studies of purified G-protein coupled receptors. 2012 , 1818, 225-33	65
1028	Molecular simulations and solid-state NMR investigate dynamical structure in rhodopsin activation. 2012 , 1818, 241-51	26

1027	Optimization of purification and refolding of the human chemokine receptor CXCR1 improves the stability of proteoliposomes for structure determination. 2012 , 1818, 584-91	30
1026	The role of cholesterol on the activity and stability of neurotensin receptor 1. 2012 , 1818, 2228-33	58
1025	Three-dimensional structures of membrane proteins from genomic sequencing. 2012, 149, 1607-21	395
1024	Structure and activation of rhodopsin. 2012 , 33, 291-9	42
1023	Structure of the agonist-bound neurotensin receptor. 2012 , 490, 508-13	381
1022	Revisiting the homology modeling of G-protein coupled receptors: 11-adrenoceptor as an example. 2012 , 8, 1686-93	6
1021	Interleukin-1Icauses anxiety by interacting with the endocannabinoid system. 2012 , 32, 13896-905	72
1020	Enhanced early expression of membrane receptors with the Rous sarcoma virus promoter in baculovirus-infected insect cells. 2012 , 59, 314-21	
1019	Large multiple transmembrane domain fragments of a G protein-coupled receptor: biosynthesis, purification, and biophysical studies. 2012 , 98, 485-500	6
1018	Homology Modeling and Validation of the Human M1 Muscarinic Acetylcholine Receptor. 2012, 31, 635-8	3
1017	Molecular Structure of P2Y Receptors: Mutagenesis, Modeling, and Chemical Probes. 2012 , 1, 815	20
1016	Platform for the rapid construction and evaluation of GPCRs for crystallography in Saccharomyces cerevisiae. 2012 , 11, 78	37
1015	Structure-function studies of muscarinic acetylcholine receptors. 2012 , 29-48	14
1014	G Protein-Coupled Receptors. 2012 , 31-70	
1013	Efficacy of the Endrenergic receptor is determined by conformational equilibrium in the transmembrane region. <i>Nature Communications</i> , 2012 , 3, 1045	136
1012	Role of glycosphingolipids in the function of human serotonin receptors. 2012, 123, 716-24	22
1011	The best of both worlds? Bitopic orthosteric/allosteric ligands of g protein-coupled receptors. 2012 , 52, 153-78	133
1010	Melanin concentrating hormone receptor 1 (MCHR1) antagonists-Still a viable approach for obesity treatment?. 2012 , 22, 6039-47	35

1009	Effects of the Egonist, isoprenaline, on the down-regulation, functional responsiveness and trafficking of 2 -adrenergic receptors with N-terminal polymorphisms. 2012 , 36, 1171-83	8
1008	Nobel Prize for Chemistry 2012: GPCRs seen through a crystal ball. 2012 , 68, 1439-40	
1007	Non-HLA-antibodies targeting Angiotensin type 1 receptor and antibody mediated rejection. 2012 , 73, 1282-6	37
1006	Membrane cholesterol stabilizes the human serotonin(1A) receptor. 2012 , 1818, 2936-42	55
1005	A crystal clear solution for determining G-protein-coupled receptor structures. 2012 , 37, 343-52	101
1004	Multiple regulatory roles of the carboxy terminus of Ste2p a yeast GPCR. 2012 , 65, 31-40	17
1003	Agonist-bound structures of G protein-coupled receptors. 2012 , 22, 482-90	85
1002	Micro-crystallography comes of age. 2012 , 22, 602-12	130
1001	Ligand-specific homology modeling of human cannabinoid (CB1) receptor. 2012 , 38, 155-64	13
1000	Identification of structural determinants of ligand selectivity in 5-HTIreceptor subtypes on the basis of protein-ligand interactions. 2012 , 38, 342-53	1
999	9.12 Interactions of the Cell Membrane with Integral Proteins. 2012 , 229-242	2
998	1.11 The Hybrid Solution/Solid-State NMR Method for Membrane Protein Structure Determination. 2012 , 182-198	4
997	Effect of lipid architecture on cubic phase susceptibility to crystallisation screens. 2012, 8, 6884	26
996	Synthesis, self-assembly and stimuli responsive properties of cholesterol conjugated polymers. 2012 , 3, 2057	26
995	Study of human Orexin-1 and -2 G-protein-coupled receptors with novel and published antagonists by modeling, molecular dynamics simulations, and site-directed mutagenesis. 2012 , 51, 3178-97	33
994	Crystallization of membrane proteins in bicelles. 2012 , 914, 3-16	13
993	Modeling the structural communication in supramolecular complexes involving GPCRs. 2012 , 914, 319-36	4
992	Controlled in meso phase crystallizationa method for the structural investigation of membrane proteins. 2012 , 7, e35458	13

991	High-throughput screening with a miniaturized radioligand competition assay identifies new modulators of human 2 -adrenoceptors. 2012 , 47, 941-51	7
990	Protein Structure Prediction. 2012,	2
989	Structural determinants of the supramolecular organization of G protein-coupled receptors in bilayers. 2012 , 134, 10959-65	181
988	1.4 X-Ray Crystallography: Crystallization. 2012 , 34-63	
987	Helix 8 of leukotriene B4 receptor 1 inhibits ligand-induced internalization. 2012 , 26, 4068-78	20
986	Neuroendocrine GPCR Signaling. 2012 , 21-53	4
985	Identification of a crucial amino acid in the helix position 6.51 of human tachykinin neurokinin 1 and 3 receptors contributing to the insurmountable mode of antagonism by dual NK/INK (antagonists. 2012 , 55, 5061-76	5
984	A continued saga of Boc5, the first non-peptidic glucagon-like peptide-1 receptor agonist with in vivo activities. 2012 , 33, 148-54	24
983	Assessing the relative stability of dimer interfaces in g protein-coupled receptors. 2012 , 8, e1002649	81
982	Comparative analysis of the heptahelical transmembrane bundles of G protein-coupled receptors. 2012 , 7, e35802	4
981	Small molecules with similar structures exhibit agonist, neutral antagonist or inverse agonist activity toward angiotensin II type 1 receptor. 2012 , 7, e37974	17
980	Activation biosensor for G protein-coupled receptors: a FRET-based m1 muscarinic activation sensor that regulates $G(q)$. 2012 , 7, e45651	11
979	Stabilization of functional recombinant cannabinoid receptor CB(2) in detergent micelles and lipid bilayers. 2012 , 7, e46290	38
978	The role of water in activation mechanism of human N-formyl peptide receptor 1 (FPR1) based on molecular dynamics simulations. 2012 , 7, e47114	21
977	Hybrid molecular mechanics/coarse-grained simulations for structural prediction of G-protein coupled receptor/ligand complexes. 2012 , 7, e47332	38
976	Exploring binding properties of agonists interacting with a Eppioid receptor. 2012 , 7, e52633	6
975	Membrane Domains and the Lipid Raft Concept. 2012 , 20, 4-21	14
974	Structural Diversity in Conserved Regions Like the DRY-Motif among Viral 7TM Receptors-A Consequence of Evolutionary Pressure?. 2012 , 2012, 231813	12

973	Membrane Lipids in the Function of Serotonin and Adrenergic Receptors. 2012, 20, 47-55	73
972	Molecular Modeling and Simulation of Membrane Lipid-Mediated Effects on GPCRs. 2012 , 20, 22-38	22
971	[G protein-coupled receptors in the spotlight]. 2012 , 28, 876-82	3
970	Opioid receptors revealed. 2012, 483, 383	1
969	[Metaphors, naming and new signaling paradigms by G-protein-coupled receptors]. 2012, 28, 801-3	0
968	GPR55 and its Interaction with Membrane Lipids: Comparison with Other Endocannabinoid-Binding Receptors. 2012 , 20, 64-78	35
967	Novel computational methodologies for structural modeling of spacious ligand binding sites of G-protein-coupled receptors: development and application to human leukotriene B4 receptor. 2012 , 2012, 691579	1
966	Human Serotonin 5-HT G Protein-Coupled Receptor Homology Model from the Adrenoceptor Structure: Ligand Docking and Mutagenesis Studies. 2012 , 112, 140	8
965	Bihelix: Towards de novo structure prediction of an ensemble of G-protein coupled receptor conformations. 2012 , 80, 505-18	37
964	Do crystal structures obviate the need for theoretical models of GPCRs for structure-based virtual screening?. 2012 , 80, 1503-21	26
963	Homology modeling and molecular dynamics simulations of the active state of the nociceptin receptor reveal new insights into agonist binding and activation. 2012 , 80, 1948-61	26
962	Structure of a novel PTH-related peptide hPTH' and its interaction with the PTH receptor. 2012 , 18, 413-7	2
961	Molecular Determinants for Ligand Binding at Serotonin 5-HT and 5-HT GPCRs: Experimental Affinity Results Analyzed by Molecular Modeling and Ligand Docking Studies. 2012 , 112, 3807-3814	14
960	Biased signaling pathways in 🛭 -adrenergic receptor characterized by 19F-NMR. <i>Science</i> , 2012 , 335, 1106-39.3	523
959	Structure of the first sphingosine 1-phosphate receptor. <i>Science Signaling</i> , 2012 , 5, pe23 8.8	13
958	Chemistry and biology of multicomponent reactions. 2012 , 112, 3083-135	1678
957	Design and synthesis of a bivalent ligand to explore the putative heterodimerization of the mu opioid receptor and the chemokine receptor CCR5. 2012 , 10, 2633-46	29
956	Structure of the human Eppioid receptor in complex with JDTic. 2012 , 485, 327-32	695

955	Optimization of adenosine 5'-carboxamide derivatives as adenosine receptor agonists using structure-based ligand design and fragment screening. 2012 , 55, 4297-308	55
954	A prospective cross-screening study on G-protein-coupled receptors: lessons learned in virtual compound library design. 2012 , 55, 5311-25	28
953	Conus venom peptide pharmacology. 2012 , 64, 259-98	314
952	Interpreting the structural mechanism of action for MT7 and human muscarinic acetylcholine receptor 1 complex by modeling protein-protein interaction. 2012 , 30, 30-44	6
951	G-protein-coupled receptor dynamics: dimerization and activation models compared with experiment. 2012 , 40, 394-9	13
950	Structural insights into human GPCR protein OA1: a computational perspective. 2012 , 18, 2117-33	9
949	G-protein-coupled receptor inactivation by an allosteric inverse-agonist antibody. 2012 , 482, 237-40	240
948	Structural aspects of MImuscarinic acetylcholine receptor dimer formation and activation. 2012 , 26, 604-16	33
947	Computational studies of the binding modes of CCR1 antagonists. 2012 , 38, 953-960	1
946	Iodine-125-terbutaline (125ITB): a new 🛭 -adrenoceptor probe for lung imaging. 2012 , 55, 289-295	1
945	Molecular Dynamics Simulations of G Protein-Coupled Receptors. 2012 , 31, 222-30	15
944	Molecular determinants of selectivity and efficacy at the dopamine D3 receptor. 2012 , 55, 6689-99	131
943	Binding site characterization of G protein-coupled receptor by alanine-scanning mutagenesis using molecular dynamics and binding free energy approach: application to C-C chemokine receptor-2 (CCR2). 2012 , 16, 401-13	7
942	Membrane Protein Simulations Using AMBER Force Field and Berger Lipid Parameters. 2012 , 8, 948-58	115
941	Molecular insights into the D1R agonist and D2R/D3R antagonist effects of the natural product (-)-stepholidine: molecular modeling and dynamics simulations. 2012 , 116, 8121-30	12
940	Structure of Escherichia coli OmpF porin from lipidic mesophase. 2012 , 178, 311-8	25
939	Vorhersage der Ligandenerkennung in einem Geruchsrezeptor durch Kombination von ortsgerichteter Mutagenese und dynamischer Homologie-Modellierung. 2012 , 124, 1300-1304	9
938	Increased expression of the integral membrane proteins EGFR and FGFR3 in anti-apoptotic Chinese hamster ovary cell lines. 2012 , 59, 155-62	7

937	Rapid and economic chiral-HPLC method of nebivolol enantiomers resolution in dosage formulation. 2012 , 26, 775-80	18
936	Impact of helix irregularities on sequence alignment and homology modeling of G protein-coupled receptors. 2012 , 13, 1393-9	35
935	Investigation of Direceptor-agonist interactions using a combination of pharmacophore and receptor homology modeling. 2012 , 7, 471-82, 338	11
934	Structure-activity relationships for negative allosteric mGluR5 modulators. 2012 , 7, 440-51	16
933	Allostery and the Monod-Wyman-Changeux model after 50 years. 2012 , 41, 103-33	265
932	Allosteric mechanisms of G protein-Coupled Receptor signaling: a structural perspective. 2012 , 796, 133-74	11
931	Fragment-based approaches in drug discovery and chemical biology. 2012 , 51, 4990-5003	315
930	Docking studies of novel pyrazinopyridoindoles class of antihistamines with the homology modelled H(1)-receptor. 2012 , 23, 311-25	14
929	Ligand-based virtual screening approach using a new scoring function. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 963-74	58
928	International Union of Basic and Clinical Pharmacology. LXXXVI. Orexin receptor function, nomenclature and pharmacology. 2012 , 64, 389-420	124
927	Molecular mechanism of ⊞rrestin-biased agonism at seven-transmembrane receptors. 2012 , 52, 179-97	461
926	Identification and characterization of a novel class of atypical dopamine receptor agonists. 2012 , 29, 2264-75	13
925	h☑R-G号 complex: prediction versus crystal structurehow valuable are predictions based on molecular modeling studies?. 2012 , 18, 3439-44	1
924	Biogenic amines and the control of neuromuscular signaling in schistosomes. 2012 , 12, 13-28	19
923	Structural modelling and dynamics of proteins for insights into drug interactions. 2012 , 64, 323-43	24
922	Pharmacological modulation of chemokine receptor function. 2012 , 165, 1617-1643	175
921	Lifting the lid on GPCRs: the role of extracellular loops. 2012 , 165, 1688-1703	190
920	Binding sites in membrane proteinsdiversity, druggability and prospects. 2012 , 91, 326-39	6

919	Specification of the cholesterol interaction with the oxytocin receptor using a chimeric receptor approach. 2012 , 676, 12-9	13
918	4-Aminoethylpiperazinyl aryl ketones with 5-HTA/5-HTIselectivity. 2012 , 20, 1139-48	10
917	Cell-based and in-silico studies on the high intrinsic activity of two boron-containing salbutamol derivatives at the human Edrenoceptor. 2012 , 20, 933-41	14
916	Design and optimization of quinazoline derivatives as melanin concentrating hormone receptor 1 (MCHR1) antagonists. 2012 , 22, 3157-62	36
915	Comparison of dynamics of extracellular accesses to the [11) and [12) adrenoceptors binding sites uncovers the potential of kinetic basis of antagonist selectivity. 2012 , 80, 215-26	16
914	Computational design of membrane proteins. 2012 , 20, 5-14	31
913	Crystal structures of a stabilized 1 -adrenoceptor bound to the biased agonists bucindolol and carvedilol. 2012 , 20, 841-9	183
912	Fusion partner toolchest for the stabilization and crystallization of G protein-coupled receptors. 2012 , 20, 967-76	272
911	G protein-coupled receptors in the hypothalamic paraventricular and supraoptic nucleiserpentine gateways to neuroendocrine homeostasis. 2012 , 33, 45-66	57
910	Palmitoylation and membrane cholesterol stabilize Eppioid receptor homodimerization and G protein coupling. 2012 , 13, 6	77
909	Regulation of G protein-coupled receptors by palmitoylation and cholesterol. 2012 , 10, 27	43
908	In silico screening for agonists and blockers of the (P) adrenergic receptor: implications of inactive and activated state structures. 2012 , 33, 561-72	23
907	Prediction of a ligand-binding niche within a human olfactory receptor by combining site-directed mutagenesis with dynamic homology modeling. 2012 , 51, 1274-8	74
906	Interactions of recombinant human histamine HR, HR, HR, and HR receptors with 34 antidepressants and antipsychotics. 2012 , 385, 145-70	29
905	Drug design for ever, from hype to hope. 2012 , 26, 137-50	29
904	The A3 adenosine receptor as multifaceted therapeutic target: pharmacology, medicinal chemistry, and in silico approaches. 2013 , 33, 235-335	35
903	endoCANNABINOIDS. 2013 ,	6
902	Functional significance of serotonin receptor dimerization. 2013 , 230, 375-86	47

901	Mapping histamine H4 receptorligand binding modes. 2013 , 4, 193-204		25
900	Ligand-optimized homology models of DIand DIdopamine receptors: application for virtual screening. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 638-48	6.1	53
899	Recent structural advances of 1 and 2 adrenoceptors yield keys for ligand recognition and drug design. 2013 , 56, 8207-23		22
898	Quaternary structure predictions and structural communication features of GPCR dimers. <i>Progress in Molecular Biology and Translational Science</i> , 2013 , 117, 105-42	4	12
897	Posttranslation modification of G protein-coupled receptor in relationship to biased agonism. 2013 , 522, 391-408		12
896	In vitro modification of substituted cysteines as tool to study receptor functionality and structure-activity relationships. 2013 , 439, 173-83		3
895	Production of GPCR and GPCR complexes for structure determination. 2013 , 23, 381-92		30
894	A microfluidic approach for protein structure determination at room temperature via on-chip anomalous diffraction. 2013 , 13, 3183-7		35
893	Conversion of a non-selective adenosine receptor antagonist into A3-selective high affinity fluorescent probes using peptide-based linkers. 2013 , 11, 5673-82		40
892	On homology modeling of the Mimuscarinic acetylcholine receptor subtype. 2013 , 27, 525-38		16
891	Development of 7TM receptor-ligand complex models using ligand-biased, semi-empirical helix-bundle repacking in torsion space: application to the agonist interaction of the human dopamine D2 receptor. 2013 , 27, 277-91		3
890	High-throughput analytical gel filtration screening of integral membrane proteins for structural studies. 2013 , 1830, 3497-508		25
889	Unfolded protein ensembles, folding trajectories, and refolding rate prediction. 2013, 139, 121925		6
888	Olfactory Receptors. 2013,		1
887	Conformational ensemble view of G protein-coupled receptors and the effect of mutations and ligand binding. 2013 , 520, 31-48		14
886	Unnatural amino acid mutagenesis of GPCRs using amber codon suppression and bioorthogonal labeling. 2013 , 520, 281-305		29
885	An automated approach to network features of protein structure ensembles. 2013 , 22, 1399-416		42
884	Agonists and Antagonists of Membrane-Bound Receptors. 2013 , 719-744		_

883	The rat adenine receptor: pharmacological characterization and mutagenesis studies to investigate its putative ligand binding site. 2013 , 9, 367-81	12
882	Probing the transmembrane structure and topology of microsomal cytochrome-p450 by solid-state NMR on temperature-resistant bicelles. 2013 , 3, 2556	49
881	Short peptide constructs mimic agonist sites of AT(1)R and BK receptors. 2013, 44, 835-46	5
880	Structure-based virtual screening of MT2 melatonin receptor: influence of template choice and structural refinement. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 821-35	28
879	Molecular modeling studies give hint for the existence of a symmetric hR-GH homodimer. 2013 , 19, 4443-57	7
878	Membrane proteins by accident or design. 2013 , 17, 976-81	4
877	Purgative components in rhubarbs: adrenergic receptor inhibitors linked with glucose carriers. 2013 , 91, 236-246	19
876	Molecular basis for benzodiazepine agonist action at the type 1 cholecystokinin receptor. 2013 , 288, 21082-21095	15
875	Ligand-dependent cholesterol interactions with the human A(2A) adenosine receptor. 2013, 169, 39-45	22
874	Molecular modeling of vasopressin receptor and in silico screening of V1b receptor antagonists. 2013 , 8, 951-64	1
873	Disease-specific heteromerization of G-protein-coupled receptors that target drugs of abuse. *Progress in Molecular Biology and Translational Science, 2013, 117, 207-65* 4	27
872	An X-ray transparent microfluidic platform for screening of the phase behavior of lipidic mesophases. 2013 , 138, 5384-95	21
871	Crystallization of G protein-coupled receptors. 2013 , 117, 451-68	13
870	Structure-based ligand discovery targeting orthosteric and allosteric pockets of dopamine receptors. 2013 , 84, 794-807	69
869	G protein-coupled receptors as regulators of energy homeostasis. <i>Progress in Molecular Biology and Translational Science</i> , 2013 , 114, 1-43	13
868	Toward an understanding of agonist binding to human Orexin-1 and Orexin-2 receptors with G-protein-coupled receptor modeling and site-directed mutagenesis. 2013 , 52, 8246-60	31
867	Membrane driven spatial organization of GPCRs. 2013 , 3, 2909	86
866	Development of a cysteine-deprived and C-terminally truncated GLP-1 receptor. 2013 , 49, 100-8	6

(2013-2013)

865	Unlocking the secrets of the gatekeeper: methods for stabilizing and crystallizing GPCRs. 2013 , 1828, 2583-91		27
864	Conformational restriction of G-proteins Coupled Receptors (GPCRs) upon complexation to G-proteins: a putative activation mode of GPCRs?. 2013 , 587, 2656-61		10
863	Detection of ligand-receptor binding using microfluidic frontal affinity chromatography on proteoliposomes derived directly from native cell membranes. 2013 , 931, 84-9		3
862	Advanced Technologies for Managing Insect Pests. 2013,		1
861	4th International Conference on Biomedical Engineering in Vietnam. 2013,		3
860	Neoclassic drug discovery: the case for lead generation using phenotypic and functional approaches. 2013 , 18, 1143-55		96
859	The protein local optimization program and G-protein-coupled receptors: loop restoration and applications to homology modeling. 2013 , 522, 1-20		1
858	Computational design and experimental characterization of GPCR segment models. 2013, 522, 81-95		
857	Application of Monte Carlo-based receptor ensemble docking to virtual screening for GPCR ligands. 2013 , 522, 263-78		8
856	Magic angle spinning nuclear magnetic resonance spectroscopy of G protein-coupled receptors. 2013 , 522, 365-89		8
855	Amino acid residues of G-protein-coupled receptors critical for endoplasmic reticulum export and trafficking. 2013 , 521, 203-16		3
854	An overview of biological macromolecule crystallization. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 11643-91	6.3	83
853	Serial femtosecond crystallography of G protein-coupled receptors. <i>Science</i> , 2013 , 342, 1521-4	33.3	367
852	Methods for studying interactions of detergents and lipids with Ehelical and Ebarrel integral membrane proteins. 2013 , 74, 29.7.1-29.7.30		2
851	An analysis of oligomerization interfaces in transmembrane proteins. 2013 , 13, 21		26
850	Molecular interactions between fenoterol stereoisomers and derivatives and the Endrenergic receptor binding site studied by docking and molecular dynamics simulations. 2013 , 19, 4919-30		21
849	GPCR activation: protonation and membrane potential. 2013, 4, 747-60		17
848	Study of the selectivity of <code>4-adrenergic</code> antagonists by molecular modeling of <code>4a-</code> , <code>4b-</code> , and <code>4d-adrenergic</code> receptor subtypes and docking simulations. 2013 , 144, 903-912		1

847	G protein-coupled receptors: computer-aided ligand discovery and computational structural analyses in the 2010s. 2013 , 1, 20	1
846	Graph analysis of 🛭 adrenergic receptor structures: a "social network" of GPCR residues. 2013 , 1, 16	8
845	Advances in the study of structure and function of G protein-coupled receptors (about awarding the Nobel Prize for Chemistry in 2012 to Robert Lefkowitz and Brian Kobilka). 2013 , 49, 469-480	O
844	Effect of intracellular loop 3 on intrinsic dynamics of human 🛭 -adrenergic receptor. 2013 , 13, 29	21
843	GPCR: G protein complexesthe fundamental signaling assembly. 2013 , 45, 1303-14	30
842	Simulations of biased agonists in the (2) adrenergic receptor with accelerated molecular dynamics. 2013 , 52, 5593-603	31
841	Solid-state NMR spectroscopy structure determination of a lipid-embedded heptahelical membrane protein. 2013 , 10, 1007-12	172
840	Endrenergic receptor activation by agonists studied with IF NMR spectroscopy. 2013 , 52, 10762-5	60
839	Discovery of I Adrenergic Receptor Ligands Using Biosensor Fragment Screening of Tagged Wild-Type Receptor. 2013 , 4, 1005-1010	55
838	To fuse or not to fuse: what is your purpose?. 2013 , 22, 1466-77	76
837	Catecholamine receptors: prototypes for GPCR-based drug discovery. 2013 , 68, 335-56	5
836	G Protein-Coupled Estrogen Receptor (GPER) Agonist Dual Binding Mode Analyses toward Understanding of its Activation Mechanism: A Comparative Homology Modeling Approach. 2013 , 32, 647-658	22
835	[Novel conformational peptide antigen, which simulates an immunodominant epitope of the 2nd extracellular loop of II-adrenoceptor. Computer simulation, synthesis, spatial structure]. 2013 , 39, 658-70	1
834	Stabilizing effect of cholesterol on the state of 2 -adrenergic receptor with a broken ionic lock: a molecular dynamics study. 2013 , 62, 2567-2573	2
833	Science Librarians Analysis of the 2012 Nobel Prize in Chemistry: The Work of Robert Lefkowitz and Brian Kobilka. 2013 , 32, 19-29	2
832	The Concise Guide to PHARMACOLOGY 2013/14: G protein-coupled receptors. 2013 , 170, 1459-581	509
831	Analyses of the effects of Gq protein on the activated states of the muscarinic M3 receptor and the purinergic P2Y1 receptor. 2013 , 1, e00134	6
830	A Strategy Combining Differential Low-Throughput Screening and Virtual Screening (DLS-VS) Accelerating the Discovery of new Modulators for the Orphan GPR34 Receptor. 2013 , 32, 213-29	10

829	Why we need many more G protein-coupled receptor structures. 2013 , 10, 1-3	8
828	A conserved aromatic residue regulating photosensitivity in short-wavelength sensitive cone visual pigments. 2013 , 52, 5084-91	2
827	Synthesis, docking and preliminary in vivo evaluation of serotonin dithiocarbamate as novel SPECT neuroimaging agent. 2013 , 4, 1006	8
826	Conopeptide ETIA defines a new allosteric site on the extracellular surface of the #B-adrenoceptor. 2013 , 288, 1814-27	20
825	The GPCR Network: a large-scale collaboration to determine human GPCR structure and function. 2013 , 12, 25-34	207
824	Simultaneous determination of interfacial molarities of amide bonds, carboxylate groups, and water by chemical trapping in micelles of amphiphiles containing peptide bond models. 2013 , 29, 534-44	8
823	Molecular basis for dramatic changes in cannabinoid CB1 G protein-coupled receptor activation upon single and double point mutations. 2013 , 22, 101-13	33
822	Rapid screening of membrane protein expression in transiently transfected insect cells. 2013 , 88, 134-42	18
821	Molecular and cellular analysis of human histamine receptor subtypes. 2013 , 34, 33-58	129
820	Mapping the functional binding sites of cholesterol in <code>I</code> -adrenergic receptor by long-time molecular dynamics simulations. 2013 , 117, 1085-94	65
819	Interactions of vasopressin and oxytocin receptors with vasopressin analogues substituted in position 2 with 3,3'-diphenylalaninea molecular docking study. 2013 , 19, 118-26	6
818	Cholesterola biological compound as a building block in bionanotechnology. <i>Nanoscale</i> , 2013 , 5, 89-1097.7	87
817	Biophysical and structural investigation of bacterially expressed and engineered CCR5, a G protein-coupled receptor. 2013 , 55, 79-95	16
816	Molecular signatures of G-protein-coupled receptors. 2013 , 494, 185-94	1071
815	The dynamic process of (也)-adrenergic receptor activation. 2013 , 152, 532-42	589
814	Modeling G protein-coupled receptors and their interactions with ligands. 2013 , 23, 185-90	30
813	Structure-function of the G protein-coupled receptor superfamily. 2013, 53, 531-56	758
812	Loop prediction for a GPCR homology model: algorithms and results. 2013 , 81, 214-28	18

811	The future of the Protein Data Bank. 2013 , 99, 218-22	61
810	Issue Information. 2013 , 99, spcone-spcone	
809	Tailored host-guest lipidic cubic phases: a protocell model exhibiting nucleic acid recognition. 2013 , 19, 1262-7	14
808	Prediction of ligand-induced structural polymorphism of receptor interaction sites using machine learning. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 704-16	4
807	Computer-Aided Drug Design Utilizing Structure Templates Identified by Local Structure Alignment. 2013 , 104, 404a-405a	
806	News from the protein mutability landscape. 2013 , 425, 3937-48	55
805	Thermostabilisation of the serotonin transporter in a cocaine-bound conformation. 2013, 425, 2198-207	27
804	Application of zero-dipole summation method to molecular dynamics simulations of a membrane protein system. 2013 , 568-569, 26-32	37
803	Molecular basis of cannabinoid CB1 receptor coupling to the G protein heterotrimer G⊞ identification of key CB1 contacts with the C-terminal helix ☐ of G⊞ 2013, 288, 32449-32465	23
802	Identification of the GPR55 antagonist binding site using a novel set of high-potency GPR55 selective ligands. 2013 , 52, 9456-69	37
801	A structural chemogenomics analysis of aminergic GPCRs: lessons for histamine receptor ligand design. 2013 , 170, 101-26	60
800	Identification of transmembrane domain 3, 4 & 5 residues that contribute to the formation of the ligand-binding pocket of the urotensin-II receptor. 2013 , 86, 1584-93	7
799	Structure of Endrenergic receptors. 2013 , 520, 117-51	7
798	The importance of interactions with helix 5 in determining the efficacy of Endrenoceptor ligands. 2013 , 41, 159-65	18
797	Directed evolution of G-protein-coupled receptors for high functional expression and detergent stability. 2013 , 520, 67-97	15
796	Enrichment factor analyses on G-protein coupled receptors with known crystal structure. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 739-43	19
795	The role of Cysteine 6.47 in class A GPCRs. 2013 , 13, 3	24
794	Loss of constitutive activity is correlated with increased thermostability of the human adenosine A2A receptor. 2013 , 169, 988-98	24

793	Endogenous lipid activated G protein-coupled receptors: emerging structural features from crystallography and molecular dynamics simulations. 2013 , 169, 46-56		30
792	Optimising the combination of thermostabilising mutations in the neurotensin receptor for structure determination. 2013 , 1828, 1293-301		28
791	Structural features for functional selectivity at serotonin receptors. <i>Science</i> , 2013 , 340, 615-9	33.3	492
790	Structural basis for molecular recognition at serotonin receptors. <i>Science</i> , 2013 , 340, 610-4	33.3	370
789	Antagonist binding and induced conformational dynamics of GPCR A2A adenosine receptor. 2013 , 81, 1399-410		17
788	From heptahelical bundle to hits from the Haystack: structure-based virtual screening for GPCR ligands. 2013 , 522, 279-336		44
787	Crystal structure of oligomeric 1 -adrenergic G protein-coupled receptors in ligand-free basal state. 2013 , 20, 419-25		207
786	Computer Simulations of Membrane Proteins. 2017 , 351-374		1
785	Combining NMR Spectroscopy and Molecular Dynamics Simulation to Investigate the Structure and Dynamics of Membrane-Associated Proteins. 2017 , 311-350		1
7 ⁸ 4	Optical Control of Dopamine Receptors Using a Photoswitchable Tethered Inverse Agonist. 2017 , 139, 18522-18535		43
783	Structure and Function of Peptide-Binding G Protein-Coupled Receptors. 2017, 429, 2726-2745		41
782	Role of the conservative interhelical hydrogen bond Ser74IIrp158 at the cholesterol binding site in the conformational stability of the 2 -adrenergic receptor: Molecular dynamics simulation. 2017 , 58, 384-391		3
781	A fast affinity extraction methodology for rapid screening of bioactive compounds specifically binding to beta2-adrenergic receptor from Xie-Bai-San. 2017 , 26, 2410-2419		4
7 ⁸⁰	GPCRs through the keyhole: the role of protein flexibility in ligand binding to 卧drenoceptors. 2017 , 35, 2604-2619		4
779	Mutagenesis Analysis Reveals Distinct Amino Acids of the Human Serotonin 5-HT Receptor Underlying the Pharmacology of Distinct Ligands. 2017 , 8, 28-39		9
778	Synthesis, biological evaluation and molecular modeling of 1-oxa-4-thiaspiro- and 1,4-dithiaspiro[4.5]decane derivatives as potent and selective 5-HT receptor agonists. 2017 , 125, 435-452	2	26
777	G protein coupled receptors signaling pathways implicate in inflammatory and immune response of rheumatoid arthritis. 2017 , 66, 379-387		21
776	Detergents: Friends not foes for high-performance membrane proteomics toward precision medicine. 2017 , 17, 1600209		5

775	Methods for the Development of In Silico GPCR Models. 2017 , 593, 405-448	16
774	Membrane Organization and Dynamics. 2017,	1
773	Canonical and Noncanonical Signaling Roles of EArrestins in Inflammation and Immunity. 2017 , 136, 279-313	5
77 2	Structural Features and Ligand Selectivity for 10 Intermediates in the Activation Process of EAdrenergic Receptor. 2017 , 2, 8557-8567	3
771	Genetic variation in human drug-related genes. 2017 , 9, 117	60
770	KAMO: Automated Data Processing System for Microcrystals. 2017 , 59, 207-208	1
769	Structures of Non-rhodopsin GPCRs Elucidated Through X-Ray Crystallography. 2017 , 1-26	
768	Investigation of Naturally Occurring Single-Nucleotide Variants in Human TAAR1. 2017 , 8, 807	12
767	Human Adenosine A Receptor: Molecular Mechanism of Ligand Binding and Activation. 2017, 8, 898	42
766	G-Protein coupled receptors: answers from simulations. 2017 , 13, 1071-1078	12
765	Marine Inspired 2-(5-Halo-1H-indol-3-yl)-N,N-dimethylethanamines as Modulators of Serotonin Receptors: An Example Illustrating the Power of Bromine as Part of the Uniquely Marine Chemical Space. 2017 , 15,	15
764	Expression, Purification, and Monitoring of Conformational Changes of hCB2 TMH67H8 in Different Membrane-Mimetic Lipid Mixtures Using Circular Dichroism and NMR Techniques. 2017 , 7,	2
763	Engineered Aptamers to Probe Molecular Interactions on the Cell Surface. 2017 , 5,	12
762	An Overview of the Top Ten Detergents Used for Membrane Protein Crystallization. <i>Crystals</i> , 2017 , 7, 197	62
761	Structural-Functional Features of the Thyrotropin Receptor: A Class A G-Protein-Coupled Receptor at Work. 2017 , 8, 86	50
760	Gonadotropin-Releasing Hormone (GnRH) Receptor Structure and GnRH Binding. 2017 , 8, 274	31
759	Ligand modulation of sidechain dynamics in a wild-type human GPCR. 2017 , 6,	49
758	Modeling and Design for Membrane Protein Targets. 2017 , 145-188	2

757	Structural features embedded in G protein-coupled receptor co-crystal structures are key to their success in virtual screening. 2017 , 12, e0174719	9
756	Expression in Sf9 insect cells, purification and functional reconstitution of the human proton-coupled folate transporter (PCFT, SLC46A1). 2017 , 12, e0177572	5
755	Family B G Protein-coupled Receptors and their Ligands: From Structure to Function. 2017 , 24, 3323-3355	7
754	AFEAP cloning: a precise and efficient method for large DNA sequence assembly. 2017 , 17, 81	16
753	Emerging Roles for MAS-Related G Protein-Coupled Receptor-X2 in Host Defense Peptide, Opioid, and Neuropeptide-Mediated Inflammatory Reactions. 2017 , 136, 123-162	45
75 ²	Cholesterol: Revisiting its fluorescent journey on 200th anniversary of Chevruel Tholesterine 2017, 6, 1-24	3
751	Protein microcrystallography using synchrotron radiation. 2017 , 4, 529-539	42
750	Fluorophore Labeling, Nanodisc Reconstitution and Single-molecule Observation of a G Protein-coupled Receptor. 2017 , 7,	1
749	Microbial Rhodopsins. 2018 , 87, 19-56	20
748	Molecular Recognition by a Short Partial Peptide of the Adrenergic Receptor: A Bottom-Up Approach. 2018 , 57, 5626-5629	18
747	Challenges and approaches to understand cholesterol-binding impact on membrane protein function: an NMR view. 2018 , 75, 2137-2151	13
746	Deuteration and selective labeling of alanine methyl groups of Endrenergic receptor expressed in a baculovirus-insect cell expression system. 2018 , 71, 185-192	20
745	Membrane cholesterol mediates the cellular effects of monolayer graphene substrates. <i>Nature Communications</i> , 2018 , 9, 796	31
744	Synthesis and biological evaluation of N-arylpiperazine derivatives of 4,4-dimethylisoquinoline-1,3(2H,4H)-dione as potential antiplatelet agents. 2018 , 33, 536-545	7
743	Structural Basis for G Protein-Coupled Receptor Signaling. 2018 , 47, 1-18	72
742	Exploring GPCR-Lipid Interactions by Molecular Dynamics Simulations: Excitements, Challenges, and the Way Forward. 2018 , 122, 5727-5737	50
74 ¹	The Model Structures of the Complement Component 5a Receptor (C5aR) Bound to the Native and Engineered C5a. 2018 , 8, 2955	9
740	5-HT Receptor Structures Reveal the Structural Basis of GPCR Polypharmacology. 2018 , 172, 719-730.e14	123

739	Membrane lipid environment: Potential modulation of chemokine receptor function. 2018, 109, 72-75	5
738	Lipids Alter Rhodopsin Function via Ligand-like and Solvent-like Interactions. 2018 , 114, 355-367	31
737	Binding-Site Compatible Fragment Growing Applied to the Design of EAdrenergic Receptor Ligands. 2018 , 61, 1118-1129	28
736	Biased signaling by thyroid-stimulating hormone receptor-specific antibodies determines thyrocyte survival in autoimmunity. <i>Science Signaling</i> , 2018 , 11,	14
735	Lipidic Mesophases as Novel Nanoreactor Scaffolds for Organocatalysts: Heterogeneously Catalyzed Asymmetric Aldol Reactions in Confined Water. 2018 , 10, 5114-5124	28
734	Structure-Function Relationships of Olfactory and Taste Receptors. 2018 , 43, 81-87	34
733	Visualization and analysis of non-covalent contacts using the Protein Contacts Atlas. 2018 , 25, 185-194	66
73 ²	A Promising Therapeutic Target for Metabolic Diseases: Neuropeptide Y Receptors in Humans. 2018 , 45, 88-107	47
731	Increasing the Stability of Recombinant Human Green Cone Pigment. 2018 , 57, 1022-1030	2
730	Structure of the complement C5a receptor bound to the extra-helical antagonist NDT9513727. 2018 , 553, 111-114	69
729	Biased signalling: from simple switches to allosteric microprocessors. 2018 , 17, 243-260	319
728	Structural Properties of the Human Protease-Activated Receptor 1 Changing by a Strong Antagonist. 2018 , 26, 829-838.e4	6
727	Molecular Recognition by a Short Partial Peptide of the Adrenergic Receptor: A Bottom-Up Approach. 2018 , 130, 5728-5731	3
726	⊞and ⊞Adrenoceptors as Potential Targets for Dopamine and Dopamine Receptor Ligands. 2018 , 55, 8438-8454	13
7 2 5	Serial Femtosecond Crystallography of G Protein-Coupled Receptors. 2018, 47, 377-397	31
724	Recent advances in the determination of G protein-coupled receptor structures. 2018 , 51, 28-34	39
723	In Meso Crystallization of the Integral Membrane Glycerol 3-Phosphate Acyltransferase with Substrates. 2018 , 18, 2243-2258	3
722	Crystal structure of the human 5-HT serotonin receptor bound to an inverse agonist. <i>Cell Discovery</i> , 2018 , 4, 12	40

721	Structural insights into positive and negative allosteric regulation of a G protein-coupled receptor through protein-lipid interactions. 2018 , 8, 4456	25
720	Recent Advances in Structure-Based Drug Design Targeting Class A G Protein-Coupled Receptors Utilizing Crystal Structures and Computational Simulations. 2018 , 61, 1-46	55
719	Biased signaling of G protein-coupled receptors - From a chemokine receptor CCR7 perspective. 2018 , 258, 4-14	18
718	Changes in the plasma membrane in metabolic disease: impact of the membrane environment on G protein-coupled receptor structure and function. 2018 , 175, 4009-4025	22
717	Computer-Aided Drug Design Approaches to Study Key Therapeutic Targets in Alzheimer Disease. 2018 , 61-106	1
716	Membrane-induced organization and dynamics of the N-terminal domain of chemokine receptor CXCR1: insights from atomistic simulations. 2018 , 210, 142-148	8
715	Membrane cholesterol effect on the 5-HT receptor: Insights into the lipid-induced modulation of an antipsychotic drug target. 2018 , 65, 29-37	8
714	Interaction of the red pigment-concentrating hormone of the crustacean Daphnia pulex, with its cognate receptor, Dappu-RPCHR: A nuclear magnetic resonance and modeling study. 2018 , 106, 969-978	11
713	Importance of the second extracellular loop for melatonin MT receptor function and absence of melatonin binding in GPR50. 2018 , 175, 3281-3297	18
712	Computer Simulations to Explore Membrane Organization and Transport. 2018 , 355-392	
711	Assessment of the transmembrane domain structures in GPCR Dock 2013 models. 2018 , 201, 210-220	1
710	Solid-State Nuclear Magnetic Resonance Spectroscopy of Membrane Proteins. 2018 , 251-283	
709	Ligand-induced action of the W286 rotamer toggle switch in the Endrenergic receptor. 2017 , 20, 581-594	2
708	Current and Future Challenges in GPCR Drug Discovery. 2018 , 1705, 1-21	11
707	Methods for Virtual Screening of GPCR Targets: Approaches and Challenges. 2018 , 1705, 233-264	2
706	Modeling and Deorphanization of Orphan GPCRs. 2018, 1705, 413-429	3
705	Structure-inspired design of Enrestin-biased ligands for aminergic GPCRs. 2018, 14, 126-134	96
704	A Structural Framework for GPCR Chemogenomics: What's In a Residue Number?. 2018 , 1705, 73-113	6

703	GPCR Homology Model Generation for Lead Optimization. 2018 , 1705, 115-131		3
702	GPCRs: What Can We Learn from Molecular Dynamics Simulations?. 2018 , 1705, 133-158		9
701	Exploring GPCR-Ligand Interactions with the Fragment Molecular Orbital (FMO) Method. 2018 , 1705, 179-195		13
700	Anaerobic crystallization of proteins. 2018 , 10, 183-189		4
699	A monoclonal antibody raised against a thermo-stabilised 🗄 drenoceptor interacts with extracellular loop 2 and acts as a negative allosteric modulator of a sub-set of 🗗 drenoceptors expressed in stable cell lines. 2018 , 147, 38-54		11
698	Self-Assembled 3D Helical Hollow Superstructures with Enhanced Microwave Absorption Properties. 2018 , 39, 1700591		27
697	Single-Molecule Imaging of GPCR Interactions. 2018 , 39, 109-122		43
696	Membrane Biophysics. 2018,		
695	Muscarinic receptor oligomerization. 2018 , 136, 401-410		10
694	. 2018,		O
694 693	. 2018, Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in Magnetically Aligned Bicelles and Macrodiscs. 2018, 49, 1335-1353		0
,	Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in		
693	Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in Magnetically Aligned Bicelles and Macrodiscs. 2018 , 49, 1335-1353 Broad-band emission of A3B?B??2O9 complex perovskites (A = Ba, Sr; B? = Zn; B?? = Ta, Nb) realized		1
693 692	Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in Magnetically Aligned Bicelles and Macrodiscs. 2018 , 49, 1335-1353 Broad-band emission of A3B?B??2O9 complex perovskites (A = Ba, Sr; B? = Zn; B?? = Ta, Nb) realized by structural variations of the B site orderdisorder. 2018 , 6, 12566-12574 Using accelerated molecular dynamics simulation to shed light on the mechanism of		9
693 692 691	Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in Magnetically Aligned Bicelles and Macrodiscs. 2018 , 49, 1335-1353 Broad-band emission of A3B?B??2O9 complex perovskites (A = Ba, Sr; B? = Zn; B?? = Ta, Nb) realized by structural variations of the B site order@isorder. 2018 , 6, 12566-12574 Using accelerated molecular dynamics simulation to shed light on the mechanism of activation/deactivation upon mutations for CCR5 2018 , 8, 37855-37865		1 9 5
693 692 691	Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in Magnetically Aligned Bicelles and Macrodiscs. 2018, 49, 1335-1353 Broad-band emission of A3B?B??2O9 complex perovskites (A = Ba, Sr; B? = Zn; B?? = Ta, Nb) realized by structural variations of the B site order@isorder. 2018, 6, 12566-12574 Using accelerated molecular dynamics simulation to shed light on the mechanism of activation/deactivation upon mutations for CCR5 2018, 8, 37855-37865 . 2018, Aminopropyltrimethoxysilane-functionalized boron nitride nanotube based epoxy nanocomposites	6.3	1 9 5
693 692 691 690	Uniaxial Diffusional Narrowing of NMR Lineshapes for Membrane Proteins Reconstituted in Magnetically Aligned Bicelles and Macrodiscs. 2018, 49, 1335-1353 Broad-band emission of A3B?B??209 complex perovskites (A = Ba, Sr; B? = Zn; B?? = Ta, Nb) realized by structural variations of the B site orderdisorder. 2018, 6, 12566-12574 Using accelerated molecular dynamics simulation to shed light on the mechanism of activation/deactivation upon mutations for CCR5 2018, 8, 37855-37865 . 2018, Aminopropyltrimethoxysilane-functionalized boron nitride nanotube based epoxy nanocomposites with simultaneous high thermal conductivity and excellent electrical insulation. 2018, 6, 20663-20668 Familial Hypercholesterolemia: The Most Frequent Cholesterol Metabolism Disorder Caused	6.3	1 9 5 1 30

685	Application of Biomolecular Simulations to G Protein Loupled Receptors (GPCRs). 2018, 205-223	2
684	Direct visualization of single-molecule membrane protein interactions in living cells. 2018, 16, e2006660	16
683	New Expression Systems for GPCRs. 2018 , 29-69	
682	flavanones; apposite inverse agonists of the 🛭-adrenergic receptor in asthma treatment. 2018 , 14, 60-67	2
681	Cyclopeptide COR-1 to treat beta1-adrenergic receptor antibody-induced heart failure. 2018 , 13, e0201160	1
680	Exploring the free-energy landscape of GPCR activation. 2018 , 115, 10327-10332	27
679	Computational Studies for Structure-Based Drug Designing Against Transmembrane Receptors: pLGICs and Class A GPCRs. 2018 , 6,	4
678	Oncotoxic Properties of Serotonin Transporter Inhibitors and 5-HT Receptor Ligands. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	3
677	The structure of monoamine oxidases: past, present, and future. 2018 , 125, 1567-1579	27
676	A Series of Indole-Thiazole Derivatives Act as GPER Agonists and Inhibit Breast Cancer Cell Growth. 2018 , 9, 901-906	11
675	Fingerprint-Based Machine Learning Approach to Identify Potent and Selective 5-HTR Ligands. Molecules, 2018, 23, 4.8	9
674	Born This Way: Using Intrinsic Disorder to Map the Connections between SLITRKs, TSHR, and Male Sexual Orientation. 2018 , 18, e1800307	O
673	On preconditioning the treecode-accelerated boundary integral (TABI) Poisson B oltzmann solver. 2018 , 373, 750-762	7
672	Prediction of RNA-protein interactions using conjoint triad feature and chaos game representation. 2018 , 9, 242-251	6
671	Structural Basis of Smoothened Activation in Hedgehog Signaling. 2018, 174, 312-324.e16	90
670	T4 lysozyme-facilitated crystallization of the human molybdenum cofactor-dependent enzyme mARC. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2018 , 74, 337-344	2
669	Functional roles of tyrosine 185 during the bacteriorhodopsin photocycle as revealed by in situ spectroscopic studies. 2018 , 1859, 1006-1014	6
668	Ultrafast neuronal imaging of dopamine dynamics with designed genetically encoded sensors. <i>Science</i> , 2018 , 360,	388

667	Caveolin-1: The Unnoticed Player in TCR and BCR Signaling. 2018 , 137, 83-133	9
666	Computational design of thermostabilizing point mutations for G protein-coupled receptors. 2018 , 7,	40
665	Biased Ligands of G Protein-Coupled Receptors (GPCRs): Structure-Functional Selectivity Relationships (SFSRs) and Therapeutic Potential. 2018 , 61, 9841-9878	62
664	Structural insights into G-protein-coupled receptor allostery. 2018 , 559, 45-53	154
663	Identifying G protein-coupled receptor dimers from crystal packings. <i>Acta Crystallographica Section D: Structural Biology</i> , 2018 , 74, 655-670	13
662	Exploring G Protein-Coupled Receptors (GPCRs) Ligand Space via Cheminformatics Approaches: Impact on Rational Drug Design. 2018 , 9, 128	43
661	The Trace Amine-Associated Receptor 1 Agonist 3-Iodothyronamine Induces Biased Signaling at the Serotonin 1b Receptor. 2018 , 9, 222	16
660	Growth inhibition of human hepatocellular carcinoma cells by antagonism of the 🛮 drenergic receptor. 2018 , 16, 1425-1430	2
659	GPCR-SAS: A web application for statistical analyses on G protein-coupled receptors sequences. 2018 , 13, e0199843	6
658	A Hybrid Virtual Screening Protocol Based on Binding Mode Similarity. 2018 , 1824, 165-175	2
658 657	A Hybrid Virtual Screening Protocol Based on Binding Mode Similarity. 2018, 1824, 165-175 Exploring Protein Structure: Principles and Practice. 2018,	2
657	Exploring Protein Structure: Principles and Practice. 2018,	
6 ₅₇	Exploring Protein Structure: Principles and Practice. 2018, Moving from Former to Future Frontiers. 2018, 227-247 Synthesis and activity of di- or trisubstituted N-(phenoxyalkyl)- or	2
657 656 655	Exploring Protein Structure: Principles and Practice. 2018, Moving from Former to Future Frontiers. 2018, 227-247 Synthesis and activity of di- or trisubstituted N-(phenoxyalkyl)- or N-{2-[2-(phenoxy)ethoxy]ethyl}piperazine derivatives on the central nervous system. 2018, 28, 2039-2049 Hypocholesterolemia is an independent risk factor for depression disorder and suicide attempt in	2 5
657 656 655	Exploring Protein Structure: Principles and Practice. 2018, Moving from Former to Future Frontiers. 2018, 227-247 Synthesis and activity of di- or trisubstituted N-(phenoxyalkyl)- or N-{2-[2-(phenoxy)ethoxy]ethyl}piperazine derivatives on the central nervous system. 2018, 28, 2039-2049 Hypocholesterolemia is an independent risk factor for depression disorder and suicide attempt in Northern Mexican population. 2018, 18, 7	5 33
657656655654653	Exploring Protein Structure: Principles and Practice. 2018, Moving from Former to Future Frontiers. 2018, 227-247 Synthesis and activity of di- or trisubstituted N-(phenoxyalkyl)- or N-{2-[2-(phenoxy)ethoxy]ethyl}piperazine derivatives on the central nervous system. 2018, 28, 2039-2049 Hypocholesterolemia is an independent risk factor for depression disorder and suicide attempt in Northern Mexican population. 2018, 18, 7 Structural determinants of 5-HT receptor activation and biased agonism. 2018, 25, 787-796 Chemogenetic Approach Using Ni(II) Complex-Agonist Conjugates Allows Selective Activation of	53359

Amphipols and Membrane Protein Crystallization. 2018, 497-531 649 Amphipol-Assisted Folding of Membrane Proteins. 2018, 333-359 648 Cryo-EM structure of human rhodopsin bound to an inhibitory G protein. 2018, 558, 553-558 647 153 The Molecular Basis of G Protein-Coupled Receptor Activation. 2018, 87, 897-919 646 389 Algorithms for Structure Comparison and Analysis: Homology Modelling of Proteins. 2019, 38-61 645 7 Cryo-EM structure of the native rhodopsin dimer in nanodiscs. 2019, 294, 14215-14230 644 34 Unsupervised Classification of G-Protein Coupled Receptors and Their Conformational States Using 643 IChem Intramolecular Interaction Patterns. Journal of Chemical Information and Modeling, 2019, 59, 3611-3618 G-protein-coupled receptor-based sensors for imaging neurochemicals with high sensitivity and 642 21 specificity. 2019, 151, 279-288 Structural Basis for Allosteric Ligand Recognition in the Human CC Chemokine Receptor 7. 2019, 641 41 178, 1222-1230.e10 Novel multitarget 5-arylidenehydantoins with arylpiperazinealkyl fragment: Pharmacological 640 evaluation and investigation of cytotoxicity and metabolic stability. 2019, 27, 4163-4173 Structure and Function of GPCRs. 2019, 639 Mechanism of AR regulation by an intracellular positive allosteric modulator. Science, 2019, 364, 1283-1287; 638 36 Production and Bioengineering of Recombinant Pharmaceuticals. 2019, 259-293 637 2 Molecular pharmacology of metabotropic receptors targeted by neuropsychiatric drugs. 2019, 26, 535-544 636 21 Proton uptake mechanism in bacteriorhodopsin captured by serial synchrotron crystallography. 63 635 33.3 Science, 2019, 365, 61-65 PKCI-dependent H-Ras activation encompasses the recruitment of the RasGEF SOS1 and of the 634 3 RasGAP neurofibromin in the lipid rafts of embryonic neurons. 2019, 131, 104582 Basal Histamine H Receptor Activation: Agonist Mimicry by the Diphenylalanine Motif. 2019, 25, 14613-14624 7 633 . 2019, 632 24

631	Seamless insert-plasmid assembly at sub-terminal homologous sequences. 2019 , 106, 102445	2
630	Tumor Necrosis Factor-Mediated Metaplastic Inhibition of LTP Is Constitutively Engaged in an Alzheimer's Disease Model. 2019 , 39, 9083-9097	10
629	The Noradrenergic System. 2019 , 41-80	
628	Identification of functional divergence sites in dopamine receptors of vertebrates. 2019 , 83, 107140	7
627	Adrenergic Receptors as Pharmacological Targets for Neuroinflammation and Neurodegeneration in Parkinson® Disease. 2019 ,	1
626	Comparative Docking to Distinct G Protein-Coupled Receptor Conformations Exclusively Yields Ligands with Agonist Efficacy. 2019 , 96, 851-861	6
625	Libosch Extracts Prevent Bone Loss and Architectural Deterioration and Enhance Osteoblastic Bone Formation by Regulating the IGF-1/PI3K/mTOR Pathway in Streptozotocin-Induced Diabetic Rats. International Journal of Molecular Sciences, 2019, 20,	36
624	Stable Parent Anions of Dopamine and Adrenaline: A New Form of Neurotransmitters. 2019 , 123, 7695-7699	5
623	Targeting the receptor-based interactome of the dopamine D1 receptor: looking for heteromer-selective drugs. 2019 , 14, 1297-1312	6
622	Structural investigations of cell-free expressed G protein-coupled receptors. 2019 , 401, 97-116	2
621	Differential Dynamics Underlying the Gln27Glu Population Variant of the EAdrenergic Receptor. 2019 , 252, 499-507	7
620	Sibe: a computation tool to apply protein sequence statistics to predict folding and design in silico. 2019 , 20, 455	4
619	Molecular Mechanism of S1P Binding and Activation of the S1P Receptor. <i>Journal of Chemical Information and Modeling</i> , 2019 , 59, 4402-4412	10
618	Nanobodies: New avenues for imaging, stabilizing and modulating GPCRs. 2019 , 484, 15-24	31
617	Dimers of serotonin receptors: Impact on ligand affinity and signaling. 2019 , 161, 23-33	15
616	CHARMM-GUI Nanodisc Builder for modeling and simulation of various nanodisc systems. 2019 , 40, 893-899	27
615	Structural analysis of proteins using X-ray diffraction technique. 2019 , 69-84	1
614	Cholesterol Binding Sites in Inwardly Rectifying Potassium Channels. 2019 , 1135, 119-138	13

613	Dual binding mode of "bitter sugars" to their human bitter taste receptor target. 2019 , 9, 8437	21
612	Influence of the Structural Accuracy of Homology Models on Their Applicability to Docking-Based Virtual Screening: The [Adrenergic Receptor as a Case Study. <i>Journal of Chemical Information and Modeling</i> , 2019 , 59, 3177-3190	7
611	Electrostatic potential and non-covalent interactions analysis for the design of selective 5-HT ligands. 2019 , 91, 130-139	4
610	Structure and Activation Mechanism of GPCRs. 2019 , 53-64	3
609	Understanding Ligand Binding to G-Protein Coupled Receptors Using Multiscale Simulations. 2019 , 6, 29	19
608	Principal component analysis of nonequilibrium molecular dynamics simulations. 2019 , 150, 204110	12
607	Studying GPCR conformational dynamics by single molecule fluorescence. 2019 , 493, 110469	9
606	An outlook on using serial femtosecond crystallography in drug discovery. 2019 , 14, 933-945	16
605	A benchmark study of loop modeling methods applied to G protein-coupled receptors. 2019 , 33, 573-595	9
604	The role of NMR spectroscopy in mapping the conformational landscape of GPCRs. 2019 , 57, 145-156	18
603	Modes of Cholesterol Binding in Membrane Proteins: A Joint Analysis of 73 Crystal Structures. 2019 , 1135, 67-86	11
602	Function-related conformational dynamics of G protein-coupled receptors revealed by NMR. 2019 , 11, 409-418	11
601	Loss of carotenoids from membranes of Pantoea sp. YR343 results in altered lipid composition and changes in membrane biophysical properties. 2019 , 1861, 1338-1345	6
600	Direct Mechanisms in Cholesterol Modulation of Protein Function. 2019,	2
599	Revealing the Mechanism of Agonist-Mediated Cannabinoid Receptor 1 (CB1) Activation and Phospholipid-Mediated Allosteric Modulation. 2019 , 62, 5638-5654	10
598	Investigating targets for neuropharmacological intervention by molecular dynamics simulations. 2019 , 47, 909-918	O
597	Molecular Determinants of Cholesterol Binding to Soluble and Transmembrane Protein Domains. 2019 , 1135, 47-66	5
596	Effects of Cholesterol on GPCR Function: Insights from Computational and Experimental Studies. 2019 , 1135, 89-103	17

595	Structural basis of ligand recognition at the human MT melatonin receptor. 2019 , 569, 284-288	98
594	Interfacial Binding Sites for Cholesterol on G Protein-Coupled Receptors. 2019 , 116, 1586-1597	20
593	Hybridization of EAdrenergic Agonists and Antagonists Confers G Protein Bias. 2019, 62, 5111-5131	5
592	The lipid phase preference of the adenosine A receptor depends on its ligand binding state. 2019 , 55, 5724-5727	6
591	Analysis of tractable allosteric sites in G protein-coupled receptors. 2019 , 9, 6180	21
590	Characterising GPCR-ligand interactions using a fragment molecular orbital-based approach. 2019 , 55, 85-92	9
589	Expression, Purification, and Crystallization of the Transient Receptor Potential Channel TRPV6. 2019 , 1987, 23-37	1
588	Transcription with a laser: Radiation-damage-free diffraction of RNA Polymerase II crystals. 2019 , 159-160, 23-28	2
587	pH-dependent gating mechanism of the urea channel revealed by cryo-EM. 2019 , 5, eaav8423	8
586	In silico profiling the interaction mechanism of 2,5-diketopiperazine derivatives as oxytocin antagonists. 2019 , 89, 178-191	3
585	Computational design for thermostabilization of GPCRs. 2019 , 55, 25-33	7
584	Structural and energetic basis for novel epicatechin derivatives acting as GPER agonists through the MMGBSA method. 2019 , 189, 176-186	7
583	Refinement of the gonadotropin releasing hormone receptor I homology model by applying molecular dynamics. 2019 , 89, 147-155	2
582	Mutations in the NPxxY motif stabilize pharmacologically distinct conformational states of the \Box 8.8 and \Box and \Box conformational states of the \Box 8.8	11
581	Multiscale Simulations of Biological Membranes: The Challenge To Understand Biological Phenomena in a Living Substance. 2019 , 119, 5607-5774	130
580	Trimethylsilyl reporter groups for NMR studies of conformational changes in G protein-coupled receptors. 2019 , 593, 1113-1121	5
579	Soft biomimetic nanoconfinement promotes amorphous water over ice. 2019 , 14, 609-615	24
578	Does the Lipid Bilayer Orchestrate Access and Binding of Ligands to Transmembrane Orthosteric/Allosteric Sites of G Protein-Coupled Receptors?. 2019 , 96, 527-541	21

577	Glucosamine-6-phosphate synthase inhibiting C3-Etholesterol tethered spiro heterocyclic conjugates: Synthesis and their insight of DFT and docking study. 2019 , 88, 102920		4
576	Characterization of Lipid-Protein Interactions and Lipid-Mediated Modulation of Membrane Protein Function through Molecular Simulation. 2019 , 119, 6086-6161		80
575	Influence of Cholesterol and Its Stereoisomers on Members of the Serotonin Receptor Family. 2019 , 431, 1633-1649		9
574	Evaluating the performance of MM/PBSA for binding affinity prediction using class A GPCR crystal structures. 2019 , 33, 487-496		11
573	Introduction. 2019 , 1-18		
572	Functional identification and expressional responses of large yellow croaker (Larimichthys crocea) interleukin-8 and its receptor. 2019 , 87, 470-477		9
571	Emerging Diversity in Lipid-Protein Interactions. 2019 , 119, 5775-5848		163
570	Open-Boundary Molecular Mechanics/Coarse-Grained Framework for Simulations of Low-Resolution G-Protein-Coupled Receptor-Ligand Complexes. 2019 , 15, 2101-2109		11
569	Usefulness of oils for cleaning the host matrix and for cryoprotection of lipidic cubic phase crystals. 2019 , 52, 864-868		2
568	Structure of an endosomal signaling GPCR-G protein-Earrestin megacomplex. 2019, 26, 1123-1131		80
567	Computational design and characterization of nanobody-derived peptides that stabilize the active conformation of the Eadrenergic receptor (EAR). 2019 , 9, 16555		7
566	Watching helical membrane proteins fold reveals a common N-to-C-terminal folding pathway. <i>Science</i> , 2019 , 366, 1150-1156	33.3	23
565	Molecular Mechanism for Ligand Recognition and Subtype Selectivity of Adrenergic Receptor. 2019 , 29, 2936-2943.e4		5
564	Structural basis of species-selective antagonist binding to the succinate receptor. 2019 , 574, 581-585		13
563	Structural Basis of the Diversity of Adrenergic Receptors. 2019 , 29, 2929-2935.e4		13
562	Structural biology and structure-function relationships of membrane proteins. 2019 , 47, 47-61		14
561	Mechanisms of Drug Action. 2019 , 2-19		1
560	Mechanism of Hormone Peptide Activation of a GPCR: Angiotensin II Activated State of ATR Initiated by van der Waals Attraction. <i>Journal of Chemical Information and Modeling</i> , 2019 , 59, 373-385	6.1	16

559	GPCR drug discovery: integrating solution NMR data with crystal and cryo-EM structures. 2019 , 18, 59-82	109
558	The MemProtMD database: a resource for membrane-embedded protein structures and their lipid interactions. 2019 , 47, D390-D397	70
557	Cholesterol Modulation of Protein Function. 2019,	1
556	Ligand-binding affinity of alternative conformers of human Badrenergic receptor in the presence of intracellular loop 3 (ICL3) and their potential use in virtual screening studies. 2019 , 93, 883-899	3
555	The subcellular dynamics of GPCR signaling. 2019 , 483, 24-30	25
554	A Critical Analysis of Molecular Mechanisms Underlying Membrane Cholesterol Sensitivity of GPCRs. 2019 , 1115, 21-52	27
553	Organization of ATP-gated P2X1 receptor intracellular termini in apo and desensitized states. 2019 , 151, 146-155	2
552	Introduction. 2019 , 1-36	
551	History of Endocrinology. 2019 , 1-10	
550	Conducting Nanomaterial Sensor Using Natural Receptors. 2019 , 119, 36-93	100
550 549	Conducting Nanomaterial Sensor Using Natural Receptors. 2019 , 119, 36-93 Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway cells. 2019 , 316, L45-L57	100
	Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway	
549	Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway cells. 2019 , 316, L45-L57 Aminergic GPCR-Ligand Interactions: A Chemical and Structural Map of Receptor Mutation Data.	9
549 548	Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway cells. 2019 , 316, L45-L57 Aminergic GPCR-Ligand Interactions: A Chemical and Structural Map of Receptor Mutation Data. 2019 , 62, 3784-3839 Regulation of G protein-coupled receptor signaling by plasma membrane organization and	9
549 548 547	Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway cells. 2019, 316, L45-L57 Aminergic GPCR-Ligand Interactions: A Chemical and Structural Map of Receptor Mutation Data. 2019, 62, 3784-3839 Regulation of G protein-coupled receptor signaling by plasma membrane organization and endocytosis. 2019, 20, 121-129	9 28 36
549 548 547 546	Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway cells. 2019, 316, L45-L57 Aminergic GPCR-Ligand Interactions: A Chemical and Structural Map of Receptor Mutation Data. 2019, 62, 3784-3839 Regulation of G protein-coupled receptor signaling by plasma membrane organization and endocytosis. 2019, 20, 121-129 Hot spots for GPCR signaling: lessons from single-molecule microscopy. 2019, 57, 57-63 Three-dimensional descriptors for aminergic GPCRs: dependence on docking conformation and	9 28 36
549 548 547 546	Cholesterol modulates the signaling of chemosensory bitter taste receptor T2R14 in human airway cells. 2019, 316, L45-L57 Aminergic GPCR-Ligand Interactions: A Chemical and Structural Map of Receptor Mutation Data. 2019, 62, 3784-3839 Regulation of G protein-coupled receptor signaling by plasma membrane organization and endocytosis. 2019, 20, 121-129 Hot spots for GPCR signaling: lessons from single-molecule microscopy. 2019, 57, 57-63 Three-dimensional descriptors for aminergic GPCRs: dependence on docking conformation and crystal structure. 2019, 23, 603-613	9 28 36 14

(2020-2019)

541	Small Molecule Allosteric Modulators of G-Protein-Coupled Receptors: Drug-Target Interactions. 2019 , 62, 24-45	83	
54 ⁰	Structural insight into Class F receptors - What have we learnt regarding agonist-induced activation?. 2020 , 126 Suppl 6, 17-24	11	
539	Progress in GPCR structure determination. 2020 , 3-22	2	
538	G Protein-Coupled Receptor Pharmacology at the Single-Molecule Level. 2020 , 60, 73-87	12	
537	Lipid-Dependent Regulation of Ion Channels and G Protein-Coupled Receptors: Insights from Structures and Simulations. 2020 , 60, 31-50	57	
536	Synthesis and molecular docking of some new bis-thiadiazoles as anti-hypertensive blocking agents. 2020 , 50, 85-96	10	
535	Protein isoelectric point distribution in the interactomes across the domains of life. 2020 , 256, 106269	6	
534	Structural basis of chemokine and receptor interactions: Key regulators of leukocyte recruitment in inflammatory responses. 2020 , 29, 420-432	16	
533	Role of cholesterol-mediated effects in GPCR heterodimers. 2020 , 227, 104852	15	
532	Molecular determinants of GPCR oligomerization. 2020 , 97-108	О	
531	Supramolecular structure of opsins. 2020 , 81-95	1	
530	Chiral resolution of 1-phenylethylamine in Schiff base form within a mixed ligand complex of Ni(II). 2020 , 502, 119338		
529	Cryo-EM as a powerful tool for drug discovery. 2020 , 30, 127524	19	
528	Structure and Dynamics of GPCRs in Lipid Membranes: Physical Principles and Experimental Approaches. <i>Molecules</i> , 2020 , 25,	18	
527	Vanadium compounds promote biocatalysis in cells through actions on cell membranes. 2020 ,	1	
526	In silico strategy for detailing the binding modes of a novel family of peptides proven as ghrelin receptor agonists. 2020 , 26, 294	1	
525	The discovery of a new antibody for BRIL-fused GPCR structure determination. 2020 , 10, 11669	8	
524	Photoswitchable Antagonists for a Precise Spatiotemporal Control of EAdrenoceptors. 2020 , 63, 8458-8470	6	

523	The evolution of molecular machines through interfacial nanoarchitectonics: from toys to tools. 2020 , 11, 10594-10604		30
522	Energy Landscapes Reveal Agonist Control of G Protein-Coupled Receptor Activation via Microswitches. 2020 , 59, 880-891		16
521	Crystal structure of the human oxytocin receptor. 2020 , 6, eabb5419		35
520	The importance of the membrane for biophysical measurements. 2020 , 16, 1285-1292		10
519	Molecular recognition at the air-water interface: nanoarchitectonic design and physicochemical understanding. 2020 , 22, 24856-24869		17
518	Changes in Membrane Protein Structural Biology. 2020 , 9,		4
517	Viewing rare conformations of the ladrenergic receptor with pressure-resolved DEER spectroscopy. 2020 , 117, 31824-31831		13
516	Different conformational responses of the 2 -adrenergic receptor-Gs complex upon binding of the partial agonist salbutamol or the full agonist isoprenaline. 2020 ,		5
515	The de Rham-Hodge Analysis and Modeling of Biomolecules. 2020 , 82, 108		6
514	Sequential purification and characterization of Torpedo californica nAChR-DC supplemented with CHS for high-resolution crystallization studies. 2020 , 610, 113887		2
513	Site-Specific Incorporation of Genetically Encoded Photo-Crosslinkers Locates the Heteromeric Interface of a GPCR Complex in Living Cells. 2020 , 27, 1308-1317.e4		8
512	Computational Approaches for the Discovery of GPER Targeting Compounds. 2020 , 11, 517		11
511	Ligand Pose Predictions for Human G Protein-Coupled Receptors: Insights from the Amber-Based Hybrid Molecular Mechanics/Coarse-Grained Approach. <i>Journal of Chemical Information and Modeling</i> , 2020 , 60, 5103-5116	6.1	3
510	Molecular engineering of super-swollen inverse bicontinuous cubic and sponge lipid phases for biomedical applications. 2020 , 5, 1354-1375		7
509	Cholesterol Localization around the Metabotropic Glutamate Receptor 2. 2020 , 124, 9061-9078		2
508	A Systematic Review of Inverse Agonism at Adrenoceptor Subtypes. 2020 , 9,		3
507	Structural Basis of the Activation of Heterotrimeric Gs-Protein by Isoproterenol-Bound EAdrenergic Receptor. 2020 , 80, 59-71.e4		22
506	Purinergic Signaling: Impact of GPCR Structures on Rational Drug Design. 2020 , 15, 1958-1973		7

(2020-2020)

505	Emulating Docking Results Using a Deep Neural Network: A New Perspective for Virtual Screening. Journal of Chemical Information and Modeling, 2020 , 60, 4246-4262	6.1	11
504	A guide to membrane protein X-ray crystallography. 2021 , 288, 5788-5804		10
503	Adenosine A receptor antagonists: from caffeine to selective non-xanthines. 2020,		19
502	G Protein-Coupled Receptors in Asthma Therapy: Pharmacology and Drug Action. 2020 , 72, 1-49		33
501	Membrane Compartmentalization and Scaffold Proteins in Leukocyte Migration. 2020, 8, 285		2
500	Distinctive communication networks in inactive states of Badrenergic receptor: Mutual information and entropy transfer analysis. 2020 , 88, 1458-1471		1
499	Cholesterol-mediated oligomerization pathways of serotonin G-coupled receptor 5-HT2C. 2020 , 160, 1090-1100		3
498	Molecular basis of Earrestin coupling to formoterol-bound Eadrenoceptor. 2020 , 583, 862-866		76
497	Synthesis and dopamine receptor pharmacological evaluations on ring C ortho halogenated 1-phenylbenzazepines. 2020 , 30, 127305		3
496	Molecular dynamics simulation involved in expounding the activation of adrenoceptors by sympathetic nervous system signaling. 2020 , 31, 1869-1885		1
495	Lipid-Protein Interactions Are a Unique Property and Defining Feature of G Protein-Coupled Receptors. 2020 , 118, 1887-1900		27
494	Exploring the Activation Mechanism of the mGlu5 Transmembrane Domain. 2020 , 7, 38		2
493	Selectivity in agonist and antagonist binding to Serotonin receptors via G-protein coupling. 2020 , 1862, 183265		О
492	Comprehensive Characterization of Lipid-Guided G Protein-Coupled Receptor Dimerization. 2020 , 124, 2823-2834		9
491	Performance of virtual screening against GPCR homology models: Impact of template selection and treatment of binding site plasticity. 2020 , 16, e1007680		21
490	Structure and function of serotonin GPCR heteromers. 2020 , 31, 217-238		
489	Cannabinoids and Cannabinoid Receptors: The Story so Far. 2020 , 23, 101301		50
488	Effects of 2-monoacylglycerol on in meso crystallization and the crystal structures of integral membrane proteins. 2020 , 20, 5444-5454		1

487	IDPs and their complexes in GPCR and nuclear receptor signaling. <i>Progress in Molecular Biology and Translational Science</i> , 2020 , 174, 105-155	4	3
486	Expression, Purification, and Structural Biology of Membrane Proteins. 2020,		1
485	Functional marriage in plasma membrane: Critical cholesterol level-optimal protein activity. 2020 , 177, 2456-2465		4
484	Using Complementary Methods of Synchrotron Radiation Powder Diffraction and Pair Distribution Function to Refine Crystal Structures with High Quality Parameters Review. 2020 , 10, 124		9
483	Rational design of novel benzisoxazole derivatives with acetylcholinesterase inhibitory and serotoninergic 5-HT receptors activities for the treatment of Alzheimer's disease. 2020 , 10, 3014		17
482	Identification of C10 nitrogen-containing aporphines with dopamine D versus D receptor selectivity. 2020 , 30, 127053		1
481	Computer simulations of protein-membrane systems. <i>Progress in Molecular Biology and Translational Science</i> , 2020 , 170, 273-403	4	15
480	Structure and Functional Characterization of Membrane Integral Proteins in the Lipid Cubic Phase. 2020 , 432, 5104-5123		10
479	Automated multistep column chromatography on ETA pure system using in-line sample dilution. 2020 , 240, 116556		1
478	Continuous Spherical Crystallization of Lysozyme in an Oscillatory Baffled Crystallizer Using Emulsion Solvent Diffusion in Droplets. 2020 , 20, 934-947		10
477	Combinatorial allosteric modulation of agonist response in a self-interacting G-protein coupled receptor. 2020 , 3, 27		4
476	The application of helix fusion methods in structural biology. 2020 , 60, 110-116		5
475	Solution structure and oligomeric state of the E. coliglycerol facilitator. 2020 , 1862, 183191		3
474	Biased Signaling of the G-Protein-Coupled Receptor AR Is Governed by Conformational Exchange Kinetics. 2020 , 28, 371-377.e3		18
473	High-Throughput Macromolecular Crystallography in Drug Discovery. 2020 , 211-251		
472	Complementary Information from Neutron Crystallography Studies. 2020 , 277-293		
471	Impact of Recently Determined Crystallographic Structures of GPCRs on Drug Discovery. 2020 , 449-47	77	1
470	Membrane Protein Crystallization. 2020 , 187-210		О

469	Integrated structural modeling and super-resolution imaging resolve GPCR oligomers. <i>Progress in Molecular Biology and Translational Science</i> , 2020 , 169, 151-179	3
468	Cholesterol interaction motifs in G protein-coupled receptors: Slippery hot spots?. 2020 , 12, e1481	19
467	Rapid identification of highly potent human anti-GPCR antagonist monoclonal antibodies. 2020 , 12, 1755069	3
466	Molecular mechanisms of fentanyl mediated Earrestin biased signaling. 2020 , 16, e1007394	22
465	Direct and indirect cholesterol effects on membrane proteins with special focus on potassium channels. 2020 , 1865, 158706	20
464	Impact of GPCR Structures on Drug Discovery. 2020 , 181, 81-91	82
463	Synthesis, pharmacological evaluations, and molecular docking studies on a new 1,3,4,11b-tetrahydro-1H-fluoreno[9,1-cd]azepine framework: Rigidification of D receptor selective 1-phenylbenzazepines and discovery of a new 5-HT receptor scaffold. 2020 , 96, 825-835	1
462	Computational Insights into Molecular Activation and Positive Cooperative Mechanisms of FFAR1 Modulators. <i>Journal of Chemical Information and Modeling</i> , 2020 , 60, 3214-3230	4
461	A Focus on Unusual ECL2 Interactions Yields 🛮 Adrenergic Receptor Antagonists with Unprecedented Scaffolds. 2020 , 15, 882-890	5
460	Post-translational Modifications of Opioid Receptors. 2020 , 43, 417-432	19
460 459	Post-translational Modifications of Opioid Receptors. 2020 , 43, 417-432 Insights into GLP-1 Receptor Activation with a Nonpeptide Agonist. 2020 , 59, 1549-1550	19
		, i
459	Insights into GLP-1 Receptor Activation with a Nonpeptide Agonist. 2020 , 59, 1549-1550 Radiolabelled CCK R Antagonists Containing PEG Linkers: Design, Synthesis and Evaluation. 2021 ,	1
459 458	Insights into GLP-1 Receptor Activation with a Nonpeptide Agonist. 2020 , 59, 1549-1550 Radiolabelled CCK R Antagonists Containing PEG Linkers: Design, Synthesis and Evaluation. 2021 , 16, 155-163	1
459 458 457	Insights into GLP-1 Receptor Activation with a Nonpeptide Agonist. 2020, 59, 1549-1550 Radiolabelled CCK R Antagonists Containing PEG Linkers: Design, Synthesis and Evaluation. 2021, 16, 155-163 Binding pathway determines norepinephrine selectivity for the human AR over AR. 2021, 31, 569-579	1 0 23
459 458 457 456	Insights into GLP-1 Receptor Activation with a Nonpeptide Agonist. 2020, 59, 1549-1550 Radiolabelled CCK R Antagonists Containing PEG Linkers: Design, Synthesis and Evaluation. 2021, 16, 155-163 Binding pathway determines norepinephrine selectivity for the human AR over AR. 2021, 31, 569-579 Compartmentalized GPCR Signaling from Intracellular Membranes. 2021, 254, 259-271 Structure, dynamics and lipid interactions of serotonin receptors: excitements and challenges. 2020	1 0 23
459 458 457 456 455	Insights into GLP-1 Receptor Activation with a Nonpeptide Agonist. 2020, 59, 1549-1550 Radiolabelled CCK R Antagonists Containing PEG Linkers: Design, Synthesis and Evaluation. 2021, 16, 155-163 Binding pathway determines norepinephrine selectivity for the human AR over AR. 2021, 31, 569-579 Compartmentalized GPCR Signaling from Intracellular Membranes. 2021, 254, 259-271 Structure, dynamics and lipid interactions of serotonin receptors: excitements and challenges. 2020, 13, 101 Novel role of cholesteryl ester transfer protein (CETP): attenuation of adiposity by enhancing	1 0 23 14

451	G protein-coupled receptor-G protein interactions: a single-molecule perspective. 2021 , 101, 857-906	10
450	Analysis of non-structural proteins, NSPs of SARS-CoV-2 as targets for computational drug designing. 2021 , 25, 100847	15
449	Effects of 20(S)-hydroxycholesterol on satellite cell proliferation and differentiation of broilers. 2021 , 100, 474-481	2
448	Life science nanoarchitectonics at interfaces. 2021 , 5, 1018-1032	9
447	Application of the SMALP technology to the isolation of GPCRs from low-yielding cell lines.	
446	Personalized Medicine Through GPCR Pharmacogenomics. 2021,	2
445	The ligand-bound state of a G protein-coupled receptor stabilizes the interaction of functional cholesterol molecules. 2021 , 62, 100059	7
444	Fragment evolution for GPCRs: the role of secondary binding sites in optimization. 2021 , 57, 10516-10519	2
443	Direct Regulation of the T Cell Antigen Receptor's Activity by Cholesterol. 2020 , 8, 615996	2
442	Binding and activation of serotonergic G-protein coupled receptors by the multimodal antidepressant vortioxetine.	
441	Allosteric Modulation of GPCRs of Class A by Cholesterol. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	10
440	Lipid type doping of the sponge (L3) mesophase.	
439	Molecular Characterization of the Like Octopamine Receptor of Helicoverpa armigera. 2021 , 254, 311-319	1
438	Trends in application of advancing computational approaches in GPCR ligand discovery. 2021 , 246, 1011-1024	2
437	Latrophilin GPCR Signaling Mediates Synapse Formation.	
436	Probing d- and l-Adrenaline Binding to FAdrenoreceptor Peptide Motifs by Gas-Phase Photodissociation Cross-Linking and Ion Mobility Mass Spectrometry. 2021 , 32, 1041-1052	1
435	Fluorescence-detection size-exclusion chromatography utilizing nanobody technology for expression screening of membrane proteins. 2021 , 4, 366	5
434	Latrophilin GPCR signaling mediates synapse formation. 2021 , 10,	13

 $_{433}$ Importance of Homology Modeling for Predicting the Structures of GPCRs.

155		
432	Understanding the influence of lipid bilayers and ligand molecules in determining the conformational dynamics of somatostatin receptor 2. 2021 , 11, 7677	O
431	Structure-Based Drug Design for G Protein-Coupled Receptors. 1-59	
430	Single-Molecule Fluorescence Techniques for Membrane Protein Dynamics Analysis. 2021 , 75, 491-505	3
429	Monosubstituted Coumarins Inhibit Epinephrine-Induced Platelet Aggregation Antiplatelet Effect of Monosubstituted Coumarins. 2021 ,	
428	Development of Novel Potential Pleiotropic Compounds of Interest in Alzheimer's Disease Treatment through Rigidification Strategy. <i>Molecules</i> , 2021 , 26,	2
427	Loss of a water-mediated network results in reduced agonist affinity in a Eadrenergic receptor clinical variant. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2021 , 1869, 140605	4
426	[Activation Mechanism of Prostanoid Receptors -X-ray Crystallography of EP3 Receptor]. 2021 , 141, 473-47	9
425	Advancements in macromolecular crystallography: from past to present. 2021 , 5, 127-149	3
424	Insights into the Activation of a Crustacean G Protein-Coupled Receptor: Evaluation of the Red Pigment-Concentrating Hormone Receptor of the Water Flea (Dappu-RPCH R). 2021 , 11,	1
423	Simultaneous Identification of Multiple Binding Sites in Proteins: A Statistical Mechanics Approach. 2021 , 125, 5052-5067	
422	Subtype selective fluorescent ligands based on ICI 118,551 to study the human <code>1-adrenoceptor</code> in CRISPR/Cas9 genome-edited HEK293T cells at low expression levels. 2021 , 9, e00779	1
421	Predictable cholesterol binding sites in GPCRs lack consensus motifs. 2021 , 29, 499-506.e3	18
420	Using a genetic algorithm to find molecules with good docking scores. 3, e18	4
419	Therapeutic Potential of Polyphenols in the Management of Diabetic Neuropathy. 2021, 2021, 9940169	12
418	Cell cycle dependence on the mevalonate pathway: Role of cholesterol and non-sterol isoprenoids. 2021 , 196, 114623	1
417	Structures and Dynamics of Native-State Transmembrane Protein Targets and Bound Lipids. 2021 , 11,	3
416	Annealing synchronizes the 70S ribosome into a minimum-energy conformation.	

415	Predicting aptamer sequences that interact with target proteins using an aptamer-protein interaction classifier and a Monte Carlo tree search approach. 2021 , 16, e0253760	2
414	GPCRsignal: webserver for analysis of the interface between G-protein-coupled receptors and their effector proteins by dynamics and mutations. 2021 , 49, W247-W256	О
413	Critical APJ receptor residues in extracellular domains that influence effector selectivity. 2021 , 288, 6543-	6562 0
412	Deciphering conformational selectivity in the A2A adenosine G protein-coupled receptor by Free Energy simulations.	
411	Ligands of Adrenergic Receptors: A Structural Point of View. 2021 , 11,	6
410	Crystal structure of dopamine D1 receptor in complex with G protein and a non-catechol agonist. Nature Communications, 2021 , 12, 3305	7.4 8
409	Polymer Nanodiscs and Their Bioanalytical Potential. 2021 , 27, 12922-12939	5
408	A molecular sensor for cholesterol in the human serotonin receptor. 2021 , 7,	9
407	Allosteric effect of nanobody binding on ligand-specific active states of the $\mbox{12-}$ Adrenergic Receptor.	
406	A novel high-throughput screen for identifying lipids that stabilise membrane proteins in detergent based solution. 2021 , 16, e0254118	4
405	Regulation of EGFR activation and signaling by lipids on the plasma membrane. 2021, 83, 101115	4
404	Sequence similarity in 3D for comparison of protein families. 2021 , 106, 107906	О
403	Cryo-EM structure of the B-adrenergic receptor reveals the molecular basis of subtype selectivity. 2021 , 81, 3205-3215.e5	4
402	Cholesterol in GPCR Structures: Prevalence and Relevance. 2021 , 1	4
401	Guidelines for de novo phasing using multiple small-wedge data collection. 2021 , 28, 1284-1295	3
400	Structural dynamics bridge the gap between the genetic and functional levels of GPCRs. 2021 , 69, 150-159	3
399	Insights into the Role of Membrane Lipids in the Structure, Function and Regulation of Integral Membrane Proteins. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	3 2
398	Cryo-EM structure of the human MT-G signaling complex. 2021 , 28, 694-701	9

397	Evidence for Free Radical Drug Ligands in class A G-protein Coupled Receptors.		O
396	Pursuing High-Resolution Structures of Nicotinic Acetylcholine Receptors: Lessons Learned from Five Decades. <i>Molecules</i> , 2021 , 26,	4.8	2
395	Dual-color Fluorescence Cross-Correlation Spectroscopy to study Protein-Protein Interaction and Protein Dynamics in Live Cells.		
394	Functional Analysis of the GPI Transamidase Complex by Screening for Amino Acid Mutations in Each Subunit. <i>Molecules</i> , 2021 , 26,	4.8	1
393	2D SIFt: a matrix of ligand-receptor interactions. 2021 , 13, 66		
392	Cryo-EM structure of a single-chain 🛭 -adrenoceptor 🖾 mpC 🖺 actamase fusion protein.		
391	Universal Properties and Specificities of the EAdrenergic Receptor-G Protein Complex Activation Mechanism Revealed by All-Atom Molecular Dynamics Simulations. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
390	Unique Positive Cooperativity Between the -Arrestin-Biased -Blocker Carvedilol and a Small Molecule Positive Allosteric Modulator of the 2-Adrenergic Receptor. 2021 , 100, 513-525		3
389	Optical and dielectric mechanism of complex double perovskite oxides xLaAlO3 [[1-x)Ba(Mg1/2 W1/2)O3. 2021 , 631, 413430		
388	Evidence that specific interactions play a role in the cholesterol sensitivity of G protein-coupled receptors. 2021 , 1863, 183557		2
387	Application of the SMALP technology to the isolation of GPCRs from low-yielding cell lines. 2021 , 1863, 183641		О
386	Cholesterol footprint in high-resolution structures of serotonin receptors: Where are we now and what does it mean?. 2021 , 239, 105120		1
385	Accurate Binding Configuration Prediction of a G-Protein-Coupled Receptor to Its Antagonist Using Multicanonical Molecular Dynamics-Based Dynamic Docking. <i>Journal of Chemical Information and Modeling</i> , 2021 , 61, 5161-5171	6.1	2
384	Receptor-wide Determinants of G Protein Coupling Selectivity in Aminergic GPCRs.		
383	Dissecting the allosteric networks governing agonist efficacy and potency in G protein-coupled receptors.		
382	Roadmap for the use of base editors to decipher drug mechanism of action. 2021 , 16, e0257537		
381	Influence of lipid bilayer on the GPCR structure: Comparison of all-atom lipid force fields.		1
380	Structure determination of GPCRs: cryo-EM compared with X-ray crystallography. 2021 , 49, 2345-2355		10

379	Homology Modeling of Class A G-Protein-Coupled Receptors in the Age of the Structure Boom. 2021 , 2315, 73-97	1
378	Identification of ligand-specific G protein-coupled receptor states and prediction of downstream efficacy via data-driven modeling. 2021 , 10,	5
377	Structural Characterization of KOR Inactive and Active States for 3D Pharmacology and Drug Discovery. 2022 , 271, 41-64	1
376	Structure- and ligand- based studies to gain insight into the pharmacological implications of histamine H3 receptor. 2021 , 32, 1141-1149	1
375	Structure, Function, and Pharmaceutical Ligands of 5-Hydroxytryptamine 2B Receptor. 2021 , 14,	1
374	Efficient production of a functional G protein-coupled receptor in E. coli for structural studies. 2021 , 75, 25-38	2
373	G protein-coupled receptors: structure- and function-based drug discovery. 2021 , 6, 7	44
372	Cell-Surface Receptors: Structure, Activation, and Signaling. 1	1
371	Structural Insights into Cholesterol Interactions with G-Protein-Coupled Receptors. 231-253	2
370	Insights into Structural Determinants of Cholesterol Sensitivity of Kir Channels. 45-67	2
369	In Silico Prediction of Drug Side Effects. 19-44	1
368	In Meso In Situ Serial X-Ray Crystallography (IMISX): A Protocol for Membrane Protein Structure Determination at the Swiss Light Source. 2020 , 2127, 293-319	3
367	The Epinephrine/Norepinephrine/Autoinducer-3 Interkingdom Signaling System in Escherichia coli O157:H7. 2010 , 213-227	5
366	Mechanism of GPCR-directed autoantibodies in diseases. 2012 , 749, 187-99	18
365	Overview of Non-CB1/CB2 Cannabinoid Receptors: Chemistry and Modeling. 2013, 29-51	1
364	Micelles, Bicelles, Amphipols, Nanodiscs, Liposomes, or Intact Cells: The Hitchhiker Guide to the Study of Membrane Proteins by NMR. 2014 , 315-345	10
363	GFP-based expression screening of membrane proteins in insect cells using the baculovirus system. 2015 , 1261, 197-209	12
362	Nuts and Bolts of CF3 and CH 3 NMR Toward the Understanding of Conformational Exchange of GPCRs. 2015 , 1335, 39-51	7

361	Use of fluorescence indicators in receptor ligands. 2009 , 552, 279-91	2
360	Application of fluorescence resonance energy transfer techniques to establish ligand-receptor orientation. 2009 , 552, 293-304	2
359	Homology modeling of GPCRs. 2009 , 552, 97-113	8
358	Structural Basis of Dopamine Receptor Activation. 2010 , 47-73	3
357	Dopamine Receptor Subtype-Selective Drugs: D1-Like Receptors. 2010 , 75-99	4
356	Ligand macromolecule interactions: theoretical principles of molecular recognition. 2009 , 572, 13-29	4
355	Mammalian membrane receptors expression as inclusion bodies in Escherichia coli. 2010 , 601, 39-48	11
354	Critical review of general guidelines for membrane proteins model building and analysis. 2010, 654, 363-85	3
353	The family of G protein-coupled receptors: an example of membrane proteins. 2010, 654, 441-54	5
352	5-HT2C Receptor Dimerization. 2011 , 129-155	4
351	Opioid Receptor Trafficking. 2011 , 389-405	1
350	The use of site-directed mutagenesis to study GPCRs. 2011 , 746, 85-98	3
349	Novel Assay Technologies for the Discovery of G Protein-Coupled Receptor Drugs. 2011 , 231-253	1
348	Advances in Structure Determination of G Protein-Coupled Receptors by SFX. 2018 , 301-329	1
347	Chemosensorial G-proteins-coupled receptors: a perspective from computational methods. 2014 , 805, 441-57	4
346	Molecular Mechanics/Coarse-Grained Models. 2014 , 165-174	3
345	Role of lipid-mediated effects in Endrenergic receptor dimerization. 2015, 842, 247-61	19
344	Molecular Aspects of Histamine Receptors. 2016 , 1-49	3

343	Development of Refined Homology Models: Adding the Missing Information to the Medically Relevant Neurotransmitter Transporters. 2014 , 99-120	2
342	GPCRs: Past, present, and future. 2010 , 251-278	1
341	Mechanical Stress Induces Cardiomyocyte Hypertrophy Through Agonist-Independent Activation of Angiotensin II Type 1 Receptor. 2010 , 83-95	2
340	Ligand Binding and Activation of the CGRP Receptor. 2010 , 23-40	1
339	Challenges for Computer Simulations in Drug Design. 2010 , 431-463	2
338	Cholesterol-binding viral proteins in virus entry and morphogenesis. 2010 , 51, 77-108	47
337	The GPCR crystallography boom: providing an invaluable source of structural information and expanding the scope of homology modeling. 2014 , 796, 3-13	20
336	Modeling of G protein-coupled receptors using crystal structures: from monomers to signaling complexes. 2014 , 796, 15-33	11
335	How the dynamic properties and functional mechanisms of GPCRs are modulated by their coupling to the membrane environment. 2014 , 796, 55-74	21
334	Coarse-grained molecular dynamics provides insight into the interactions of lipids and cholesterol with rhodopsin. 2014 , 796, 75-94	25
333	Lipid Cubic Phase for Membrane Protein X-ray Crystallography. 2018 , 175-220	1
332	Beta-Adrenergic Agonists. 2009 , 1485-1503	1
331	Mechanobiology predicts raft formations triggered by ligand-receptor activity across the cell membrane. 2020 , 141, 103974	7
330	How Do Branched Detergents Stabilize GPCRs in Micelles?. 2020 , 59, 2125-2134	12
329	CHAPTER 5:Fragment Screening of G Protein-Coupled Receptors. 2015 , 101-125	1
328	Polyoxometalates function as indirect activators of a G protein-coupled receptor. 2020 , 12, 1044-1061	14
327	Membrane protein crystallography in the era of modern structural biology. 2020 , 48, 2505-2524	3
326	Molecular Pharmacology of the Dopamine Receptors. 2009 , 63-87	8

325	Kinetic Machine Learning Unravels Ligand-Directed Conformational Change of ©pioid Receptor.		2
324	RosettaGPCR: Multiple Template Homology Modeling of GPCRs with Rosetta.		1
323	An exhaustive analysis of single amino acid variants in helical transmembrane proteins.		1
322	Crystal structure of the human oxytocin receptor.		2
321	Molecular determinants of Earrestin coupling to formoterol-bound 🛭 -adrenoceptor.		2
320	Modulation of A2aR Oligomerisation by Conformational State and PIP2 Interactions Revealed by MD Simulations and Markov Models.		3
319	Functional solubilisation of the 🛭 -adrenoceptor (🖺 AR) using Diisobutylene maleic acid (DIBMA).		3
318	Demonstration of electron diffraction from membrane protein crystals grown in a lipidic mesophase after lamella preparation by focused ion beam milling at cryogenic temperatures.		3
317	Fluorescence-detection size-exclusion chromatography utilizing nanobody technology for expression screening of membrane proteins.		2
316	Structural and Functional Characterization of G Protein-Coupled Receptors with Deep Mutational Scanning.		6
315	Energy landscapes reveal agonist control of GPCR activation via microswitches.		4
314	Functional Maturation of Human iPSC-based Cardiac Microphysiological Systems with Tunable Electroconductive Decellularized Extracellular Matrices.		2
313	3D-printed holders for fixed-target serial X-ray crystallography. 2020 , 53, 854-859		3
312	Demonstration of electron diffraction from membrane protein crystals grown in a lipidic mesophase after lamella preparation by focused ion beam milling at cryogenic temperatures. 2020 , 53, 1416-1424		11
311	Toward G protein-coupled receptor structure-based drug design using X-ray lasers. 2019 , 6, 1106-1119		28
310	ZOO: an automatic data-collection system for high-throughput structure analysis in protein microcrystallography. <i>Acta Crystallographica Section D: Structural Biology</i> , 2019 , 75, 138-150	5.5	77
309	Well-based crystallization of lipidic cubic phase microcrystals for serial X-ray crystallography experiments. <i>Acta Crystallographica Section D: Structural Biology</i> , 2019 , 75, 937-946	5.5	5
308	Close encounters of the oily kind: regulation of transporters by lipids. 2009 , 9, 252-62		16

307	Post-Translational Modifications of G Protein-Coupled Receptors Control Cellular Signaling Dynamics in Space and Time. 2021 , 73, 120-151	24
306	GPCRs: Lipid-Dependent Membrane Receptors That Act as Drug Targets. 2014 , 2014, 1-12	68
305	Functional Role of Membrane Lipids in EGF Receptor Dynamics and Regulation. 2014, 41-58	1
304	Seven perspectives on GPCR H/D-exchange proteomics methods. 2017 , 6, 89	1
303	Recent innovations in membrane-protein structural biology. 2019 , 8,	14
302	Dynamic Cholesterol-Conditioned Dimerization of the G Protein Coupled Chemokine Receptor Type 4. 2016 , 12, e1005169	61
301	Testing the limits of gradient sensing. 2017 , 13, e1005386	11
300	Identifying human diamine sensors for death related putrescine and cadaverine molecules. 2018 , 14, e1005945	20
299	Closely related, yet unique: Distinct homo- and heterodimerization patterns of G protein coupled chemokine receptors and their fine-tuning by cholesterol. 2018 , 14, e1006062	24
298	Improving homology modeling from low-sequence identity templates in Rosetta: A case study in GPCRs. 2020 , 16, e1007597	15
297	Using sequence similarity networks for visualization of relationships across diverse protein superfamilies. 2009 , 4, e4345	287
296	Chemogenomic analysis of G-protein coupled receptors and their ligands deciphers locks and keys governing diverse aspects of signalling. 2011 , 6, e16811	23
295	Mining significant substructure pairs for interpreting polypharmacology in drug-target network. 2011 , 6, e16999	29
294	2-Adrenergic ion-channel coupled receptors as conformational motion detectors. 2011, 6, e18226	11
293	Multidimensional scaling reveals the main evolutionary pathways of class A G-protein-coupled receptors. 2011 , 6, e19094	29
292	Monoolein lipid phases as incorporation and enrichment materials for membrane protein crystallization. 2011 , 6, e24488	13
291	The E92K melanocortin 1 receptor mutant induces cAMP production and arrestin recruitment but not ERK activity indicating biased constitutive signaling. 2011 , 6, e24644	23
290	Novel information on the epitope of an inverse agonist monoclonal antibody provides insight into the structure of the TSH receptor. 2012 , 7, e31973	5

289	Membrane-sensitive conformational states of helix 8 in the metabotropic Glu2 receptor, a class C GPCR. 2012 , 7, e42023	25
288	Probing a polar cluster in the retinal binding pocket of bacteriorhodopsin by a chemical design approach. 2012 , 7, e42447	3
287	Identifying ligand binding conformations of the 2 -adrenergic receptor by using its agonists as computational probes. 2012 , 7, e50186	13
286	Constitutively active CCR5 chemokine receptors differ in mediating HIV envelope-dependent fusion. 2013 , 8, e54532	11
285	Recombinant production of human Aquaporin-1 to an exceptional high membrane density in Saccharomyces cerevisiae. 2013 , 8, e56431	25
284	Coarse-grained/molecular mechanics of the TAS2R38 bitter taste receptor: experimentally-validated detailed structural prediction of agonist binding. 2013 , 8, e64675	61
283	Active-state models of ternary GPCR complexes: determinants of selective receptor-G-protein coupling. 2013 , 8, e67244	33
282	GOMoDo: A GPCRs online modeling and docking webserver. 2013 , 8, e74092	65
281	The crystal structure of the orphan nuclear receptor NR2E3/PNR ligand binding domain reveals a dimeric auto-repressed conformation. 2013 , 8, e74359	26
280	A dynamic view of molecular switch behavior at serotonin receptors: implications for functional selectivity. 2014 , 9, e109312	21
279	On the modularity of the intrinsic flexibility of the $\hat{\mu}$ opioid receptor: a computational study. 2014 , 9, e115856	13
278	Novel receptor-derived cyclopeptides to treat heart failure caused by anti-II-adrenoceptor antibodies in a human-analogous rat model. 2015 , 10, e0117589	16
277	Thermostabilization of the Human Serotonin Transporter in an Antidepressant-Bound Conformation. 2015 , 10, e0145688	13
276	Structure-Activity Relationship Studies of N- and C-Terminally Modified Secretin Analogs for the Human Secretin Receptor. 2016 , 11, e0149359	5
275	G-Protein/EArrestin-Linked Fluctuating Network of G-Protein-Coupled Receptors for Predicting Drug Efficacy and Bias Using Short-Term Molecular Dynamics Simulation. 2016 , 11, e0155816	6
274	Structural and Functional Effect of an Oscillating Electric Field on the Dopamine-D3 Receptor: A Molecular Dynamics Simulation Study. 2016 , 11, e0166412	2
273	The nature of the Syntaxin4 C-terminus affects Munc18c-supported SNARE assembly. 2017 , 12, e0183366	3
272	Search for Active-State Conformation of Drug Target GPCR Using Real-Coded Genetic Algorithm. 2009 , 24, 386-396	4

271	Method of constructing dynamic molecular models within the environment of the Blender open 3D platform exemplified by \square -adrenergic receptor.		6
270	Epigenetically silenced GNG4 inhibits SDF1#CXCR4 signaling in mesenchymal glioblastoma. 2016 , 7, 136-47		21
269	Serial femtosecond crystallography opens new avenues for Structural Biology. 2016 , 23, 255-72		4
268	Computational approaches for modeling GPCR dimerization. 2014 , 15, 996-1006		16
267	Bivalent ligands targeting chemokine receptor dimerization: molecular design and functional studies. 2014 , 14, 1606-18		14
266	Recent Advances in the Drug Discovery and Development of Dualsteric/Bitopic Activators of G Protein-Coupled Receptors. 2019 , 19, 2378-2392		6
265	In Silico Studies Targeting G-protein Coupled Receptors for Drug Research Against Parkinson's Disease. 2018 , 16, 786-848		10
264	Sense of Smell: Structural, Functional, Mechanistic Advancements and Challenges in Human Olfactory Research. 2019 , 17, 891-911		20
263	Surface Plasmon Resonance as a Tool for Ligand Binding Investigation of Engineered GPR17 Receptor, a G Protein Coupled Receptor Involved in Myelination. 2019 , 7, 910		11
262	Fake It 'Till You Make It-The Pursuit of Suitable Membrane Mimetics for Membrane Protein Biophysics. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	6
261	Dynamical Correlations Reveal Allosteric Sites in G Protein-Coupled Receptors. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	2
260	New tools in membrane protein determination. 2011 , 3, 8		13
259	The Protein Structure Initiative: achievements and visions for the future. 2012 , 4, 7		37
258	Current applications of mini G proteins to study the structure and function of G protein-coupled receptors. 2018 , 5, 209-225		2
257	G protein-coupled receptors: the evolution of structural insight. 2017 , 4, 491-527		26
² 57			26
	G protein-coupled receptors: the evolution of structural insight. 2017 , 4, 491-527 Insights into the structural biology of G-protein coupled receptors impacts drug design for central		

253	Homology modeling a fast tool for drug discovery: current perspectives. 2012 , 74, 1-17	143
252	Molecular concept in human oral cancer. 2015 , 6, 9-15	19
251	Human ©pioid Receptor Models with Evaluation of the Accuracy Using the Crystal Structure of the Murine ©pioid Receptor. 2012 , 3, 218	5
250	More precise model of <i></i>-helix and transmembrane <i></i>-helical peptide backbone structure. 2012 , 03, 295-303	4
249	Bayesian Model for the Classification of GPCR Agonists and Antagonists. 2010 , 31, 2163-2169	2
248	Binding Mode Prediction of 5-Hydroxytryptamine 2C Receptor Ligands by Homology Modeling and Molecular Docking Analysis. 2011 , 32, 2008-2014	3
247	Prediction of Binding Mode between Chemokine Receptor CCR2 and Its Known Antagonists using Ligand Supported Homology Modeling. 2012 , 33, 717-720	2
246	Impact of the Protein Data Bank Across Scientific Disciplines. 2020 , 19, 25	9
245	Characteristics in Molecular Vibrational Frequency Patterns between Agonists and Antagonists of Histamine Receptors. 2012 , 10, 128-32	8
244	Mechanism of allosteric regulation of Endrenergic receptor by cholesterol. 2016 , 5,	78
243	Cholesterol activates the G-protein coupled receptor Smoothened to promote Hedgehog signaling. 2016 , 5,	140
242	Common activation mechanism of class A GPCRs. 2019 , 8,	117
241	Structural and functional characterization of G protein-coupled receptors with deep mutational scanning. 2020 , 9,	25
240	Two-point immobilization of a conformation-specific beta-adrenoceptor for recognizing the receptor agonists or antagonists inspired by binding-induced DNA assembly. 2021 , 9, 7934-7943	3
239	Structures of active melanocortin-4 receptor-Gs-protein complexes with NDP-HMSH and setmelanotide. 2021 , 31, 1176-1189	5
238	The Integrative Approach to Study of the Structure and Functions of Cardiac Voltage-Dependent Ion Channels. 2021 , 66, 711-725	
237	Modeling the Heterodimer Interfaces of Melatonin Receptors. 2021 , 15, 725296	
236	Screening of 🛭 - and 🗗 - Adrenergic Receptor Modulators through Advanced Pharmacoinformatics and Machine Learning Approaches. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	3 0

235	Molecular insights into phosphorylation-induced allosteric conformational changes in 2-adrenergic receptor.	
234	The New Paradigm of the GPCR Analysis: The Knowledge that We Obtained from Comparison of New Structures. 2008 , 48, 335-337	
233	Membrane Proteins: Properties.	
232	Agonisten und Antagonisten von membranstfidigen Rezeptoren. 2009 , 515-530	Ο
231	Crystal Structures of the 🛭-Adrenergic Receptor. 2009 , 217-230	
230	Organizing bioactive compound discovery in target families. 2009 , 575, 1-19	
229	Functional Selectivity at Adrenergic Receptors. 2009 , 107-124	
228	G-protein-coupled receptor structure: what can we learn?. 2009 , 1, 11	2
227	Traditional GPCR Pharmacology and Beyond. 2010 , 3-24	
226	Adrenoceptors, ??. 2009 , 158, S21-S22	78
		78
225	Molecular Modeling and Reengineering of A3 Adenosine Receptors. 2010 , 149-161	70
225		70
	Molecular Modeling and Reengineering of A3 Adenosine Receptors. 2010 , 149-161 Cloning of Rod Opsin Genes Isolated from Olive Flounder Paralichthys olivaceus, Japanese Eel	70
224	Molecular Modeling and Reengineering of A3 Adenosine Receptors. 2010 , 149-161 Cloning of Rod Opsin Genes Isolated from Olive Flounder Paralichthys olivaceus, Japanese Eel Anguilla japonica, and Common Carp Cyprinus carpio. 2009 , 12, 265-275	70
224	Molecular Modeling and Reengineering of A3 Adenosine Receptors. 2010, 149-161 Cloning of Rod Opsin Genes Isolated from Olive Flounder Paralichthys olivaceus, Japanese Eel Anguilla japonica, and Common Carp Cyprinus carpio. 2009, 12, 265-275 Introduction to Macromolecular X-Ray Crystallography. 2010, 312-343 Membrane-Protein Crystallography and Potentiality for Drug Design-An Example from	1
224	Molecular Modeling and Reengineering of A3 Adenosine Receptors. 2010, 149-161 Cloning of Rod Opsin Genes Isolated from Olive Flounder Paralichthys olivaceus, Japanese Eel Anguilla japonica, and Common Carp Cyprinus carpio. 2009, 12, 265-275 Introduction to Macromolecular X-Ray Crystallography. 2010, 312-343 Membrane-Protein Crystallography and Potentiality for Drug Design-An Example from Neurotransmitter Transporter Homolog LeuT. 2010, 52, 76-80	
224 223 222 221	Molecular Modeling and Reengineering of A3 Adenosine Receptors. 2010, 149-161 Cloning of Rod Opsin Genes Isolated from Olive Flounder Paralichthys olivaceus, Japanese Eel Anguilla japonica, and Common Carp Cyprinus carpio. 2009, 12, 265-275 Introduction to Macromolecular X-Ray Crystallography. 2010, 312-343 Membrane-Protein Crystallography and Potentiality for Drug Design-An Example from Neurotransmitter Transporter Homolog LeuT. 2010, 52, 76-80 Recent Advances in Biology of Crysteinyl Leukotriene. 2010, 52, 69-75	

217	Hormone Signaling Via G Protein L oupled Receptors. 2010 , 83-105	O
216	Homology Modeling of 5-HT2C Receptors. 2011 , 97-127	
215	In Silico Identification of Novel G Protein-Coupled Receptors. 2011 , 3-18	
214	Posttranslational Regulation of G Protein-Coupled Receptors. 2011 , 133-152	
213	Active Biomimetic Membranes. 2011 , 113-135	
212	The Roles of Cholesterolin the Biology of Cells. 2011 , 119-132	
211	Crystal Structure of Channelrhodopsin, A Light-Gated Cation Channel. 2012 , 54, 220-225	
210	Activation of Adrenergic Receptor by Free FattyAcid Composition. 2012 , 11, 121-124	
209	LABAs: Pharmacology, Mechanisms and Interaction with Anti-Inflammatory Treatments. 53-80	
208	Membrane Cholesterol: Implications in Receptor Function. 255-271	
207	. 2012 , 39, 1050-1060	
206	Novel homodimer model of the 🗄 drenergic receptor in complex with free fatty acids and cholesterol: first-principles calculation studies. 2012 , 8, 1245-8	
205	Crystal Structure Analysis of Adenosine A2A Receptor in Complex with Functional Antibody Fragment. 2013 , 55, 103-109	
204	Active Structure of G Protein Coupled Receptors. 2013 , 53, 034-036	
203	Protein Protein Interactions in the Solid State: The Troubles of Crystallizing Protein Protein Complexes. 2013 , 113-134	0
202	Stem cells and receptors connected with G-proteins In the vanguard of science again. 2013 , 85, 96-106	1
201	Receptor Proteins on Cell Membrane IWhat are They for, or How Different Cells of the Organism Perceive the Environment?. 2013 , 32-38	
200	Using In Vitro Mutagenesis to Characterize Structure-Function Relationships in G Protein-Coupled Receptors. 2014 , 177-195	

199	Predicting Potential Ligands for Orphan GPCRs Based on the Improved Laplacian Regularized Least Squares Method. <i>Lecture Notes in Computer Science</i> , 2014 , 280-287	
198	CHAPTER 4:Structural Understanding of Ion Channels in Atomic Detail. 2014 , 56-82	
197	Structure-Function Relationships in the Mn4CaO5 Water-Splitting Cluster. 2014 , 321-349	1
196	Structures of the Prokaryotic Galactose Transporter vSGLT and Their Implications on Alternating Access Mechanism in Human SGLT1. 2014 , 59-78	
195	Production of Olfactory Receptors and Nanovesicles Using Heterologous Cell Systems for Bioelectronic Nose. 2014 , 145-170	
194	Quinoline derivatives: candidate drugs for a class B G-protein coupled receptor, the calcitonin gene-related peptide receptor, a cause of migraines. 2014 , 13, 1130-9	
193	Structural and Computational Approaches in Drug Design for G Protein-Coupled Receptors. 2015 , 479-489	2
192	Line Narrowing in Oriented-Sample NMR of Membrane Proteins. 2015 , 159-185	
191	Current Progress of Structural Studies on 🛭 Adrenergic Receptor. 2015 , 03, 1-10	
190	Cholesterol activates the G-protein coupled receptor Smoothened to promote morphogenetic signaling.	1
189	High-Throughput Crystallography and Its Applications in Drug Discovery. 2017 , 153-179	
188	Molecular-Docking-Based Drug Design and Discovery. 2017 , 656-682	
187	Overview of Arrestin Mediated Signaling with Receptors and Non-receptor Binding Partners. 2017, 19-29	
186	Expressing Biologically Active Membrane Proteins in a Cell-Free Transcription-Translation Platform.	
185	Applications of X-Ray Micro-Beam for Data Collection. 2017 , 1607, 219-238	2
184	Genetic variation in human drug-related genes.	
183	Blender software platform as an environment for modeling objects and processes of science disciplines. 2018 , 1-42	2
182	Encyclopedia of Biophysics. 2018 , 1-11	О

181	Modeling of receptorligand complex and ligand design. 2018 , 43, 54-59
180	Identifying G protein-coupled receptor dimers from crystal packings.
179	Sibe: a computation tool to apply protein sequence statistics to folding and design.
178	Methods of working with dynamic molecular models, built in an environment of open 3D editor Blender.
177	Data Collection Strategy in Protein Micro-crystallography at Synchrotron Facility. 2019 , 59, 215-218
176	Graphene nanoflakes for acute manipulation of membrane cholesterol and transmembrane signaling.
175	Molecular mechanisms of fentanyl mediated Enrestin biased signaling.
174	Structural basis of bile acid receptor activation and Gs coupling.
173	A simple and efficient method for in vitro site-directed mutagenesis.
172	SS3D: Sequence similarity in 3D for comparison of protein families.
171	Structural Determinants of Cholesterol Recognition in Helical Integral Membrane Proteins.
170	Identification of ligand-specific G-protein coupled receptor states and prediction of downstream efficacy via data-driven modeling.
169	MODELLING OF 3D-STRUCTURES OF THE RARE MELANOCORTIN-1-RECEPTOR MUTATIONS ASSOCIATED TO MELANISM IN THE BANANAQUIT. 2020 , 26, 30-41
168	Effect of Exercise Type on Vascular Stabilization Factor in Ischemic Stroke Patients. 2020 , 9, 2345-2351
167	Nonantimicrobial Actions of Macrolides: Overview and Perspectives for Future Development. 2021 , 73, 233-262
166	Functional solubilization of the 🗗 drenoceptor using diisobutylene maleic acid. 2021 , 24, 103362
165	Magic angle spinning NMR of G protein-coupled receptors 2022 , 128, 25-43
164	Current Understanding of the Role of Cholesterol in the Life Cycle of Alphaviruses. 2020 , 13, 4

163	Free energy calculations of the functional selectivity of 5-HT2B G protein-coupled receptor. 2020 , 15, e0243313	2
162	Detection of Microcrystals for CryoEM. 2021 , 2215, 299-307	
161	Dibenzofuranylethylamines as 5-HT Receptor Agonists. 2020 , 5, 2260-2266	1
160	Architecture of the molecules of life, a contribution of Louis Pasteur to molecular pharmacology; opportunities for adrenergic pharmacology developments. 2020 , 23, 3-16	
159	Phote-HrTH (Phormia terraenovae Hypertrehalosaemic Hormone), the Metabolic Hormone of the Fruit Fly: Solution Structure and Receptor Binding Model. 2020 , 73, 202	1
158	Membrane Protein Production and Purification from Escherichia coli and Sf9 Insect Cells. 2020 , 2168, 3-49	
157	Cryo-EM Structure of the B Adrenergic Receptor Reveals the Molecular Basis of Subtype Selectivity.	
156	G protein-Coupled Receptor Distribution Impacts the Effectiveness of Signal Transmission.	
155	How palmitoylation affects trafficking and signaling of membrane receptors. 2021,	2
154	ThermoFRET: A novel nanoscale G protein coupled receptor thermostability assay functional in crude solubilised membrane preparations.	O
153	G-Protein-Coupled Receptor Expression and Purification. 2021 , 2178, 439-467	1
152	Modeling G Protein-Coupled Receptors: a Concrete Possibility. 2010 , 28, 26-31	17
151	The Effects of [(2) -Adrenoreceptor Activation on the Contractility, Ca-Signals and Nitric Oxide Production in the Mouse Atria. 2011 , 3, 103-12	1
150	N-terminal fusion tags for effective production of g-protein-coupled receptors in bacterial cell-free systems. 2012 , 4, 58-64	3
149	Molecular determinants of ligand binding at the human histamine H receptor: Site-directed mutagenesis results analyzed with ligand docking and molecular dynamics studies at H homology and crystal structure models. 2012 , 4, 2937-2951	10
148	G protein-coupled receptorsrecent advances. 2012 , 59, 515-29	36
147	GPCR activation mechanisms across classes and macro/microscales. 2021 , 28, 879-888	10
146	GPCR Dock 2021: a blind docking competition in the post AlphaFold2 era. 2021 , 100024	

145	Biophysical and functional characterization of the human TAS1R2 sweet taste receptor overexpressed in a HEK293S inducible cell line. 2021 , 11, 22238		3
144	Nanobodies as probes and modulators of cardiovascular GPCRs. 2021,		1
143	Analysis of L-DOPA and droxidopa binding to human Endrenergic receptor. 2021,		О
142	Molecular Mechanisms of Diverse Activation Stimulated by Different Biased Agonists for the 2 -Adrenergic Receptor. <i>Journal of Chemical Information and Modeling</i> , 2021 ,	6.1	1
141	Deciphering conformational selectivity in the A2A adenosine G protein-coupled receptor by free energy simulations. 2021 , 17, e1009152		O
140	From structure to clinic: Design of a muscarinic M1 receptor agonist with potential to treatment of Alzheimer's disease. 2021 , 184, 5886-5901.e22		8
139	Cardiovascular Drugs: an Insight of In Silico Drug Design Tools.		1
138	Distinct classes of potassium channels fused to GPCRs as electrical signaling biosensors 2021 , 1, None		
137	Allosteric Effect of Nanobody Binding on Ligand-Specific Active States of the Adrenergic Receptor. <i>Journal of Chemical Information and Modeling</i> , 2021 ,	6.1	O
136	Dimeric Rhodopsin R135L Mutant-Transducin-like Complex Sheds Light on Retinitis Pigmentosa Misfunctions. 2021 , 125, 12958-12971		
135	State-Targeting Stabilization of Adenosine A Receptor by Fusing a Custom-Made De Novo Designed Helical Protein. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
134	Identification and characterization of an atypical GB-biased AR agonist that fails to evoke airway smooth muscle cell tachyphylaxis. 2021 , 118,		4
133	Lipid-Protein Interactions in Plasma Membrane Organization and Function 2022,		О
132	Stability, flow alignment and a phase transition of the lipidic cubic phase during continuous flow injection 2021 , 611, 588-598		1
131	Structural and Energetic Insights Into the Interaction of Niacin With the GPR109A Receptor. 2021 , 15, 11779322211056122		O
130	Structure-Based Virtual Screening for Ligands of G Protein-Coupled Receptors: What Can Molecular Docking Do for You?. 2021 , 73, 527-565		4
129	xia2.multiplex: a multi-crystal data analysis pipeline.		
128	Expression and Characterization of Relaxin Family Peptide Receptor 1 Variants 2021 , 12, 826112		O

127	Crystal structure of the dedrenergic receptor reveals molecular determinants of selective ligand recognition <i>Nature Communications</i> , 2022 , 13, 382	17.4	1
126	Molecular determinants of GPCR pharmacogenetics: Deconstructing the population variants in Edrenergic receptor 2022 , 128, 361-396		Ο
125	Novel Molecular Targets of Antidepressants <i>Molecules</i> , 2022 , 27,	4.8	3
124	Current trends in membrane protein crystallography. 2022 , 277-290		1
123	Implementation of wedged-serial protein crystallography at PROXIMA-1 2022, 29, 439-446		0
122	Development of enhanced conformational sampling methods to probe the activation landscape of GPCRs 2022 , 128, 325-359		Ο
121	Computational Medicinal Chemistry to Target GPCRs. 2022,		
120	Pharmacophore-guided Virtual Screening to Identify New B-Adrenergic Receptor Agonists 2021,		1
119	Exploring the use of intracellular and extracellular allosteric modulators to understand GPCR signaling. 2022 , 135-160		О
118	Universal platform for the generation of thermostabilized GPCRs that crystallize in LCP 2022,		O
117	Phospholipid Scrambling by G Protein-Coupled Receptors 2021,		1
116	In Silico Approaches to Identify Polyphenol Compounds as EGlucosidase and EAmylase Inhibitors against Type-II Diabetes 2021 , 11,		5
115	Molecular Insights into Phosphorylation-Induced Allosteric Conformational Changes in a EAdrenergic Receptor 2022 ,		1
114	Annealing synchronizes the 70 ribosome into a minimum-energy conformation 2022, 119,		
113	Binding and Activation of Serotonergic G-Protein Coupled Receptors by the Multimodal Antidepressant Vortioxetine 2022 ,		
112	Toward a first principles understanding of the activation and deactivation mechanisms of class A G-protein coupled receptors and voltage-gated cation channels.		Ο
111	Discovery of HTL26119. 2022 , 179-200		
110	Post-Translational Modifications of G Protein-Coupled Receptors Revealed by Proteomics and Structural Biology 2022 , 10, 843502		Ο

109	Ligand-Dependent Modulation of the Dynamics of Intracellular Loops Dictates Functional Selectivity of 5-HTR <i>Journal of Chemical Information and Modeling</i> , 2022 ,	6.1	О
108	Activation mechanism of the class D fungal GPCR dimer Ste2 2022 , 603, 743-748		1
107	An Interpretable Convolutional Neural Network Framework for Analyzing Molecular Dynamics Trajectories: a Case Study on Functional States for G-Protein-Coupled Receptors <i>Journal of Chemical Information and Modeling</i> , 2022 ,	6.1	2
106	A Coiled-Coil-Based Design Strategy for the Thermostabilization of G-Protein-Coupled Receptors.		
105	Mechanistic Origin of Partial Agonism of Tetrahydrocannabinol for Cannabinoid Receptors 2022 , 101	764	О
104	Ulotaront: A TAAR1 Agonist for the Treatment of Schizophrenia 2022 , 13, 92-98		4
103	The Structural Basis of Peptide Binding at Class A G Protein-Coupled Receptors <i>Molecules</i> , 2021 , 27,	4.8	1
102	Nanobodies: from structure to applications in non-injectable and bispecific biotherapeutic development <i>Nanoscale</i> , 2022 , 14, 7110-7122	7.7	О
101	CHAPTER 4. Molecular Biology Techniques Applied to GPCR Allosteric and Biased Ligands. 65-96		
100	CHAPTER 6. A Unifying Approach to the Duality of Energetic Versus Conformational Formulations of Allosteric Coupling: Mechanistic Implications for GPCR Allostery. 131-155		
99	Chapter 10. Novel Insights into Membrane Transport from Computational Methodologies. 247-280		1
98	Data_Sheet_1.PDF. 2020 ,		
97	Table_1.pdf. 2020 ,		
96	Video_1.MP4. 2020 ,		
95	DataSheet1.docx. 2018 ,		
94	Modification of vascular receptor pharmacology by cholesterol: From molecular determinants to impact on arterial function. 2022 , 825-851		
93	Orphan receptors in prostate cancer Prostate, 2022,	4.2	
92	The Val34Met, Thr164Ile and Ser220Cys Polymorphisms of the 🛭-Adrenergic Receptor and Their Consequences on the Receptor Conformational Features: A Molecular Dynamics Simulation Study. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5449	6.3	

91	Activation and allosteric regulation of the orphan GPR88-Gi1 signaling complex <i>Nature Communications</i> , 2022 , 13, 2375	17.4	2
90	xia2.multiplex: a multi-crystal data-analysis pipeline. <i>Acta Crystallographica Section D: Structural Biology</i> , 2022 , 78,	5.5	2
89	Evolutionary association of receptor-wide amino acids with G proteinBoupling selectivity in aminergic GPCRs. <i>Life Science Alliance</i> , 2022 , 5, e202201439	5.8	0
88	In situ crystal data-collection and ligand-screening system at SPring-8. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2022 , 78, 241-251	1.1	O
87	A Deep Learning-Based Method for Uncovering GPCR Ligand-Induced Conformational States Using Interpretability Techniques. <i>Lecture Notes in Computer Science</i> , 2022 , 275-287	0.9	
86	Ciliary membrane, localised lipid modification and cilia function. <i>Journal of Cellular Physiology</i> , 2022 , 237, 2613-2631	7	1
85	Structural insights into human braingut peptide cholecystokinin receptors. Cell Discovery, 2022, 8,	22.3	0
84	Translocation Mechanism of Allosteric Sodium Ions in 🛭 - Adrenoceptor. <i>Journal of Chemical Information and Modeling</i> ,	6.1	1
83	A cholesterol analog stabilizes the human 12 -adrenergic receptor nonlinearly with temperature. <i>Science Signaling</i> , 2022 , 15,	8.8	0
82	Structural mass spectrometry of membrane proteins. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2022 , 140813	4	4
81	A Method for Selective 19F-Labeling Absent of Probe Sequestration (SLAPS).		
80	Adrenergic receptors in breast cancer. Progress in Molecular Biology and Translational Science, 2022,	4	
79	Materials nanoarchitectonics in a two-dimensional world within a nanoscale distance from the liquid phase. <i>Nanoscale</i> ,	7.7	4
78	Protein as evolvable functionally-constrained amorphous matter.		
77	Conformational dynamics in GPCR signaling by NMR. Magnetic Resonance Letters, 2022,		
76	Toxic Effect of Fullerene and Its Derivatives upon the Transmembrane 2 -Adrenergic Receptors. <i>Molecules</i> , 2022 , 27, 4562	4.8	O
75	Agonists in the Extended Conformation Stabilize the Active State of EAdrenoceptors. <i>Biochemistry</i> (Moscow), 2022 , 87, 628-639	2.9	
74	A Statistical Journey through the Topological Determinants of the 2 Adrenergic Receptor Dynamics. <i>Entropy</i> , 2022 , 24, 998	2.8	1

73	Protein Fusion Strategies for Membrane Protein Stabilization and Crystal Structure Determination. <i>Crystals</i> , 2022 , 12, 1041	2.3	O
72	A unique peptide recognition mechanism by the human relaxin family peptide receptor 4 (RXFP4).		
71	A methodology for creating thermostabilized mutants of G-protein coupled receptors by combining statistical thermodynamics and evolutionary molecular engineering. 2022 , 31,		1
70	Lysine 101 in the CRAC Motif in Transmembrane Helix 2 Confers Cholesterol-Induced Thermal Stability to the Serotonin1A Receptor.		1
69	Structural identification of lysophosphatidylcholines as activating ligands for orphan receptor GPR119.		O
68	Structure of the human galanin receptor 2 bound to galanin and Gq reveals the basis of ligand specificity and how binding affects the G-protein interface. 2022 , 20, e3001714		O
67	Targeting protein conformations with small molecules to control protein complexes. 2022,		O
66	Regulation of PD-L1 through direct binding of cholesterol to CRAC motifs. 2022 , 8,		1
65	Finding the Perfect Fit: Conformational Biosensors to Determine the Efficacy of GPCR Ligands.		
64	L-DOPA and Droxidopa: From Force Field Development to Molecular Docking into Human 2 -Adrenergic Receptor. 2022 , 12, 1393		O
63	DNA Methylation as a Biomarker and Application to Aluminum: ADRB2 5?-Untranslated Region (5?-UTR) Methylation Level. 2022 , 1-12		O
62	Ten Years of GPCR Structures. 2022 , 299-345		O
61	Dimerization of 2 -adrenergic receptor is responsible for the constitutive activity subjected to inverse agonism. 2022 ,		O
60	Regulation of membrane protein structure and function by their lipid nano-environment.		3
59	Best Practices in Constant pH MD Simulations: Accuracy and Sampling.		1
58	ADRA2B and HTR1A: An updated study of the biogenic amine receptors reveals novel conserved motifs which play key role in Mental Disorders.		O
57	Comparative Study of State-Dependent Cholesterol Binding Sites in Adenosine A2A and A1 Receptors Using Coarse-Grained Molecular Dynamics Simulations in Biologically Relevant Membranes.		0
56	Elucidating polymorphs of crystal structures with intensity-based hierarchical clustering analysis on multiple diffraction datasets.		O

55	A Method for Selective 19 F-Labeling Absent of Probe Sequestration (SLAPS).	0
54	GPCR Signaling in Nanodomains: Lessons from Single-Molecule Microscopy. 2022 , 946-977	O
53	Mechanistic basis of GPCR activation explored by ensemble refinement of crystallographic structures.	1
52	Interdisciplinary biophysical studies of membrane proteins bacteriorhodopsin and rhodopsin.	O
51	Structural basis for recognition of antihistamine drug by human histamine receptor. 2022, 13,	1
50	Biophysical investigations of class A GPCRs. 2022 ,	1
49	The Neurokinin-1 Receptor: Structure Dynamics and Signaling. 2022 , 1, 54-71	O
48	Hidden GPCR structural transitions addressed by multiple walker supervised molecular dynamics (mwSuMD).	O
47	Energy Transport and Its Function in Heptahelical Transmembrane Proteins. 2022, 126, 8735-8746	O
46	Mind the Gap D eciphering GPCR Pharmacology Using 3D Pharmacophores and Artificial Intelligence. 2022 , 15, 1304	O
45	One class classification for the detection of 2 adrenergic receptor agonists using single-ligand dynamic interaction data. 2022 , 14,	0
44	Advances in X-ray crystallography methods to study structural dynamics of macromolecules. 2023 , 309-355	O
43	The isoleucine at position 118 in transmembrane 2 is responsible for the selectivity of xamoterol, nebivolol and ICI89406 for the human 🛘 -adrenoceptor MOLPHARM-AR-2022-000583	O
42	Nanobody GPS by PCS: An Efficient New NMR Analysis Method for G Protein Coupled Receptors and Other Large Proteins.	O
41	Rational design, synthesis, and pharmacological evaluation of a cohort of novel beta-adrenergic receptors ligands enables an assessment of structure-activity relationships. 2023 , 246, 114961	O
40	Ice crystallization under cryogenic cooling in lipid membrane nanoconfined geometry: Time-resolved structural dynamics. 2023 , 634, 757-768	O
39	Network Pharmacological Investigation of Sinomenine Action Against Synovitis. 2022, 18, 1550-1559	О
38	New insights into the structure and function of class B1 GPCRs.	O

37	The Nature of Functional Features of Different Classes of G-Protein-Coupled Receptors. 2022, 11, 1839	О
36	Hydrogen Bond Chains in Foldamers and Dynamic Foldamers. 2023 , 479-520	Ο
35	Locating dynamic contributions to allostery via determining rates of vibrational energy transfer .	O
34	Interactions of cholesterol molecules with GPCRs in different states: A comparative analysis of GPCRs' structures. 2022 , 184100	1
33	Protein as evolvable functionally constrained amorphous matter. 2022 , 47,	O
32	Comparative Study of Receptor-, Receptor State-, and Membrane-Dependent Cholesterol Binding Sites in A2A and A1 Adenosine Receptors Using Coarse-Grained Molecular Dynamics Simulations.	O
31	MDexciteR: Enhanced Sampling Molecular Dynamics by Excited Normal Modes or Principal Components Obtained from Experiments.	O
30	Layer-Wise Relevance Analysis for Motif Recognition in the Activation Pathway of the 2 -Adrenergic GPCR Receptor. 2023 , 24, 1155	O
29	Cryo-EM structures of orphan GPR21 signaling complexes. 2023 , 14,	O
28	The \square -adrenergic receptor in the apical membrane of intestinal enterocytes senses sugars to stimulate glucose uptake from the gut. 10,	O
27	Cryo-EM structure of the endothelin-1-ETB-Gicomplex.	O
26	G Protein-Coupled Receptors: Conformational Catekeepers of Transmembrane Signal Transduction and Diversification. 2011 , 188-229	O
25	Structure-based Drug Discovery and Advances in Protein Receptor Crystallography. 2017, 45-72	O
24	Molecular Modeling Study of a Receptor Orthosteric Ligand Allosteric Modulator Signaling Complex. 2023 , 14, 418-434	O
23	Ligand recognition mechanism of the human relaxin family peptide receptor 4 (RXFP4). 2023, 14,	0
22	Intertwining of Retinoic Acid and Cholesterol Pathway and its Consequences in Leishmania donovani-Infected Macrophages. 2023 , 19-43	O
21	Predicting ATP-Binding Cassette Transporters Using Rough Set and Random Forest Model. 2023 , 161-181	O
20	DNA Methylation as a Biomarker and Application to Aluminum: ADRB2 5?-Untranslated Region (5?-UTR) Methylation Level. 2023 , 383-394	Ο

19	NMR of Membrane Proteins. 2012 , 271-317	Ο
18	Structure-based pharmacophore modeling 1. Automated random pharmacophore model generation. 2023 , 121, 108429	O
17	Advances in receptor chromatography for drug discovery and drugfleceptor interaction studies. 2023 , 28, 103576	О
16	Structural Basis for Agonistic Activity and Selectivity toward Melatonin Receptors hMT1 and hMT2. 2023 , 24, 2863	1
15	Structure f unction relationship and physiological role of apelin and its G protein coupled receptor. 2023 , 15, 127-143	1
14	Protein Design Strategies for the Structural Hunctional Studies of G Protein-Coupled Receptors. 2023 , 88, S192-S226	O
13	The activation mechanism and antibody binding mode for orphan GPR20. 2023, 9,	О
12	G Protein-Coupled Receptors. 2023 , 1-28	O
11	Activation mechanism of the human Smoothened receptor. 2023 , 122, 1400-1413	0
10	Autoregulation of GPCR signalling through the third intracellular loop. 2023 , 615, 734-741	О
9	Design of Drug Efficacy Guided by Free Energy Simulations of the 🖸 -Adrenoceptor.	0
8	G Protein-Coupled Receptor PharmacologyInsights from Mass Spectrometry. 2023 , 75, 397-415	O
7	Design of Drug Efficacy Guided by Free Energy Simulations of the 🗅 -Adrenoceptor.	0
6	Time-resolved cryo-EM of G protein activation by a GPCR.	O
5	Docking cholesterol to integral membrane proteins with Rosetta. 2023, 19, e1010947	0
4	PI(4,5)P2 and Cholesterol: Synthesis, Regulation, and Functions. 2023 , 3-59	O
3	Activity Map and Transition Pathways of G Protein-Coupled Receptor Revealed by Machine Learning.	0
2	Structure-based pharmacophore modeling 2. Developing a novel framework for structure-based pharmacophore model generation and selection. 2023 , 108488	O

Structural insight into an anti-BRIL Fab as a G-protein-coupled receptor crystallization chaperone. **2023**, 79, 435-441

О