

CITATION REPORT

List of articles citing

ZnO nanowire UV photodetectors with high internal gain

DOI: 10.1021/nl070111x
Nano Letters, 2007, 7, 1003-9.

Source: <https://exaly.com/paper-pdf/43028908/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2275	A Photodetector Based on pSi/n-ZnO Nanotube Heterojunctions with High Ultraviolet Responsivity.		
2274	Defect Reconstruction Triggered Full-Color Photodetection in Single Nanowire Phototransistor.		
2273	EIGENFUNCTIONS OF THE BELTRAMI-LAPLACE OPERATOR ON HOMOGENEOUS PSEUDO-RIEMANNIAN SYMMETRIC SPACES OF RANK 1. 1993 , 75, 371-404		
2272	Crystal structures of inorganic compounds with atomic defects. 2003 , 72, 35-47		0
2271	Ultrahigh photocurrent gain in m-axial GaN nanowires. 2007 , 91, 223106		126
2270	Self-seeded growth and ultraviolet photoresponse properties of ZnO nanowire arrays. 2007 , 91, 073108		60
2269	Determination of the specific resistance of individual freestanding ZnO nanowires with the low energy electron point source microscope. 2007 , 91, 253126		32
2268	Selective growth of catalyst-free ZnO nanowire arrays on Al:ZnO for device application. 2007 , 91, 233112		44
2267	Conductivity of single ZnO nanorods after Ga implantation in a focused-ion-beam system. 2007 , 91, 132110		35
2266	Post-annealing Induced Formation of ZnO Nanowires on the ZnO Films in the N ₂ O Ambient. 2007 , 1017, 145		2
2265	Giant enhancement in UV response of ZnO nanobelts by polymer surface-functionalization. 2007 , 129, 12096-7		275
2264	Electrical and ultraviolet photoresponse properties of quasialigned ZnO nanowires/p-Si heterojunction. 2007 , 90, 243106		128
2263	Efficient visible light detection using individual germanium nanowire field effect transistors. 2007 , 91, 162102		98
2262	Enhancing UV photoconductivity of ZnO nanobelt by polyacrylonitrile functionalization. 2007 , 102, 084303		111
2261	Strong Surface Effect on Cathodoluminescence of an Individual Tapered ZnO Nanorod. 2007 , 111, 17265-17267		33
2260	Observation of Microcavity Modes and Waveguides in InP Nanowires Fabricated by Selective-Area Metalorganic Vapor-Phase Epitaxy. <i>Nano Letters</i> , 2007 , 7, 3598-3602	11.5	54
2259	Biomimetic assembly of zinc oxide nanorods onto flexible polymers. 2007 , 129, 13776-7		54

2258	Transport properties of InAs nanowire field effect transistors: The effects of surface states. 2007 , 25, 1432		67
2257	Effects of surface roughness on the electrical characteristics of ZnO nanowire field effect transistors. 2008 , 254, 7559-7564		27
2256	Doping-dependent electrical characteristics of SnO ₂ nanowires. 2008 , 4, 451-4		93
2255	ZnO nanorod growth based on a low-temperature silicon-compatible combinatorial method. 2008 , 5, 3809-3812		4
2254	Patterned Growth and Transfer of ZnO Micro and Nanocrystals with Size and Location Control. 2008 , 20, 1474-1478		54
2253	Direct Growth of Highly Mismatched Type II ZnO/ZnSe Core/Shell Nanowire Arrays on Transparent Conducting Oxide Substrates for Solar Cell Applications. 2008 , 20, 3248-3253		286
2252	Highly Sensitive, Air-Stable Photodetectors Based on Single Organic Sub-micrometer Ribbons Self-Assembled through Solution Processing. 2008 , 20, 3745-3749		133
2251	An overview of solution-based semiconductor nanowires: synthesis and optical studies. 2008 , 10, 620-39		143
2250	A facile and mild synthesis of 1-D ZnO, CuO, and alpha-Fe(2)O(3) nanostructures and nanostructured arrays. 2008 , 2, 944-58		152
2249	Chemical Precipitation Synthesis and Optical Properties of ZnO/SiO ₂ Nanocomposites. 2008 , 91, 1591-1596		38
2248	Electrical Properties of Surface-Tailored ZnO Nanowire Field-Effect Transistors. 2008 , 55, 3020-3029		43
2247	Solution-processed ultraviolet photodetectors based on colloidal ZnO nanoparticles. <i>Nano Letters</i> , 2008 , 8, 1649-53	11.5	666
2246	Tunable electronic transport characteristics of surface-architecture-controlled ZnO nanowire field effect transistors. <i>Nano Letters</i> , 2008 , 8, 950-6	11.5	216
2245	Flexible piezotronic strain sensor. <i>Nano Letters</i> , 2008 , 8, 3035-40	11.5	634
2244	On the difficulties in characterizing ZnO nanowires. 2008 , 19, 365707		41
2243	Raman investigation of ZnO and Zn _{1-x} MnxO nanocrystals synthesized by precipitation method. 2008 , 354, 4827-4829		13
2242	Integration of ZnO microcrystals with tailored dimensions forming light emitting diodes and UV photovoltaic cells. <i>Nano Letters</i> , 2008 , 8, 1477-81	11.5	94
2241	Photovoltaic effect and charge storage in single ZnO nanowires. 2008 , 93, 023111		58

2240	Large-scale, heterogeneous integration of nanowire arrays for image sensor circuitry. 2008 , 105, 11066-70	205
2239	Enhanced Electrical Conductance of ZnO Nanowire FET by Nondestructive Surface Cleaning. 2008 , 7, 782-786	16
2238	The current image of a single CuO nanowire studied by conductive atomic force microscopy. 2008 , 92, 223116	33
2237	Carrier relaxation through two-electron process during photoconduction in highly UV sensitive quasi-one-dimensional ZnO nanowires. 2008 , 93, 053102	115
2236	Enhancing the Photon- and Gas-Sensing Properties of a Single SnO ₂ Nanowire Based Nanodevice by Nanoparticle Surface Functionalization. 2008 , 112, 11539-11544	121
2235	Visible and ultraviolet light alternative photodetector based on ZnO nanowire/n-Si heterojunction. 2008 , 93, 163501	112
2234	Toward a Systematic Understanding of Photodetectors Based on Individual Metal Oxide Nanowires. 2008 , 112, 14639-14644	123
2233	Position and density control in hydrothermal growth of ZnO nanorod arrays through pre-formed micro/nanodots. 2008 , 19, 395602	33
2232	Cu-Doped ZnO Nanoneedles and Nanonails: Morphological Evolution and Physical Properties. 2008 , 112, 9579-9585	160
2231	Properties of the ubiquitous p-n junction in semiconductor nanowires. 2008 , 23, 075016	9
2230	A generic approach for vertical integration of nanowires. 2008 , 19, 345304	15
2229	The effect of annealing temperature on the electrical and optical properties of nanostructured ZNO for UV sensing applications. 2008 ,	1
2228	Fabrication of ZnO Nanowire Devices via Selective Electrodeposition. 2008 , 11, D69	6
2227	Fabrication of ZnO Bridging Nanowire Device by a Single-Step Chemical Vapor Deposition Method. 2008 , 1144, 1	
2226	Defect-Related Photoresponse and Polarization-Sensitive Photodetection of Single ZnO Nanowires. 2008 , 25, 2622-2624	6
2225	The effects of electron-hole separation on the photoconductivity of individual metal oxide nanowires. 2008 , 19, 465501	154
2224	Photoconductivity of self-assembled ZnO nanoparticles synthesized by organometallic chemistry. 2008 , 23, 025003	33
2223	The prominent photoinduced voltage effect of as-prepared macroscopically long Ag core/Ni shell nanoheterojunctions. 2008 , 19, 085703	1

2222	Ambipolar charge transport and electroluminescence properties of ZnO nanorods. 2008 , 93, 023502	15
2221	The unsaturated photocurrent controlled by two-dimensional barrier geometry of a single ZnO nanowire Schottky photodiode. 2008 , 93, 123103	34
2220	Silicon nanowire detectors showing phototransistive gain. 2008 , 93, 121110	83
2219	Bulk photoconductive gain in pentacene thin films. 2008 , 93, 223306	55
2218	Ultrafast carrier capture dynamics in InGaAs/GaAs quantum wires. 2008 , 103, 023710	17
2217	Planar and vertical Si nanowire photodetectors. 2008 ,	2
2216	Transfer of aligned single crystal silicon nanowires to transparent substrates. 2008 ,	2
2215	. 2009 ,	1
2214	Influence of the measurement procedure on the field-effect dependent conductivity of ZnO nanorods. 2009 , 94, 042107	15
2213	Covalent functionalization of ZnO surfaces: A density functional tight binding study. 2009 , 94, 193109	47
2212	Competitive surface effects of oxygen and water on UV photoresponse of ZnO nanowires. 2009 , 94, 023110	189
2211	Ultraviolet photodetectors based on selectively grown ZnO nanorod arrays. 2009 , 94, 203106	162
2210	On-chip fabrication of an individual Fe ₂ O ₃ nanobridge and application of ultrawide wavelength visible-infrared photodetector/optical switching. 2009 , 94, 133108	25
2209	High-gain photoconductivity in semiconducting InN nanowires. 2009 , 95, 162112	50
2208	Electronic transport property of single-crystalline hexagonal tungsten trioxide nanowires. 2009 , 94, 263106	28
2207	Molecule-modulated photoconductivity and gain-amplified selective gas sensing in polar GaN nanowires. 2009 , 95, 233119	42
2206	Probing electronic properties of molecular engineered zinc oxide nanowires with photoelectron spectroscopy. 2009 , 3, 3057-62	22
2205	Tailoring the visible photoluminescence of mass-produced ZnO nanowires. 2009 , 42, 095401	38

2204	Photoconductivity of the two polar surfaces of ZnO. 2009 , 27, 1731	3
2203	ZnO Microcrystals for Light Emitting Diode and Photovoltaic Applications with Integration on Flexible Substrates. 2009 , 1192, 1	
2202	Observation of a 2D Electron Gas and the Tuning of the Electrical Conductance of ZnO Nanowires by Controllable Surface Band-Bending. 2009 , 19, 2380-2387	40
2201	Solution-Processable Near-IR Photodetectors Based on Electron Transfer from PbS Nanocrystals to Fullerene Derivatives. 2009 , 21, 683-687	106
2200	Single-Crystalline ZnS Nanobelts as Ultraviolet-Light Sensors. 2009 , 21, 2034-2039	479
2199	Toward the Development of Printable Nanowire Electronics and Sensors. 2009 , 21, 3730-3743	336
2198	High-Performance Blue/Ultraviolet-Light-Sensitive ZnSe-Nanobelt Photodetectors. 2009 , 21, 5016-5021	199
2197	Laterally-grown ZnO-nanowire photodetectors on glass substrate. 2009 , 46, 797-802	19
2196	Advances in the synthesis of InAs and GaAs nanowires for electronic applications. 2009 , 4, 347-358	53
2195	Morphology and optical properties of zinc oxide thin films grown on Si (100) by metal-organic chemical vapor deposition. 2009 , 20, 441-445	7
2194	Persistent Photoconductivity Studies in Nanostructured ZnO UV Sensors. 2009 , 4, 1421-7	100
2193	A Quaternary ZnCdSeTe Nanotip Photodetector. 2009 , 4, 1540-6	11
2192	Temperature dependence of photoconductivity and persistent photoconductivity of single ZnO nanowires. 2009 , 95, 363-366	35
2191	Structural, electrical and optical properties of boron doped ZnO thin films using LSMCD method at room temperature. 2009 , 97, 821-828	42
2190	ZnO nanowire field-effect transistor as a UV photodetector; optimization for maximum sensitivity. 2009 , 206, 179-182	57
2189	Tunable hybrid photodetectors with superhigh responsivity. 2009 , 5, 2371-6	74
2188	A synergistic assembly of nanoscale lamellar photoconductor hybrids. 2009 , 8, 68-75	160
2187	Engineering light absorption in semiconductor nanowire devices. 2009 , 8, 643-7	714

2186	Optical and electrical characterizations of vertically integrated ZnO nanowires. 2009 , 40, 224-228	6
2185	Trends for the crystallinity, optical and electrical properties of post-thermal annealed ZnO nanorods. 2009 , 164, 80-84	9
2184	Erbium bisphthalocyanine nanowires by electrophoretic deposition: Morphology control and optical properties. 2009 , 517, 2099-2105	8
2183	Crossed zinc oxide nanorods for ultraviolet radiation detection. 2009 , 150, 184-187	118
2182	Preparation and characterization of silica-coated Fe ₃ O ₄ nanoparticles used as precursor of ferrofluids. 2009 , 255, 3485-3492	101
2181	ZnO and ZnS Nanostructures: Ultraviolet-Light Emitters, Lasers, and Sensors. 2009 , 34, 190-223	274
2180	Biomimetic Synthesis of Nacrelike Faceted Mesocrystals of ZnO/Chitosan Composite. 2009 , 113, 18053-18061	86
2179	One-dimensional hybrid nanostructures with light-controlled properties. 2009 , 6447-57	14
2178	Bicrystalline ZnS Microbelts. 2009 , 9, 2790-2793	33
2177	Energies, Geometries, and Charge Distributions of Zn Molecules, Clusters, and Biocenters from Coupled Cluster, Density Functional, and Neglect of Diatomic Differential Overlap Models. 2009 , 5, 1254-65	63
2176	Precise semiconductor nanowire placement through dielectrophoresis. <i>Nano Letters</i> , 2009 , 9, 2260-6	11.5 154
2175	Infrared detection using an InSb nanowire. 2009 ,	17
2174	High-performance UV detector made of ultra-long ZnO bridging nanowires. 2009 , 20, 045501	175
2173	Vertically Aligned Ultrathin ZnO Nanowires Formed by Homobuffer: Growth Evolution and Emission Properties. 2009 , 9, 4725-4729	11
2172	One-Dimensional Group III-Nitrides: Growth, Properties, and Applications in Nanosensing and Nano-Optoelectronics. 2009 , 34, 224-279	51
2171	Role of defects in the anomalous photoconductivity in ZnO nanowires. 2009 , 94, 163119	130
2170	The transfer of charge carriers photogenerated in ZnO nanoparticles into a single ZnO nanowire. 2009 , 20, 245201	20
2169	Enhanced UV photoresponse from heterostructured Ag/ZnO nanowires. 2009 , 94, 172103	101

2168	Fabry-Pérot microcavity modes observed in the micro-photoluminescence spectra of the single nanowire with InGaAs/GaAs heterostructure. 2009 , 17, 9337-46	19
2167	ZnO subwavelength wires for fast-response mid-infrared detection. 2009 , 17, 21808-12	14
2166	Highly enhanced ultraviolet photoresponse property in Cu-doped and Cu ₂ Li co-doped ZnO films. 2009 , 42, 145304	24
2165	Site-controlled Growth and Field Emission Properties of ZnO Nanorod Arrays. 2009 , 113, 5920-5923	21
2164	Self-assemblies of Pd nanoparticles on the surfaces of single crystal ZnO nanowires for chemical sensors with enhanced performances. 2009 , 19, 4701	143
2163	Gigantic enhancement in response and reset time of ZnO UV nanosensor by utilizing Schottky contact and surface functionalization. 2009 , 94, 191103	471
2162	ZnO Nanowalls Grown with High-Pressure PLD and Their Applications as Field Emitters and UV Detectors. 2009 , 113, 10975-10980	55
2161	Observation of unintentionally incorporated nitrogen-related complexes in ZnO and GaN nanowires. <i>Nano Letters</i> , 2009 , 9, 1844-9	11.5 45
2160	Visible Light Response of Unintentionally Doped ZnO Nanowire Field Effect Transistors. 2009 , 113, 16796-16801	31
2159	Sensors Based on Nanostructured Materials. 2009 ,	22
2158	Electrical and optoelectronic characterization of a ZnO nanowire contacted by focused-ion-beam-deposited Pt. 2009 , 20, 135701	76
2157	Direct heteroepitaxy of vertical InAs nanowires on Si substrates for broad band photovoltaics and photodetection. <i>Nano Letters</i> , 2009 , 9, 2926-34	11.5 261
2156	Low-Temperature Growth of Surface-Architecture-Controlled ZnO Nanorods on Si Substrates. 2009 , 113, 512-517	19
2155	Enhanced UV photoresponse in nitrogen plasma ZnO nanotubes. 2009 , 20, 395201	30
2154	Zero-biased near-ultraviolet and visible photodetector based on ZnO nanorods/n-Si heterojunction. 2009 , 94, 063512	63
2153	Template directed synthesis of mesoporous ZnO having high porosity and enhanced optoelectronic properties. 2009 , 2384-6	80
2152	Development of infrared sensors using carbon nanotube (CNT) based field effect transistor (FET). 2009 ,	0
2151	Controllable Electrochemical Synthesis of Hierarchical ZnO Nanostructures on FTO Glass. 2009 , 113, 13574-13582	75

2150	Effect of surface capping with poly(vinyl alcohol) on the photocarrier relaxation of ZnO nanowires. 2009 , 1, 2066-70		80
2149	Encapsulation of 2-3-nm-sized ZnO quantum dots in a SiO ₂ matrix and observation of negative photoconductivity. 2009 , 1, 2408-11		34
2148	Photoconducting response on bending of individual ZnO nanowires. 2009 , 19, 1002-1005		75
2147	Aligned electrospun ZnO nanofibers for simple and sensitive ultraviolet nanosensors. 2009 , 2568-70		62
2146	Cheating the diffraction limit: electrodeposited nanowires patterned by photolithography. 2009 , 859-73		63
2145	Zinc oxide nanorod based photonic devices: recent progress in growth, light emitting diodes and lasers. 2009 , 20, 332001		503
2144	A comprehensive review of one-dimensional metal-oxide nanostructure photodetectors. 2009 , 9, 6504-29		421
2143	High-performance single-crystalline arsenic-doped indium oxide nanowires for transparent thin-film transistors and active matrix organic light-emitting diode displays. 2009 , 3, 3383-90		82
2142	Electrical and photoresponse properties of an intramolecular p-n homojunction in single phosphorus-doped ZnO nanowires. <i>Nano Letters</i> , 2009 , 9, 2513-8	11.5	85
2141	Giant persistent photoconductivity in rough silicon nanomembranes. <i>Nano Letters</i> , 2009 , 9, 3453-9	11.5	47
2140	Adsorption of atomic nitrogen and oxygen on [Formula: see text] surface: a density functional theory study. 2009 , 21, 144208		12
2139	Characterization and physics of top-down silicon nanowire phototransistors. 2010 ,		1
2138	High-sensitivity visible and IR (1550nm) Si nanowire photodetectors. 2010 ,		1
2137	Synthesis and optical property of nanostructured ZnO crystals by nanoparticle-assisted pulsed laser deposition. 2010 ,		1
2136	Tailoring the luminescence emission of ZnO nanostructures by hydrothermal post-treatment in water. 2010 , 96, 223105		32
2135	Visible-blind photodetector based on p-i-n junction GaN nanowire ensembles. 2010 , 21, 315201		69
2134	In situ characterization of optoelectronic nanostructures and nanodevices. 2010 , 5, 405-413		2
2133	Selective hydrogen gas nanosensor using individual ZnO nanowire with fast response at room temperature. 2010 , 144, 56-66		367

2132	Photoconductivity in In ₂ O ₃ nanoscale thin films: Interrelation with chemisorbed-type conductometric response towards oxygen. 2010 , 148, 427-438	28
2131	Nitric oxide gas sensing at room temperature by functionalized single zinc oxide nanowire. 2010 , 171, 45-49	21
2130	Ultraviolet photoconductance of a single hexagonal WO ₃ nanowire. 2010 , 3, 281-287	108
2129	Electron transport properties in ZnO nanowires/poly(3-hexylthiophene) hybrid nanostructure. 2010 , 124, 1239-1242	12
2128	Synthesis and characterization of ZnO nanowires for nanosensor applications. 2010 , 45, 1026-1032	182
2127	Aqueous synthesis of interconnected ZnO nanowires using spray pyrolysis deposited seed layers. 2010 , 64, 291-294	82
2126	Photogating effects of HgTe nanoparticles on a single ZnO nanowire. 2010 , 12, 1328-1331	3
2125	An Efficient Way to Assemble ZnS Nanobelts as Ultraviolet-Light Sensors with Enhanced Photocurrent and Stability. 2010 , 20, 500-508	206
2124	Electrically Addressable Hybrid Architectures of Zinc Oxide Nanowires Grown on Aligned Carbon Nanotubes. 2010 , 20, 2470-2480	64
2123	Efficient Assembly of Bridged Ga ₂ O ₃ Nanowires for Solar-Blind Photodetection. 2010 , 20, 3972-3978	245
2122	Recent Developments in One-Dimensional Inorganic Nanostructures for Photodetectors. 2010 , 20, 4233-4248	277
2121	Supersensitive, fast-response nanowire sensors by using Schottky contacts. 2010 , 22, 3327-32	276
2120	Single ZnO nanowire/p-type GaN heterojunctions for photovoltaic devices and UV light-emitting diodes. 2010 , 22, 4284-7	72
2119	Direct growth of aligned zinc oxide nanorods on paper substrates for low-cost flexible electronics. 2010 , 22, 4059-63	304
2118	Single-crystalline Sb ₂ Se ₃ nanowires for high-performance field emitters and photodetectors. 2010 , 22, 4530-3	118
2117	Ultrahigh-performance solar-blind photodetectors based on individual single-crystalline In ₂ Te nanobelts. 2010 , 22, 5145-9	217
2116	Water-soluble ZnO-Au nanocomposite-based probe for enhanced protein detection in a SPR biosensor system. 2010 , 351, 392-7	47
2115	ZnSe/ZnCdSe heterostructure nanowires. 2010 , 312, 1670-1675	11

2114	Photoconductivity characteristics of ZnO nanoparticles assembled in nanogap electrodes for portable photodetector applications. 2010 , 42, 1163-1166	15
2113	The effect of pH on ZnO hydrothermal growth on PES flexible substrates. 2010 , 43, 54-57	14
2112	Simplified model for ballistic current-voltage characteristic in cylindrical nanowires. 2010 , 41, 155-161	14
2111	Photoresponse of hydrothermally grown lateral ZnO nanowires. 2010 , 518, 7328-7332	29
2110	Preparation and characterization of sol-gel Al-doped ZnO thin films and ZnO nanowire arrays grown on Al-doped ZnO seed layer by hydrothermal method. 2010 , 94, 2181-2186	81
2109	Chemical functionalization of single-walled carbon nanotube field-effect transistors as switches and sensors. 2010 , 254, 1101-1116	86
2108	Growth of ultralong ZnO microwire and its application in isolatable and flexible piezoelectric strain sensor. 2010 , 207, 488-492	11
2107	GaN/AlN quantum disc single-nanowire photodetectors. 2010 , 207, 1323-1327	10
2106	Ultraviolet photoconductive sensor based on single ZnO nanowire. 2010 , 207, 1735-1740	68
2105	Examples for the integration of self-organized nanowires for functional devices by a fracture approach. 2010 , 247, 2571-2580	7
2104	Progress Toward Nanowire Device Assembly Technology. 2010 ,	1
2103	One-dimensional nanostructures for photodetectors. 2010 , 4, 20-31	44
2102	Bascule nanobridges self-assembled with ZnO nanowires as double Schottky barrier UV switches. 2010 , 21, 295502	34
2101	Investigation of the electronic transport in GaN nanowires containing GaN/AlN quantum discs. 2010 , 21, 425206	30
2100	ZnO nanowire-embedded Schottky diode for effective UV detection by the barrier reduction effect. 2010 , 21, 115205	64
2099	Surface-induced p-type conductivity in ZnO nanopillars investigated by scanning probe microscopy. 2010 , 107, 124307	7
2098	Photogated transistor of III-nitride nanorods. 2010 , 96, 101114	12
2097	Geometry- and size-dependence of electrical properties of metal contacts on semiconducting nanowires. 2010 , 108, 094308	21

2096	Photoconductive enhancement of Au nanoparticles-decorated single ZnO nanowire photodetector through formation of local schottky junction. 2010,	
2095	Instability in threshold voltage and subthreshold behavior in HfO ₂ /ZnO thin film transistors induced by bias-and light-stress. 2010, 97, 113504	96
2094	Self-powered ultraviolet photodetector based on a single Sb-doped ZnO nanobelt. 2010, 97, 223113	133
2093	Hydrogen released from bulk ZnO single crystals investigated by time-of-flight electron-stimulated desorption. 2010, 108, 104902	4
2092	A Lateral ZnO Nanowire Photodetector Prepared on Glass Substrate. 2010, 157, K30	50
2091	Electrical and optoelectronic characterization of a ZnO nanowire contacted by focused-ion-beam-deposited Pt. 2010,	2
2090	Enhanced photoconduction of free-standing ZnO nanowire films by L-lysine treatment. 2010, 21, 485504	23
2089	ZnO single nanowire-based UV detectors. 2010, 97, 022103	92
2088	Room temperature single nanowire ZnTe photoconductors grown by metal-organic chemical vapor deposition. 2010, 97, 063510	28
2087	Localized ultraviolet photoresponse in single bent ZnO micro/nanowires. 2010, 97, 133112	15
2086	On the photoconduction properties of low resistivity TiO ₂ nanotubes. 2010, 21, 445703	45
2085	Tritium beta-luminescence in ZnO nanowires. 2010, 43, 415502	3
2084	Highly efficient ultraviolet photodetection in nanocolumnar RF sputtered ZnO films: a comparison between sputtered, sol-gel and aqueous chemically grown nanostructures. 2010, 21, 375202	35
2083	Template-free synthesis of mesoporous CuO dandelion structures for optoelectronic applications. 2010, 2, 1536-42	71
2082	Morphology-tunable In ₂ Se ₃ nanostructures with enhanced electrical and photoelectrical performances via sulfur doping. 2010, 20, 6630	48
2081	Oxide nanowire networks and their electronic and optoelectronic characteristics. 2010, 2, 1984-98	56
2080	Analysis and design of carbon nanotube based field effect transistors for nano infrared sensors. 2010,	1
2079	Optical and excitonic properties of crystalline ZnS nanowires: toward efficient ultraviolet emission at room temperature. <i>Nano Letters</i> , 2010, 10, 4956-61	11.5 104

2078	Diameter-engineered SnO ₂ nanowires over contact-printed gold nanodots using size-controlled carbon nanopost array stamps. 2010 , 4, 1829-36	45
2077	Solution synthesis of large-scale, high-sensitivity ZnO/Si hierarchical nanoheterostructure photodetectors. 2010 , 132, 15465-7	109
2076	. 2010 , 9, 582-589	41
2075	Ultralow-frequency photocurrent oscillation in ZnO nanowires. 2010 , 97, 033113	7
2074	Direct probe of heterojunction effects upon photoconductive properties of TiO ₂ nanotubes fabricated by atomic layer deposition. 2010 , 21, 225602	50
2073	A Solar-Blind β -Ga ₂ O ₃ Nanowire Photodetector. 2010 , 22, 709-711	37
2072	Enhancing the Photon-Sensing Properties of ZnO Nanowires by Atomic Layer Deposition of Platinum. 2010 , 13, K93	13
2071	Improving the detectability of CNT based infrared sensors using multi-gate field effect transistor. 2010 ,	
2070	Diameter-dependent internal gain in ohmic Ge nanowire photodetectors. <i>Nano Letters</i> , 2010 , 10, 2043-811.5	137
2069	Transport, Analyte Detection, and Opto-Electronic Response of p-Type CuO Nanowires. 2010 , 114, 2440-2447	130
2068	20 micros photocurrent response from lithographically patterned nanocrystalline cadmium selenide nanowires. <i>Nano Letters</i> , 2010 , 10, 1481-5	11.5 148
2067	Network-enhanced photoresponse time of Ge nanowire photodetectors. 2010 , 2, 1794-7	54
2066	Tuning of electronic transport characteristics of ZnO micro/nanowire piezotronic Schottky diodes by bending: threshold voltage shift. 2010 , 12, 14868-72	17
2065	Strong Effect of Interelectrode Distance on the Performance of a Novel ZnO Nanorod Lateral Field Emission Device Fabricated by a Single-Step Hydrothermal Approach. 2010 , 114, 8575-8580	21
2064	Enhanced photoluminescence and photoconductivity of ZnO nanowires with sputtered Zn. 2010 , 2, 2898-903	56
2063	Electron transport through Al ₂ O ₃ : An ab initio calculation. 2010 , 108, 033704	6
2062	Enhancing sensitivity of a single ZnO micro-/nanowire photodetector by piezo-phototronic effect. 2010 , 4, 6285-91	381
2061	Photoconductive gain in patterned nanopillar photodetector arrays. 2010 , 97, 203108	17

2060	Indium-doped ZnO nanowires: Optical properties and room-temperature ferromagnetism. 2010 , 108, 043516		27
2059	Ultraviolet photodetector based on GaN/AlN quantum disks in a single nanowire. <i>Nano Letters</i> , 2010 , 10, 2939-43	11.5	138
2058	Probing Charge Carrier Density in a Layer of Photodoped ZnO Nanoparticles by Spectroscopic Ellipsometry. 2010 , 114, 14804-14810		49
2057	Direct Growth of Lateral ZnO Nanorod UV Photodetectors with Schottky Contact by a Single-Step Hydrothermal Reaction. 2010 , 2, 1973-1979		134
2056	Photoconductive enhancement of single ZnO nanowire through localized Schottky effects. 2010 , 18, 14836-41		92
2055	IV characteristics of the p-n junction between vertically aligned ZnO nanorods and polyaniline thin film. 2010 , 160, 499-503		53
2054	Chlorine-doped n-type CdS nanowires with enhanced photoconductivity. 2010 , 21, 505203		59
2053	Native Defects in ZnO Nanowires: Atomic Relaxations, Relative Stability, and Defect Healing with Organic Acids. 2010 , 114, 18860-18865		17
2052	Solution synthesis of one-dimensional ZnO nanomaterials and their applications. 2010 , 2, 1573-87		288
2051	Large enhancement in photon detection sensitivity via Schottky-gated CdS nanowire nanosensors. 2010 , 96, 013508		113
2050	Electron transport in indium arsenide nanowires. 2010 , 25, 024004		70
2049	Gate structure optimization of carbon nanotube transistor based infrared detector. 2010 ,		
2048	Metal-catalyzed semiconductor nanowires: a review on the control of growth directions. 2010 , 25, 024005		193
2047	InGaAs heterostructure formation in catalyst-free GaAs nanopillars by selective-area metal-organic vapor phase epitaxy. 2010 , 97, 243102		51
2046	Photoluminescence and photoconductivity of ZnS-coated ZnO nanowires. 2010 , 2, 408-12		130
2045	Photoconductivity in single AlN nanowires by subband gap excitation. 2010 , 96, 062104		43
2044	Ultraviolet ZnO nanorod photosensors. 2010 , 26, 603-6		157
2043	Ultraviolet photodetector arrays assembled by dielectrophoresis of ZnO nanoparticles. 2010 , 21, 115501		24

2042	Fabrication of vertical silicon nanowire photodetector arrays using nanoimprint lithography. 2010 ,	1
2041	Superhydrophobic surfaces via controlling the morphology of ZnO micro/nano complex structure. 2010 , 19, 056701	16
2040	Giant Improvement of the Performance of ZnO Nanowire Photodetectors by Au Nanoparticles. 2010 , 114, 19835-19839	281
2039	Ultrahigh responsivity visible and infrared detection using silicon nanowire phototransistors. <i>Nano Letters</i> , 2010 , 10, 2117-20	11.5 117
2038	UV-Light-Activated ZnO Fibers for Organic Gas Sensing at Room Temperature. 2010 , 114, 1293-1298	115
2037	Visible-blind deep-ultraviolet Schottky photodetector with a photocurrent gain based on individual Zn ₂ GeO ₄ nanowire. 2010 , 97, 161102	81
2036	Wide-bandgap Zn ₂ GeO ₄ nanowire networks as efficient ultraviolet photodetectors with fast response and recovery time. 2010 , 96, 053108	144
2035	ZnO Nanobridge Array UV Photodetectors. 2010 , 114, 3204-3208	69
2034	Synthesis and photovoltaic effect of vertically aligned ZnO/ZnS core/shell nanowire arrays. 2010 , 96, 123105	123
2033	Cost-efficient fabrication of UV/Vis nanowire (NW) photodiodes enabled by ZnO/Si radial heterojunction. 2010 ,	
2032	Designing the electric transport characteristics of ZnO micro/nanowire devices by coupling piezoelectric and photoexcitation effects. 2010 , 4, 1234-40	169
2031	Synthesis of shape-controlled beta-In ₂ S ₃ nanotubes through oriented attachment of nanoparticles. 2010 , 46, 2292-4	66
2030	Flexible photonic sensor based on locally synthesized metal oxide nanowire network. 2010 ,	
2029	Mixed mode, ionic-electronic diode using atomic layer deposition of V ₂ O ₅ and ZnO films. 2011 , 21, 15391	9
2028	Deep-ultraviolet solar-blind photoconductivity of individual gallium oxide nanobelts. 2011 , 3, 1120-6	172
2027	Fabrication and characterization of well-aligned, high density ZnO nanowire arrays and their realizations in Schottky device applications using a two-step approach. 2011 , 21, 7090	32
2026	High-gain visible-blind UV photodetectors based on chlorine-doped n-type ZnS nanoribbons with tunable optoelectronic properties. 2011 , 21, 12632	62
2025	Impurity-dependent photoresponse properties in single CdSe nanobelt photodetectors. 2011 , 3, 1859-64	58

2024	Density and aspect ratio controlled MgZnO nanowire arrays by spontaneous phase separation effect. 2011 , 13, 813-818	7
2023	Enhanced near band edge luminescence of Ti/ZnO nanorod heterostructures due to the surface diffusion of Ti. 2011 , 3, 4427-33	37
2022	Substrate effects on the structural and photoresponse properties of CVD grown ZnO nanostructures: alumina vs. silica. 2011 , 13, 656-662	7
2021	Atomic Layer Deposition of Zinc Oxide on Multiwalled Carbon Nanotubes for UV Photodetector Applications. 2011 , 158, K24	29
2020	Interface-Trap Analysis by an Optically Assisted Charge-Pumping Technique in a Floating-Body Device. 2011 , 32, 84-86	3
2019	WO ₃ nanowires on carbon papers: electronic transport, improved ultraviolet-light photodetectors and excellent field emitters. 2011 , 21, 6525	97
2018	Fast-speed and high-gain photodetectors of individual single crystalline Zn ₃ P ₂ nanowires. 2011 , 21, 2563	73
2017	Carbon nanotube based multiple spectrum infrared camera. 2011 ,	
2016	A β -Ga ₂ O ₃ Solar-Blind Photodetector Prepared by Furnace Oxidization of GaN Thin Film. 2011 , 11, 999-1003	66
2015	Photoconductive Gain of Vertical ZnO Nanorods on Flexible Polyimide Substrate by Low-Temperature Process. 2011 , 11, 3457-3461	12
2014	Investigation of Single n-ZnO/i-ZnO/p-GaN-Heterostructured Nanorod Ultraviolet Photodetectors. 2011 , 23, 706-708	10
2013	Ultra-high photosensitivity silicon nanophotonics for retinal prosthesis: electrical characteristics. 2011 , 2011, 2933-6	7
2012	Growth of Ga ₂ O ₃ Nanowires and the Fabrication of Solar-Blind Photodetector. 2011 , 10, 1047-1052	38
2011	First-Principles Study of Nanoparticle-Biomolecular Interactions: Anchoring of a (ZnO) ₁₂ Cluster on Nucleobases. 2011 , 115, 10426-10430	33
2010	Low-Temperature Solution Processed Ultraviolet Photodetector Based on an Ordered TiO ₂ Nanorod Array-Polymer Hybrid. 2011 , 115, 13438-13445	54
2009	MgZnO Nanorod Homo Junction Photodetectors for Solar-Blind Detection. 2011 , 14, J55	11
2008	Photostable dynamic rectification of one-dimensional schottky diode circuits with a ZnO nanowire doped by H during passivation. <i>Nano Letters</i> , 2011 , 11, 4246-50	11.5 34
2007	Heterojunction photodiodes based on p-NiO/ n-ZnO for ultraviolet detection. 2011 ,	

2006	Orienting periodic organic-inorganic nanoscale domains through one-step electrodeposition. 2011 , 5, 565-73		20
2005	Enhancing light emission of ZnO microwire-based diodes by piezo-phototronic effect. <i>Nano Letters</i> , 2011 , 11, 4012-7	11.5	283
2004	Synthesis of high crystallinity ZnO nanowire array on polymer substrate and flexible fiber-based sensor. 2011 , 3, 4197-200		75
2003	Highly Sensitive Reversible Light-Driven Switches Using Electrospun Porous Aluminum-Doped Zinc Oxide Nanofibers. 2011 , 115, 3956-3961		26
2002	Novel ZnO Nanorod Flexible Strain Sensor and Strain Driving Transistor with an Ultrahigh 10 ⁷ Scale On/Off Ratio Fabricated by a Single-Step Hydrothermal Reaction. 2011 , 115, 570-575		25
2001	Synthesis and properties of zinc oxide nanowires for photovoltaics. 2011 ,		
2000	Surface plasmon-enhanced nanopillar photodetectors. <i>Nano Letters</i> , 2011 , 11, 5279-83	11.5	91
1999	Nanorod decorated nanowires as highly efficient SERS-active hybrids. 2011 , 21, 15218		30
1998	Transport properties in single-crystalline rutile TiO ₂ nanorods. 2011 , 99, 222107		16
1997	Formation mechanisms of gold-zinc oxide hexagonal nanopyramids by heterogeneous nucleation using microwave synthesis. 2011 , 27, 15146-54		87
1996	Manganese oxide nanocomposite fabricated by a simple solid-state reaction and its ultraviolet photoresponse property. 2011 , 47, 2619-21		52
1995	Influence of Hydrothermal Synthesis Conditions and Device Configuration on the Photoresponse of UV Sensors Based on ZnO Nanorods. 2011 , 11, 1820-1825		6
1994	Novel Ga-doped, self-supported, independent aligned ZnO nanorods: one-pot hydrothermal synthesis and structurally enhanced photocatalytic performance. 2011 , 1, 1691		20
1993	Nanophotonic Devices Based on ZnO Nanowires. 2011 , 317-362		1
1992	Chapter 3:Inorganic Nanowires. 2011 , 343-530		
1991	ZINC OXIDE NANOPARTICLES FOR ULTRAVIOLET PHOTODETECTION. 2011 , 20, 183-194		24
1990	ZnO Schottky barriers and Ohmic contacts. 2011 , 109, 121301		518
1989	Single nanowire-based UV photodetectors for fast switching. 2011 , 6, 348		48

1988	Nonvolatile memory functionality of ZnO nanowire transistors controlled by mobile protons. 2011 , 5, 558-64	38
1987	Doping dependent crystal structures and optoelectronic properties of n-type CdSe:Ga nanowires. 2011 , 3, 4798-803	24
1986	Metal-Semiconductor-Metal Ultraviolet Photodetectors Based on Zinc-Oxide Colloidal Nanoparticles. 2011 , 32, 51-53	25
1985	Diameter-dependent internal gain in ZnO micro/nanowires under electron beam irradiation. 2011 , 3, 3060-3	10
1984	Highly selective spectral response with enhanced responsivity of n-ZnO/p-Si radial heterojunction nanowire photodiodes. 2011 , 98, 033102	83
1983	Vertical integration of ZnO nanowires into asymmetric Pt/ZnO/Ti schottky UV photodiodes. 2011 ,	
1982	A crossbar-type high sensitivity ultraviolet photodetector array based on a one hole-one nanorod configuration via nanoimprint lithography. 2011 , 22, 275310	12
1981	Nanotechnology Research Directions for Societal Needs in 2020. 2011 ,	151
1980	High-performance photoresponse from single-walled carbon nanotube-zinc oxide heterojunctions. 2011 , 44, 095101	19
1979	Three-Dimensional Nanoarchitectures. 2011 ,	16
1978	ZnO-Paper Based Photoconductive UV Sensor. 2011 , 115, 282-287	112
1977	Tunable photoconduction sensitivity and bandwidth for lithographically patterned nanocrystalline cadmium selenide nanowires. 2011 , 5, 7627-39	47
1976	Controllable hydrothermal synthesis of ZnO nanowires arrays on Al-doped ZnO seed layer and patterning of ZnO nanowires arrays via surface modification of substrate. 2011 , 257, 10134-10140	23
1975	Structural and electronic properties of ZnO nanowires: a theoretical study. 2011 , 10, 128-137	25
1974	Room temperature enhanced red emission from novel Eu(3+) doped ZnO nanocrystals uniformly dispersed in nanofibers. 2011 , 22, 415702	23
1973	Ultrafast screening and carrier dynamics in ZnO: Theory and experiment. 2011 , 84,	82
1972	CuO codoped ZnO based nanostructured materials for sensitive chemical sensor applications. 2011 , 3, 1346-51	139
1971	Single-crystalline ZnTe nanowires for application as high-performance green/ultraviolet photodetector. 2011 , 19, 6100-8	80

- 1970 Optical quenching of photoconductivity in CdSe single nanowires via waveguiding excitation. **2011**, 19, 10880-5 9
- 1969 Ultrafast nonlinear optical response of photoconductive ZnO films with fluorine nanoparticles. **2011**, 19, 16346-55 19
- 1968 Comparative study of ZnO nanostructures grown on silicon (1 0 0) and oxidized porous silicon substrates with and without Au catalyst by chemical vapor transport and condensation. **2011**, 509, 4295-4299 15
- 1967 Nanostructures of Metal Oxides. **2011**, 396-479 18
- 1966 One-dimensional inorganic nanostructures: synthesis, field-emission and photodetection. **2011**, 40, 2986-3004 321
- 1965 Emission Red Shift and Temperature Increase in Electrically Powered ZnO Nanowires. **2011**, 115, 8283-8287 4
- 1964 ZnO-Based Ultraviolet Detectors. **2011**, 285-329 5
- 1963 Core-shell TiO₂@ZnO nanorods for efficient ultraviolet photodetection. **2011**, 3, 2336-41 91
- 1962 Three-Dimensional Photovoltaic Devices Based on Vertically Aligned Nanowire Array. **2011**, 447-475
- 1961 A ZnO-nanowire phototransistor prepared on glass substrates. **2011**, 3, 162-6 63
- 1960 Direct Formation of Transparent ITO Top Electrodes on High-Density ZnO Nanowires by Magnetron Sputtering. **2011**, 14, H446 9
- 1959 High-performance UV detector based on Ga-doped zinc oxide thin films. **2011**, 257, 9595-9599 52
- 1958 Synthesis of crystalline ZnO nanostructures on arbitrary substrates at ambient conditions. **2011**, 5
- 1957 Real-time measurements of sliding friction and elastic properties of ZnO nanowires inside a scanning electron microscope. **2011**, 151, 1244-1247 20
- 1956 The comparison of ZnO nanowire detectors working under two wavelengths of ultraviolet. **2011**, 151, 1860-1863 15
- 1955 A CuO nanowire infrared photodetector. **2011**, 171, 207-211 124
- 1954 Fully transparent vertically aligned ZnO nanostructure-based ultraviolet photodetectors with high responsivity. **2011**, 160, 740-746 22
- 1953 Effect of fluorine addition on boron doped ZnO transparent electrode by room temperature spray method and thermal treatment. **2011**, 131, 77-83 13

1952	The growth and the ultraviolet photoresponse properties of the horizontal growth ZnO nanorods. 2011 , 65, 1495-1498	12
1951	Photoreduction of CO ₂ to methanol over Bi ₂ S ₃ /CdS photocatalyst under visible light irradiation. 2011 , 20, 413-417	114
1950	Electron irradiation effect on the Schottky gate of ZnO nanowires-based field effect transistors. 2011 , 6, 437	3
1949	Electrical and Optical Characteristics of UV Photodetector With Interlaced ZnO Nanowires. 2011 , 17, 990-995	42
1948	A High-Responsivity GaN Nanowire UV Photodetector. 2011 , 17, 996-1001	59
1947	Growth and Characterization of ZnSe/CdSe Multiquantum Disks. 2011 , 17, 779-784	1
1946	Optical Applications of ZnO Nanowires. 2011 , 17, 896-906	12
1945	Compound Semiconductor Nanowire Solar Cells. 2011 , 17, 1033-1049	39
1944	. 2011 , 17, 1002-1032	121
1943	. 2011 , 58, 2036-2040	19
1942	Photoinduced oxygen release and persistent photoconductivity in ZnO nanowires. 2011 , 6, 404	148
1941	High degree of polarization of the near-band-edge photoluminescence in ZnO nanowires. 2011 , 6, 501	13
1940	Enhanced UV photosensitivity from rapid thermal annealed vertically aligned ZnO nanowires. 2011 , 6, 504	113
1939	A low temperature in situ facile technique to enhance ultraviolet emission of zinc oxide nanorods and its mechanistic insights. 2011 , 516, 192-198	13
1938	Thermal annealing effects on the dynamic photoresponse properties of Al-doped ZnO nanowires network. 2011 , 11, 1311-1314	18
1937	Ultra-high-responsivity broadband detection of Si metal-semiconductor-metal Schottky photodetectors improved by ZnO nanorod arrays. 2011 , 5, 7748-53	132
1936	Evolution of the zinc compound nanostructures in zinc acetate single-source solution. 2011 , 13, 5193-5202	40
1935	Highly ordered Zn-doped mesoporous silica: An efficient catalyst for transesterification reaction. 2011 , 184, 1805-1812	21

1934	ZnS nanostructures: From synthesis to applications. 2011 , 56, 175-287	957
1933	Growth of ZnO Nanostructures on Porous Silicon and Oxidized Porous Silicon Substrates. 2011 , 41, 113-117	7
1932	Synthesis and optoelectronic properties of silver-doped n-type CdS nanoribbons. 2011 , 4, 161-165	3
1931	One-dimensional ZnO nanostructures: Solution growth and functional properties. 2011 , 4, 1013-1098	1049
1930	Ultraviolet photodetectors based on ZnO nanorods-seed layer effect and metal oxide modifying layer effect. 2011 , 6, 147	28
1929	Improved characteristics of near-band-edge and deep-level emissions from ZnO nanorod arrays by atomic-layer-deposited Al ₂ O ₃ and ZnO shell layers. 2011 , 6, 556	38
1928	ZnO hollow-sphere nanofilm-based high-performance and low-cost photodetector. 2011 , 7, 2449-53	186
1927	Evidence for Fe(2+) in wurtzite coordination: iron doping stabilizes ZnO nanoparticles. 2011 , 7, 2879-86	37
1926	New Ultraviolet Photodetector Based on Individual Nb ₂ O ₅ Nanobelts. 2011 , 21, 3907-3915	257
1925	High-Performance Integrated ZnO Nanowire UV Sensors on Rigid and Flexible Substrates. 2011 , 21, 4464-4469	259
1924	Multifunctional ZnO-Nanowire-Based Sensor. 2011 , 21, 4342-4348	98
1923	Self-powered, ultrafast, visible-blind UV detection and optical logical operation based on ZnO/GaN nanoscale p-n junctions. 2011 , 23, 649-53	312
1922	On-nanowire band-graded Si:Ge photodetectors. 2011 , 23, 1025-9	33
1921	Size-tailored ZnO submicrometer spheres: bottom-up construction, size-related optical extinction, and selective aniline trapping. 2011 , 23, 1865-70	105
1920	Controlled-growth of Zn(OH)F Microbesoms in the Mild Aqueous Solution and Their Photocatalytic Activity. 2011 , 29, 191-195	16
1919	Effects of thermal annealing on the performance of Al/ZnO nanorods/Pt structure ultraviolet photodetector. 2011 , 176, 740-744	25
1918	Enhancement of thermoelectric figure-of-merit in laterally-coupled nanowire arrays. 2011 , 375, 2728-2732	3
1917	Investigation on UV photodetector behavior of RF-sputtered ZnO by impedance spectroscopy. 2011 , 55, 59-63	31

1916	Improved performance of ZnO nanowire field-effect transistors via focused ion beam treatment. 2011 , 22, 375201	15
1915	Tunable photoluminescence and photoconductivity in ZnO one-dimensional nanostructures with a second below-gap beam. 2011 , 109, 103523	6
1914	Optical modulation of persistent photoconductivity in ZnO nanowires. 2011 , 98, 203108	27
1913	Enhanced photocurrent gain and spectrum range based on the composite consisting of SnO ₂ nanowires and CdSe quantum dots. 2011 , 99, 081109	16
1912	One-dimensional ZnO exciton polaritons with negligible thermal broadening at room temperature. 2011 , 83,	62
1911	Low dark current metal-semiconductor-metal ultraviolet photodetectors based on sol-gel-derived TiO ₂ films. 2011 , 109, 023114	31
1910	Tuning electronic transport of ZnO micro/nanowires by a transverse electric field. 2011 , 99, 063105	5
1909	Effects of electrical contacts on the photoconductive gain of nanowire photodetectors. 2011 , 99, 143110	6
1908	ZnO nanowire Schottky barrier ultraviolet photodetector with high sensitivity and fast recovery speed. 2011 , 99, 203105	177
1907	Single-wire photodetectors based on InGaN/GaN radial quantum wells in GaN wires grown by catalyst-free metal-organic vapor phase epitaxy. 2011 , 98, 233107	59
1906	. 2011 ,	2
1905	Integration of Nanowires in New Devices and Circuit Architectures: Recent Developments and Challenges. 2011 , 575-639	
1904	Oscillations in the spatial distribution of current in nanotubes and nanowires. 2011 , 110, 093720	
1903	Picosecond response times in GaAs/AlGaAs core/shell nanowire-based photodetectors. 2011 , 98, 241113	82
1902	Optically Transparent of N-ZnO/p-NiO Heterojunction for Ultraviolet Photodetector Application. 2011 , 687, 711-715	3
1901	High Responsive ZnO Nanowire UV Sensor. 2011 , 299-300, 659-662	1
1900	Bridging wide bandgap nanowires for ultraviolet light detection. 2011 ,	
1899	. 2011 ,	2

1898	Ultraviolet photodetectors directly integrated on CMOS using low-temperature ZnO-based nanowire techniques. 2011,	
1897	Morphological evolution of large-scale vertically aligned ZnO nanowires and their photoluminescence properties by hydrogen plasma treatment. 2011, 1302, 8101	
1896	Photoconductive Gain and Low-Frequency Noise Characteristics of ZnO Nanorods. 2011, 14, J13	9
1895	Persistent Photoconductivity of Solution-Grown ZnO Based UV Detectors. 2011, 158, H1188	5
1894	Light-Enhanced Bias Stress Effect on Amorphous In-Ga-Zn-O Thin-film Transistor with Lights of Varying Colors. 2011, 14, H297	26
1893	Photoconduction mechanism of oxygen sensitization in InN nanowires. 2011, 22, 425702	10
1892	Sb(2)O(3) nanobelt networks for excellent visible-light-range photodetectors. 2011, 22, 165704	25
1891	Probing the photoresponse of individual Nb2O5 nanowires with global and localized laser beam irradiation. 2011, 22, 115202	27
1890	Pd-nanoparticle-decorated ZnO nanowires: ultraviolet photosensitivity and photoluminescence properties. 2011, 22, 265501	39
1889	Infrared imaging using carbon nanotube-based detector. 2011,	2
1888	Sub-Band-Gap Photocurrent of an Individual Defective GaN Nanowire Measured by Conductive Atomic Force Microscopy. 2011, 14, H294	3
1887	Highly Sensible ZnO Nanowire Ultraviolet Photodetectors Based on Mechanical Schottky Contact. 2011, 159, K10-K14	25
1886	UV Photodetectors Based on ZnO Nanorods: Role of Defect-Concentration. 2011, 50, 100206	6
1885	Dramatically enhanced ultraviolet photosensing mechanism in a n-ZnO nanowires/i-MgO/n-Si structure with highly dense nanowires and ultrathin MgO layers. 2011, 22, 265506	42
1884	Nanoscale characteristics of single crystal zinc oxide nanowires. 2011,	4
1883	Carbon nanotube based multi-spectrum infrared detector array. 2011,	2
1882	Enhanced H2 sensitivity at room temperature of ZnO nanowires functionalized by Pd nanoparticles. 2011, 110, 084312	45
1881	On the origin of enhanced photoconduction and photoluminescence from Au and Ti nanoparticles decorated aligned ZnO nanowire heterostructures. 2011, 110, 124317	57

1880	BIO-SENSING SENSITIVITY OF A NANOPARTICLE BASED ULTRAVIOLET PHOTODETECTOR. 2011 , 20, 505-513	3
1879	Input/output pulse operation of ZnO nanowire threshold integrators. 2011 , 22, 025207	1
1878	Enhancement in the photodetection of ZnO nanowires by introducing surface-roughness-induced traps. 2011 , 22, 205204	46
1877	From strong to weak coupling regime in a single GaN microwire up to room temperature. 2012 , 14, 073004	21
1876	Doped Colloidal ZnO Nanocrystals. 2012 , 2012, 1-8	5
1875	Zinc Oxide Nanoparticle Photodetector. 2012 , 2012, 1-5	7
1874	Ultraviolet photodetection of flexible ZnO nanowire sheets in polydimethylsiloxane polymer. 2012 , 3, 353-9	17
1873	Core-Shell Ni-NiO Nano Arrays for UV Photodetection without an External Bias. 2012 , 159, K78-K82	9
1872	n-ZnO/LaAlO ₃ /p-Si heterojunction for visible-blind UV detection. 2012 , 37, 1112-4	10
1871	Ultraviolet Photoresponse Properties of Single-Walled Carbon Nanotubes Decorated with Thickness-Controlled ZnO Layer by Pulsed Laser Deposition. 2012 , 51, 055104	
1870	Giant optical anisotropy of oblique-aligned ZnO nanowire arrays. 2012 , 20, 2015-24	23
1869	Robust low resistivity p-type ZnO:Na films after ultraviolet illumination: The elimination of grain boundaries. 2012 , 101, 122109	21
1868	n-ZnO:N/p-Si nanowire photodiode prepared by atomic layer deposition. 2012 , 100, 041117	28
1867	Solution-processed dye-sensitized ZnO phototransistors with extremely high photoresponsivity. 2012 , 112, 074507	29
1866	ZnO/anthracene based inorganic/organic nanowire heterostructure: Photoresponse and photoluminescence studies. 2012 , 111, 044320	25
1865	Ultrahigh efficient single-crystalline TiO ₂ nanorod photoconductors. 2012 , 100, 123108	22
1864	Heterojunction photodiode fabricated from hydrogen treated ZnO nanowires grown on p-silicon substrate. 2012 , 101, 211103	32
1863	Comparative study of ultraviolet detectors based on ZnO nanostructures grown on different substrates. 2012 , 112, 074510	30

1862	Reduction of persistent photoconductivity in ZnO thin film transistor-based UV photodetector. 2012 , 101, 031118	63
1861	Gated three-terminal device architecture to eliminate persistent photoconductivity in oxide semiconductor photosensor arrays. 2012 , 11, 301-5	332
1860	A TiO_2 Nanowire MIS Photodetector With Polymer Insulator. 2012 , 33, 1577-1579	14
1859	Field-Emission and Photoelectrical Characteristics of ZnO Nanorods Photodetectors Prepared on Flexible Substrate. 2012 , 159, J153-J157	25
1858	Ultrahigh-gain single SnO ₂ nanowire photodetectors made with ferromagnetic nickel electrodes. 2012 , 4, e26-e26	31
1857	. 2012 ,	2
1856	Indium Antimonide (InSb) Nanowire-Based Photodetectors. 2012 , 209-224	1
1855	A Visible-Blind TiO ₂ Nanowire Photodetector. 2012 , 159, J132-J135	37
1854	Silicon-on-insulator based ZnO nanowire photodetector. 2012 , 30, 061801	2
1853	Tailoring the charge carrier dynamics in ZnO nanowires: the role of surface hole/electron traps. 2012 , 14, 3075-82	48
1852	Development of Ohmic nanocontacts via surface modification for nanowire-based electronic and optoelectronic devices: ZnO nanowires as an example. 2012 , 4, 3399-404	27
1851	Modulation of charge conduction in ZnO nanowires through selective surface molecular functionalization. 2012 , 4, 7330-3	7
1850	High-performance photodetectors, photocatalysts, and gas sensors based on polyol reflux synthesized porous ZnO nanosheets. 2012 , 14, 4582	41
1849	Roughness-based monitoring of transparency and conductivity in boron-doped ZnO thin films prepared by spray pyrolysis. 2012 , 47, 4257-4262	22
1848	ZnO nanostructures: growth, properties and applications. 2012 , 22, 6526	460
1847	Concurrent synthetic control of dopant (nitrogen) and defect complexes to realize broadband (UVB50 nm) absorption in ZnO nanorods for superior photo-electrochemical performance. 2012 , 22, 17302	59
1846	A nanocomposite ultraviolet photodetector based on interfacial trap-controlled charge injection. 2012 , 7, 798-802	534
1845	Field Emission of ZnO Nanowires in Low Vacuum Following Various Enhancements Made by Exposure to UV. 2012 , 11, 1110-1116	7

1844	Tuning of the Optical Emission Polarization of ZnO Nanorods by an Applied Hydrostatic Pressure. 2012 , 116, 26592-26597	9
1843	Enhanced photoconductive properties of a simple composite coaxial nanostructure of zinc oxide and polypyrrole. 2012 , 22, 21195	15
1842	Functional properties of amine-passivated ZnO nanostructures and dye-sensitized solar cell characteristics. 2012 , 213, 70-77	43
1841	High-Performance Light-Erasable Memory and Real-Time Ultraviolet Detector Based on Unannealed IndiumGalliumZincOxide Thin-Film Transistor. 2012 , 33, 77-79	46
1840	ZnO nanorod-based UV photodetection and the role of persistent photoconductivity. 2012 , 92, 3909-3919	13
1839	Electroluminescence from n-Mn doped ZnO/n-GaN heterojunction light-emitting diodes. 2012 ,	
1838	On the Responsivity of UV Detectors Based on Selectively Grown ZnO Nanorods. 2012 , 12, 1317-1325	13
1837	Integrated ultraviolet sensor using zinc oxide nanorods by ac-electric-field-assisted growth method. 2012 ,	
1836	p-n Heterojunction on dye-sensitized ZnO nanorod arrays and macroporous polyaniline network. 2012 , 2, 1863	18
1835	Stepped-surfaced GeSe ₂ nanobelts with high-gain photoconductivity. 2012 , 22, 24882	20
1834	Optoelectronic properties of GaAs nanowire photodetector. 2012 ,	
1833	Polarity-controlled ultraviolet/visible light ZnO nanorods/p-Si photodetector. 2012 , 112, 123111	10
1832	Zinc Oxide Nanowire As an Electron-Extraction Layer for Broadband Polymer Photodetectors with an Inverted Device Structure. 2012 , 116, 13650-13653	43
1831	Photoconduction Properties in Single-Crystalline Titanium Dioxide Nanorods with Ultrahigh Normalized Gain. 2012 , 116, 4267-4272	41
1830	Effects of Hydrogen Treatment and Air Annealing on Ultrafast Charge Carrier Dynamics in ZnO Nanowires Under in Situ Photoelectrochemical Conditions. 2012 , 116, 17360-17368	64
1829	Improving Piezoelectric Nanogenerator Comprises ZnO Nanowires by Bending the Flexible PET Substrate at Low Vibration Frequency. 2012 , 116, 9351-9355	72
1828	Transparent, highly flexible, all nanowire network germanium photodetectors. 2012 , 23, 325202	24
1827	Fabrication and Characterization of Coaxial p-Copper Oxide/n-ZnO Nanowire Photodiodes. 2012 , 11, 127-133	45

1826	High-throughput fabrication of photoconductors with high detectivity, photosensitivity, and bandwidth. 2012 , 6, 5627-34		21
1825	Room-temperature photodetection dynamics of single GaN nanowires. <i>Nano Letters</i> , 2012 , 12, 172-6	11.5	122
1824	High-performance UV-visible-NIR broad spectral photodetectors based on one-dimensional InTe nanostructures. <i>Nano Letters</i> , 2012 , 12, 4715-21	11.5	108
1823	Enhanced Responsivity of Highly Spectrum-Selective Ultraviolet Photodetectors. 2012 , 116, 1350-1353		33
1822	Engineering of Interfacial Electron Transfer from Donor-Acceptor Type Organic Semiconductor to ZnO Nanorod for Visible-Light Detection. 2012 , 116, 21657-21663		14
1821	Improving the Performance of a Zinc Oxide Nanowire Ultraviolet Photodetector by Adding Silver Nanoparticles. 2012 , 159, H440-H443		29
1820	Tuning Electrical and Optoelectronic Properties of Single Cadmium Telluride Nanoribbon. 2012 , 116, 9202-9208		15
1819	Nanointerlayer induced electroluminescence transition from ultraviolet- to red-dominant mode for n-Mn:ZnO/N-GaN heterojunction. 2012 , 4, 2521-4		6
1818	High Photoconductive Response of Gas-Sensitized Porous Nanocrystalline TiO ₂ Film in Formaldehyde Ambience and Carrier Transport Kinetics. 2012 , 116, 19673-19681		18
1817	Microwave Assisted Synthesis of ZnO Nano-Sheets and Their Application in UV-Detector. 2012 , 1, Q140-Q143		23
1816	Ultraviolet photoresponse of ZnO nanowire thin-film transistors. 2012 , 44, 1999-2004		9
1815	UV photodetection of laterally connected ZnO rods grown on porous silicon substrate. 2012 , 180, 11-14		35
1814	Study of the photoconductive ZnO UV detector based on the electrically floated nanowire array. 2012 , 181, 6-12		70
1813	Observation of surface plasmon polariton pumping of optical eigenmodes of gold-decorated gallium nitride nanowires. <i>Nano Letters</i> , 2012 , 12, 5181-5	11.5	8
1812	Defect induced high photocurrent in solution grown vertically aligned ZnO nanowire array films. 2012 , 112, 054316		65
1811	Crystal growth behaviour in Au-ZnO nanocomposite under different annealing environments and photoswitchability. 2012 , 112, 064308		101
1810	A device with two kinds of functions Ultraviolet photodetector and electroluminescence: Fabrication and carrier transport mechanism. 2012 , 97, 68001		4
1809	Photo-response of a nanopore device with a single embedded ZnO nanoparticle. 2012 , 23, 165201		8

1808	Photo-stimulated resistive switching of ZnO nanorods. 2012 , 23, 385707	70
1807	3D branched nanowire heterojunction photoelectrodes for high-efficiency solar water splitting and H ₂ generation. 2012 , 4, 1515-21	149
1806	Ultraviolet photodetectors based on ZnO sheets: The effect of sheet size on photoresponse properties. 2012 , 258, 5405-5411	64
1805	Realization of 479nm (2.59eV) emission CdZnO nanorods and the application on solar cells. 2012 , 85, 149-152	7
1804	Improved fast photoresponse from Al doped ZnO nanowires network decorated with Au nanoparticles. 2012 , 541, 39-43	26
1803	Highly enhanced UV emission due to surface plasmon resonance in Ag/ZnO nanorods. 2012 , 542, 110-116	58
1802	Enhanced Recovery Speed of Nanostructured ZnO Photodetectors Using Nanobelt Networks. 2012 , 18, 1807-1811	33
1801	Stacking-order-dependent optoelectronic properties of bilayer nanofilm photodetectors made from hollow ZnS and ZnO microspheres. 2012 , 24, 5872-7	125
1800	Bending effects of ZnO nanorod metal-semiconductor-metal photodetectors on flexible polyimide substrate. 2012 , 7, 214	27
1799	Growth and characterization of ZnO/ZnTe core/shell nanowire arrays on transparent conducting oxide glass substrates. 2012 , 7, 401	26
1798	Investigation on the photoconductive behaviors of an individual AlN nanowire under different excited lights. 2012 , 7, 454	21
1797	Ultrasensitive Phototransistor Based on K-Enriched MoO ₃ Single Nanowires. 2012 , 116, 22015-22020	31
1796	Self-powered, visible-light photodetector based on thermally reduced graphene oxide/ZnO (rGO/ZnO) hybrid nanostructure. 2012 , 22, 2589-2595	238
1795	Template-directed electrochemical synthesis of cobalt phthalocyanine nanowires. 2012 , 16, 935-938	
1794	Temperature-dependent catalyst-free growth of ZnO nanostructures on Si and SiO ₂ /Si substrates via thermal evaporation. 2012 , 60, 1877-1885	1
1793	Photoresponse of indium oxide particulate-based thin films fabricated using milled nanorods grown by the self-catalytic vapor-liquid-solid process. 2012 , 27, 045005	19
1792	Self-powered high performance photodetectors based on CdSe nanobelt/graphene Schottky junctions. 2012 , 22, 2863	107
1791	p-n Heterojunction on ordered ZnO nanowires/polyaniline microrods double array. 2012 , 28, 3972-8	52

1790	Tin oxide nanowire sensor with integrated temperature and gate control for multi-gas recognition. 2012 , 4, 1760-9	48
1789	Photocarrier Relaxation Behavior of a Single ZnO Nanowire UV Photodetector: Effect of Surface Band Bending. 2012 , 33, 411-413	48
1788	Conductivity enhancement by fluorine doping in boron-doped ZnO thin films deposited by the electrospraying method. 2012 , 361, 30-37	28
1787	Tuning photoluminescence properties of ZnO nanorods via surface modification. 2012 , 137, 622-627	15
1786	Characterization of self-assembled ordered ZnO nanowire networks applied to photodetection. 2012 , 100, 16-19	5
1785	An ambient condition, one pot route for large scale production of ultrafine (. 2012 , 14, 640-647	26
1784	Single ZnO nanowire-PZT optothermal field effect transistors. 2012 , 23, 355201	7
1783	Infrared imaging system using nanocarbon materials. 2012 ,	
1782	Ultraviolet photodetectors based on ZnO nanostructures. 2012 ,	
1781	Germanium Nanorod Extinction Spectra: Discrete Dipole Approximation Calculations and Experiment. 2012 , 116, 22625-22630	8
1780	Direct growth of oxide nanowires on CuOx thin film. 2012 , 23, 045604	4
1779	Photostable Zn ₂ SnO ₄ nanowire transistors for transparent displays. 2012 , 6, 4912-20	33
1778	Rigid/flexible transparent electronics based on separated carbon nanotube thin-film transistors and their application in display electronics. 2012 , 6, 7412-9	125
1777	Screen printed ZnO ultraviolet photoconductive sensor on pencil drawn circuitry over paper. 2012 , 100, 211104	62
1776	Effect of the doping level on the radiative life time in ZnO nanowires. 2012 , 111, 084311	4
1775	UV-assisted alcohol sensing using SnO ₂ functionalized GaN nanowire devices. 2012 , 171-172, 499-507	42
1774	ZnO-nanoparticle-assembled cloth for flexible photodetectors and recyclable photocatalysts. 2012 , 22, 9379	66
1773	Piezo-phototronic effect enhanced visible and ultraviolet photodetection using a ZnO-CdS core-shell micro/nanowire. 2012 , 6, 9229-36	164

1772	Resistive switching in single epitaxial ZnO nanoislands. 2012 , 6, 1051-8	109
1771	High-performance photodetectors for visible and near-infrared lights based on individual WS ₂ nanotubes. 2012 , 100, 243101	89
1770	Probing surface band bending of surface-engineered metal oxide nanowires. 2012 , 6, 9366-72	136
1769	Surface chemistry, structure, and electronic properties from microns to the atomic scale of axially doped semiconductor nanowires. 2012 , 6, 9679-89	35
1768	Supersensitive, ultrafast, and broad-band light-harvesting scheme employing carbon nanotube/TiO ₂ core-shell nanowire geometry. 2012 , 6, 6687-92	76
1767	ZnO nanowire based visible-transparent ultraviolet detectors on polymer substrates. 2012 , 111, 102806	37
1766	Strain induced exciton fine-structure splitting and shift in bent ZnO microwires. 2012 , 2, 452	61
1765	Middle-ultraviolet-enhanced photodetectors based on Mg _{0.4} Zn _{0.6} O/ZnO homojunction with a high selectivity for 300 nm around light. 2012 , 27, 065003	10
1764	One dimensional ternary CuBiS ₃ based semiconductor nanowires: synthesis, optical and electrical properties. 2012 , 22, 17813	27
1763	Zinc oxide nanowire photodetectors with single-walled carbon nanotube thin-film electrodes. 2012 , 4, 5142-6	56
1762	Aluminium-doped n-type ZnS nanowires as high-performance UV and humidity sensors. 2012 , 22, 6856	69
1761	ZnO Nanostructured Diodes: The Influence of Synthesis Conditions and p-type Material on Device Performance. 2012 , 1439, 95-100	
1760	Carbon Nanotube Schottky Photodiodes. 2012 , 107-123	3
1759	Plasmonic-Resonant Bowtie Antenna for Carbon Nanotube Photodetectors. 2012 , 2012, 1-9	7
1758	Procedures and Properties for a Direct Nano-Micro Integration of Metal and Semiconductor Nanowires on Si Chips. 2012 , 2012, 1-13	3
1757	Si-Based ZnO Ultraviolet Photodiodes. 2012 ,	6
1756	Carbon Nanotube-Based Infrared Camera Using Compressive Sensing. 2012 , 225-243	1
1755	ZnO Nanorods Arrays and Heterostructures for the High Sensitive UV Photodetection. 2012 ,	2

- 1754 Persistent photoconductivity in ZnO nanostructures induced by surface oxygen vacancy. **2012**, 6, 117-119 17
- 1753 Size dependence of dielectric constant in a single pencil-like ZnO nanowire. *Nano Letters*, **2012**, 12, 1919-1925 128
- 1752 High efficiency dye-sensitized solar cells based on three-dimensional multilayered ZnO nanowire arrays with "caterpillar-like" structure. *Nano Letters*, **2012**, 12, 3656-62 11.5 193
- 1751 A new vertical nanoporous functional structure process fabrication to control one dimensional nanostructure growth. **2012**, 1411, 31
- 1750 Synthesis and optical properties of II-VI 1D nanostructures. **2012**, 4, 1422-35 67
- 1749 Efficient charge extraction out of nanoscale Schottky contacts to CdS nanowires. *Nano Letters*, **2012**, 12, 2705-9 11.5 27
- 1748 Graphene/ZnO nanowire/graphene vertical structure based fast-response ultraviolet photodetector. **2012**, 100, 223114 162
- 1747 Efficient multispectral photodetection using Mn doped ZnO nanowires. **2012**, 22, 9678 82
- 1746 Near-ultraviolet zinc oxide nanowire sensor using low temperature hydrothermal growth. **2012**, 23, 344009 32
- 1745 Thin SnO₂ Nanowires with Uniform Diameter as Excellent Field Emitters: A Stability of More Than 2400 Minutes. **2012**, 22, 1613-1622 125
- 1744 Ultralong CdTe Nanowires: Catalyst-Free Synthesis and High-Yield Transformation into Core/Shell Heterostructures. **2012**, 22, 2402-2411 28
- 1743 An optimized ultraviolet-A light photodetector with wide-range photoresponse based on ZnS/ZnO biaxial nanobelt. **2012**, 24, 2305-9 375
- 1742 A quasi-liquid iontronic-electronic light-harvesting hybrid photodetector with giant response. **2012**, 24, 3686-91 16
- 1741 ZnO hollow spheres with double-yolk egg structure for high-performance photocatalysts and photodetectors. **2012**, 24, 3421-5 211
- 1740 Self-Powered Ultrasensitive Nanowire Photodetector Driven by a Hybridized Microbial Fuel Cell. **2012**, 124, 6549-6552 16
- 1739 Self-powered ultrasensitive nanowire photodetector driven by a hybridized microbial fuel cell. **2012**, 51, 6443-6 44
- 1738 Distinct photocurrent response of individual GaAs nanowires induced by n-type doping. **2012**, 6, 6005-13 59
- 1737 Vertically aligned ZnO/ZnGa₂O₄ core/shell nanowires: from synthesis to optical properties. **2012**, 14, 1 11

1736	Atom Probe Tomography of Zinc Oxide Nanowires. 2012 , 41, 801-808	21
1735	Sonochemical approach for rapid growth of zinc oxide nanowalls. 2012 , 107, 661-667	19
1734	Adsorption of CO ₂ on heterostructure CdS(Bi ₂ S ₃)/TiO ₂ nanotube photocatalysts and their photocatalytic activities in the reduction of CO ₂ to methanol under visible light irradiation. 2012 , 180, 151-158	265
1733	Fabrication of hierarchical ZnO architectures by a biomineralization process. 2012 , 23, 170-174	7
1732	Facile fabrication of UV photodetector based on spatial network of tetrapod ZnO nanostructures. 2012 , 7, 200	12
1731	Enhancement of photoresponse and UV-assisted gas sensing with Au decorated ZnO nanofibers. 2012 , 134, 1172-1178	46
1730	High quality p-type N-doped AZO nanorod arrays by an ammonia-assisted hydrothermal method. 2012 , 78, 180-183	11
1729	Effect of nanosphere monolayer on the morphology of ZnO nanowires grown by hydrothermal method. 2012 , 79, 242-244	5
1728	Photoresponse and decay mechanism of an individual ZnO nanowire UV sensor. 2012 , 174, 43-46	25
1727	ZnO nanorods grown on polymer substrates as UV photodetectors. 2012 , 178, 26-31	76
1726	High responsivity ZnO nanowires based UV detector fabricated by the dielectrophoresis method. 2012 , 166-167, 12-16	101
1725	UV photodetector behavior of 2D ZnO plates prepared by electrochemical deposition. 2012 , 51, 765-771	41
1724	Zinc oxide nanowire enhanced multifunctional coatings for cotton fabrics. 2012 , 520, 4658-4661	74
1723	UV photoconductivity characteristics of ZnO nanowire field effect transistor treated by proton irradiation. 2012 , 520, 3624-3628	4
1722	Preparation and characterization of the ZnO:Al/Fe ₆₅ Co ₃₅ /ZnO:Al multifunctional films. 2012 , 106, 717-723	
1721	Tin sulfide nanoribbons as high performance photoelectrochemical cells, flexible photodetectors and visible-light-driven photocatalysts. 2013 , 3, 2746	84
1720	Control of oxygen vacancy concentration in ZnO nanowires containing sulfur as a reducing agent. 2013 , 9, 273-277	4
1719	ZnO Branched Nanowires and the p-CuO/n-ZnO Heterojunction Nanostructured Photodetector. 2013 , 12, 263-269	50

1718	Optoelectronic properties of cauliflower like ZnO/ZnO nanorod/p-Si heterostructure. 2013 , 80, 33-37	8
1717	In situ doping control and electrical transport investigation of single and arrayed CdS nanopillars. 2013 , 5, 7213-8	9
1716	Mott-type Mg _x Zn _{1-x} O-based visible-blind ultraviolet photodetectors with active anti-reflection layer. 2013 , 102, 231122	24
1715	Rapid, One-Step, Digital Selective Growth of ZnO Nanowires on 3D Structures Using Laser Induced Hydrothermal Growth. 2013 , 23, 3316-3323	80
1714	Fabrication of UV photo-detector based on coral reef like p-NiO/n-ZnO nanocomposite structures. 2013 , 108, 149-152	54
1713	Effect of rapid thermal annealing on Zn/ZnO layers. 2013 , 24, 4075-4079	1
1712	Preparation and photoluminescence properties of reverse type-I ZnO/PbS core/shell nanorods. 2013 , 24, 3365-3370	2
1711	One-dimensional ZnO nanostructures: fabrication, optoelectronic properties, and device applications. 2013 , 48, 6849-6877	134
1710	Improvement of ultraviolet photoresponse of bent ZnO microwires by coupling piezoelectric and surface oxygen adsorption/desorption effects. 2013 , 5, 916-20	27
1709	An ultraviolet photodetector fabricated from WO ₃ nanodiscs/reduced graphene oxide composite material. 2013 , 24, 295701	68
1708	Epitaxial ZnO nanowire-on-nanoplate structures as efficient and transferable field emitters. 2013 , 25, 5750-5	107
1707	Artificial leaf structures as a UV detector formed by the self-assembly of ZnO nanoparticles. 2013 , 5, 2864-9	31
1706	Photoconductivity and transient response of Al:ZnO:Al planar structures fabricated via a thermal oxidation process. 2013 , 540, 106-111	22
1705	Zinc oxide nanotubes: an ab initio investigation of their structural, vibrational, elastic, and dielectric properties. 2013 , 138, 214706	26
1704	Acetone sensor based on solvothermally prepared ZnO doped with CoO nanorods. 2013 , 180, 675-685	60
1703	Controlling the sharpness of ZnO tetrapods by restricted zinc oxidation in the open air: a low turn-on field emitter stabilized by graphene. 2013 , 1, 4940	16
1702	Photodetection and piezoelectric response from hard and flexible sponge-like ZnO-based structures. 2013 , 2, 1294-1302	17
1701	Morphological evolution of monodispersed ZnO nanorods to 3 dimensional hierarchical flowers by hydrothermal growth. 2013 , 15, 8246	23

1700	Photoelectrochemical properties of nanostructured ZnO prepared by controlled electrochemical underpotential deposition. 2013 , 108, 281-287	18
1699	UV-visible detector and LED based n-ZnO/p-Si heterojunction formed by electrodeposition. 2013 , 3, 032125	24
1698	Large-area aligned growth of single-crystalline organic nanowire arrays for high-performance photodetectors. 2013 , 24, 355201	30
1697	A ZnO nanowire-based photo-inverter with pulse-induced fast recovery. 2013 , 5, 10829-34	17
1696	Uniform zinc oxide nanowire arrays grown on nonepitaxial surface with general orientation control. <i>Nano Letters</i> , 2013 , 13, 5171-6	11.5 29
1695	Eliminating surface effects via employing nitrogen doping to significantly improve the stability and reliability of ZnO resistive memory. 2013 , 1, 7593	40
1694	High-responsivity solution-processed organic-organic hybrid bilayer thin film photoconductors. 2013 , 1, 7996	19
1693	Successive Solution-Liquid-Solid (SLS) Growth of Heterogeneous Nanowires. 2013 , 25, 4156-4164	7
1692	Characterization of Incidental Photon-to-electron Conversion Efficiency (IPCE) of porous TiO ₂ /SnO ₂ composite film. 2013 , 569, 88-94	25
1691	Composition-dependent ultra-high photoconductivity in ternary CdS x Se _{1-x} nanobelts as measured by optical pump-terahertz probe spectroscopy. 2013 , 6, 808-821	21
1690	ZnO quantum dots-graphene composite for efficient ultraviolet sensing. 2013 , 112, 165-168	15
1689	Characterizations of Ohmic and Schottky-behaving contacts of a single ZnO nanowire. 2013 , 24, 415202	24
1688	A self-powered ZnO-nanorod/CuSCN UV photodetector exhibiting rapid response. 2013 , 25, 867-71	328
1687	Electrode effect on high-detectivity ultraviolet photodetectors based on perovskite oxides. 2013 , 114, 224503	27
1686	Piezotronic effect in flexible thin-film based devices. 2013 , 25, 3371-9	95
1685	All solution processed, nanowire enhanced ultraviolet photodetectors. 2013 , 102, 043503	34
1684	ZnO nanoneedle/H ₂ O solid-liquid heterojunction-based self-powered ultraviolet detector. 2013 , 8, 415	47
1683	Fabrication and photoresponse of ZnO nanowires/CuO coaxial heterojunction. 2013 , 8, 387	23

1682	Photoconductivities in monocrystalline layered V2O5 nanowires grown by physical vapor deposition. 2013 , 8, 443	28
1681	Electrical and Electro-Optical Characterization of Semiconductor Nanowires. 2013 , 641-684	1
1680	An edge-contacted pn-heterojunction of a p-SWCNT/n-WO3 thin film. 2013 , 1, 5153	13
1679	Ultraviolet and visible photoresponse properties of a ZnO/Si heterojunction at zero bias. 2013 , 3, 17682	22
1678	Electrospun ZnO Nanofibers-Based Ultraviolet Detector with High Responsivity. 2013 , 96, 3183-3187	20
1677	Conducting properties of nearly depleted ZnO nanowire UV sensors fabricated by dielectrophoresis. 2013 , 24, 415702	12
1676	Field emission from zinc oxide nanorod bundles grown on silicon nanoporous pillar array. 2013 , 270, 124-127	6
1675	High brightness light emitting diode based on single ZnO microwire. 2013 , 577, 88-91	13
1674	Ga_2O_3 Nanowire Photodetector Prepared on SiO_2/Si Template. 2013 , 13, 2368-2373	34
1673	Electroluminescence Transition From Visible- to Ultraviolet-Dominant Mode in $\text{n-Mn}_{0.04}\text{Zn}_{0.96}\text{O}/\text{i-ZnGa}_2\text{O}_4/\text{n-GaN}$ Structure With Highly Ultraviolet Detection Performance. 2013 , 34, 423-425	7
1672	Synthesis of ZnO nanotowers controlled by a reagent's vapour pressure. 2013 , 46, 155304	10
1671	Preparation and Characteristic of Relative-Humidity Sensors Based on Laterally Grown ZnO Nanowires. 2013 , 52, 06GG07	1
1670	Inspecting the effects of post-annealing on ZnO nanorods by optical second harmonic generation. 2013 ,	1
1669	Low-Frequency Noise Characteristics of In-Doped ZnO Ultraviolet Photodetectors. 2013 , 25, 2043-2046	19
1668	Low-Frequency Noise Characteristics of ZnO Nanorods Schottky Barrier Photodetectors. 2013 , 13, 2115-2119	25
1667	Passivation of surface states in the ZnO nanowire with thermally evaporated copper phthalocyanine for hybrid photodetectors. 2013 , 5, 4162-5	51
1666	High-speed ultraviolet-visible-near infrared photodiodes based on p-ZnS nanoribbon-silicon heterojunction. 2013 , 15, 1635	23
1665	Nanoscale Sensors. 2013 ,	13

1664	Integration of antireflection and light diffraction in nature: a strategy for light trapping. 2013 , 1, 10607	21
1663	Large-scale assembly of semiconductor nanowires into desired patterns for sensor applications. 2013 , 37, 1776	6
1662	Effects of humidity on the ultraviolet nanosensors of aligned electrospun ZnO nanofibers. 2013 , 3, 6640	42
1661	Ultrasensitive visible light photoresponse and electrical transportation properties of nonstoichiometric indium oxide nanowire arrays by electrospinning. 2013 , 1, 6463	26
1660	Performance Improvement of Ultraviolet Sensor of ZnO Nanorod Arrays. 2013 , 6, 125201	6
1659	. 2013 , 34, 1023-1025	14
1658	Annealing Effects of Ti/Au Contact on n-MgZnO/p-Si Ultraviolet-B Photodetectors. 2013 , 60, 3474-3477	36
1657	Self-powered ultraviolet photodetector based on a single ZnO tetrapod/PEDOT:PSS heterostructure. 2013 , 28, 105023	23
1656	Enhancing the Performance of ZnO Nanorod/p-GaN Heterostructured Photodetectors Using the Photoelectrochemical Oxidation Passivation Method. 2013 , 12, 578-582	8
1655	Synthesis, optical properties, and chemicalBiological sensing applications of one-dimensional inorganic semiconductor nanowires. 2013 , 58, 705-748	60
1654	Low power UV photodetection characteristics of cross-linked ZnO nanorods/nanotetrapods grown on silicon chip. 2013 , 192, 124-129	59
1653	Reliable operation of a nanogenerator under ultraviolet light via engineering piezoelectric potential. 2013 , 6, 841	57
1652	Photoluminescence and photoconductivity studies of ZnO nanoparticles prepared by solid state reaction method. 2013 , 24, 125-134	33
1651	More Recent Advances in One-Dimensional Metal Oxide Nanostructures: Optical and Optoelectronic Applications. 2013 , 359-379	1
1650	Suppressing the atmosphere-induced performance instability of solution-grown zinc oxide-nanowire ultra-violet photodetector by hydrothermal treatment in water. 2013 , 139, 963-967	4
1649	Photoconductive study and carrier dynamics of vertically aligned GaAs nanowires. 2013 , 23, 85-88	1
1648	Photoresponse of n-ZnO/p-Si photodiodes to violet-green bandwidth light caused by defect states. 2013 , 545, 517-520	10
1647	Two-step epitaxial synthesis and layered growth mechanism of bisectonal ZnO nanowire arrays. 2013 , 363, 247-252	4

1646	Low-dimensional nanostructure ultraviolet photodetectors. 2013 , 25, 5321-8	288
1645	Field-Emission and Photoelectrical Characteristics of GaZnO Nanorods Photodetector. 2013 , 60, 1905-1910	34
1644	Achieving high sensitivity in single organic submicrometer ribbon based photodetector through surface engineering. 2013 , 14, 1103-1108	25
1643	Synthesis of dense intersecting branched tree-like ZnO nanostructures and its superior LPG sensing property. 2013 , 176, 374-378	22
1642	Facile fabrication of ZnO nanowire-based UV sensors by focused ion beam micromachining and thermal oxidation. 2013 , 282, 384-389	8
1641	Directed electrochemical synthesis of ZnO/PDMcT core/shell nanorod arrays with enhanced photoelectrochemical properties. 2013 , 38, 15019-15026	24
1640	Electronic transport properties in aluminum indium nitride nanorods grown by magnetron sputter epitaxy. 2013 , 285, 625-628	8
1639	ZnO nano-platelets by laser induced plasma assisted-irradiation with a pulse KrF laser. 2013 , 105, 206-208	8
1638	Controllable band-gap engineering of the ternary Mg _x Ni _{1-x} O thin films deposited by radio frequency magnetron sputtering for deep ultra-violet optical devices. 2013 , 529, 417-420	10
1637	Temperature-Mediated Magnetism in Fe-Doped ZnO Semiconductors. 2013 , 117, 5338-5342	16
1636	Polarity Determination of Polarity-Controlled ZnO Films Using Photoresponse Characteristics. 2013 , 42, 716-719	2
1635	High responsivity, fast ultraviolet photodetector fabricated from ZnO nanoparticle-graphene core-shell structures. 2013 , 5, 3664-7	131
1634	Few-Layer MoS ₂ with high broadband Photogain and fast optical switching for use in harsh environments. 2013 , 7, 3905-11	482
1633	Photoconductive, free-standing crystallized TiO ₂ nanotube membranes. 2013 , 93, 80-86	47
1632	Photoelectrical and Low-Frequency Noise Characteristics of ZnO Nanorod Photodetectors Prepared on Flexible Substrate. 2013 , 60, 229-234	19
1631	High Detectivity Mechanism of ZnO-Based Nanorod Ultraviolet Photodetectors. 2013 , 25, 348-351	24
1630	Development of a Seedless Floating Growth Process in Solution for Synthesis of Crystalline ZnO Micro/Nanowire Arrays on Graphene: Towards High-Performance Nanohybrid Ultraviolet Photodetectors. 2013 , 23, 4941-4948	78
1629	. 2013 , 13, 949-958	24

1628	Monolayer graphene film on ZnO nanorod array for high-performance Schottky junction ultraviolet photodetectors. 2013 , 9, 2872-9	236
1627	Fabrication of gas sensor based on p-type ZnO nanoparticles and n-type ZnO nanowires. 2013 , 182, 190-196	98
1626	Broadband high photoresponse from pure monolayer graphene photodetector. 2013 , 4, 1811	556
1625	Origin of enhanced photocatalytic activity and photoconduction in high aspect ratio ZnO nanorods. 2013 , 15, 10795-802	104
1624	The reduction of graphene oxide by zinc powder to produce a zinc oxide-reduced graphene oxide hybrid and its superior photocatalytic activity. 2013 , 561-562, 125-130	28
1623	High-gain phototransistors based on a CVD MoS ₂ monolayer. 2013 , 25, 3456-61	743
1622	Oxygen-assisted charge transfer between ZnO quantum dots and graphene. 2013 , 9, 3031-6	154
1621	Fabrication of functional nanowire devices on unconventional substrates using strain-release assembly. 2013 , 5, 256-61	39
1620	Self-powered flexible and transparent photovoltaic detectors based on CdSe nanobelt/graphene Schottky junctions. 2013 , 5, 5576-81	75
1619	Graphene plasmon enhanced photoluminescence in ZnO microwires. 2013 , 5, 5294-8	42
1618	Environmental sensitivity of n-i-n and undoped single GaN nanowire photodetectors. 2013 , 102, 213113	18
1617	Enhanced photosensing and tunable luminescence from ZnO/NiO and ZnO/Ni core-shell nanorods. 2013 , 178, 212-216	18
1616	Sensitive, fast, solution-processed ultraviolet detectors based on passivated zinc oxide nanorods. 2013 , 14, 554-9	10
1615	Magnetic Core-shell Nanoparticles as Carriers for Olefin Dimerization Catalysts. 2013 , 2013, 2146-2153	9
1614	High-performance UV photodetection of unique ZnO nanowires from zinc carbonate hydroxide nanobelts. 2013 , 5, 5861-7	35
1613	Photoluminescence and highly selective photoresponse of ZnO nanorod arrays. 2013 , 35, 1532-1537	14
1612	Love mode surface acoustic wave ultraviolet sensor using ZnO films deposited on 36° Y-cut LiTaO ₃ . 2013 , 193, 87-94	34
1611	Size-dependent chemical transformation, structural phase-change, and optical properties of nanowires. 2013 , 93, 2089-2121	21

1610	Single ZnO nanotetrapod-based sensors for monitoring localized UV irradiation. 2013 , 5, 5981-5		18
1609	Fabrication of fast and sensitive IR-detectors based on PbS quantum dots passivated by organic ligands. 2013 , 210, 420-424		8
1608	Sensing devices based on ZnO hexagonal tube-like nanostructures grown on p-GaN heterojunction by wet thermal evaporation. 2013 , 540, 212-220		15
1607	Surfaces and Interfaces of Zinc Oxide. 2013 , 88, 105-157		4
1606	Nanowire Heterostructures. 2013 , 43, 451-479		115
1605	Continuous growth and improved PL property of ZnO nanoarrays with assistance of polyethylenimine. 2013 , 5, 5986-93		41
1604	Anomalous quantum efficiency for photoconduction and its power dependence in metal oxide semiconductor nanowires. 2013 , 5, 6867-73		21
1603	A facile integration of zero- (I-III-VI quantum dots) and one- (single SnO ₂ nanowire) dimensional nanomaterials: fabrication of a nanocomposite photodetector with ultrahigh gain and wide spectral response. <i>Nano Letters</i> , 2013 , 13, 1920-7	11.5	35
1602	High photo-responsivity ZnO UV detectors fabricated by RF reactive sputtering. 2013 , 48, 305-309		49
1601	Enhanced band-gap emission in ZnO Nanocaves by two-step thermal oxidation Zn film. 2013 , 91, 139-141		8
1600	Ligand Exchange of Colloidal ZnO Nanocrystals from the High Temperature and Nonaqueous Approach. 2013 , 5, 274-280		6
1599	Largely enhanced efficiency in ZnO nanowire/p-polymer hybridized inorganic/organic ultraviolet light-emitting diode by piezo-phototronic effect. <i>Nano Letters</i> , 2013 , 13, 607-13	11.5	190
1598	Fabrication of tantalum and nitrogen codoped ZnO (Ta, N-ZnO) thin films using the electrospay: twin applications as an excellent transparent electrode and a field emitter. 2013 , 5, 3722-30		10
1597	ZnO nanorod ultraviolet photodetector on porous silicon substrate. 2013 , 28, 115007		36
1596	High responsivity MSM black silicon photodetector. 2013 , 16, 619-624		21
1595	Arbitrary multicolor photodetection by hetero-integrated semiconductor nanostructures. 2013 , 3, 2368		37
1594	Water- and humidity-enhanced UV detector by using p-type La-doped ZnO nanowires on flexible polyimide substrate. 2013 , 5, 11142-51		56
1593	ZnO nanorods: morphology control, optical properties, and nanodevice applications. 2013 , 56, 2243-2265		13

1592	Single ZnO microrod ultraviolet photodetector with high photocurrent gain. 2013 , 5, 9344-8	90
1591	Correlated charge carrier-like photoresponse of polymer nanowires. 2013 , 7, 7894-900	7
1590	Hydrothermal Synthesis of Vertically Aligned Cesium-Doped ZnO Nanorods for Solar Cell Applications. 2013 , 23, 1219-1225	15
1589	High-detectivity nanowire photodetectors governed by bulk photocurrent dynamics with thermally stable carbide contacts. 2013 , 24, 495701	15
1588	ZnO UV photodetector with controllable quality factor and photosensitivity. 2013 , 3, 022104	18
1587	Individual ZnO nanowires for photodetectors with wide response range from solar-blind ultraviolet to near-infrared modulated by bias voltage and illumination intensity. 2013 , 21, 29719-30	26
1586	Fast response ZnO:Al/CuO nanowire/ZnO:Al heterostructure light sensors fabricated by dielectrophoresis. 2013 , 102, 232105	12
1585	Brush-like SnO ₂ /ZnO hierarchical nanostructure: Synthesis, characterization and application in UV photoresponse. 2013 , 3, 062108	23
1584	A first-principles study of ZnO polar surface growth: adsorption of Zn(x)O(y) clusters. 2013 , 139, 124704	6
1583	Morphological, Structural, and Electrical Characterization of Sol-Gel-Synthesized ZnO Nanorods. 2013 , 2013, 1-7	16
1582	A comprehensive review of semiconductor ultraviolet photodetectors: from thin film to one-dimensional nanostructures. 2013 , 13, 10482-518	511
1581	Low-Temperature Rapid Fabrication of ZnO Nanowire UV Sensor Array by Laser-Induced Local Hydrothermal Growth. 2013 , 2013, 1-7	13
1580	p-Type Field Effect Transistor and UV-Photoconductive Characteristics of Na Doped ZnMgO Thin Films. 2013 , 668, 681-685	
1579	UV Enhanced Oxygen Response Resistance Ratio of ZnO Prepared by Thermally Oxidized Zn on Sapphire Substrate. 2013 , 2013, 1-5	5
1578	Effect of Embedded Pd Microstructures on the Flat-Band-Voltage Operation of Room Temperature ZnO-Based Liquid Petroleum Gas Sensors. 2013 , 13, 16801-16815	15
1577	A phenomenological model for the photocurrent transient relaxation observed in ZnO-based photodetector devices. 2013 , 13, 9921-40	77
1576	ZnO Nanowires Modified with Au Nanoparticles Exhibiting High Field-Emission Performance. 2013 , 2, N149-N151	7
1575	Low-Frequency Noise Characteristics of Zinc-Oxide-Film-Based Photoconductive Detectors. 2013 , 52, 084101	2

1574	High performance stretchable UV sensor arrays of SnO ₂ nanowires. 2013 , 24, 315502	33
1573	ZnO based optical modulator in the visible wavelengths. 2013 ,	
1572	Optical sensors based on metal oxide nanowires for UV/IR detection. 2013 ,	
1571	Enhancing UV photosensitivity of a ZnO UV nanosensor using electrical stimulation at megahertz frequency. 2013 , 22, 018502	4
1570	Ultraviolet Photoresponse Properties of Zinc Oxide Nanorods on Heavily Boron-Doped Diamond Heterostructure. 2013 , 832, 172-177	1
1569	Semitransparent all-oxide p-NiO/n-ZnO nanowire ultraviolet photosensors. 2013 , 28, 2605-2610	9
1568	Photoconduction efficiencies of metal oxide semiconductor nanowires: The material's inherent properties. 2013 , 103, 223107	16
1567	Postannealing Effect at Various Gas Ambients on Ohmic Contacts of Pt/ZnO Nanobilayers toward Ultraviolet Photodetectors. 2013 , 2013, 1-9	7
1566	A Brief Review on Bioinspired ZnO Superhydrophobic Surfaces: Theory, Synthesis, and Applications. 2013 , 2013, 1-10	18
1565	A light incident angle switchable ZnO nanorod memristor: reversible switching behavior between two non-volatile memory devices. 2013 , 25, 6423-9	115
1564	Self-powered spectrum-selective photodetectors fabricated from n-ZnO/p-NiO core-shell nanowire arrays. 2013 , 1, 4445	118
1563	p-type ZnS:N nanowires: Low-temperature solvothermal doping and optoelectronic properties. 2013 , 103, 213111	20
1562	Defect controlled ultra high ultraviolet photocurrent gain in Cu-doped ZnO nanorod arrays: De-trapping yield. 2013 , 103, 041112	36
1561	High Performance Ultraviolet Photodetector Fabricated with ZnO Nanoparticles-graphene Hybrid Structures. 2013 , 26, 225-230	14
1560	Characterization and modeling of a ZnO nanowire ultraviolet photodetector with graphene transparent contact. 2013 , 114, 234505	95
1559	Impact of transparent electrode on photoresponse of ZnO-based phototransistor. 2013 , 103, 251111	14
1558	High gain single GaAs nanowire photodetector. 2013 , 103, 093101	53
1557	Heterojunction photodiode fabricated from multiwalled carbon nanotube/ZnO nanowire/p-silicon composite structure. 2013 , 102, 021107	24

1556	Ti nanoparticles decorated ZnO nanowires heterostructure: photocurrent and photoluminescence properties. 2013 , 8, 332-340	14
1555	Drop-cast and dye-sensitized ZnO nanorod-based visible-light photodetectors. 2013 , 7, 659-663	5
1554	Electronic properties of light-emitting p-n hetero-junction array consisting of p+-Si and aligned n-ZnO nanowires. 2013 , 113, 084310	5
1553	High-Performance Organic-Inorganic Hybrid Photodetectors Based on P3HT:CdSe Nanowire Heterojunctions on Rigid and Flexible Substrates. 2013 , 23, 1202-1209	193
1552	Chemically synthesized nanowire TiO ₂ /ZnO core-shell p-n junction array for high sensitivity ultraviolet photodetector. 2013 , 103, 193119	48
1551	Dissimilar-electrodes-induced asymmetric characteristic and diode effect of current transport in zinc oxide tunnel junctions. 2013 , 114, 044111	5
1550	Photocurrent characteristics of individual GeSe ₂ nanobelt with Schottky effects. 2013 , 114, 134302	14
1549	Improving Processes on ZnO-Based Ultraviolet Photodetector. 2013 , 685, 195-200	1
1548	Solution-processed nanoparticle super-float-gated organic field-effect transistor as un-cooled ultraviolet and infrared photon counter. 2013 , 3, 2707	13
1547	Single-Crystalline p-Type Zn ₃ As ₂ Nanowires for Field-Effect Transistors and Visible-Light Photodetectors on Rigid and Flexible Substrates. 2013 , 23, 2681-2690	68
1546	A feasible route to prepare hollow ZnO microtube via modulating reagent's vapor pressure and growth temperature. 2013 , 28, 897-904	1
1545	Red-green-blue light sensitivity of oxide nanowire transistors for transparent display applications. 2013 , 3, 012112	6
1544	Growth of ZnO and ZnMgO nanowires by Au-catalysed molecular-beam epitaxy. 2013 , 10, 1308-1313	15
1543	Hierarchically nanostructured materials for sustainable environmental applications. 2013 , 1, 18	55
1542	Photodetection and transport properties of surface capped silicon nanowires arrays with polyacrylic acid. 2013 , 3, 082111	9
1541	ZINC OXIDE NANOPARTICLES FOR ULTRAVIOLET PHOTODETECTION. 2013 ,	
1540	Fabrication of smart chemical sensors based on transition-doped-semiconductor nanostructure materials with μ -chips. 2014 , 9, e85036	32
1539	Determination of acceptor concentration, depletion width, donor level movement and sensitivity factor of ZnO on diamond heterojunction under UV illumination. 2014 , 9, e89348	7

1538	Selective divalent cobalt ions detection using Ag ₂ O ₃ -ZnO nanocones by ICP-OES method for environmental remediation. 2014 , 9, e114084	16
1537	Persistent Photoconductivity in ZnO Nanowires in Different Atmospheres. 2014 , 2014, 1-5	21
1536	Optimizing performance of silicon-based p-n junction photodetectors by the piezo-phototronic effect. 2014 , 8, 12866-73	100
1535	Mechanical and piezoelectric properties of zinc oxide nanorods grown on conductive textile fabric as an alternative substrate. 2014 , 47, 345102	20
1534	GaN Nanowire-Based Ultraviolet Photodetectors. 2014 , 179-202	1
1533	Contact properties and surface reaction kinetics of single ZnO nanowire devices fabricated by dielectrophoresis. 2014 ,	
1532	Interior-architected ZnO nanostructure for enhanced electrical conductivity via stepwise fabrication process. 2014 , 9, 428	8
1531	Photoresponsive properties of ultrathin silicon nanowires. 2014 , 105, 231116	18
1530	High-sensitivity silicon nanowire phototransistors. 2014 ,	2
1529	Enhanced Field Emission Properties of Ga-Doped ZnO Nanosheets by using an Aqueous Solution at Room Temperature. 2014 , 61, 4192-4196	15
1528	Improved Sensitization of Zinc Oxide Nanorods by Cadmium Telluride Quantum Dots through Charge Induced Hydrophilic Surface Generation. 2014 , 2014, 1-8	4
1527	Nanostructured ZnO Materials: Synthesis, Properties and Applications. 2014 , 137-177	7
1526	Optimized Responsivity of Size-Tailored SbBiSe ₃ Nanowire Photodetectors. 2014 , 893, 182-185	1
1525	Fabrication of dye-sensitized solar cell using nanocomposited aligned ZnO nanorod/Nb-doped TiO ₂ at different Nb-doped concentrations. 2014 ,	
1524	Photoconductivity of Au-coated TiO ₂ nanotube arrays. 2014 ,	1
1523	Chemically grown ZnO nanorods for dye-sensitized solar cells. 2014 ,	
1522	Benzo[ghi]perylene monoimide based photosensitive lamellar Cd-doped ZnO nanohybrids. 2014 , 4, 62603-62616	16
1521	High-performance deep ultraviolet photodetectors based on ZnO quantum dot assemblies. 2014 , 116, 103105	23

1520	Bias-tunable dual-mode ultraviolet photodetectors for photoelectric tachometer. 2014 , 104, 041108	16
1519	An efficient fast response and high-gain solar-blind flexible ultraviolet photodetector employing hybrid geometry. 2014 , 104, 193301	29
1518	Interaction between O ₂ and ZnO films probed by time-dependent second-harmonic generation. 2014 , 104, 051602	7
1517	Effect of electrical contact on the performance of Bi ₂ Se ₃ single nanowire photodetectors. 2014 , 15, 2510-6	17
1516	An intrinsically stretchable nanowire photodetector with a fully embedded structure. 2014 , 26, 943-50	132
1515	High detectivity solar-blind high-temperature deep-ultraviolet photodetector based on multi-layered (100) facet-oriented GaN nanobelts. 2014 , 10, 1848-56	149
1514	Low-Frequency Noise Spectra of Laterally Bridged ZnO Microrod-Based Photodetectors. 2014 , 20, 118-124	1
1513	Charge transport in colloidal ZnO nanocrystal solids: The significance of surface states. 2014 , 104, 193111	6
1512	Localized surface plasmon resonance enhanced ultraviolet emission and F-P lasing from single ZnO microflower. 2014 , 105, 142107	9
1511	Hard X-ray detection using a single 100 nm diameter nanowire. <i>Nano Letters</i> , 2014 , 14, 7071-6	11.5 19
1510	Doped ZnO 1D nanostructures: synthesis, properties, and photodetector application. 2014 , 10, 4562-85	135
1509	The surface-plasmon-resonance and band bending effects on the photoluminescence enhancement of Ag-decorated ZnO nanorods. 2014 , 116, 063108	27
1508	Ultra-high Responsivity of Ternary Sb ₂ Te ₃ Nanowire Photodetectors. 2014 , 24, 3581-3586	31
1507	Vertically aligned ZnO nanorod array/CuO heterojunction for UV detector application. 2014 , 211, 2493-2498	15
1506	Flexible organic-inorganic hybrid photodetectors with n-type phenyl-C ₆₁ -butyric acid methyl ester (PCBM) and p-type pearl-like GaP nanowires. 2014 , 7, 1777-1787	17
1505	Probe the Effects of Surface Adsorbates on ZnO Nanowire Conductivity using Dielectric Force Microscopy. 2014 , 27, 582-586	2
1504	Controlling the properties of electrodeposited ZnO nanowire arrays for light emitting diode, photodetector and gas sensor applications. 2014 ,	3
1503	Probing inhomogeneous composition in core/shell nanowires by Raman spectroscopy. 2014 , 116, 184303	3

1502	SiO _x nanodots as a "green gap" solution. 2014 , 8, 083069	5
1501	Nanoscale optical and electrical characterizations of ZnO nanostructures by near-field microscopy. 2014 ,	
1500	Single-ZnO-Nanobelt-Based Single-Electron Transistors. 2014 , 31, 067303	2
1499	Photocurrent relaxations and gain in semiconductor nanowires. 2014 ,	1
1498	Ambient Degradation of ZnO Powders: Does Surface Polarity Matter?. 2014 , 3, P133-P137	8
1497	Fabrication of dye-sensitized solar cell using nanocomposited aligned ZnO nanorod/TiO ₂ . 2014 ,	
1496	Photoelectric Properties of Ultrathin BiOBr Nanosheets Synthesized by a PVP-Assisted Hydrothermal Method. 2014 , 543-547, 3918-3923	
1495	Low-Frequency Noise Characteristics of Gallium-Doped ZnO Nanosheets as Photodetectors. 2014 , 161, H399-H403	1
1494	Improved photo-detection from annealed SiO _x /In ₂ O ₃ coaxial heterostructure nanocolumns. 2014 , 47, 105106	15
1493	An ultraviolet photodetector with an active layer composed of solution processed polyfluorene:Zn _{0.71} Cd _{0.29} S hybrid nanomaterials. 2014 , 305, 227-234	7
1492	Understanding the chemical origin of improved thin-film device performance from photodoped ZnO nanoparticles. 2014 , 124, 211-216	19
1491	Enhancement of gas sensor response of nanocrystalline zinc oxide for ammonia by plasma treatment. 2014 , 309, 46-53	16
1490	Ultraviolet photosensors fabricated with Ag nanowires coated with ZnO nanoparticles. 2014 , 570, 363-370	19
1489	Enhancement of persistent photoconductivity of ZnO nanorods under polyvinyl alcohol encapsulation. 2014 , 24, 200-207	12
1488	Cu/ZnO nanorods? hybrid showing enhanced photoluminescence properties due to surface plasmon resonance. 2014 , 145, 19-24	27
1487	Germanium nanowire synthesis using solid precursors. 2014 , 392, 20-29	9
1486	Rapid fabrication technique for interpenetrated ZnO nanotetrapod networks for fast UV sensors. 2014 , 26, 1541-50	377
1485	BiOBr _x I _(1-x) based spectral tunable photodetectors fabricated by a facile interfacial self-assembly strategy. 2014 , 2, 2470	18

1484	Smart methanol sensor based on silver oxide-doped zinc oxide nanoparticles deposited on microchips. 2014 , 181, 553-563	20
1483	Defect-dominated optical emission and enhanced ultraviolet photoconductivity properties of ZnO nanorods synthesized by simple and catalyst-free approach. 2014 , 115, 1193-1203	19
1482	Large Gain, Low Noise Nanocomposite Ultraviolet Photodetectors with a Linear Dynamic Range of 120 dB. 2014 , 2, 348-353	69
1481	A self-powered ultraviolet detector based on a single ZnO microwire/p-Si film with double heterojunctions. 2014 , 6, 6025-9	49
1480	Suppressing instability of liquid thin films by a fibril network and its application to micropatterning without a residual layer. 2014 , 35, 560-5	4
1479	Efficient UV photosensitive and photoluminescence properties of sol-gel derived Sn doped ZnO nanostructures. 2014 , 211, 8-14	50
1478	Electrical and optical effects of Pd microplates embedded in ZnO thin film based MSM UV photodetectors: A comparative study. 2014 , 209, 16-23	22
1477	Optoelectronic characteristics of UV photodetectors based on sol-gel synthesized GZO semiconductor thin films. 2014 , 596, 145-150	30
1476	Honeycomb-like NiO/ZnO heterostructured nanorods: photochemical synthesis, characterization, and enhanced UV detection performance. 2014 , 2, 4606	88
1475	Deep level states and negative photoconductivity in n-ZnO/p-Si hetero-junction diodes. 2014 , 14, 223-226	9
1474	ZnO nanodisk based UV detectors with printed electrodes. 2014 , 30, 3913-21	44
1473	. 2014 , 20, 89-95	4
1472	Ultra-long multicolor belts and unique morphologies of tin-doped zinc oxide nanostructures. 2014 , 115, 275-281	5
1471	Deep ultraviolet to near-infrared emission and photoresponse in layered N-doped graphene quantum dots. 2014 , 8, 6312-20	384
1470	UV Photodetector of a Homojunction Based On p-Type Sb-Doped ZnO Nanoparticles and n-Type ZnO Nanowires. 2014 , 61, 1347-1353	14
1469	Electrical investigation and ultraviolet detection of ZnO nanorods encapsulated with ZnO and Fe-doped ZnO layer. 2014 , 71, 540-548	7
1468	Double-peaked decay of transient photovoltage in nanoporous ZnO/n-Si photodetector. 2014 , 57, 1206-1208	1
1467	Measuring size dependent electrical properties from nanoneedle structures: Pt/ZnO Schottky diodes. 2014 , 104, 153105	5

1466	Interplay of the photovoltaic and photoconductive operation modes in visible-blind photodetectors based on axial p-i-n junction GaN nanowires. 2014 , 104, 023116	28
1465	Growth and characterization of n-ZnO/p-GaN nanorods on silicon for the fabrication of heterojunction diodes. 2014 , 570, 330-335	
1464	Interface architecture determined the performance of ZnO nanorods-based photodetectors. 2014 , 604, 22-26	8
1463	Photonic-plasmonic coupling of GaAs single nanowires to optical nanoantennas. <i>Nano Letters</i> , 2014 , 14, 2271-8	11.5 68
1462	Enhanced fabrication process of zinc oxide nanowires for optoelectronics. 2014 , 555, 42-47	16
1461	Controllable growth of ZnO/n-Se heterostructures for visible-light photocatalysis. 2014 , 16, 1201-1206	37
1460	High-performance BiOBr ultraviolet photodetector fabricated by a green and facile interfacial self-assembly strategy. 2014 , 6, 145-50	24
1459	Features of the piezo-phototronic effect on optoelectronic devices based on wurtzite semiconductor nanowires. 2014 , 16, 2790-800	25
1458	High-performance self-powered UV photodetectors based on TiO ₂ nano-branched arrays. 2014 , 25, 075202	72
1457	Flexible high-performance ultraviolet photoconductor with zinc oxide nanorods and 8-hydroxyquinoline. 2014 , 2, 1966	31
1456	A metal-semiconductor-metal detector based on ZnO nanowires grown on a graphene layer. 2014 , 25, 055501	38
1455	Nanocrystallized CdS beneath the surface of a photoconductor for detection of UV light with picowatt sensitivity. 2014 , 6, 19866-75	10
1454	Probing Surface Structure Quality of ZnO Nanorods by Second Harmonic Generation. 2014 , 26, 789-792	8
1453	. 2014 , 13, 238-244	27
1452	Electrochemical synthesis on nanoparticle chains to couple semiconducting rods: coulomb blockade modulation using photoexcitation. 2014 , 26, 6491-6	4
1451	Measuring surface state density and energy distribution in InAs nanowires. 2014 , 211, 473-482	10
1450	Photoconductivities in anatase TiO ₂ nanorods. 2014 , 105, 153107	7
1449	Multibit Programmable Optoelectronic Nanowire Memory with Sub-femtojoule Optical Writing Energy. 2014 , 24, 2967-2974	26

1448	Self-powered ultrafast broadband photodetector based on p-n heterojunctions of CuO/Si nanowire array. 2014 , 6, 20887-94	188
1447	Nanowire Field Effect Transistors: Principles and Applications. 2014 ,	8
1446	Effect of some amines, dodecylamine (DDA) and hexadecyldimethylamine (DMHA), on the formation of ZnO nanorods synthesized by hydrothermal route. 2014 , 94, 2886-2899	4
1445	Novel Ga-ZnO Nanosheet Structures Applied in Ultraviolet Photodetectors. 2014 , 26, 1317-1320	6
1444	Highly sensitive and multispectral responsive phototransistor using tungsten-doped VO ₂ nanowires. 2014 , 6, 7619-27	36
1443	Surface plasmon resonance-induced color-selective Au-peapodded silica nanowire photodetectors with high photoconductive gain. 2014 , 6, 1264-70	12
1442	W18O ₄₉ nanowire alignments with a BiOCl shell as an efficient photocatalyst. 2014 , 6, 8865-72	67
1441	ZnO based visible-blind UV photodetector by spray pyrolysis. 2014 , 76, 253-263	51
1440	An electric-field assisted growth control methodology for integrating ZnO nanorods with microstructures. 2014 , 6, 12732-9	9
1439	Photosensing performance of branched CdS/ZnO heterostructures as revealed by in situ TEM and photodetector tests. 2014 , 6, 8084-90	59
1438	Enhanced UV detection performance using a Cu-doped ZnO nanorod array film. 2014 , 4, 31969	31
1437	Integrating ZnO Microwires with Nanoscale Electrodes Using a Suspended PMMA Ribbon for Studying Reliable Electrical and Electromechanical Properties. 2014 , 4, 1301973	7
1436	Single-crystalline ZnO spherical particles by pulsed laser irradiation of colloidal nanoparticles for ultraviolet photodetection. 2014 , 6, 2241-7	34
1435	Fabrication of an efficient GLAD-assisted p-NiO nanorod/n-ZnO thin film heterojunction UV photodiode. 2014 , 2, 2387	40
1434	Anomalous and highly efficient InAs nanowire phototransistors based on majority carrier transport at room temperature. 2014 , 26, 8203-9	133
1433	Ultralow-voltage and high gain photoconductor based on ZnS:Ga nanoribbons for the detection of low-intensity ultraviolet light. 2014 , 2, 3583	18
1432	Non-classical logic inverter coupling a ZnO nanowire-based Schottky barrier transistor and adjacent Schottky diode. 2014 , 16, 16367-72	3
1431	High-efficiency transfer of percolating nanowire films for stretchable and transparent photodetectors. 2014 , 6, 10734-9	88

1430	Sketching functional, ubiquitous ZnO nano-sensors on paper. 2014 , 4, 19663	10
1429	Single-crystalline CdTe nanowire field effect transistors as nanowire-based photodetector. 2014 , 16, 22687-93	44
1428	High-performance ZnO/Ag Nanowire/ZnO composite film UV photodetectors with large area and low operating voltage. 2014 , 2, 4312-4319	69
1427	Individual Ohmic contacted ZnO/Zn ₂ SnO ₄ radial heterostructured nanowires as photodetectors with a broad-spectral-response: injection of electrons into/from interface states. 2014 , 2, 1808	28
1426	Self-powered ultraviolet photodetectors based on selectively grown ZnO nanowire arrays with thermal tuning performance. 2014 , 16, 9525-9	45
1425	A successive photocurrent transient study to probe the sub-band gap electron and hole traps in ZnO nanorods. 2014 , 4, 58553-58558	20
1424	Effects of MeV ion irradiation on structural and optical properties of SnO ₂ /ZnO nanocomposites prepared by carbothermal evaporation. 2014 , 617, 734-739	7
1423	Fabrication of large-area PbSe films at the organic/aqueous interface and their near-infrared photoresponse. 2014 , 2, 6283	8
1422	Etch-Resistant Zn _{1-x} Mg _x O Alloys: An Alternative to ZnO for Carboxylic Acid Surface Modification. 2014 , 118, 12599-12607	7
1421	Enhanced ultraviolet photoresponse in Au/ZnO nanorods. 2014 , 612, 101-105	15
1420	Controllable and Rapid Synthesis of Long ZnO Nanowire Arrays for Dye-Sensitized Solar Cells. 2014 , 118, 15551-15555	23
1419	High-performance hybrid phenyl-C61-butyric acid methyl ester/Cd(3)P(2) nanowire ultraviolet-visible-near infrared photodetectors. 2014 , 8, 787-96	77
1418	Flexible, thorn-like ZnO-multiwalled carbon nanotube hybrid paper for efficient ultraviolet sensing and photocatalyst applications. 2014 , 6, 13630-6	39
1417	Controllable Growth of ZnO Nanorod Arrays on NiO Nanowires and Their High UV Photoresponse Current. 2014 , 14, 2329-2334	24
1416	Rapid anisotropic photoconductive response of ZnO-coated aligned carbon nanotube sheets. 2014 , 6, 874-81	39
1415	Fabrication of carbon-coated silicon nanowires and their application in dye-sensitized solar cells. 2014 , 6, 18788-94	10
1414	Individual HfS ₃ nanobelt for field-effect transistor and high performance visible-light detector. 2014 , 2, 7392	29
1413	Hot-electron injection in Au nanorod-ZnO nanowire hybrid device for near-infrared photodetection. <i>Nano Letters</i> , 2014 , 14, 6202-9	11.5 120

1412	Light Management with Nanostructures for Optoelectronic Devices. 2014 , 5, 1479-95	127
1411	Role of metal contacts in high-performance phototransistors based on WSe ₂ monolayers. 2014 , 8, 8653-61	317
1410	New UV-A Photodetector Based on Individual Potassium Niobate Nanowires with High Performance. 2014 , 2, 771-778	88
1409	A highly efficient UV photodetector based on a ZnO microwire p-n homojunction. 2014 , 2, 5005	43
1408	Gate modulation of below-band-gap photoconductivity in ZnO nanowire field-effect-transistors. 2014 , 47, 394014	5
1407	High photosensitivity with enhanced photoelectrical contribution in hybrid nanocomposite flexible UV photodetector. 2014 , 15, 2107-2115	27
1406	Concurrent Improvement in Photogain and Speed of a Metal Oxide Nanowire Photodetector through Enhancing Surface Band Bending via Incorporating a Nanoscale Heterojunction. 2014 , 1, 354-359	51
1405	Advanced thermopower wave in novel ZnO nanostructures/fuel composite. 2014 , 6, 15575-82	30
1404	Quasi-Symmetric Wheatstone Bridge Zinc Oxide Nanorod UV Detectors. 2014 , 14, 3310-3318	6
1403	Distributed Bragg reflector assisted low-threshold ZnO nanowire random laser diode. 2014 , 104, 131107	21
1402	Ultrafast, superhigh gain visible-blind UV detector and optical logic gates based on nonpolar a-axial GaN nanowire. 2014 , 6, 12009-17	95
1401	High-performance photoresponse of carbon-doped ZnO/reduced graphene oxide hybrid nanocomposites under UV and visible illumination. 2014 , 4, 5136	21
1400	Tunable charge transport through n-ZnO nanorods on Au coated macroporous p-Si. 2014 , 2, 9613-9619	6
1399	Characteristics of photoconductive UV photodetector based on ZnO nanorods grown on polyethylene naphthalate substrate by chemical bath deposition method. 2014 , 10, 837-843	21
1398	Photocurrent enhancement mechanisms in bilayer nanofilm-based ultraviolet photodetectors made from ZnO and ZnS spherical nanoshells. 2014 , 9, 388	4
1397	EGa ₂ O ₃ nanowires for an ultraviolet light selective frequency photodetector. 2014 , 47, 415101	33
1396	High-performance ultraviolet photodetector based on organic-inorganic hybrid structure. 2014 , 6, 14690-4	53
1395	Doping Induced Tailoring in the Morphology, Band-Gap and Ferromagnetic Properties of Biocompatible ZnO Nanowires, Nanorods and Nanoparticles. 2014 , 6, 242-251	21

1394	Low-temperature growth of well-aligned ZnO nanowire arrays by chemical bath deposition for hybrid solar cell application. 2014 , 25, 2248-2252	9
1393	Recent advances in solution-processed inorganic nanofilm photodetectors. 2014 , 43, 1400-22	121
1392	Bivariate-continuous-tunable interface memristor based on Bi ₂ S ₃ nested nano-networks. 2014 , 7, 953-962	22
1391	Investigation into the photosensitivity of a composite from lead selenide and selenite in UV region of spectrum. 2014 , 40, 208-214	5
1390	Enhancing photoresponsivity of ultra violet photodetectors based on Fe doped ZnO/ZnO shell/core nanorods. 2014 , 615, 227-233	33
1389	High quality ZnO@TiO ₂ core-shell nanowires for efficient ultraviolet sensing. 2014 , 314, 872-876	50
1388	Enhanced photocurrent and dynamic response in vertically aligned InSb/Ag core/shell nanorod array photoconductive devices. 2014 , 6, 8673-82	32
1387	All-printable band-edge modulated ZnO nanowire photodetectors with ultra-high detectivity. 2014 , 5, 4007	407
1386	Vertical p-type Cu-doped ZnO/n-type ZnO homojunction nanowire-based ultraviolet photodetector by the furnace system with hotwire assistance. 2014 , 6, 4277-85	77
1385	Temperature dependence of performance of ZnO-based metal-semiconductor-metal ultraviolet photodetectors. 2014 , 209, 149-153	18
1384	Environmental Gas and Light Sensing Using ZnO Nanowires. 2014 , 13, 368-374	12
1383	Facile fabrication and enhanced photoresponse of hybrid heterojunction films of ZnOEP nanowire network/ZnO nanoparticles. 2014 , 15, 844-849	6
1382	High sensitivity, fast speed and self-powered ultraviolet photodetectors based on ZnO micro/nanowire networks. 2014 , 24, 1-5	23
1381	Simple fabrication of a ZnO nanorod array UV detector with a high performance. 2014 , 61, 180-184	34
1380	Sensitivity improvement of the surface acoustic wave ultraviolet sensor based on zinc oxide nanoparticle layer with an ultrathin gold layer. 2014 , 210, 59-66	22
1379	Microwave-assisted fabrication and characterization of p-ZnO:(Ag,N) nanorods/n-Si photodetector. 2014 , 602, 290-293	7
1378	Synthesis of ZnO nanostructures by spontaneous oxidation of Zn films on p-type silicon substrates. 2014 , 590, 260-265	7
1377	Electrical, optical, and microstructural properties of sol-gel derived HfZnO thin films. 2014 , 601, 223-230	13

1376	Single phase ZnO submicrotubes as a replica of electrospun polymer fiber template by atomic layer deposition. 2014 , 562, 291-298	14
1375	P-type nitrogen-doped ZnO nanostructures with controlled shape and doping level by facile microwave synthesis. 2014 , 30, 2230-40	86
1374	Templated Electrochemical Synthesis of Polyaniline/ZnO Coaxial Nanowires with Enhanced Photoluminescence. 2014 , 53, 18884-18890	17
1373	CdS nanoscale photodetectors. 2014 , 26, 2619-35	183
1372	Gallium nitride nanowire devices and photoelectric properties. 2014 , 216, 142-146	14
1371	All oxide ultraviolet photodetectors based on a p-Cu ₂ O film/n-ZnO heterostructure nanowires. 2014 , 570, 282-287	17
1370	Density-controlled and seedless growth of laterally bridged ZnO nanorod for UV photodetector applications. 2014 , 202, 810-819	15
1369	Electrodeposited Nanophotonics. 2014 , 118, 17179-17192	11
1368	Antimony doped cadmium selenium nanobelts with enhanced electrical and optoelectrical properties. 2014 , 307, 608-614	4
1367	Fabrication of Microfibre-Nanowire Junction Arrays of ZnO/SnO ₂ Composite by the Carbothermal Evaporation Method. 2014 , 4, 21	7
1366	Chemical Precipitation Synthesis and Optical Properties of ZnO/SiO ₂ Nanocomposites. 2014 , 351-358	
1365	Comparative Study of Energy Harvesting from ZnO Nanorods Using Different Flexible Substrates. 2014 , 1, 19-26	3
1364	Fabrication of ZnO Nanostructures. 2014 , 11-52	1
1363	ZnO Nanostructures: Toxicity and Phototoxicity Characteristics in Biological Samples. 2014 , 167-194	1
1362	ZnO Nanowire Based Photoconductor with High Photoconductive Gain. 2015 , 1805, 1	3
1361	- Integrated Silicon Optomechanical Transducers and Their Application in Atomic Force Microscopy. 2015 , 366-389	
1360	Oxygen Defect-Induced Metastability in Oxide Semiconductors Probed by Gate Pulse Spectroscopy. 2015 , 5, 14902	42
1359	Semiconductor Nanowires. 2015 , 1-33	2

1358	Effects of surface adsorbed oxygen, applied voltage, and temperature on UV photoresponse of ZnO nanorods. 2015 , 24, 107703	10
1357	Quantifying the barrier lowering of ZnO Schottky nanodevices under UV light. 2015 , 5, 15123	31
1356	High-performance ultraviolet photodetectors based on solution-grown ZnS nanobelts sandwiched between graphene layers. 2015 , 5, 12345	55
1355	Plasmon-Enhanced Surface Photovoltage of ZnO/Ag Nanogratings. 2015 , 5, 16727	12
1354	High-performance ultraviolet detection and visible-blind photodetector based on Cu ₂ O/ZnO nanorods with poly-(N-vinylcarbazole) intermediate layer. 2015 , 107, 241113	14
1353	Aqueous chemically grown ZnO nanorods showing widely varied property depending on substrate position. 2015 ,	
1352	Ohmic Contact Fabrication Using a Focused-ion Beam Technique and Electrical Characterization for Layer Semiconductor Nanostructures. 2015 , e53200	8
1351	Trapped charge-induced pyroelectric-like transient response in single high-resistivity Sb ₂ Se ₃ nanowires. 2015 , 9, 259-263	
1350	Surface Transfer Doping-Induced, High-Performance Graphene/Silicon Schottky Junction-Based, Self-Powered Photodetector. 2015 , 11, 4829-36	73
1349	Low-Dimensional Structure Vacuum-Ultraviolet-Sensitive (T) 2015 , 27, 3921-7	151
1348	An Ultrahigh-Resolution Digital Image Sensor with Pixel Size of 50 nm by Vertical Nanorod Arrays. 2015 , 27, 4454-4460	42
1347	Bending Photoluminescence and Surface Photovoltaic Effect on Multilayer InSe 2D Microplate Crystals. 2015 , 3, 1750-1758	56
1346	Fast Photoresponse and Long Lifetime UV Photodetectors and Field Emitters Based on ZnO/Ultrananocrystalline Diamond Films. 2015 , 21, 16017-26	18
1345	Stretchable and Tunable Microtectonic ZnO-Based Sensors and Photonics. 2015 , 11, 4532-9	47
1344	Nitrogen-doped ZnO obtained by nitrogen plasma treatment. 2015 , 212, 846-850	6
1343	A Facile Approach for the Synthesis of ZnO@C Core@Shell Hexagonal Nanorods and their Conversion to Carbon Nanotubes. 2015 , 36, 2298-2306	3
1342	A Fully Transparent and Flexible Ultraviolet/Visible Photodetector Based on Controlled Electrospun ZnO-CdO Heterojunction Nanofiber Arrays. 2015 , 25, 5885-5894	146
1341	Ultraporous Electron-Depleted ZnO Nanoparticle Networks for Highly Sensitive Portable Visible-Blind UV Photodetectors. 2015 , 27, 4336-43	178

- 1340 Piezo-Phototronic Enhanced UV Sensing Based on a Nanowire Photodetector Array. **2015**, 27, 7963-9 90
- 1339 Tuning the luminescence and UV photosensing properties of ZnO nanorods by strategic aqueous chemical growth. **2015**, 2, 105008 5
- 1338 Optical gas sensing by micro-photoluminescence on multiple and single ZnO nanowires. **2015**, 212, 1810-1816 11
- 1337 Construction of FeS₂-Sensitized ZnO@ZnS Nanorod Arrays with Enhanced Optical and Photoresponse Performances. **2015**, 2, 1500163 15
- 1336 Scattering attributes of one-dimensional semiconducting oxide nanomaterials individually probed for varying light-matter interaction angles. **2015**, 107, 151110 5
- 1335 Scattering Intensity and Directionality Probed Along Individual Zinc Oxide Nanorods with Precisely Controlled Light Polarization and Nanorod Orientation. **2015**, 2, 684-701 5
- 1334 Recent Progress in Ohmic/Schottky-Contacted ZnO Nanowire Sensors. **2015**, 2015, 1-20 8
- 1333 Graphene, Nanotube, and NANOWIRE-Based Electronics. **2015**, 413-500
- 1332 Few-layer graphene/ZnO nanowires based high performance UV photodetector. **2015**, 26, 235703 71
- 1331 In-situ ellipsometric characterization of the growth of porous anisotropic nanocrystalline ZnO layers. **2015**, 106, 101904 4
- 1330 High-performance rigid and flexible ultraviolet photodetectors with single-crystalline ZnGa₂O₄ nanowires. **2015**, 8, 2162-2169 70
- 1329 Piezo-phototronic Effect Enhanced UV/Visible Photodetector Based on Fully Wide Band Gap Type-II ZnO/ZnS Core/Shell Nanowire Array. **2015**, 9, 6419-27 199
- 1328 Enhanced Broad Band Photodetection through Piezo-Phototronic Effect in CdSe/ZnTe Core/Shell Nanowire Array. **2015**, 1, 1400050 49
- 1327 Solution-Grown Nanowire Devices for Sensitive and Fast Photodetection. **2015**, 7, 12184-92 9
- 1326 Ultraviolet photoelectrical properties of a n-ZnO nanorods/p-diamond heterojunction. **2015**, 5, 49211-49215 13
- 1325 Piezo-phototronic UV photosensing with ZnO nanowires array. **2015**,
- 1324 Synthesis and enhanced photoelectric performance of Au/ZnO hybrid hollow sphere. **2015**, 5, 103636-103642 5
- 1323 High brightness turquoise light-emitting diodes based on ZnO microwires. **2015**, 5, 89895-89899 1

- 1322 Trap enhanced Ge/Si photodiode formed by direct bonding: Towards NIR imaging system. **2015**,
- 1321 Single-GaSb-nanowire-based room temperature photodetectors with broad spectral response. **2015**, 60, 101-108 35
- 1320 UV-induced SiC nanowire sensors. **2015**, 48, 055102 13
- 1319 Localized Laser-Based Photohydrothermal Synthesis of Functionalized Metal-Oxides. **2015**, 25, 2222-2229 10
- 1318 Hexagonal-like Nb₂O₅ Nanoplates-based photodetectors and photocatalyst with high performances. **2015**, 5, 7716 88
- 1317 Ultraviolet photodetectors with high photosensitivity based on type-II ZnS/SnO₂ core/shell heterostructured ribbons. **2015**, 7, 5311-9 32
- 1316 Second-harmonic generation imaging of semiconductor nanowires with focused vector beams. *Nano Letters*, **2015**, 15, 1564-9 11.5 53
- 1315 Tuning the electronic properties of ZnO nanowire field effect transistors via surface functionalization. **2015**, 26, 095202 10
- 1314 Effects of hydroxylation and silanization on the surface properties of ZnO nanowires. **2015**, 7, 5331-7 8
- 1313 Indium Tin Oxide Nanowire Networks as Effective UV/Vis Photodetection Platforms. **2015**, 119, 14483-14489 21
- 1312 Stabilization of Rock Salt ZnO Nanocrystals by Low-Energy Surfaces and Mg Additions: A First-Principles Study. **2015**, 119, 5648-5656 24
- 1311 Physical Internal Gain Mechanisms of ZnO-Based Nanorod Ultraviolet Photodetectors. **2015**, 27, 759-762 15
- 1310 p-type ZnTe:Ga nanowires: controlled doping and optoelectronic device application. **2015**, 5, 13324-13330 18
- 1309 Light induced modulation of charge transport phenomena across the bistability region in [Fe(Htrz)₂(trz)](BF₄) spin crossover micro-rods. **2015**, 17, 5151-4 29
- 1308 Recent development in catalytic technologies for methanol synthesis from renewable sources: A critical review. **2015**, 44, 508-518 139
- 1307 Influence of the carrier concentration on the piezotronic effect in a ZnO/Au Schottky junction. **2015**, 7, 4461-7 26
- 1306 A solution-processed high-efficiency p-NiO/n-ZnO heterojunction photodetector. **2015**, 5, 14646-14652 35
- 1305 Core-shell CdS:Ga₂N₂Te:Sb p-n nano-heterojunctions: fabrication and optoelectronic characteristics. **2015**, 3, 2933-2939 8

1304	A self-powered ultraviolet photodetector based on solution-processed p-NiO/n-ZnO nanorod array heterojunction. 2015 , 5, 5976-5981	80
1303	Improved UV photoresponse of ZnO nanorod arrays by resonant coupling with surface plasmons of Al nanoparticles. 2015 , 7, 3396-403	132
1302	UV photoresponse properties of ZnO nanorods arrays deposited with CuSCN by SILAR method. 2015 , 620, 50-55	11
1301	Graphite/ZnO nanorods junction for ultraviolet photodetectors. 2015 , 105, 70-73	21
1300	Piezo-phototronic UV/visible photosensing with optical-fiber-nanowire hybridized structures. 2015 , 27, 1553-60	50
1299	Fabrication of Ultrathin Bi ₂ S ₃ Nanosheets for High-Performance, Flexible, Visible-NIR Photodetectors. 2015 , 11, 2848-55	158
1298	Ultra-high Responsivity in Graphene-ZnO Nanorod Hybrid UV Photodetector. 2015 , 11, 3054-65	136
1297	Development of highly sensitive UV sensor using morphology tuned ZnO nanostructures. 2015 , 118, 595-603	9
1296	Comparison of carrier transport mechanism under UV/Vis illumination in an AZO photodetector and an AZO/p-Si heterojunction photodiode produced by spray pyrolysis. 2015 , 117, 023101	24
1295	Large-area synthesis of monolayer WS ₂ and its ambient-sensitive photo-detecting performance. 2015 , 7, 5974-80	172
1294	High electron mobility and low carrier concentration of hydrothermally grown ZnO thin films on seeded a-plane sapphire at low temperature. 2015 , 10, 7	42
1293	Nanoscale ultraviolet photodetectors based on onedimensional metal oxide nanostructures. 2015 , 8, 382-405	106
1292	Fabrication of low cost UV photo detector using ZnO nanorods grown onto nylon substrate. 2015 , 26, 1322-1331	43
1291	Development of selective and sensitive bicarbonate chemical sensor based on wet-chemically prepared CuO-ZnO nanorods. 2015 , 214, 82-91	44
1290	Hot Carrier Trapping Induced Negative Photoconductance in InAs Nanowires toward Novel Nonvolatile Memory. <i>Nano Letters</i> , 2015 , 15, 5875-82	11.5 100
1289	Fabrication and different photoelectric responses of nanocrystalline ZnO film irradiated with UV and white light in dry air. 2015 , 120, 1299-1307	3
1288	Highly Stable Operation of Metal Oxide Nanowire Transistors in Ambient Humidity, Water, Blood, and Oxygen. 2015 , 7, 16296-302	18
1287	Colossal Ultraviolet Photoresponsivity of Few-Layer Black Phosphorus. 2015 , 9, 8070-7	175

1286	Optical and Exciton Dynamical Properties of a Screw-Dislocation-Driven ZnO:Sn Microstructure. 2015 , 7, 12655-62	7
1285	Large-area photodetector with high-sensitivity and broadband spectral response based on composition-graded CdSSe nanowire-chip. 2015 , 649, 793-800	12
1284	A 30 μm Coaxial Nanowire Photoconductor Enabling Orthogonal Carrier Collection. <i>Nano Letters</i> , 2015 , 15, 5861-7	11.5 4
1283	Optoelectronic characteristics of a near infrared light photodetector based on a topological insulator Sb ₂ Te ₃ film. 2015 , 3, 9154-9160	78
1282	High performance UV light photodetectors based on Sn-nanodot-embedded SnO ₂ nanobelts. 2015 , 3, 5253-5258	20
1281	High-performance solar-blind ultraviolet photodetector based on electrospun TiO ₂ -ZnTiO ₃ heterojunction nanowires. 2015 , 8, 2822-2832	39
1280	Morphology controlled growth of ZnAl-layered double hydroxide and ZnO nanorod hybrid nanostructures by solution method. 2015 , 5, 59823-59829	11
1279	Synthesis of single-crystalline GeS nanoribbons for high sensitivity visible-light photodetectors. 2015 , 3, 8074-8079	82
1278	Facile integration of ordered nanowires in functional devices. 2015 , 221, 104-112	22
1277	Single Mode ZnO Whispering-Gallery Submicron Cavity and Graphene Improved Lasing Performance. 2015 , 9, 6794-800	62
1276	Geometry-induced high performance ultraviolet photodetectors in kinked SnO ₂ nanowires. 2015 , 3, 8300-8306	20
1275	Electric-Field Assisted Hydrothermal Growth of ZnO Nanorods on Flexible Substrate and their Strain Sensing Applications. 2015 , 748, 49-52	1
1274	Fabrication of highly sensitive ethanol sensor based on doped nanostructure materials using tiny chips. 2015 , 5, 63252-63263	48
1273	Enhanced Field Emission Properties of Ag Nanoparticle-Decorated ZnO Nanorods Under Ultraviolet Illumination. 2015 , 62, 2300-2305	18
1272	UV Enhanced Field Emission Properties of Ga-Doped ZnO Nanosheets. 2015 , 62, 2033-2037	12
1271	Self Powered Highly Enhanced Dual Wavelength ZnO@CdS Core-Shell Nanorod Arrays Photodetector: An Intelligent Pair. 2015 , 7, 16322-9	52
1270	Enhanced photocurrent gain by CdTe quantum dot modified ZnO nanowire. 2015 , 232, 292-298	14
1269	High-performance ultraviolet photodetectors based on ZnO/Au/ZnO sandwich structure. 2015 , 48, 275104	7

1268	Geometrical Separation of Defect States in ZnO Nanorods and Their Morphology-Dependent Correlation between Photoluminescence and Photoconductivity. 2015 , 119, 16984-16990	32
1267	Gate Modulation of Graphene-ZnO Nanowire Schottky Diode. 2015 , 5, 10125	21
1266	Self-powered blue-sensitive photodetector based on PEDOT:PSS/SnO ₂ microwires organic/inorganic p-n heterojunction. 2015 , 119, 1561-1566	16
1265	In situ fabrication and optoelectronic analysis of axial CdS/p-Si nanowire heterojunctions in a high-resolution transmission electron microscope. 2015 , 26, 154001	14
1264	Quantum dots based broad spectral photodetectors with wavelength detecting ability. 2015 , 629, 13-17	1
1263	Continuous and dynamic spectral tuning of single nanowire lasers with subnanometer resolution using hydrostatic pressure. 2015 , 7, 9581-8	15
1262	Semiconductor nanowires studied by photocurrent spectroscopy. 2015 , 365-391	1
1261	Fabrication of single-nanowire sensing devices by electron beam lithography. 2015 ,	1
1260	Role of surface in high photoconductive gain measured in ZnO nanowire-based photodetector. 2015 , 17, 1	22
1259	Ultraviolet mem-sensors: flexible anisotropic composites featuring giant photocurrent enhancement. 2015 , 8, 1956-1963	22
1258	Photoconductive behaviors of difluorinated 5,11-bis(triethylsilylethynyl) anthradithiophene. 2015 , 18, 113-117	11
1257	Size dependence and UV irradiation tuning of the surface potential in single conical ZnO nanowires. 2015 , 5, 42075-42080	24
1256	Visible light detection using glancing angle deposited TiO ₂ nanowire arrays. 2015 , 54, 06FJ01	15
1255	Enhanced photocatalytic activity of ZnO nanorods grown on Ga doped seed layer. 2015 , 83, 422-430	23
1254	Continuous-flow system and monitoring tools for the dielectrophoretic integration of nanowires in light sensor arrays. 2015 , 26, 115502	3
1253	Interplay between temperature effects and surface recombination process in UV photoresponse of ZnO nanowires. 2015 , 324, 512-516	7
1252	Resonant light scattering from a single dielectric nano-antenna formed by electron beam-induced deposition. 2015 , 5, 10400	7
1251	A Focused Laser Beam: A Useful and Versatile Tool for 1D Nanomaterials Research: A Review. 2015 , 31, 616-629	7

1250	Influence of potassium permanganate on the anisotropic growth and enhanced UV emission of ZnO nanostructures using hydrothermal process for optoelectronic applications. 2015 , 75, 693-702	22
1249	. 2015 , 62, 1879-1884	43
1248	On-chip fabrication of high performance nanostructured ZnO UV detectors. 2015 , 5, 8516	108
1247	Graphene Composites Based Photodetectors. 2015 , 193-222	3
1246	Tailored Electrospinning of WO ₃ Nanobelts as Efficient Ultraviolet Photodetectors with Photo-Dark Current Ratios up to 1000. 2015 , 7, 10878-85	58
1245	InGaO ₃ (ZnO) Superlattice Nanowires for High-Performance Ultraviolet Photodetectors. 2015 , 1, 1500054	26
1244	High-Performance Flexible Ultraviolet (UV) Phototransistor Using Hybrid Channel of Vertical ZnO Nanorods and Graphene. 2015 , 7, 11032-40	62
1243	Density Controlled Growth of ZnO Nanowall/Nanowire 3D Networks. 2015 , 119, 12023-12029	9
1242	Study on photogenerated charge transfer properties and enhanced visible-light photocatalytic activity of p-type Bi ₂ O ₃ /n-type ZnO heterojunctions. 2015 , 39, 2917-2924	78
1241	Solar-Blind Avalanche Photodetector Based On Single ZnO-Ga ₂ O ₃ Core-Shell Microwire. <i>Nano Letters</i> , 2015 , 15, 3988-93	11.5 258
1240	Organic-Inorganic Heterointerfaces for Ultrasensitive Detection of Ultraviolet Light. <i>Nano Letters</i> , 2015 , 15, 3787-92	11.5 101
1239	Graphene-Skeleton Heat-Coordinated and Nanoamorphous-Surface-State Controlled Pseudo-Negative-Photoconductivity of Tiny SnO ₂ Nanoparticles. 2015 , 27, 3525-32	23
1238	An ultrafast response grating structural ZnO photodetector with back-to-back Schottky barriers produced by hydrothermal growth. 2015 , 3, 2737-2743	39
1237	Fast and enhanced broadband photoresponse of a ZnO nanowire array/reduced graphene oxide film hybrid photodetector from the visible to the near-infrared range. 2015 , 7, 6645-51	55
1236	Physical properties of annealed ZnO nanowire/CuSCN heterojunctions for self-powered UV photodetectors. 2015 , 7, 5820-9	57
1235	Optoelectronic properties of semiconductor nanowires. 2015 , 327-363	8
1234	Hydrogen plasma-mediated modification of the electrical transport properties of ZnO nanowire field effect transistors. 2015 , 26, 125202	11
1233	Ultrahigh-Gain Single SnO ₂ Microrod Photoconductor on Flexible Substrate with Fast Recovery Speed. 2015 , 25, 3157-3163	55

1232	Through-Process Analytical Modeling of Photoconductance Spectrum for Porous ZnO Nanocrystalline Film. 2015 , 27, 2861-2874	6
1231	ZnO/Ag nanowires composite film ultraviolet photoconductive detector. 2015 , 36, 084006	3
1230	Local irradiation effects of one-dimensional ZnO based self-powered asymmetric Schottky barrier UV photodetector. 2015 , 166, 116-121	7
1229	Light-induced pyroelectric effect as an effective approach for ultrafast ultraviolet nanosensing. 2015 , 6, 8401	180
1228	Three-dimensional ZnO porous films for self-cleaning ultraviolet photodetectors. 2015 , 5, 85969-85973	9
1227	Photoconductivity and Photoconductive Gain in Organic Bulk Heterojunction Materials. 2015 , 62, 2620-2627	3
1226	Antiferromagnetic coupling in Co-doped ZnS. 2015 , 50, 7919-7929	17
1225	Low Leakage Current ZnO Nanowire Schottky Photodiodes Built by Dielectrophoretic Contact. 2015 , 36, 814-816	8
1224	Microwave assisted facile hydrothermal synthesis and characterization of zinc oxide flower grown on graphene oxide sheets for enhanced photodegradation of dyes. 2015 , 357, 1849-1856	48
1223	Graphene/h-BN/ZnO van der Waals tunneling heterostructure based ultraviolet photodetector. 2015 , 23, 18864-71	28
1222	Growth Conditions Control the Elastic and Electrical Properties of ZnO Nanowires. <i>Nano Letters</i> , 2015 , 15, 7886-92	11.5 40
1221	Strain Loading Mode Dependent Bandgap Deformation Potential in ZnO Micro/Nanowires. 2015 , 9, 11960-7	28
1220	Surface effects in metal oxide-based nanodevices. 2015 , 7, 19874-84	36
1219	Structural, electrical and red emission properties of Pd/n-ZnO/p-Si/Al heterostructures. 2015 , 11, 973-981	4
1218	Optoelectronically probing the density of nanowire surface trap states to the single state limit. 2015 , 106, 053117	15
1217	Controlled response wavelength shifting in ultraviolet photodetectors based on double-layer films. 2015 , 118, 034511	2
1216	Ga-Doped ZnO Nanosheet Structure-Based Ultraviolet Photodetector by Low-Temperature Aqueous Solution Method. 2015 , 62, 2924-2927	26
1215	Metal nanoparticle/semiconductor nanowire hybrid nanostructures for plasmon-enhanced optoelectronics and sensing. 2015 , 3, 11785-11800	35

1214	Engineering of the photoluminescence of ZnO nanowires by different growth and annealing environments. 2015 ,		1
1213	Tunable GaTe-MoS ₂ van der Waals p-n Junctions with Novel Optoelectronic Performance. <i>Nano Letters</i> , 2015 , 15, 7558-66	11.5	303
1212	ZnO quantum dots and graphene based heterostructure for excellent photoelastic and highly sensitive ultraviolet photodetector. 2015 , 5, 90838-90846		21
1211	Electronic transport in NbSe ₂ two-dimensional nanostructures: semiconducting characteristics and photoconductivity. 2015 , 7, 18964-70		25
1210	Effect of sol stabilizer on the structure and electronic properties of solution-processed ZnO thin films. 2015 , 5, 87007-87018		27
1209	Carrier Recombination Dynamics in Sulfur-Doped InP Nanowires. <i>Nano Letters</i> , 2015 , 15, 7238-44	11.5	24
1208	High-Performance Fully Nanostructured Photodetector with Single-Crystalline CdS Nanotubes as Active Layer and Very Long Ag Nanowires as Transparent Electrodes. 2015 , 7, 22941-52		28
1207	. 2015 , 14, 776-781		11
1206	A miniature room temperature formaldehyde sensor with high sensitivity and selectivity using CdSO ₄ modified ZnO nanoparticles. 2015 , 5, 75098-75104		23
1205	A Study on the UV Photoresponse of Hydrothermally Grown Zinc Oxide Nanorods With Different Aspect Ratios. 2015 , 15, 6811-6818		22
1204	Controlling the Structural Properties of Single Step, Dip Coated ZnO Seed Layers for Growing Perfectly Aligned Nanowire Arrays. 2015 , 119, 21694-21703		38
1203	Catalyst-Free, Selective Growth of ZnO Nanowires on SiO ₂ by Chemical Vapor Deposition for Transfer-Free Fabrication of UV Photodetectors. 2015 , 7, 20264-71		56
1202	Hybrid nanostructures: synthesis, morphology and functional properties. 2015 , 84, 579-600		24
1201	ZnO Nanowire Based Photoelectrical Resistive Switches for Flexible Memory. 2015 , 162, H713-H718		11
1200	Efficient photon management with Ag nanoparticles coated TiO ₂ nanowire clusters for photodetector application. 2015 , 11, 758-763		8
1199	Light-induced metal-like surface of silicon photonic waveguides. 2015 , 6, 8182		21
1198	Light induced resistive switching property of solution synthesized ZnO nanorod. 2015 , 48, 190-197		19
1197	Gate Controlled Photocurrent Generation Mechanisms in High-Gain InBe Phototransistors. <i>Nano Letters</i> , 2015 , 15, 7853-8	11.5	248

1196	Gap states assisted MoO ₃ nanobelt photodetector with wide spectrum response. 2014 , 4, 4891	113
1195	Ti doped ZnO thin film based UV photodetector: Fabrication and characterization. 2015 , 624, 251-257	67
1194	Environmental effects on nanogenerators. 2015 , 14, 49-61	126
1193	ZnO homojunction UV photodetector based on solution-grown Sb-doped p-type ZnO nanorods and pure n-type ZnO nanorods. 2015 , 5, 6311-6314	26
1192	Plasmon-Enhanced Whispering Gallery Mode Lasing from Hexagonal Al/ZnO Microcavity. 2015 , 2, 73-77	47
1191	Synthesis and characterization of electrochemically grown CdSe nanowires with enhanced photoconductivity. 2015 , 26, 1395-1402	11
1190	Study of the Photoconductivity of Zinc Oxide Nanoparticles Synthesized by a Sol-Gel Method. 2015 , 44, 56-61	3
1189	High-performance UV photodetectors and temperature-dependent photoluminescence of individual ZnO hexagonal-prism microwire. 2015 , 118, 1267-1271	8
1188	Structural, Optical, and Electrical Characterization of Al/n-ZnO/p-Si/Al Heterostructures. 2015 , 44, 194-201	8
1187	A facile method for fabricating Au-nanoparticles-decorated ZnO nanorods with greatly enhanced near-band-edge emission. 2015 , 41, 2673-2679	29
1186	Highly ordered catalyst-free InGaN/GaN core-shell architecture arrays with expanded active area region. 2015 , 11, 294-303	37
1185	Multifunctional Au-ZnO plasmonic nanostructures for enhanced UV photodetector and room temperature NO sensing devices. 2014 , 4, 6483	264
1184	A fast-response/recovery ZnO hierarchical nanostructure based gas sensor with ultra-high room-temperature output response. 2015 , 206, 764-771	71
1183	Large-scale assembly of single nanowires through capillary-assisted dielectrophoresis. 2015 , 27, 1268-73	58
1182	Recent advances in ultraviolet photodetectors. 2015 , 29, 16-55	224
1181	Influence of Sb doping on the structural, optical and electrical properties of p-ZnO thin films prepared on n-GaN/Al ₂ O ₃ substrates by a simple CVD method. 2015 , 29, 188-192	14
1180	Comparison of CVD- and MBE-grown GaN Nanowires: Crystallinity, Photoluminescence, and Photoconductivity. 2015 , 44, 177-187	10
1179	Template-free hydrothermal synthesis of ZnO micro/nano-materials and their application in acetone sensing properties. 2015 , 77, 1-11	24

1178	Non-stoichiometric $W_{18}O_{(49-x)}S_x$ nanowires for wide spectrum photosensors with high internal gain. 2015 , 7, 901-7	10
1177	Optimizing UV detection properties of n-ZnO nanowire/p-Si heterojunction photodetectors by using a porous substrate. 2015 , 47, 1739-1749	16
1176	Solution-assembled nanowires for high performance flexible and transparent solar-blind photodetectors. 2015 , 3, 596-600	37
1175	Comprehensive studies of the hydrothermal growth of ZnO nanocrystals on the surface of bamboo. 2015 , 41, 921-929	15
1174	Large-scale horizontally aligned ZnO microrod arrays with controlled orientation, periodic distribution as building blocks for chip-in piezo-phototronic LEDs. 2015 , 11, 438-45	25
1173	High-performance flexible ultraviolet photoconductors based on solution-processed ultrathin ZnO/Au nanoparticle composite films. 2014 , 4, 4268	123
1172	High mobility polymer based on a π -extended benzodithiophene and its application for fast switching transistor and high gain photoconductor. 2014 , 4, 5482	47
1171	The Influence of Different Partial Pressure on the Fabrication of InGaO Ultraviolet Photodetectors. 2016 , 16,	8
1170	NO gas sensing at room temperature using single titanium oxide nanodot sensors created by atomic force microscopy nanolithography. 2016 , 7, 1044-51	14
1169	Enhanced Response Speed of ZnO Nanowire Photodetector by Coating with Photoresist. 2016 , 2016, 1-6	3
1168	Highly Responsive UV Light Sensors Using Mg-Doped ZnO Nanoparticles. 2016 , 2016, 1-5	10
1167	Highly sensitive UVA and violet photodetector based on single-layer graphene-TiO ₂ heterojunction. 2016 , 24, 25922-25932	17
1166	UV-induced terahertz wave modulation in free-standing ZnO nanowire films. 2016 , 6, 3751	10
1165	Light-Effect Transistor (LET) with Multiple Independent Gating Controls for Optical Logic Gates and Optical Amplification. 2016 , 4,	11
1164	ZnO/WS ₂ heterostructures for enhanced ultra-violet photodetectors. 2016 , 6, 67520-67524	38
1163	Nanoscale Electrodes for Flexible Electronics by Swelling Controlled Cracking. 2016 , 28, 6337-44	24
1162	All Solution-Based Fabrication of Copper Oxide Thin Film/Cobalt-Doped Zinc Oxide Nanowire Heterojunctions. 2016 , 99, 2497-2503	9
1161	Effects of nanoscale morphology and defects in oxide: optoelectronic functions of zinc oxide nanowires. 2016 , 171, 22-33	8

1160	ZnO Nanorods on a LaAlO ₃ -SrTiO ₃ Interface: Hybrid 1D-2D Diodes with Engineered Electronic Properties. 2016 , 12, 802-9	4
1159	Ultrahigh Gain, Low Noise, Ultraviolet Photodetectors with Highly Aligned Organic Crystals. 2016 , 4, 264-270	55
1158	Quantitative Detection of Visible Light on Hybrid Nanostructures of Two-dimension Porous Conjugated Polymers and Charge-Transfer Complexes by Field Emission. 2016 , 11, 2778-2784	5
1157	An organic-inorganic broadband photodetector based on a single polyaniline nanowire doped with quantum dots. 2016 , 8, 15529-37	38
1156	Large-Area Bilayer ReS ₂ Film/Multilayer ReS ₂ Flakes Synthesized by Chemical Vapor Deposition for High Performance Photodetectors. 2016 , 26, 4551-4560	162
1155	Enhanced Photoresponse from Phosphorene-Phosphorene-Suboxide Junction Fashioned by Focused Laser Micromachining. 2016 , 28, 4090-6	35
1154	Ultrafast Response p-Si/n-ZnO Heterojunction Ultraviolet Detector Based on Pyro-Phototronic Effect. 2016 , 28, 6880-6	121
1153	Versatile function of nanostructured-ZnO sensors using photo-assisted method. 2016 , 6, 015104	
1152	Phenomenal Ultraviolet Photoresponsivity and Detectivity of Graphene Dots Immobilized on Zinc Oxide Nanorods. 2016 , 8, 35496-35504	47
1151	Localised excitation of a single photon source by a nanowaveguide. 2016 , 6, 19721	7
1150	Growth of Au capped GeO ₂ nanowires for visible-light photodetection. 2016 , 109, 123105	13
1149	Photo-detector diode based on thermally oxidized TiO ₂ nanostructures/p-Si heterojunction. 2016 , 119, 014503	26
1148	The study of ultraviolet photosensors with IZO nanosheets. 2016 ,	
1147	Highly sensitive photodetectors based on hybrid 2D-0D SnS ₂ -copper indium sulfide quantum dots. 2016 , 108, 013101	22
1146	Si nanotubes as an efficient electrode material for ZnO-based hetero-structure LEDs. 2016 , 109, 243101	3
1145	Photoconductive zinc oxide-composite paper by pilot paper machine manufacturing. 2016 , 1, 044003	5
1144	Effect of Nb-doped TiO ₂ on nanocomposited aligned ZnO nanorod/TiO ₂ :Nb for dye-sensitized solar cells. 2016 ,	4
1143	Anodically grown functional oxide nanotubes and applications. 2016 , 6, 375-396	26

1142	Metal compound semiconductors functionalized by polymers and their photosensitive properties. 2016 , 3, 041306	3
1141	Electrical detection of magnetization dynamics via spin rectification effects. 2016 , 661, 1-59	123
1140	Influence of structural defects in solution-processed InZnO semiconductors on the electrical stability of thin-film transistors. 2016 , 69, 1688-1693	2
1139	High-performance silicon nanowire bipolar phototransistors. 2016 , 109, 033505	14
1138	The role of Zn vacancies in UV sensing with ZnO nanorods. 2016 , 109, 143104	12
1137	High performance ultraviolet photodetectors based on ZnO nanoflakes/PVK heterojunction. 2016 , 109, 073103	21
1136	A three-dimensional ZnO nanowires photodetector. 2016 ,	
1135	A highly sensitive flexible SnS thin film photodetector in the ultraviolet to near infrared prepared by chemical bath deposition. 2016 , 6, 114980-114988	62
1134	A sensitive ultraviolet light photodiode based on graphene-on-zinc oxide Schottky junction. 2016 , 6, 1073-1081	31
1133	Enhancement of the optical performance of ZnO thin-film using metallic nano-particles for optoelectronic applications. 2016 ,	
1132	Investigation of localized and delocalized excitons in ZnO/ZnS core-shell heterostructured nanowires. 2016 , 6, 1093-1100	11
1131	Ultraviolet photodetection characteristics of Zinc oxide thin films and nanostructures. 2016 , 115, 012035	38
1130	. 2016 ,	
1129	Access to residual carrier concentration in ZnO nanowires by calibrated scanning spreading resistance microscopy. 2016 , 108, 132103	7
1128	Fabrication of branched EGa_2O_3 nanowires by post deposition annealing with Au seeds. 2016 , 55, 095002	3
1127	Effect of TiO_2 thickness on nanocomposited aligned ZnO nanorod/ TiO_2 for dye-sensitized solar cells. 2016 ,	
1126	In situ electrodeposition of a CuO/SnO_2 periodical heterostructure film for photosensor applications. 2016 , 18, 10918-23	6
1125	Origin of the responsivity characteristics of the Mg y Zn 1-y O metal-semiconductor-metal photodetectors with different electrode spacings. 2016 , 80, 53-57	4

1124	. 2016 , 63, 1949-1956	18
1123	Photoconductivities in MoS ₂ Nanoflake Photoconductors. 2016 , 11, 124	19
1122	Rapid Growth of Zinc Oxide Nanotube-Nanowire Hybrid Architectures and Their Use in Breast Cancer-Related Volatile Organics Detection. <i>Nano Letters</i> , 2016 , 16, 3014-21	11.5 73
1121	Light irradiation enhanced triethylamine gas sensing materials based on ZnO/ZnFe ₂ O ₄ composites. 2016 , 236, 350-357	51
1120	Efficient Z-scheme charge separation in novel vertically aligned ZnO/CdSSe nanotrees. 2016 , 27, 135401	7
1119	Ligand-directed rapid formation of ultralong ZnO nanowires by oriented attachment for UV photodetectors. 2016 , 4, 5755-5765	20
1118	Tunable Q-switched fiber laser using zinc oxide nanoparticles as a saturable absorber. 2016 , 55, 4277-81	39
1117	Improved photoelectric responses of TiO ₂ modified with CdS to formaldehyde irradiated by UV light. 2016 , 27, 7883-7889	1
1116	A gold electrode modified with silver oxide nanoparticle decorated carbon nanotubes for electrochemical sensing of dissolved ammonia. 2016 , 183, 1677-1685	20
1115	Illumination-dependent free carrier screening effect on the performance evolution of ZnO piezotronic strain sensor. 2016 , 9, 1091-1100	13
1114	Investigations on the Crystallographic Orientation Induced Surface Morphology Evolution of ZnO Thin Films and Their Wettability and Conductivity. 2016 , 120, 8210-8219	30
1113	Low temperature annealing effect on photoresponse of the bilayer structures of ZnO nanorod/nanodiamond films based on ultraviolet photodetector. 2016 , 605, 243-247	8
1112	The effects of pulse repetition rate on the structural, surface morphological and UV photodetection properties of pulsed laser deposited Mg-doped ZnO nanorods. 2016 , 42, 7125-7134	23
1111	Photoelectrochemical study of MoO ₃ assorted morphology films formed by thermal evaporation. 2016 , 25, 798-804	18
1110	Enhanced Photodetection from TiO ₂ /BiO _x /TiO ₂ One-Dimensional Device. 2016 , 45, 4208-4214	6
1109	Direct observation of Li diffusion in Li-doped ZnO nanowires. 2016 , 3, 054001	6
1108	Flexible Photodiodes Based on Nitride Core/Shell p-n Junction Nanowires. 2016 , 8, 26198-26206	52
1107	Light-Matter Interactions in Phosphorene. 2016 , 49, 1806-15	89

1106	The coupling influence of UV illumination and strain on the surface potential distribution of a single ZnO micro/nano wire. 2016 , 9, 2572-2580	9
1105	Temperature dependence of pyro-phototronic effect on self-powered ZnO/perovskite heterostructured photodetectors. 2016 , 9, 3695-3704	60
1104	Laser direct writing of high-performance flexible all-solid-state carbon micro-supercapacitors for an on-chip self-powered photodetection system. 2016 , 30, 790-800	104
1103	High-performance photoresponsivity and electrical transport of laterally-grown ZnO/ZnS core/shell nanowires by the piezotronic and piezo-phototronic effect. 2016 , 30, 208-216	24
1102	Low dark current and improved detectivity of hybrid ultraviolet photodetector based on carbon-quantum-dots/zinc-oxide-nanorod composites. 2016 , 39, 250-257	37
1101	Ternary Ta ₂ NiSe ₅ Flakes for a High-Performance Infrared Photodetector. 2016 , 26, 8281-8289	82
1100	Nanoseed-assisted rapid formation of ultrathin ZnO nanorods for efficient room temperature NO ₂ detection. 2016 , 42, 15876-15880	19
1099	Low-power UV photodetection characteristics of ZnO tetrapods grown on catalyst-free glass substrate. 2016 , 250, 187-194	14
1098	Ultraviolet photodetectors based on MgZnO thin film grown by RF magnetron sputtering. 2016 , 620, 170-174	32
1097	Heterogeneous sensors of pressure sensor and ultraviolet photodetector fabricated by vertical 3D stacking as a multi-functional device. 2016 , 6, 97976-97982	1
1096	Review of inorganic semiconductor based ultraviolet photodetectors with high internal gain and fast recovery speed. 2016 , 12, 320	2
1095	Static and kinetic friction characteristics of nanowire on different substrates. 2016 , 379, 452-461	16
1094	A Water-Soluble Cationic Zinc Lysine Precursor for Coating ZnO on Biomaterial Surfaces. 2016 , 55, 10094-10097	7
1093	A high responsivity SnO ₂ hollow nanospheres based ultraviolet photodetector. 2016 ,	2
1092	Efficiency-Gain Product Mechanisms of ZnO-Based Nanorod Ultraviolet Photosensors. 2016 , 45, 4854-4858	3
1091	Porosity-induced full-range visible-light photodetection via ultrahigh broadband antireflection in ZnO nanowires. 2016 , 8, e314-e314	15
1090	Dilute manganese-doped ZnO nanowires for high photoelectrical performance. 2016 , 6, 91216-91224	7
1089	Conjugated assembly of colloidal zinc oxide quantum dots and multiwalled carbon nanotubes for an excellent photosensitive ultraviolet photodetector. 2016 , 27, 355204	17

1088	Piezotronic and piezo-phototronic logic computations using Au decorated ZnO microwires. 2016 , 27, 587-594	25
1087	Hydrothermally Processed Photosensitive Field-Effect Transistor Based on ZnO Nanorod Networks. 2016 , 45, 5606-5611	7
1086	Flexible ultraviolet photodetectors with ZnO nanowire networks fabricated by large area controlled roll-to-roll processing. 2016 , 4, 7948-7958	30
1085	Flexible Photodetectors Based on 1D Inorganic Nanostructures. 2016 , 3, 1500287	94
1084	Uncovering the density of nanowire surface trap states hidden in the transient photoconductance. 2016 , 8, 15934-8	9
1083	Structural Engineering of Nano-Grain Boundaries for Low-Voltage UV-Photodetectors with Gigantic Photo- to Dark-Current Ratios. 2016 , 4, 1787-1795	33
1082	Ultraviolet Photodetectors With 2-D Indium-Doped ZnO Nanostructures. 2016 , 1-5	19
1081	Dual mechanism of photoresponse in composite Si ₃ N ₄ /Au nanolayers on crystalline silicon. 2016 , 213, 2906-2910	3
1080	Photoconductivities in m-plane and c-plane ZnO epitaxial films grown by chemical vapor deposition on LiGaO ₂ substrates: a comparative study. 2016 , 6, 86095-86100	5
1079	Surface state controlled ultrahigh selectivity and sensitivity for UV photodetectors based on individual SnO ₂ nanowires. 2016 , 4, 8399-8406	32
1078	High-performance flexible ZnO nanorod UV photodetectors with a network-structured Cu nanowire electrode. 2016 , 8, 16677-16683	42
1077	Growth of aligned ZnO nanowires via modified atmospheric pressure chemical vapor deposition. 2016 , 380, 3993-3997	38
1076	Performance Enhancement in Polymer-Based Organic Optoelectronic Devices Enabled By Discontinuous Metal Interlayer. 2016 , 6, 1522-1529	3
1075	Metal-insulator-metal photomonitor for optical waveguides at telecom wavelengths. 2016 , 9, 122201	1
1074	Charge-Separation Kinetics of Photoexcited Oxygen Vacancies in ZnO Nanowire Field-Effect Transistors. 2016 , 6,	14
1073	Printed multifunctional flexible device with an integrated motion sensor for health care monitoring. 2016 , 2, e1601473	202
1072	Surface passivation of semiconducting oxides by self-assembled nanoparticles. 2016 , 6, 18449	8
1071	Quasi-two-dimensional Gallium oxide solar-blind photodetectors with ultrahigh responsivity. 2016 , 4, 9245-9250	89

1070	High-Performance Ferroelectric Polymer Side-Gated CdS Nanowire Ultraviolet Photodetectors. 2016 , 26, 7690-7696	87
1069	Preparation of PbSeO ₃ as a new material, sensitive to the electromagnetic radiation in UV range. 2016 , 741, 012036	1
1068	Multistage growth of monocrystalline ZnO nanowires and twin-nanorods: oriented attachment and role of the spontaneous polarization force. 2016 , 18, 6492-6501	27
1067	All-inorganic perovskite CsPb(Br/I) ₃ nanorods for optoelectronic application. 2016 , 8, 15158-61	104
1066	Zinc oxide (ZnO) nanoparticles as saturable absorber in passively Q-switched fiber laser. 2016 , 381, 72-76	61
1065	A method for modeling and deciphering the persistent photoconductance and long-term charge storage of ZnO nanorod arrays. 2016 , 9, 2972-3002	12
1064	Universal model for defect-related visible luminescence in ZnO nanorods. 2016 , 6, 73170-73175	9
1063	Oxide planar p-n heterojunction prepared by low temperature solution growth for UV-photodetector applications. 2016 , 6, 68254-68260	13
1062	Ultrahigh Gain Polymer Photodetectors with Spectral Response from UV to Near-Infrared Using ZnO Nanoparticles as Anode Interfacial Layer. 2016 , 26, 6619-6626	57
1061	A high-sensitivity, fast-response, rapid-recovery UV photodetector fabricated based on catalyst-free growth of ZnO nanowire networks on glass substrate. 2016 , 60, 30-37	67
1060	High-performance self-powered perovskite photodetector with a rapid photoconductive response. 2016 , 6, 105076-105080	28
1059	Graphene-EGaO Heterojunction for Highly Sensitive Deep UV Photodetector Application. 2016 , 28, 10725-10731	376
1058	Strong light scattering and broadband (UV to IR) photoabsorption in stretchable 3D hybrid architectures based on Aerographite decorated by ZnO nanocrystallites. 2016 , 6, 32913	47
1057	Single-walled carbon nanotubes coated with ZnO by atomic layer deposition. 2016 , 27, 485709	6
1056	Electrochemical synthesis and physical properties of Sn-doped CdO nanostructures. 2016 , 100, 988-996	24
1055	Ultrahigh Responsivity-Bandwidth Product in a Compact InP Nanopillar Phototransistor Directly Grown on Silicon. 2016 , 6, 33368	19
1054	Bias dependent photocurrent characteristics of copper sulfide single nanowires. 2016 , 69, 202-206	1
1053	Graphene Quantum Dot-Sensitized ZnO Nanorod/Polymer Schottky Junction UV Detector with Superior External Quantum Efficiency, Detectivity, and Responsivity. 2016 , 8, 31822-31831	100

1052	Piezophototronic Effect Enhanced UV/Visible Photodetector Based on ZnO/ZnSe Heterostructure Core/Shell Nanowire Array and Its Self-Powered Performance. 2016 , 2, 1600242	32
1051	Photodynamic response of a solution-processed organolead halide photodetector. 2016 , 6, 111942-111949	4
1050	Progress in piezo-phototronic effect enhanced photodetectors. 2016 , 4, 11341-11354	35
1049	Photodetector of ZnO nanowires based on through-silicon via approach. 2016 ,	
1048	High performance broadband photodetector using fabricated nanowires of bismuth selenide. 2016 , 6, 19138	88
1047	A novel langasite crystal microbalance instrumentation for UV sensing application. 2016 , 252, 16-25	6
1046	CdS-Nanowires Flexible Photo-detector with Ag-Nanowires Electrode Based on Non-transfer Process. 2016 , 6, 21551	49
1045	Enhanced Field Emitter Base on Indium-Doped ZnO Nanostructures by Aqueous Solution. 2016 , 5, R203-R205	9
1044	The kinetic of photoreactions in zinc oxide microrods. 2016 , 104, 012021	
1043	Graphdiyne:ZnO Nanocomposites for High-Performance UV Photodetectors. 2016 , 28, 3697-702	212
1042	Polymeric Carbon Nitride Nanosheets/Graphene Hybrid Phototransistors with High Responsivity. 2016 , 4, 555-561	28
1041	Sulfur and Nitrogen co-doped graphene quantum dot decorated ZnO nanorod/polymer hybrid flexible device for photosensing applications. 2016 , 612, 274-283	33
1040	Core-double shell ZnO/ZnS@Co3O4 heterostructure as high performance pseudocapacitor. 2016 , 45, 9103-12	12
1039	Enhancement of photo-response via surface plasmon resonance induced by Ag nano-particles embedded in ZnO. 2016 , 123, 33-37	8
1038	High-sensitivity and self-driven photodetectors based on Ge/CdS core-shell heterojunction nanowires via atomic layer deposition. 2016 , 18, 3919-3924	14
1037	Black Phosphorus Mid-Infrared Photodetectors with High Gain. <i>Nano Letters</i> , 2016 , 16, 4648-55	11.5 476
1036	Study of photoconduction properties of CVD grown β -Ga2O3 nanowires. 2016 , 683, 143-148	21
1035	Photoelectric Property Modulation by Nanoconfinement in the Longitude Direction of Short Semiconducting Nanorods. 2016 , 8, 11001-7	9

1034	Methylammonium lead iodide perovskite-graphene hybrid channels in flexible broadband phototransistors. 2016 , 105, 353-361	98
1033	Observation of near-band-edge photoluminescence and UV photoresponse in near-stoichiometric Zn ₂ SnO ₄ nanowires. 2016 , 3, 066201	2
1032	Photoresponse characteristics of silicon carbide nanowires. 2016 , 162, 79-81	11
1031	Electrical and photo-electrical properties of MoS nanosheets with and without an AlO capping layer under various environmental conditions. 2016 , 17, 166-176	27
1030	Synthesis and characterization of ZnO flower-like structures. 2016 , 4, 8-13	4
1029	Energy-Efficient Hydrogenated Zinc Oxide Nanoflakes for High-Performance Self-Powered Ultraviolet Photodetector. 2016 , 8, 18182-8	86
1028	Periodically Diameter-Modulated Semiconductor Nanowires for Enhanced Optical Absorption. 2016 , 28, 2504-10	24
1027	Zinc Oxide Nanostructure-Based Langasite Crystal Microbalance Ultraviolet Sensor. 2016 , 16, 2964-2970	10
1026	Shadow mask assisted direct growth of ZnO nanowires as a sensing medium for surface acoustic wave devices using a thermal evaporation method. 2016 , 26, 025017	7
1025	Selective microwave sensors exploiting the interaction of analytes with trap states in TiO ₂ nanotube arrays. 2016 , 8, 7466-73	60
1024	Correlations for coumarin additive on the electrical and photocatalytic activity of TiO ₂ modified by thiourea. 2016 , 154, 26-37	8
1023	A highly photoconductive composite prepared by incorporating polyoxometalate into perovskite for photodetection application. 2016 , 52, 3304-7	32
1022	Fast Photoconductive Responses in Organometal Halide Perovskite Photodetectors. 2016 , 8, 2840-6	81
1021	Piezo-phototronic effect enhanced pressure sensor based on ZnO/NiO core/shell nanorods array. 2016 , 21, 106-114	25
1020	Solution processed vertically stacked ZnO sheet-like nanorod p/n homojunctions and their application as UV photodetectors. 2016 , 4, 142-149	22
1019	Noise Properties of Ag Nanoparticle-Decorated ZnO Nanorod UV Photodetectors. 2016 , 28, 379-382	15
1018	Surface-diffusion enhanced Ga incorporation in ZnO nanowires by oxygen vacancies. 2016 , 361, 221-225	4
1017	Broadband photoresponse promoted by interfacial electron transfer in diketopyrrolopyrrole-based compound/ZnO hybrid nanocomposites. 2016 , 40, 1610-1617	4

1016	Negative photoconductivity of InAs nanowires. 2016 , 18, 818-26		50
1015	Compound Semiconductor Nanowire Photodetectors. 2016 , 94, 75-107		4
1014	Radiative mechanism and surface modification of four visible deep level defect states in ZnO nanorods. 2016 , 8, 995-1006		43
1013	Excitonic photoluminescence and photoresponse of ZnS nanowires. 2016 , 174, 204-208		15
1012	High-performance visible blind ultraviolet photodetector based on KTaO ₃ single crystal. 2016 , 55, 2259-62		7
1011	When Nanowires Meet Ultrahigh Ferroelectric Field-High-Performance Full-Depleted Nanowire Photodetectors. <i>Nano Letters</i> , 2016 , 16, 2548-55	11.5	103
1010	Metal Oxide Nanostructures: Growth and Applications. 2016 , 203-230		2
1009	Multifunctional device based on ZnO:Fe nanostructured films with enhanced UV and ultra-fast ethanol vapour sensing. 2016 , 49, 20-33		62
1008	A novel efficient ZnO/Zn(OH)F nanofiber arrays-based versatile microfluidic system for the applications of photocatalysis and histidine-rich protein separation. 2016 , 229, 281-287		29
1007	Mode Switching and Filtering in Nanowire Lasers. <i>Nano Letters</i> , 2016 , 16, 2878-84	11.5	22
1006	Ultrahigh sensitivity in the amorphous ZnSnO UV photodetector. 2016 , 6, 32715-32720		12
1005	Enhancing responsivity of ZnO nanowire based photodetectors by piezo-phototronic effect. 2016 , 241, 169-175		21
1004	Highly sensitive photodetectors using ZnTe/ZnO core/shell nanowire field effect transistors with a tunable core/shell ratio. 2016 , 4, 2040-2046		15
1003	Effects of Hexamethylenetetramine on the Nucleation and Radial Growth of ZnO Nanowires by Chemical Bath Deposition. 2016 , 120, 5242-5250		89
1002	A Facile Method for the Synthesis Fluorescent Zinc Chalcogenide (ZnO, ZnS and ZnSe) Nanoparticles in PS and PMMA Polymer Matrix. 2016 , 26, 703-7		13
1001	Sandwiched assembly of ZnO nanowires between graphene layers for a self-powered and fast responsive ultraviolet photodetector. 2016 , 27, 095205		74
1000	Present perspectives of broadband photodetectors based on nanobelts, nanoribbons, nanosheets and the emerging 2D materials. 2016 , 8, 6410-34		196
999	Effect of Magnetic Field on Photoresponse of Cobalt Integrated Zinc Oxide Nanorods. 2016 , 8, 4771-80		29

998	Plasmonic and passivation effects of Au decorated RGO@CdSe nanofilm uplifted by CdSe@ZnO nanorods with photoelectrochemical enhancement. 2016 , 21, 185-197	32
997	. 2016 , 15, 193-200	51
996	Evaporation-Induced Self-Assembly of Ultrathin Tungsten Oxide Nanowires over a Large Scale for Ultraviolet Photodetector. 2016 , 32, 2474-81	30
995	High performance near-infrared photodetectors based on ultrathin SnS nanobelts grown via physical vapor deposition. 2016 , 4, 2111-2116	86
994	Facile construction of vertically aligned ZnO nanorod/PEDOT:PSS hybrid heterojunction-based ultraviolet light sensors: efficient performance and mechanism. 2016 , 27, 095304	40
993	Manipulating Polycrystalline Silicon Nanowire FET Characteristics by Light Illumination. 2016 , 120, 5783-5789	1
992	Defect segregation and optical emission in ZnO nano- and microwires. 2016 , 8, 7631-7	44
991	Piezoelectric effect enhancing decay time of p-NiO/n-ZnO ultraviolet photodetector. 2016 , 361, 157-161	22
990	Triboelectricity-assisted transfer of graphene for flexible optoelectronic applications. 2016 , 9, 899-907	5
989	Performance Boosting of Flexible ZnO UV Sensors with Rational Designed Absorbing Antireflection Layer and Humectant Encapsulation. 2016 , 8, 381-9	21
988	Performance enhancement in ZnO nanowire based double Schottky-barrier photodetector by applying optimized Ag nanoparticles. 2016 , 6, 4634-4639	27
987	ZnO-core/ZnSe-shell nanowire UV photodetector. 2016 , 658, 459-464	36
986	Structural, surface morphological and UV photodetection properties of pulsed laser deposited Mg-doped ZnO nanorods: Effect of growth time. 2016 , 654, 79-86	36
985	An overview on emerging photoelectrochemical self-powered ultraviolet photodetectors. 2016 , 8, 50-73	108
984	Influence of electrodeposition parameters on the structure and morphology of ZnO nanowire arrays and networks synthesized in etched ion-track membranes. 2016 , 31, 014006	14
983	Direct patterning of ZnO thin film transistor using physical vapor jet printing. 2016 , 163, 165-170	7
982	Sensing Properties of Ultra-Thin TiO ₂ Nanostructured Films Based Sensors. 2016 , 149-152	1
981	Silver-doped zinc oxide single nanowire multifunctional nanosensor with a significant enhancement in response. 2016 , 223, 893-903	145

980	Synthesis of ZnO nanorods via chemical bath deposition method: The effects of physicochemical factors. 2016 , 42, 173-184	56
979	ZnO nanowire photodetectors based on Schottky contact with surface passivation. 2017 , 395, 72-75	8
978	Size-dependent UV and gas sensing response of individual Fe ₂ O ₃ -ZnO:Fe micro- and nanowire based devices. 2017 , 701, 920-925	27
977	Enhanced UV and ethanol vapour sensing of a single 3-D ZnO tetrapod alloyed with Fe ₂ O ₃ nanoparticles. 2017 , 245, 448-461	39
976	Synthesis of a nano-sized hybrid C ₃ N ₄ /TiO ₂ sample for enhanced and steady solar energy absorption and utilization. 2017 , 1, 95-102	18
975	Synthesis of ultra-long cadmium telluride nanotubes via combinational chemical transformation. 2017 , 189, 64-69	2
974	Fabrication and current-voltage characteristics of Mo 1 \times W x S 2 /graphene oxide heterojunction diode. 2017 , 320, 520-526	
973	Preparation of large scale and highly ordered vanadium pentoxide (V ₂ O ₅) nanowire arrays towards high performance photodetectors. 2017 , 5, 1471-1478	24
972	Control of positive and negative threshold voltage shifts using ultraviolet and ultraviolet-ozone irradiation. 2017 , 17, 262-266	3
971	Corrosion-Assisted Self-Growth of Au-Decorated ZnO Corn Silks and Their Photoelectrochemical Enhancement. 2017 , 9, 3967-3976	27
970	A simple process step for tuning the optical emission and ultraviolet photosensing properties of sol-gel ZnO film. 2017 , 7, 694-703	15
969	High performance top-gated ferroelectric field effect transistors based on two-dimensional ZnO nanosheets. 2017 , 110, 043505	24
968	All-inkjet-printed flexible ZnO micro photodetector for a wearable UV monitoring device. 2017 , 28, 095204	51
967	Photoconduction properties and anomalous power-dependent quantum efficiency in non-polar ZnO epitaxial films grown by chemical vapor deposition. 2017 , 110, 052101	6
966	Chemically deposited ZnS thin film as potential X-ray radiation sensor. 2017 , 61, 131-136	17
965	Electrospun assembly: a nondestructive nanofabrication for transparent photosensors. 2017 , 28, 155202	8
964	Realizing field-dependent conduction in ZnO nanowires without annealing. 2017 , 28, 124003	0
963	Cobalt Tungsten Oxide Thin Films Prepared by RF-Sputter for Photosensor. 2017 , 4, 1601165	4

962	Gold nanoparticle-embedded silk protein-ZnO nanorod hybrids for flexible bio-photonic devices. 2017 , 28, 145202	26
961	Highly photoresponsive, ZnO nanorod-based photodetector for operation in the visible spectral range. 2017 , 28, 145203	5
960	High speed MSM photodetector based on Ge nanowires network. 2017 , 32, 055008	12
959	UV radiation and CH ₄ gas detection with a single ZnO:Pd nanowire. 2017 ,	1
958	Illumination intensity dependent photoresponse of ultra-thin ZnO/graphene/ZnO heterostructure. 2017 , 74, 176-182	3
957	One-step fabrication of single-crystalline ZnS nanotubes with a novel hollow structure and large surface area for photodetector devices. 2017 , 28, 105502	10
956	Au-nanoparticles-decorated Sb ₂ S ₃ nanowire-based flexible ultraviolet/visible photodetectors. 2017 , 5, 3330-3335	33
955	Surface photo-charge effect in doped-ZnO nanorods for high-performance self-powered ultraviolet photodetectors. 2017 , 9, 4536-4543	31
954	Study of growth time and post annealing effect on the performance of ZnO nanorods ultraviolet photodetector. 2017 , 121, 064503	5
953	Role of defects and their complexes on the dependence of photoconductivity on dark resistivity of single ZnO microwires. 2017 , 121, 064501	7
952	Light Control of Ferromagnetism in ZnO Films on Pt Substrate at Room Temperature. 2017 , 7, 45642	9
951	Enhanced Performance of a Self-Powered Organic/Inorganic Photodetector by Pyro-Phototronic and Piezo-Phototronic Effects. 2017 , 29, 1606698	107
950	Electronics and optoelectronics of quasi-1D layered transition metal trichalcogenides. 2017 , 4, 022003	92
949	Structure and morphology of magnetron sputter deposited ultrathin ZnO films on confined polymeric template. 2017 , 414, 114-123	15
948	Effect of calcium- and/or aluminum-incorporation on morphological, structural and photoluminescence properties of electro-spun zinc oxide fibers. 2017 , 92, 9-18	15
947	Responsivity of In/ZnO nanoparticles/In and In/Ti _{0.05} Zn _{0.95} O nanoparticles/In devices to solar irradiation. 2017 , 260, 62-67	6
946	Direct Catalyst-Free Chemical Vapor Deposition of ZnO Nanowire Array UV Photodetectors with Enhanced Photoresponse Speed . 2017 , 19, 1700101	24
945	Tunable UV- and Visible-Light Photoresponse Based on p-ZnO Nanostructures/n-ZnO/Glass Peppered with Au Nanoparticles. 2017 , 9, 14935-14944	46

944	Improved UV response of ZnO nanotubes by resonant coupling of anchored plasmonic silver nanoparticles. 2017 , 28, 225502	16
943	Novel Structure for High Performance UV Photodetector Based on BiOCl/ZnO Hybrid Film. 2017 , 13, 1700156	63
942	High-performing transparent photodetectors based on Schottky contacts. 2017 , 64, 137-142	23
941	A rapid responding ultraviolet sensor based on multi-parallel aligned ZnO nanowires field effect transistor. 2017 , 260, 139-145	11
940	Nanoionics-Enabled Memristive Devices: Strategies and Materials for Neuromorphic Applications. 2017 , 3, 1600510	123
939	Few-Layered PtS ₂ Phototransistor on h-BN with High Gain. 2017 , 27, 1701011	133
938	High-performance formamidinium-based perovskite photodetectors fabricated via doctor-blading deposition in ambient condition. 2017 , 47, 102-107	27
937	Gate-controlled heat generation in ZnO nanowire FETs. 2017 , 19, 14042-14047	2
936	Transparent ZnO/BVA binary composite for UV-A photo detector: optical, electrical and thermal properties followed by laser induced fluorescence. 2017 , 28, 7190-7203	14
935	Synthesis of cobalt doped ZnO/reduced graphene oxide nanorods as active material for heavy metal ions sensor and antibacterial activity. 2017 , 715, 254-265	37
934	A comparative study on 4-aminophenol sensor development with various CdO nanocomposites. 2017 , 10, 141-150	10
933	Fluorine-chlorine co-doped TiO ₂ /CSA doped polyaniline based high performance inorganic/organic hybrid heterostructure for UV photodetection applications. 2017 , 261, 94-102	15
932	Transferrable single crystalline 4H-SiC nanomembranes. 2017 , 5, 264-268	26
931	Ammonia-Assisted Wet-Chemical Synthesis of ZnO Microrod Arrays on Substrates for Microdroplet Transfer. 2017 , 33, 6143-6150	3
930	Recent advances in free-standing single crystalline wide band-gap semiconductors and their applications: GaN, SiC, ZnO, InGa ₂ O ₃ , and diamond. 2017 , 5, 8338-8354	117
929	Near-Infrared-Light Photodetectors Based on One-Dimensional Inorganic Semiconductor Nanostructures. 2017 , 5, 1700081	37
928	A high-performance TiO ₂ nanowire UV detector assembled by electrospinning. 2017 , 7, 26220-26225	23
927	The shell effect on the room temperature photoluminescence from ZnO/MgO core/shell nanowires: exciton-phonon coupling and strain. 2017 , 28, 275702	13

926	Performance-Enhancing Broadband and Flexible Photodetectors Based on Perovskite/ZnO-Nanowire Hybrid Structures. 2017 , 5, 1700206	79
925	Single CdS Nanorod for High Responsivity UV-Visible Photodetector. 2017 , 5, 1700159	31
924	Fast, multicolor photodetection with graphene-contacted p-GaSe/n-InSe van der Waals heterostructures. 2017 , 28, 27LT01	133
923	Utilization of surface plasmon resonance of Au/Pt nanoparticles for highly photosensitive ZnO nanorods network based plasmon field effect transistor. 2017 , 93, 97-104	9
922	Xanthine sensor development based on ZnO@CNT, ZnO@CB, ZnO@CO and ZnO nanoparticles: an electrochemical approach. 2017 , 41, 6262-6271	10
921	ZnO nanowire growth by chemical vapor deposition with spatially controlled density on Zn ₂ GeO ₄ :Mn polycrystalline substrates. 2017 , 4, 065012	8
920	High-speed photoresponse properties of ultraviolet (UV) photodiodes using vertically aligned Al:ZnO nanowires. 2017 , 214, 1600658	7
919	The Influence of Short-Range Correlation on the Phonon Confinement of a Single ZnO Nanowire. 2017 , 12, 264	4
918	Sonochemical Synthesis of a Zinc Oxide Core-Shell Nanorod Radial p-n Homojunction Ultraviolet Photodetector. 2017 , 9, 19791-19799	24
917	A self-powered flexible vision electronic-skin for image recognition based on a pixel-addressable matrix of piezophototronic ZnO nanowire arrays. 2017 , 5, 6005-6013	26
916	Ultra-sensitive p-nitrophenol sensing performances based on various Ag ₂ O conjugated carbon material composites. 2017 , 8, 73-82	11
915	Near-Infrared Promoted Wettability Recovery of Superhydrophilic ZnO. 2017 , 121, 12745-12749	12
914	Polarity-Dependent Growth Rates of Selective Area Grown ZnO Nanorods by Chemical Bath Deposition. 2017 , 33, 6269-6279	21
913	Ultra-violet photo-response characteristics of p-Si/i-SiO ₂ /n-ZnO heterojunctions based on hydrothermal ZnO nanorods. 2017 , 66, 232-240	16
912	Organics filled one-dimensional TiO nanowires array ultraviolet detector with enhanced photo-conductivity and dark-resistivity. 2017 , 9, 9095-9103	13
911	Strain modulation on graphene/ZnO nanowire mixed-dimensional van der Waals heterostructure for high-performance photosensor. 2017 , 10, 3476-3485	37
910	Electron beam dose dependence of surface recombination velocity and surface space charge in semiconductor nanowires. 2017 , 28, 235701	4
909	Band structure engineering strategies of metal oxide semiconductor nanowires and related nanostructures: A review. 2017 , 32, 073001	15

908	Solar-irradiation photodetectors based on ZnO nanoparticles with gold and indium electrodes. 2017 , 142, 61-67	4
907	Bias-Controlled Spectral Response in GaN/AlN Single-Nanowire Ultraviolet Photodetectors. <i>Nano Letters</i> , 2017 , 17, 4231-4239	11.5 37
906	Self-powered narrowband p-NiO/n-ZnO nanowire ultraviolet photodetector with interface modification of Al ₂ O ₃ . 2017 , 110, 123504	36
905	UV detection properties of hybrid ZnO tetrapod 3-D networks. 2017 , 146, 492-500	22
904	All-Printable ZnO Quantum Dots/Graphene van der Waals Heterostructures for Ultrasensitive Detection of Ultraviolet Light. 2017 , 11, 4114-4123	122
903	Ferroelectric-induced carrier modulation for ambipolar transition metal dichalcogenide transistors. 2017 , 110, 123106	17
902	Photodetectors for weak-signal detection fabricated from ZnO:(Li,N) films. 2017 , 412, 554-558	10
901	Extremely high-performance visible light photodetector in the SbSeTe nanoflake. 2017 , 7, 45413	25
900	Growth mechanism of seed/catalyst-free zinc oxide nanowire balls using intermittently pumped carrier gas: Synthesis, characterization and applications. 2017 , 67, 70-77	4
899	High-Performance Broadband Floating-Base Bipolar Phototransistor Based on WSe ₂ /BP/MoS ₂ Heterostructure. 2017 , 4, 823-829	66
898	Effects of Chromium Dopant on Ultraviolet Photoresponsivity of ZnO Nanorods. 2017 , 46, 4250-4255	4
897	Monolithic and Flexible ZnS/SnO Ultraviolet Photodetectors with Lateral Graphene Electrodes. 2017 , 13, 1604197	56
896	Enhanced photoresponse of ZnO quantum dot-decorated MoS ₂ thin films. 2017 , 7, 16890-16900	38
895	Environmentally Robust Black Phosphorus Nanosheets in Solution: Application for Self-Powered Photodetector. 2017 , 27, 1606834	244
894	Zinc oxide nanorod field effect transistor for long-time cellular force measurement. 2017 , 7, 43661	15
893	Exploring the effects of optically generated dipoles on organic photodetector infrared detection. 2017 , 45, 222-226	4
892	Inkjet-printed optoelectronics. 2017 , 9, 965-993	101
891	Elucidation of the unsymmetrical effect on the piezoelectric and semiconducting properties of Cd-doped 1D-ZnO nanorods. 2017 , 5, 415-426	24

890	Effect of annealing time on the performance of tin oxide thin films ultraviolet photodetectors. 2017 , 623, 1-7	19
889	Photocharge-Enhanced Capacitive Response of a Supercapacitor. 2017 , 5, 1356-1363	10
888	An Enhanced UV-Vis-NIR and Flexible Photodetector Based on Electrospun ZnO Nanowire Array/PbS Quantum Dots Film Heterostructure. 2017 , 4, 1600316	113
887	Low-Voltage High-Performance UV Photodetectors: An Interplay between Grain Boundaries and Debye Length. 2017 , 9, 2606-2615	50
886	Recent developments in III-V semiconducting nanowires for high-performance photodetectors. 2017 , 1, 630-645	49
885	Broadband Phototransistor Based on CH ₃ NH ₃ PbI ₃ Perovskite and PbSe Quantum Dot Heterojunction. 2017 , 8, 445-451	74
884	Highly sensitive and fast monolayer WS ₂ phototransistors realized by SnS nanosheet decoration. 2017 , 9, 1916-1924	33
883	High Performances for Solution-Processed 0D/1D Heterojunction Phototransistors. 2017 , 5, 1700565	33
882	An Omnidirectionally Stretchable Photodetector Based on Organic-Inorganic Heterojunctions. 2017 , 9, 35958-35967	38
881	Infrared Black Phosphorus Phototransistor with Tunable Responsivity and Low Noise Equivalent Power. 2017 , 9, 36130-36136	57
880	Photogating in Low Dimensional Photodetectors. 2017 , 4, 1700323	372
879	Near-Infrared Intersubband Photodetection in GaN/AlN Nanowires. <i>Nano Letters</i> , 2017 , 17, 6954-6960	11.5 27
878	Self-Powered Nanoscale Photodetectors. 2017 , 13, 1701848	130
877	Design and tailoring of patterned ZnO nanostructures for energy conversion applications. 2017 , 60, 793-810	31
876	Flexible low-cost infrared photodetector based on SnS thin film grown by chemical bath deposition. 2017 , 4, 105033	14
875	Performance enhancement of a ZnMgO film UV photodetector by HF solution treatment. 2017 , 5, 10645-10651	10
874	Dual Wavelength (Ultraviolet and Green) Photodetectors Using Solution Processed Zinc Oxide Nanoparticles. 2017 , 9, 36971-36979	10
873	Synergetic Enhancement in Photosensitivity and Flexibility of Photodetectors Based on Hybrid Nanobelt Network. 2017 , 4, 1700909	10

872	Effects of growth temperature on structural and optical properties of ZnO thin films grown chemically on porous silicon substrate. 2017 , 55, 2218-2223	0
871	Defect-induced excitonic recombination in $Ti_xZn_{1-x}O$ thin films grown by DC-unbalanced magnetron sputtering. 2017 , 56, 112101	8
870	The light-induced pyro-phototronic effect improving a ZnO/NiO/Si heterojunction photodetector for selectively detecting ultraviolet or visible illumination. 2017 , 9, 17199-17206	36
869	Improved performance of photoconductive gain hybrid UV detector by trap state engineering of ZnO nanoparticles. 2017 , 122, 154501	17
868	High-performance self-powered UV-Vis-NIR photodetectors based on horizontally aligned GaN microwire array/Si heterojunctions. 2017 , 5, 11551-11558	40
867	Synthesis of highly c-axis-oriented ZnO thin films using novel laser-enhanced electro spray CVD under atmospheric pressure. 2017 , 19, 5995-6001	5
866	Toward Understanding the Role of VZn Defect on the Photoconductivity of Surface-Passivated ZnO NRs. 2017 , 121, 24495-24504	8
865	Photovoltaic-Pyroelectric Coupled Effect Induced Electricity for Self-Powered Photodetector System. 2017 , 29, 1703694	140
864	Novel E Shaped CoreShell Photodetector with High Ultraviolet Selectivity and Enhanced Responsivity. 2017 , 27, 1704477	21
863	Few-Layer Thin-Film Metallic Glass-Enhanced Optical Properties of ZnO Nanostructures. 2017 , 9, 39475-39483	14
862	Surface/Interface Carrier-Transport Modulation for Constructing Photon-Alternative Ultraviolet Detectors Based on Self-Bending-Assembled ZnO Nanowires. 2017 , 9, 31042-31053	11
861	Single-crystalline germanium nanomembrane photodetectors on foreign nanocavities. 2017 , 3, e1602783	51
860	ZnO Film UV Photodetector with Enhanced Performance: Heterojunction with CdMoO Microplates and the Hot Electron Injection Effect of Au Nanoparticles. 2017 , 13, 1702177	84
859	Oxygen Plasma Surface Activation of Electron-Depleted ZnO Nanoparticle Films for Performance-Enhanced Ultraviolet Photodetectors. 2017 , 214, 1700176	13
858	PEGAssisted morphological transformation of 3D flower-like ZnO to 1D micro-/nanorods and nanoparticles for enhanced photocatalytic activity. 2017 , 4, 105009	10
857	Ultrafast photoresponse and enhanced photoresponsivity of Indium Nitride based broad band photodetector. 2017 , 172, 376-383	31
856	A broadband photodetector based on Rhodamine B-sensitized ZnO nanowires film. 2017 , 7, 11384	15
855	Effects of surface capping with Poly-vinyl butyral (PVB) on the ultraviolet photosensing properties of ZnO nanorods. 2017 ,	

854	Selective Thermochemical Growth of Hierarchical ZnO Nanowire Branches on Silver Nanowire Backbone Percolation Network Heaters. 2017 , 121, 22542-22549	12
853	A Photodetector Based on p-Si/n-ZnO Nanotube Heterojunctions with High Ultraviolet Responsivity. 2017 , 9, 37120-37127	66
852	Soft chemical growth of Zn _{0.8} Mg _{0.2} S one dimensional nanorod thin films for efficient visible light photosensor. 2017 , 266, 36-45	6
851	Flexible film broadband absorber based on diamond-graphite mixture and polyethylene. 2017 , 73, 388-392	1
850	Comparative Study of Photoresponse from Vertically Grown ZnO Nanorod and Nanoflake Films. 2017 , 2, 5538-5544	16
849	Hybrid Organic-Inorganic Perovskite Photodetectors. 2017 , 13, 1702107	206
848	Effect of NH ₃ plasma treatment on the transient characteristics of ZnO nanorod-gated AlGa _N /Ga _N high electron mobility transistor-based UV sensors. 2017 , 642, 69-75	10
847	Optimizing growth of ZnO nanowire networks for high-performance UV detection. 2017 , 43, 15978-15985	29
846	Heterostructured ZnS/InP nanowires for rigid/flexible ultraviolet photodetectors with enhanced performance. 2017 , 9, 15416-15422	13
845	Hole trap state analysis in SrTiO ₃ . 2017 , 110, 263902	5
844	A study of the effects of aligned vertically growth time on ZnO nanorods deposited for the first time on Teflon substrate. 2017 , 426, 906-912	24
843	Schottky Diode Based on a Single Carbon Nanotube/ZnO Hybrid Tetrapod for Selective Sensing Applications. 2017 , 4, 1700507	27
842	Antibacterial activity of the thin ZnO film formed by atomic layer deposition under UV-A light. 2017 , 328, 988-996	35
841	Phenomenal improvement of external quantum efficiency, detectivity and responsivity of nitrogen doped graphene quantum dot decorated zinc oxide nanorod/polymer schottky junction UV detector. 2017 , 95, 198-203	27
840	Controlled Synthesis of Ultrathin 2D In ₂ S ₃ with Broadband Photoresponse by Chemical Vapor Deposition. 2017 , 27, 1702448	139
839	Single-layer graphene/titanium oxide cubic nanorods array/FTO heterojunction for sensitive ultraviolet light detection. 2017 , 426, 391-398	12
838	Photon-triggered nanowire transistors. 2017 , 12, 963-968	71
837	Large-Scale Synthesis of Freestanding Layer-Structured Pbl and MAPbl Nanosheets for High-Performance Photodetection. 2017 , 29, 1702759	78

836	Synthesis and transient photocurrent behavior of Zn-doped In ₂ O ₃ nanorods. 2017 , 265, 246-252	8
835	Ultrasensitive broadband phototransistors based on perovskite/organic-semiconductor vertical heterojunctions. 2017 , 6, e17023	203
834	The effect of cation doping on the morphology, optical and structural properties of highly oriented wurtzite ZnO-nanorod arrays grown by a hydrothermal method. 2017 , 28, 435707	15
833	Printable Nanocomposite FeS-PbS Nanocrystals/Graphene Heterojunction Photodetectors for Broadband Photodetection. 2017 , 9, 27801-27808	26
832	Engineering Graphene Quantum Dots for Enhanced Ultraviolet and Visible Light p-Si Nanowire-Based Photodetector. 2017 , 9, 29234-29247	41
831	Identification of polar and nonpolar faces in ZnO nanostructures using conductive atomic force microscopy. 2017 , 519, 157-163	1
830	Fabry-Perot Cavity-Enhanced Optical Absorption in Ultrasensitive Tunable Photodiodes Based on Hybrid 2D Materials. <i>Nano Letters</i> , 2017 , 17, 7593-7598	11.5 35
829	Visible and UV photo-detection in ZnO nanostructured thin films via simple tuning of solution method. 2017 , 7, 15032	165
828	Sensing performances of pure and hybridized carbon nanotubes-ZnO nanowire networks: A detailed study. 2017 , 7, 14715	45
827	Aspect ratio-controlled ZnO nanorods for highly sensitive wireless ultraviolet sensor applications. 2017 , 5, 12256-12263	26
826	One-dimensional ZnO nanostructure-based optoelectronics. 2017 , 26, 118102	15
825	Extreme Carrier Depletion and Superlinear Photoconductivity in Ultrathin Parallel-Aligned ZnO Nanowire Array Photodetectors Fabricated by Infiltration Synthesis. 2017 , 5, 1700807	15
824	Enhanced energy transfer in heterogeneous nanocrystals for near infrared upconversion photocurrent generation. 2017 , 9, 18661-18667	9
823	X-ray photoelectron spectroscopy investigations of band offsets in Ga _{0.02} Zn _{0.98} O/ZnO heterojunction for UV photodetectors. 2017 , 122, 155301	13
822	Morphology dependent UV photoresponse of Sn-doped ZnO microstructures. 2017 , 71, 75-86	28
821	Self-powered ZnS Nanotubes/Ag Nanowires MSM UV Photodetector with High On/Off Ratio and Fast Response Speed. 2017 , 7, 4885	38
820	Performance improvement of a ZnMgO ultraviolet detector by chemical treatment with hydrogen peroxide. 2017 , 5, 7598-7603	14
819	Piezoresistive Response of Quasi-One-Dimensional ZnO Nanowires Using an in Situ Electromechanical Device. 2017 , 2, 2985-2993	60

8 ₁₈	A Substantial linear red shift in the band gap in heavily copper doped zinc oxide thin films produced by co-sputtering. 2017 , 28, 12956-12961	
8 ₁₇	Synthesis of ZnO nanorods by microwave-assisted chemical-bath deposition for highly sensitive self-powered UV detection application. 2017 , 263, 166-173	31
8 ₁₆	Effects of Al doping on the responsivity of solar irradiation of devices that use ZnO nanoparticles. 2017 , 28, 10205-10211	5
8 ₁₅	Sensitivity Limit of Nanoscale Phototransistors. 2017 , 38, 1051-1054	11
8 ₁₄	Flexible physical sensors made from paper substrates integrated with zinc oxide nanostructures. 2017 , 2, 034001	16
8 ₁₃	The effect of transparent conductive nanocrystalline oxide thin layer on performance of UV detectors fabricated on Fe-doped GaN. 2017 , 57, 132-136	8
8 ₁₂	Hybrid Nanostructures for Photodetectors. 2017 , 5, 1600468	32
8 ₁₁	A Self-Powered Fast-Response Ultraviolet Detector of p-n Homojunction Assembled from Two ZnO-Based Nanowires. 2017 , 9, 11	33
8 ₁₀	Tunable emission and conductivity enhancement by tellurium doping in CdS nanowires for optoelectronic applications. 2017 , 86, 81-87	10
8 ₀₉	Growth of porous ZnO single crystal hierarchical architectures with ultrahigh sensing performances to ethanol and acetone gases. 2017 , 43, 1121-1128	35
8 ₀₈	A Light Sensitive Nanogenerator for Self-Powered UV Detection with Two Measuring Ranges. 2017 , 5, 1600623	21
8 ₀₇	Effect of solution concentration on surface morphology, optical properties and solar light response of ZnO thin films. 2017 , 28, 2731-2738	3
8 ₀₆	Enhancement of the refractive index of sputtered zinc oxide thin films through doping with Fe ₂ O ₃ . 2017 , 690, 453-460	11
8 ₀₅	Vertically aligned and ordered ZnO/CdS nanowire arrays for self-powered UV-visible photosensing. 2017 , 52, 1308-1317	23
8 ₀₄	Broadband omnidirectional light detection in flexible and hierarchical ZnO/Si heterojunction photodiodes. 2017 , 10, 22-36	47
8 ₀₃	High performance solar-blind ultraviolet photo detector based on mixed-phase MgZnO thin film with different interfaces deposited by PLD method. 2017 , 694, 168-174	24
8 ₀₂	Simple fabricate ZnO individual microwall UV detector grown along the cracks of GaN/Si by the aqueous method. 2017 , 383, 177-181	6
8 ₀₁	A study of ultrasonic spray pyrolysis deposited rutile-TiO ₂ -based metal-semiconductor-metal ultraviolet photodetector. 2017 , 57, 90-94	27

800	Evaluation of photoconductive and photoelectrochemical properties of mesoporous nanocrystalline TiO ₂ powders and films prepared in acidic and alkaline media. 2017 , 692, 313-321	13
799	Anionic surfactants-assisted solution-phase synthesis of ZnO with improved photocatalytic performance. 2017 , 332, 384-390	21
798	2. Nanofibers/nanowires and their applications in photonic components and devices. 2017 , 76-134	
797	Single nanowire nanosensors: Fabrication and detailed studies. 2017 ,	
796	Transparent all-carbon-nanotube thin-film transistors. 2017 ,	1
795	Thermal annealing of CBD-grown p-CuO/n-ZnO seeds and its impact on the performance of p-CuO/n-ZnO nanowire based heterojunction photo-detectors. 2017 ,	
794	Black phosphorus carbide infrared phototransistor with wide spectrum sensing for IoT applications. 2017 ,	
793	Realization of a high-Responsivity ultraviolet sensor base on ZnO nanowires modified by Au nanoparticles. 2017 ,	1
792	Electrical Manipulation of a Single Nanowire by Dielectrophoresis. 2017 ,	4
791	Mg-alloyed ZnO nanocombs for self-gating photodetectors. 2017 , 25, 5091-5100	3
790	Amorphous InGaMgO Ultraviolet Photo-TFT with Ultrahigh Photosensitivity and Extremely Large Responsivity. 2017 , 10,	6
789	ZnO Nanowire Application in Chemoresistive Sensing: A Review. 2017 , 7,	42
788	Biopolymer Composites in Photovoltaics and Photodetectors. 2017 , 459-486	13
787	Ultraviolet Sensors Based on Two-Dimensional Zinc Oxide Structures. 2017 ,	2
786	Effect of synthesis temperature on the UV sensing properties of ZnO-cellulose nanocomposite powder. 2017 , 267, 99-105	8
785	Detection properties of individual and networked CNT-ZnO-hybrid tetrapods. 2017 ,	
784	Enhanced second-harmonic generation in lithium niobate nanowires used for localized light delivery. 2017 , 237-263	
783	Ultraviolet sensing using a TiO nanotube integrated high resolution planar microwave resonator device. 2018 , 10, 4882-4889	21

782	Effective Synthesis of PbS2I6 Crystals at Low Temperature for Fabrication of a High Performance Photodetector. 2018 , 18, 1987-1994	9
781	Facilitated extrinsic majority carrier depletion and photogenerated exciton dissociation in an annealing-free ZnO:C photodetector. 2018 , 10, 6459-6466	11
780	Influence of post-deposition annealing on structural, optical and transport properties of nanocomposite ZnO-Ag thin films. 2018 , 81, 22-29	16
779	Three dimensional-stacked complementary thin-film transistors using n-type Al:ZnO and p-type NiO thin-film transistors. 2018 , 8, 3968	11
778	Influence of annealing on the optoelectronic properties of the GLAD synthesized SiO _x /ZnO heterostructure nanoclusters. 2018 , 124, 1	1
777	Enhanced Structural and Luminescent Properties of Carbon-Assisted ZnO Nanorod Arrays on (100) Si Substrate. 2018 , 47, 4404-4411	8
776	Patterned electromagnetic alignment of magnetic nanowires. 2018 , 193, 71-78	5
775	Comparative performances of phenolic sensors based on various CeO ₂ -carbon material nanocomposites for environmental safety. 2018 , 38, 467-477	3
774	Flexible ultraviolet photodetectors based on ZnO/Bi ₂ O ₃ heterojunction nanowire arrays. 2018 , 39, 024002	21
773	Franz-Keldysh effect in epitaxial ZnO thin films. 2018 , 112, 092101	7
772	The role of different initial rest times on synthesized buffer layer and UV sensing of ZnO nanorods grown on rotational substrate. 2018 , 29, 8303-8312	1
771	Ultrahigh photosensitivity of the polar surfaces of single crystalline ZnO nanoplates. 2018 , 10, 6801-6805	7
770	Modification of the crystal lattice and optical band gap of ZnO nanostructures by the polyelectrolytes presence. 2018 , 29, 15604-15612	5
769	Solution-Processed UV and Visible Photodetectors Based on Y-Doped ZnO Nanowires with TiO ₂ Nanosheets and Au Nanoparticles. 2018 , 1, 2087-2095	30
768	Effects of Grain Size on the UV-Photoresponse of Zinc Oxide Thin Films Grown by Spray-Pyrolysis. 2018 , 215, 1800107	6
767	Interface modification of titanium dioxide nanoparticles by titanium-substituted polyoxometalate doping for improvement of photoconductivity and gas sensing applications. 2018 , 120, 57-63	15
766	A Self-Powered Brain-Linked Vision Electronic-Skin Based on Triboelectric-Photodetecting Pixel-Addressable Matrix for Visual-Image Recognition and Behavior Intervention. 2018 , 28, 1800275	52
765	Graphene-silver hybrid devices for sensitive photodetection in the ultraviolet. 2018 , 10, 7685-7693	25

764	Improving the fabrication uniformity of ZnO nanowire UV sensor by step-corner growth mode. 2018 , 44, 11972-11982	9
763	Wavelength Selective Photodetectors Integrated on a Single Composition-Graded Semiconductor Nanowire. 2018 , 6, 1800293	15
762	Fast-Response Single-Nanowire Photodetector Based on ZnO/WS Core/Shell Heterostructures. 2018 , 10, 13869-13876	45
761	Enhanced Photocurrent in BiFeO Materials by Coupling Temperature and Thermo-Phototronic Effects for Self-Powered Ultraviolet Photodetector System. 2018 , 10, 13712-13719	71
760	Understanding Charge Transport in Endohedral Fullerene Single-Crystal Field-Effect Transistors. 2018 , 122, 8822-8828	19
759	Planar hybrid carbon-decorated zinc oxide nanowires for infrared photodetection. 2018 , 20, 1	1
758	High performance ultraviolet photodetector based on a spray-coated nanocrystal quantum dots layer and Si photodiode. 2018 , 273, 182-188	2
757	Branch-like NiO/ZnO heterostructures for VOC sensing. 2018 , 262, 477-485	84
756	Recent advances in the fabrication of graphene/ZnO heterojunctions for optoelectronic device applications. 2018 , 6, 3815-3833	61
755	Enhanced ultraviolet photo-response in Dy doped ZnO thin film. 2018 , 123, 054502	17
754	Ultraefficient Ultraviolet and Visible Light Sensing and Ohmic Contacts in High-Mobility InSe Nanoflake Photodetectors Fabricated by the Focused Ion Beam Technique. 2018 , 10, 5740-5749	32
753	Composition-Dependent Aspect Ratio and Photoconductivity of Ternary (BiSb)S Nanorods. 2018 , 10, 7334-7343	23
752	UV-Induced Multilevel Current Amplification Memory Effect in Zinc Oxide Rods Resistive Switching Devices. 2018 , 28, 1706230	43
751	Photo-assisted hysteresis of electronic transport for ZnO nanowire transistors. 2018 , 29, 115204	7
750	Doping controlled pyro-phototronic effect in self-powered zinc oxide photodetector for enhancement of photoresponse. 2018 , 10, 3451-3459	38
749	Large-Area Schottky Junctions between ZnO and Carbon Nanotube Fibres. 2018 , 83, 285-293	6
748	UV-photodetector based on NiO/diamond film. 2018 , 112, 032103	30
747	Ultrafast carrier dynamics and optical pumping of lasing from Ar-plasma treated ZnO nanoribbons. 2018 , 29, 095701	7

746	Size-dependent Young's modulus in ZnO nanowires with strong surface atomic bonds. 2018 , 29, 125702	11
745	Boosted UV Sensitivity of Er-Doped In ₂ O ₃ Thin Films Using Plasmonic Ag Nanoparticle-Based Surface Texturing. 2018 , 13, 1105-1113	10
744	Thermoelectric microgenerators using a single large-scale Sb doped ZnO microwires. 2018 , 739, 298-304	5
743	Wafer-scale synthesis of monolayer WS ₂ for high-performance flexible photodetectors by enhanced chemical vapor deposition. 2018 , 11, 3371-3384	118
742	A Black Phosphorus Carbide Infrared Phototransistor. 2018 , 30, 1705039	75
741	High performance and low-cost UV-visible-NIR photodetector based on tin sulphide nanostructures. 2018 , 735, 2256-2262	32
740	Modulation of structural properties of Sn doped ZnO for UV photoconductors. 2018 , 270, 118-126	41
739	High-Performance Single-Crystalline Perovskite Thin-Film Photodetector. 2018 , 30, 1704333	166
738	Superior Photodetectors Based on All-Inorganic Perovskite CsPbI ₃ Nanorods with Ultrafast Response and High Stability. 2018 , 12, 1611-1617	169
737	Enhancement of the Sub-Band-Gap Photoconductivity in ZnO Nanowires through Surface Functionalization with Carbon Nanodots. 2018 , 122, 1852-1859	16
736	A Self-Powered and Flexible Organometallic Halide Perovskite Photodetector with Very High Detectivity. 2018 , 30, 1704611	245
735	Fabrication of UV photodetector using needle-shaped ZnO nanostructure arrays prepared on porous silicon substrate by a facile low-temperature method. 2018 , 29, 4999-5008	10
734	Clarifying the high on/off ratio mechanism of nanowire UV photodetector by characterizing surface barrier height. 2018 , 10, 2242-2248	17
733	Facile synthesis of mesoporous ZnO sheets assembled by small nanoparticles for enhanced NO ₂ sensing performance at room temperature. 2018 , 270, 207-215	35
732	High-Performance Self-Powered UV Detector Based on SnO-TiO ₂ Nanomace Arrays. 2018 , 13, 92	31
731	Vapor-Transport Synthesis and Annealing Study of Zn Mg O Nanowire Arrays for Selective, Solar-Blind UV-C Detection. 2018 , 3, 4899-4907	11
730	Al-Doped ZnO Nanowires by Electrochemical Deposition for Selective VOC Nanosensor and Nanophotodetector. 2018 , 215, 1700824	14
729	Two-step vapor deposition of self-catalyzed large-size PbI ₂ nanobelts for high-performance photodetectors. 2018 , 6, 5746-5753	22

728	Simple fabrication of UV photo-detector based on NiO/ZnO structure grown by hydrothermal process. 2018 , 11, 1850045	11
727	Low noise ultraviolet photodetector with over 100% enhanced lifetime based on polyfluorene copolymer and ZnO nanoparticles. 2018 , 135, 46533	8
726	Enhanced UV Flexible Photodetectors and Photocatalysts Based on TiO ₂ Nanoplatforms. 2018 , 61, 1591-1606	22
725	Upconversion single-microbelt photodetector via two-photon absorption simultaneous. 2018 , 51, 19LT01	2
724	Electrical characterization of molybdenum oxide lamellar crystals irradiated with UV light and proton beams. 2018 , 355, 50-54	4
723	Broad Band Single Germanium Nanowire Photodetectors with Surface Oxide-Controlled High Optical Gain. 2018 , 122, 8564-8572	22
722	Antisolvent-assisted controllable growth of fullerene single crystal microwires for organic field effect transistors and photodetectors. 2018 , 10, 8170-8179	31
721	Triple-wavelength passively Q-switched ytterbium-doped fibre laser using zinc oxide nanoparticles film as a saturable absorber. 2018 , 65, 1559-1564	18
720	Microstructure influenced variation in the local surface electrical heterogeneity in thickening Al-doped ZnO films: Evidence using both scanning tunnelling spectroscopy and conductive atomic force microscope. 2018 , 75, 65-74	5
719	Effect of the nanowire diameter on the linearity of the response of GaN-based heterostructured nanowire photodetectors. 2018 , 29, 255204	9
718	Investigation of the optoelectronic behavior of Pb-doped CdO nanostructures. 2018 , 8, 937-948	5
717	Synthesis, structural and optical properties of silver nanoparticles uniformly decorated ZnO nanowires. 2018 , 698, 147-151	15
716	Enhanced UV-light detection based on ZnO nanowires/graphene oxide hybrid using cost-effective low temperature hydrothermal process. 2018 , 77, 226-232	35
715	Vanadium substitution: A simple and economic way to improve UV sensing in ZnO. 2018 , 123, 161407	10
714	INFLUENCE OF SURFACE MODIFICATION ON PHYSICO-CHEMICAL PROPERTIES OF ZnO THIN FILMS AND NANOSTRUCTURES: A REVIEW. 2018 , 25, 1830002	4
713	On the measured optical bandgap values of inorganic oxide semiconductors for solar fuels generation. 2018 , 300, 136-144	33
712	Au functionalized ZnO rose-like hierarchical structures and their enhanced NO ₂ sensing performance. 2018 , 535, 216-220	13
711	Polyelectrolyte capsules preloaded with interconnected alginate matrix: An effective capsule system for encapsulation and release of macromolecules. 2018 , 107, 2251-2261	10

710	Enhancing the performance of room temperature ZnO microwire gas sensor through a combined technology of surface etching and UV illumination. 2018 , 212, 296-298	17
709	Improving performance of the MgZnO ultraviolet photodetectors by changing the interdigital electrode width. 2018 , 98, 275-279	12
708	2D Organic Materials for Optoelectronic Applications. 2018 , 30, 1702415	201
707	High-performing flexible and transparent photodetector by using silver nanowire-networks. 2018 , 97, 244-250	17
706	ZnO nanowire UV photodetector with multiple channels. 2018 , 35, 18-23	4
705	PhotovoltaicPyroelectric Coupled Effect Based Nanogenerators for Self-Powered Photodetector System. 2018 , 5, 1701189	56
704	Synthesis of SnO ₂ Nanowires Using SnI ₂ as Precursor and Their Application as High-Performance Self-Powered Ultraviolet Photodetectors. 2018 , 255, 1700426	8
703	Unveiling the Influence of Surface Fermi Level Pinning on the Piezoelectric Response of Semiconducting Nanowires. 2018 , 4, 1700299	15
702	Graphene quantum dots enhance UV photoresponsivity and surface-related sensing speed of zinc oxide nanorod thin films. 2018 , 140, 222-230	28
701	Low-frequency noise properties of MgZnO nanorod ultraviolet photodetectors with and without UV illumination. 2018 , 269, 363-368	30
700	Zn interstitial defects and their contribution as efficient light blue emitters in Zn rich ZnO thin films. 2018 , 735, 2318-2323	16
699	Fabrication and optimization of the thermally treated titanium dioxide thin film-based ultraviolet photodetectors. 2018 , 33, 015020	2
698	Towards metal chalcogenide nanowire-based colour-sensitive photodetectors. 2018 , 75, 501-507	4
697	Analysis of structural and UV photodetecting properties of ZnO nanorod arrays grown on rotating substrate. 2018 , 85, 458-469	4
696	Synthesis of porous nitrogen doped zinc oxide nanostructures using a novel paper mediated template method and their photocatalytic study for dye degradation under natural sunlight. 2018 , 2, 163-170	27
695	A multi-prong approach towards the development of high performance Temperature sensor using MWCNTs/Al ₂ O ₃ composite film. 2018 , 99, 1-9	4
694	Large area ultraviolet photodetector on surface modified Si:GaN layers. 2018 , 435, 1057-1064	15
693	Cryogenically probing the surface trap states of single nanowires passivated with self-assembled molecular monolayers. 2017 , 10, 82-86	7

692	DMSO modified PEDOT:PSS polymer/ZnO nanorods Schottky junction ultraviolet photodetector: Photoresponse, external quantum efficiency, detectivity, and responsivity augmentation using N doped graphene quantum dots. 2018 , 53, 101-110	44
691	Two dimensional materials based photodetectors. 2018 , 88, 149-173	50
690	Trap assisted charge multiplication enhanced photoresponse of LiP codopedp-ZnO/n-Si heterojunction ultraviolet photodetectors. 2018 , 51, 015103	16
689	Evaluation of Effective Elastic Properties of Nitride NWs/Polymer Composite Materials Using Laser-Generated Surface Acoustic Waves. 2018 , 8, 2319	5
688	High Performance Biosensor Based on RGO/ZnO Thin Film Transistor. 2018 ,	3
687	Understanding UV Sensor Performance in ZnO TFTs Through the Application of Multivariate Analysis. 2018 ,	4
686	Comparative Analysis of Buried-Gate GaN OPFET Models for UV Photodetector Applications. 2018 ,	3
685	Remote homoepitaxy of ZnO microrods across graphene layers. 2018 , 10, 22970-22980	19
684	Negative-capacitance and bulk photovoltaic phenomena in gallium nitride nanorods network.. 2018 , 8, 32794-32798	3
683	The Extremely Enhanced Photocurrent Response in Topological Insulator Nanosheets with High Conductance. 2018 , 13, 371	1
682	A high-responsivity subwavelength GaAs nanowire photodetector with a dipole antenna. 2018 ,	
681	Low-Cost Flexible ZnO Microwires Array Ultraviolet Photodetector Embedded in PAVL Substrate. 2018 , 13, 277	8
680	Perpendicular Optical Reversal of the Linear Dichroism and Polarized Photodetection in 2D GeAs. 2018 , 12, 12416-12423	100
679	Single Zn ₂ GeO ₄ nanowire high-performance broadband photodetector. 2018 , 124, 174503	7
678	UV photodetector based on polycrystalline SnO ₂ nanotubes by electrospinning with enhanced performance. 2018 , 20, 1	7
677	Facile patterning and transferring method for constructing self-powered UV photodetectors. 2018 , 11, 116502	4
676	Ultraviolet photodetector based on nanostructured ZnO-reduced graphene oxide composite. 2018 , 124, 1	5
675	Improved deep ultraviolet light photosensitivity of nanocomposite ZnO/Ag films deposited with substrate heating. 2018 , 5, 096203	1

674	Evolution of optical properties and electronic structures: band gaps and critical points in MgZnO (0 & 10.2) thin films. 2018 , 20, 25467-25475	5
673	Highly Responsive, Polarization Sensitive, Self-Biased Single GeO ₂ -Ge Nanowire Device for Broadband and Low Power Photodetectors. 2018 , 5, 4170-4178	28
672	On the effect of TiO ₂ nanocrystallites over the plasmonic photodegradation by Au nanoparticles. 2018 , 49, 1953-1960	7
671	Highly-Efficient InAs Nanowire Phototransistors. 2018 , 21-34	
670	Nonpolar-Oriented Wurtzite InP Nanowires with Electron Mobility Approaching the Theoretical Limit. 2018 , 12, 10410-10418	22
669	Well-ordered ZnO nanowires with controllable inclination on semipolar ZnO surfaces by chemical bath deposition. 2018 , 29, 475601	22
668	Mitigating the photocurrent persistence of single ZnO nanowires for low noise photodetection applications. 2018 , 29, 505207	2
667	Facile Synthesis of Well-Aligned ZnO Nanowires on Various Substrates by MOCVD for Enhanced Photoelectrochemical Water-Splitting Performance. 2018 , 6, 16047-16054	17
666	Synthesis of few-layer 2H-MoSe ₂ thin films with wafer-level homogeneity for high-performance photodetector. 2018 , 7, 1959-1969	31
665	Wearable UV Sensor Based on Carbon Nanotube-Coated Cotton Thread. 2018 , 10, 40198-40202	29
664	High Sensitivity of NO Gas Sensors Based on Novel Ag-Doped ZnO Nanoflowers Enhanced with a UV Light-Emitting Diode. 2018 , 3, 13798-13807	46
663	Near Infrared Random Lasing in Multilayer MoS. 2018 , 3, 14097-14102	7
662	Post Annealing Effects on $\text{Er}_{2}\text{O}_{3}$ Nanowire Arrays for Improved Photodetection. 2018 , 17, 1189-1196	13
661	Probing elastic properties of nanowire-based structures. 2018 , 113, 161903	7
660	Frequency response characteristics of pyroelectric effect in p-n junction UV detectors. 2018 , 54, 429-436	28
659	One Pot Synthesis of Au-ZnO Core-Shell Nanoparticles Using a Zn Complex Acting as ZnO Precursor, Capping and Reducing Agent During the Formation of Au NPs. 2018 , 2018, 4678-4683	7
658	Ultrahigh photoresponsivity MoS photodetector with tunable photocurrent generation mechanism. 2018 , 29, 485204	24
657	n-GaAs diode with photoresponsivity based on 3-aminorhodanine thin films. 2018 , 57, 6788-6794	0

656	A Photoconductor Intrinsically Has No Gain. 2018 , 5, 4111-4116	37
655	Triangular radial NbO nanorod growth on -plane sapphire for ultraviolet-radiation detection.. 2018 , 8, 31066-31070	3
654	Solution processed CuI/n-Si junction device annealed with and without iodine steam for ultraviolet photodetector applications. 2018 , 29, 18622-18627	4
653	White light-driven photo response of TiO ₂ thin films: Influence of substrate texturing. 2018 , 174, 231-239	12
652	Solution-processed solar-blind deep ultraviolet photodetectors based on strongly quantum confined ZnS quantum dots. 2018 , 6, 11266-11271	28
651	Improved Broadband Photoresponse in Schottky-Like Junction Using Carrier Selective NiO Contact on p-Si. 2018 , 2, 1800138	2
650	Electrically pumped Fabry-Perot microlasers from single Ga-doped ZnO microbelt based heterostructure diodes. 2018 , 10, 18774-18785	37
649	Nanoporous Films and Nanostructure Arrays Created by Selective Dissolution of Water-Soluble Materials. 2018 , 5, 1800851	4
648	Spectrally resolved x-ray beam induced current in a single InGaP nanowire. 2018 , 29, 454001	7
647	ZnO/CuCrO ₂ CoreShell Nanowire Heterostructures for Self-Powered UV Photodetectors with Fast Response. 2018 , 28, 1803142	52
646	Transient and Flexible Photodetectors. 2018 , 1, 5092-5100	16
645	Impact of post deposition annealing of ZrO ₂ insulating layer on the performance of GaN metal-semiconductor-metal ultraviolet photodetectors. 2018 ,	
644	Electrical properties of TiO ₂ at different deposition frequencies and their application in ZnO/TiO ₂ based dye-sensitized solar cells. 2018 ,	
643	One-step fabrication of CdS nanoflake arrays and its application for photodetector. 2018 , 169, 190-195	5
642	Ultrasensitive zinc magnesium oxide nanorods based micro-sensor platform for UV detection and light trapping. 2018 , 278, 127-139	8
641	Solution-processed ZnO/SnO ₂ bilayer ultraviolet phototransistor with high responsivity and fast photoresponse. 2018 , 6, 6014-6022	17
640	High photodetectivity of low-voltage flexible photodetectors assembled with hybrid aligned nanowire arrays. 2018 , 6, 6510-6519	16
639	A high photocurrent gain in UV photodetector based on Cu doped ZnO nanorods on PEN substrate. 2018 , 29, 11646-11652	7

638	Photodetectors with ultra-high detectivity based on stabilized all-inorganic perovskite CsPb _{0.922} Sn _{0.078} I ₃ nanobelts. 2018 , 6, 6287-6296	33
637	2D Ternary Chalcogenides. 2018 , 6, 1800058	79
636	Structural transformations and optical properties of glass-ceramics based on ZnO, and Zn ₂ SiO ₄ nanocrystals and doped with Er ₂ O ₃ and Yb ₂ O ₃ : Part I. The role of heat-treatment. 2018 , 202, 47-56	19
635	Boosted photocurrent in ferroelectric BaTiO ₃ materials via two dimensional planar-structured contact configurations. 2018 , 50, 417-424	49
634	Optimized optical vapor supersaturated precipitation for time-saving growth of ultrathin-walled ZnO single-crystal microtubes. 2018 , 498, 25-34	5
633	Transferrable polymeric carbon nitride/nitrogen-doped graphene films for solid state optoelectronics. 2018 , 138, 69-75	15
632	Enhancement of two-photon absorption photoresponse based on whispering gallery modes. 2018 , 10, 14047-14054	7
631	Synthesis and characterization of Graphene oxide/Zinc oxide nanorods sandwich structure. 2018 , 984, 012005	6
630	Exploring the Interactions of Oxygen with Defective ZnO. 2018 , 7, 491-494	10
629	Design Principles and Material Engineering of ZnS for Optoelectronic Devices and Catalysis. 2018 , 28, 1802029	52
628	Self-powered nanodevices for fast UV detection and energy harvesting using core-shell nanowire geometry. 2018 , 51, 294-299	30
627	Tunable black phosphorus heterojunction transistors for multifunctional optoelectronics. 2018 , 10, 14359-14367	7
626	ZnO-Based Schottky and Oxide Multilayer Devices for Visibly Transparent Photovoltaic Applications. 2018 , 65, 3291-3299	9
625	Graphene/ZnO nanocomposite with seamless interface renders photoluminescence quenching and photocatalytic activity enhancement. 2018 , 53, 13924-13935	7
624	Nanodiamond enhanced ZnO nanowire based UV photodetector with a high photoresponse performance. 2018 , 104, 314-319	13
623	Frequency-driven bulk-to-surface transition of conductivity in ZnO nanowires. 2018 , 113, 051603	3
622	Back-to-back symmetric Schottky type UVA photodetector based on ternary alloy BeZnO. 2018 , 6, 7776-7782	15
621	Effect of Dopant Material on the Performance UV Photodetector Based SnO ₂ Thin Films Deposited by Sol-Gel Dip-Coating Method. 2018 , 197-205	

620	Electrospun zinc oxide nanospheres for ultrasensitive room-temperature gas sensors. 2018 , 14, 245-247	2
619	Experimental and theoretical study of ultraviolet-induced structural/optical instability in nano silicon-based luminescence. 2018 , 124, 044501	4
618	Switching photonic nanostructures between cloaking and superscattering regimes using phase-change materials [Invited]. 2018 , 8, 1672	11
617	Porous Zinc Oxide Thin Films: Synthesis Approaches and Applications. 2018 , 8, 67	37
616	One-Dimensional Zinc Oxide Nanomaterials for Application in High-Performance Advanced Optoelectronic Devices. 2018 , 8, 223	24
615	Hydrothermally synthesized zinc oxide nanoparticle based photodetector for blue spectrum detection. 2018 , 172, 35-42	5
614	Spatially Correlated, Single Nanomaterial-Level Structural and Optical Profiling of Cu-Doped ZnO Nanorods Synthesized via Multifunctional Silicides. 2018 , 8,	2
613	Ultraviolet Detectors Based on Wide Bandgap Semiconductor Nanowire: A Review. 2018 , 18,	114
612	Control synthesis of bismuth sulphide films and their application for laser detectors. 2018 , 107, 54-59	6
611	. 2018 , 18, 7881-7888	41
610	High-Switching-Ratio Photodetectors Based on Perovskite $\text{CH}_3\text{NH}_3\text{PbI}_3$ Nanowires. 2018 , 8,	17
609	Resonance-Enhanced Absorption in Hollow Nanoshell Spheres with Omnidirectional Detection and High Responsivity and Speed. 2018 , 30, e1801972	29
608	Light based underwater wireless communications. 2018 , 57, 08PA06	47
607	Ultra-thin TiO_2 films by atomic layer deposition and surface functionalization with Au nanodots for sensing applications. 2018 , 87, 44-53	18
606	Ultrascaled Germanium Nanowires for Highly Sensitive Photodetection at the Quantum Ballistic Limit. <i>Nano Letters</i> , 2018 , 18, 5030-5035	11,5 19
605	Origin of fast-response photocurrent in ZnO thin film. 2018 , 84, 453-458	16
604	Ultrafast nonlinear optical properties and carrier dynamics of silver nanoparticle-decorated ZnO nanowires.. 2018 , 8, 26133-26143	21
603	Photoconduction mechanism of ultra-long indium oxide nanowires. 2018 , 148, 58-62	4

602	Facile Fabrication of BiOI/BiOCl Immobilized Films With Improved Visible Light Photocatalytic Performance. 2018 , 6, 58	22
601	Fabrication and Characterization of ZnO Nano-Clips by the Polyol-Mediated Process. 2018 , 13, 47	10
600	UV assisted ultrasensitive trace NO ₂ gas sensing based on few-layer MoS ₂ nanosheet/ZnO nanowire heterojunctions at room temperature. 2018 , 6, 10286-10296	164
599	Negative Photoconductance in van der Waals Heterostructure-Based Floating Gate Phototransistor. 2018 , 12, 9513-9520	75
598	Fast response CdS-CdSxTe _{1-x} -CdTe core-shell nanobelt photodetector. 2018 , 63, 1118-1124	20
597	UV Photodetectors Based on BiOCl Nanosheet Arrays: The Effects of Morphologies and Electrode Configurations. 2018 , 14, e1801611	26
596	Heterogeneous integration of contact-printed semiconductor nanowires for high-performance devices on large areas. 2018 , 4, 22	25
595	Improved electrical transport properties of an n-ZnO nanowire/p-diamond heterojunction.. 2018 , 8, 28804-28809	
594	Efficient ultraviolet photodetector device based on modulated wide band gap Type-II CuO/CdSe core-shell nanowires. 2018 , 123, 234-241	8
593	Synthesis and Characterization of Self-Assembled ZnO Nanoparticles Embedded Within a SiO ₂ Matrix Deposited on (111) p-Type Silicon By Reactive RF Sputtering Using Metallic Zinc Target As Precursor. 2018 , 47, 6607-6612	2
592	Solution-Based Micro- and Nanoscale Metal Oxide Structures Formed by Direct Patterning for Electro-Optical Applications. 2018 , 30, e1800923	18
591	Nonlinear optical response of bulk ZnO crystals with different content of intrinsic defects. 2018 , 84, 738-747	22
590	Observing Solid-State Formation of Oriented Porous Functional Oxide Nanowire Heterostructures by in Situ TEM. <i>Nano Letters</i> , 2018 , 18, 6064-6070	11.5 7
589	Room-Temperature Single-Photon Detector Based on Single Nanowire. <i>Nano Letters</i> , 2018 , 18, 5439-5445	11.5 34
588	Oxygen plasma assisted enhanced photoresponse of ZnO nanowires fabricated by catalyst-free chemical vapor deposition.. 2018 , 8, 28928-28933	9
587	Nano-crystalline CdS thick films: a highly sensitive photo-detector. 2018 , 5, 066203	8
586	CdS-Decorated Al-Doped ZnO Nanorod/Polymer Schottky Junction Ultraviolet/Visible Dual-Wavelength Photodetector. 2018 , 1, 3339-3345	9
585	Self-powered photovoltaic photodetector established on lateral monolayer MoS ₂ -WS ₂ heterostructures. 2018 , 51, 45-53	115

584	Enhanced surface-related ultraviolet-visible photoresponse in carbothermal ZnO nanowires by intertwined single-walled carbon nanotubes. 2018 , 53, 12455-12466	3
583	Poole-Frenkel Conduction Mechanism in ZnO:N Nanobelts. 2018 , 215, 1800233	3
582	High-Performance Near-Infrared Photodetectors Based on p-Type SnX (X = S, Se) Nanowires Grown via Chemical Vapor Deposition. 2018 , 12, 7239-7245	62
581	High Photo Sensing Performance With Electro-Optically Efficient Silicon Based ZnO/ZnMgO Heterojunction Structure. 2018 , 18, 6569-6575	9
580	Nanosecond mode-locked erbium doped fiber laser based on zinc oxide thin film saturable absorber. 2019 , 93, 93-99	12
579	Properties of nanostructured ZnO thin films synthesized using a modified aqueous chemical growth method. 2019 , 6, 056406	6
578	White light-modulated bipolar resistive switching characteristics of Cu/MoS ₂ NRs/Pt MIM structure. 2019 , 115, 052108	11
577	Self-Powered Broadband Schottky Junction Photodetector Based on a Single Selenium Microrod. 2019 , 123, 21244-21251	17
576	Electron Mobility due to Surface Roughness Scattering in Depleted GaAs Free-Standing Thin Ribbon. 2019 , 954, 51-59	
575	Alignment Optimization of the Dielectrophoresis of Ni Nanowires Through External Magnetic Field. 2019 , 10, 1-5	1
574	Adsorption behaviors of gas molecules on the surface of ZnO nanocrystals under UV irradiation. 2019 , 62, 2226-2235	10
573	Synthesis and Applications of III-V Nanowires. 2019 , 119, 9170-9220	109
572	Face-to-face intercrossed ZnO nanorod arrays with extensive NR-NR homojunctions for a highly sensitive and self-powered ultraviolet photodetector. 2019 , 65, 104042	12
571	Diameter-dependent photoresponse with high internal gain in a back gated single Si nanowire phototransistor. 2019 , 52, 425103	4
570	UV nanophotodetectors: A case study of individual Au-modified ZnO nanowires. 2019 , 296, 400-408	11
569	Fabrication of UV detector by Schottky Pd/ZnO/Si Contacts. 2019 ,	1
568	Hollow multi-shell structured SnO ₂ with enhanced performance for ultraviolet photodetectors. 2019 , 6, 1968-1972	16
567	Sn-Based Perovskite for Highly Sensitive Photodetectors. 2019 , 6, 1900751	73

566	Changing the Blood Test: Accurate Determination of Mercury(II) in One Microliter of Blood Using Oriented ZnO Nanobelt Array Film Solution-Gated Transistor Chips. 2019 , 15, e1902433	4
565	Native Point Defect Measurement and Manipulation in ZnO Nanostructures. 2019 , 12,	12
564	High photoresponse sensitivity of lithium-doped ZnO (LZO) thin films for weak ultraviolet signal photodetector. 2019 , 805, 309-317	26
563	Optimization of All Figure-of-Merits in Well-Aligned GaN Microwire Array Based Schottky UV Photodetectors by Si Doping. 2019 , 6, 1972-1980	16
562	A multifunctional smart window: detecting ultraviolet radiation and regulating the spectrum automatically. 2019 , 7, 10446-10453	16
561	See-through metal oxide frameworks for transparent photovoltaics and broadband photodetectors. 2019 , 64, 103952	19
560	Dopant Fluctuation-Induced Optical, Structural, and Magnetic Properties in Cd _{1-x} Yb _x /ZnO Nanoparticles Synthesized via Sol-Gel Method. 2019 , 48, 5662-5671	1
559	High Performance Vertical Resonant Photo-Effect-Transistor with an All-Around OLED-Gate for Ultra-Electromagnetic Stability. 2019 , 13, 8425-8432	21
558	Flexible Self-Powered ZnO Film UV Sensor with a High Response. 2019 , 11, 26127-26133	42
557	Si nanowires with porous segments for photon-triggered transistors. 2019 , 52, 373001	1
556	Vertical Au/ZnO Schottky Barrier Diode Based on High-Resistivity ZnO Film for X-Ray Dose Measurement. 2019 , 66, 1916-1920	6
555	Nanomaterials-based UV photodetectors. 2019 , 123-149	5
554	Synthesis of ternary oxide ZnGeO nanowire networks and their deep ultraviolet detection properties.. 2019 , 9, 1394-1402	15
553	Three-dimensional ZnO nanorods growth on ZnO nanorods seed layer for high responsivity UV photodetector. 2019 , 125, 1	6
552	Near-Infrared Soliton Mode-Locked Thulium Doped Fibre Laser Using WS ₂ -ZnO Composite Material as Saturable Absorber. 2019 , 11, 1-10	4
551	Frequency-Dependent Impedance Responses of ZnO Using UV Light. 2019 , 8, N1-N4	2
550	Fourier transform study of the complex electric field induced on axially heterostructured nanowires. 2019 , 30, 465205	2
549	Performance Enhancement of Biomolecule Detection in ZnO Thin-Film Transistor by Noise Spectroscopy Measurements. 2019 , 19, 10977-10984	4

548	High-performance visible light photodetectors based on inorganic CZT and InCZT single crystals. 2019 , 9, 12436	44
547	Ohmic-rectification conversion that is tuned using H ₂ O ₂ for enhanced rectification and optoelectronic performance in MoS ₂ /ZnO nanorod devices. 2019 , 61, 22-28	2
546	Flexible Visible-Blind Ultraviolet Photodetectors Based on ZnAl-Layered Double Hydroxide Nanosheet Scroll. 2019 , 11, 35138-35145	15
545	A review on the effect of metal doped ZnO nanostructures on ultraviolet photoconductive sensor performance. 2019 ,	8
544	Flexible Capacitive UV Sensor for Future Wearables. 2019 ,	1
543	AAO-Assisted Synthesis of Aligned CuO Nanorod Arrays by Electrochemical Deposition for Self-powered NIR Photodetection. 2019 , 48, 7465-7473	2
542	Ferroelectricity-induced performance enhancement of V-doped ZnO/Si photodetector by direct energy band modulation. 2019 , 65, 104046	19
541	Band bending at the ZnO(0001)-Zn surface produced by electropositive, electronegative and atmospheric adsorbates. 2019 , 495, 143592	4
540	Ultraviolet/Visible Photodetectors Based on p/n NiO/ZnO Nanowires Decorated with Pd Nanoparticles. 2019 , 2, 6343-6351	18
539	Sustainable Fully Printed UV Sensors on Cork Using Zinc Oxide/Ethylcellulose Inks. 2019 , 10,	12
538	Photoluminescence and Photodetecting Properties of the Hydrothermally Synthesized Nitrogen-Doped Carbon Quantum Dots. 2019 , 123, 25570-25578	14
537	Manufacturing and characterization of ZnO and ZnO-doped frit crystal by physical and optical methods. 2019 , 33, 1950233	1
536	Sponge-templated production of ultra-thin ZnO nanosheets for printed ultraviolet photodetectors. 2019 , 115, 122106	4
535	Nanoplasmonic 1D Diamond UV Photodetectors with High Performance. 2019 , 11, 38068-38074	14
534	Novel tin disulfide/graphene photoelectrochemical photodetector based on solid-state electrolytes and its performances. 2019 , 30, 3208-3213	9
533	Facile fabrication of ZnO nanowire memory device based on chemically-treated surface defects. 2019 , 30, 155201	2
532	High-Performance Photodetectors Based on Lead-Free 2D Ruddlesden-Popper Perovskite/MoS Heterostructures. 2019 , 11, 8419-8427	68
531	Influence of twin boundaries on the photocurrent decay of nanobranched and dense-forest structured SnO ₂ UV photodetectors. 2019 , 128, 181-198	14

530	Organic interfacial materials for perovskite-based optoelectronic devices. 2019 , 12, 1177-1209	125
529	Defect Reconstruction Triggered Full-Color Photodetection in Single Nanowire Phototransistor. 2019 , 6, 886-894	23
528	Persistent photoconductivity in Al-doped ZnO photoconductors under air, nitrogen and oxygen ambiance: Role of oxygen vacancies induced DX centers. 2019 , 45, 8561-8570	19
527	Functionalized water soluble nanomaterials and their applications in wirelessly destructible programmed flexible transient photodetectors. 2019 , 93, 324-330	6
526	Metal oxide nanostructures for sensor applications. 2019 , 34, 043001	106
525	Phenomenological modelling of light transmission through nanowires arrays. 2019 , 675, 43-49	4
524	Strong correlation between optical properties and mechanism in deficiency of normalized self-assembly ZnO nanorods. 2019 , 9, 905	38
523	Experimental investigation on a cabin-suspended catamaran in terms of motion reduction and wave energy harvesting by means of a semi-active motion control system. 2019 , 83, 88-102	5
522	Effects of cobalt substitution on ZnO surface reactivity and electronic structure. 2019 , 7, 8364-8373	5
521	Solution processed membrane-based wearable ZnO/graphene Schottky UV photodetectors with imaging application. 2019 , 30, 375701	5
520	Preparation of zinc oxide with a three-dimensionally interconnected macroporous structure via a sol-gel method accompanied by phase separation. 2019 , 43, 11720-11726	8
519	UV-induced photosensing characteristics of SiC and GaN nanowires. 2019 , 39, 488-494	2
518	On-chip grown ZnO nanosheet-array with interconnected nanojunction interfaces for enhanced optoelectronic NO gas sensing at room temperature. 2019 , 554, 19-28	23
517	Optical properties of polar thin films: ZnO (0001) and ZnO (000 $\bar{1}$) on sapphire substrate. 2019 , 94, 272-276	8
516	Self-Powered Photodetectors Based on Core-Shell ZnO-CoO Nanowire Heterojunctions. 2019 , 11, 23454-23462	6
515	Amorphous Gallium Oxide-Based Gate-Tunable High-Performance Thin Film Phototransistor for Solar-Blind Imaging. 2019 , 5, 1900389	50
514	Nanostructured ZnO-based materials for biomedical and environmental applications. 2019 , 285-305	1
513	Low-Power Graphene/ZnO Schottky UV Photodiodes with Enhanced Lateral Schottky Barrier Homogeneity. 2019 , 9,	14

512	Negative photoresponse in ZnO/PEDOT:PSS nanocomposites and photogating effects. 2019 , 1, 2435-2443	6
511	Solution Processed Highly Responsive UV Photodetectors from Carbon Nanodot/Silicon Heterojunctions. 2019 , 2, 3971-3976	11
510	Concurrent Improvement of Photocarrier Separation and Extraction in ZnO Nanocrystal Ultraviolet Photodetectors. 2019 , 123, 14766-14773	15
509	Self-powered UV detection using SnO ₂ nanowire arrays with Au Schottky contact. 2019 , 100, 123-129	18
508	Solution-Processed Transparent Sn ⁴⁺ -Doped CuI Hybrid Photodetectors with Enhanced Performances. 2019 , 6, 1900669	16
507	High-Performance Broadband Photo-Detection in Solution-Processed ZnO-ZnCr ₂ O ₄ Nanowalls. 2019 , 40, 1143-1146	6
506	High-Performance Copper Oxide Visible-Light Photodetector via Grain-Structure Model. 2019 , 9, 7334	28
505	First-principle study of electronic structure and optical properties of SiC nano films. 2019 , 34, 115015	2
504	Multifunctional UV and Gas Sensors Based on Vertically Nanostructured Zinc Oxide: Volume Versus Surface Effect. 2019 , 19,	23
503	Three-dimensional electroactive ZnO nanomesh directly derived from hierarchically self-assembled block copolymer thin films. 2019 , 11, 9533-9546	32
502	InGaAs based heterojunction phototransistors: Viable solution for high-speed and low-noise short wave infrared imaging. 2019 , 114, 161101	4
501	Nanowire photodetectors based on wurtzite semiconductor heterostructures. 2019 , 34, 053002	18
500	High performance visible light photodetector based on TlInS ₂ single crystal for optoelectronic devices. 2019 , 94, 105816	17
499	The comparison of transient photocurrent spectroscopy measurements of Pulsed Electron Deposited ZnO thin film for air and vacuum ambient conditions. 2019 , 680, 48-54	9
498	Control of electrical conductivity of highly stacked zinc oxide nanocrystals by ultraviolet treatment. 2019 , 9, 6244	14
497	Superior humidity sensor and photodetector of mesoporous ZnO nanosheets at room temperature. 2019 , 293, 83-92	58
496	Stretchable SnO ₂ -CdS interlaced-nanowire film ultraviolet photodetectors. 2019 , 62, 1139-1150	15
495	Ultrathin TiO _x Interface-Mediated ZnO-Nanowire Memristive Devices Emulating Synaptic Behaviors. 2019 , 5, 1900142	5

494	Capillary-bridge mediated assembly of aligned perovskite quantum dots for high-performance photodetectors. 2019 , 7, 5954-5961	26
493	Photocatalytic and Photostability Behavior of Ag- and/or Al-Doped ZnO Films in Methylene Blue and Rhodamine B Under UV-C Irradiation. 2019 , 9, 202	20
492	Broad-band high-gain room temperature photodetectors using semiconductor-metal nanofloret hybrids with wide plasmonic response. 2019 , 11, 6368-6376	5
491	ZnO-based photodetector: from photon detector to pyro-phototronic effect enhanced detector. 2019 , 52, 223001	32
490	A ZnO nanowire-based microfiber coupler for all-optical photodetection applications. 2019 , 11, 8319-8326	10
489	Fabrication of ultraviolet photodetector with aluminum nitride nanowire networks via direct transfer method. 2019 , 211, 26-28	7
488	Structural and photoluminescence properties of ZnO nanorods grown on ion-plated Ga-doped ZnO seed layers by chemical bath deposition and fabrication of poly(3,4-ethylenedioxythiophene) poly(styrenesulfonate)/ZnO nanorods heterostructures. 2019 , 677, 109-118	1
487	Optical properties from photoelectron energy-loss spectroscopy of low-temperature aqueous chemically synthesized ZnO nanorods grown on Si. 2019 , 34, 045019	1
486	Phonon Evidence of Kohn Anomalies in Nanogenerator ZnO. 2019 , 59, 626-635	3
485	Improved responsivity performance of ZnO film ultraviolet photodetectors by vertical arrays ZnO nanowires with light trapping effect. 2019 , 30, 305703	14
484	One-pot synthesis of multifunctional ZnO nanomaterials: study of superhydrophobicity and UV photosensing property. 2019 , 9, 1939-1952	10
483	Ultraviolet photodetectors based on wide bandgap oxide semiconductor films. 2019 , 28, 048503	20
482	The high-speed ultraviolet photodetector of ZnO nanowire Schottky barrier based on the triboelectric-nanogenerator-powered surface-ionic-gate. 2019 , 60, 680-688	47
481	Morphology, optical and photoelectric properties of CH ₃ NH ₃ PbBr ₃ single crystal. 2019 , 571, 307-311	5
480	Self-powered room temperature broadband infrared photodetector based on MoSe ₂ /germanium heterojunction with 35 A/W responsivity at 1550 nm. 2019 , 114, 121101	23
479	ZnO-Nanowire-Induced Nanocavities in Photonic Crystal Disks. 2019 , 6, 1132-1138	8
478	Zn(II) Di-isobutyldithiocarbamate Complex Enabled Efficient Synthesis of Au/ZnS Nanocomposite Core-shell in One Pot. 2019 , 4, 4003-4007	7
477	Improving the optical and crystal properties of ZnO nanotubes via a metallic glass quantum dot underlayer. 2019 , 7, 5163-5171	1

476	Zinc oxide ultraviolet photodetectors: rapid progress from conventional to self-powered photodetectors. 2019 , 1, 2059-2085	121
475	Highly sensitive ultraviolet sensor based on ZnO nanorod film deposited on ST-cut quartz surface acoustic wave devices. 2019 , 363, 419-425	14
474	Beta gallium oxide (β -Ga ₂ O ₃) nanoelectromechanical transducer for dual-modality solar-blind ultraviolet light detection. 2019 , 7, 022523	17
473	Modeling Nucleation and Growth of ZnO Nanoparticles in a Low Temperature Plasma by Reactive Dynamics. 2019 , 15, 2010-2021	6
472	Quantum efficient fast UV photodetectors based on nanocrystalline Zn _{1-x} PxO (x = 0.00, 0.03, 0.07) thin films deposited by pulsed laser deposition technique. 2019 , 95, 7-19	11
471	Junction properties of single ZnO nanowires with asymmetrical Pt and Cu contacts. 2019 , 30, 244001	11
470	Non-aligned ZnO nanowires composited with reduced graphene oxide and single-walled carbon nanotubes for highly responsive UV-visible photodetectors. 2019 , 164, 640-647	20
469	X-ray Detection Performance of Vertical Schottky Photodiodes Based on a Bulk β -Ga ₂ O ₃ Substrate Grown by an EFG Method. 2019 , 8, Q3046-Q3049	17
468	ZnO ultraviolet photodetector based on flexible polyester fibre substrates by low-temperature hydrothermal approach. 2019 , 14, 215-218	5
467	Grafting Methyl Groups on the Si(111) Surface as a Buffer Layer for van der Waals Epitaxial Growth of ZnO Nanorods in Chemical Bath Deposition. 2019 , 123, 30981-30985	2
466	Large-area, Fast responding Flexible UV Photodetector realized by a Facile Method. 2019 ,	0
465	An Organic/Inorganic Nanocomposite of Cellulose Nanofibers and ZnO Nanorods for Highly Sensitive, Reliable, Wireless, and Wearable Multifunctional Sensor Applications. 2019 , 11, 48239-48248	20
464	CsPbI Nanotube Photodetectors with High Detectivity. 2019 , 15, e1905253	23
463	The Growth of GaO Nanowires on Silicon for Ultraviolet Photodetector. 2019 , 19,	11
462	Nanoarchitectonics of Visible-Blind Ultraviolet Photodetector Materials: Critical Features and Nano-Microfabrication. 2019 , 7, 1800580	29
461	Single Ag atom engineered 3D-MnO ₂ porous hollow microspheres for rapid photothermocatalytic inactivation of E. coli under solar light. 2019 , 245, 177-189	87
460	Voltage Generation in Optically Sensitive Supercapacitor for Enhanced Performance. 2019 , 2, 278-286	11
459	Enhanced performance of flexible ultraviolet photodetectors based on carbon nitride quantum dot/ZnO nanowire nanocomposites. 2019 , 6, 045002	8

458	From nanofibers to ordered ZnO/NiO heterojunction arrays for self-powered and transparent UV photodetectors. 2019 , 7, 223-229	167
457	Gigantic enhancement of electricity generation in piezoelectric semiconductors by creating pores as a universal approach. 2019 , 12, 410-417	18
456	Mode-locked thulium doped fiber laser with zinc oxide saturable absorber for 2 fh operation. 2019 , 97, 142-148	17
455	Self-powered visualization system by conjunction of photovoltaic effect and contact-electrification. 2019 , 57, 528-534	7
454	Waveguide-Integrated Black Phosphorus Photodetector for Mid-Infrared Applications. 2019 , 13, 913-921	96
453	Fast response UV detection based on waveguide characteristics of vertically grown ZnO nanorods partially embedded in anodic alumina template. 2019 , 30, 085704	5
452	Physical properties of cost effectively synthesized ZnO nanowires post annealed under various thermal and atmosphere treatments for UV photodetectors. 2019 , 6, 045906	1
451	Role of Li ⁺ and Fe ³⁺ in modified ZnO: Structural, vibrational, opto-electronic, mechanical and magnetic properties. 2019 , 45, 7232-7243	7
450	A noise-reduced broad-spectrum photodetector based on reagent-free electrophoretic assembled flexible ZnO/rGO films. 2019 , 469, 113-117	8
449	Catalyst-free growth of a Zn ₂ GeO ₄ nanowire network for high-performance transfer-free solar-blind deep UV detection. 2019 , 107, 1-4	10
448	Growth mechanism and charge transport properties of hybrid Au/ZnO nanoprisms. 2019 , 777, 1386-1395	20
447	Self-Cleaning Ultraviolet Photodetectors Based on Tree Crown-Like Microtube Structure. 2019 , 6, 1801251	5
446	Nanowire Electronics. 2019 ,	4
445	Properties Engineering of III ^V Nanowires for Electronic Application. 2019 , 53-82	
444	Broadband Ultraviolet Photodetector Based on Vertical Ga ₂ O ₃ /GaN Nanowire Array with High Responsivity. 2019 , 7, 1801563	64
443	High-Performance SiC Nanobelt Photodetectors with Long-Term Stability Against 300 °C up to 180 Days. 2019 , 29, 1806250	36
442	High-performance visible light photodetector based on TlGaSSe single crystal. 2019 , 240, 176-179	7
441	High performance charge-transfer induced homojunction photodetector based on ultrathin ZnO nanosheet. 2019 , 114, 011103	15

440	Plasma-assisted synthesis of ZnSe hollow microspheres with strong red emission. 2019 , 206, 33-38	12
439	Comprehensive Pyro-Phototronic Effect Enhanced Ultraviolet Detector with ZnO/Ag Schottky Junction. 2019 , 29, 1807111	51
438	Ultrahigh-Sensitive Broadband Photodetectors Based on Dielectric Shielded MoTe /Graphene/SnS p-g-n Junctions. 2019 , 31, e1805656	95
437	Graphene Interdigital Electrodes for Improving Sensitivity in a GaO:Zn Deep-Ultraviolet Photoconductive Detector. 2019 , 11, 1013-1020	45
436	Single-channel UV/vis dual-band detection with ZnCdS:Mn/ZnS core/shell quantum dots. 2019 , 30, 075501	4
435	The effect of morphology and functionalization on UV detection properties of ZnO networked tetrapods and single nanowires. 2019 , 166, 393-398	15
434	Nitrogen-Functionalized Graphene Quantum Dots: A Versatile Platform for Integrated Optoelectronic Devices. 2020 , 20, 429-439	6
433	Superior phototransistors based on a single ZnO nanoparticle with high mobility and ultrafast response time. 2020 , 5, 82-88	4
432	Self-catalyzed growth of GaSb nanowires for high performance ultraviolet-visible-near infrared photodetectors. 2020 , 63, 383-391	7
431	Modeling of Intrinsic Electron and Hole Trapping in Crystalline and Amorphous ZnO. 2020 , 6, 1900760	7
430	A kirigami concept for transparent and stretchable nanofiber networks-based conductors and UV photodetectors. 2020 , 82, 144-152	9
429	Tuning oxygen vacancies and improving UV sensing of ZnO nanowire by micro-plasma powered by a triboelectric nanogenerator. 2020 , 67, 104210	49
428	High photosensitivity and external quantum efficiency photosensors achieved by a cable like nanoarchitecture. 2020 , 31, 015601	3
427	Expeditious UV detection of tungstite (WO ₃ ·H ₂ O) and tungsten oxide (WO ₃) decorated multiwall carbon nanotubes (MWCNT) based photodetector: ultrafast response and recovery time. 2020 , 2, 1	1
426	Synthesis, characterization and UV photodetector application of Sb-doped ZnO nanowires. 2020 , 221, 117025	6
425	Liquid Exfibration and Optoelectronic Devices of Fibrous Phosphorus. 2020 , 59, 976-979	8
424	Tellurene Photodetector with High Gain and Wide Bandwidth. 2020 , 14, 303-310	55
423	Ultrasensitive ZnO Nanowire Photodetectors with a Polymer Electret Interlayer for Minimizing Dark Current. 2020 , 8, 1901289	17

422	Ultrasensitive broadband photodetector using electrostatically conjugated MoS ₂ -upconversion nanoparticle nanocomposite. 2020 , 67, 104258	15
421	Boosting Photocurrent via Heating BiFeO ₃ Materials for Enhanced Self-Powered UV Photodetectors. 2020 , 30, 1906232	37
420	Dopant-induced photoresponsivity in coumarin-dye-sensitized nanowire NiO/p-Si heterojunction. 2020 , 106, 104784	4
419	An Artificial Optoelectronic Synapse Based on a Photoelectric Memcapacitor. 2020 , 6, 1900858	33
418	Highly sensitive, fast and reversible NO ₂ sensors at room-temperature utilizing nonplasmonic electrons of ZnO/Pd hybrids. 2020 , 46, 8462-8468	16
417	Ultrasensitive Fiber-Based ZnO Nanowire Network Ultraviolet Photodetector Enabled by the Synergism between Interface and Surface Gating Effects. 2020 , 12, 1054-1060	15
416	Effect of aluminum loading on structural and morphological characteristics of ZnO nanoparticles for heavy metal ion elimination. 2020 , 27, 3086-3099	9
415	Surface acoustic wave-based ultraviolet photodetectors: a review. 2020 , 65, 587-600	9
414	Optical properties of ZnO/Black Phosphorus/ZnO sandwich structures. 2020 , 579, 411903	7
413	Planar microwave resonator with electrodeposited ZnO thin film for ultraviolet detection. 2020 , 35, 025003	6
412	Flexible ultraviolet photodetector based ZnO film sputtered on paper. 2020 , 172, 109089	28
411	Bioinspired Flexible, Dual-Modulation Synaptic Transistors toward Artificial Visual Memory Systems. 2020 , 5, 1900888	29
410	Synthesis and characterization of cadmium-bismuth microspheres for the catalytic and photocatalytic degradation of organic pollutants, with antibacterial, antioxidant and cytotoxicity assay. 2020 , 202, 111723	15
409	Mechanisms behind slow photoresponse character of Pulsed Electron Deposited ZnO thin films. 2020 , 107, 104863	5
408	Ferromagnetic Semiconducting VI ₃ Single-Chain Nanowire. 2020 , 124, 2096-2103	5
407	Large-gain low-voltage and wideband organic photodetectors via unbalanced charge transport. 2020 , 7, 3234-3241	17
406	Controllable Heterogeneous Nucleation for Patterning High-Quality Vertical and Horizontal ZnO Microstructures toward Photodetectors. 2020 , 16, e2004136	6
405	Fabrication and photoelectric properties of a graphene-silicon nanowire heterojunction on a flexible polytetrafluoroethylene substrate. 2020 , 281, 128599	4

404	Conjoined photo-thermoelectric effect in ZnO-graphene nanocomposite foam for self-powered simultaneous temperature and light sensing. 2020 , 10, 11864	13
403	Rippled Metallic-Nanowire/Graphene/Semiconductor Nanostack for a Gate-Tunable Ultrahigh-Performance Stretchable Phototransistor. 2020 , 8, 2000859	3
402	Room-Temperature and Humidity-Resistant Trace Nitrogen Dioxide Sensing of Few-Layer Black Phosphorus Nanosheet by Incorporating Zinc Oxide Nanowire. 2020 , 92, 11007-11017	36
401	Investigation of Indium Oxide Nanowire Transform to Indium Zinc Oxide (IZO) Via Solid State Reactions. 2020 , 97, 105-108	
400	The effect of different substrate-inclined angles on the characteristic properties of ZnO nanorods for UV photodetectors applications. 2020 , 31, 14357-14374	8
399	A highly sensitive, large area, and self-powered UV photodetector based on coalesced gallium nitride nanorods/graphene/silicon (111) heterostructure. 2020 , 117, 191103	12
398	Effective Separation of Photogenerated Electron-Hole Pairs by Radial Field Facilitates Ultrahigh Photoresponse in Single Semiconductor Nanowire Photodetectors. 2020 , 124, 22808-22816	3
397	Flexible Ultraviolet Photodetectors Based on One-Dimensional Gallium-Doped Zinc Oxide Nanostructures. 2020 , 2, 3522-3529	35
396	Solution-Processed SbSe on TiO Thin Films Toward Oxidation- and Moisture-Resistant, Self-Powered Photodetectors. 2020 , 12, 38341-38349	9
395	III-V nanowire-based ultraviolet to terahertz photodetectors: Device strategies, recent developments, and future possibilities. 2020 , 130, 115989	4
394	Investigation of Optoelectronic Properties in Germanium Nanowire Integrated Silicon Substrate Using Kelvin Probe Force Microscopy. 2020 , 19, 628-634	3
393	Lead-Free Cs ₃ Sb ₂ Br ₉ Single Crystals for High Performance Narrowband Photodetector. 2020 , 8, 2001072	21
392	Mid-Infrared Photodetector Based on Selenium-Doped Black Phosphorus. 2020 , 217, 2000483	2
391	Other Hybridized Nanogenerators. 2020 , 97-132	
390	Highly Sensitive InSb Nanosheets Infrared Photodetector Passivated by Ferroelectric Polymer. 2020 , 30, 2006156	15
389	A solution-processed ZnO quantum dots ultraviolet photodetector with high performance driven by low operating voltage. 2020 , 278, 128413	9
388	Synthesis of halide perovskite microwires via methylammonium cations reaction. 2020 , 14, 332-340	0
387	Study of structural, optical, and paramagnetic properties of Zn _{1-x} CoxS nanoparticles prepared via co-precipitation. 2020 , 31, 17297-17306	7

386	ZnO Nanoparticle/Graphene Hybrid Photodetectors via Laser Fragmentation in Liquid. 2020 , 10,	7
385	Enhanced performance of near-infrared photodetectors based on InGaAs nanowires enabled by a two-step growth method. 2020 , 8, 17025-17033	7
384	Influence of Silver as a Catalyst on the Growth of InGaO Nanowires on GaAs. 2020 , 13,	2
383	Superhydrophobic SnO ₂ nanowire/graphene heterostructure-based ultraviolet detectors. 2020 , 38, 062210	2
382	Scalable fabrication of long-wave infrared PtSe ₂ -G heterostructure array photodetectors. 2020 , 117, 231104	6
381	Gallium oxide nanowires for UV detection with enhanced growth and material properties. 2020 , 10, 21434	6
380	Long-Standing Optically Excited Magnetic States in ZnO Nanoparticles. 2020 , 14, 2000176	0
379	Self-aligned on-chip coupled photonic devices using individual cadmium sulfide nanobelts. 2020 , 13, 1413-1418	2
378	Ultrabroadband Photodetectors up to 10.6 μm Based on 2D Fe ₃ O ₄ Nanosheets. 2020 , 32, e2002237	29
377	Schottky-Contacted Nanowire Sensors. 2020 , 32, e2000130	56
376	High-Responsivity Mid-Infrared Black Phosphorus Slow Light Waveguide Photodetector. 2020 , 8, 2000337	27
375	Photocurrent Enhanced in UV-vis-NIR Photodetector Based on CdSe/CdTe Core/Shell Nanowire Arrays by Piezo-Phototronic Effect. 2020 , 7, 1461-1467	16
374	Synthesis of High-Quality Multilayer Hexagonal Boron Nitride Films on Au Foils for Ultrahigh Rejection Ratio Solar-Blind Photodetection. 2020 , 12, 28351-28359	12
373	A Facile Chemical Solution Route to Synthesize ZnO/Graphene Composite and the Improved Photocatalytic Property. 2020 , 20, 4480-4484	1
372	Photoconductive gain under low-flux X-ray irradiation in 4HCB organic single crystal detectors. 2020 , 13, 071004	2
371	Retracted Article: Wavelength modulation of ZnO nanowire based organic light-emitting diodes with ultraviolet electroluminescence.. 2020 , 10, 23775-23781	5
370	Growth of Carbon Dot-Decorated ZnO Nanorods on a Graphite-Coated Paper Substrate to Fabricate a Flexible and Self-Powered Schottky Diode for UV Detection. 2020 , 12, 33428-33438	23
369	Ultrahigh Gain of a Vacuum-Ultraviolet Photodetector Based on a Heterojunction Structure of AlN Nanowires and NiO Quantum Dots. 2020 , 13,	0

368	Controllable growth and flexible optoelectronic devices of regularly-assembled Bi ₂ S ₃ semiconductor nanowire bifurcated junctions and crosslinked networks. 2020 , 13, 2226-2232	5
367	Bipolar photoresponse ultraviolet photodetectors based on ZnO nanowires. 2020 , 7, 056203	4
366	UV Photodetector Based on p-NiO film/n-Si Heterojunction Prepared by Thermal Oxidation. 2020 , 1535, 012001	1
365	Room temperature direct patterning of nanocrystalline zinc oxide on flexible polymer substrates through vacuum ultraviolet light irradiation. 2020 , 709, 138166	4
364	High-performance UV detectors based on 2D CVD bismuth oxybromide single-crystal nanosheets. 2020 , 48, 100-104	7
363	A Universal Method to Weld Individual One-Dimensional Nanostructures with a Tungsten Needle Based on Synergy of the Electron Beam and Electrical Current. 2020 , 10,	2
362	Memristors mimicking the regulation of synaptic plasticity and the refractory period in the phenomenological model. 2020 , 8, 5183-5190	2
361	Effect of fabrication temperature on the manufacturability of lateral ZnO nanowire array UV sensor. 2020 , 63, 668-674	2
360	Enhancement of Photoelectrochemical Performance of Ag@ZnO Nanowires: Experiment and Mechanism. 2020 , 2020, 1-9	7
359	All 3D-Printed Flexible ZnO UV Photodetector on an Ultraflat Substrate. 2020 , 5, 1028-1032	18
358	Analysis on different detection mechanisms involved in ZnO-based photodetector and photodiodes. 2020 , 31, 7100-7113	17
357	Nanomaterial Patterning in 3D Printing. 2020 , 32, e1907142	72
356	Explicit Gain Equations for Single Crystalline Photoconductors. 2020 , 14, 3405-3413	10
355	A pie-like structure double-sidedly assembled with ZnO-nanodisks vertically on Cu-nanoplates and its photochemical properties. 2020 , 259, 127292	1
354	Ultra-high resolution position sensors with self-assembled nanowire arrays. 2020 , 8, 9954-9959	3
353	Maximizing piezoelectricity by self-assembled highly porous perovskite-polymer composite films to enable the internet of things. 2020 , 8, 13619-13629	17
352	Zinc Vacancy-Hydrogen Complexes as Major Defects in ZnO Nanowires Grown by Chemical Bath Deposition. 2020 , 124, 16652-16662	14
351	Morphology dependent structural stability and electronic properties of ZnO nanowire. 2020 ,	

350	High-performance self-powered photodetector based on Bi ₂ O ₂ Se nanosheets. 2020 , 126, 1	3
349	High-mobility In and Ga co-doped ZnO nanowires for high-performance transistors and ultraviolet photodetectors. 2020 , 12, 16153-16161	11
348	Coaxially enhanced photocarrier transport of a highly oriented Cu ₂ ZnSnS ₄ /ZnO photodetector through the nanoconfinement effect. 2020 , 8, 3491-3497	10
347	Plasmon charge transfer dynamics in layered Au/ZnO nanocomposites. 2020 , 127, 053105	4
346	Functional nanoarrays for investigating stem cell fate and function. 2020 , 12, 9306-9326	8
345	Surface/Interface Engineering for Constructing Advanced Nanostructured Photodetectors with Improved Performance: A Brief Review. 2020 , 10,	21
344	Large-Scale Ultrathin 2D Wide-Bandgap BiOBr Nanoflakes for Gate-Controlled Deep-Ultraviolet Phototransistors. 2020 , 32, e1908242	47
343	Enhanced performances of p-si/n-ZnO self-powered photodetector by interface state modification and pyro-phototronic effect. 2020 , 71, 104630	23
342	Detection of Glycated Albumin Using a Novel Field Effect Aptasensor. 2020 , 20, 10387-10392	7
341	Recent Advances and a Roadmap to Wearable UV Sensor Technologies. 2020 , 5, 1901036	42
340	Continuous Monitoring of Air Purification: A Study on Volatile Organic Compounds in a Gas Cell. 2020 , 20,	7
339	Ultraviolet photodetectors using hollow p-CuO nanospheres/n-ZnO nanorods with a pn junction structure. 2020 , 304, 111876	19
338	Silicon nanowire core-shell PN junction phototransistors by self-assembled monolayer doping. 2020 , 31, 195201	3
337	Fastly steady UV response feature of Mn-doped ZnO thin films. 2020 , 139, 106391	6
336	PbS-quantum-dots/double-wall-carbon-nanotubes nanohybrid based photodetectors with extremely fast response and high responsivity. 2020 , 16, 100378	6
335	Inserting dome shape microstructure for enhancement of ultraviolet photodetector performance of n-ZnO nanorods/p-Si heterojunction. 2020 , 823, 153884	7
334	Growth and characterization of PbI ₂ -decorated ZnO nanowires for photodetection applications. 2020 , 825, 154095	8
333	Visible-NIR Photodetectors Based on Low-Dimensional GeSe Micro-Crystals: Designed Morphology and Improved Photoresponsivity. 2020 , 21, 397-405	4

- 332 The effect of molar ratio on the photo-generated charge activity of ZnO/ZnO composites. **2020**, 135, 1 3
- 331 Large Enhancement and Its Mechanism of Ultraviolet Emission from ZnO Nanorod Arrays at Room and Low Temperatures by Covering with Ti Coatings. **2020**, 124, 4827-4834 5
- 330 Facile synthesis of ZnO microrod photodetectors by solid-state reaction. **2020**, 825, 154110 6
- 329 Femtosecond laser surface engineering of biopolymer ceramic scaffolds coated with ZnO by low temperature atomic layer deposition method. **2020**, 52, 1 1
- 328 Cd(OH)₂@ZnO nanowires thin-film transistor and UV photodetector with a floating ionic gate tuned by a triboelectric nanogenerator. **2020**, 73, 104808 19
- 327 A Si-based InP/InGaAs nanowire array photodetector operating at telecommunication wavelength. **2020**, 40, 100794 3
- 326 A facile spray pyrolysis fabrication of Sm:CdS thin films for high-performance photodetector applications. **2020**, 306, 111952 58
- 325 Mixed-dimensional self-assembly organic/organic perovskite microcrystals for stable and efficient photodetectors. **2020**, 8, 5399-5408 9
- 324 Designed growth of porous 2D NbO with Ag nano-particles for differential detection of UV-A and UV-C. **2020**, 31, 315502 1
- 323 Ultraviolet irradiation dosimeter based on persistent photoconductivity effect of ZnO. **2020**, 29, 058504 3
- 322 Fast-Response and Self-Powered Cu₂O/ZnO Nanorods Heterojunction UV-Visible (570 nm) Photodetectors. **2020**, 167, 067507 6
- 321 Electrically Tailored Metachrosis in ZnO-C Nanowires. **2020**, 14, 5845-5854 0
- 320 Polarization driven self-biased and enhanced UV/visible photodetector characteristics of ferroelectric thin film. **2020**, 53, 275302 12
- 319 Crystalline properties of β -Ga₂O₃ film grown on c-sapphire by MOCVD and solar-blind ultraviolet photodetector. **2021**, 123, 105532 6
- 318 Improving the photoelectrical characteristics of self-powered p-GaN film/n-ZnO nanowires heterojunction ultraviolet photodetectors through gallium and indium co-doping. **2021**, 121, 105295 16
- 317 A Novel Approach of Synthesis Zinc Oxide Nanoparticles by *Bergenia ciliata* Rhizome Extract: Antibacterial and Anticancer Potential. **2021**, 31, 180-190 29
- 316 Plasmon expedited response time and enhanced response in gold nanoparticles-decorated zinc oxide nanowire-based nitrogen dioxide gas sensor at room temperature. **2021**, 582, 658-668 8
- 315 Current and future perspectives of carbon and graphene quantum dots: From synthesis to strategy for building optoelectronic and energy devices. **2021**, 135, 110391 52

314	UV-photocurrent response of zinc oxide based devices: Application to ZnO/PEDOT:PSS hybrid Schottky diodes. 2021 , 121, 105339	9
313	Reduction of interface state density in coaxial TiO ₂ /Ge nanowire assembly-based heterostructure and superior photodetection. 2021 , 853, 157344	5
312	ZnS microspheres-based photoconductor for UV light-sensing applications. 2021 , 763, 138162	18
311	Status and Outlook of Metal/Inorganic Semiconductor/Metal Photodetectors. 2021 , 15, 2000401	23
310	Impact of surface defects in electron beam evaporated ZnO thin films on FET biosensing characteristics towards reliable PSA detection. 2021 , 537, 147895	5
309	Enhanced photodetector performance in gold nanoparticle decorated ZnO microrods. 2021 , 171, 110813	2
308	Recent Advance in Carbon Dots: From Properties to Applications. 2021 , 39, 1364-1388	7
307	Emerging low-dimensional materials for mid-infrared detection. 2021 , 14, 1863-1877	7
306	Solution-processed ZnO:graphene quantum dot/Poly-TPD heterojunction for high-performance UV photodetectors. 2021 , 539, 148222	10
305	Synthesis and development of solid-state X-ray and UV radiation sensor. 2021 , 159-172	
304	Surface and interface effects: properties of nanostructured ZnO. 2021 , 253-287	
303	Fiber-Based Sensors and Energy Systems for Wearable Electronics. 2021 , 11, 531	8
302	Piezoelectric properties of ZnO. 2021 , 717-736	0
301	Celebrating 20 years of. <i>Nano Letters</i> , 2021 , 21, 1-2	11.5 1
300	Enhanced performance of ZnO nanorod array/CuSCN ultraviolet photodetectors with functionalized graphene layers. 2021 , 11, 7682-7692	13
299	Enhanced photosensing by Mg-doped ZnO hexagonal rods via a feasible chemical route. 2021 , 32, 6475-6486	3
298	Lateral photovoltaic effect based on novel materials and external modulations. 2021 , 54, 153003	3
297	Avalanche Effect and High External Quantum Efficiency in MgZnO/Au/ZnO Sandwich Structure Photodetector. 2021 , 9, 2002023	4

296	Negative photoconductivity in low-dimensional materials*. 2021 , 30, 028507	7
295	Surface photovoltage response of zinc oxide microrods on prismatic planes: effect of UV, temperature and oxygen ambience. 2021 , 32, 6414-6424	3
294	Methylammonium Chloride reduces the bandgap width and trap densities for efficient perovskite photodetectors. 2021 , 56, 9242-9253	6
293	Solution-processed flexible MAPbI photodetectors with ZnO Schottky contacts. 2021 , 29, 7833-7843	4
292	Enhancing the performance of photodetectors based on ZnO nanorods decorated with Ag nanoparticles. 2021 , 36, 045009	2
291	The Highly Uniform Photoresponsivity from Visible to Near IR Light in SbTe Flakes. 2021 , 21,	1
290	Enhancing the Ultraviolet Photocurrent and Response Speed of Zinc Oxide Nanoflowers using Surface Plasmons of Gold Nanoparticles and a Graphene Membrane. 2021 , 15, 2000512	1
289	Skin Electronics: Next-Generation Device Platform for Virtual and Augmented Reality. 2021 , 31, 2009602	42
288	Comparison of Thermal Annealing Hydrothermal Treatment Effects on the Detection Performances of ZnO Nanowires. 2021 , 13, 10537-10552	5
287	Gate-controlled amplifiable ultraviolet AlGaIn/GaN high-electron-mobility phototransistor. 2021 , 11, 7172	3
286	High-Performance MoS Photodetectors Prepared Using a Patterned Gallium Nitride Substrate. 2021 , 13, 15820-15826	11
285	The influence of thermal annealing on the photoconducting properties of BaSnO ₃ films. 2021 , 118, 132101	0
284	A Strategic Review on Gallium Oxide Based Deep-Ultraviolet Photodetectors: Recent Progress and Future Prospects. 2021 , 9, 2002160	62
283	Non-enzymatic glucose sensor and photocurrent performance of zinc oxide quantum dots supported multi-walled carbon nanotubes. 2021 , 265, 115036	12
282	High performance mid-wave infrared photodetector based on graphene/black phosphorus heterojunction. 2021 , 8, 035602	1
281	Liquid-Exfoliated 2D Materials for Optoelectronic Applications. 2021 , 8, e2003864	23
280	Electron Irradiation Effect on Van Der Waals Transistor for High-Detectivity Near-Infrared Photodetectors. 2021 , 68, 318-324	2
279	Synthesis, Characterization and Optoelectronic device application of ZnO nano structure. 2021 , 1795, 012031	4

278	Rational design of high-quality 2D/3D perovskite heterostructure crystals for record-performance polarization-sensitive photodetection. 2021 , 8, nwab044	7
277	Improved Long-Term Stability and Reduced Humidity Effect in Gas Sensing: SiO ₂ Ultra-Thin Layered ZnO Columnar Films. 2021 , 6, 2001137	8
276	Calibrate Silicon Nanowires Field Effect Transistor Sensor with its Photoresponse. 2021 ,	0
275	Wide-Band-Gap Semiconductors for Biointegrated Electronics: Recent Advances and Future Directions. 2021 , 3, 1959-1981	4
274	Flexible ultraviolet detector with robust ZnO nanoparticle nanoassemblies on catechol-functionalized polysiloxane nanofilms. 2021 , 138, 50947	1
273	High Performance UV-B Photodetector Based on Highly (200)-Oriented SnO ₂ Film With a Hydrophobic PTFE Passivation Layer. 2021 , 21, 9825-9832	1
272	High-Performance Flexible Self-Powered Photodetectors Utilizing Spontaneous Electron and Hole Separation in Quasi-2D Halide Perovskites. 2021 , 17, e2100442	8
271	Transient photodetection studies on 2D ZnO nanostructures prepared by simple organic-solvent assisted route. 2021 , 321, 112600	11
270	High-Performance Photodetectors Based on Nanostructured Perovskites. 2021 , 11,	10
269	Recent Progress on Electrical and Optical Manipulations of Perovskite Photodetectors. 2021 , 8, e2100569	37
268	Flexible ultraviolet photodetector based on single ZnO microwire/polyaniline heterojunctions. 2021 , 29, 19202-19213	14
267	Photoelectrical Properties of High-index Facets ZnO Nanobelts. 2021 , 50, 1045-1048	1
266	Development of highly sensitive and ultra-fast visible-light photodetector using nano-CdS thin film. 2021 , 127, 1	4
265	Unconventionally anisotropic growth of PbSe nanorods: Controllable fabrication under solution-solid-solid regime over Ag ₂ Se catalysis for broadband photodetection. 2021 , 14, 3386-3394	2
264	Dual-wavelength ultraviolet photodetector based on vertical (Al,Ga)N nanowires and graphene.	2
263	Improved CsPbBr ₃ visible light photodetectors via decoration of sputtered Au nanoparticles with synergistic benefits.	4
262	Highly responsive ZnO nanorods array ultraviolet photodetectors modified with reduced graphene oxide layer. 2021 , 54, 315104	5
261	Engineering nitrogen- and hydrogen-related defects in ZnO nanowires using thermal annealing. 2021 , 5,	3

260	Investigation of MgIn ₂ O ₄ MSM UV Photodetector With Different Oxygen Flow Ratios and Post-Annealing Temperatures. 2021 , 10, 055014	1
259	UV Light-Induced Reversible Wettability and Sensing Performance for Ca/Mg-Doped ZnO Nanostructures via Chemical Bath Deposition. 2021 , 50, 4016-4026	0
258	A Visible-Blind Photodetector and Artificial Optoelectronic Synapse Using Liquid-Metal Exfoliated ZnO Nanosheets. 2021 , 9, 2100449	16
257	A self-powered UV photodetector based on the hydrovoltaic and photoelectric coupling properties of ZnO nanowire arrays. 2021 , 867, 159073	8
256	High-Performance Visible Light Photodetector Based on BiSeI Single Crystal. 2021 , 38, 068103	4
255	Impressive Response of Spin-Coated ZnO Nanoparticle UV-Sensitive Devices with Various Thicknesses under Different UV Intensities. 2021 , 50, 5375	2
254	A New Wide Bandgap Semiconductor: Carbyne Nanocrystals. 2021 , 31, 2104254	1
253	Monolithic integrated multifunctional photoelectrochemical device for smart ultraviolet management. 2021 , 20, 100676	2
252	A Type-I n-ZnO Nanowire/n ⁺ -Si Heterojunction With High Photoresponse For Photovoltaic Applications. 2021 ,	
251	Chlorophylls as Molecular Semiconductors: Introduction and State of Art. 2100245	2
250	Active-Matrix-Based Flexible Optical Image Sensor. 2021 , 6, 2100259	4
249	Tunable fabrication of single-crystalline CsPbI ₃ nanobelts and their application as photodetectors. 2021 , 28, 1030-1037	6
248	Lattice Defect Engineering Enables Performance-Enhanced MoS Photodetection through a Paraelectric BaTiO Dielectric. 2021 ,	4
247	Performances analysis of InP/InGaAs heterojunction bipolaire phototransistor for different base thicknesses. 2021 , 53, 1	
246	Ultra-Flexible Visible-Blind Optoelectronics for Wired and Wireless UV Sensing in Harsh Environments. 2021 , 6, 2001125	1
245	Evidence of Piezoelectric Potential and Screening Effect in Single Highly Doped ZnO:Ga and ZnO:Al Nanowires by Advanced Scanning Probe Microscopy. 2021 , 125, 15373-15383	6
244	Controlled Doping Engineering in 2D MoS Crystals toward Performance Augmentation of Optoelectronic Devices. 2021 , 13, 31861-31869	1
243	High Performance Self-Driven Polarization-Sensitive Photodetectors Based on GeAs/InSe Heterojunction. 2021 , 9, 2101017	18

242	Temperature dependant high output voltage generation via mechanical transducer by using surface modified (O ₂ , CO ₂ , NO ₂) ZnO nanowires. 2021 , 248, 111614	2
241	Progress in ZnO Nanosensors. 2021 , 21,	9
240	Oxygen Adsorption and Photoconduction Models for Metal Oxide Semiconductors: A Review. 2021 , 21, 16409-16427	1
239	Transfer-Printed Nanoscale Poly(3-hexylthiophene-2,5-diyl) Layers for Organic Photodetectors.	1
238	One-dimensional electrospun ceramic nanomaterials and their sensing applications.	2
237	Overcoming the Challenges Associated with the InN/InGaN Heterostructure via a Nanostructuring Approach for Broad Band Photodetection. 2021 , 3, 4243-4253	2
236	Improved Photoresponse Characteristics of a ZnO-Based UV Photodetector by the Formation of an Amorphous SnO Shell Layer. 2021 , 21,	0
235	Electrochemical Preparation of ZnO/PEDOT-Type Conducting Polymers Composites for Ultraviolet Photodetector. 2021 , 6, 9427-9434	
234	Fast Response GaAs Photodetector Based on Constructing Electron Transmission Channel. 2021 , 11, 1160	0
233	Switch type PANI/ZnO core-shell microwire heterojunction for UV photodetection. 2021 , 105, 259-259	60
232	An artificial optoelectronic synapse based on an InAs nanowire phototransistor with negative photoresponse. 2021 , 53, 1	1
231	Recent Progress on Metal-Based Nanomaterials: Fabrications, Optical Properties, and Applications in Ultrafast Photonics. 2107363	6
230	Effect of grain grain boundary on ZnO nanorod-based UV photosensor: a complex impedance spectroscopic study. 1	0
229	Alloying induced disorder and localized excitonic states in ternary Be _x Zn _{1-x} O thin films. 2021 , 874, 159867	2
228	Electrically or chemically tunable photodetector with ultra high responsivity using graphene/InN nanowire based mixed dimensional barristors. 2021 , 32,	2
227	Nanoscale X-ray detectors based on individual CdS, SnO ₂ and ZnO nanowires. 2021 , 1014, 165736	0
226	Structure and anomalous light scattering of Er-doped transparent glass-ceramics containing ZnO nanocrystals. 2021 , 571, 121067	3
225	Wide-bandgap semiconductor microtubular homojunction photodiode for high-performance UV detection. 2021 , 887, 161429	3

224	High-mobility induced high-performance self-powered ultraviolet photodetector based on single ZnO microwire/PEDOT:PSS heterojunction via slight ga-doping. 2021 , 93, 33-40	11
223	Effect of gamma ray irradiation on structural and surface properties of c-axis oriented ZnO thin films. 2021 , 189, 109750	0
222	Enhanced photocurrent of self-powered ultraviolet photodetectors based on Ba _{1-x} Sr _x TiO ₃ ceramics via ferroelectric polarization. 2021 , 885, 161177	2
221	Surface-dominant transport properties in MoSe ₂ nanosheets. 2022 , 135, 114988	1
220	ZnO in solar cell and ultraviolet detectors. 2021 , 319-350	
219	Tuning Electrical Properties of Amorphous Ga ₂ O ₃ Thin Films for Deep UV Phototransistors. 2021 , 1-1	7
218	Pd Nanoparticle Adsorption ZnO Nanorods for Enhancing Photodetector UV-Sensing Performance. 2021 , 9, 265-270	2
217	Using Novel Semiconductor Features to Construct Advanced ZnO Nanowires-Based Ultraviolet Photodetectors: A Brief Review. 2021 , 9, 11954-11973	5
216	Plasmonic Photonic Crystals Induced Two-Order Fluorescence Enhancement of Blue Perovskite Nanocrystals and Its Application for High-Performance Flexible Ultraviolet Photodetectors. 2018 , 28, 1804429	75
215	Nanowire Field Effect Transistors in Optoelectronics. 2014 , 187-224	1
214	ZnO and GaN Nanostructures and their Applications. 2009 , 459-505	1
213	Recent Advances in GaN Nanowires: Surface-Controlled Conduction and Sensing Applications. 2012 , 295-315	2
212	The Enhancement of Visible Photodetector Performance based on Mn doped ZnO Nanorods by Substrate Architecting. 2020 , 311, 112085	4
211	Integration Techniques for Micro/Nanostructure-based Large-Area Electronics. 2018 ,	12
210	Photo-Triggered Logic Circuits Assembled on Integrated Illuminants and Resonant Nanowires. 2020 , 12, 46501-46508	15
209	Enhancing Sunlight Control of Interfacial Magnetism by Introducing the ZnO Layer for Electron Harvesting. 2021 , 13, 2018-2024	4
208	High-responsivity broad-band sensing and photoconduction mechanism in direct-Gap HnSe nanosheet photodetectors. 2020 , 31, 465201	6
207	Boosting the performance of ZnO microrod metal-semiconductor-metal photodetectors via surface capping of thin amorphous AlO shell layer. 2020 , 31, 485207	8

206	A study of n-doping in self-catalyzed GaAsSb nanowires using GaTe dopant source and ensemble nanowire near-infrared photodetector. 2020 , 31, 505203	9
205	The effects of sub-bandgap transitions and the defect density of states on the photocurrent response of a single ZnO-coated silica nanospring. 2021 , 32, 035202	2
204	Nanoscale mapping of carrier collection in single nanowire solar cells using X-ray beam induced current. 2019 , 26, 102-108	9
203	Unleashing the potential of molecular beam epitaxy grown AlGaN-based ultraviolet-spectrum nanowires devices. 2018 , 12, 1	19
202	Impact of channel scaling on performance of single SiC nanowire UV photodetector. 2019 , 13, 1	1
201	Influence of annealing to the defect of inkjet-printed ZnO thin film. 2018 ,	1
200	Solution-possessed vertical photodetectors based on composition-dependent cesium lead halide (CsPbX ₃ , X = Cl, Br, and I) perovskite quantum dots. 2019 ,	1
199	ZnO as a platform for quantum photonics. 2019 ,	1
198	Fabrication and Characterization of UV Photodetectors with Cu-Doped ZnO Nanorod Arrays. 2020 , 167, 027522	22
197	Ultraviolet luminescence enhancement of planar wide bandgap semiconductor film by a hybrid microsphere cavity/dual metallic nanoparticles sandwich structure. 2019 , 27, 15399-15412	11
196	Enhancement of the UV emission from gold/ZnO nanorods exhibiting no green luminescence. 2020 , 10, 1476	10
195	Flexible and stretchable inorganic optoelectronics. 2019 , 9, 4023	26
194	Strain enhancement for a MoS ₂ -on-GaN photodetector with an Al ₂ O ₃ stress liner grown by atomic layer deposition. 2020 , 8, 799	17
193	High detectivity photodetectors based on perovskite nanowires with suppressed surface defects. 2020 , 8, 1862	12
192	Solar-blind ultraviolet photodetector based on vertically aligned single-crystalline EGa ₂ O ₃ nanowire arrays. 2020 , 9, 4497-4503	9
191	Controlled growth of ZnO layers and nanowires using methane as reducing precursor. 2017 , 32, 4087-4094	7
190	High-performance Ultraviolet Photodetectors Based on ZnO Nanostructures. 2018 , 6, 1-5	4
189	Review on the Properties of Boron-Doped Diamond and One-Dimensional-Metal-Oxide Based P-N Heterojunction Optoelectronic. 2020 , 26,	5

188	Fabrication and Characteristics of Fast Photo Response ZnO/Porous Silicon UV Photoconductive Detector. 2011 , 01, 70-77	14
187	Ultraviolet Photodetection Properties of ZnO/Si Heterojunction Diodes Fabricated by ALD Technique Without Using a Buffer Layer. 2014 , 14, 117-123	42
186	Fabrication and fast photoresponse properties of ZnO nanowires photodetectors. 2012 , 61, 052901	4
185	On-chip fabrication of lateral growth ZnO nanowire array UV sensor. 2016 , 65, 118104	6
184	UV Photodetectors Based on ZnO Nanorods: Role of Defect-Concentration. 2011 , 50, 100206	3
183	Ultraviolet Photoresponse Properties of Single-Walled Carbon Nanotubes Decorated with Thickness-Controlled ZnO Layer by Pulsed Laser Deposition. 2012 , 51, 055104	1
182	Visible-Blind Photodetector Based on p-i-n Junction 4H-SiC Vertical Nanocone Array. 2021 , 1-8	2
181	Improved SERS sensing on biosynthetically grown self-cleaning plasmonic ZnO nano-leaves. 2021 , 45, 20895-20903	
180	Leaky Mode Resonance-Induced Sensitive Ultraviolet Photodetector Composed of Graphene/Small Diameter Silicon Nanowire Array Heterojunctions. 2021 , 15, 16729-16737	4
179	Impurity-Induced Robust Trionic Effect in Layered Violet Phosphorus. 2101538	3
178	Interface Engineering in 1D ZnO-Based Heterostructures for Photoelectrical Devices. 2106887	5
177	Centimeter-Sized Single Crystal of a One-Dimensional Lead-Free Mixed-Cation Perovskite Ferroelectric for Highly Polarization Sensitive Photodetection. 2021 , 143, 16758-16767	15
176	Brief Review of Photocatalysis and Photoresponse Properties of ZnO/Graphene Nanocomposites. 2021 , 14, 6403	0
175	Nanosensors: Controlling Transduction Mechanisms at the Nanoscale Using Metal Oxides and Semiconductors. 2009 , 1-51	
174	Comprehensive Survey for the Frontier Disciplines. 2011 , 60, 107307	4
173	Fabrication of In-Al codoped ZnO nanobunches photodetectors. 2012 , 61, 057201	2
172	Recent Advances in the Design of Photodetectors Based on Thin-Film and Nanostructured ZnO. 2013 , 153-188	
171	High Ultraviolet Photoresponse from ZnO Nanorod Arrays. 2013 ,	

- 170 Control of ZnO Nano-Crystals Synthesized by Nanoparticle-Assisted Pulsed Laser Deposition Using Buffer Layer and Laser Irradiation. **2014**, 149-173
- 169 Design Challenges and Considerations for Nanomedical Electronic Entities and Infrastructure. **2013**, 207-258
- 168 Electrical and Optical Enhancement Properties of Metal/Semimetal Nanostructures for Metal Oxide UV Photodetectors. **2014**, 1177-1198
- 167 Frabrication and properties of self-powered ultraviolet detectors based on one-demensional ZnO nanomaterials. **2015**, 64, 172901 1
- 166 Size- and Shape-Controlled ZnO Nanostructures for Multifunctional Devices. **2016**, 39-94 0
- 165 Si nanowires for evolutionary nanotechnology. **2017**, 515-536
- 164 Introduction. **2018**, 1-6
- 163 Highly photosensitive vertical photodetectors based on CsPbBr₃ and PbS quantum dot layered heterojunction. **2018**,
- 162 Enhanced Photodetection in Visible Region in rGO/GaN Based Hybrid Photodetector. **2019**, 3-6
- 161 UV nanophotodetector based on a single ZnO:Au nanowire functionalized with Au-nanoparticles. **2020**,
- 160 Growth of less than 20 nm SnO Nanowire Using AAO Template for Gas Sensing. 990, 325-329 1
- 159 Synthesis of carbon nanotubes and ZnO nanocomposites for IR sensing. **2021**, 127, 1
- 158 Efficient UV-visible photodetector based on single CuO/Cu₂O core-shell nanowire. **2021**, 895, 162546 4
- 157 Investigating the impact of metallic nanoparticles on performance of nanowire-based plasmonic photodetectors. **2020**, 14, 406-410 1
- 156 Transparent Photodetector Based on Polyoxometalates Modified Electrospun ZnO Homojunction Nanowires Intersection Array. 3
- 155 CHAPTER 10:Functionalization and Useful Properties and Potential Applications of Nanowires. **2021**, 541-584
- 154 Ab Initio Simulations of Semiconductor Surfaces and Interfaces. **2020**, 119-153
- 153 S Doped ZnO Nanowires@PAN Nanofibrous Membranes for Photocatalytic Degradation of Dye. **2020**, 14, 56-63

152	Defects mediated optical emissions and efficient photodetection characteristics of sol-gel derived Ag-doped ZnO nanostructures for UV sensor. 2021 , 308, 131242		1
151	Modification of the photoconducting properties of ZnO thin films via low-temperature annealing and air exposure. 2020 ,		0
150	ZnO Wheatstone bridge for UV light detection. 2021 ,		
149	Tape-based novel ZnO nanoaggregates photodetector. 2021 , 113210		
148	A New Approach to Designing High-Sensitivity Low-Dimensional Photodetectors. <i>Nano Letters</i> , 2021 , 21, 9838-9844	11.5	1
147	Perovskites Enabled Highly Sensitive and Fast Photodetectors. 2022 , 383-409		
146	Reversible Manipulation of Photoconductivity Caused by Surface Oxygen Vacancies in Perovskite Stannates with Ultraviolet Light. 2021 , e2107650		3
145	UV-C-Sensitive Single-Channel Panoramic Detector via Mn-Doped Quantum Dots Encapsulated in SiO ₂ Film. 2021 , 1-8		
144	Small-diameter p-type SnS nanowire photodetectors and phototransistors with low-noise and high-performance.. 2021 ,		2
143	Chemical growth and study of low intensity sensing ability of nanobranched and nanorod structured SnO ₂ UV detector. 2022 , 10, 106981		2
142	Synthesis and characterization of ZnO nanoflowers by using simple spray pyrolysis technique. 2022 , 189, 108225		0
141	Gate tunable photoresponse of a two-dimensional p-n junction for high performance broadband photodetector. 2022 , 26, 101285		1
140	Role of layer thickness and field-effect mobility on photoresponsivity of indium selenide (InSe)-based phototransistors. 2020 , 1,		2
139	AIE-active macromolecules: designs, performances, and applications. 2021 , 13, 8-43		1
138	Sunlight Control of Ferromagnetic Damping in Photovoltaic/Ferromagnetic Heterostructures. 2111652		0
137	Impact of base bias current and incident optical power on the InP/InGaAs heterojunction phototransistor performances. 2022 , 123, 111888		0
136	Vapor-Liquid-Solid growth of highly stoichiometric gallium phosphide nanowires on silicon: restoration of chemical balance, congruent sublimation and maximization of band-edge emission. 1		0
135	Engineering sensitivity and spectral range of photodetection in van der Waals materials and hybrids. 2022 , 3, 014001		1

134	Rich device physics found in photoresponses of low-dimensional photodetectors by fitting with explicit photogain theory. 2022 , 1-1	
133	Assessing the electrical activity of individual ZnO nanowires thermally annealed in air.	1
132	Enhanced photocatalytic activity of chemically deposited ZnO nanowires using doping and annealing strategies for water remediation. 2022 , 582, 152323	1
131	Self-powered photodetector for ultralow power density UV sensing. 2022 , 43, 101399	13
130	The nanowire length dependence of the photoresponse and Pyro-phototronic response in the ZnO-based heterojunctions. 2022 , 95, 107004	3
129	Realization of Specific Localized Surface Plasmon Resonance in Au-Modified Ni Nanoplasmonics for Efficient Detection. 2022 , 586, 152288	0
128	FIB-Assisted Fabrication of Single Tellurium Nanotube Based High Performance Photodetector.. 2021 , 13,	0
127	Laser Heating Modulated Low Noise Level Thermoelectric Measurement System for Photo-Seebeck Test Bed. 2022 , 33, 46-51	
126	Fabrication and Application of Different Nanostructured ZnO in Ultraviolet Photodetectors: A Review. 2022 , 1-1	2
125	Modulating the growth of chemically deposited ZnO nanowires and the formation of nitrogen- and hydrogen-related defects using pH adjustment. 2022 , 4, 1793-1807	1
124	All-Carbon-Based Highly Integrated Wearable Healthcare Electronics for Skin Protection from Ultraviolet Irradiation.	
123	Surface Engineering of Quantum Dots for Self-Powered Ultraviolet Photodetection and Information Encryption.. 2022 ,	2
122	Upconversion under Photon Trapping in ZnO/BN Nanoarray: An Ultrahigh Responsivity Solar-Blind Photodetecting Paper.. 2022 , e2200563	2
121	The dual-detection mode and improved photoresponse of IGZO-based photodetectors by interfacing with water-soluble biomaterials.. 2022 ,	0
120	Solar-Blind UV Photodetector with Low-Dark current and High-Gain Based on ZnO/Au/Ga2O3 Sandwich structure. 2022 , 100673	5
119	Aligned deposition of bottom-up grown nanowires by two-directional pressure-controlled contact printing.. 2022 ,	0
118	Modulating the Midgap States of 3D \times 2D Hybrid ZnO by Codoping and Its Effect on Visible Photocatalysis. 2022 , 61, 4244-4254	0
117	Advances in Self-Powered Ultraviolet Photodetectors Based on P-N Heterojunction Low-Dimensional Nanostructures.. 2022 , 12,	3

- 116 A Ferroelectric p-n Heterostructure for Highly Enhanced Short-Circuit Current Density and Self-Powered Photodetection. 2101385 4
- 115 High-performance dual-mode ultra-thin broadband CdS/CIGS heterojunction photodetector on steel.. 2022, 30, 13875-13889 1
- 114 Large-scale, single-oriented ZnO nanostructure on h-BN films for flexible inorganic UV sensors. 2021, 130, 223105 0
- 113 Raman Anisotropy and Polarization-Sensitive Photodetection in 2D BiOSe-WSe Heterostructure.. 2021, 6, 34763-34770 4
- 112 Fabrication of graphene/ZnO heterostructure-based flexible and thin platform-based UV detector. 2022, 33, 3880-3890 0
- 111 New Comparative Study of High-Sensitivity H₂Gas Sensors at Room Temperature Based on ZnO NWs Grown on Si and PS/Si Substrates without Catalyst by Wet Thermal Evaporation Method. 2021, 2114, 012087 0
- 110 Enhanced photoresponse of nanostructured ZnO-based flexible photodetectors. 2021, 0 0
- 109 Quartz Crystal Microbalance Based UVA and UVC Sensor. 2022, 1-1 0
- 108 UV-Activated NO₂ Gas Sensing by Nanocrystalline ZnO: Mechanistic Insights from Mass Spectrometry Investigations. 2022, 10, 147 3
- 107 Controllable preparation and photocatalytic activity of hierarchical flower-like microspheres clustered by ZnO porous nanosheets. 2022, 111552 1
- 106 Image1.TIF. 2018, 0
- 105 Image2.TIF. 2018, 0
- 104 Zinc oxide nanostructures. 2022, 235-262 0
- 103 Hydrothermal Synthesis of ZnO Nanoparticles for Photocatalytic Degradation of Methyl Orange and Cytotoxicity Study.. 2022, 23, 0
- 102 High-Performance Visible Light Photodetector Based on 1D SnO₂ Nanofibers with a Ti₃C₂T_x (MXene) Electron Transport Layer. 3
- 101 Carbon Nitride Thin Film-Sensitized Graphene Field-Effect Transistor: A Visible-Blind Ultraviolet Photodetector. 2200313 0
- 100 Photokilling of waterborne resistant pathogenic bacteria using cobalt doped zinc oxide doped on reduced graphene oxide nanoparticles. 0
- 99 Performance improvement in amorphous zinc tin oxide ultraviolet photodetectors using an asymmetric pair of interdigitated electrodes. 2022, 413970 0

98	Enhanced optoelectronic performance and photogating effect in quasi-one-dimensional BiSeI wires. 2022 , 120, 201101	1
97	A Multifunctional and Efficient Artificial Visual Perception Nervous System with Sb ₂ Se ₃ /CdS-Core/Shell (SC) Nanorod Arrays Optoelectronic Memristor. 2203454	6
96	2D Materials for Efficient Photodetection: Overview, Mechanisms, Performance and UV-IR Range Applications. 10,	5
95	Responsivity Characteristics of ZnO Schottky Ultraviolet Photodetectors with High Gain.	
94	Ultraviolet Response in Coplanar Silicon Avalanche Photodiodes with CMOS Compatibility. 2022 , 22, 3873	
93	High-performance solar-blind photodetector arrays constructed from Sn-doped Ga ₂ O ₃ microwires via patterned electrodes.	3
92	Engineered Surface Halide Defects by Two-Dimensional Perovskite Passivation for Deformable Intelligent Photodetectors.	1
91	A Highly Responsive Hydrogen-Terminated Diamond Based Phototransistor. 2022 , 1-1	1
90	Epitaxial Growth of Lead-Free 2D Cs ₃ Cu ₂ I ₅ Perovskites for High-Performance UV Photodetectors. 2201715	4
89	High responsivity and flexible deep-UV phototransistor based on Ta-doped Ga ₂ O ₃ . 2022 , 6,	1
88	Highly transparent oxide-based ultraviolet photodetectors for flexible electronics.	0
87	Ultrasensitive Solar-blind Ultraviolet Photodetector Based on FePSe ₃ /MoS ₂ Heterostructure Response to 10.6 μm. 2204230	3
86	High-Temperature Operation of v-MoS ₂ Nanowalls/TiO ₂ Photodetectors with Excellent Performances. 2022 , 153904	0
85	Solar light performances of n-ZnO nanorods/p-Si-based photodetectors under high illumination intensity. 2022 , 33, 15222-15231	
84	Ultrabroadband Photodetector Based on Ferromagnetic van der Waals Heterodiode. 2200208	0
83	Ohmic-Schottky conversion of ZnO/metal contact modulated by a plasma surface treatment method. 2022 , 15, 100290	
82	Heterostructure MoS ₂ @ZnO nanowires: Preparation, ultrafast nonlinear optical behavior and photoelectric functional application. 2022 , 599, 153920	1
81	Metal oxide-based photodetectors (from IR to UV). 2022 , 117-150	

80	A photoelectric synapse based on optimized perovskite CH ₃ NH ₃ PbBr ₃ quantum dot film detectors. 2022 , 120, 261112		1
79	Influence of the distance between nozzle and substrate on the structural, photoluminescence, and detector characteristics of p-NiO/n-Si hetero-junction deposited by spray pyrolysis method. 2022 , 54,		
78	Strategy for Addressing the Low Quantum Efficiency of Nanowire Photodetectors.		0
77	Inorganic/Organic Hybrid Phototransistor Array with Enhanced Photogating Effect for Dynamic Near-Infrared Light Sensing and Image Preprocessing. <i>Nano Letters</i> , 2022 , 22, 5434-5442	11.5	3
76	Boosting the performance of crossed ZnO microwire UV photodetector by mechanical contact homo-interface barrier.		
75	Multifunctional Two-Terminal Optoelectronic Synapse Based on Zinc Oxide/Poly(3-hexylthiophene) Heterojunction for Neuromorphic Computing. <i>ACS Applied Polymer Materials</i> ,	4.3	5
74	Laser engineering of ITO/ZnO/ITO structures for photodetector applications. <i>Journal of Laser Applications</i> , 2022 , 34, 032006	2.1	
73	Fabrication and UV photoresponse of ordered ZnO nanonets using monolayer colloidal crystal template. <i>Micro and Nano Engineering</i> , 2022 , 100160	3.4	1
72	Photoelectric properties of tellurium nanowires by a green thermal solvothermal method. 2022 , 12, 511-517		
71	Polarization-Resolved p-Se/n-WS ₂ Heterojunctions toward Application in Microcomputer System as Multivalued Signal Trigger. 2022 , 18, 2202523		1
70	CVD approach to a single gallium oxide nanowire for solar-blind UV detector.. 2022 , 02,		
69	Fully Depleted Self-Aligned Heterosandwiched Van Der Waals Photodetectors. 2203283		9
68	Pulsed laser melting in liquid for crystalline spherical submicrometer particle fabrication□ Mechanism, process control, and applications □ 2022 , 101004		1
67	Synthesis, properties, and applications of carbyne nanocrystals. 2022 , 151, 100692		
66	Lithium activated enhancement in UV-photo response of europium doped ZnO thin film. 2022 , 291, 126661		0
65	Synergetic Effect of Photoconductive Gain and Persistent Photocurrent in a High-Photoresponse Ga ₂ O ₃ Deep-Ultraviolet Photodetector. 2022 , 69, 5595-5602		1
64	Fabrication of manganese ferrite on laser scribed carbon electrode for carbon-semiconductor-carbon based Infrared Photodetectors. 2022 , 152, 107055		0
63	Broaden spectral response of ZnO nanorod arrays by NiO modulation. 2022 , 252, 119319		0

62	Self-powered ZnO-based pyro-phototronic photodetectors: impact of heterointerfaces and parametric studies. 2022 , 10, 12487-12510	3
61	Pentacene-Based Hybrid Photodetectors: A Review. 2022 , 617-626	0
60	Electrospun Tri-Cation Perovskite Nanofibers for Infrared Photodetection. 2207326	1
59	Anisotropy Engineering of ZnO Nanoporous Frameworks: A Lattice Dynamics Simulation. 2022 , 12, 3239	0
58	Electrically tunable spectral response in vertical nanowire arrays. 2022 , 121, 132102	0
57	Effect of annealing temperature on response time of ZnO photoconductor fabricated using thermal evaporation technique. 2022 , 97, 115806	0
56	Nickel Doped Zinc Oxide Thin Films for Visible Blind Ultraviolet Photodetection Applications.	0
55	II-VI Semiconductor Quantum Dots: The Evolution of Color Purity with Structure. 2022 , 181-221	0
54	Development of Tetrapod Zinc Oxide-Based UV Sensor for Precision Livestock Farming and Productivity. 2022 , 12, 837	0
53	Engineering the Polarization Sensitivity in All-2D Photodetectors Composed of Semimetal MoTe ₂ and Semiconductor WS ₂ . 2201902	0
52	Observation of Controllable Negative Differential Resistance Behaviors through Morphology-Dependent Zinc Oxide/p-Si Heterointerface Structures. 2201028	0
51	Al nanoparticles decorated Er:TiO ₂ thin film based plasmonic photodetector. 2022 ,	0
50	Nanowires for UV-Vis-IR Optoelectronic Synaptic Devices. 2208807	2
49	PtSe ₂ Field-Effect Phototransistor with Positive and Negative Photoconductivity.	1
48	Fast response photodetector analysis based on NiO nanowire using a catalyst-free technique. 2022 , 128,	0
47	Precursor mediated and defect engineered ZnO nanostructures using thermal chemical vapor deposition for green light emission. 2022 , 762, 139539	0
46	Optoelectronic properties of hollow spheroid (ZnO) _m quantum dots with nanotube (carbon and ZnO) nanocomposites in the solvent phase [A DFT/TD-DFT study. 2023 , 287, 116129	0
45	High-photosensitive ultraviolet photodetector based on an n-ZnO microwire/p-InGaN heterojunction. 2023 , 146, 115562	0

44	Bias-Switchable Photodetector from Broad-Band to UV-Selective Detection Mode Leveraging Nanolayered Dual-Schottky Junction.	0
43	Zn(Li)O nanorods for direct conversion X-ray sensors in the intra-oral energy range. 2022 , 128,	0
42	Rational design of graphite carbon nitride-decorated zinc oxide nanoarrays on three-dimensional nickel foam for the efficient production of reactive oxygen species through stirring-promoted piezophotocatalysis. 2022 ,	1
41	High responsivity n-ZnO nanorods/p-GaN heterojunction-based UV-A photodetectors.	0
40	Influence of deposition power and annealing on the performance of RF-sputtered SnS for infrared photodetection. 2022 , 104468	0
39	Theoretical investigations of functionalization of graphene and ZnO monolayers with mercaptopurine at aqueous media: A dispersion-corrected DFT calculations and molecular dynamic simulations. 2023 , 369, 120865	1
38	Piezo- and photo-voltage field-effect transistor. 2023 , 105, 108025	0
37	Mixed dimensional Transition Metal Dichalcogenides (TMDs) vdW Heterostructure based Photodetectors: A review. 2023 , 269, 111926	0
36	Fabrication of low-cost and fast-response visible photodetector based on ZnS:Mn/p-Si heterojunction. 2023 , 155, 107226	0
35	High performance self-powered UV photodetection by ZnO/Cu ₃ N core-shell nanorod heterostructures via p-n junction formation. 2023 , 936, 168157	0
34	Investigation of charge carrier dynamics in beaded ZnO nanowire decorated with SnS ₂ /IrOx cocatalysts for enhanced photoelectrochemical water splitting. 2023 , 613, 156091	0
33	Facile Synthesis of Two Dimensional (2D) V ₂ O ₅ Nanosheets Film towards Photodetectors. 2022 , 15, 8313	1
32	Introduction and Types of Semiconducting Hybrid Nanostructures for Optoelectronic Devices. 2023 , 163-183	0
31	Sensitization of ZnO Photoconductivity in the Visible Range by Colloidal Cesium Lead Halide Nanocrystals. 2022 , 12, 4316	0
30	Hybrid 1D Semiconducting ZnO and GaN Nanostructures for Light-Emitting Devices. 2023 , 205-216	0
29	Facile synthesis of Flower-like ZnO loading Cellulose-Chitosan nanocomposite films by biomimetic approach with enhanced performance. 2022 , 156119	1
28	Ion-sensitive three-terminal device as a universal hybrid platform with TiO ₂ nanowires on the channel. 2023 , 1-1	0
27	High-Performance Ultraviolet Photodetectors Enabled by van der Waals Schottky Junction Based on TiO ₂ Nanorod Arrays/Au-Modulated Ti ₃ C ₂ T _x MXene. 2211610	0

26	Pyro-Phototronic Effect Enhanced Pyramid Structured p-Si/n-ZnO Nanowires Heterojunction Photodetector.	1
25	Improved sensitivity of P3HT-based photo-transistors blended with perovskite nanocrystals. 2023 , 114, 106744	0
24	Cesium tin halide perovskite quantum dots for high-performance ultraviolet photodetectors. 2023 , 257, 119700	0
23	Effect of doping on the structural, optical and electrical properties of La-doped ZnO thin films. 2023 , 34,	1
22	Surface/Interface Defect Engineering on Charge Carrier Transport toward Broadband (UV-NIR) Photoresponse in the Heterostructure Array of p-Si NWs/ZnO Photodetector.	0
21	Nanowire-Based Photodetectors for Visible-UV Spectral Region. 2023 , 371-398	0
20	Utilizing Angle-Dependent Photovoltage Effect in a CH ₃ NH ₃ PbCl ₃ /Si Heterojunction toward High-Performance Polarized Light Detection in Ultraviolet Region. 2202383	0
19	Embedded Integration of Sb ₂ Se ₃ Film by Low-Temperature Plasma-Assisted Chemical Vapor Reaction with Polycrystalline Si Transistor for High-Performance Flexible Visible-to-Near-Infrared Photodetector.	0
18	Simultaneous detection of ultraviolet irradiation and vitamin C using an all-carbon-based integrated wearable system powering by a micro-supercapacitor. 2023 , 256, 124306	1
17	Solvent-free fabrication of broadband WS ₂ photodetectors on paper. 2023 , 6, 220101-220101	0
16	Anisotropic Heavy-Metal-Free Semiconductor Nanocrystals: Synthesis, Properties, and Applications. 2023 , 123, 3625-3692	0
15	High-temporal dynamic InGa ₂₀₃ ultraviolet solar-blind photodetector via heteroepitaxy single crystalline film. 2023 , 34, 101073	0
14	Staggered heterojunction Pentacene/ZnO based organic/inorganic flexible photodetector. 2023 , 11, 100403	0
13	(ZnO) ₄₂ nanocluster: a novel visibly active magic quantum dot under first principle investigation. 2023 , 142,	0
12	Highly Sensitive and Stable Self-Powered UV Photodetector Based on Amorphous ZnGa ₂ O ₄ /NiO Type-II p/n Heterojunction via Low-Temperature and Band Alignment. 2023 , 11,	0
11	Template-Assisted Synthesis of a Large-Area Ordered Perovskite Nanowire Array for a High-Performance Photodetector. 2023 , 15, 12024-12031	0
10	High Responsivity and EQE of Single ZnO:Sb Microwire/Ti ₃ C ₂ T _x Heterojunction UV Photodetector. 2023 , 1, 745-752	0
9	Nanowires for photodetection. 2023 , 139-197	0

- 8 Synthesis, characterization, and study of the influence of energy of irradiation on physical properties and biologic activity of nickel ferrite nanostructures. **2023**, 27, 101623 ○
- 7 Twisted Crystalline Organic Semiconductor Photodetectors. 2212531 ○
- 6 High-performance metal electrode-enhanced double parallel p-n heterojunctions photodetector. **2023**, 133, 124502 ○
- 5 Analytical and Numerical Investigation of Nanowire Transistor X-ray Detector. **2023**, 16, 2637 ○
- 4 Giant Humidity Effect of 2D Perovskite on Paper Substrate: Optoelectronic Performance and Mechanical Flexibility. ○
- 3 Some Aspects of Novel Materials from Optical to THz Engineering. **2023**, 59-80 ○
- 2 Fully Transparent Ultraviolet Photodetector with Ultrahigh Responsivity Enhanced by MXene-Induced Photogating Effect. ○
- 1 Two-dimensional layered materials for efficient photodetection. **2023**, 265-280 ○