Airflow control by non-thermal plasma actuators

Journal Physics D: Applied Physics 40, 605-636 DOI: 10.1088/0022-3727/40/3/s01

Citation Report

#	Article	IF	CITATIONS
1	Separation control using plasma actuators: application to a free turbulent jet. Journal Physics D: Applied Physics, 2007, 40, 674-684.	2.8	40
2	Airflow produced by dielectric barrier discharge between asymmetric parallel rod electrodes. Review of Scientific Instruments, 2007, 78, 096103.	1.3	1
3	Spatio-temporal filament behaviour in a dielectric barrier discharge plasma actuator. Journal Physics D: Applied Physics, 2007, 40, 4181-4184.	2.8	13
4	Variable Structure Model for Flow-Induced Tonal Noise Control with Plama Actuators. , 2007, , .		0
5	Quasi-steady and unsteady actuation by surface non-thermal plasma discharge for control of a turbulent round air jet. Journal of Turbulence, 2007, 8, N49.	1.4	10
6	Simulation of Direct-Current Surface Plasma Discharge Phenomena in High-Speed Flow Actuation. IEEE Transactions on Plasma Science, 2007, 35, 1301-1311.	1.3	17
7	On the role of oxygen in dielectric barrier discharge actuation of aerodynamic flows. Applied Physics Letters, 2007, 91, .	3.3	64
8	Spatio-temporal breakdown in surface DBDs: evidence of collective effect. Journal Physics D: Applied Physics, 2007, 40, 7698-7706.	2.8	74
9	Atmospheric Plasma Actuators for Aeroacoustic Applications. IEEE Transactions on Plasma Science, 2007, 35, 693-695.	1.3	26
10	Control of separated flows with the ionic wind generated by a DC corona discharge. Experiments in Fluids, 2007, 42, 815-825.	2.4	40
11	Control of an axisymmetric subsonic air jet by plasma actuator. Experiments in Fluids, 2007, 43, 603-616.	2.4	23
12	Optimization of a dielectric barrier discharge actuator by stationary and non-stationary measurements of the induced flow velocity: application to airflow control. Experiments in Fluids, 2007, 43, 917-928.	2.4	412
13	Control of diffuser jet flow: turbulent kinetic energy and jet spreading enhancements assisted by a non-thermal plasma discharge. Experiments in Fluids, 2008, 45, 333-355.	2.4	35
14	Flow characteristics of dc wire-non-parallel plate electrohydrodynamic gas pumps. Journal of Electrostatics, 2008, 66, 115-121.	1.9	80
15	Action of a pulsed DBD actuator on a slow jet. Journal of Electrostatics, 2008, 66, 369-374.	1.9	13
16	Enhancing the mechanical efficiency of electric wind in corona discharges. Journal of Electrostatics, 2008, 66, 39-44.	1.9	141
17	Electric wind induced by sliding discharge in air at atmospheric pressure. Journal of Electrostatics, 2008, 66, 107-114.	1.9	72
18	Application of an AC barrier discharge actuator to control airflow separation aboveÂa NACA 0015 airfoil: Optimization of the actuation location alongÂtheÂchord. Journal of Electrostatics, 2008, 66, 496-503.	1.9	86

	Сг	tation Report	
#	Article	IF	CITATIONS
19	Detachment and attachment of an axisymmetric non-reactive jet with turbulent shear layer: Control by plasma actuator. Experimental Thermal and Fluid Science, 2008, 32, 1193-1203.	2.7	15
20	Effect of electrohydrodynamic interaction on the stability of a flat plate laminar boundary layer. Fluid Dynamics, 2008, 43, 59-65.	0.9	6
21	Acoustic Wave Analysis for a DBD Plasma Actuator. , 2008, , .		2
22	Dielectric Barrier Discharge Flow Control at Very Low Flight Reynolds Numbers. AIAA Journal, 2008, 46, 1528-1541.	2.6	118
23	Model description of surface dielectric barrier discharges for flow control. Journal Physics D: Applied Physics, 2008, 41, 095205.	2.8	91
24	Streamwise and spanwise plasma actuators for flow-induced cavity noise control. Physics of Fluids, 2008, 20, .	4.0	64
25	Variable Structure Model for Flow-Induced Tonal Noise Control with Plasma Actuators. AIAA Journal, 2008, 46, 241-250.	2.6	26
26	Experimental study of a DBD surface discharge for the active control of subsonic airflow. Journal Physics D: Applied Physics, 2008, 41, 155201.	2.8	111
27	Experimental Investigation on Plasma Aerodynamic Actuator's Emission Spectrum Characteristic. , 2008, , .		3
28	Flow Separation Control by Plasma Actuator With Nanosecond Pulse Periodic Discharge. , 2008, , .		24
29	DBD Plasma Actuators Driven by a Combination of Low Frequency Bias Voltage and Nanosecond Pulses. , 2008, , .		28
30	New Insights in the Physics of DBD Plasma Actuators for Flow Control. , 2008, , .		13
31	Microwave Generated Plasma for Active Flow Control in Aerodynamic Applications. , 2008, , .		0
32	Bluff Body Noise and Flow Control with Atmospheric Plasma Actuators. , 2008, , .		6
33	Simulating Electrodynamic Field of Dielectric Barrier Discharge. , 2008, , .		2
34	Electric Wind Produced by a Single Dielectric Barrier Discharge Actuator Operating in Atmospheric Flight Conditions: Pressure Outcome. , 2008, , .		14
35	Flow Control by Dielectric Barrier Discharge Actuators: Jet Mixing Enhancement. , 2008, , .		8
36	Circular Cylinder Wake Control Using Spatially Distributed Plasma Forcing. , 2008, ,		19

#	Article	IF	CITATIONS
37	Characterization of the Ionic Wind Induced by a Sine DBD Actuator Used for Laminar-to-Turbulent Transition Delay. , 2008, , .		18
38	Electro-Hydro-Dynamic Plasma Actuators Utilising a Dielectric Barrier Discharge. , 2008, , .		3
39	Boundary Layer Separation Control by Nanosecond Plasma Actuator. , 2008, , .		7
40	Unstructured Numerical Simulation of Experimental Linear Plasma Actuator Synthetic Jet Flows. , 2008, , .		4
41	Experimental measurements of an ionic wind generated by a positive corona discharge. , 2008, , .		0
42	Prospects of airflow control by a gliding arc in a static magnetic field. Journal Physics D: Applied Physics, 2008, 41, 205204.	2.8	19
43	Electric wind produced by surface plasma actuators: a new dielectric barrier discharge based on a three-electrode geometry. Journal Physics D: Applied Physics, 2008, 41, 115204.	2.8	118
44	Flow Control by Dielectric Barrier Discharge Actuators: Jet Mixing Enhancement. AIAA Journal, 2008, 46, 2293-2305.	2.6	64
45	Jet flow induced by a surface plasma actuator. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2008, 222, 347-356.	1.0	20
46	Experimental analysis and modelling of positive streamer in air: towards an estimation of O and N radical production. Journal Physics D: Applied Physics, 2008, 41, 234002.	2.8	115
47	A Positive Corona-Based Ion Wind Generator. IEEE Transactions on Plasma Science, 2008, 36, 950-951.	1.3	12
48	Electric wind produced by a surface dielectric barrier discharge operating in air at different pressures: aeronautical control insights. Journal Physics D: Applied Physics, 2008, 41, 042002.	2.8	62
49	Observation of Dielectric Degradation After Surface Dielectric Barrier Discharge Operation in Air at Atmospheric Pressure. IEEE Transactions on Plasma Science, 2008, 36, 1342-1343.	1.3	25
50	Influence of operating pressure on surface dielectric barrier discharge plasma aerodynamic actuation characteristics. Applied Physics Letters, 2008, 93, 031503.	3.3	51
51	Patterns of Plasma Filaments Propagating on a Dielectric Surface. IEEE Transactions on Plasma Science, 2008, 36, 1326-1327.	1.3	17
52	Schlieren Imaging of the Aerodynamic Flow Field Induced by a Paraelectric Electrohydrodynamic (EHD) Plasma Actuator. IEEE Transactions on Plasma Science, 2008, 36, 1320-1321.	1.3	5
53	Schlieren Imaging of Flow Actuation Produced by Direct-Current Surface Glow Discharge in Supersonic Flows. IEEE Transactions on Plasma Science, 2008, 36, 1316-1317.	1.3	6
54	Electrohydrodynamic interaction induced by a dielectric barrier discharge. Journal of Applied Physics, 2008, 103, 063304.	2.5	30

ARTICLE IF CITATIONS # Airflow Reattachment Along a NACA 0015 Airfoil by Surfaces Dielectric Barrier Discharge Actuator: 22 55 Time-Resolved Particle Image Velocimetry Investigation., 2008,,. Cross-talk in multiple dielectric barrier discharge actuators. Applied Physics Letters, 2008, 92, . 3.3 Optical Emission Spectroscopy Investigation of a Surface Dielectric Barrier Discharge Plasma 57 3.3 12 Aerodynamic Actuator. Chinese Physics Letters, 2008, 25, 4068-4071. Study of a DBD plasma actuator dedicated to airflow separation control., 2008,,. Surface charge in dielectric barrier discharge plasma actuators. Physics of Plasmas, 2008, 15, . 59 1.9 104 Drag Reduction of Turbulence Air Channel Flow with Distributed Micro Sensors and Actuators. Journal of Fluid Science and Technology, 2008, 3, 137-148. Electrodynamic effects in nanosecond-pulse-sustained long dielectric-barrier-discharge plasma 61 3.3 19 actuators. Applied Physics Letters, 2009, 94, 061503. Electrical performance evaluations for a dielectric barrier discharge plasma actuator., 2009, , . Long Lasting Modifications to Vortex Shedding Using a Short Plasma Excitation. Physical Review 63 7.8 47 Letters, 2009, 102, 254501. Efficiency of a Wire-Rod Type Electrohydrodynamic Gas Pump Under Negative Corona Operation. IEEE 64 1.3 Transactions on Plasma Science, 2009, 37, 1021-1026. Circular cylinder drag reduction by three-electrode plasma actuators. Journal of Physics: Conference 12 65 0.4 Series, 2009, 166, 012015. Flow control around a circular cylinder using pulsed dielectric barrier discharge surface plasma. 105 Physics of Fluids, 2009, 21, . Toward Understanding and Optimizing Separation Control Using Microjets. AIAA Journal, 2009, 47, 67 2.6 48 2544-2557. Phase Synchronization of Vortex Shedding from Two Circular Cylinders Using Plasma Actuators. AIAA 2.6 Journal, 2009, 47, 1608-1616. Experimental Study of the Flow Induced by a Sinusoidal Dielectric Barrier Discharge Actuator and Its Effects on a Flat Plate Natural Boundary Layer. Journal of Fluids Engineering, Transactions of the 69 10 1.5 ASME, 2009, 131, . Control of unsteady flow separation over a circular cylinder using dielectric-barrier-discharge 68 surface plasma. Physics of Fluids, 2009, 21, . Characterization of linear plasma synthetic jet actuators in an initially quiescent medium. Physics of 71 4.0 31 Fluids, 2009, 21, . OPERATION OF FUSION REACTORS IN ONE ATMOSPHERE OF AIR INSTEAD OF VACUUM SYSTEMS., 2009, , .

#	Article	IF	CITATIONS
73	Direct simulation of ionization and ion transport for planar microscale ion generation devices. Journal Physics D: Applied Physics, 2009, 42, 055203.	2.8	12
74	Comparison between Mach 2 rarefied airflow modification by an electrical discharge and numerical simulation of airflow modification by surface heating. Physics of Fluids, 2009, 21, 106103.	4.0	10
75	A Numerical Model of Plasma-Actuator Effects in Flow-Induced Noise Control. IEEE Transactions on Plasma Science, 2009, 37, 2250-2256.	1.3	16
76	Single dielectric barrier discharge plasma enhanced aerodynamics: physics, modeling and applications. Experiments in Fluids, 2009, 46, 1-26.	2.4	303
77	Control of cross flow in the three-dimensional boundary layer using space-periodic body force action. Fluid Dynamics, 2009, 44, 233-239.	0.9	17
78	Experimental research in aerodynamic control with electric and electromagnetic fields. Progress in Aerospace Sciences, 2009, 45, 30-49.	12.1	28
79	Lift and drag performances of an axisymmetric airfoil controlled by plasma actuator. Journal of Electrostatics, 2009, 67, 133-139.	1.9	124
80	Positive and negative sawtooth signals applied to a DBD plasma actuator – influence on the electric wind. Journal of Electrostatics, 2009, 67, 140-145.	1.9	54
81	EHD atomization characteristics of a point-plate system with a porous point electrode. Journal of Electrostatics, 2009, 67, 862-869.	1.9	7
82	Experimental damping of boundary-layer oscillations using DBD plasma actuators. International Journal of Heat and Fluid Flow, 2009, 30, 394-402.	2.4	97
83	An asymptotic model for steady wire-to-wire corona discharges. Mathematical and Computer Modelling, 2009, 50, 574-583.	2.0	14
84	Surface dielectric barrier discharge: Effect of encapsulation of the grounded electrode on the electromechanical characteristics of the plasma actuator. Journal of Electrostatics, 2009, 67, 93-98.	1.9	30
85	Determination of Local Ionic Wind Velocity in Corona by Laser Interferometer Taking Into Consideration the Charging–Discharging of Probe Particles. IEEE Transactions on Plasma Science, 2009, 37, 1034-1044.	1.3	8
86	Enhancement of the Electromechanical Performances of a Single Dielectric Barrier Discharge Actuator. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 758-767.	2.9	64
87	Generation of atomic oxygen in the effluent of an atmospheric pressure plasma jet. Plasma Sources Science and Technology, 2009, 18, 015006.	3.1	114
88	Plasma assisted ignition and high-speed flow control: non-thermal and thermal effects. Plasma Sources Science and Technology, 2009, 18, 034018.	3.1	238
89	Plasma Flow Control - Autonomous Lift Improvement by Slope-Seeking. , 2009, , .		5
90	Momentum Coupling and Flow Induction in a DBD Plasma Actuator. , 2009, , .		2

#	Article	IF	CITATIONS
91	Aerodynamic Modification of NACA 0012 Airfoil by Trailing-Edge Plasma Gurney Flap. AIAA Journal, 2009, 47, 2467-2474.	2.6	56
92	Contribution of positive and negative ions to the electrohydrodynamic force in a dielectric barrier discharge plasma actuator operating in air. Journal of Applied Physics, 2009, 106, .	2.5	112
93	SDBD plasma actuator with nanosecond pulse-periodic discharge. Plasma Sources Science and Technology, 2009, 18, 034015.	3.1	261
94	A large-scale multiple dielectric barrier discharge actuator based on an innovative three-electrode design. Journal Physics D: Applied Physics, 2009, 42, 235204.	2.8	61
95	Pattern-Identification Study of the Flow in Proximity of a Plasma Actuator. , 2009, , .		8
96	Experimental Investigations of Electrostatic Fluid Accelerators Under Alternating Polarity Single and Multi-Stage DC Excitation. , 2009, , .		0
97	Separation Control from the Flap of a High-Lift Airfoil Using DBD Plasma Actuators. , 2009, , .		10
98	Plasma-induced Force and Self-induced Drag in the Dielectric Barrier Discharge Aerodynamic Plasma Actuator. , 2009, , .		40
99	Adaptive Flow Control of Low Reynolds Number Aerodynamics Using a Dielectric Barrier Discharge Actuator. , 2009, , .		2
100	Laminar Flow Control: TsAGI Experience and Investigations. , 2009, , .		1
101	On the Development of Localized Arc Filament Plasma Actuators for High Speed Flow Control. , 2009, ,		6
102	Suppression of Dielectric Barrier Discharge Charge Build up Using a Partially Conducting Thin Film. , 2009, , .		3
103	Improving Thrust by Suppressing Charge Build-Up in Pulsed DBD Plasma Actuators. , 2009, , .		18
104	Electric Wind Produced by a Surface Dielectric Barrier Discharge Operating Over a Wide Range of Relative Humidity. , 2009, , .		30
105	Retrospective Cost Adaptive Flow Control Using a Dielectric Barrier Discharge Actuator. , 2009, , .		7
106	Effects of a Surface Dielectric Barrier Discharge on Transonic Flows Around an Airfoil. , 2009, , .		12
107	Unmanned Aerial Vehicle (UAV) with Plasma Actuators for Separation Control. , 2009, , .		22
108	Features of a Surface Barrier Discharge Modeling. , 2009, , .		7

#	Article	IF	CITATIONS
109	Electrical characteristics and influence of the air-gap size in a trielectrode plasma curtain at atmospheric pressure. Journal Physics D: Applied Physics, 2009, 42, 045205.	2.8	6
110	Surface barrier discharge modelling for aerodynamic applications. Journal Physics D: Applied Physics, 2009, 42, 125208.	2.8	108
111	Microelectromechanical Systems–Based Feedback Control of Turbulence for Skin Friction Reduction. Annual Review of Fluid Mechanics, 2009, 41, 231-251.	25.0	147
112	Variable-Frequency Fluidic Oscillator Driven by a Piezoelectric Bender. AIAA Journal, 2009, 47, 2717-2725.	2.6	34
113	Modelling of a nanosecond surface discharge actuator. Journal Physics D: Applied Physics, 2009, 42, 194017.	2.8	199
114	Acoustic Noise and Flow Separation Control by Plasma Actuator. , 2009, , .		15
115	Flow Separation Control by Plasma Actuator with Nanosecond Pulsed-Periodic Discharge. AIAA Journal, 2009, 47, 168-185.	2.6	420
116	An EHD Gas Pump Utilizing a Wet Porous Point Electrode. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 622-628.	2.9	7
117	Plasma Diagnostics Using Computed Tomography Method. IEEE Transactions on Plasma Science, 2009, 37, 502-512.	1.3	17
118	Formation process of the electric wind produced by a plasma actuator. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 463-469.	2.9	34
119	An EHD gas pump utilizing a ring/needle electrode. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 352-358.	2.9	28
120	Sliding discharge optical emission characteristics. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 292-298.	2.9	10
121	D. C. surface discharge characteristics in mach 2 rarefied airflow. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 396-403.	2.9	7
122	Self synchronization of surface discharges in a twin electrodes device. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 435-439.	2.9	6
123	One-dimensional analysis of a wire-rod type Electrohydrodynamic gas pump. , 2009, , .		0
124	Electron Swarm Coefficients in \$hbox{CO}_{2}\$–\$hbox{N}_{2}\$ and \$hbox{CO}_{2}\$–\$hbox{O}_{2}\$ Mixtures. IEEE Transactions on Plasma Science, 2009, 37, 764-772.	1.3	44
125	Ancient Science, Current Problems: Insight into the Vitality of Electrostatics Research Today. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 587-595.	2.9	5
126	Degradation of a dielectric barrier discharge plasma actuator. , 2009, , .		6

#	Article	IF	CITATIONS
127	Optimization of Dielectric Barrier Discharge Plasma Actuators for Active Aerodynamic Flow Control. AIAA Journal, 2009, 47, 2169-2178.	2.6	427
128	Nitric oxide density measurements in air and air/fuel nanosecond pulse discharges by laser induced fluorescence. Journal Physics D: Applied Physics, 2009, 42, 075205.	2.8	145
129	Effect of extension length in a surface barrier discharge on the driving force of electrohydrodynamic gas flow. IEEE Transactions on Dielectrics and Electrical Insulation, 2009, 16, 364-371.	2.9	7
130	Reduced order models for wake control with a spinning cylinder. Journal of Physics: Conference Series, 2009, 166, 012016.	0.4	2
131	Non-thermal atmospheric pressure plasmas for aeronautic applications. EPJ Applied Physics, 2009, 47, 22802.	0.7	15
132	Computational fluid dynamics application to aerospace science. Aeronautical Journal, 2009, 113, 619-632.	1.6	21
133	Subcritical Pipe Flow Transition Control Using Dielectric Barrier Discharge Plasma Actuators. International Journal of Flow Control, 2009, 1, 239-254.	0.4	4
134	Ozone Generation in Plasma Actuator. 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2009, 75, 2345-2347.	0.2	7
135	Simulation of streamer-induced pulsed discharges in atmospheric-pressure air. EPJ Applied Physics, 2009, 47, 22803.	0.7	23
137	Conversion Efficiency of Micro-Plasma Actuator for Flow Control(<special issue="">The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916.</special>	1 0.78431 0.2	4 rgBT /Ove <mark>rl</mark> d 1
137 138	Conversion Efficiency of Micro-Plasma Actuator for Flow Control(<special issue="">The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916. Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017.</special>	1 0.78431 0.2 0.2	4 rgBT /Overla 1 10
137 138 139	 Conversion Efficiency of Micro-Plasma Actuator for Flow Control(< Special Issue>The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916. Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017. Influence of the voltage polarity on the properties of a nanosecond surface barrier discharge in atmospheric-pressure air. Plasma Physics Reports, 2010, 36, 90-98. 	1 0.78431 0.2 0.2 0.9	4 rgBT /Overld 1 10 26
137 138 139 140	 Conversion Efficiency of Micro-Plasma Actuator for Flow Control(< Special Issue>The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916. Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017. Influence of the voltage polarity on the properties of a nanosecond surface barrier discharge in atmospheric-pressure air. Plasma Physics Reports, 2010, 36, 90-98. Vortex flow formation during dielectric barrier discharge initiation in quiescent air. Technical Physics Letters, 2010, 36, 978-980. 	1 0.78431 0.2 0.2 0.9 0.7	4 rgBT /Overla 10 26 1
137 138 139 140 141	 Conversion Efficiency of Micro-Plasma Actuator for Flow Control(<special issue="">The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916.</special> Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017. Influence of the voltage polarity on the properties of a nanosecond surface barrier discharge in atmospheric-pressure air. Plasma Physics Reports, 2010, 36, 90-98. Vortex flow formation during dielectric barrier discharge initiation in quiescent air. Technical Physics Letters, 2010, 36, 978-980. Spatio-temporal development of microdischarges in a surface barrier discharge arrangement in air at atmospheric pressure. European Physical Journal D, 2010, 60, 547-553. 	1 0.78431 0.2 0.9 0.7 1.3	4 rgBT /Overla 10 26 1 28
 137 138 139 140 141 142 	 Conversion Efficiency of Micro-Plasma Actuator for Flow Control(<special issue="">The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916.</special> Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Cakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017. Influence of the voltage polarity on the properties of a nanosecond surface barrier discharge in atmospheric-pressure air. Plasma Physics Reports, 2010, 36, 90-98. Vortex flow formation during dielectric barrier discharge initiation in quiescent air. Technical Physics Letters, 2010, 36, 978-980. Spatio-temporal development of microdischarges in a surface barrier discharge arrangement in air at atmospheric pressure. European Physical Journal D, 2010, 60, 547-553. Modeling of ac dielectric barrier discharge. Journal of Applied Physics, 2010, 107, . 	1 0.78431 0.2 0.9 0.7 1.3 2.5	4 rgBT /Overda 10 26 1 28 29
 137 138 139 140 141 142 143 	Conversion Efficiency of Micro-Plasma Actuator for Flow Control(<special issue="">The 1st Symposium) Tj ETQq1of Mechanical Engineers, Part C, 2010, 76, 1914-1916.Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017.Influence of the voltage polarity on the properties of a nanosecond surface barrier discharge in atmospheric-pressure air. Plasma Physics Reports, 2010, 36, 90-98.Vortex flow formation during dielectric barrier discharge initiation in quiescent air. Technical Physics Letters, 2010, 36, 978-980.Spatio-temporal development of microdischarges in a surface barrier discharge arrangement in air at atmospheric pressure. European Physical Journal D, 2010, 60, 547-553.Modeling of ac dielectric barrier discharge. Journal of Applied Physics, 2010, 107, .Basic data for atmospheric pressure non-thermal plasma investigations in environmental and biomedical applications. Plasma Sources Science and Technology, 2010, 19, 034004.</special>	1 0.78431 0.2 0.9 0.7 1.3 2.5 3.1	4 rgBT /Overda 10 26 1 28 29 14
 137 138 139 140 141 142 143 144 	Conversion Efficiency of Micro-Plasma Actuator for Flow Control(< Special Issue> The 1st Symposium) Tj ETQq1 of Mechanical Engineers, Part C, 2010, 76, 1914-1916. Study of a Circular Cylinder Flow Using Plasma Actuators : 1st Report, Temporal-Average Characteristic in Wake(Fluids Engineering). 880-02 Nihon Kikai Gakkai RonbunshA« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 2011-2017. Influence of the voltage polarity on the properties of a nanosecond surface barrier discharge in atmospheric-pressure air. Plasma Physics Reports, 2010, 36, 90-98. Vortex flow formation during dielectric barrier discharge initiation in quiescent air. Technical Physics Letters, 2010, 36, 978-980. Spatio-temporal development of microdischarges in a surface barrier discharge arrangement in air at atmospheric pressure. European Physical Journal D, 2010, 60, 547-553. Modeling of ac dielectric barrier discharge. Journal of Applied Physics, 2010, 107, . Basic data for atmospheric pressure non-thermal plasma investigations in environmental and biomedical applications. Plasma Sources Science and Technology, 2010, 19, 034004. Monte Carlo simulation of avalanche formation and streamer discharge. Electrical Engineering, 2010, 92, 35-42.	1 0.78431 0.2 0.9 0.7 1.3 2.5 3.1 2.0	4 rgBT /Overda 10 26 1 28 29 14 3

#	Article	IF	CITATIONS
146	High-lift airfoil trailing edge separation control using a single dielectric barrier discharge plasma actuator. Experiments in Fluids, 2010, 48, 521-537.	2.4	125
147	Slope seeking for autonomous lift improvement by plasma surface discharge. Experiments in Fluids, 2010, 48, 791-808.	2.4	56
148	Control of the corner separation in a compressor cascade by steady and unsteady plasma aerodynamic actuation. Experiments in Fluids, 2010, 48, 1015-1023.	2.4	86
149	The use of plasma actuators for bluff body broadband noise control. Experiments in Fluids, 2010, 49, 367-377.	2.4	72
150	Development of localized arc filament RF plasma actuators for high-speed and high Reynolds number flow control. Experiments in Fluids, 2010, 49, 497-511.	2.4	47
151	Transient growth instability cancelation by a plasma actuator array. Experiments in Fluids, 2010, 49, 1339-1348.	2.4	67
152	Monte Carlo simulation of corona discharge in SF6. Electric Power Systems Research, 2010, 80, 1104-1110.	3.6	4
153	Flow structures in flat plate boundary layer induced by pulsed plasma actuator. Science China Technological Sciences, 2010, 53, 2772-2782.	4.0	25
154	A two scale model of air corona discharges. Procedia Computer Science, 2010, 1, 627-635.	2.0	3
155	Broadband flow-induced sound control using plasma actuators. Journal of Sound and Vibration, 2010, 329, 2477-2489.	3.9	39
156	A numerical model of plasma effects in flow control. Physics Letters, Section A: General, Atomic and Solid State Physics, 2010, 374, 1501-1504.	2.1	7
157	New energy-efficient method of electrical propulsion in air by using charged microdroplets. Physics Letters, Section A: General, Atomic and Solid State Physics, 2010, 375, 73-79.	2.1	1
158	Cathode-sheath driven low-speed aerodynamic flow actuation using direct-current surface glow discharges. Journal of Electrostatics, 2010, 68, 453-457.	1.9	3
159	An overview of active load control techniques for wind turbines with an emphasis on microtabs. Wind Energy, 2010, 13, 239-253.	4.2	126
160	Plasma aerodynamics in a supersonic gas flow. High Temperature, 2010, 48, 903-909.	1.0	24
161	Analysis of processes responsible for the memory effect in air at low pressures. Plasma Sources Science and Technology, 2010, 19, 045021.	3.1	21
162	Wave processes in a viscous shock layer and control of fluctuations. Journal of Fluid Mechanics, 2010, 650, 81-118.	3.4	15
163	Temperature measurement using infrared thermography of the dielectric in a dbd plasma actuator dedicated to subsonic airflow control. , 2010, , .		0

#	Article	IF	CITATIONS
164	Characteristics of the Surface Dielectric Barrier Discharge Plasma under Varying Pressures. , 2010, , .		0
165	Experimental study on dielectric barrier discharge actuators operating in pulse mode. Journal of Applied Physics, 2010, 108, .	2.5	24
166	Numerical Simulation on Plasma Circulation Control Airfoil. AIAA Journal, 2010, 48, 2213-2226.	2.6	28
167	Characteristics of Plasma Aerodynamic Actuation Generated by Polyphase Dielectric Barrier Discharge. , 2010, , .		1
168	Drift and reactions of positive tetratomic ions in dry, atmospheric air: Their effects on the dynamics of primary and secondary streamers. Journal of Applied Physics, 2010, 107, 103308.	2.5	20
169	MONTE CARLO SIMULATION OF POSITIVE CORONA DISCHARGE IN NITROGEN. International Journal of Modern Physics C, 2010, 21, 943-954.	1.7	1
170	Surrogate modelling for characterising the performance of a dielectric barrier discharge plasma actuator. International Journal of Computational Fluid Dynamics, 2010, 24, 281-301.	1.2	5
171	Open-loop control of compressible afterbody flows using adjoint methods. Physics of Fluids, 2010, 22,	4.0	41
172	Spark cross size in a sliding submicrosecond discharge of opposite polarities in rare gases: experiment and application of ionization wave front propagation theory to analysis. Journal Physics D: Applied Physics, 2010, 43, 065201.	2.8	2
174	Differences between dielectric barrier discharge plasma actuators with cylindrical and rectangular exposed electrodes. Journal Physics D: Applied Physics, 2010, 43, 065205.	2.8	50
175	Electrical and kinetic model of an atmospheric rf device for plasma aerodynamics applications. Journal of Applied Physics, 2010, 108, .	2.5	30
176	Electric and spectroscopic properties of argon-hydrogen RF microplasma jets at atmospheric pressure. Journal Physics D: Applied Physics, 2010, 43, 395203.	2.8	8
177	Flowfield-Characteristics Generated by DBD Plasma Actuators. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2010, , 233-240.	0.3	7
178	Dielectric barrier discharge control of a turbulent boundary layer in a supersonic flow. Applied Physics Letters, 2010, 97, 041503.	3.3	53
179	Microreactors with Electrical Fields. Advances in Chemical Engineering, 2010, 38, 37-102.	0.9	6
180	Capabilities of the dielectric barrier discharge plasma actuator for multi-frequency excitations. Journal Physics D: Applied Physics, 2010, 43, 145201.	2.8	88
181	High-Lift Airfoil Separation with Dielectric Barrier Discharge Plasma Actuation. AIAA Journal, 2010, 48, 2884-2898.	2.6	96
182	Plasma Actuator Simulation: Force Contours and Dielectric Charging Characteristics. , 2010, , .		6

#	Article	IF	CITATIONS
183	On the Induced Gas Flow by a Trielectrode Plasma Curtain at Atmospheric Pressure. IEEE Transactions on Industry Applications, 2010, 46, 1132-1137.	4.9	3
184	Experimental Study of Plasma Flow Control on Highly Swept Delta Wing. AIAA Journal, 2010, 48, 249-252.	2.6	36
185	An experimental study of a plasma actuator in absence of free airflow: Ionic wind velocity profile. Physics of Plasmas, 2010, 17, .	1.9	17
186	The Velocity Characteristics of a Serial-Staged EHD Gas Pump in Air. IEEE Transactions on Plasma Science, 2010, 38, 2848-2853.	1.3	42
187	Active Flow Control Systems Architectures for Civil Transport Aircraft. Journal of Aircraft, 2010, 47, 1966-1981.	2.4	35
188	Control of Separation from the Flap of a High-Lift Airfoil with DBD Plasma Actuation. , 2010, , .		2
189	Separation Control Using DBD Plasma Actuators: Thrust Enhancement Studies. , 2010, , .		0
190	Effect of Plasma Actuator Excitation for Controlling Bypass Transition in Boundary Layers. , 2010, , .		7
191	Benefits of Using Hysteresis Effects for Closed-Loop Separation Control by Plasma Actuator. , 2010, , .		3
192	Experimental Study on the Body Force Field of Dielectric Barrier Discharge Actuators. , 2010, , .		7
193	Effects of Altitude on the Electromechanical Characteristics of Dielectric Barrier Discharge Plasma ActuatorsEffects of Altitude on the Electromechanical Characteristics of a Single Dielectric Barrier Discharge Plasma Actuator. , 2010, , .		11
194	Rate of Plasma Thermalization of Pulsed Nanosecond Surface Dielectric Barrier Discharge. , 2010, , .		8
195	Dielectric Barrier Discharge Initiation Under the Supersonic Airflow. , 2010, , .		0
196	Surface plasma induced wall jets. , 2010, , .		12
197	Modification of the Laminar-to-Turbulent Transition on a Flat Plate Using DBD Plasma Actuator. , 2010, , .		15
198	Effects of Plasma Discharge on Hypersonic Flow over Flat Plate. , 2010, , .		3
199	Characterization of Surface Dielectric Barrier Discharge Plasma Sustained by Repetitive Nanosecond Pulses. , 2010, , .		24
200	Turbulent Boundary Layer Control by DBD Plasma: A Spanwise Travelling Wave. , 2010, , .		15

#	Article	IF	CITATIONS
201	Retrospective Cost Adaptive Control of Low-Reynolds Number Aerodynamics Using a Dielectric Barrier Discharge Actuator. , 2010, , .		3
202	Development of a Plasma Lens for Adaptive Optics. , 2010, , .		3
203	Thermal Characterization of a DBD Plasma Actuator: Dielectric Temperature Measurements Using Infrared Thermography. , 2010, , .		47
204	Flow Behavior Behind a Circular Cylinder by DBD Plasma Actuators in Low Reynolds Number. , 2010, , .		6
205	Periodic Electrodynamic Field of Dielectric Barrier Discharge. , 2010, , .		1
206	Investigation of Impedance Characteristics and Power Delivery for Dielectric Barrier Discharge Plasma Actuators. , 2010, , .		7
207	Novel Multi-Barrier Plasma Actuators for Increased Thrust. , 2010, , .		8
208	Modeling and comparison of sinusoidal and nanosecond pulsed surface dielectric barrier discharges for flow control. Plasma Physics and Controlled Fusion, 2010, 52, 124019.	2.1	60
209	Mechanism of ultra-fast heating in a non-equilibrium weakly ionized air discharge plasma in high electric fields. Journal Physics D: Applied Physics, 2010, 43, 255201.	2.8	209
210	Asymmetric surface barrier discharge plasma driven by pulsed 13.56 MHz power in atmospheric pressure air. Journal Physics D: Applied Physics, 2010, 43, 342001.	2.8	11
211	Characterization of a High-Frequency Pulsed-Plasma Jet Actuator for Supersonic Flow Control. AIAA Journal, 2010, 48, 297-305.	2.6	185
212	Turbulent Boundary-Layer Separation Control with Single Dielectric Barrier Discharge Plasma Actuators. AIAA Journal, 2010, 48, 1620-1634.	2.6	52
213	Time-resolved measurements of plasma-induced momentum in air and nitrogen under dielectric barrier discharge actuation. Physics of Plasmas, 2010, 17, .	1.9	34
214	Plasmas for aerodynamic control. Plasma Physics and Controlled Fusion, 2010, 52, 124045.	2.1	39
215	A sliding discharge-type EHD gas pump utilizing a saw-toothed-plate discharge electrode. IEEE Transactions on Dielectrics and Electrical Insulation, 2010, 17, 742-747.	2.9	7
216	Collective phenomena in volume and surface barrier discharges. Journal of Physics: Conference Series, 2010, 257, 012015.	0.4	103
217	Ozone synthesis under surface discharges generated on the alumina concentric actuator. , 2010, , .		1
218	Separation Control by Single Nonthermal Plasma Discharge. IEEE Transactions on Plasma Science, 2011, 39, 2058-2059.	1.3	3

#	Article	IF	CITATIONS
219	Experimental Investigation on the Characteristics of Sliding Discharge Plasma Aerodynamic Actuation. Plasma Science and Technology, 2011, 13, 608-611.	1.5	10
220	Filaments in a Surface Dielectric Barrier Discharge Operating in Altitude Conditions. IEEE Transactions on Plasma Science, 2011, 39, 2222-2223.	1.3	3
221	Characterization of a surface dielectric barrier discharge plasma sustained by repetitive nanosecond pulses. Plasma Sources Science and Technology, 2011, 20, 055009.	3.1	144
222	Pulsed periodic corona discharges for biological decontamination. , 2011, , .		0
223	On the benefits of hysteresis effects for closed-loop separation control using plasma actuation. Physics of Fluids, 2011, 23, 083601.	4.0	29
224	Combustion stabilization using serpentine plasma actuators. Applied Physics Letters, 2011, 99, 041502.	3.3	11
225	Plasma Flow Control of Cylinders in a Tandem Configuration. AIAA Journal, 2011, 49, 2183-2193.	2.6	32
226	Interaction Between Nanosecond Pulse DBD Actuators and Transonic Flow. , 2011, , .		17
227	Jet Noise Control by Nozzle Surface HF DBD Actuators. , 2011, , .		6
228	Bluff-Body Flow Control via Two Types of Dielectric Barrier Discharge Plasma Actuation. AIAA Journal, 2011, 49, 1919-1931.	2.6	49
229	ICCD Imaging of a Plasma Filament in a Circular Surface-Dielectric-Barrier-Discharge Arrangement. IEEE Transactions on Plasma Science, 2011, 39, 2180-2181.	1.3	3
230	Power consumption, discharge capacitance and light emission as measures for thrust production of dielectric barrier discharge plasma actuators. Journal of Applied Physics, 2011, 110, .	2.5	112
231	Propagation Structure of a 13.56-MHz Asymmetric Surface Barrier Discharge Plasma in Atmospheric-Pressure Air. IEEE Transactions on Plasma Science, 2011, 39, 2082-2083.	1.3	0
232	Effects of Oxygen Content on Dielectric Behavior Barrier Discharge Plasma Actuator Behavior. AIAA Journal, 2011, 49, 1366-1373.	2.6	30
233	Periodic Electrodynamic Field of Dielectric Barrier Discharge. AIAA Journal, 2011, 49, 119-127.	2.6	24
234	Electrodynamic force of dielectric barrier discharge. Journal of Applied Physics, 2011, 109, .	2.5	16
235	Method for acquiring pressure measurements in presence of plasma-induced interference for supersonic flow control applications. Measurement Science and Technology, 2011, 22, 125107.	2.6	10
236	Test Conditions for Performance Characterization of Dielectric Barrier Discharge (DBD) Plasma Actuators for Active Flow Control in Jet Engines. , 2011, , .		0

#	ARTICLE	IF	Citations
237	Plasma propagation of a 13.56 MHz asymmetric surface barrier discharge in atmospheric pressure air. Journal Physics D: Applied Physics, 2011, 44, 205202.	2.8	19
238	Mach 5 bow shock control by a nanosecond pulse surface dielectric barrier discharge. Physics of Fluids, 2011, 23, .	4.0	141
239	Dielectric Barrier Discharge Based Jet Actuator for Flow Control. , 2011, , .		0
240	Plasma Effect on Shocks Configuration in Compression Ramp. , 2011, , .		9
241	Plasma Actuators for Active Flow Control on Wind Turbine Blades. , 2011, , .		3
242	Plasma Control of a Turbulent Boundary Layer in an Unstarting Supersonic Flow. , 2011, , .		5
243	Flow Around Wing Model with a Surface HF Discharge. , 2011, , .		2
244	Nonequilibrium Plasma Relaxation and Thermalization in Hydrocarbon-Air Mixtures. , 2011, , .		Ο
245	Fast Nonequilibrium Plasma Thermalization in N2-O2 Mixtures for Different Pulse Polarities and its Application to Prevent Ice Formation. , 2011, , .		2
246	Retrospective Cost Adaptive Flow Control Using a Dielectric Barrier Discharge Actuator with Parameter-Dependent Modeling. , 2011, , .		1
247	Investigation of Vortex Structure Near the Surface Of DBD-Actuator. , 2011, , .		0
248	Phenomenological Model of the Body Force Induced by Surface Dielectric Barrier Discharge. , 2011, , .		2
249	Modeling of Aerodynamic Forcing Induced by Surface Dielectric Barrier Discharge. , 2011, , .		2
250	High Speed and High Reynolds Number Jet Control Using Arc Filament Plasma Actuators for Noise Mitigation and for Flow and Noise Diagnostics. , 2011, , .		8
251	Plasma Control of an Unstarting Supersonic Flow. , 2011, , .		7
252	DBD Plasma Actuators for Flow Control in Air Vehicles and Jet Engines-Simulation of Flight Conditions in Test Chambers by Density Matching. , 2011, , .		4
253	Flow Separation Control over an Airfoil with Nanosecond Pulse Driven DBD Plasma Actuators. , 2011, ,		47
254	Flow and Thermal Properties Induced by Electric Arc Plasma Actuators. , 2011, , .		6

#	Article	IF	CITATIONS
255	Experimental Study of a DBD-Plasma Driven Channel Flow. , 2011, , .		11
256	On Multi-Barrier Plasma Actuators. , 2011, , .		3
257	Negative Spark Leaders on a Surface DBD Plasma Actuator. IEEE Transactions on Plasma Science, 2011, 39, 2194-2195.	1.3	13
258	Diagnostic study of four-wave-mixing-based electric-field measurements in high-pressure nitrogen plasmas. Applied Optics, 2011, 50, 5688.	2.1	21
259	Actuators for Active Flow Control. Annual Review of Fluid Mechanics, 2011, 43, 247-272.	25.0	824
260	Wire-rod type electrohydrodynamic gas pumps with and without insulation cover over corona wire. IEEE Transactions on Dielectrics and Electrical Insulation, 2011, 18, 801-808.	2.9	18
261	Ozone Synthesis Under Surface Discharges in Oxygen: Application of a Concentric Actuator. IEEE Transactions on Plasma Science, 2011, 39, 1055-1060.	1.3	30
262	Development of a Coaxial-Stacked Trielectrode Plasma Curtain. IEEE Transactions on Plasma Science, 2011, 39, 1466-1469.	1.3	3
263	Interplay of discharge and gas flow in atmospheric pressure plasma jets. Journal of Applied Physics, 2011, 109, .	2.5	69
264	Modelling of dielectric barrier discharge plasma actuators with thick electrodes. Journal Physics D: Applied Physics, 2011, 44, 085202.	2.8	18
265	Nonequilibrium Plasma Aerodynamics. , 0, , .		33
266	Non Thermal Plasma Sources of Production of Active Species for Biomedical Uses: Analyses, Optimization and Prospect. , 0, , .		17
267	Numerical Study on Control of Tollmien-Schlichting Waves Using Plasma Actuators. , 2011, , .		2
268	Wake flow stabilization with DBD plasma actuators for low Re numbers. Journal of Physics: Conference Series, 2011, 296, 012001.	0.4	0
269	Comparison of airflow patterns produced by DBD actuators with smooth or saw-like discharge electrode. Journal of Physics: Conference Series, 2011, 301, 012018.	0.4	12
270	Effects of a transmission line on the properties of a surface discharge based on a segmented ground electrode design. Journal of Physics: Conference Series, 2011, 301, 012021.	0.4	1
271	Flow Separation Control Using Nanosecond Pulse Driven DBD Plasma Actuators. International Journal of Flow Control, 2011, 3, 213-232.	0.4	86
272	Boundary Condition Modifications of the Suzen-Huang Plasma Actuator Model. International Journal of Flow Control, 2011, 3, 111-132.	0.4	11

#	ARTICLE	IF	CITATIONS
273	Numerical simulation of positive corona discharge in air. International Journal of Engineering Systems Modelling and Simulation, 2011, 3, 148.	0.2	0
274	Research on Plasma Synthetic Jet Actuator. , 2011, , .		0
275	Modeling the system of electrogasdynamic final-control elements. Fluid Dynamics, 2011, 46, 764-774.	0.9	3
276	An investigation into the sensory application of DBD plasma actuators for pressure measurement. Sensors and Actuators A: Physical, 2011, 171, 102-108.	4.1	10
277	Adaptive flow control of low-Reynolds number aerodynamics using dielectric barrier discharge actuator. Progress in Aerospace Sciences, 2011, 47, 495-521.	12.1	43
278	Generation of surface DBD on rough dielectric: Electrical properties, discharge-induced electric wind and generated chemical species. Journal of Electrostatics, 2011, 69, 522-528.	1.9	14
279	An investigation into the effect of electric field on the performance of Dielectric Barrier Discharge plasma actuators. Experimental Thermal and Fluid Science, 2011, 35, 1600-1607.	2.7	10
280	Elongated DBD with floating interelectrodes for actuators. EPJ Applied Physics, 2011, 55, 13804.	0.7	25
281	Turbulent boundary-layer control with plasma actuators. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2011, 369, 1443-1458.	3.4	137
282	Control of vortex shedding on two- and three-dimensional aerofoils. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2011, 369, 1525-1539.	3.4	29
283	Nanosecond-Pulse Sliding Discharge Generated on a Three-Electrode Plasma Sheet Actuator. IEEE Transactions on Plasma Science, 2011, 39, 2160-2161.	1.3	1
284	Effect of dielectric barrier discharge on wing-tip vortex formation. Technical Physics Letters, 2011, 37, 1070-1073.	0.7	6
285	Gas-dynamic phenomena accompanying shock-wave interactions with the cooling plasma of a pulsed surface discharge. Doklady Physics, 2011, 56, 423-426.	0.7	3
286	Kinetic processes initiated by a nanosecond high-current discharge in hot air. Plasma Physics Reports, 2011, 37, 807-815.	0.9	35
287	Collision cross sections and swarm coefficients of water vapour ion clusters (H2O) n H+ with n = 1, 2 and 3 in N2, O2 and air. European Physical Journal D, 2011, 61, 153-159.	1.3	6
288	Fast gas heating in a nitrogen–oxygen discharge plasma: I. Kinetic mechanism. Journal Physics D: Applied Physics, 2011, 44, 285201.	2.8	287
289	Principal Limitations in Homogeneous Gas Phase Chemistry in Non-Thermal Plasmas. Plasma Chemistry and Plasma Processing, 2011, 31, 307-314.	2.4	0
290	Microfluidic liquid actuation through ground-directed electric discharge. Microfluidics and Nanofluidics, 2011, 11, 653-662.	2.2	4

#	Article	IF	CITATIONS
291	On the Vortex Dynamic of Airflow Reattachment Forced by a Single Non-thermal Plasma Discharge Actuator. Flow, Turbulence and Combustion, 2011, 87, 1-31.	2.6	45
292	Sensitivity of an asymmetric 3D diffuser to plasma-actuator induced inlet condition perturbations. Experiments in Fluids, 2011, 50, 217-231.	2.4	25
293	Mean lift generation on cylinders induced with plasma actuators. Experiments in Fluids, 2011, 51, 853-860.	2.4	17
294	Separation flow control on a generic ground vehicle using steady microjet arrays. Experiments in Fluids, 2011, 51, 1177-1187.	2.4	80
295	Bluff body flow-induced noise control with sliding plasma actuators. Science Bulletin, 2011, 56, 3079.	1.7	4
296	Forcing mechanisms in supersonic flow actuation achieved by direct-current surface glow discharge plasma. Aerospace Science and Technology, 2011, 15, 18-24.	4.8	16
297	Capacitance and power consumption quantification of dielectric barrier discharge (DBD) plasma actuators. Journal of Electrostatics, 2011, 69, 302-312.	1.9	189
298	Surface charge measurement in surface dielectric barrier discharge by laser polarimetry. Journal of Electrostatics, 2011, 69, 87-91.	1.9	17
299	Monte Carlo simulation of electrical corona discharge in air. Electric Power Systems Research, 2011, 81, 84-89.	3.6	10
300	Laminar flow control research at TsAGI: Past and present. Progress in Aerospace Sciences, 2011, 47, 169-185.	12.1	35
301	Force Measurement Techniques and Preliminary Results Using Aerogels and Ferroelectrics for Dielectric Barrier Discharge Actuators. , 2011, , .		8
302	Peculiarity of Low Density Plasma-Assisted Charge Emission Produced at LATGS Crystal Surface. Ferroelectrics, 2011, 417, 33-40.	0.6	1
303	Experiment and numerical study on plasma synthetic jet. , 2011, , .		0
304	Reduced-Order Modelling for Flow Control. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2011, , .	0.6	163
305	Forcing mechanisms of dielectric barrier discharge plasma actuators at carrier frequency of 625 Hz. Journal of Applied Physics, 2011, 110, .	2.5	57
306	Electric propulsion using an alternating positive/negative corona discharge configuration composed of wire emitters and wire collector arrays in air. Applied Physics Letters, 2011, 99, .	3.3	10
307	Three-dimensional effects of curved plasma actuators in quiescent air. Journal of Applied Physics, 2011, 109, .	2.5	38
308	Influence of the energy dissipation rate in the discharge of a plasma synthetic jet actuator. Journal Physics D: Applied Physics, 2011, 44, 365201.	2.8	78

#	Article	IF	CITATIONS
309	Experimental Investigation on Improving the Aerodynamic Performance of Swept Aircraft by DBD Plasma. Applied Mechanics and Materials, 0, 110-116, 3234-3242.	0.2	0
310	Online-characterization of dielectric barrier discharge plasma actuators for optimized efficiency of aerodynamical flow control applications. Journal of Physics: Conference Series, 2011, 301, 012020.	0.4	19
311	Wake Structure Behind Circular Cylinder by Plasma Actuators. , 2011, , .		1
312	Fast gas heating in a non-equilibrium weakly-ionized discharge plasma in N2:O2 mixtures. , 2011, , .		0
313	Drag reduction of a 3D bluff body using plasma actuators. International Journal of Aerodynamics, 2011, 1, 262.	0.1	30
314	Experimental Investigation of the Plasma Aerodynamic Actuation Generated by Nanosecond-pulse Sliding Discharge. , 2011, , .		3
315	Computer Modeling of Gas Temperature in the Ozonizer Gap. Effects Generated by a Single Microdischarge. IEEE Transactions on Plasma Science, 2011, 39, 2126-2127.	1.3	5
316	Measurement of the body force field of plasma actuators. Journal Physics D: Applied Physics, 2011, 44, 045204.	2.8	134
317	A method to estimate the planar, instantaneous body force distribution from velocity field measurements. Physics of Fluids, 2011, 23, .	4.0	38
318	The manipulation of an unstarting supersonic flow by plasma actuator. Journal Physics D: Applied Physics, 2012, 45, 485202.	2.8	32
319	Modelling of pulsed RF corona discharges in high-pressure air. Journal Physics D: Applied Physics, 2012, 45, 135202.	2.8	3
320	The starting vortex in quiescent air induced by dielectric-barrier-discharge plasma. Journal of Fluid Mechanics, 2012, 703, 192-203.	3.4	75
321	Experimental investigation of nanosecond discharge plasma aerodynamic actuation. Chinese Physics B, 2012, 21, 045202.	1.4	15
322	EHD Force and Electric Wind Produced by Plasma Actuators Used for Airflow Control. , 2012, , .		26
323	Progress toward Accurate Measurements of Power Consumption of DBD Plasma Actuators. , 2012, , .		41
324	A Parametric Investigation of Plasma Streamwise Vortex Generator Performance. , 2012, , .		12
325	Unsteady Forcing of A Post-Stall Flow Over N NACA0012 Airfoil By A Surface DBD actuator. , 2012, , .		2
326	Unsteady aspect of the electrohydrodynamic force produced by surface dielectric barrier discharge actuators. Applied Physics Letters, 2012, 100, .	3.3	56

#	Article	IF	Citations
327	Optical visualization and electrical characterization of fast-rising pulsed dielectric barrier discharge for airflow control applications. Journal of Applied Physics, 2012, 111, .	2.5	133
328	Growth and separation of a start-up vortex from a two-dimensional shear layer. Physics of Fluids, 2012, 24, .	4.0	41
329	Simulations of the linear plasma synthetic jet actuator utilizing a modified Suzen-Huang model. Physics of Fluids, 2012, 24, .	4.0	32
330	Measurements and simulations of a channel flow powered by plasma actuators. Journal of Applied Physics, 2012, 112, .	2.5	18
331	Lamination and mixing in three fundamental flow sequences driven by electromagnetic body forces. Physical Review E, 2012, 86, 026313.	2.1	10
332	Characterization and manipulation of the "saturation―effect by changing the surface temperature of a dielectric barrier discharge actuator. Applied Physics Letters, 2012, 101, 252902.	3.3	14
333	Role of the electric waveform supplying a dielectric barrier discharge plasma actuator. Applied Physics Letters, 2012, 100, .	3.3	120
334	Experimental Study of Vortex Shedding Control Using Plasma Actuator. Applied Mechanics and Materials, 0, 186, 75-86.	0.2	12
335	On Performance and Efficiency of Dielectric Barrier Discharge Plasma Actuators for Flow Control Applications. International Journal of Flow Control, 2012, 4, 125-132.	0.4	6
336	Effect of Dielectric Barrier Discharge Plasma in Supersonic Flow. , 2012, , 867-872.		1
337	Plasma Sheet Actuator Driven by Repetitive Nanosecond Pulses with a Negative DC Component. Plasma Science and Technology, 2012, 14, 327-332.	1.5	9
338	Fast Nonequilibrium Plasma Thermalization in N2-O2 Mixtures at Different Pressures. , 2012, , .		1
339	Correlation between Emission, Electric, and Flow Properties of Arc Filament Plasma Actuators. , 2012, , .		6
340	Effect of DBD Plasma Actuator Geometry and Excitation for Producing Transient Growth Modes in a Laminar Boundary Layer. , 2012, , .		5
341	On Gasdynamic Instabilities Supported By Non-Equilibrium Plasma In A Supersonic Flow. , 2012, , .		4
342	Closed-Loop Performance Control of DBD Plasma Actuators. , 2012, , .		2
343	Separation Control Using Dielectric Barrier Discharge-Induced Suction and Vortex Generation. , 2012,		1
344	Experimental Study and Plasma Control of an Unstarting Supersonic Flow. , 2012, , .		3

	CITATION	CITATION REPORT	
#	Article	IF	CITATIONS
345	Airfoil Roll Control by Bang-Bang Optimal Control Method with Plasma Actuators. , 2012, , .		2
346	Dielectric barrier discharge induced boundary layer suction. Applied Physics Letters, 2012, 100, 264103.	3.3	4
347	Momentum transfer and flow induction in a dielectric barrier discharge plasma actuator. AIP Advances, 2012, 2, 042150.	1.3	2
348	Microscale Dielectric Barrier Discharge Plasma Actuators: Performance Characterization and Numerical Comparison. , 2012, , .		11
349	Study of a Circular Cylinder Flow Using Plasma Actuators (2ed Report: Flow Visualization of Wake) Tj ETQq0 0 Engineers Series B B-hen, 2012, 78, 734-744.	0 rgBT /Ονε 0.2	rlock 10 Tf 50 4
350	Active Flow Separation Control on a NACA 4418 using DBD Vortex Generators and FBG Sensors. , 2012, , .		5
351	Influence of the N2/O2 Volumetric Ratio On the Behavior of A SDBD Plasma Actuator. , 2012, , .		1
352	Review of the Investigation on Plasma Flow Control in China. International Journal of Flow Control, 2012, 4, 1-18.	0.4	24
353	Reduction of Pressure Loss in Backward-Facing Step Flow with Plasma Actuator. 880-02 Nihon Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2012, 78, 49-59.	0.2	10
354	Influence of air flow on the performance of DBD Plasma Actuators. , 2012, , .		2
355	A novel dielectric barrier discharge reactor with photocatalytic electrode based on sintered metal fibers for abatement of xylene. Journal of Hazardous Materials, 2012, 241-242, 216-223.	12.4	23
356	Topological analysis of plasma flow control on corner separation in a highly loaded compressor cascade. Acta Mechanica Sinica/Lixue Xuebao, 2012, 28, 1277-1286.	3.4	3
357	High-Speed and High-Reynolds-Number Jet Control Using Localized Arc Filament Plasma Actuators. Journal of Propulsion and Power, 2012, 28, 269-280.	2.2	101
358	Effective Ozone Generation in Oxygen Using a Mesh Electrode in an Ozonizer with Variable Linear Velocity. Ozone: Science and Engineering, 2012, 34, 378-386.	2.5	22
359	PIV-based estimation of DBD plasma-actuator force terms. , 2012, , .		28
360	Airflow influence on the discharge performance of dielectric barrier discharge plasma actuators. Physics of Plasmas, 2012, 19, .	1.9	30
361	Bactericidal Effect of Corona Discharges in Atmospheric Air. IEEE Transactions on Plasma Science, 2012, 40, 2322-2333.	1.3	44
362	Plasma actuator: Influence of dielectric surface temperature. Experimental Thermal and Fluid Science, 2012, 42, 258-264.	2.7	38

#	Article	IF	CITATIONS
363	Streamer inhibition for improving force and electric wind produced by DBD actuators. Journal Physics D: Applied Physics, 2012, 45, 215201.	2.8	132
364	Investigation of the interaction of a shock wave with the zone of a pulsed surface discharge in a rectangular channel. Moscow University Physics Bulletin (English Translation of Vestnik) Tj ETQq1 1 0.784314 rg	gBTq/Øverlo	oc㎏10 Tf 50
365	Plasma Lens for Optical Path Difference Control. AIAA Journal, 2012, 50, 123-130.	2.6	8
366	Simulation of Direct-Current Surface Plasma Discharges in Air for Supersonic Flow Control. AIAA Journal, 2012, 50, 325-337.	2.6	14
367	Separation Control with Nanosecond-Pulse-Driven Dielectric Barrier Discharge Plasma Actuators. AIAA Journal, 2012, 50, 350-365.	2.6	288
368	Influence of shock wave propagation on dielectric barrier discharge plasma actuator performance. Journal Physics D: Applied Physics, 2012, 45, 225201.	2.8	20
369	Nanosecond Pulse Surface Discharges for High-Speed Flow Control. , 2012, , .		42
370	Numerical simulation on a nanosecond-pulse surface dielectric barrier discharge actuator in near space. Journal Physics D: Applied Physics, 2012, 45, 145201.	2.8	40
371	Experimental and numerical characterization of a plasma actuator in continuous and pulsed actuation. Sensors and Actuators A: Physical, 2012, 187, 84-94.	4.1	19
372	Experimental Study of a Gas Jet Generated by an Atmospheric Microcavity Discharge. IEEE Transactions on Plasma Science, 2012, 40, 2817-2821.	1.3	7
373	Lamination and mixing in laminar flows driven by Lorentz body forces. Europhysics Letters, 2012, 97, 14006.	2.0	8
374	Experimental comparison between the effect of electrical discharge and the effect of surface heating on Mach 2 rarefied airflow over a flat plate. Experiments in Fluids, 2012, 53, 699-706.	2.4	5
375	Picosecond E-field CARS; A Diagnostic Technique for Measurement of Electric Field in Pulsed Plasmas. , 2012, , .		0
376	Analytical estimation of the thrust generated by a surface dielectric barrier discharge. Journal Physics D: Applied Physics, 2012, 45, 025205.	2.8	57
378	The effect of charge mode transition on electrohydrodynamic flow in a multistage negative air corona discharge. Journal Physics D: Applied Physics, 2012, 45, 465204.	2.8	13
379	Simulation of a wire-cylinder-plate positive corona discharge in nitrogen gas at atmospheric pressure. Physics of Plasmas, 2012, 19, 063502.	1.9	34
380	Linear Stability Analysis of a Boundary Layer with Plasma Actuators. , 2012, , .		7
381	The scenario of two-dimensional instabilities of the cylinder wake under electrohydrodynamic forcing: a linear stability analysis. Fluid Dynamics Research, 2012, 44, 055501.	1.3	4

#	Article	IF	CITATIONS
382	Microscopic energy conversion process in the ion drift region of electrohydrodynamic flow. Applied Physics Letters, 2012, 100, .	3.3	13
383	Review of actuators for high speed active flow control. Science China Technological Sciences, 2012, 55, 2225-2240.	4.0	50
384	Flow control over a NACA 0012 airfoil using dielectric-barrier-discharge plasma actuator with a Gurney flap. Experiments in Fluids, 2012, 52, 1533-1546.	2.4	55
385	Application of a non-thermal surface plasma discharge in wet condition for gas exhaust treatment: NOx removal. Journal of Electrostatics, 2012, 70, 300-308.	1.9	64
386	Electric and Spectroscopic Analysis of Surface Corona Discharges in Ambient Air and Comparison With Volume Corona Discharges. IEEE Transactions on Plasma Science, 2012, 40, 1167-1176.	1.3	10
387	Jet noise control using the dielectric barrier discharge plasma actuators. Acoustical Physics, 2012, 58, 434-441.	1.0	26
388	Dielectric-barrier-discharge vortex generators: characterisation and optimisation for flow separation control. Experiments in Fluids, 2012, 52, 329-345.	2.4	74
389	Spatial–temporal development of a plasma sheet in a surface dielectric barrier discharge powered by a step voltage of moderate duration. Plasma Sources Science and Technology, 2013, 22, 015004.	3.1	27
390	Recent developments in DBD plasma flow control. Progress in Aerospace Sciences, 2013, 62, 52-78.	12.1	366
391	Effect of Nanosecond Pulse DBD Plasma Actuators on Oblique Shocks and on Shock / Boundary Layer Interaction. , 2013, , .		10
392	Experimental Investigation of Pulsed Dielectric Barrier Discharge Actuators in Sub- and Transonic Flow. , 2013, , .		12
393	Inception and propagation of positive streamers in high-purity nitrogen: effects of the voltage rise rate. Journal Physics D: Applied Physics, 2013, 46, 045202.	2.8	20
394	Stepwise expansion of a surface dielectric barrier discharge as a result of alternation in formation of streamers and leaders. Journal Physics D: Applied Physics, 2013, 46, 135204.	2.8	28
395	Numerical Investigation of Three-Dimensional Plasma Actuation for Improving Film Cooling Effectiveness. Journal of Thermophysics and Heat Transfer, 2013, 27, 489-497.	1.6	27
396	Comparison of flows induced by a dielectric barrier discharge and a sliding discharge. Journal of Applied Mechanics and Technical Physics, 2013, 54, 359-366.	0.5	4
397	Geometrical optimization of a surface DBD powered by a nanosecond pulsed high voltage. Journal of Electrostatics, 2013, 71, 246-253.	1.9	48
398	Scaling of maximum velocity, body force, and power consumption of dielectric barrier discharge plasma actuators via particle image velocimetry. Journal of Applied Physics, 2013, 113, 243301.	2.5	33
399	Serpentine geometry plasma actuators for flow control. Journal of Applied Physics, 2013, 114, .	2.5	60

#	Article	IF	CITATIONS
400	Plasma control of vortex flow on a delta wing at high angles of attack. Experiments in Fluids, 2013, 54, 1.	2.4	24
401	A temporal proper decomposition (TPOD) for closed-loop flow control. Experiments in Fluids, 2013, 54, 1.	2.4	22
402	Delay of natural transition with dielectric barrier discharges. Experiments in Fluids, 2013, 54, 1.	2.4	22
403	Electroconvective flow induced by dielectric barrier injection in silicone oil. Journal of Electrostatics, 2013, 71, 504-508.	1.9	14
404	Feed gas humidity: a vital parameter affecting a cold atmospheric-pressure plasma jet and plasma-treated human skin cells. Journal Physics D: Applied Physics, 2013, 46, 295401.	2.8	149
405	Plasma Actuator Control of a Lifted Ethane Turbulent Jet Diffusion Flame. IEEE Transactions on Plasma Science, 2013, 41, 3293-3298.	1.3	2
406	Induced Flow and Optical Emission Generated by a Pulsed 13.56 MHz–5 kHz Plasma Actuator. IEEE Transactions on Plasma Science, 2013, 41, 3275-3278.	1.3	4
407	Dielectric Barrier Discharge-Induced Vortex Generation With Discharge-Actuated Boundary Layer Bleed. IEEE Transactions on Plasma Science, 2013, 41, 3245-3253.	1.3	Ο
408	Microfabrication of dielectric barrier discharge plasma actuators for flow control. Sensors and Actuators A: Physical, 2013, 201, 101-104.	4.1	33
409	Effect of pressure on the emission characteristics of surface dielectric barrier discharge plasma. Sensors and Actuators A: Physical, 2013, 203, 1-5.	4.1	8
410	Numerical investigation of energy transfer for fast gas heating in an atmospheric nanosecond-pulsed DBD under different negative slopes. Journal Physics D: Applied Physics, 2013, 46, 495205.	2.8	35
411	Electrohydrodynamic force produced by a wire-to-cylinder dc corona discharge in air at atmospheric pressure. Journal Physics D: Applied Physics, 2013, 46, 475204.	2.8	96
412	Surface discharge plasma actuator driven by a pulsed 13.56 MHz–5 kHz voltage waveform. Journal Physics D: Applied Physics, 2013, 46, 405201.	2.8	5
413	Experimental study of Q-V Lissajous figures in nanosecond-pulse surface discharges. IEEE Transactions on Dielectrics and Electrical Insulation, 2013, 20, 1101-1111.	2.9	89
414	Numerical Study of the Control of Tollmien–Schlichting Waves Using Plasma Actuators. AIAA Journal, 2013, 51, 2353-2364.	2.6	44
415	On the formation of streamwise vortices by plasma vortex generators. Journal of Fluid Mechanics, 2013, 733, 370-393.	3.4	80
416	Effects of AC Dielectric Barrier Discharge Plasma Actuator Location on Flow Separation and Airfoil Performance. Procedia Engineering, 2013, 67, 270-278.	1.2	15
417	Monte Carlo simulation of positive corona discharge in SF6. International Journal of Electrical Power and Energy Systems, 2013, 49, 349-353.	5.5	8

#	ARTICLE	IF	CITATIONS
418	Modelling of an improved positive corona thruster and actuator. Journal of Electrostatics, 2013, 71, 61-67.	1.9	21
419	Atmospheric Plasma Thruster: Theory and Concept. AIAA Journal, 2013, 51, 362-371.	2.6	16
420	Flow Control on a NACA 4418 Using Dielectric-Barrier-Discharge Vortex Generators. AIAA Journal, 2013, 51, 452-464.	2.6	45
421	Control strategies for aircraft airframe noise reduction. Chinese Journal of Aeronautics, 2013, 26, 249-260.	5.3	58
422	Temporal evolution of a surface dielectric barrier discharge for different groups of plasma microdischarges. Journal Physics D: Applied Physics, 2013, 46, 025201.	2.8	33
423	Correlation Between Emission, Electric, and Flow Properties of Arc-Filament Plasma Actuators. AIAA Journal, 2013, 51, 922-935.	2.6	0
424	Closed-Loop Performance Control of Dielectric-Barrier-Discharge Plasma Actuators. AIAA Journal, 2013, 51, 961-967.	2.6	11
425	An asynchronous framework for the simulation of the plasma/flow interaction. Journal of Computational Physics, 2013, 236, 229-246.	3.8	9
426	Measurement of the surface charging of a plasma actuator using surface DBD. Journal of Electrostatics, 2013, 71, 547-550.	1.9	11
427	Experimental and computational study of the flow induced by a plasma actuator. International Journal of Heat and Fluid Flow, 2013, 41, 80-89.	2.4	75
428	Surface Potential and Electric Field Measurements in Plasma Actuators at Low Pressure. AIAA Journal, 2013, 51, 1054-1065.	2.6	11
429	Optical and electrical characterization of a surface dielectric barrier discharge plasma actuator. Plasma Sources Science and Technology, 2013, 22, 025009.	3.1	37
431	Characterization of nanosecond pulse driven dielectric barrier discharge plasma actuators for aerodynamic flow control. Journal of Applied Physics, 2013, 113, .	2.5	121
432	Time-dependent volume force produced by a non-thermal plasma actuator from experimental velocity field. Journal Physics D: Applied Physics, 2013, 46, 245201.	2.8	80
433	Simultaneous formation of striations and patterns in surface dielectric barrier discharge. Europhysics Letters, 2013, 103, 55001.	2.0	3
434	Plasma morphology and induced airflow characterization of a DBD actuator with serrated electrode. Journal Physics D: Applied Physics, 2013, 46, 125204.	2.8	72
435	Effect of dielectric aging on the behavior of a surface nanosecond pulsed dielectric barrier discharge. IEEE Transactions on Dielectrics and Electrical Insulation, 2013, 20, 1554-1560.	2.9	15
436	Flow Physics of a Pulsed Microjet Actuator for High-Speed Flow Control. AIAA Journal, 2013, 51, 2894-2918.	2.6	27

#	ARTICLE DBD surface streamer expansion described using nonlinear diffusion of the electric potential over	IF	CITATIONS
437	the barrier. Journal Physics D: Applied Physics, 2013, 46, 464014. The effect of external flow velocity on the momentum transfer of DBD plasma actuators. , 2013, , .	2.8	17
439	Experimental Comparison of DBD Plasma Actuators for Low Reynolds Number Separation Control. Journal of Turbomachinery, 2013, 135, .	1.7	13
440	Experimental Characterization of the RailPAc Plasma Flow Actuator. , 2013, , .		3
441	Effects of Pulse Polarity on Nanosecond Pulse Driven Dielectric Barrier Discharge Plasma Actuators. , 2013, , .		2
442	The Mixing Layer Perturbed by a Dielectric Barrier Discharge. , 2013, , .		12
443	Determination of the phase-resolved body force produced by a dielectric barrier discharge plasma actuator. Journal Physics D: Applied Physics, 2013, 46, 042001.	2.8	46
444	Measurement of the impulse produced by a pulsed surface discharge actuator in air. Journal Physics D: Applied Physics, 2013, 46, 365204.	2.8	24
445	In-Flight Transition Delay with DBD Plasma Actuators. , 2013, , .		20
446	Numerical Simulation of a Gas Turbine Combustor Using Nanosecond Pulsed Actuators. , 2013, , .		3
447	Damping Tollmien–Schlichting waves in a boundary layer using plasma actuators. Journal Physics D: Applied Physics, 2013, 46, 485203.	2.8	25
448	Modelling of plasma aerodynamic actuation driven by nanosecond SDBD discharge. Journal Physics D: Applied Physics, 2013, 46, 355205.	2.8	58
449	Dielectric Barrier Discharge Control and Flow Acceleration Enhancement by Diode Surface. , 2013, , .		13
450	Development of Near-Infrared Laser Heterodyne Interferometry for Diagnostics of Electron and Gas Number Densities in Microplasmas. Applied Physics Express, 2013, 6, 126101.	2.4	11
451	Streamers in air splitting into three branches. Europhysics Letters, 2013, 103, 25002.	2.0	13
452	On the classification of dielectric barrier discharge plasma actuators: A comprehensive performance evaluation study. Journal of Applied Physics, 2013, 114, .	2.5	39
453	Spatiotemporal structure of a millimetric annular dielectric barrier discharge plasma actuator. Physics of Fluids, 2013, 25, 017103.	4.0	16
454	A study of flow induced by laser induced breakdown-enhanced dielectric barrier discharges in air. Applied Physics Letters, 2013, 103, .	3.3	4

		ITATION RE	PORT	
#	Article		IF	CITATIONS
455	Experimental Study on Airfoil Circulation Control using Plasma Actuators. , 2013, , .			3
456	Experimental Study of <scp>DBD</scp> Plasma Actuator with Combination of <scp>AC</scp> and Nanosecond Pulse Voltage. Electrical Engineering in Japan (English Translation of Denki Gakkai) Tj ET	'Qq1 1 0.784	13 1): 44rgB1	[Qverlock 10
457	Formation of spatially periodic fronts of high-energy electrons in a radio-frequency driven surface microdischarge. Applied Physics Letters, 2013, 102, 034109.		3.3	3
458	Bang-Bang Control Applied in Airfoil Roll Control with Plasma Actuators. Journal of Aircraft, 2013, 50, 670-677.		2.4	14
459	Visualization by discharge illumination technique and modification by plasma actuator of rarefied Mach 2 airflow around a cylinder. Measurement Science and Technology, 2013, 24, 065401.		2.6	4
460	Velocity-information-based force-term estimation of dielectric-barrier discharge plasma actuators. Journal Physics D: Applied Physics, 2013, 46, 055202.		2.8	78
461	Study of Diffusion Control of Circular Jet Using Concentric DBD Plasma Actuator (Influence on Jet) Tj the Japan Society of Mechanical Engineers Series B B-hen, 2013, 79, 2704-2715.	ETQq0 0 0 ı	rgBT /Ove 0.2	rlock 10 Tf 50 3
462	Transition control using a single plasma actuator. International Journal of Aerodynamics, 2013, 3, 26		0.1	11
463	Body Force Produced by Plasma Actuator Using PIV and Pressure Measurements. , 2013, , .			2
464	Effect of Dielectric Degradation on Dielectric Barrier Discharge Plasma Actuator Performance. , 2013 , .			5
465	Recent progress in experimental studies of electro-hydrodynamic flow in electrostatic precipitators. Journal of Physics: Conference Series, 2013, 418, 012068.		0.4	10
466	Characterization of DBD Plasma Actuators via PIV Measurements. , 2013, , .			9
467	Active Flow Control on a Circular Cylinder via Streamwise-oriented Dielectric Barrier Discharge Plasma Actuators. , 2013, , .			1
468	Feedback control of flow separation on NACA0024 airfoil under periodic wall oscillation by means of DBD plasma actuator and FBG sensor. , 2013, , .			1
469	Dielectric Barrier Discharge Development at Low and Moderate Pressure Conditions. , 2013, , .			11
470	Simultaneous Investigation of Pressure Effects and Airflow Influence on DBD Plasma Actuators. , 2013, , .			3
471	Comprehensive Effectiveness and Efficiency Evaluation of Dielectric Barrier Discharge Plasma Actuators. , 2013, , .			3
472	Mixing Layer Excitation by Dielectric Barrier Discharge Plasma Actuators. , 2013, , .			22

ARTICLE IF CITATIONS # Dynamics of Rapid Localized Heating in Nanosecond Pulse Discharges for High Speed Flow Control. 473 0.6 41 Journal of Fluid Science and Technology, 2013, 8, 147-159. Pressure and Fluid Flow Characteristics of Channel Flow with DBD Plasma Actuator. 880-02 Nihon 474 Kikai Gakkai Ronbunshū Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2013, 0.2 79, 1208-1218. Jet Control by a Coaxial Type DBD Plasma Actuator. 880-02 Nihon Kikai Gakkai Ronbunshū Transactions 475 0.2 0 of the Japan Society of Mechanical Engineers Series B B-hen, 2013, 79, 2041-2052. Experimental Study on Characteristics of Backward Jet Induced by Plasma Actuator. 880-02 Nihon Kikai Gakkai Ronbunshë Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2013, 79, 0.2 2375-2383. Simulations of Serpentine Plasma Actuators in a Laminar Boundary Layer., 2013,,. 477 2 Attenuation of cross-flow-type instability in compressible boundary layer by means of plasma 478 actuators., 2013,,. Physical principle dealing with development of vortices formed by DBD actuator. EPJ Web of 479 0.3 0 Conferences, 2014, 67, 02097. Experimental investigation of filamentary and non-filamentary regimes in a surface dielectric barrier 480 0.4 plasma actuator. Journal of Physics: Conference Series, 2014, 550, 012038. The effect of electrode material on the efficiency of dielectric barrier discharge. Technical Physics 481 0.7 1 Letters, 2014, 40, 822-823. Competition between pressure effects and airflow influence for the performance of plasma 1.9 actuators. Physics of Plasmas, 2014, 21, . Electro-Hydrodynamic (EHD) Thrust Analysis in Wire-Cylinder Electrode Arrangement. Plasma Science 483 1.5 28 and Technology, 2014, 16, 363-369. Sensitivity Analysis of Active Flow Control Systems: Operating Parameters and Configuration Design. 484 2.4 Journal of Aircráft, 2014, 51, 330-335. Instability wave control in turbulent jet by plasma actuators. Journal Physics D: Applied Physics, 2014, 485 2.8 32 47, 505201. Effects of Ns-DBD Plasma Actuators on Turbulent Shear Layers., 2014, , . 486 Experimental investigation of Lissajous figure shapes in planar and surface dielectric barrier 487 0.4 29 discharges. Journal of Physics: Conference Series, 2014, 550, 012039. Electrohydrodynamic Microfabricated Ionic Wind Pumps for Thermal Management Applications. 488 2.1 33 Journal of Heat Transfer, 2014, 136, . Nichtinvasives, laseroptisches Messsystem zur hochaufgelĶsten Vermessung von StrĶmungsfeldern 489 0.7 0 und VolumenkrÄften. TM Technisches Messen, 2014, 81, 151-157. Effect of dielectric material on thermal effect produced by ns-DBD plasma actuator., 2014, , . 490

#	Article	IF	CITATIONS
491	Effects of Burst Frequency and Momentum Coefficient of DBD Actuator on Control of Deep-stall Flow around NACA0015 at Rec=2.6x10^{5}. , 2014, , .		6
492	Numerical Study of Dielectric Barrier Discharge Plasma Actuation. , 2014, , .		1
493	Active Control of a Backward Facing Step Flow With Plasma Actuators. Journal of Fluids Engineering, Transactions of the ASME, 2014, 136, .	1.5	20
494	Shock-Induced Separation Control by Using Nanosecond Pulsed SDBD Plasma actuators. , 2014, , .		5
495	Applications of String-type DBD Plasma Actuators for Flow Control in Turbomachineries. , 2014, , .		3
496	NS-DBD plasma actuation on a backward facing step. , 2014, , .		5
497	Active Wave Cancelation using Plasma Actuators in Flight. , 2014, , .		1
498	Stabilization of boundary layer streaks by plasma actuators. Journal Physics D: Applied Physics, 2014, 47, 125203.	2.8	17
499	Tonal Noise Excited by Plasma in Cylinder Wakes Using Closed-loop Control. , 2014, , .		2
500	Trailing Edge Noise Reduction by Passive and Active Flow Controls. , 2014, , .		2
501	Dielectric material degradation monitoring of dielectric barrier discharge plasma actuators. Journal of Applied Physics, 2014, 115, .	2.5	40
502	Plasma reactors with variable gas linear velocity. Studies on ozone synthesis. , 2014, , .		0
503	Effects of pulse polarity on nanosecond pulse driven dielectric barrier discharge plasma actuators. Journal of Applied Physics, 2014, 115, .	2.5	43
504	Effect of external flow velocity on momentum transfer of dielectric barrier discharge plasma actuators. Journal of Applied Physics, 2014, 116, .	2.5	32
505	Control of Separated Flow on a NACA 0015 Airfoil using Three-Dimensional Plasma Actuator. , 2014, , .		2
506	Wind Tunnel Experiments on a NACA0015 Airfoil Equipped with Vectorizable Dielectric Barrier Discharge Plasma Actuators. , 2014, , .		3
507	Study of flow fields induced by surface dielectric barrier discharge actuator in low-pressure air. Physics of Plasmas, 2014, 21, .	1.9	21
508	Influencia de la dinámica de los iones en la admitancia de una descarga corona modulada. , 2014, , .		0

#	Article	IF	CITATIONS
509	Influence of the ionization rate of a plasma discharge applied to the modification of a supersonic low Reynolds number flow field around a cylinder. Journal Physics D: Applied Physics, 2014, 47, 125202.	2.8	7
510	Nanosecond-pulsed plasma actuation in quiescent air and laminar boundary layer. Journal Physics D: Applied Physics, 2014, 47, 105201.	2.8	75
511	The Effects of Electrode Size and Configuration on Plasma Actuator Thrust and Effectiveness at Low Pressure. International Journal of Flow Control, 2014, 6, 75-86.	0.4	3
512	Characteristics of sheath-driven tangential flow produced by a low-current DC surface glow discharge plasma actuator. Japanese Journal of Applied Physics, 2014, 53, 086201.	1.5	1
513	Investigation of the DBD Plasma Effect on Flat Plate Flow. Plasma Science and Technology, 2014, 16, 197-202.	1.5	7
514	Local stability effects of plasma actuation on a zero pressure gradient boundary layer. Theoretical and Computational Fluid Dynamics, 2014, 28, 65-87.	2.2	10
515	Progress in Turbulence V. Springer Proceedings in Physics, 2014, , .	0.2	3
516	Feedback control of slowly-varying transient growth by an array of plasma actuators. Physics of Fluids, 2014, 26, 024102.	4.0	36
517	Active Flow Control by Dielectric Barrier Discharge to Increase Stall Angle of a NACA0012 Airfoil. Arabian Journal for Science and Engineering, 2014, 39, 2363-2370.	1.1	15
518	Measurement of Ozone Production in Non-thermal Plasma Actuator Using Surface Dielectric Barrier Discharge. Plasma Chemistry and Plasma Processing, 2014, 34, 887-897.	2.4	23
520	Surface and volume effects in micro-scale plasma evolution. Radiation Effects and Defects in Solids, 2014, 169, 19-29.	1.2	1
521	Role of the Charged Particles in Bacteria Inactivation by Plasma of a Positive and Negative Corona in Ambient Air. Plasma Processes and Polymers, 2014, 11, 315-334.	3.0	66
522	Simulating plasma actuators in a channel flow configuration by utilizing the modified Suzen–Huang model. Computers and Fluids, 2014, 99, 144-155.	2.5	12
523	Three-Electrode Plasma Synthetic Jet Actuator for High-Speed Flow Control. AIAA Journal, 2014, 52, 879-882.	2.6	68
524	Dielectric Barrier Discharge Plasma Actuators for In-Flight Transition Delay. AIAA Journal, 2014, 52, 358-367.	2.6	47
525	Corner-Type Plasma Actuators for Cavity Flow-Induced Noise Control. AIAA Journal, 2014, 52, 33-42.	2.6	11
526	Experimental investigation on a vectorized aerodynamic dielectric barrier discharge plasma actuator array. Journal of Applied Physics, 2014, 115, 163304.	2.5	33
527	Rare gas flow structuration in plasma jet experiments. Plasma Sources Science and Technology, 2014, 23, 012003.	3.1	151

#	Article	IF	CITATIONS
528	Mechanism of streamer stopping in a surface dielectric barrier discharge. Plasma Physics Reports, 2014, 40, 65-77.	0.9	30
529	Kinetics of low-temperature plasmas for plasma-assisted combustion and aerodynamics. Plasma Sources Science and Technology, 2014, 23, 015017.	3.1	39
530	Dynamics of energy coupling and thermalization in barrier discharges over dielectric and weakly conducting surfaces on <i>µ</i> s to ms time scales. Journal Physics D: Applied Physics, 2014, 47, 465201.	2.8	89
531	Effect of dielectric barrier discharge plasma actuators on non-equilibrium hypersonic flows. Journal of Applied Physics, 2014, 116, .	2.5	8
532	Relative Residual Charge Distribution and the Corresponding Discharge Image of a Surface DBD. IEEE Transactions on Plasma Science, 2014, 42, 2696-2697.	1.3	3
533	Electrical and mechanical characteristics of surface AC dielectric barrier discharge plasma actuators applied to airflow control. Experiments in Fluids, 2014, 55, 1.	2.4	426
534	Evaluation of Dielectric-Barrier-Discharge Actuator Substrate Materials. , 2014, , .		10
535	Experimental Study of a Surface DBD Actuator Supplied by an Atypical Nanosecond Rising High-Voltage Pulse. IEEE Transactions on Plasma Science, 2014, 42, 1661-1668.	1.3	9
536	Plasma–Gas Flow Interaction of a Discharge Normal to a Bluff Body Wake. IEEE Transactions on Plasma Science, 2014, 42, 2170-2178.	1.3	1
537	Application of linear sliding discharges for flow control: study of the energy coupling mechanisms. , 2014, , .		2
538	Formation of a synthetic jet based on a dielectric barrier discharge. Technical Physics Letters, 2014, 40, 606-608.	0.7	1
539	Turbulent boundary-layer control with plasma spanwise travelling waves. Experiments in Fluids, 2014, 55, 1.	2.4	28
540	Plasma synthetic jet actuator: electrical and optical analysis of the discharge. Journal Physics D: Applied Physics, 2014, 47, 345202.	2.8	61
541	Three-dimensional simulations of discharge plasma evolution on a dielectric barrier discharge plasma actuator. Journal of Applied Physics, 2014, 115, .	2.5	55
542	Improving Plasma Actuator Thrust at Low Pressure Through Geometric Variation. , 2014, , .		0
543	Numerical simulation of surface glow discharge in molecular nitrogen. High Temperature, 2014, 52, 344-347.	1.0	5
544	Studying surface glow discharge for application in plasma aerodynamics. Technical Physics Letters, 2014, 40, 135-137.	0.7	11
545	Two-dimensional simulation of fast gas heating in an atmospheric pressure streamer discharge and humidity effects. Journal Physics D: Applied Physics, 2014, 47, 155202.	2.8	68

#	Article	IF	CITATIONS
546	Influence of circulation on a rounded-trailing-edge airfoil using plasma actuators. Experiments in Fluids, 2014, 55, 1.	2.4	23
547	Temperature characterization of dielectric barrier discharge actuators: influence of electrical and geometric parameters. Journal Physics D: Applied Physics, 2014, 47, 255203.	2.8	75
548	Surface plasma actuators modeling for flow control. Progress in Aerospace Sciences, 2014, 67, 29-50.	12.1	39
549	Compressibility Effects on Dielectric Barrier Discharge Actuation and Boundary Layer Receptivity. , 2014, , .		1
550	Study of shock and induced flow dynamics by pulsed nanosecond DBD plasma actuators. , 2014, , .		15
551	Dielectric Barrier Discharge (DBD) Plasma Actuators Thrust - Measurement Methodology Incorporating New Anti-Thrust Hypothesis. , 2014, , .		13
552	Study of diffusion control in circular jet using concentric-type DBD plasma actuator. Journal of Fluid Science and Technology, 2014, 9, JFST0065-JFST0065.	0.6	1
553	Dielectric Barrier Discharge Control and Thrust Enhancement by Diode Surface. , 2014, , .		8
554	Spatial and temporal evolution of microdischarges in Surface Dielectric Barrier Discharges for aeronautical applications plasmas. Journal of Physics: Conference Series, 2014, 550, 012036.	0.4	2
555	Active control of the tip vortex: an experimental investigation on the performance characteristics of a model turbine. Journal of Physics: Conference Series, 2014, 524, 012098.	0.4	5
556	Experimental research of sliding surface distributed nanosecond discharge in supersonic air flow. Journal of Physics: Conference Series, 2014, 516, 012021.	0.4	6
557	Control of Natural Tollmien-Schlichting Waves using Dielectric Barrier Discharge Plasma Actuators. International Journal of Flow Control, 2015, 7, 37-54.	0.4	12
558	Dynamics of charge transfer and energy coupling in surface discharges on µsec to msec time scales. , 2015, , .		0
559	Effects of Pulse Energy on Shear Layer Control using Surface Plasma Discharges. , 2015, , .		8
560	Efficient needle plasma actuators for flow control and surface cooling. Applied Physics Letters, 2015, 107, .	3.3	27
561	An Out-of-Plane Velocity Component in Dielectric Barrier Discharge Actuator Flow. , 2015, , .		0
562	Suppression of vortex shedding from a pantograph head using vortex generator-type plasma actuators. Journal of Fluid Science and Technology, 2015, 10, JFST0006-JFST0006.	0.6	6
563	Computational and experimental analysis of flow structures induced by a plasma actuator with burst modulations in quiescent air. Mechanical Engineering Journal, 2015, 2, 15-00233-15-00233.	0.4	32

ARTICLE

IF CITATIONS

Control of multiple-passage cannel flows using DBD plasma actuator. Transactions of the JSME (in) Tj ETQq0 0 0 rg BT_2 /Overlock 10 Tf 50 2

565	Airflow acceleration performance of asymmetric surface dielectric barrier discharge actuators at different exposed needle electrode heights. Journal of Applied Physics, 2015, 118, .	2.5	9
566	Three distinct modes in a surface micro-discharge in atmospheric pressure He + N2 mixtures. Physics of Plasmas, 2015, 22, .	1.9	15
567	Flow Control on a Transport Truck Side Mirror Using Plasma Actuators. Journal of Fluids Engineering, Transactions of the ASME, 2015, 137, .	1.5	18
568	Manipulation of a grid-generated mixing with an active honeycomb dielectric barrier plasma discharge. Applied Physics Letters, 2015, 107, .	3.3	12
569	Analysis of local frequency response of flow to actuation: Application to the dielectric barrier discharge plasma actuator. Journal of Applied Physics, 2015, 118, .	2.5	9
570	Mechanisms for laminar separated-flow control using dielectric-barrier-discharge plasma actuator at low Reynolds number. Physics of Fluids, 2015, 27, .	4.0	99
571	Electric Field Measurements in a Dielectric Barrier Nanosecond Pulse Discharge with Sub-nanosecond Time Resolution. , 2015, , .		1
572	Numerical investigation of plasma-actuator force-term estimations from flow experiments. Journal Physics D: Applied Physics, 2015, 48, 395203.	2.8	29
573	The influence of plasma actuators material and geometry on the electromagnetic characteristics of the discharge and the specific thrust of synthetic jets. Journal of Physics: Conference Series, 2015, 653, 012156.	0.4	2
574	Plasma-Based Control of Transition on a Wing with Leading-Edge Excrescence. , 2015, , .		2
575	Proteomic Changes of Tissue-Tolerable Plasma Treated Airway Epithelial Cells and Their Relation to Wound Healing. BioMed Research International, 2015, 2015, 1-17.	1.9	38
576	Evaluation of Residence Time on Nitrogen Oxides Removal in Non-Thermal Plasma Reactor. PLoS ONE, 2015, 10, e0140897.	2.5	17
577	Effect of electric-discharge plasma on gas-dynamic flow modes of a supersonic jet impinging on a barrier. Doklady Physics, 2015, 60, 160-163.	0.7	0
578	Plasma-Based Flow Control for Delay of Excrescence-Generated Transition. AIAA Journal, 2015, 53, 1455-1467.	2.6	17
579	Electrical and mechanical characteristics of nanosecond pulsed sliding dielectric barrier discharges with different electrode gaps. Journal of Physics: Conference Series, 2015, 646, 012054.	0.4	3
580	Peculiarities of interaction of a shock wave with gas discharge plasma. Technical Physics Letters, 2015, 41, 753-755.	0.7	9
581	Closed-Loop Turbulence Control: Progress and Challenges. Applied Mechanics Reviews, 2015, 67, .	10.1	369

#	Article	IF	CITATIONS
582	Gas flow characteristics of a time modulated APPJ: the effect of gas heating on flow dynamics. Journal Physics D: Applied Physics, 2015, 48, 015203.	2.8	41
583	Numerical design and analysis of a multi-DBD actuator configuration for the experimental testing of ACHEON nozzle model. Aerospace Science and Technology, 2015, 41, 259-273.	4.8	41
584	Characteristics of ionic wind in needle-to-ring corona discharge. Journal of Electrostatics, 2015, 74, 15-20.	1.9	65
585	Elongating the area of plasma/fluid interaction of surface nanosecond pulsed discharges. Journal of Electrostatics, 2015, 74, 79-84.	1.9	29
586	Development of DBD plasma actuators: The double encapsulated electrode. Acta Astronautica, 2015, 109, 132-143.	3.2	58
587	Compressibility Effects on Dielectric Barrier Discharge Actuation and Boundary-Layer Receptivity. AIAA Journal, 2015, 53, 2186-2202.	2.6	2
588	Plasma Flow Control on a Landing Gear Model. , 2015, , .		1
589	Numerical Study of Three-dimensional Effects of Plasma Structure on Flow Field around DBD Plasma Actuator. , 2015, , .		0
590	Effect of a thin-wire exposed electrode on plasma structure and aerodynamic performance in a DBD plasma actuator. , 2015, , .		7
591	Parallel integration of ionic wind generators on PCBs for enhancing flow rate. Microsystem Technologies, 2015, 21, 1465-1471.	2.0	26
592	Toward the Design of Multi Asymmetric Surface Dielectric Barrier Discharge (ASDBD) Actuators. Plasma Science and Technology, 2015, 17, 56-63.	1.5	2
593	Influence of positive slopes on ultrafast heating in an atmospheric nanosecond-pulsed plasma synthetic jet. Plasma Sources Science and Technology, 2015, 24, 015007.	3.1	20
594	A rapidly settled closed-loop control for airfoil aerodynamics based on plasma actuation. Experiments in Fluids, 2015, 56, 1.	2.4	11
595	Streamer knotwilg branching: sudden transition in morphology of positive streamers in high-purity nitrogen. Journal Physics D: Applied Physics, 2015, 48, 355202.	2.8	4
596	Electrohydrodynamic force produced by a corona discharge between aÂwire active electrode and several cylinder electrodes – Application toÂelectric propulsion. Journal of Electrostatics, 2015, 76, 194-200.	1.9	48
597	Effects of corona discharges on a turbulent air flow: Simulation on aÂhigh-lift system. Journal of Electrostatics, 2015, 76, 171-177.	1.9	0
598	Compared ionic wind measurements on multi-tip corona and DBD plasma actuators. Journal of Electrostatics, 2015, 76, 278-287.	1.9	30
599	Surface potential distribution and airflow performance of different air-exposed electrode plasma actuators at different alternating current/direct current voltages. Physics of Plasmas, 2015, 22, 043518.	1.9	6

#	Article	IF	Citations
600	Chemical Analysis of NOxRemoval Under Different Reduced Electric Fields. Plasma Science and Technology, 2015, 17, 589-594.	1.5	9
601	Ns-DBD plasma actuator induced density gradient on a laminar boundary layer. , 2015, , .		1
602	Flow control over a backward facing step by ns-DBD plasma actuator. , 2015, , .		4
603	Note: Background Oriented Schlieren as a diagnostics for airflow control by plasma actuators. Review of Scientific Instruments, 2015, 86, 026103.	1.3	10
604	Simulation of Nanosecond Pulsed DBD Plasma Actuation with Different Rise Times. Plasma Processes and Polymers, 2015, 12, 642-654.	3.0	14
605	Flow control over an airfoil using virtual Gurney flaps. Journal of Fluid Mechanics, 2015, 767, 595-626.	3.4	75
606	Effect of Three-Dimensional Plasma Actuation on the Wake of a Circular Cylinder. AIAA Journal, 2015, 53, 958-967.	2.6	29
607	Smart control of a horizontal axis wind turbine using dielectric barrier discharge plasma actuators. Renewable Energy, 2015, 80, 644-654.	8.9	32
608	Air supply using an ionic wind generator in a proton exchange membrane fuel cell. Journal of Power Sources, 2015, 284, 504-510.	7.8	8
609	Dielectric barrier discharge plasma actuator to control turbulent flow downstream of a backward-facing step. Experiments in Fluids, 2015, 56, 1.	2.4	42
610	Plasma control of shock wave configuration in off-design mode of MÂ=Â2 inlet. Experiments in Fluids, 2015, 56, 1.	2.4	69
611	A burst wave-induced plasma actuator for controlling separated flow over a backward-facing step at low Reynolds numbers. Experimental Thermal and Fluid Science, 2015, 66, 72-78.	2.7	16
612	Delay of finite-span excrescence-induced transition using plasma-based control. International Journal of Computational Fluid Dynamics, 2015, 29, 161-179.	1.2	3
613	A novel method of calculating the energy deposition curve of nanosecond pulsed surface dielectric barrier discharge. Plasma Sources Science and Technology, 2015, 24, 025034.	3.1	5
614	Stabilisation of a three-dimensional boundary layer by base-flow manipulation using plasma actuators. Journal Physics D: Applied Physics, 2015, 48, 285205.	2.8	32
615	Geometry Effects of SDBD Actuator on Atmospheric-Pressure Discharge Plasma Airflow Acceleration. IEEE Transactions on Plasma Science, 2015, 43, 3653-3661.	1.3	12
616	Investigation of a Micro Dielectric Barrier Discharge Plasma Actuator for Regional Aircraft Active Flow Control. IEEE Transactions on Plasma Science, 2015, 43, 3668-3680.	1.3	38
617	Control of Hypersonic BL Transition by Electrical Discharge (feasibility study). , 2015, , .		5

#	Article	IF	Citations
618	Longitudinally periodic viscous flows generated by a near-wall volume force. Fluid Dynamics, 2015, 50, 514-521.	0.9	4
619	Single Nanosecond Dielectric Barrier Discharge and Pulsed Sliding Discharge Applied to Separation Control Along a NACA 0015 Airfoil. , 2015, , .		1
620	Separation control by means of plasma actuation on a half cylinder approached by a turbulent boundary layer. Journal of Wind Engineering and Industrial Aerodynamics, 2015, 145, 318-326.	3.9	20
621	Surface dielectric barrier discharge actuator: Electrical, optical and mechanical characterization. , 2015, , .		0
622	On the boundary and separated flow using pulsed nanosecond DBD plasma actuators. , 2015, , .		0
623	Effect of Relative Humidity on Dielectric Barrier Discharge Plasma Actuator Body Force. AIAA Journal, 2015, 53, 2801-2805.	2.6	20
624	Mechanism of Vorticity Generation in Plasma Streamwise Vortex Generators. AIAA Journal, 2015, 53, 3404-3413.	2.6	29
625	Effect of a direct current bias on the electrohydrodynamic performance of a surface dielectric barrier discharge actuator for airflow control. Journal of Applied Physics, 2015, 117, .	2.5	17
626	Modeling DBD Plasma Actuators in Integral Boundary Layer Formulation for Application in Panel Methods. , 2015, , .		3
627	Impact ofns-DBD plasma actuation on the boundary layer transition using convective heat transfer measurements. Journal Physics D: Applied Physics, 2015, 48, 365203.	2.8	10
628	Nanosecond pulsed sliding dielectric barrier discharge plasma actuator for airflow control: Electrical, optical, and mechanical characteristics. Journal of Applied Physics, 2015, 118, .	2.5	80
629	Diagnostics for characterisation of plasma actuators. Measurement Science and Technology, 2015, 26, 092001.	2.6	133
630	Energy deposition characteristics of nanosecond dielectric barrier discharge plasma actuators: Influence of dielectric material. Journal of Applied Physics, 2015, 118, .	2.5	20
631	Thrust characteristic of a multipoint-grid type EHD gas pump under negative corona operation in air. IEEE Transactions on Dielectrics and Electrical Insulation, 2015, 22, 2136-2141.	2.9	4
632	Plasma-actuated Manipulation of Secondary Flow Towards Pressure Recovery Enhancement in a 3D Diffuser Modelled by an Eddy-resolving Second-moment Closure. Flow, Turbulence and Combustion, 2015, 95, 377-398.	2.6	9
633	Active flow control of laminar boundary layers for variable flow conditions. International Journal of Heat and Fluid Flow, 2015, 56, 344-354.	2.4	17
634	The study of the ionic wind blower with multi-needles/ring type electrodes disposed on inner wall of the cylindrical blower. Journal of Electrostatics, 2015, 78, 55-59.	1.9	5
635	Investigation of Cathodic-Arc-Jet Influence on Cross Flow using Particle Image Velocimetry. , 2015, , .		1
#	Article	IF	CITATIONS
-----	---	-----	-----------
636	Starting Flow by Repetitive Nanosecond Pulsed DBD Actuation at Microseconds and Milliseconds in Quiescent Air. , 2015, , .		1
637	Multi-Input Genetic Algorithm for Experimental Optimization of the Reattachment Downstream of a Backward-Facing-Step with Surface Plasma Actuator. , 2015, , .		4
638	Characterization of Flow Control Actuators Based on Spark Discharge Plasmas Using Particle Image Velocimetry. , 2015, , .		4
639	Analysis of geometric scaling of miniature, multi-electrode assisted corona discharges for ionic wind generation. Journal of Electrostatics, 2015, 74, 8-14.	1.9	28
640	An empirical model for ionic wind generation by a needle-to-cylinder dc corona discharge. Journal of Electrostatics, 2015, 73, 125-130.	1.9	43
641	Predicted flow characteristics of a wire-nonparallel plate type electrohydrodynamic gas pump using the Finite Element Method. Journal of Electrostatics, 2015, 73, 103-111.	1.9	26
643	Feedback Control of Flow Separation Using Plasma Actuator and FBG Sensor. International Journal of Aerospace Engineering, 2016, 2016, 1-16.	0.9	19
644	Active Flow Control by Using Plasma Actuators. , 0, , .		10
645	Stereoscopic PIV measurement of boundary layer affected by DBD actuator. EPJ Web of Conferences, 2016, 114, 02099.	0.3	1
646	OES characterization of streamers in a nanosecond pulsed SDBD using N ₂ and Ar transitions. Plasma Sources Science and Technology, 2016, 25, 045002.	3.1	17
647	Electric and plasma characteristics of RF discharge plasma actuation under varying pressures. Chinese Physics B, 2016, 25, 035204.	1.4	8
648	Field emission microplasma actuation for microchannel flows. Journal Physics D: Applied Physics, 2016, 49, 215203.	2.8	14
649	Control of the coherent structure dynamics downstream of a backward facing step by DBD plasma actuator. International Journal of Heat and Fluid Flow, 2016, 61, 158-173.	2.4	15
650	Transition control in a three-dimensional boundary layer by direct attenuation of nonlinear crossflow vortices using plasma actuators. International Journal of Heat and Fluid Flow, 2016, 61, 449-465.	2.4	32
651	Large Eddy Simulation of the Effects of Plasma Actuation Strength on Film Cooling Efficiency. Plasma Science and Technology, 2016, 18, 1101-1109.	1.5	5
652	Control of backward-facing step flow using burst modulation with a DBD plasma actuator. Transactions of the JSME (in Japanese), 2016, 82, 15-00628-15-00628.	0.2	7
653	Electric field in an AC dielectric barrier discharge overlapped with a nanosecond pulse discharge. Plasma Sources Science and Technology, 2016, 25, 045008.	3.1	24
654	Pre-switching bifurcation of a slender jet. Physics of Fluids, 2016, 28, .	4.0	3

#	Article	IF	CITATIONS
655	Effect of the duty cycle on the spark-plug plasma synthetic jet actuator. EPJ Web of Conferences, 2016, 114, 02104.	0.3	2
656	Towards In-Flight Applications? A Review on Dielectric Barrier Discharge-Based Boundary-Layer Control. Applied Mechanics Reviews, 2016, 68, .	10.1	138
657	Application of corona discharge acoustic characteristics to determine its properties. Acoustical Physics, 2016, 62, 429-435.	1.0	6
658	Discharge effects on gas flow dynamics in a plasma jet. Physics of Plasmas, 2016, 23, .	1.9	42
659	On the accuracy of the rate coefficients used in plasma fluid models for breakdown in air. Physics of Plasmas, 2016, 23, 074503.	1.9	1
660	The effect of applied voltage frequency on surface dielectric barrier discharge energy. Journal of Physics: Conference Series, 2016, 774, 012195.	0.4	4
661	Topological structures of vortex flow on a flying wing aircraft, controlled by a nanosecond pulse discharge plasma actuator. Applied Physics Letters, 2016, 108, .	3.3	25
662	Effects of atmospheric-pressure discharge type on ionic wind velocity for needle-to-cylinder electrode. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2016, 34, .	2.1	8
663	Axisymmetric jet manipulated using two unsteady minijets. Journal of Fluid Mechanics, 2016, 808, 362-396.	3.4	25
664	Effect of oxygen impurities on atmospheric-pressure surface streamer discharge in argon for large gap arc breakdown. Physics of Plasmas, 2016, 23, 103501.	1.9	5
665	Dielectric barrier discharge actuator for vehicle drag reduction at highway speeds. AIP Advances, 2016, 6, .	1.3	30
666	The effect of plasma actuator on the depreciation of the aerodynamic drag on box model. AIP Conference Proceedings, 2016, , .	0.4	3
667	Flow control of an elongated jet in cross-flow: Film cooling effectiveness enhancement using surface dielectric barrier discharge plasma actuator. Applied Physics Letters, 2016, 108, .	3.3	20
668	Study on the characteristics of barrier free surface discharge driven by repetitive nanosecond pulses at atmospheric pressure. Physics of Plasmas, 2016, 23, .	1.9	7
669	Active flow control over a backward-facing step using plasma actuation. Acta Astronautica, 2016, 126, 354-363.	3.2	24
670	A Compact Microsecond-Pulse Generator Used for Surface Dielectric Barrier Discharges. IEEE Transactions on Plasma Science, 2016, 44, 2072-2078.	1.3	22
671	Depolymerization of cellulose to processable glucans by non-thermal technologies. Green Chemistry, 2016, 18, 3903-3913.	9.0	59
672	Utilizing the L-PSJA for controlling cylindrical wake flow. International Journal of Numerical Methods for Heat and Fluid Flow, 2016, 26, 1593-1616.	2.8	2

#	Article	IF	CITATIONS
673	Induced Velocity and Density Gradients due to Nanosecond Plasma Actuation. AIAA Journal, 2016, 54, 3895-3902.	2.6	5
674	Streamlining of a cylinder with an electric arc rotating in a magnetic field. High Temperature, 2016, 54, 599-602.	1.0	5
675	Experimental investigation of cooling of a plate by ionic wind from a corona-forming wire electrode. Technical Physics, 2016, 61, 1214-1219.	0.7	15
676	Oblique Shock Control by Surface Arc Discharge Plasma. , 2016, , .		5
677	Plasma-Based Control of Excrescence-Generated Transition on a Swept Wing. , 2016, , .		2
678	Wire-to-Plate Surface Dielectric Barrier Discharge and Induced Ionic Wind. Plasma Science and Technology, 2016, 18, 634-640.	1.5	3
681	Control of a turbulent flow separated at mid-chord along an airfoil with DBD plasma actuators. Journal of Electrostatics, 2016, 83, 78-87.	1.9	27
682	Improving thrust by pulse-induced breakdown enhancement in AC surface dielectric barrier discharge actuators for airflow control. Journal Physics D: Applied Physics, 2016, 49, 295203.	2.8	8
683	Role of the pressure gradient in flows controlled by a near-wall body force. Fluid Dynamics, 2016, 51, 482-490.	0.9	4
684	Experimental method to quantify the efficiency of the first two operational stages of nanosecond dielectric barrier discharge plasma actuators. Journal Physics D: Applied Physics, 2016, 49, 505201.	2.8	10
685	Turbulent boundary layer separation control using plasma actuator at Reynolds number 2000000. Chinese Journal of Aeronautics, 2016, 29, 1237-1246.	5.3	28
686	Influence of Actuating Position on Asymmetric Vortex Control With Nanosecond Pulse DBD Plasma Actuators. IEEE Transactions on Plasma Science, 2016, 44, 2785-2795.	1.3	5
687	Fluid and hybrid modeling of nanosecond surface discharges: effect of polarity and secondary electrons emission. Plasma Sources Science and Technology, 2016, 25, 044008.	3.1	94
688	Dynamics of near-surface electric discharges and mechanisms of their interaction with the airflow. Plasma Sources Science and Technology, 2016, 25, 063001.	3.1	155
689	EHD-driven mass transport enhancement in surface dielectric barrier discharges. Plasma Sources Science and Technology, 2016, 25, 06LT01.	3.1	24
690	Investigation on the Characteristics of Dielectric Barrier Surface Discharge Driven by Repetitive Nanosecond Pulses in Airflows. IEEE Transactions on Plasma Science, 2016, 44, 2812-2818.	1.3	7
691	Electrogasdynamic laminar flow control on a swept wing. Aerospace Science and Technology, 2016, 59, 155-161.	4.8	19
692	Nanosecond-Pulsed Dielectric Barrier Discharge Plasma Actuator for Airflow Control Along an NACA0015 Airfoil at High Reynolds Number. IEEE Transactions on Plasma Science, 2016, 44, 2803-2811.	1.3	11

#	Article	IF	CITATIONS
693	Film cooling effectiveness enhancement using surface dielectric barrier discharge plasma actuator. International Journal of Heat and Fluid Flow, 2016, 62, 247-257.	2.4	30
694	Volume-surface barrier discharge in dried air in three-electrode system fed by impulse high voltage with nanosecond rise time. EPJ Applied Physics, 2016, 75, 24705.	0.7	3
695	Ionic wind measurements on multi-tip plasma actuators. EPJ Web of Conferences, 2016, 114, 02073.	0.3	4
696	Pulsed nanosecond discharge in air at high specific deposited energy: fast gas heating and active particle production. Plasma Sources Science and Technology, 2016, 25, 044003.	3.1	73
697	Characterization of DBD Plasma Actuators Performance without External Flow - Part I: Thrust-Voltage Quadratic Relationship in Logarithmic Space for Sinusoidal Excitation. , 2016, , .		2
698	Modeling, fabrication and plasma actuator coupling of flexible pressure sensors for flow separation detection and control in aeronautical applications. Journal Physics D: Applied Physics, 2016, 49, 235201.	2.8	16
699	Experimental Investigation of Dynamic Stall in a Wide Range of Mach Numbers by Plasma Actuators with Combined Energy/Momentum Action. , 2016, , .		1
700	Separation Control on a NACA 0015 Airfoil with Plasma-Actuator-Generated Disturbance. , 2016, , .		2
701	Modelling of Dielectric Barrier Discharge Plasma Actuators for Direct Numerical Simulations. , 2016, ,		15
702	New Frequency Dependent Capacitance Based SDBD Plasma Model for Direct Simulation of 2D Navier-Stokes Equation. , 2016, , .		0
703	Optimization of Dielectric Barrier Discharge Plasma Actuators for Conical-Forebody Flow Control. , 2016, , .		1
704	Transient Plasma Impact on Spectra of Flow Disturbances in a Corner Separation Zone at Mach 4.5. , 2016, , .		3
705	Ion Wind Generator Utilizing Bipolar Discharge in Parallel Pin Geometry. IEEE Transactions on Plasma Science, 2016, 44, 2979-2987.	1.3	26
706	Experimental investigation of the properties of a glow discharge used as plasma actuator applied to rarefied supersonic flow control around a flat plate. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 671-682.	2.9	4
707	Experimental Study of Anti-icing and Deicing on a Cylinder by DBD plasma actuation. , 2016, , .		22
708	Submicron particles trajectory and collection efficiency in a miniature planar DBD-ESP: Theoretical model and experimental validation. Journal of Electrostatics, 2016, 82, 38-47.	1.9	13
709	Joule heating flow control methods for high-speed flows. Journal of Electrostatics, 2016, 80, 34-68.	1.9	46
710	Removal of NO in Mist by the Combination of Plasma Oxidation and Chemical Absorption. Energy & Fuels, 2016, 30, 5071-5076.	5.1	22

#	Article	IF	CITATIONS
711	Closed-loop enhancement of jet mixing with extremum-seeking and physics-based strategies. Experiments in Fluids, 2016, 57, 1.	2.4	8
712	Plasma Actuator for Cylinder Noise Mitigation. , 2016, , .		0
713	Theoretical modeling of pulse discharge cycle in dielectric barrier discharge plasma actuator. Japanese Journal of Applied Physics, 2016, 55, 07LD04.	1.5	6
714	Lift Augmentation Based on Flap Deflection With Dielectric Barrier Discharge Plasma Flow Control Over Multi-Element Airfoils. Journal of Fluids Engineering, Transactions of the ASME, 2016, 138, .	1.5	9
715	Numerical Modeling of Dielectric Barrier Discharge Plasma Actuation. Journal of Fluids Engineering, Transactions of the ASME, 2016, 138, .	1.5	7
716	Characterization of efficiency of energy deposition of a ns-DBD plasma actuator. , 2016, , .		1
717	Fluid Motion Induced by Spark Plasma: Development of Particle Image Velocimetry Measurements. , 2016, , .		2
718	Phase-Locked Schlieren of Periodic Nanosecond-Pulsed DBD Actuation in Quiescent Air. , 2016, , .		2
719	CARS / 4-Wave Mixing Measurements of Electric Field in AC Dielectric Barrier Discharges Overlapped with Nanosecond Duration Voltage Pulses. , 2016, , .		0
720	Numerical simulation of DC glow discharges for shock wave modification. , 2016, , .		5
721	Optical Measurement of Transient Plasma Impact on Corner Separation in M=4.5 Airflow. , 2016, , .		8
722	Pressure sensor based on bipolar discharge corona configuration. Sensors and Actuators A: Physical, 2016, 237, 81-90.	4.1	26
723	Effects of Nanosecond Pulse Driven Plasma Actuators on Turbulent Shear Layers. AIAA Journal, 2016, 54, 637-651.	2.6	14
724	Plasma-Based Control of Transition on a Wing with Leading-Edge Excrescence. AIAA Journal, 2016, 54, 129-140.	2.6	18
725	A Comparison Between DBD and Corona Actuators with Non-Straight Electrodes. Springer Proceedings in Physics, 2016, , 197-201.	0.2	0
726	Investigation on 3D flow field induced by a plasma actuator with serrated electrode. Science Bulletin, 2016, 61, 481-487.	9.0	1
727	Flow Separation Control over a Boeing Vertol VR-7 using NS-DBD Plasma Actuators. , 2016, , .		8
728	Investigating the Influence of DBD Plasma Actuators on the Skin Friction in Integral Boundary Layer Formulation. , 2016, , .		0

#	Article	IF	CITATIONS
729	Fast and solvent free polymerization of carbohydrates induced by non-thermal atmospheric plasma. Green Chemistry, 2016, 18, 3013-3019.	9.0	16
730	Numerical Study on Spanwise Nonuniformity in Body-Force Field of Dielectric-Barrier-Discharge Plasma Actuator. AIAA Journal, 2016, 54, 659-669.	2.6	28
731	Flow Separation Control on a Compressor-Stator Cascade Using Plasma Actuators and Synthetic and Continuous Jets. Journal of Aerospace Engineering, 2016, 29, .	1.4	29
732	Numerical Investigation on the Impact of DBD Plasma Actuators on Temperature Enhancement in the Channel Flow. Heat Transfer - Asian Research, 2017, 46, 497-510.	2.8	1
733	Airfoil Optimisation for DBD Plasma Actuator in a Wind Energy Environment: Design and Experimental Study. , 2017, , .		4
734	Airfoil Stall Hysteresis Control with DBD Plasma actuation. , 2017, , .		4
735	Development of a Femtosecond Laser Electric Field Probe for Non-Species Dependent Measurements. , 2017, , .		2
736	Experimental and numerical investigation of flames stabilised behind rotating cylinders: interaction of flames with a moving wall. Journal of Fluid Mechanics, 2017, 813, 127-151.	3.4	12
737	Drag reduction of circular cylinders by porous coating on the leeward side. Journal of Fluid Mechanics, 2017, 813, 382-411.	3.4	57
738	Effect of air flow on the micro-discharge dynamics in an array of integrated coaxial microhollow dielectric barrier discharges. Plasma Sources Science and Technology, 2017, 26, 035001.	3.1	24
739	A Comparison Between Corona and DBD Plasma Actuators for Separation Control on an Airfoil. , 2017, , ,		6
740	Simulation of Reduced Air Plasma Reactions for Nanosecond-Pulse Dielectric Barrier Discharge. , 2017, , .		4
741	Thermal perturbations generated by near-surface electric discharges and mechanisms of their interaction with the airflow. , 2017, , .		3
742	Three-Electrode Sliding Nanosecond Dielectric Barrier Discharge Actuator: Modeling and Physics. AIAA Journal, 2017, 55, 1393-1404.	2.6	20
743	Novel Sawtooth Dielectric Barrier Discharge Plasma Actuator for Flow Separation Control. AIAA Journal, 2017, 55, 1405-1416.	2.6	20
744	Rotorcraft Fuselage Drag Reduction Using Dielectric Barrier Discharge Plasma Actuators. , 2017, , .		0
745	Effect of Compressibility on Plasma-Based Transition Control for a Wing with Leading-Edge Excrescence. , 2017, , .		0
746	Stall Cell Formation over a Boeing Vertol VR-7 Airfoil. , 2017, , .		1

#	Article	IF	Citations
747	Influence of Voltage Waveform on Electrohydrodynamic Force in a Dielectric-Barrier-Discharge Plasma Actuator. , 2017, , .		4
748	Shock Wave/Boundary Layer Control Using Nanosecond Reptitively Pulsed Dielectric Barrier Discharges. , 2017, , .		3
749	Spanwise modulation effects of local body force on downstream turbulence growth around two-dimensional hump. International Journal of Heat and Fluid Flow, 2017, 63, 108-118.	2.4	6
750	Formation and characterization of the vortices generated by a DBD plasma actuator in burst mode. Physics of Fluids, 2017, 29, .	4.0	38
751	Blunt Body Shock Wave Control by Radio Frequency Plasma Actuation at Mach 2. , 2017, , .		1
752	Sounding Rocket Roll Control Through DBD Plasma Actuated Boundary Layer Control. , 2017, , .		0
753	A Mathematical Model for Determining an Electrohydrodynamic Accelerator's Monopolar Flow Limit During Positive Corona Discharge. IEEE Transactions on Plasma Science, 2017, 45, 432-440.	1.3	11
754	An experimental investigation of an unsteady adverse pressure gradient turbulent boundary layer: embedded shear layer scaling. Journal of Fluid Mechanics, 2017, 815, 592-642.	3.4	42
755	2D modeling and simulation of the flow dynamics, electric field and reactions in a low-temperature, atmospheric-pressure nitrogen plasma sharp-end plate-to-plane configuration and CVD reactor. Journal Physics D: Applied Physics, 2017, 50, 135202.	2.8	1
756	Circular Cylinder Drag Reduction By Three-Electrode Plasma Symmetric Forcing. Journal of Fluids Engineering, Transactions of the ASME, 2017, 139, .	1.5	5
757	Shock wave interaction with a thermal layer produced by a plasma sheet actuator. Journal Physics D: Applied Physics, 2017, 50, 085204.	2.8	26
758	Highly time-resolved investigation of the electric wind caused by surface DBD at various ac frequencies. Journal of Electrostatics, 2017, 88, 41-48.	1.9	18
759	Schlieren visualization of flow-field modification over an airfoil by near-surface gas-density perturbations generated by a nanosecond-pulse-driven plasma actuator. Journal Physics D: Applied Physics, 2017, 50, 215202.	2.8	34
762	Large eddy simulation of saw tooth plasma actuator for improving film cooling efficiency. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2017, 231, 357-370.	1.4	6
763	Paper-based plasma sanitizers. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 5119-5124.	7.1	31
764	Change in the direction of electric wind from a wire electrode tilted relative to a grounded plane. Technical Physics Letters, 2017, 43, 98-100.	0.7	1
765	Numerical modelling of electrohydrodynamic airflow induced in a wire-to-grid channel. Journal of Electrostatics, 2017, 87, 123-139.	1.9	14
766	Effect of compressibility on plasma-based transition control for a wing with leading-edge excrescence. International Journal of Computational Fluid Dynamics, 2017, 31, 156-173.	1.2	0

#	Article	IF	CITATIONS
767	The multichannel discharge plasma synthetic jet actuator. Sensors and Actuators A: Physical, 2017, 253, 112-117.	4.1	35
768	Evolution of nanosecond surface dielectric barrier discharge for negative polarity of a voltage pulse. Plasma Sources Science and Technology, 2017, 26, 014001.	3.1	30
769	Geometry optimization of linear and annular plasma synthetic jet actuators. Journal Physics D: Applied Physics, 2017, 50, 015210.	2.8	32
770	Skin-friction drag reduction in a channel flow with streamwise-aligned plasma actuators. International Journal of Heat and Fluid Flow, 2017, 66, 83-94.	2.4	47
771	Enhanced electrohydrodynamic force generation in a two-stroke cycle dielectric-barrier-discharge plasma actuator. Applied Physics Letters, 2017, 110, .	3.3	21
772	Investigation of DBD plasma actuator effect on the aerodynamic and thermodynamic performance of high solidity Wells turbine. Renewable Energy, 2017, 112, 347-364.	8.9	8
773	Straight and curved type micro dielectric barrier discharge plasma actuators for active flow control. Experimental Thermal and Fluid Science, 2017, 88, 16-23.	2.7	18
774	Measurement of the impact force of a nonequilibrium atmospheric pressure plasma jet on various substrates. Journal of Applied Physics, 2017, 121, 203305.	2.5	7
775	Progress Toward Accurate Measurement of Dielectric Barrier Discharge Plasma Actuator Power. AIAA Journal, 2017, 55, 2254-2268.	2.6	43
776	Duty cycle and directional jet effects of a plasma actuator on the flow control around a NACA0015 airfoil. Meccanica, 2017, 52, 3661-3674.	2.0	12
777	Air Flow Control Around the Cylindrical Rotating Model by Means of Rotating Electric Arc in an External Magnetic Field. Procedia Engineering, 2017, 176, 675-680.	1.2	0
778	Numerical modeling of a glow discharge through a supersonic bow shock in air. Physics of Plasmas, 2017, 24, .	1.9	4
779	Regulation-controlling of boundary layer by multi-wire-to-cylinder negative corona discharge. Applied Thermal Engineering, 2017, 119, 438-448.	6.0	20
780	Ionic wind produced by an electro-aerodynamic pump based on corona and dielectric barrier discharges. Journal of Electrostatics, 2017, 88, 35-40.	1.9	18
781	Quasi-DC electrical discharge characterization in a supersonic flow. Experiments in Fluids, 2017, 58, 1.	2.4	53
782	Active control of flow around a circular cylinder by using intermittent DBD plasma actuators. Flow Measurement and Instrumentation, 2017, 53, 215-220.	2.0	17
783	Wind tunnel testing of multi-tip corona actuators on a symmetric airfoil. Journal of Electrostatics, 2017, 85, 23-34.	1.9	6
784	Plasma-based actuators for turbulent boundary layer control in transonic flow. AIP Conference Proceedings, 2017, , .	0.4	2

#	Article	IF	CITATIONS
785	Characterization of Dielectric Barrier Discharge Plasma Actuators: Logarithmic Thrust–Voltage Quadratic Relationship. AIAA Journal, 2017, 55, 3807-3816.	2.6	12
786	Foundations of atmospheric pressure non-equilibrium plasmas. Plasma Sources Science and Technology, 2017, 26, 123002.	3.1	230
787	Energy Balance and Discharge Characteristics of a Repetitive High Voltage NSDBD Actuator. , 2017, , .		0
788	HF DBD plasma actuators for reduction of cylinder noise in flow. Journal Physics D: Applied Physics, 2017, 50, 475204.	2.8	15
789	Dielectric Barrier Discharge Plasma Actuator Thrust Measurement Methodology Incorporating Antithrust Hypothesis. AIAA Journal, 2017, 55, 4181-4192.	2.6	6
790	Numerical modeling of repetitive nanosecond discharge in air. Physics of Plasmas, 2017, 24, .	1.9	6
791	Shock-Wave Formation by Nanosecond Multichannel Surface Discharges. , 2017, , 803-806.		1
792	Comparison between AlN and Al ₂ O ₃ ceramics applied to barrier dielectric of plasma actuator. Chinese Physics B, 2017, 26, 084703.	1.4	9
793	Flow control for suppression of self-excited rolling oscillation at high angles of attack. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2017, 231, 2408-2422.	1.3	1
794	A self-consistent model of ionic wind generation by negative corona discharges in air with experimental validation. Plasma Sources Science and Technology, 2017, 26, 095005.	3.1	56
795	Analysis of nanosecond pulsed and square AC dielectric barrier discharges in planar configuration: Application to electrostatic precipitation. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 2314-2324.	2.9	13
796	Flow along an attachment line controlled by a near-wall body force. Fluid Dynamics, 2017, 52, 507-515.	0.9	1
797	Recent advances in electrohydrodynamic pumps operated by ionic winds: a review. Plasma Sources Science and Technology, 2017, 26, 103002.	3.1	101
798	Electrohydrodynamic flow for the active control of gas flows. Physics-Uspekhi, 2017, 60, 608-620.	2.2	8
799	Electrohydrodynamic Thrust for In-Atmosphere Propulsion. AIAA Journal, 2017, 55, 4296-4305.	2.6	52
800	Towards Using the Femtosecond Laser E-Field Measurement (FLEM) Method for Plasma Discharges. , 2017, , .		1
801	Plasma-Actuator Burst-Mode Frequency Effects on Leading-Edge Flow-Separation Control at Reynolds Number 2.6×105. AIAA Journal, 2017, 55, 3789-3806.	2.6	28
802	The 2017 Plasma Roadmap: Low temperature plasma science and technology. Journal Physics D: Applied Physics, 2017, 50, 323001.	2.8	710

	Сітатіоі	n Report	
#	Article	IF	Citations
803	An experimental study of icing control using DBD plasma actuator. Experiments in Fluids, 2017, 58, 1.	2.4	73
804	Greener corona discharge for enhanced wind generation with a simple dip-coated carbon nanotube decoration. Journal Physics D: Applied Physics, 2017, 50, 395304.	2.8	18
805	Improving the performance of a numerical model to simulate the EHD interaction effect induced by dielectric barrier discharge. International Journal of Heat and Fluid Flow, 2017, 67, 79-94.	2.4	19
806	Experimental investigation of SDBD plasma actuator driven by AC high voltage with a superimposed positive pulse bias voltage. Physics of Plasmas, 2017, 24, .	1.9	5
807	Electrical and optical characteristics of surface plasma actuator based on a three-electrode geometry excited by nanosecond-pulse and DC sources. Physics of Plasmas, 2017, 24, .	1.9	18
808	Effects of surface dielectric barrier discharge on aerodynamic characteristic of train. AIP Advances, 2017, 7, 075112.	1.3	6
809	Control of stationary crossflow modes in swept Hiemenz flows with dielectric barrier discharge plasma actuators. Physics of Fluids, 2017, 29, .	4.0	13
810	Enhancement of thin air jets produced by ring-shaped dielectric barrier discharges using an auxiliary electrode. Journal of Electrostatics, 2017, 87, 293-301.	1.9	8
811	"Storage-oxidation―cycling process for indoor benzene removal at room temperature. Catalysis Today, 2017, 297, 193-200.	4.4	10
812	Study on the influence of actuation parameter of SDBD on induced jet in low-pressure air. Physics of Plasmas, 2017, 24, 072109.	1.9	2
813	The effect of the electric wind on the spatial distribution of chemical species in the positive corona discharge. Journal Physics D: Applied Physics, 2017, 50, 335203.	2.8	11
814	A multidischarge actuator system for power electrohydrodynamic action on the boundary layer of aerohydrodynamic surfaces. Technical Physics Letters, 2017, 43, 64-66.	0.7	5
815	Study of influencing characteristics on boundary-layer separation controlled by using DBD plasma actuator with modified model. International Journal of Heat and Mass Transfer, 2017, 113, 1212-1233.	4.8	9
816	Combination of VOC degradation and electro-hydrodynamic pumping actions in a surface dielectric barrier discharge reactor. Chemical Engineering Journal, 2017, 309, 471-479.	12.7	8
817	Frequency-Dependent Capacitance-Based Plasma Model for Direct Simulation of Navier–Stokes Equation. AIAA Journal, 2017, 55, 180-194.	2.6	2
818	Investigation of the boundary layer characteristics for assessing the DBD plasma actuator control of the separated flow at low Reynolds numbers. Experimental Thermal and Fluid Science, 2017, 81, 482-498.	2.7	39
819	Stabilization of flow over an attachment line using a near-wall body force. Fluid Dynamics, 2017, 52, 623-630.	0.9	0
820	Fluid flow and heat transfer of a two-dimensional offset jet with a plasma actuator. Transactions of the JSME (in Japanese), 2017, 83, 17-00031-17-00031.	0.2	1

#	Article	IF	Citations
821	Control characteristic selection at SDBD plasma unit long-term operation. , 2017, , .		0
822	Numerical Modelling of Ionic Wind Generation By Negative Corona Discharge in Ambient Air With Experimental Validation*. , 2017, , .		0
823	Experimental Investigation on the Effects of DBD Plasma on the Film Cooling Effectiveness of a 30-Degree Slot. Applied Sciences (Switzerland), 2017, 7, 633.	2.5	4
824	Measurement of corner separation zone response on a compression ramp to plasma actuation within the hypersonic boundary layer. IOP Conference Series: Materials Science and Engineering, 2017, 249, 012013.	0.6	0
825	Excitation of Free Shear-Layer Instabilities for High-Speed Flow Control. AIAA Journal, 2018, 56, 1770-1791.	2.6	41
826	A simplified formulation of wire-plate corona discharge in air: Application to the ion wind simulation. Journal of Electrostatics, 2018, 92, 54-65.	1.9	24
827	The effect of DC voltage polarity on ionic wind in ambient air for cooling purposes. Plasma Sources Science and Technology, 2018, 27, 055021.	3.1	41
828	Influence of grid resolution in fluid-model simulation of nanosecond dielectric barrier discharge plasma actuator. AIP Advances, 2018, 8, .	1.3	9
829	Computation of electron transport and relaxation properties in gases based on improved multi-term approximation of Boltzmann equation. Physics of Plasmas, 2018, 25, .	1.9	3
830	Parametric study of a plasma actuator at unsteady actuation by measurements of the induced flow velocity for flow control. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2018, 40, 1.	1.6	19
831	Supersonic piston synthetic jets with single/multiple orifice. Experiments in Fluids, 2018, 59, 1.	2.4	6
832	Dynamics and control of the vortex flow behind a slender conical forebody by a pair of plasma actuators. Physics of Fluids, 2018, 30, .	4.0	38
833	Conditioning of unsteady cross-flow instability modes using dielectric barrier discharge plasma actuators. Experimental Thermal and Fluid Science, 2018, 93, 305-318.	2.7	12
834	Separation control by a microfabricated SDBD plasma actuator for small engine turbine applications: influence of the excitation waveform. Aerospace Science and Technology, 2018, 76, 442-454.	4.8	31
835	Plasma Streamwise Vortex Generators for Flow Separation Control on Trucks. Flow, Turbulence and Combustion, 2018, 100, 1101-1109.	2.6	22
836	The creation of electric wind due to the electrohydrodynamic force. Nature Communications, 2018, 9, 371.	12.8	73
837	Influence of shock waves from plasma actuators on transonic and supersonic airflow. Journal Physics D: Applied Physics, 2018, 51, 105201.	2.8	19
838	Numerical study of the characteristics of a dielectric barrier discharge plasma actuator. Journal Physics D: Applied Physics, 2018, 51, 095201.	2.8	17

#	Article	IF	CITATIONS
839	Computational Investigation of Nominally-Orthogonal Pneumatic Active Flow Control for High-Lift Systems. , 2018, , .		7
840	An Experimental Investigation on the Thermal Effects of NS-DBD and AC-DBD Plasma Actuators for Aircraft Icing Mitigation. , 2018, , .		16
841	Effects of strouhal numbers on asymmetric vortices control using plasma actuation. , 2018, , .		0
842	Characterization of Fluid Motion Induced by Nanosecond Spark Plasmas: Using Particle Image Velocimetry and Background Oriented Schlieren. , 2018, , .		9
843	Influence of Burst-Modulated Frequency on Sawtooth DBD Plasma Actuator for Flow Separation Control. , 2018, , .		5
844	Induced Flow Simulation with Detailed Discharge Modeling in Dielectric-Barrier-Discharge Plasma Actuator. , 2018, , .		0
845	Electric Field Measurements in Nanosecond Pulsed Discharges Using a Femtosecond Laser. , 2018, , .		0
846	Nanosecond DBD actuator: Species production, ultra-fast gas heating mechanism and fluid response. , 2018, , .		0
847	Influence of the air-exposed active electrode shape on the electrical, optical and mechanical characteristics of a surface dielectric barrier discharge plasma actuator. Journal of Electrostatics, 2018, 93, 146-153.	1.9	23
848	Experimental investigation of surface dielectric barrier discharge plasma actuator based on fluorinated polyimide. Sensors and Actuators A: Physical, 2018, 276, 320-327.	4.1	4
849	Applying chemical engineering concepts to non-thermal plasma reactors. Plasma Science and Technology, 2018, 20, 065512.	1.5	5
850	Dual-pin electrohydrodynamic generator driven by alternating current. Experimental Thermal and Fluid Science, 2018, 97, 290-295.	2.7	9
851	A double-vortex EHD flow pattern generated by negative corona discharge in point-plane geometry. Journal of Electrostatics, 2018, 93, 118-124.	1.9	10
852	Dual-pump CARS measurements in a hydrogen diffusion flame in cross-flow with AC dielectric barrier discharge. Plasma Sources Science and Technology, 2018, 27, 035012.	3.1	1
853	DC Discharge Electronic Non-equilibrium Effects Investigations on a M = 2 Rarefied Supersonic Flow Over a Flat Plate. Plasma Chemistry and Plasma Processing, 2018, 38, 557-571.	2.4	0
854	Numerical investigation of plasma-controlled turbulent jets for mixing enhancement. International Journal of Heat and Fluid Flow, 2018, 70, 193-205.	2.4	14
855	On the effect of operating condition on separated-flow control by nanosecond pulse discharge actuators. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2018, 232, 505-516.	1.3	3
856	Study of vortex in flow fields induced by surface dielectric barrier discharge actuator at low pressure based on Q criterion. Plasma Science and Technology, 2018, 20, 014006.	1.5	7

#	Article	IF	CITATIONS
857	Characterization of the effects of a dielectric barrier discharge plasma actuator on a coaxial jet in a Bunsen burner. Experimental Thermal and Fluid Science, 2018, 91, 292-305.	2.7	15
858	Effect of the discharge constriction in DBD plasma actuator on the laminar boundary layer. International Journal of Heat and Mass Transfer, 2018, 116, 1326-1340.	4.8	41
859	Experimental investigation, modeling and prediction of transition from uniform discharge to filamentary discharge in DBD plasma actuators using artificial neural network. Applied Thermal Engineering, 2018, 129, 50-61.	6.0	13
860	Effect of plasma actuator in boundary layer on flat plate model with turbulent promoter. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2018, 232, 3001-3010.	1.3	5
861	Study of Oblique Shock Wave Control by Surface Arc Discharge Plasma. AIAA Journal, 2018, 56, 532-541.	2.6	24
862	Inactivation of Salmonella enterica, Shiga toxin-producing Escherichia coli, and Listeria monocytogenes by a novel surface discharge cold plasma design. Food Control, 2018, 84, 455-462.	5.5	46
863	Flow separation control behind a cylindrical bump using dielectric-barrier-discharge vortex generator plasma actuators. Journal of Fluid Mechanics, 2018, 835, 852-879.	3.4	19
864	Lift improvements using duty-cycled plasma actuation at low Reynolds numbers. Aerospace Science and Technology, 2018, 72, 123-133.	4.8	59
865	Computational Study of Body Force Production Process and Performance Improvement in Dielectric-Barrier-Discharge Plasma Actuator. Transactions of the Japan Society for Aeronautical and Space Sciences Aerospace Technology Japan, 2018, 16, 550-555.	0.2	0
866	Control of two-dimensional offset jet using burst modulation with a plasma actuator. Transactions of the JSME (in Japanese), 2018, 84, 18-00310-18-00310.	0.2	Ο
867	Frequency-dependent transition from homogeneous to constricted shape in surface dielectric barrier discharge and its impact on biological target. Journal of Physics: Conference Series, 2018, 946, 012140.	0.4	1
868	Discontinuities dynamics after the interaction of a plane shock wave with pulse volume discharge. Journal of Physics: Conference Series, 2018, 1112, 012006.	0.4	4
869	Experimental Study on Anti-Icing Performance of NS-DBD Plasma Actuator. Applied Sciences (Switzerland), 2018, 8, 1889.	2.5	22
870	Computational Study of Surface Dielectric Barrier Discharge Plasma Actuator for Flow Control using COMSOL Multiphysics. , 2018, , .		Ο
871	Visualization of interaction between gas-dynamic perturbation caused by spark discharge and detached supersonic airflow. Journal of Physics: Conference Series, 2018, 1112, 012014.	0.4	3
872	Measurement of the flow field induced by a spark plasma using particle image velocimetry. Experiments in Fluids, 2018, 59, 1.	2.4	15
873	Ignition of Hydrocarbon–Oxygen Mixtures by Means of a Nanosecond Surface Dielectric Barrier Discharge. Plasma Physics Reports, 2018, 44, 1066-1075.	0.9	7
874	Numerical investigation of the influence of the structured surface on disturbance evolution and heat transfer in a hypersonic boundary layer. AIP Conference Proceedings, 2018, , .	0.4	1

#	Article	IF	CITATIONS
876	Plasma Actuator. , 2018, , 206-245.		1
877	Robust Angular Rate Sensor Based on Corona Discharge Ion Wind. , 2018, , .		1
878	Wing flow control using pulse thermal plasma actuator. AIP Conference Proceedings, 2018, , .	0.4	0
879	Dual-position excitation technique in flow control over an airfoil at low speeds. International Journal of Numerical Methods for Heat and Fluid Flow, 2018, 30, 4141-4154.	2.8	1
880	Streamer and leader breakdown in air at atmospheric pressure in strongly non-uniform fields in gaps less than one metre. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 2147-2156.	2.9	18
881	Unsteady shear layer flow under excited local body-force for flow-separation control in downstream of a two-dimensional hump. International Journal of Heat and Fluid Flow, 2018, 74, 15-27.	2.4	6
882	Plasma virtual roughness elements for cross-flow instability control. Experiments in Fluids, 2018, 59, 1.	2.4	19
883	Analysis of Plasmadynamic Nanosecond-Range Processes in the Formation of Shock Waves from Pulsed Discharges. Technical Physics, 2018, 63, 662-669.	0.7	6
884	Experimental study of stall control over an airfoil with dual excitation of separated shear layers. Aerospace Science and Technology, 2018, 82-83, 402-411.	4.8	18
885	Numerical Assessment of Virtual Control Surfaces for Load Alleviation on Compressor Blades. Applied Sciences (Switzerland), 2018, 8, 125.	2.5	4
886	Thermal characterisation of dielectric barrier discharge plasma actuation driven by radio frequency voltage at low pressure. High Voltage, 2018, 3, 154-160.	4.7	17
887	A review on electroactive polymers development for aerospace applications. Journal of Intelligent Material Systems and Structures, 2018, 29, 3681-3695.	2.5	50
888	Demonstration of Separation Control Using Dielectric Barrier Discharge Plasma Actuators. AIAA Journal, 2018, 56, 4614-4620.	2.6	8
889	How critical is geometrical confinement? Analysis of spatially and temporally resolved particulate matter removal with an electrostatic precipitator. RSC Advances, 2018, 8, 30925-30931.	3.6	6
890	Analytical model of electro-hydrodynamic flow in corona discharge. Physics of Plasmas, 2018, 25, 083507.	1.9	35
891	Gas-heating phenomenon in a nanosecond pulse discharge in atmospheric-pressure air and its application for high-speed flow control. Plasma Sources Science and Technology, 2018, 27, 104005.	3.1	41
892	Laser guided ionic wind. Scientific Reports, 2018, 8, 13511.	3.3	3
893	Improving the Lift Properties of a Wing in Takeoff and Landing by Means of a Boundary Layer Control System Using Ejector-Type Actuators. Technical Physics Letters, 2018, 44, 687-690.	0.7	4

#	Article	IF	Citations
894	Control of crossflow instability over a swept wing using dielectric-barrier-discharge plasma actuators. International Journal of Heat and Fluid Flow, 2018, 73, 209-222.	2.4	8
895	The energy tree: Non-equilibrium energy transfer in collision-dominated plasmas. Physics Reports, 2018, 770-772, 1-45.	25.6	38
896	Distinctive Features of the Distributions of the Body Force Produced by a Plasma Actuator. Fluid Dynamics, 2018, 53, 74-85.	0.9	0
897	A study of angular rate sensing by corona discharge ion wind. Sensors and Actuators A: Physical, 2018, 277, 169-180.	4.1	16
898	Identification of Disturbances and their Propagation Velocity in Transitional Boundary Layer. , 2018, , .		1
899	Experimental investigation of DBD plasma actuators on a BWB aerial vehicle model. , 2018, , .		1
900	Measurement of the charge distribution deposited by an <i>annular</i> plasma synthetic jet actuator over a target surface. Journal Physics D: Applied Physics, 2018, 51, 324004.	2.8	14
901	Plasma and Magnetic Field Generation. , 0, , 225-265.		0
902	On the boundary flow using pulsed nanosecond DBD plasma actuators. Modern Physics Letters B, 2018, 32, 1840035.	1.9	2
903	In-atmosphere electrohydrodynamic propulsion aircraft with wireless supply onboard. Journal of Electrostatics, 2018, 95, 1-12.	1.9	26
904	Flow separation control by dielectric barrier discharge plasma actuation via pulsed momentum injection. AIP Advances, 2018, 8, .	1.3	13
905	The Current–Voltage Characteristics of Corona Discharge in Wire to Cylinder in Parallel Electrode Arrangement. IEEE Transactions on Plasma Science, 2018, 46, 3022-3030.	1.3	11
906	Multiple control modes of nanosecond-pulse-driven plasma-actuator evaluated by forces, static pressure, and PIV measurements. Experiments in Fluids, 2018, 59, 1.	2.4	16
907	Flame lift-off height control by a combined vane-plasma swirler. Journal Physics D: Applied Physics, 2018, 51, 345205.	2.8	5
908	Flow Control Methods and Their Applicability in Low-Reynolds-Number Centrifugal Compressors—A Review. International Journal of Turbomachinery, Propulsion and Power, 2018, 3, 2.	1.1	17
909	Estimating the effect of asymmetric electrodes in bipolar discharge ion wind generator. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 900-907.	2.9	6
910	Pattern Transition in a Surface Microdischarge in Atmospheric-Pressure Helium. IEEE Transactions on Plasma Science, 2018, 46, 2761-2765.	1.3	3
911	Schlieren imaging: a powerful tool for atmospheric plasma diagnostic. EPJ Techniques and Instrumentation, 2018, 5, .	1.3	40

#	Article	IF	Citations
912	Production of atmospheric pressure microwave plasma with dielectric half-mirror resonator and its application to polymer surface treatment. Japanese Journal of Applied Physics, 2018, 57, 066201.	1.5	2
913	Numerical analysis of plasma actuator for drag reduction and lift enhancement on NACA 4415 airfoil. AIP Conference Proceedings, 2018, , .	0.4	2
914	Analysis of flow separation control using nanosecond-pulse discharge plasma actuators on a flying wing. Plasma Science and Technology, 2018, 20, 115504.	1.5	6
915	Stall cell formation over a post-stall airfoil: effects of active perturbations using plasma actuators. Experiments in Fluids, 2018, 59, 1.	2.4	8
916	Time-resolved measurements of electron density in nanosecond pulsed plasmas using microwave scattering. Plasma Sources Science and Technology, 2018, 27, 07LT02.	3.1	19
917	Effect of electrode degradation on the electrical characteristics of surface dielectric barrier discharge. Plasma Sources Science and Technology, 2018, 27, 085003.	3.1	20
918	Theoretical investigation of supersonic flow control by nonthermal DC discharge. Shock Waves, 2019, 29, 415-426.	1.9	4
919	Dielectric Barrier Discharge (DBD) Plasma Actuators for Flow Control in Turbine Engines: Simulation of Flight Conditions in the Laboratory by Density Matching. International Journal of Turbo and Jet Engines, 2019, 36, 157-173.	0.7	4
920	Transient Performance of Separated Flows: Characterization and Active Flow Control. Journal of Engineering for Gas Turbines and Power, 2019, 141, .	1.1	7
921	Experimental and numerical investigation of the transient charging of a dielectric surface exposed to a plasma jet. Plasma Sources Science and Technology, 2019, 28, 095016.	3.1	38
922	Plasma catalytic ammonia synthesis: state of the art and future directions. Journal Physics D: Applied Physics, 2019, 52, 483001.	2.8	88
923	Computational and Experimental Investigations of Ejector Type Actuator Characteristics While Its Using for Flow Control. Lobachevskii Journal of Mathematics, 2019, 40, 828-833.	0.9	1
924	Electric wind generation by nanosecond repetitively pulsed microplasmas. Journal Physics D: Applied Physics, 2019, 52, 464002.	2.8	14
925	Effects of steady and pulsed discharge arcs on shock wave control in Mach 2.5 flow. Aerospace Science and Technology, 2019, 93, 105330.	4.8	19
926	Wake Flow Characteristics over an Articulated Lorry Model with/without AC-DBD Plasma Actuation. Applied Sciences (Switzerland), 2019, 9, 2426.	2.5	4
927	Aerodynamic and Thermal Effects of Plasma Actuators on Anti-icing over an Airfoil. Lecture Notes in Electrical Engineering, 2019, , 1008-1019.	0.4	1
928	Evolution and fluid dynamic effects of pulsed column-shaped plasma. Experimental Thermal and Fluid Science, 2019, 109, 109868.	2.7	5
929	Monitoring hydrodynamic effects in helium atmospheric pressure plasma jet by resonance broadening emission line. Applied Physics Letters, 2019, 115, 034102.	3.3	8

#	Article	IF	CITATIONS
930	Mechanisms of Control Authority by Nanosecond Pulsed Dielectric Barrier Discharge Actuators on Flow Separation. Applied Sciences (Switzerland), 2019, 9, 2989.	2.5	3
931	Electromechanical efficiency improvement of the surface DBD by composite dielectric. AIP Advances, 2019, 9, 045127.	1.3	3
932	Plasma-flow interactions in field-emission discharges with applications in microcombustion. Journal Physics D: Applied Physics, 2019, 52, 384001.	2.8	6
933	An attempt to explain rain gush formation: the ionic wind approach. Plasma Research Express, 2019, 1, 035013.	0.9	5
934	Vortex dynamics over an airfoil controlled by a nanosecond pulse discharge plasma actuator at low wind speed. Plasma Science and Technology, 2019, 21, 125503.	1.5	2
935	Experiments on the transverse aeroelastic instability of a single sphere in a swing configuration under a longitudinal wind. Journal of Wind Engineering and Industrial Aerodynamics, 2019, 193, 103979.	3.9	1
936	The effect of the voltage waveform on performance of dielectric barrier discharge plasma actuator. Journal of Applied Physics, 2019, 126, .	2.5	20
937	Rapid resist ashing by slot-excited atmospheric pressure microwave O ₂ plasma. Japanese Journal of Applied Physics, 2019, 58, 126001.	1.5	3
938	Effect of electric discharge plasma on self-oscillations in supersonic impact jets. AIP Conference Proceedings, 2019, , .	0.4	0
939	Separation Flow Control of a Generic Ground Vehicle Using an SDBD Plasma Actuator. Energies, 2019, 12, 3805.	3.1	10
940	Charge transfer equilibrium in surface barrier discharge: continuous current and negative ion-driven ionisation wave. Plasma Sources Science and Technology, 2019, 28, 105016.	3.1	7
941	PIV characterization of a separated flow controlled by a DBD actuator. Journal of Physics: Conference Series, 2019, 1249, 012012.	0.4	1
942	Fabrication, surface integration and testing of miniaturized dielectric barrier discharge plasma actuators for active flow control applications. , 2019, , .		2
943	Controlling the Flow around a Circular Cylinder by Means of a Corona Discharge. Technical Physics, 2019, 64, 1275-1282.	0.7	4
944	Active Control of Bluff-Body Flows Using Plasma Actuators. Actuators, 2019, 8, 66.	2.3	15
945	Near-surface electron transport and its influence on the discharge structure of nanosecond-pulsed dielectric-barrier-discharge under different electrode polarities. Physics of Plasmas, 2019, 26, .	1.9	15
946	Flow Separation Control over a Thin Post-Stall Airfoil: Effects of Excitation Frequency. AIAA Journal, 2019, 57, 1826-1838.	2.6	8
947	Adaptive multiscale methods for 3D streamer discharges in air. Plasma Research Express, 2019, 1, 015011.	0.9	13

#	Article	IF	Citations
948	Numerical investigation of an electroaerodynamic driven aeroplane: electrical properties, ionic wind and flight performance. Journal Physics D: Applied Physics, 2019, 52, 365203.	2.8	17
949	Reinventing the wheel: excitation of flow instabilities for active flow control using plasma actuators. Journal Physics D: Applied Physics, 2019, 52, 354002.	2.8	28
950	Optimization of a Multidischarge Actuator System. Plasma Physics Reports, 2019, 45, 410-413.	0.9	3
951	Flow control over a circular cylinder using virtual moving surface boundary layer control. Experiments in Fluids, 2019, 60, 1.	2.4	23
952	A new plasma actuator configuration for improved efficiency: the stair-shaped dielectric barrier discharge actuator. Journal Physics D: Applied Physics, 2019, 52, 385201.	2.8	26
953	Thrust generation of the cathodic arc in ambient air. Journal Physics D: Applied Physics, 2019, 52, 324004.	2.8	3
954	An Investigation of the Influence of the Parameters of a Pulse Discharge on Localized Disturbances Generated in a Supersonic Boundary Layer. Technical Physics Letters, 2019, 45, 242-245.	0.7	2
955	Damping of the longitudinal streak in the boundary layer by â€~plasma panel' actuator. Journal Physics D: Applied Physics, 2019, 52, 304003.	2.8	3
956	Closed SDBD-driven two-stage electrostatic precipitator. Journal of Cleaner Production, 2019, 226, 74-84.	9.3	15
957	Mechanism study of coupled aerodynamic and thermal effects using plasma actuation for anti-icing. Physics of Fluids, 2019, 31, .	4.0	92
958	Experimental Investigation on a Multicathode Dielectric-Barrier Discharge: Effects of Airflows. IEEE Transactions on Plasma Science, 2019, 47, 1944-1949.	1.3	7
959	Scaling investigation of plasma-induced flows over curved and flat surfaces: Comparison to the wall jet. International Journal of Heat and Fluid Flow, 2019, 76, 259-273.	2.4	3
960	Surface patterns of reactive species on model tissue treated by a surface air discharge. Journal Physics D: Applied Physics, 2019, 52, 20LT01.	2.8	6
961	Generic residual charge based model for the interpretation of the electrohydrodynamic effects in cold atmospheric pressure plasmas. Plasma Sources Science and Technology, 2019, 28, 065005.	3.1	15
962	The role of nonlinear body force in production of electric wind in an asymmetric surface dielectric barrier discharge. Physica Scripta, 2019, 94, 085204.	2.5	11
963	Large eddy simulation of film cooling flow from cylindrical hole with dielectric barrier discharge plasma actuators. Applied Thermal Engineering, 2019, 155, 277-288.	6.0	8
964	An adaptive Cartesian embedded boundary approach for fluid simulations of two- and three-dimensional low temperature plasma filaments in complex geometries. Journal of Computational Physics, 2019, 388, 624-654.	3.8	26
965	Successively accelerated ionic wind with integrated dielectric-barrier-discharge plasma actuator for low-voltage operation. Scientific Reports, 2019, 9, 5813.	3.3	49

#	Article	IF	CITATIONS
966	Visualization of density variations produced by alternating-current dielectric-barrier-discharge plasma actuators using the background-oriented schlieren method. Plasma Sources Science and Technology, 2019, 28, 055002.	3.1	26
967	Static and dynamic stall control by NS SDBD actuators. Plasma Sources Science and Technology, 2019, 28, 054001.	3.1	15
968	Control of the coherent structure dynamics of a film cooling flow by plasma aerodynamic actuation. International Journal of Heat and Mass Transfer, 2019, 137, 434-445.	4.8	14
969	Electrohydrodynamic gas flow in a positive corona discharge. Journal of Applied Physics, 2019, 125, .	2.5	25
970	A comparative study of alternating current and nanosecond plasma actuators in flow separation control. International Journal of Heat and Mass Transfer, 2019, 135, 1097-1117.	4.8	28
971	Flow separation prevention around a NACA0012 profile through multivariable feedback controlled plasma actuators. Computers and Fluids, 2019, 182, 85-107.	2.5	6
972	Numerical and experimental study of heat-transfer characteristics of needle-to-ring-type ionic wind generator for heated-plate cooling. International Journal of Thermal Sciences, 2019, 139, 176-185.	4.9	20
973	Combustion control using a lobed swirl injector and a plasma swirler. Applied Thermal Engineering, 2019, 152, 92-102.	6.0	15
974	Vortex formation and evolution for flow over a circular cylinder excited by symmetric synthetic jets. Experimental Thermal and Fluid Science, 2019, 104, 89-104.	2.7	15
975	A Nanosecond Pulsed Generator With Fast-Solid-State Switch for Synchronous Discharge in Plasma Synthetic Jet Actuators. IEEE Transactions on Plasma Science, 2019, 47, 1901-1908.	1.3	7
976	Atmospheric-pressure pulsed plasma actuators for flow control: shock wave and vortex characteristics. Plasma Sources Science and Technology, 2019, 28, 064001.	3.1	66
977	Predicting streamer discharge front splitting by ionization seed profiling. Physics of Plasmas, 2019, 26,	1.9	2
978	Repetitive Nanosecond Volume Discharges under Airflows. , 0, , .		0
979	Stability of Steel X03Cr23Ni6Mo4Cu3NbN (after ESR) Against the Impact of Products of the Atmospheric Pressure Surface Discharge Plasma. Protection of Metals and Physical Chemistry of Surfaces, 2019, 55, 1270-1276.	1.1	0
980	Realization of Multifunctional Surfaces Containing MEMS-based DBD Plasma Actuators and Biomimetic Structures for Flow Manipulation. , 2019, , .		3
981	Erosion of the sputtered electrodes in the surface barrier discharge. Journal of Physics: Conference Series, 2019, 1394, 012027.	0.4	4
982	Plasma catalysis: a brief tutorial. Plasma Research Express, 2019, 1, 043001.	0.9	34
983	Suppression of transonic buffet with plasma vortex generators. Thermophysics and Aeromechanics, 2019, 26, 465-480.	0.5	12

#	Article	IF	CITATIONS
984	The transport behaviour of OH radicals in atmospheric pressure surface micro-discharge. Journal Physics D: Applied Physics, 2019, 52, 105203.	2.8	7
985	Plasma Actuator Application on a Full-Scale Aircraft Tail. AIAA Journal, 2019, 57, 616-627.	2.6	28
986	Bioinspired Experimental Study of Leading-Edge Plasma Tubercles on Wing. AIAA Journal, 2019, 57, 462-466.	2.6	13
987	Development and Flight Testing of a Dielectric Barrier Discharge Plasma Actuator Controlled Aircraft. , 2019, , .		1
988	A Hybrid Anti-/De-Icing Strategy by Combining NS-DBD Plasma Actuator and Superhydrophobic Coating for Aircraft Icing Mitigation. , 2019, , .		7
989	Experimental and Numerical Study of Flow Induced by Nanosecond Repetitively Pulsed Discharges. , 2019, , .		5
990	Discharge Process and Gas Heating Effect in Nanosecond-Pulse-Driven Plasma Actuator. , 2019, , .		2
991	Experimental Study of Modes of Operation of Nanosecond Repetitive Pulsed Discharges in Air. , 2019, , .		4
992	Localized micro-discharges group dielectric barrier discharge vortex generators: Disturbances source for active transition control. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2020, 234, 42-57.	1.3	13
993	A Pedagogical Study of Aerodynamic Feedback Control by Dielectric Barrier Discharge Plasma. IEEE Transactions on Industrial Electronics, 2020, 67, 451-460.	7.9	9
994	Coupled Aerodynamic and Thermal Effects for Steady and Unsteady Plasma Actuation. AIAA Journal, 2020, 58, 488-495.	2.6	7
995	The role of convection in electrohydrodynamic drying. Journal of Food Engineering, 2020, 271, 109777.	5.2	19
996	Higher thrust-to-power with large electrode gap spacing electroaerodynamic devices for aircraft propulsion. Journal Physics D: Applied Physics, 2020, 53, 025202.	2.8	22
997	Effects of Numerical Plasma Modeling on Performance Characterization of Plasma Actuator. , 2020, , .		1
998	Thermal Plasma Sheaths in Hypersonic Boundary Layers: A Preliminary Numerical Study. , 2020, , .		0
999	Active flow control for supersonic aircraft: A novel hybrid synthetic jet actuator. Sensors and Actuators A: Physical, 2020, 302, 111770.	4.1	17
1000	Slat aerodynamic noise reduction using dielectric barrier discharge plasma actuators. Aerospace Science and Technology, 2020, 97, 105642.	4.8	14
1001	Active Flow Control of Flapping Airfoil Using Openfoam. Journal of Mechanics, 2020, 36, 361-372.	1.4	3

#	Article	IF	CITATIONS
1002	Detection and isolation of Tollmien-Schlichting waves in shear flows using blind source separation. Mechanical Systems and Signal Processing, 2020, 136, 106485.	8.0	2
1003	Flow control with plasmaâ€based actuator in different velocity regimes: Momentum and heat transfer effects. Contributions To Plasma Physics, 2020, 60, e201900037.	1.1	4
1004	Vortex induced vibrations suppression for a cylinder with plasma actuators. Journal of Sound and Vibration, 2020, 468, 115121.	3.9	17
1005	Mechanisms of drag reduction due to flow control around circular disk using coaxial type dielectric barrier discharge plasma actuator at low Reynolds numbers. Fluid Dynamics Research, 2020, 52, 015508.	1.3	3
1006	Aerodynamic and energyâ€efficiencyâ€based assessment of plasma actuator's position on a NACA0015 airfoil. Contributions To Plasma Physics, 2020, 60, e201900009.	1.1	3
1007	Noise reduction technologies for aircraft landing gear-A bibliographic review. Progress in Aerospace Sciences, 2020, 112, 100589.	12.1	33
1008	Aerodynamic efficiency and performance enhancement of fixed-wing UAVs. Aerospace Science and Technology, 2020, 99, 105575.	4.8	48
1009	Active flow control using plasma actuators in a reduced pressure environment. Journal Physics D: Applied Physics, 2020, 53, 07LT01.	2.8	3
1010	Analytical model for electrohydrodynamic thrust. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2020, 476, 20200220.	2.1	11
1011	Experimental demonstration of low-voltage operated dielectric barrier discharge plasma actuators using SiC MOSFETs. Journal Physics D: Applied Physics, 2020, 53, 43LT01.	2.8	8
1012	Electrohydrodynamic Drying of Plant-Based Foods and Food Model Systems. Food Engineering Reviews, 2020, 12, 473-497.	5.9	27
1013	Measurement of the charge distribution deposited on a target surface by an annular plasma synthetic jet actuator: Influence of humidity and electric field. Journal of Electrostatics, 2020, 107, 103501.	1.9	8
1014	An explicit CFD model for the DBD plasma actuators using wall-jet similarity approach. Journal of Electrostatics, 2020, 107, 103497.	1.9	13
1015	A single unsteady DBD plasma actuator excited by applying two high voltages simultaneously for flow control. Physics of Plasmas, 2020, 27, .	1.9	8
1016	Thermal Effect on the Performance of an Alternating-Current Dielectric-Barrier-Discharge Plasma Actuator. AIAA Journal, 2020, 58, 3368-3377.	2.6	13
1017	Aerodynamic Drag Reduction and Optimization of MIRA Model Based on Plasma Actuator. Actuators, 2020, 9, 64.	2.3	6
1018	Post-stall flow control using a sawtooth plasma actuator in burst mode. Aerospace Science and Technology, 2020, 107, 106251.	4.8	16
1019	Separation Control Inside a Rectangular Supersonic Inlet Using Dielectric Barrier Discharge Plasma Actuators. , 2020, , .		0

		CITATION REPORT		
#	Article		IF	CITATIONS
1020	Central recirculation zone induced by the DBD plasma actuation. Scientific Reports, 20)20, 10, 13004.	3.3	3
1021	Quasi-stationary modeling of the DBD plasma flow control around airfoil. Physics of Flu 085108.	ıids, 2020, 32,	4.0	28
1022	The effect of column-shaped discharge duration on induced high-speed flow dynamics. Fluids, 2020, 32, 096103.	Physics of	4.0	0
1023	Experimental study on momentum of electrohydrodynamic flow induced by corona dis pin to two cylinder configuration. Journal of Mechanical Science and Technology, 2020	charge in the), 34, 3679-3686.	1.5	1
1024	Control of cavity flow with acoustic radiation by an intermittently driven plasma actua of Fluids, 2020, 32, .	tor. Physics	4.0	23
1025	A multi-stage model for dielectric barrier discharge in atmospheric pressure air. Interna Journal of Applied Electromagnetics and Mechanics, 2020, 63, S21-S29.	tional	0.6	7
1026	Experimental Investigation of Plate Cooling by Ionic Wind from a Needle Electrode. Teo 2020, 65, 542-547.	chnical Physics,	0.7	3
1027	A fast solver of plasma fluid model in dielectric-barrier-discharge simulation. Plasma So and Technology, 2020, 29, 075007.	urces Science	3.1	8
1028	EHD gas pump in a square channel with electrodes mounted on one wall. Journal of Ele 2020, 107, 103482.	ctrostatics,	1.9	8
1029	Active control of jet-plate interaction noise for excited jets by plasma actuators. Journa and Vibration, 2020, 484, 115515.	l of Sound	3.9	10
1030	Two-species modeling of electrohydrodynamic pump based on surface dielectric barrie Journal of Electrostatics, 2020, 106, 103470.	r discharge.	1.9	11
1031	A Simplified Model for Simulating Flow Stabilization Behind a Cylinder Using Dielectric Discharge. IEEE Transactions on Plasma Science, 2020, 48, 2464-2474.	Barrier	1.3	5
1032	Optimization of Dielectric Barrier Discharge Plasma Actuators for Icing Control. Journa 2020, 57, 383-387.	of Aircraft,	2.4	25
1033	Surface pressure modification driven by a dielectric-barrier-discharge plasma actuator: dependence on airfoil shape. AIP Advances, 2020, 10, .	Performance	1.3	7
1034	Influence of electrode geometry on the transport of OH radicals in an atmospheric pre- micro-discharge. Journal Physics D: Applied Physics, 2020, 53, 255202.	ssure surface	2.8	3
1035	Effect of airflow on the space-time distribution of filaments in dielectric barrier discharget atmospheric pressure. Physics of Plasmas, 2020, 27, .	ge at	1.9	12
1036	Surface cooling by dielectric barrier discharge plasma actuator in confinement channel Electrostatics, 2020, 104, 103417.	. Journal of	1.9	6
1037	Numerical investigation of control of dynamic stall over a NACA0015 airfoil using diele discharge plasma actuators. Physics of Fluids, 2020, 32, .	ctric barrier	4.0	52

#	Article	IF	CITATIONS
1038	Unsteady Flow Structures Induced by Single Microsecond-Pulsed Plasma Actuator. AIAA Journal, 2020, 58, 2820-2830.	2.6	8
1039	Separated Flow Control of Small Horizontal-Axis Wind Turbine Blades Using Dielectric Barrier Discharge Plasma Actuators. Energies, 2020, 13, 1218.	3.1	11
1040	Stall Control by Plasma Actuators: Characterization along the Airfoil Span. Energies, 2020, 13, 1374.	3.1	6
1041	Airfoil Performance Enhancement with a Novel Flow Control Method of SDBD Plasma Co-Flow Jet. , 2020, , .		2
1042	Thermal Characteristics of Plasma Actuators in Turbulent Boundary Layer. , 2020, , .		2
1043	Effect of chemical reactions on electrohydrodynamic force generation process in dielectric barrier discharge. Physics of Plasmas, 2020, 27, .	1.9	12
1044	Parametric investigation of the fluid mechanic performance of an AC dielectric barrier discharge plasma actuator. Journal Physics D: Applied Physics, 2020, 53, 455202.	2.8	5
1045	Effects of Jet Induced by String-type Plasma Actuator on Flow Around Three-Dimensional Bluff Body and Drag Force. Energies, 2020, 13, 872.	3.1	3
1046	Mass Spectrometric Characterization of the Partial Oxidation Process of a Gasoline Surrogate Induced by a Dielectric Barrier Discharge. Journal of Physical Chemistry A, 2020, 124, 2019-2028.	2.5	4
1047	Generation and Transport of Dielectric Droplets along Microchannels by Corona Discharge. Micromachines, 2020, 11, 181.	2.9	3
1048	Effect of electrical conductivity of water on plasma-driven gas flow by needle-water discharge at atmospheric pressure. Journal of Electrostatics, 2020, 104, 103422.	1.9	5
1049	The pressure wave induced by an asymmetrical Dielectric Barrier Discharge plasma actuator under the influence of residual charge. Aerospace Science and Technology, 2020, 99, 105751.	4.8	5
1050	Parametric study of Ns-DBD plasma actuators in a turbulent mixing layer. Experiments in Fluids, 2020, 61, 1.	2.4	10
1051	Performance evaluation of fan and comb shaped plasma reactors for distribution of generated ozone in a confined space. , 2020, , .		2
1052	A comparative study of Ac-dielectric barrier discharge versus Ns-dielectric barrier discharge plasma actuators in an incompressible turbulent mixing layer. Journal Physics D: Applied Physics, 2020, 53, 164004.	2.8	12
1053	lonic wind produced by a DC needle-to-plate corona discharge with a gap of 15 mm. Journal Physics D: Applied Physics, 2020, 53, 175202.	2.8	26
1054	Active Control for Wall Drag Reduction: Methods, Mechanisms and Performance. IEEE Access, 2020, 8, 7039-7057.	4.2	24
1055	Temporally resolved measurements of gas temperature using optical emission spectroscopy enhanced with probing nanosecond plasma pulse. , 2020, , .		0

#	Article	IF	CITATIONS
1056	Unsteady Flow Structures Induced by a Single Microsecond Pulsed DBD Plasma Actuator in Quiescent Air. , 2020, , .		1
1057	Atmospheric-pressure microwave line plasma with an asymmetric cross-section waveguide for long-scale N ₂ plasma production. Japanese Journal of Applied Physics, 2020, 59, 016002.	1.5	1
1058	A laser-microfabricated electrohydrodynamic thruster for centimeter-scale aerial robots. PLoS ONE, 2020, 15, e0231362.	2.5	13
1059	Effect of non-ideally manufactured riblets on airfoil and wind turbine performance. Renewable Energy, 2020, 155, 79-89.	8.9	8
1060	Metamodeling-based parametric optimization of DBD plasma actuation to suppress flow separation over a wind turbine airfoil model. Acta Mechanica Sinica/Lixue Xuebao, 2020, 36, 260-274.	3.4	8
1061	Controlling the Crossflow in the Yawed-Wing Boundary Layer Using a Near-Wall Body Force. Fluid Dynamics, 2020, 55, 43-54.	0.9	1
1062	Macroscopic modeling of plasma effects on heat and fluid flow in a dielectric barrier discharge based process for biosolid stabilization. AIP Advances, 2020, 10, 045021.	1.3	3
1063	Optimization of a green solid-state fan for electronics cooling applications. Sustainable Energy Technologies and Assessments, 2020, 39, 100703.	2.7	9
1064	Numerical research on airfoil transition delay by alternative current dielectric barrier discharge actuation. Chinese Journal of Aeronautics, 2021, 34, 441-453.	5.3	4
1065	Exploration of a Novel SDBD Platform: The Plasma Thread and Mesh. , 2021, , .		0
1066	Air Supply Mode Effects on Ozone Production of Surface Dielectric Barrier Discharge in a Cylindrical Configuration. Plasma Chemistry and Plasma Processing, 2021, 41, 779-792.	2.4	6
1067	On the Development of Ionization Waves Preceding Breakdown in a Long Capillary Tube Filled with Helium at Low Pressure. Plasma Physics Reports, 2021, 47, 60-72.	0.9	3
1068	Steady-State Streamer Simulations Using a Spectral Deferred Correction Strategy. , 2021, , .		1
1069	Performance Improvement of Dielectric Barrier Discharge Plasma Actuator with Two-Stroke Cycle Operation. , 2021, , .		1
1070	Dynamics of the Spatial Structure of a Microsecond Pulsed Barrier Discharge Initiated in Atmospheric Pressure Air in the Point–Plane Geometry at Different Polarities of Feed Voltage. Technical Physics, 2021, 66, 243-249.	0.7	3
1071	Gasdynamic Flow Control by Ultrafast Local Heating in a Strongly Nonequilibrium Pulsed Plasma. Plasma Physics Reports, 2021, 47, 148-209.	0.9	33
1072	Deformence of descurbed electropered memie thrusters Applied Develop Letters 2021, 119		19
	Performance of decoupled electroaerodynamic tirusters. Applied Physics Letters, 2021, 116, .	3.3	12

#	Article		CITATIONS
1074	Dissimilar heat transfer enhancement by introduction of a vortex tube in plane Couette flow. Fluid Dynamics Research, 2021, 53, 015511.		0
1075	Review of Flow-Control Devices for Wind-Turbine Performance Enhancement. Energies, 2021, 14, 1268.	3.1	31
1076	WING BUFFET CONTROL BY USING AN EJECTOR-TYPE DEVICE. Journal of Applied Mechanics and Technical Physics, 2021, 62, 308-316.	0.5	1
1077	Remote streamer initiation on dielectric surface. Plasma Sources Science and Technology, 2021, 30, 03LT02.	3.1	5
1078	Empirical relations for discharge current and momentum injection in dielectric barrier discharge plasma actuators. Journal Physics D: Applied Physics, 2021, 54, 245204.	2.8	7
1079	Flow separation control over an airfoil using continuous alternating current plasma actuator. Chinese Physics B, 2021, 30, 034702.	1.4	4
1080	Assessment of potential infectivity of human norovirus in the traditional Korean salted clam product "Jogaejeotgal―by floating electrode-dielectric barrier discharge plasma. Food Research International, 2021, 141, 110107.	6.2	9
1081	A surface dielectric barrier discharge for deposition of allylamine polymer costings. Applied Surface Science, 2021, 544, 148826.	6.1	3
1082	A model of surface dielectric barrier discharge power. Applied Physics Letters, 2021, 118, .	3.3	20
1083	The electrohydrodynamic force distribution in surface AC dielectric barrier discharge actuators: do streamers dictate the ionic wind profiles?. Journal Physics D: Applied Physics, 2021, 54, 26LT01.	2.8	18
1084	Simulation of flow induced by single-dielectric-barrier-discharge plasma actuator using a high-order flux-reconstruction scheme. Physics of Fluids, 2021, 33, 047108.	4.0	12
1085	Validity of Three-Fluid Plasma Modeling for Alternating-Current Dielectric-Barrier-Discharge Plasma Actuator. AIAA Journal, 2021, 59, 1313-1327.	2.6	8
1086	Fabrication of a multi-stage plasma synthetic jet actuator using printed electronics. AIP Advances, 2021, 11, .	1.3	7
1087	Effect of burst ratio on flow separation control using a dielectric barrier discharge plasma actuator at Reynolds number 2.6 × 10 ⁵ . Journal Physics D: Applied Physics, 2021, 54, 315204.	2.8	6
1088	A review of turbulent skin-friction drag reduction by near-wall transverse forcing. Progress in Aerospace Sciences, 2021, 123, 100713.	12.1	68
1089	Numerical Simulation of the Flow and Heat Transfer Induced by Corona Discharge Coupling With Electrostatically Forced Vibration. Journal of Heat Transfer, 2021, 143, .	2.1	0
1090	Effects of relative permittivity on primary and secondary streamers in atmospheric pressure dielectric barrier discharge. Journal Physics D: Applied Physics, 2021, 54, 315203.	2.8	4
1091	Review of Vibration Control Methods for Wind Turbines. Energies, 2021, 14, 3058.	3.1	27

#	Article		CITATIONS
1092	Experimental Study on Corona Discharge Characteristics and Heat Transfer Enhancement Application at Atmospheric Pressure. , 2021, , .		0
1093	Experimental cross-flow control in a 3D boundary layer by multi-discharge plasma actuators. Aerospace Science and Technology, 2021, 112, 106643.	4.8	10
1094	Large eddy simulation of film cooling effectiveness on a turbine vane pressure side with a saw-tooth plasma actuator. Aerospace Science and Technology, 2021, 112, 106615.	4.8	16
1095	Numerical comparison of saw-tooth plasma actuators for film cooling flow control over a flat plate. International Journal of Thermal Sciences, 2021, 163, 106807.	4.9	5
1096	Flat plate drag reduction using plasma-generated streamwise vortices. Journal of Fluid Mechanics, 2021, 918, .	3.4	35
1097	Flow reversal in millimetric annular DBD plasma actuator. Journal Physics D: Applied Physics, 2021, 54, 345202.	2.8	10
1098	Vortex Breakdown Control by the Plasma Swirl Injector. Applied Sciences (Switzerland), 2021, 11, 5537.	2.5	1
1099	Current–voltage characteristics and breakdown of different structural planar microelectrodes in atmospheric air. AIP Advances, 2021, 11, .	1.3	3
1100	Effects of an annular plasma actuator on a co-flow jet downstream of a bluff-body. Applied Thermal Engineering, 2021, 192, 116975.	6.0	7
1101	Artificial Neural Network Application for Aerodynamics of an Airfoil Equipped with Plasma Actuators. Journal of Applied Fluid Mechanics, 2021, 14, .	0.2	3
1102	Computational study of simultaneous positive and negative streamer propagation in a twin surface dielectric barrier discharge via 2D PIC simulations. Plasma Sources Science and Technology, 2021, 30, 075017.	3.1	14
1103	Pulsed discharge-induced high-speed flow near a dielectric ledge. Experiments in Fluids, 2021, 62, 1.	2.4	4
1104	Process enhancement of organic pollutant removal by micro channel excited dielectric barrier discharge. Journal of Water Process Engineering, 2021, 42, 102124.	5.6	3
1105	Plasma actuation effect on a NACA 4412 airfoil. Aircraft Engineering and Aerospace Technology, 2021, 93, 1610-1615.	1.2	3
1106	Electrical characteristics of wire-to-wire dielectric barrier discharges. Plasma Sources Science and Technology, 2021, 30, 08LT01.	3.1	5
1107	Flow-Control Characteristics with Nanosecond-Pulse Plasma Actuator for Different Airfoil Shapes. AIAA Journal, 0, , 1-9.	2.6	3
1108	Surface-charge control strategy for enhanced electrohydrodynamic force in dielectric barrier discharge plasma actuators. Journal Physics D: Applied Physics, 2021, 54, 455203.	2.8	17
1109	Blind disturbance separation and identification in a transitional boundary layer using minimal sensing. Journal of Fluid Mechanics, 2021, 927, .	3.4	1

#	Article	IF	CITATIONS
1110	Plasma Damage Control: From Biomolecules to Cells and Skin. ACS Applied Materials & Interfaces, 2021, 13, 46303-46316.	8.0	3
1111	Stability and Receptivity of the Swept-Wing Boundary-Layer Flow Controlled by a Periodic Sequence of Plasma Actuators. Fluid Dynamics, 2021, 56, 630-644.	0.9	1
1112	Flow control of a stalled S809 airfoil using an oscillating micro-cylinder at different angles of attack. Renewable Energy, 2021, 175, 405-414.	8.9	5
1113	Development of a flexible dielectric-barrier-discharge plasma actuator fabricated by inkjet printing using silver nanoparticles-based ink. Sensors and Actuators A: Physical, 2021, 330, 112823.	4.1	12
1114	Circular Jet with Annular Backflow Using DBD Plasma Actuator. Lecture Notes in Mechanical Engineering, 2021, , 167-172.	0.4	0
1115	Atmosphericâ€pressure plasma actuators: Enhancement of the free charges'Âtransport mechanism. Plasma Processes and Polymers, 2021, 18, 2000214.	3.0	3
1116	Control of Cross-Flow in a Three-Dimensional Boundary Layer Using a Multidischarge Actuator System. Fluid Dynamics, 2021, 56, 66-78.	0.9	2
1117	Separation Control along a NACA 0015 Airfoil Using a Dielectric Barrier Discharge Actuator. IUTAM Symposium on Cellular, Molecular and Tissue Mechanics, 2008, , 175-181.	0.2	1
1118	Plasma Catalysis Systems. Springer Series on Atomic, Optical, and Plasma Physics, 2019, , 21-46.	0.2	6
1120	Galerkin Models Enhancements for Flow Control. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2011, , 151-252.	0.6	8
1121	Control of transient growth induced boundary layer transition using plasma actuators. IUTAM Symposium on Cellular, Molecular and Tissue Mechanics, 2010, , 183-188.	0.2	3
1122	Jet Diffusion Control Using Plasma Actuators. Lecture Notes in Mechanical Engineering, 2019, , 155-160.	0.4	2
1123	EHD gas pumping – A concise review of recent development. Journal of Electrostatics, 2020, 106, 103469.	1.9	23
1126	Simple design of multiple aerodynamic plasma actuator. , 2017, , .		4
1127	Leading edge vortex control on a delta wing with dielectric barrier discharge plasma actuators. Applied Physics Letters, 2017, 110, .	3.3	15
1128	High E/N Discharges: Applications. , 2016, , 555-587.		4
1129	Self-consistent modeling of a surface AC dielectric barrier discharge actuator: In-depth analysis of positive and negative phases. Journal Physics D: Applied Physics, 2021, 54, 045203.	2.8	29
1130	Streamer propagation and pressure waves produced by a nanosecond pulsed surface sliding discharge: effect of the high-voltage electrode shape. Journal Physics D: Applied Physics, 2021, 54, 075207.	2.8	14

#	Article	IF	CITATIONS
1131	Investigations of positive streamers as quasi-steady structures using reduced order models. Plasma Sources Science and Technology, 2020, 29, 095004.	3.1	10
1132	The physics of streamer discharge phenomena. Plasma Sources Science and Technology, 2020, 29, 103001.	3.1	207
1133	Streamer propagation along a profiled dielectric surface. Plasma Sources Science and Technology, 2020, 29, 115015.	3.1	13
1134	The secondary ionization wave and characteristic map of surface discharge plasma in a wide time scale. New Journal of Physics, 2020, 22, 103060.	2.9	21
1135	The effect of the exposed electrode oxidation on the filamentation thresholds of a nanosecond DBD. Journal of Physics: Conference Series, 2020, 1698, 012028.	0.4	1
1136	Mapping the electric field vector of guided ionization waves at atmospheric pressure. Plasma Research Express, 2020, 2, 025014.	0.9	7
1137	Reynolds number dependence of large-scale friction control in turbulent channel flow. Physical Review Fluids, 2016, 1, .	2.5	22
1138	Experimental and numerical investigation of electrohydrodynamic flow in a point-to-ring corona discharge. Physical Review Fluids, 2018, 3, .	2.5	29
1139	Forced wakes far from threshold: Stuart-Landau equation applied to experimental data. Physical Review Fluids, 2018, 3, .	2.5	1
1140	Influence of SF <inf>6</inf> admixtures to nitrogen on electrodeless streamer inception at an epoxy resin surface. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 1683-1689.	2.9	6
1141	An Experimental Study on Segmented-Encapsulated Electrode Dielectric-Barrier-Discharge Plasma Actuator for Mapping Ice Formation on a Surface: A Conceptual Analysis. Journal of Heat Transfer, 2021, 143, .	2.1	14
1142	Drag reduction by combination of flow control using inlet disturbance body and plasma actuator on cylinder model. Journal of Mechanical Engineering and Sciences, 2019, 13, 4503-4511.	0.6	1
1143	Experimental Study on Fast Ionization Wave in Supersonic Flow. IEEJ Transactions on Power and Energy, 2009, 129, 823-830.	0.2	2
1144	Experimental Study on DBD Plasma Actuator with Combination of AC and Nanosecond Pulse Voltage. IEEJ Transactions on Power and Energy, 2011, 131, 701-707.	0.2	1
1145	ABOUT INCREASE OF EFFICIENCY OF PLASMA MULTI-ACTUATOR SYSTEM FOR BOUNDARY LAYER CONTROL. TsAGI Science Journal, 2013, 44, 305-326.	0.1	7
1146	Experimental Investigation of Separation Control on a NACA0024 Airfoil using Stationary and Non-Stationary AC-Dielectric Barrier Discharge Plasma Actuator. Journal of Applied Fluid Mechanics, 2016, 9, 877-888.	0.2	5
1148	High-Speed and High-Reynolds-Number Jet Control Using Localized Arc Filament Plasma Actuators. Journal of Propulsion and Power, 2012, 28, 269-280.	2.2	1
1149	Nonlinearity Identification and Flow Control for Low-Reynolds Number Aerodynamics with Unsteady Free-Stream. , 2012, , .		2

#	Article	IF	CITATIONS
1150	Comparison of Pressures Driven by Repetitive Nanosecond Pulses to AC Result. , 2014, , .		1
1152	Plasma Virtual Actuators for Flow Control. Journal of Flow Control Measurement & Visualization, 2015, 03, 22-34.	0.1	19
1153	An Approach to Plasma Wake Studying. Journal of Modern Physics, 2015, 06, 46-57.	0.6	3
1154	Energy efficiency and performance characteristics of plasma synthetic jet. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 125207.	0.5	15
1155	Experimental study on the characteristics of a two-electrode plasma synthetic jet actuator. Wuli Xuebao/Acta Physica Sinica, 2014, 63, 194702.	0.5	13
1156	Structure resolved simulations of flow around porous coated cylinders based on a simplified pore-scale model. Aerospace Science and Technology, 2021, 119, 107181.	4.8	7
1157	Flow Separation Control over an Airfoil Using Plasma Co-Flow Jet. AIAA Journal, 2022, 60, 2195-2206.	2.6	7
1158	Supersonic Rupture's Shock Control by Electrical Discharge. , 2007, , 190-193.		1
1159	Separation Control for Wing Surface Flow using Dielectric-barrier Discharge. IEEJ Transactions on Fundamentals and Materials, 2008, 128, 235-241.	0.2	2
1160	Flow Control Technology using Non-thermal Plasma. IEEJ Transactions on Fundamentals and Materials, 2008, 128, 699-702.	0.2	1
1161	Progress in Computational Magneto-Fluid-Dynamics for Flow Control. , 2009, , 49-60.		0
1162	Numerical Studies on Behavior of Lorentz-Force-Applied Boundary Layer in Supersonic Flow. IEEJ Transactions on Power and Energy, 2009, 129, 831-839.	0.2	0
1163	A Study of DC Surface Plasma Discharge in Absence of Free Airflow: Ionic Wind Velocity Profile. Journal of Applied Fluid Mechanics, 2009, 2, .	0.2	1
1165	The scenario of two-dimensional instabilities of the cylinder wake under EHD forcing: A linear stability analysis. , 2011, , .		0
1166	2D Phenomena of Shock Wave Propagation along a Non-equilibrium Thermal Zone Formed by Surface Discharge. , 2012, , 1021-1026.		0
1167	Finite Volume Method for Streamer and Gas Dynamics Modelling in Air Discharges at Atmospheric Pressure. , 0, , .		1
1168	CONTROL OF CIRCULAR CYLINDER WAKE USING PLASMA ACTUATION. Journal of Computational Fluids Engineering, 2012, 17, 71-77.	0.0	0
1169	Study on Characteristics of DBD Plasma Actuator as Design Parameters for Plasma Flow Control. Journal of the Korean Society for Aeronautical & Space Sciences, 2012, 40, 492-498.	0.1	1

#	Article	IF	Citations
1170	Experimental Study on Effect of Electrode Material and Thickness in a Dielectric Barrier Discharge Plasma Actuator Performance. Journal of Fluid Machinery, 2012, 15, 46-50.	0.3	2
1171	Local and Bi-Global Stability Analysis of a Plasma Actuated Boundary Layer. , 2013, , .		0
1172	Experimental study on the thrust and the ratio of thrust to power of multi-points/grid ionic wind exciter. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 075205.	0.5	4
1173	Elements of Compressible Flow Control. , 2013, , 271-292.		0
1174	Active Control Metrology for Preventing Induced Thermal Damage During Atmospheric Pressure Plasma Processing of Thermal Sensitive Materials. Emergence, Complexity and Computation, 2014, , 321-331.	0.3	1
1176	NUMERICAL MODELING OF PLASMA MULTI-ACTUATOR SYSTEM. , 0, , .		0
1177	Properties of Flows Induced by DBD Plasma Actuators with Fine Structural Exposed Electrodes. , 2014, , .		0
1178	On the possibility of laminar flow control on a swept wing by means of plasma actuators. , 2015, , .		1
1179	Aerodynamic Drag Reduction in Cylindrical Model Using DBD Plasma Actuator. Journal of the Korean Society of Propulsion Engineers, 2015, 19, 25-32.	0.2	0
1180	Flow Actuation by DC Surface Discharge Plasma Actuator in Different Discharge Modes. International Journal of Aeronautical and Space Sciences, 2015, 16, 339-346.	2.0	0
1181	Experimental investigation on the starting vortex induced by symmetrical dielectric barrier discharge plasma actuator. Wuli Xuebao/Acta Physica Sinica, 2016, 65, 174701.	0.5	1
1182	Nanosecond Pulsed Plasma Flow Control: Progress and Problems. Advances in Dynamics, Patterns, Cognition, 2016, , 137-171.	0.3	0
1183	Design and Characterization of a Novel Dielectric Barrier Discharge Plasma Actuator for Flow Control Application. Lecture Notes in Mechanical Engineering, 2017, , 1545-1554.	0.4	0
1185	Dielectric Barrier Discharge (DBD). , 2016, , 355-366.		0
1186	Flow Separation Control Over a Ramp with Nanosecond-Pulsed Plasma Actuators. , 2017, , 1195-1199.		0
1187	Laminar Boundary Layer Flow with DBD Plasma Actuation: A Similarity Equation. Lecture Notes in Computational Science and Engineering, 2017, , 63-76.	0.3	0
1188	Numerical investigations of boundary-layer flow transition control with Plasma Actuators. , 2017, , .		0
1189	Numerical modeling of plasma Actuator at high pressure. Przeglad Elektrotechniczny, 2018, 1, 36-40.	0.2	0

#	Article		CITATIONS
1190	Evaluation of Cylindrical Asymmetric Surface Dielectric Barrier Discharge Actuators for Surface Decontamination and Mixing. , 2018, , .		0
1191	Experimental Investigation and ANN Prediction on the Underbody Drag Minimization in Truck Model using DC Pulsed DBD Plasma Actuator as an Active Flow Control Device. Journal of Applied Fluid Mechanics, 2019, 12, 195-205.	0.2	0
1192	A Parametric Study on the Thermodynamic Characteristics of DBD Plasma Actuation and Its Potential for Wind Turbine Icing Mitigation. , 0, , .		0
1193	An Experimental Study on the Effects of the Layout of DBD Plasma Actuators on Its Anti-/De-Icing Performance for Aircraft Icing Mitigation. , 0, , .		0
1195	Active Flow Control Strategies and Tools for Turbulent Flows. Computational Methods in Applied Sciences (Springer), 2020, , 1-26.	0.3	0
1196	Electric Field Measurement in Dielectric Barrier Discharges Using Electric Field Induced Second Harmonic Generation in Ambient Air. IEEE Transactions on Dielectrics and Electrical Insulation, 2020, 27, 2071-2077.	2.9	13
1197	Microdischarges properties in sDBD: the role of the exposed electrode oxidation. Plasma Sources Science and Technology, 2020, 30, 035005.	3.1	3
1198	Bypass transition in a boundary layer flow induced by plasma actuators. Journal of Fluid Mechanics, 2021, 929, .	3.4	6
1199	Effect of electrohydrodynamic interaction on the stability of a flat plate laminar boundary layer. Fluid Dynamics, 2008, 43, 59-65.	0.9	2
1200	Development of a plasma electroacoustic actuator for active noise control applications. Journal Physics D: Applied Physics, 2020, 53, 495202.	2.8	5
1201	Evaluation of Cylindrical Asymmetric Surface Dielectric Barrier Discharge Actuators for Surface Decontamination and Mixing. Plasma, 2021, 4, 755-763.	1.8	1
1202	A review on recent advances and challenges of ionic wind produced by corona discharges with practical applications. Journal Physics D: Applied Physics, 2022, 55, 153002.	2.8	17
1203	Discharge Stability Enhancement in Surface Corona Actuators. IEEE Transactions on Plasma Science, 2022, 50, 69-78.	1.3	2
1204	Numerical Study of Corona Jet Produced From a Circular Tube Fitted With a Nozzle. IEEE Transactions on Industry Applications, 2022, 58, 2444-2451.	4.9	2
1205	Heat Transfer Characteristics of AC-SDBD Plasma Actuation in Different Boundary Layers. , 2022, , .		0
1206	Relaxation of electronic excitation in nitrogen/oxygen and fuel/air mixtures: fast gas heating in plasma-assisted ignition and flame stabilization. Progress in Energy and Combustion Science, 2022, 91, 100928.	31.2	36
1207	Implementation and Flight Testing of a Dielectric Barrier Discharge Plasma Actuator on a Small Aircraft. , 2022, , .		0
1208	Control of electrohydrodynamic (EHD) flow by secondary electric potential. International Journal of Heat and Mass Transfer, 2022, 186, 122490.	4.8	2

#	Article	IF	Citations
1209	Study on Ionic Wind of Bipolar Corona and Its Sterilization Effect. , 2020, , .		0
1210	A Two-Stage EHD Gas Pump in a Square Channel with Electrodes Mounted on Two Opposite Facing Walls. , 2020, , .		1
1211	Numerical Study of Corona Jet Produced from a Circular Tube Fitted with a Nozzle. , 2020, , .		0
1212	A DBD-Integrated Discharge Device for Low-Voltage Atmospheric Plasma Generation. IEEE Transactions on Plasma Science, 2020, 48, 3890-3894.	1.3	1
1213	Effect of Electrode Orientation on the Performance of Two-Stage EHD Gas Pump in a Square Channel. , 2021, , .		0
1214	Temporal Response of the Laminar Boundary Layer to Step Input Plasma Vortex Generators of Varying Streamwise Extent. , 2022, , .		0
1215	Corona discharge actuator as an active sound absorber under normal and oblique incidence. Acta Acustica, 2022, 6, 5.	1.0	3
1216	Flow Control for Unmanned Air Vehicles. Annual Review of Fluid Mechanics, 2022, 54, 383-412.	25.0	23
1217	A Magnetically Actuated Plasma Device for Ionic Wind Generation. IEEE Electron Device Letters, 2022, 43, 135-137.	3.9	0
1219	Operation mode recognition of surface microdischarge based on the gray level histogram. Plasma Processes and Polymers, 0, , .	3.0	1
1220	Classification of flow-field patterns in burst-mode actuation of a dielectric-barrier-discharge plasma actuator. Physics of Fluids, 2022, 34, 023601.	4.0	10
1221	Reducing turbulent convective heat transfer with streamwise plasma vortex generators. Experimental Thermal and Fluid Science, 2022, 134, 110596.	2.7	8
1222	Numerical Investigation of Plasma Actuator Effects on Flow Control Over a Three-Dimensional Airfoil With a Sinusoidal Leading Edge. Journal of Fluids Engineering, Transactions of the ASME, 2022, 144, .	1.5	14
1223	Surface morphing for aerodynamic flows at low and stalled angles of attack. Physical Review Fluids, 2022, 7, .	2.5	8
1224	Effects of actuation mode on plasma-induced spanwise flow oscillations. Journal Physics D: Applied Physics, 2022, 55, 205203.	2.8	3
1225	Study of the Influence of Current Pulse Parameters on Kinematic and Energy Characteristics of a Plasma Actuator Based on a Moving Electric Arc. SSRN Electronic Journal, 0, , .	0.4	0
1226	Flow Distribution and Cooling Performance of Needle-to-Ring Ionic Wind Blowers with Multiple Electrodes. SSRN Electronic Journal, 0, , .	0.4	0
1227	Approximate Formulations in Mean Models of Dielectric Barrier Discharge Plasma Flow Actuator. AIAA Journal, 0, , 1-12.	2.6	6

#	Article	IF	Citations
1228	Heat transfer characteristics of plasma actuation in different boundary-layer flows. Physics of Fluids, 2022, 34, .	4.0	10
1229	Twoâ€dimensional particleâ€inâ€cell/Monte Carlo simulations of streamer formation and propagation in catalyst pores in a surface dielectric barrier discharge. Plasma Processes and Polymers, 2022, 19, .	3.0	3
1230	Efficiency assessment of a single surface dielectric barrier discharge plasma actuator with an optimized Suzen–Huang model. Physics of Fluids, 2022, 34, 047110.	4.0	7
1231	Characteristic studies on positive and negative streamers of double-sided pulsed surface dielectric barrier discharge. Plasma Science and Technology, 2022, 24, 044005.	1.5	2
1232	Spatio-temporal evolution of ion current extracted from pulsed dielectric barrier discharge. Journal Physics D: Applied Physics, 2022, 55, 275204.	2.8	1
1233	Characteristics of three-electrode pulsed surface dielectric barrier discharge: streamer-to-spark transition and hydrodynamic expansion. Journal Physics D: Applied Physics, 2022, 55, 265202.	2.8	7
1234	Pulse volume discharge behind shock wave in channel flow with obstacle. Acta Astronautica, 2022, 195, 493-501.	3.2	5
1235	Influence of the Condition of the Exposed Electrode Edge in the SDBD on the Discharge Operation Mode in Argon. Journal of Physics: Conference Series, 2021, 2100, 012014.	0.4	1
1236	Influence of the surface DBD parameters on the streaks development in the boundary layer. Journal of Physics: Conference Series, 2021, 2100, 012027.	0.4	0
1237	Improved performance of polyimide Cirlexâ€based dielectric barrier discharge plasma actuators for flow control. Polymers for Advanced Technologies, 2022, 33, 1278-1290.	3.2	4
1238	SDBD Flexible Plasma Actuator with Ag-Ink Electrodes: Experimental Assessment. Applied Sciences (Switzerland), 2021, 11, 11930.	2.5	5
1239	Optimal control of growth of instabilities in Taylor–Couette flow. Physics of Fluids, 2022, 34, .	4.0	3
1240	Effect of dynamic permittivity in low-pressure environment on performance of surface dielectric barrier discharge ion wind thruster. Vacuum, 2022, 201, 111111.	3.5	5
1241	A Two-Stage EHD Gas Pump in a Square Channel With Electrodes Mounted on Two Opposite Facing Walls. IEEE Transactions on Industry Applications, 2022, 58, 5292-5300.	4.9	2
1242	Effect of oxygen fraction in nitrogen/oxygen mixtures on primary and secondary streamers in atmospheric-pressure barrier discharge. Journal of Electrostatics, 2022, 117, 103716.	1.9	2
1243	Flow distribution and cooling performance of needle-to-ring ionic wind blowers with multiple electrodes. International Journal of Heat and Mass Transfer, 2022, 193, 122971.	4.8	3
1244	Flow seperation control in leading edge of aerofoil using plasma actuators. AIP Conference Proceedings, 2022, , .	0.4	2
1245	Plastic Film Based Lightweight Thruster Driven by Triboelectric Nanogenerator for Multi-Purpose Propulsion Applications. SSRN Electronic Journal, 0, , .	0.4	0

#	Article		CITATIONS
1246	Experimental and Numerical Study on Incident Shock Wave/Boundary Layer Interaction Control. Actuators, 2022, 11, 148.		1
1247	Energy conversion analysis of ion wind in surface dielectric barrier discharge at low pressure. Physica B: Condensed Matter, 2022, 640, 414069.	2.7	4
1248	Numerical Analysis of Flows Generated by a Two-Stage EHD Gas Pump with Different Electrode Orientations. , 2022, , .		1
1249	Effect of Plasma Actuation on Impact, Dynamics, and Evaporation of Water Droplet on a Room-temperature Surface. , 2022, , .		1
1250	Opposition control of turbulent spots. Journal of Fluid Mechanics, 2022, 943, .	3.4	3
1251	Active electrode isolation for advanced plasma actuators. Sensors and Actuators A: Physical, 2022, 343, 113675.	4.1	2
1252	A spectral element method for modelling streamer discharges in low-temperature atmospheric-pressure plasmas. Journal of Computational Physics, 2022, 465, 111378.	3.8	3
1253	Aerodynamics Enhancement Using Adaptive Flow Control. Advances in Mechatronics and Mechanical Engineering, 2022, , 323-342.	1.0	0
1254	Effects of plasma actuation and hole configuration on film cooling performance. Propulsion and Power Research, 2023, 12, 227-237.	4.3	3
1255	Fabrication and performance evaluation of full-inkjet-printed dielectric-barrier-discharge plasma actuators. Sensors and Actuators A: Physical, 2022, 344, 113751.	4.1	1
1256	Plastic film based lightweight thruster driven by triboelectric nanogenerator for multi-purpose propulsion applications. Nano Energy, 2022, 101, 107558.	16.0	9
1257	Laminar Boundary-Layer Response to Step Input by an Array of Plasma Actuators. AIAA Journal, 0, , 1-12.	2.6	1
1258	Helium Dielectric Barrier Discharge Plasma Jet (DBD Jet)-Processed Graphite Foil as Current Collector for Paper-Based Fluidic Aluminum-Air Batteries. Energies, 2022, 15, 5914.	3.1	2
1259	Plasma flow control of the tip vortices over a very low aspect-ratio wing. Physics of Fluids, 2022, 34, 087101.	4.0	3
1260	Effect of Plasma Actuator on Velocity and Temperature Profiles of High Aspect Ratio Rectangular Jet. Fluids, 2022, 7, 281.	1.7	1
1261	Removal of Pb(II), Cd(II) and Ni(II) Ions from Groundwater by Nonthermal Plasma. Materials, 2022, 15, 5426.	2.9	1
1262	Enhancement of electrohydrodynamic force with AC bias voltage in three-electrode dielectric barrier discharge plasma actuators. Journal of Applied Physics, 2022, 132, .	2.5	5
1263	Optimization of wind turbine performance by vibration control and deicing. Journal of Wind Engineering and Industrial Aerodynamics, 2022, 229, 105143.	3.9	4

#	Article	IF	CITATIONS
1264	A new approach based on the augmented particle sink effect to remove indoor airborne particulate matter: Experimental study. Energy and Buildings, 2022, 275, 112496.	6.7	1
1265	Flow control using single dielectric barrier discharge plasma actuator for flow over airfoil. Physics of Fluids, 2022, 34, .	4.0	7
1266	Passive Temperature Excursion of Electronic Devices Using Ionic Wind. , 0, , .		1
1267	Characterisation of surface charge density and net electric field during parallel-plate dielectric barrier discharge generated in atmospheric-pressure air. Plasma Sources Science and Technology, 2022, 31, 095019.	3.1	4
1268	Experimental and Computational Fluid Dynamics: decades of turbulent EFD/CFD complementarity. Comptes Rendus - Mecanique, 2022, 350, 1-14.	0.7	1
1269	Effect of dielectric barrier discharge plasma on film cooling performance. Thermal Science, 2022, 26, 4157-4168.	1.1	3
1270	lonic wind of a needle-to-plate dielectric barrier discharge. Journal of Electrostatics, 2022, 120, 103768.	1.9	0
1271	Numerical Investigation to Predict the Effect of Plasma Actuator on Flow Control to Enhance Aerodynamic Characteristics and Acoustics of Symmetric Airfoil—A RANS Approach. Lecture Notes in Mechanical Engineering, 2023, , 277-298.	0.4	0
1272	Mitigating reverse emission in electroaerodynamic thrusters. Journal Physics D: Applied Physics, 2022, 55, 505202.	2.8	2
1274	Characterization of electrode charges and forces in an electrohydrodynamic thruster. AIP Advances, 2022, 12, 115318.	1.3	1
1275	Effect of the high voltage waveform on the ionic wind produced by a needle-to-plate dielectric barrier discharge. Scientific Reports, 2022, 12, .	3.3	2
1276	Electrical and optical characterization of multi-hollow surface dielectric barrier discharge in configuration with the air-exposed electrode. Physics of Plasmas, 2022, 29, .	1.9	4
1277	Experimental Study on the Working Characteristics of Tri-Electrode Plasma Actuator Utilizing a Combination of Corona and Barrier Discharges. Actuators, 2022, 11, 322.	2.3	3
1278	Time-domain signal analysis of dielectric response of nonlinear SDBD thruster in near space. Vacuum, 2023, 207, 111666.	3.5	5
1279	The Effect of SiC-MOSFET Characteristics on the Performance of Dielectric Barrier Discharge Plasma Actuators with Two-Stroke Charge Cycle Operation. Actuators, 2022, 11, 333.	2.3	1
1280	Study of the influence of current pulse parameters on kinematic and energy characteristics of a plasma actuator based on a moving electric arc. International Journal of Heat and Mass Transfer, 2023, 201, 123661.	4.8	1
1281	Visualization of Supersonic Flow in a Channel with an Obstacle by High-speed Shadow Imaging, Pulsed Discharge and Numerical Simulation. , 2022, , .		0
1282	Experimental Investigation and Intelligent Optimization of Airfoil Zero-Lift Drag Reduction with Plasma Actuators. AIAA Journal, 2023, 61, 223-240.	2.6	3

		CITATION R	EPORT	
#	Article		IF	Citations
1283	Thermal characteristics of stabilization effects induced by nanostructures in plasma heat interacting with ice blocks. International Journal of Heat and Mass Transfer, 2023, 202, 1	source 23695.	4.8	0
1284	Comparison between Density and Velocity Fields in Burst Modulation of a Dielectric-Barr Plasma Actuator. Actuators, 2022, 11, 340.	er-Discharge	2.3	2
1285	Numerical simulation of atmospheric-pressure surface dielectric barrier discharge on a cu dielectric with a curvilinear mesh. Journal Physics D: Applied Physics, 2023, 56, 045202.	rved	2.8	4
1286	Skin-friction drag reduction by local porous uniform blowing in spatially developing comp turbulent boundary layers. Physics of Fluids, 2022, 34, 125130.	pressible	4.0	5
1287	The effect of electrically pre-stressing of high DC electric field on performance of SDBD t near space. Vacuum, 2023, 209, 111775.	hruster in	3.5	1
1288	Mean model of the dielectric barrier discharge plasma actuator including photoionization Physics D: Applied Physics, 2023, 56, 055203.	n. Journal	2.8	4
1289	On the different regimes of positive DC corona discharges as a function of electrical and parameters. Journal of Applied Physics, 2023, 133, .	geometrical	2.5	1
1290	Model of Multistaged Ducted Thrusters for High-Thrust-Density Electroaerodynamic Propulsion. AIAA Journal, 2023, 61, 767-779.		2.6	6
1291	Stabilization of a multi-frequency open cavity flow with gradient-enriched machine learning control. Journal of Fluid Mechanics, 2023, 955, .		3.4	5
1292	Review of Ceramic Composites in Aeronautics and Aerospace: A Multifunctional Approac and DBD Applications. Ceramics, 2023, 6, 195-230.	h for TPS, TBC	2.6	10
1293	Numerical study of airborne particle dynamics in vortices near curved electrode surfaces. Electrostatics, 2023, 122, 103781.	Journal of	1.9	3
1294	Ionic Wind Driven Fog Collection in Windless Environment. Industrial & Engineering Research, 2023, 62, 801-810.	Chemistry	3.7	2
1295	A Review on Electrohydrodynamic (EHD) Pump. Micromachines, 2023, 14, 321.		2.9	8
1296	Optimal surface morphing using adjoint optimization. , 2023, , .			0
1297	Electrostatic precipitator with Surface Dielectric Barrier Discharge ionizer. Journal of Clea Production, 2023, 404, 136990.	ner	9.3	0
1298	Flows Generated by Electrohydrodynamic Gas Pumps with Different Electrode Orientatio of Thermophysics and Heat Transfer, 2023, 37, 761-770.	ns. Journal	1.6	0
1299	Controlling the flow-induced oscillations of a flexible cantilever beam using a plasma act Physics of Fluids, 2023, 35, 027123.	Jator.	4.0	3
1300	Simulation of acoustic oscillatory flows around a curvature controlled by a plasma actuar Applied Acoustics, 2023, 205, 109274.	cor.	3.3	0
CITATION REPORT

#	Article	IF	CITATIONS
1301	Plane Parallel Barrier Discharges for Carbon Dioxide Splitting: Influence of Discharge Arrangement on Carbon Monoxide Formation. Plasma, 2023, 6, 162-180.	1.8	6
1302	A systematic investigation on flow characteristics of needle-ring-net electrohydrodynamic gas pump. Physics of Fluids, 2023, 35, 047108.	4.0	1
1303	Investigation of flow characteristics in a twin-surface dielectric barrier discharge reactor by Schlieren imaging. Journal Physics D: Applied Physics, 2023, 56, 265201.	2.8	3
1304	Numerical Analysis of Airfoil Flow Control Using a Nanosecond Pulsed Plasma Actuator. AIAA Journal, 0, , 1-22.	2.6	0
1305	Study of Plasma-Based Vortex Generator in Supersonic Turbulent Boundary Layer. Aerospace, 2023, 10, 363.	2.2	3
1306	Superposition of AC-DBD plasma actuator outputs for three-dimensional disturbance production in shear flows. Experiments in Fluids, 2023, 64, .	2.4	0
1307	Ultrabroadband sound control with deep-subwavelength plasmacoustic metalayers. Nature Communications, 2023, 14, .	12.8	5
1308	Circular jet with annular backflow using a dielectric barrier discharge plasma actuator (Effect of) Tj ETQq1 1 0.784 JFST0017-JFST0017.	314 rgBT 0.6	/Overlock 1 0
1309	PVDF-based nanoceramic composite for improved SDBD thruster performance at low pressure. Vacuum, 2023, 214, 112234.	3.5	1
1310	lonic wind generation through coplanar discharge: A plasma actuator without exposed electrodes. AlP Advances, 2023, 13, .	1.3	0
1311	On the interplay of body-force distributions and flow speed for dielectric-barrier discharge plasma actuators. Journal Physics D: Applied Physics, 2023, 56, 375205.	2.8	0
1312	lonization wave propagation and cathode sheath formation due to surface dielectric-barrier discharge sustained in pulsed mode. Plasma Science and Technology, 0, , .	1.5	0
1314	Effect of powered electrode configuration on plasma structure of surface micro-discharge array. Physics of Plasmas, 2023, 30, .	1.9	0
1315	Dynamics of Water Drop Driven by Plasma Actuation Base on Digital Image Projection Technique. , 2023,		0
1316	Nanosecond plasma actuation by a bending actuator mounted on a sharp edge in quiescent air. Physics of Fluids, 2023, 35, .	4.0	1
1317	On the Possibility of Cross-Flow Vortex Cancellation by Plasma Actuators. Aerospace, 2023, 10, 469.	2.2	1
1318	Digital Method of Time Correlated Single Photon Counting for Barrier Discharge Diagnosis. Plasma Physics Reports, 2023, 49, 609-616.	0.9	0
1319	Mechanisms of Plasma Actuators Controlling High-Aspect-Ratio Rectangular Jet Width for Automobile Air Conditioning Systems. Fluids, 2023, 8, 186.	1.7	0

CITATION REPORT

#	Article	IF	CITATIONS
1320	Three-Layer Composite Dielectric Structure for Ionic Wind Actuator at Near Space. IEEE Transactions on Plasma Science, 2023, 51, 2023-2034.	1.3	0
1321	The effect of spanwise wall oscillation on spatially developing compressible transitional boundary layers. Physics of Fluids, 2023, 35, .	4.0	1
1322	Nanosecond volume discharge in the non-stationary high-speed profiled channel flow. Physics of Fluids, 2023, 35, .	4.0	0
1323	Surface Dielectric Barrier Discharge Driven by Nanosecond Pulses. Springer Series in Plasma Science and Technology, 2023, , 635-672.	0.2	0
1324	Plasma Aerodynamics and Flow Control by Superfast Local Heating. Springer Series in Plasma Science and Technology, 2023, , 939-1034.	0.2	0
1325	Characteristics of a nanosecond pulsed sliding discharge plasma actuator at low pressure. AIP Advances, 2023, 13, .	1.3	1
1326	The effect of the dielectric barrier discharge plasma actuator in the control of non-reactive flow in a non-premixed bluff body burner. Physics of Fluids, 2023, 35, .	4.0	3
1327	Active Flow Control for Passage Vortex Reduction in a Linear Turbine Cascade with Various Tip Clearance Sizes Using a Dielectric Barrier Discharge Plasma Actuator. Aerospace, 2023, 10, 641.	2.2	1
1329	Computational and Experimental Modeling in Magnetoplasma Aerodynamics and High-Speed Gas and Plasma Flows (A Review). Aerospace, 2023, 10, 662.	2.2	5
1330	Non-thermal plasma actuator mechanism in interaction with fluid flow structure for aeronautical flow control. AIP Advances, 2023, 13, .	1.3	0
1331	Ionic wind velocity and energy efficiency improvement in needle-net ionic wind generator by electrical field optimization. EPJ Applied Physics, 0, , .	0.7	0
1332	Use of partial discharges measurements and video recordings to investigate the influence of relative humidity on zinc oxide subjected to high electric fields. Journal Physics D: Applied Physics, 2023, 56, 465305.	2.8	0
1333	An implicit time integration approach for simulation of corona discharges. Computer Physics Communications, 2024, 294, 108906.	7.5	1
1334	Barrier Discharges in Science and Technology Since 2003: A Tribute and Update. Plasma Chemistry and Plasma Processing, 2023, 43, 1303-1334.	2.4	4
1335	Numerical investigation of the role of linear and nonlinear forces in determining the direction of electric wind caused by atmospheric pressure DC corona discharge. Physics of Plasmas, 2023, 30, .	1.9	0
1336	Analytical input-output modelling of surface dielectric barrier discharge plasma actuator. Journal Physics D: Applied Physics, 2023, 56, 465204.	2.8	0
1337	Characteristics of a Low-Pressure Carbon-Dioxide Surface Dielectric Barrier Discharge Plasma Ion-Wind Thruster. AIAA Journal, 2023, 61, 4828-4838.	2.6	1
1338	Solid-State Electroaerodynamic Aircraft Design Using Signomial Programming. Journal of Aircraft, 2024, 61, 280-290.	2.4	0

CITATION REPORT

#	Article	IF	CITATIONS
1339	3D Turbulent Boundary Layer Separation Control by Multi-Discharge Plasma Actuator. Aerospace, 2023, 10, 869.	2.2	1
1340	Development Trends in Plasma Aerodynamics. Doklady Physics, 2023, 68, 1-5.	0.7	Ο
1341	Potentialities and limitations of an electro-optic probe for electric field diagnostics of cold atmospheric pressure plasma jets. European Physical Journal D, 2023, 77, .	1.3	0
1342	Energy-saving discharge needle shape for electrohydrodynamic airflow generation. Journal of Electrostatics, 2024, 127, 103876.	1.9	1
1343	Design of neural networks for Darcy–Forchheimer viscous fluid subjected to electro-magnetohydrodynamic and thermal impacts. Waves in Random and Complex Media, 0, , 1-37.	2.7	0
1344	Enhanced Heat Transfer by Burst-Mode Actuation of Dielectric-Barrier-Discharge Plasma Actuator in Microchannel Flow at Low Reynolds Number. , 2023, , .		0
1345	Use of alternative energy sources for the initiation and execution of chemical reactions and processes. , 2024, , 59-74.		0
1346	An EHD Gas Pump for Cooling Electronic Components in a Horizontal Channel. , 2024, , .		0
1347	Comparative analysis on power supplies for Dielectric Barrier Discharge applications. , 2024, , .		0
1348	Modeling of a novel large-scale electrohydrodynamic vortex flow induced by variation in current density for drag reduction with implication of electrostatic particle clustering. Journal of Electrostatics, 2024, 128, 103899.	1.9	Ο
1349	On Electronics Cooling Using an Electrohydrodynamic Gas Pump with Aligned Electrodes. Journal of Thermophysics and Heat Transfer, 0, , 1-8.	1.6	0
1350	Multi-needle-ring type ionic wind generator for thermal management. Sadhana - Academy Proceedings in Engineering Sciences, 2024, 49, .	1.3	Ο
1351	Enhancement of flow mixing using a two-stage EHD gas pump with electrodes anchored at one corner of channel. Journal of Electrostatics, 2024, 128, 103903.	1.9	0
1352	Order-of-Magnitude Improvement in Electroaerodynamic Thrust Density with Multistaged Ducted Thrusters. AIAA Journal, 2024, 62, 1342-1353.	2.6	0
1354	Noise Control of Blunt Flat-Plate Using Slit and Dielectric Barrier Discharge Plasma. AIAA Journal, 0, , 1-15.	2.6	0
1355	Modeling of the Flight Performance of a Plasma-Propelled Drone: Limitations and Prospects. Drones, 2024, 8, 114.	4.9	0
1356	Dielectric barrier discharge actuators: Momentum injection into co-flow and counter-flow freestream. Journal of Electrostatics, 2024, 129, 103918.	1.9	0