

CITATION REPORT

List of articles citing

Multiscale roughness and stability of superhydrophobic biomimetic interfaces

DOI: 10.1021/la062301d
Langmuir, 2007, 23, 3157-61.

Source: <https://exaly.com/paper-pdf/43042708/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
439	Flexible Hierarchical Wraps Repel Drug-Resistant Gram-Negative and Positive Bacteria.		
438	Biomimetic superhydrophobic surfaces: multiscale approach. 2007 , 7, 2633-7		307
437	Cassie-Wenzel wetting transition in vibrating drops deposited on rough surfaces: is the dynamic Cassie-Wenzel wetting transition a 2D or 1D affair?. <i>Langmuir</i> , 2007 , 23, 6501-3	4	237
436	Designing superoleophobic surfaces. 2007 , 318, 1618-22		2287
435	Model for solid-liquid and solid-solid friction of rough surfaces with adhesion hysteresis. 2007 , 126, 224701		116
434	Multiscale friction mechanisms and hierarchical surfaces in nano- and bio-tribology. 2007 , 58, 162-193		213
433	Wettability Switching Techniques on Superhydrophobic Surfaces. 2007 , 2, 577-596		260
432	Biologically Inspired Surfaces: Broadening the Scope of Roughness**. 2008 , 18, 843-855		225
431	One step preparation of superhydrophobic polymeric surface with polystyrene under ambient atmosphere. 2008 , 322, 1-5		43
430	Capillary effects and instabilities in nanocontacts. 2008 , 108, 1181-5		21
429	Fabrication of superhydrophobic surfaces with poly(furfuryl alcohol)/multi-walled carbon nanotubes composites. <i>Applied Surface Science</i> , 2008 , 254, 2563-2568	6.7	30
428	Progress in superhydrophobic surface development. 2008 , 4, 224-240		1290
427	Wetting and Roughness. 2008 , 38, 71-99		1841
426	Anisotropic wetting behavior arising from superhydrophobic surfaces: parallel grooved structure. 2008 , 112, 7234-43		96
425	From hydrophilic to superhydrophobic: theoretical conditions for making high-contact-angle surfaces from low-contact-angle materials. <i>Langmuir</i> , 2008 , 24, 7573-9	4	282
424	Silver mirror reaction as an approach to construct superhydrophobic surfaces with high reflectivity. <i>Langmuir</i> , 2008 , 24, 9962-5	4	46
423	Lotus Effect: Roughness-Induced Superhydrophobic Surfaces. 2008 , 995-1072		14

422	Superhydrophobic Metallic Surfaces and Their Wetting Properties. 2008 , 22, 379-385		35
421	Design Parameters for Superhydrophobicity and Superoleophobicity. 2008 , 33, 752-758		285
420	Roughness-induced superhydrophobicity: a way to design non-adhesive surfaces. 2008 , 20, 225009		124
419	Petal effect: a superhydrophobic state with high adhesive force. <i>Langmuir</i> , 2008 , 24, 4114-9	4	1416
418	Robust omniphobic surfaces. 2008 , 105, 18200-5		891
417	Non-adhesive lotus and other hydrophobic materials. 2008 , 366, 1539-56		127
416	A Translucent and Superhydrophobic Surface Prepared With a Sol-Gel Method Based on Alumina Nanoparticles. 2008 , 22, 311-318		12
415	Criteria for entrapped gas under a drop on an ultrahydrophobic surface. <i>Langmuir</i> , 2008 , 24, 10174-80	4	54
414	Wetting of Heterogeneous Nanopatterned Inorganic Surfaces. 2008 , 20, 1476-1483		36
413	Contact angles of oils on solid substrates in aqueous media: correlation with AFM data on protein adhesion. <i>Langmuir</i> , 2008 , 24, 9974-8	4	28
412	A Review of Recent Results on Superhydrophobic Materials Based on Micro- and Nanofibers. 2008 , 22, 1799-1817		132
411	Fabrication of titanium-based microstructured surfaces and study on their superhydrophobic stability. 2008 , 23, 2491-2499		14
410	Underwater breathing: the mechanics of plastron respiration. 2008 , 608, 275-296		136
409	Modifying the anti-wetting property of butterfly wings and water strider legs by atomic layer deposition coating: surface materials versus geometry. 2008 , 19, 355708		48
408	Hierarchical structures for natural superhydrophobic surfaces. 2008 , 4, 462-466		119
407	Multiscale effects and capillary interactions in functional biomimetic surfaces for energy conversion and green engineering. 2009 , 367, 1511-39		68
406	Fabrics with Tunable Oleophobicity. 2009 , 21, 2190-2195		327
405	Wetting Characteristics of Insect Wing Surfaces. 2009 , 6, 63-70		169

404	Wetting behavior at micro-/nanoscales: direct imaging of a microscopic water/air/solid three-phase interface. 2009 , 5, 908-12		41
403	Superhydrophobic surfaces and emerging applications: Non-adhesion, energy, green engineering. 2009 , 14, 270-280		471
402	Anisotropically microstructured and micro/nanostructured polypropylene surfaces. 2009 , 603, 2240-2247		29
401	Wetting transition and optimal design for microstructured surfaces with hydrophobic and hydrophilic materials. 2009 , 336, 298-303		85
400	Wettability of nanoengineered dual-roughness surfaces fabricated by UV-assisted capillary force lithography. 2009 , 339, 202-7		96
399	Fabrication of silicon pyramid/nanowire binary structure with superhydrophobicity. <i>Applied Surface Science</i> , 2009 , 255, 7147-7152	6.7	44
398	Superhydrophobic surface structures in thermoplastic polymers by interference lithography and thermal imprinting. <i>Applied Surface Science</i> , 2009 , 255, 9305-9310	6.7	50
397	Comment on water wetting transition parameters of perfluorinated substrates with periodically distributed flat-top microscale obstacles. <i>Langmuir</i> , 2009 , 25, 13694-5	4	10
396	Surface chemical modification of poly(dimethylsiloxane)-based biomimetic materials: oil-repellent surfaces. 2009 , 1, 2636-44		41
395	Thermal annealing treatment to achieve switchable and reversible oleophobicity on fabrics. <i>Langmuir</i> , 2009 , 25, 13625-32	4	61
394	Wetting properties on nanostructured surfaces of cicada wings. 2009 , 212, 3148-55		154
393	Air bubble bursting effect of lotus leaf. <i>Langmuir</i> , 2009 , 25, 14129-34	4	130
392	Design of surface hierarchy for extreme hydrophobicity. <i>Langmuir</i> , 2009 , 25, 6129-36	4	212
391	Droplets on superhydrophobic surfaces: visualization of the contact area by cryo-scanning electron microscopy. <i>Langmuir</i> , 2009 , 25, 13077-83	4	43
390	Particle-Stabilized Materials: Dry Oils and (Polymerized) Non-Aqueous Foams. 2010 , 20, 732-737		79
389	Thermodynamic analysis of the wetting behavior of dual scale patterned hydrophobic surfaces. 2010 , 344, 575-83		36
388	An introduction to superhydrophobicity. 2010 , 161, 124-38		445
387	The foliar trichomes of <i>Hypoestes aristata</i> (Vahl) Sol. ex Roem. & Schult var <i>aristata</i> (Acanthaceae) a widespread medicinal plant species in tropical sub-Saharan Africa: with comments on its possible phylogenetic significance. 2010 , 43, 403-409		11

386	Towards the Green Tribology—Biomimetic Surfaces, Biodegradable Lubrication, and Renewable Energy. 2010 ,		1
385	Nanometric multiscale rough ZnO superhydrophobic thin films: Self-diffusion of zinc and effect of UV irradiation. <i>Journal of Applied Physics</i> , 2010 , 108, 074315	2.5	15
384	Superhydrophobic cylindrical nanoshell array. <i>Langmuir</i> , 2010 , 26, 7661-4	4	24
383	Photopatternable Superhydrophobic Nanocomposites for Microfabrication. 2010 , 19, 246-253		34
382	Mechanically robust superhydrophobicity on hierarchically structured Si surfaces. 2010 , 21, 155705		185
381	Aerogels from nanofibrillated cellulose with tunable oleophobicity. 2010 , 6, 3298		250
380	Surface-initiated polymerization of superhydrophobic polymethylene. 2010 , 132, 5725-34		38
379	Fabrication of micro/nano dual-scale structures by improved deep reactive ion etching. 2010 , 20, 075028		37
378	Superhydrophobic surfaces by anomalous fluoroalkylsilane self-assembly on silica nanosphere arrays. <i>Langmuir</i> , 2010 , 26, 12962-72	4	73
377	Wetting studies of hydrophilic-hydrophobic TiO ₂ @SiO ₂ nanopatterns prepared by photocatalytic decomposition. <i>Langmuir</i> , 2010 , 26, 11330-6	4	30
376	Scale dependence of omniphobic mesh surfaces. <i>Langmuir</i> , 2010 , 26, 4027-35	4	121
375	Green tribology: principles, research areas and challenges. 2010 , 368, 4677-94		76
374	Lotus Effect: Surfaces with Roughness-Induced Superhydrophobicity, Self-Cleaning, and Low Adhesion. 2010 , 1437-1524		15
373	Nano to micro structural hierarchy is crucial for stable superhydrophobic and water-repellent surfaces. <i>Langmuir</i> , 2010 , 26, 4984-9	4	172
372	Recent developments in bio-inspired special wettability. 2010 , 39, 3240-55		823
371	Fabrication of flexible superhydrophobic biomimic surfaces. 2010 , 6, 1438		38
370	Quantitative testing of robustness on superomniphobic surfaces by drop impact. <i>Langmuir</i> , 2010 , 26, 18369-73	4	88
369	Exploiting topographical texture to impart icephobicity. 2010 , 4, 7048-52		301

368	Microstructured superhydrorepellent surfaces: effect of drop pressure on fakir-state stability and apparent contact angles. 2010 , 22, 325107		27
367	Capillary force restoration of droplet on superhydrophobic ribbed nano-needles arrays. 2010 , 6, 2470		8
366	Precise control of wettability from LCST tunable surface. 2010 , 20, 2176		15
365	Probing microscopic wetting properties of superhydrophobic surfaces by vibrated micrometer-sized droplets. <i>Langmuir</i> , 2011 , 27, 2150-4	4	11
364	Anisotropic wet etched silicon substrates for reoriented and selective growth of ZnO nanowires and enhanced hydrophobicity. <i>Langmuir</i> , 2011 , 27, 6549-53	4	9
363	Mass-producible superhydrophobic surfaces. 2011 , 47, 12005-7		15
362	How to make the Cassie wetting state stable?. <i>Langmuir</i> , 2011 , 27, 8171-6	4	174
361	Fabrication, surface properties, and origin of superoleophobicity for a model textured surface. <i>Langmuir</i> , 2011 , 27, 5927-35	4	183
360	Tailoring the Wetting Properties of Surface-Modified Nanostructured Gold Films. 2011 , 115, 17097-17101		9
359	Superoleophobic textured aluminum surfaces. 2011 , 35, 2422		97
358	Theoretical consideration of wetting on a cylindrical pillar defect: pinning energy and penetrating phenomena. <i>Langmuir</i> , 2011 , 27, 3550-60	4	28
357	Superhydrophobicity at Micron and Submicron Scale. 2011 , 383-411		4
356	Understanding and Controlling Wetting Phenomena at the Micro- and Nanoscales. 2011 ,		
355	Metal matrix composites for sustainable lotus-effect surfaces. <i>Langmuir</i> , 2011 , 27, 14419-24	4	29
354	Fabrication of super-oil-repellent dual pillar surfaces with optimized pillar intervals. <i>Langmuir</i> , 2011 , 27, 11752-6	4	72
353	Wetting and dewetting transitions on hierarchical superhydrophobic surfaces. <i>Langmuir</i> , 2011 , 27, 7502-9		141
352	Control of morphology and surface wettability of anodic niobium oxide microcones formed in hot phosphate/glycerol electrolytes. 2011 , 56, 7446-7453		29
351	Lotus Effect and Self-Cleaning. <i>Springer Series in Materials Science</i> , 2011 , 319-341	0.9	8

350	Biomimetics Inspired Surfaces for Superhydrophobicity, Self-cleaning, Low Adhesion, and Drag Reduction. 2011 , 533-699		5
349	Wettability, optical property of a superhydrophobic YAG film. 2011 , 284, 4013-4017		1
348	Surface Nanoengineering Inspired by Evolution. 2011 , 1, 63-77		13
347	Hierarchical Superhydrophobic Surfaces Fabricated by Dual-Scale Electron-Beam-Lithography with Well-Ordered Secondary Nanostructures. 2011 , 21, 3715-3722		126
346	Superhydrophobic tracks for low-friction, guided transport of water droplets. 2011 , 23, 2911-4		179
345	Stable superhydrophobic composite coatings made from an aqueous dispersion of carbon nanotubes and a fluoropolymer. 2011 , 49, 1769-1774		44
344	Fabrication of two biomimetic superhydrophobic polymeric surfaces. <i>Applied Surface Science</i> , 2011 , 257, 4296-4301	6.7	26
343	Fabrication of superhydrophobic polymer films with hierarchical silver microbowl array structures. 2011 , 360, 300-4		16
342	Natural and biomimetic artificial surfaces for superhydrophobicity, self-cleaning, low adhesion, and drag reduction. 2011 , 56, 1-108		1349
341	Solution spraying of poly(methyl methacrylate) blends to fabricate microtextured, superoleophobic surfaces. 2011 , 52, 3209-3218		160
340	Facile creation of bio-inspired superhydrophobic Ce-based metallic glass surfaces. 2011 , 99, 261905		42
339	Biomimetically tunable hydrophobic/hydrophilic surfaces: multiple tier roughness. 2011 ,		
338	Fabrication of Polypropylene Super-Hydrophobic Surface Using PTFE-Coated-Sieves Template via Templating and Splitting Process. 2012 , 51, 845-848		4
337	Multifunctional silicon inspired by a wing of male <i>Papilio ulyse</i> . 2012 , 100, 033109		3
336	Reversible switching between superhydrophobic states on a hierarchically structured surface. 2012 , 109, 10210-3		215
335	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface. 2012 , 19-45		
334	The Effect of Creating Different Size Surface Patterns on Corrosion Properties of Nickel. 2012 ,		2
333	Important Role of Nanopore Morphology in Superoleophobic Hierarchical Surfaces. 2012 , 116, 23308-23314		27

332	A comparative study of cell behavior on different energetic and bioactive polymeric surfaces made from elastin-like recombinamers. 2012 , 8, 3239		26
331	Cellulose-based material with amphiphobicity to inhibit bacterial adhesion by surface modification. 2012 , 22, 12562		75
330	Rose petals with a novel and steady air bubble pinning effect in aqueous media. 2012 , 8, 2261		65
329	Molecular simulations of wetting of a rough surface by an oily fluid: effect of topology, chemistry, and droplet size on wetting transition rates. <i>Langmuir</i> , 2012 , 28, 3412-9	4	68
328	Simulation study of free-energy barriers in the wetting transition of an oily fluid on a rough surface with reentrant geometry. <i>Langmuir</i> , 2012 , 28, 16080-90	4	59
327	Superhydrophobic elastomer surfaces with nanostructured micronails. 2012 , 606, 91-98		29
326	Candle soot as a template for a transparent robust superamphiphobic coating. 2012 , 335, 67-70		1507
325	Absence of an evaporation-driven wetting transition on omniphobic surfaces. 2012 , 8, 9765		43
324	Corrosion behavior of superhydrophobic surfaces of Ti alloys in NaCl solutions. <i>Applied Surface Science</i> , 2012 , 258, 4724-4728	6.7	57
323	Papillae-enhanced hydrophobicity of large-sized polytetrafluoroethylene-polyphenylene sulfite soft film prepared by layer-by-layer construction. <i>Applied Surface Science</i> , 2012 , 258, 6864-6869	6.7	1
322	A colloidal route to fabricate hierarchical sticky and non-sticky substrates. 2012 , 385, 73-80		25
321	Wetting transitions in underwater oleophobic surface of brass. 2012 , 24, 5963-6		56
320	The Design of Non-wetting Surfaces with FluoroPOSS. 2012 , 179-193		2
319	Wetting transitions and depinning of the triple line. <i>Langmuir</i> , 2012 , 28, 3460-4	4	89
318	Superoleophobic Surfaces. 2012 , 171-185		13
317	Superhydrophobic polyethylcyanoacrylate coatings. Contact area with water measured by Raman spectral images, contact angle and Cassie-Baxter model. 2012 , 388, 306-12		10
316	Comparison of structures and hydrophobicity of femtosecond and nanosecond laser-etched surfaces on silicon. <i>Applied Surface Science</i> , 2012 , 263, 45-49	6.7	29
315	Functionalized porous microparticles of nanofibrillated cellulose for biomimetic hierarchically structured superhydrophobic surfaces. 2012 , 2, 2882		54

314	Parametric optimization of inverse trapezoid oleophobic surfaces. <i>Langmuir</i> , 2012 , 28, 17545-51	4	17
313	Wear-Resistant and Oleophobic Biomimetic Composite Materials. <i>Green Energy and Technology</i> , 2012 , 149-172	0.6	1
312	Deposition of bio-mimicking graphene sheets with lotus leaf-like and cell-like structures on the nickel substrate. 2012 , 57, 3036-3039		3
311	Green Tribology. <i>Green Energy and Technology</i> , 2012 ,	0.6	56
310	Water droplet bouncing and superhydrophobicity induced by multiscale hierarchical nanostructures. 2012 , 6, 7656-64		82
309	Sessile Droplets. 2012 , 105-142		1
308	Biomimetics. 2012 ,		36
307	Superomniphobic magnetic microtextures with remote wetting control. 2012 , 134, 12916-9		97
306	Bioinspired Directional Surfaces for Adhesion, Wetting and Transport. 2012 , 22, 2223-2234		207
305	Design of anti-icing coatings using supercooled droplets as nano-to-microscale probes. <i>Langmuir</i> , 2012 , 28, 4434-46	4	59
304	Advances in the theory of superhydrophobic surfaces. 2012 , 22, 20112		148
303	Wettability of Atmospheric Plasma Sprayed Fe, Ni, Cr and Their Mixture Coatings. 2012 , 21, 255-262		34
302	A simple two foil approach to the fabrication of hierarchical superhydrophobic surfaces. 2012 , 404, 12-16		18
301	Steering nanofibers: An integrative approach to bio-inspired fiber fabrication and assembly. 2012 , 7, 35-52		46
300	Wetting resistance at its topographical limit: the benefit of mushroom and serif T structures. <i>Langmuir</i> , 2013 , 29, 1100-12	4	157
299	Robust technique allowing manufacturing superoleophobic surfaces. <i>Applied Surface Science</i> , 2013 , 270, 98-103	6.7	51
298	Superhydrophobic Polymers. 2013 ,		0
297	Durable, superhydrophobic, superoleophobic and corrosion resistant coating on the stainless steel surface using a scalable method. <i>Applied Surface Science</i> , 2013 , 283, 636-647	6.7	113

296	Topology optimization of robust superhydrophobic surfaces. 2013 , 9, 2234		12
295	Robustness tests on superoleophobic PEDOP films. 2013 , 433, 47-54		12
294	Superhydrophobicity and Self-Cleaning. 2013 , 1-32		1
293	Super liquid-repellent properties of electrodeposited hydrocarbon and fluorocarbon copolymers. 2013 , 3, 10848		11
292	Investigations Into Superhydrophobicity of a Soot Surface Attributed to Nano-Asperities. 2013 , 1,		0
291	In situ growth of superhydrophobic and icephobic films with micro/nanoscale hierarchical structures on the aluminum substrate. 2013 , 410, 165-71		36
290	Super-liquid-repellent coating on the carbon steel surface. <i>Surface and Coatings Technology</i> , 2013 , 235, 241-249	4.4	25
289	Tuning omniphobicity via morphological control of metal-organic framework functionalized surfaces. 2013 , 135, 16272-5		27
288	Self-assembling particle-siloxane coatings for superhydrophobic concrete. 2013 , 5, 13284-94		110
287	Electrically controlled membranes exploiting Cassie-Wenzel wetting transitions. 2013 , 3, 3028		20
286	Morphology and wettability of ZnO nanostructures prepared by hydrothermal method on various buffer layers. <i>Applied Surface Science</i> , 2013 , 286, 391-396	6.7	17
285	Nanoparticles assembly-induced special wettability for bio-inspired materials. 2013 , 11, 361-370		21
284	Influence of intrinsic oleophobicity and surface structuration on the superoleophobic properties of PEDOP films bearing two fluorinated tails. 2013 , 1, 2896		35
283	Facile fabrication of nano-structured silica hybrid film with superhydrophobicity by one-step VAFS approach. <i>Applied Surface Science</i> , 2013 , 265, 405-411	6.7	12
282	Impact of surface forces on wetting of hierarchical surfaces and contact angle hysteresis. 2013 , 291, 343-346		31
281	Bio-inspired superoleophobic and smart materials: Design, fabrication, and application. 2013 , 58, 503-564		439
280	Superomniphobic surfaces for effective chemical shielding. 2013 , 135, 578-81		388
279	Superoleophobic polymers with metal ion affinity toward materials with both oleophobic and hydrophilic properties. 2013 , 408, 101-6		26

278	Design principles for superamphiphobic surfaces. 2013 , 9, 418-428	176
277	Hierarchical or not? Effect of the length scale and hierarchy of the surface roughness on omniphobicity of lubricant-infused substrates. 2013 , 13, 1793-9	351
276	Superhydrophobic surfaces by electrochemical processes. 2013 , 25, 1378-94	334
275	Three-phase contact force equilibrium of liquid drops at hydrophilic and superhydrophobic surfaces. 2013 , 404, 179-82	6
274	Superoleophobic surfaces with short fluorinated chains?. 2013 , 9, 5982	92
273	Recent advances in designing superhydrophobic surfaces. 2013 , 402, 1-18	516
272	Triple-scale structured superhydrophobic and highly oleophobic surfaces. 2013 , 3, 22332	11
271	Bio-Inspired Superoleophobic Fluorinated Wax Crystalline Surfaces. 2013 , 23, 4572-4576	35
270	Colloidal Occlusion Template Method for Micromanufacturing of Omniphobic Surfaces. 2013 , 23, 870-877	17
269	Fabrication of pillar-array superhydrophobic silicon surface and thermodynamic analysis on the wetting state transition. 2013 , 22, 106801	15
268	Superoleophobic surfaces: design criteria and recent studies. 2013 , 1, 71-83	59
267	Proteome analysis of the plasma protein layer adsorbed to a rough titanium surface. 2013 , 29, 549-57	18
266	Optimized statically non-wetting hydrophobic electrospun surface of perfluorocyclobutyl aryl ether polymer. 2013 , 62, 1152-1158	9
265	Tribology for Scientists and Engineers. 2013 ,	76
264	Tunable nano-replication to explore the omniphobic characteristics of springtail skin. 2013 , 5, e37-e37	71
263	Superomniphobic surfaces: Design and durability. 2013 , 38, 383-390	133
262	Surface structure and wetting characteristics of Collembola cuticles. 2014 , 9, e86783	18
261	Non-contaminating camouflage: multifunctional skin microornamentation in the West African Gaboon viper (<i>Bitis rhinoceros</i>). 2014 , 9, e91087	16

260	Fabrication of superhydrophobic surfaces of cellulose sheets by creating biomimic structures. 2014 , 30, 1071-1076		2
259	An accessible superhydrophobic coating with nanostructure for continuously oil/water separation. 2014 ,		1
258	Vibration-induced Wenzel-Cassie wetting transition on microstructured hydrophobic surfaces. 2014 , 104, 181601		21
257	Superoleophobic Meshes with Relatively Low Hysteresis and Sliding Angles by Electropolymerization: Importance of Polymer-Growth Control. 2014 , 79, 382-386		16
256	Length Scale Selects Directionality of Droplets on Vibrating Pillar Ratchet. 2014 , 1, 1400337		13
255	A review of icing prevention in photovoltaic devices by surface engineering. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 32, 797-809	16.2	97
254	Enhancement of dynamic wetting properties by direct fabrication on robust micro/micro hierarchical polymer surfaces. <i>Applied Surface Science</i> , 2014 , 300, 117-123	6.7	11
253	Peanut leaf inspired multifunctional surfaces. 2014 , 10, 294-9		84
252	Effects of geometric parameters for superhydrophobicity of polymer surfaces fabricated by precision tooling machines. 2014 , 20, 193-200		11
251	Super-non-wettable surfaces: A review. 2014 , 448, 93-106		127
250	Robust superhydrophobicity in large-area nanostructured surfaces defined by block-copolymer self assembly. 2014 , 26, 886-91		143
249	Chemical and physical pathways for the preparation of superoleophobic surfaces and related wetting theories. 2014 , 114, 2694-716		418
248	Wettability of poly(3-alkyl-3,4-propylenedioxythiophene) fibrous structures forming nanoporous, microporous or micro/nanostructured networks. 2014 , 146, 6-11		13
247	Characterization of super liquid-repellent surfaces. 2014 , 19, 343-354		117
246	Candle-based process for creating a stable superhydrophobic surface. 2014 , 68, 583-596		103
245	Wettability of conducting polymers: From superhydrophilicity to superoleophobicity. 2014 , 39, 656-682		180
244	Optimization of superamphiphobic layers based on candle soot. 2014 , 86, 87-96		21
243	Enhancement of the Superoleophobic Properties of Fluorinated PEDOP Using Polar Glycol Spacers. 2014 , 118, 26912-26920		21

242	Transition from Cassie to impaled state during drop impact on groove-textured solid surfaces. 2014 , 10, 2991-3002	17
241	The design and applications of superomniphobic surfaces. 2014 , 6, e109-e109	241
240	Superoleophobic Meshes with High Adhesion by Electrodeposition of Conducting Polymer Containing Short Perfluorobutyl Chains. 2014 , 118, 2052-2057	53
239	Mechanical stability of surface architecture--consequences for superhydrophobicity. 2014 , 6, 18380-94	58
238	Interfacial effects of superhydrophobic plant surfaces: A review. 2014 , 11, 325-345	84
237	Controlling liquid movement on a surface with a macro-gradient structure and wetting behavior. 2014 , 2, 5620	22
236	Bio-inspired titanium dioxide materials with special wettability and their applications. 2014 , 114, 10044-94	415
235	Superhydrophobic and Self-cleaning Macrosize Surfaces of Silicone Rubber and Its Mechanical Flexibility. 2014 , 4, 301-305	4
234	Branched versus linear perfluorocarbon chains in the formation of superhydrophobic electrodeposited films with low bioaccumulative potential. 2014 , 49, 7760-7769	16
233	Contact line characteristics of liquid-gas interfaces over grooved surfaces. 2014 , 16, 999-1008	6
232	Robust Cassie state of wetting in transparent superhydrophobic coatings. 2014 , 6, 9680-8	77
231	Three-dimensional triple hierarchy formed by self-assembly of wax crystals on CuO nanowires for nonwetable surfaces. 2014 , 6, 4927-34	16
230	Design and Application of Variable Temperature Setup for Scanning Electron Microscopy in Gases and Liquids at Ambient Conditions. 2015 , 21, 765-70	7
229	Membranes with selective wettability for the separation of oil-water mixtures. 2015 , 5, 475-494	65
228	Biomimetic approaches for green tribology: from the lotus effect to blood flow control. 2015 , 3, 034001	7
227	Nanopillar array film of cellular cobalt by wet etching of the grain boundaries. 2015 , 141, 172-175	3
226	Superamphiphobic Surfaces. 2015 , 57-69	4
225	Nano-engineered Superhydrophobic and Overhydrophobic Concrete. 2015 , 443-449	2

224	Silver mirror reaction as an approach to construct a durable, robust superhydrophobic surface of bamboo timber with high conductivity. 2015 , 635, 300-306		29
223	Super liquid-repellent layers: The smaller the better. 2015 , 222, 104-9		39
222	Microstructure-alone induced transition from hydrophilic to hydrophobic wetting state on silicon. <i>Applied Surface Science</i> , 2015 , 339, 137-143	6.7	12
221	Superhydrophobicity [An Introductory Review. 2015 , 1-6		
220	Enhanced thermal shock resistance of ultra-high temperature ceramic by biomimetic surface modification. 2015 , 3, 2199-2206		12
219	Interaction of cold radiofrequency plasma with seeds of beans (<i>Phaseolus vulgaris</i>). 2015 , 66, 4013-21		98
218	Functional map of biological and biomimetic materials with hierarchical surface structures. 2015 , 5, 66901-66926		95
217	Wettability of modified silica layers deposited on glass support activated by plasma. <i>Applied Surface Science</i> , 2015 , 353, 843-850	6.7	20
216	Effects of Hierarchical Surface Roughness on Droplet Contact Angle. <i>Langmuir</i> , 2015 , 31, 6752-62	4	71
215	Effects of drop size and measuring condition on static contact angle measurement on a superhydrophobic surface with goniometric technique. 2015 , 32, 2394-2399		9
214	Synthesis of Fluorine-Containing-Organosilicon Oligomer in Trifluoroacetic Acid as Active Medium. 2015 , 7, 211-216		5
213	Nanotechnology in Construction. 2015 ,		16
212	Elucidating Nonwetting of Re-Entrant Surfaces with Impinging Droplets. <i>Langmuir</i> , 2015 , 31, 9448-57	4	18
211	Super dewetting surfaces: Focusing on their design and fabrication methods. 2015 , 484, 528-546		24
210	Antifouling Surfaces and Materials. 2015 ,		13
209	Progress in understanding wetting transitions on rough surfaces. 2015 , 222, 92-103		274
208	Effects of hydrostatic pressure on wetted area of submerged superhydrophobic granular coatings. Part 1: mono-dispersed coatings. 2015 , 465, 87-98		16
207	Hierarchically textured surfaces of versatile alloys for superamphiphobicity. 2015 , 138, 184-187		14

206	Biomimetic transparent and superhydrophobic coatings: from nature and beyond nature. 2015 , 51, 1775-94	168
205	Recent Advances in Superhydrophobic Electrodeposits. 2016 , 9,	58
204	Nanotextured Shrink Wrap Superhydrophobic Surfaces by Argon Plasma Etching. 2016 , 9,	12
203	Paper-Based Surfaces with Extreme Wettabilities for Novel, Open-Channel Microfluidic Devices. 2016 , 26, 6121-6131	63
202	A Low-Voltage Microfluidic Valve Based upon a Reversible Hydrophobicity Effect. 2016 , 3, 1600186	2
201	Enhanced water droplet mobility on superhydrophobic rippled nanoshell array. 2016 , 109, 151601	1
200	Self-propelled droplet behavior during condensation on superhydrophobic surfaces. 2016 , 108, 194103	67
199	Rose petal mimic surface by TiO ₂ sol-gel process. 2016 ,	1
198	Physics of solid-liquid interfaces: From the Young equation to the superhydrophobicity (Review Article). 2016 , 42, 622-635	24
197	Influence of structured sidewalls on the wetting states and superhydrophobic stability of surfaces with dual-scale roughness. <i>Applied Surface Science</i> , 2016 , 382, 111-120	6.7 33
196	Superoleophobic Surfaces Obtained via Hierarchical Metallic Meshes. <i>Langmuir</i> , 2016 , 32, 4134-40	4 26
195	Controlled anisotropic wetting of scalloped silicon nanogroove. 2016 , 6, 41914-41918	14
194	Self-Cleaning and Superhydrophobic Surfaces. 2016 , 1-43	
193	Unusual Dual Superlyophobic Surfaces in Oil-Water Systems: The Design Principles. 2016 , 28, 10652-10658	117
192	Stability of Cassie-Baxter wetting states on microstructured surfaces. 2016 , 94, 042801	23
191	Fabrication of the hierarchically roughened bumpy-surface topography for the long-lasting highly oleophobic Lotus effect on cotton fibres. 2016 , 23, 3301-3318	12
190	Hydrophobic modification of polypropylene/starch blend foams through tailoring cell diameter for oil-spill cleanup. 2016 , 6, 82088-82095	15
189	A statistical model for the wettability of surfaces with heterogeneous pore geometries. <i>Materials Research Express</i> , 2016 , 3, 105039	1.7 4

188	Understanding the wettability of a hairy surface: effect of hair rigidity and topology. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 18767-75	3.6	4
187	Why re-entrant surface topography is needed for robust oleophobicity. 2016 , 374,		37
186	Facile and scalable preparation of highly wear-resistance superhydrophobic surface on wood substrates using silica nanoparticles modified by VTES. <i>Applied Surface Science</i> , 2016 , 386, 115-124	6.7	54
185	Design of a superhydrophobic and superoleophilic film using cured fluoropolymer@silica hybrid. <i>Applied Surface Science</i> , 2016 , 388, 268-273	6.7	31
184	Wetting on Rough Surfaces. 2016 , 55-98		1
183	Inspired smart materials with external stimuli responsive wettability: a review. 2016 , 6, 36623-36641		110
182	Broadband antireflective superhydrophobic self-cleaning coatings based on novel dendritic porous particles. 2016 , 6, 7864-7871		28
181	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface for Various Wetting Regimes. 2016 , 35-62		1
180	Fabrication and condensation characteristics of metallic superhydrophobic surface with hierarchical micro-nano structures. <i>Applied Surface Science</i> , 2016 , 371, 322-328	6.7	69
179	The nature of inherent bactericidal activity: insights from the nanotopology of three species of dragonfly. 2016 , 8, 6527-34		80
178	Superoleophobic/superhydrophobic PEDOP conducting copolymers with dual-responsivity by voltage and ion exchange. 2016 , 6, 1-8		12
177	Transparent superhydrophobic surface by silicone oil combustion. 2016 , 492, 110-118		35
176	Bio-inspired multifunctional metallic glass. 2016 , 59, 271-276		7
175	Surface Wetting. 2016 ,		44
174	Modeling Cassie-Baxter State on Superhydrophobic Surfaces. 2016 , 37, 1208-1213		19
173	Fabrication of a super-hydrophobic surface on a magnesium alloy by a simple method. 2016 , 656, 311-317		33
172	Nanostructure-induced icephobic sol-gel coating for glass application. 2017 , 81, 127-137		4
171	Structural optimisation of a multifunctional water- and oil-repellent, antibacterial, and flame-retardant sol-gel coating on cellulose fibres. 2017 , 24, 1511-1528		16

170	Soft blasting of fluorinated polymers: The easy way to superhydrophobicity. 2017 , 121, 414-420		15
169	Simple-to-Apply Wetting Model to Predict Thermodynamically Stable and Metastable Contact Angles on Textured/Rough/Patterned Surfaces. 2017 , 121, 5642-5656		44
168	Enhancement of surface nonwettability by grafting loops. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 4710-4718	3.6	5
167	Durable and Hydrophobic Organic-Inorganic Hybrid Coatings via Fluoride Rearrangement of Phenyl T Silsesquioxane and Siloxanes. 2017 , 9, 8378-8383		17
166	Rational Design of Hyperbranched Nanowire Systems for Tunable Superomniphobic Surfaces Enabled by Atomic Layer Deposition. 2017 , 11, 478-489		45
165	Water Penetration through a Superhydrophobic Mesh During a Drop Impact. 2017 , 118, 014501		50
164	Controlling states of water droplets on nanostructured surfaces by design. 2017 , 9, 18240-18245		30
163	Design of abrasion resistant super-antiwetting nylon surfaces. 2017 , 41, 13593-13599		10
162	Superhydrophobicity of hierarchical nanostructure of candle soot films. 2017 , 901, 012154		3
161	Numerical Calculation Method of Apparent Contact Angles on Heterogeneous Double-Roughness Surfaces. <i>Langmuir</i> , 2017 , 33, 10411-10418	4	12
160	Airfield and Highway Pavements 2017. 2017 ,		
159	Numerical study of energetics and wetting stability of liquid droplets on microtextured surfaces. 2017 , 295, 1787-1796		5
158	Questions and Answers on the Wettability of Nano-Engineered Surfaces. 2017 , 4, 1700381		43
157	New assessment criteria for durability evaluation of highly repellent surfaces. 2017 , 390-391, 49-60		5
156	Evaluating the effect of amorphous carbon powder on moisture susceptibility and mechanical resistance of asphalt mixtures. 2017 , 152, 182-191		33
155	Micro- and nano-porous surface patterns prepared by surface-confined directional melt crystallization of solvent. 2017 , 469, 184-190		3
154	Superhydrophobic and Superoleophobic Surfaces in Composite Materials. 2017 , 647-686		1
153	On the degradation of superhydrophobic surfaces: A review. 2017 , 372-373, 145-157		44

152	. 2017,		3
151	Influence of Deicing Salts on the Water-Repellency of Portland Cement Concrete Coated with Polytetrafluoroethylene and Polyetheretherketone. 2017,		5
150	Revisiting the Critical Condition for the Cassie-Wenzel Transition on Micropillar-Structured Surfaces. <i>Langmuir</i> , 2018, 34, 3838-3844	4	34
149	Theoretical and experimental study on interdependence of wear and wetting in metallic surfaces. 2018, 123, 61-70		2
148	Fabrication of Biomimetic Fog-Collecting Superhydrophilic-Superhydrophobic Surface Micropatterns Using Femtosecond Lasers. <i>Langmuir</i> , 2018, 34, 2933-2941	4	102
147	Nanotextured Si surfaces derived from block-copolymer self-assembly with superhydrophobic, superhydrophilic, or superamphiphobic properties. 2018, 8, 4204-4213		15
146	Study on properties and mechanisms of luminescent cement-based pavement materials with super-hydrophobic function. 2018, 165, 548-559		34
145	Advances in the Theory of Superhydrophobic Surfaces and Interfaces. 2018, 59-84		
144	Effect of geometrical parameters on rebound of impacting droplets on leaky superhydrophobic meshes. 2018, 14, 1571-1580		25
143	Superior Antifouling Capability of Hydrogel Forward Osmosis Membrane for Treating Wastewaters with High Concentration of Organic Foulants. 2018, 52, 1421-1428		43
142	Preparation of high wear-resisting superamphiphobic robust film by self-assembled monolayer surface reaction. 2018, 117, 20-28		7
141	Drop-wise and film-wise water condensation processes occurring on metallic micro-scaled surfaces. <i>Applied Surface Science</i> , 2018, 444, 604-609	6.7	14
140	Superhydrophobic polymeric films with hierarchical structures produced by nanoimprint (NIL) and plasma roughening. <i>Applied Surface Science</i> , 2018, 445, 97-106	6.7	16
139	Anti-fingerprint properties of engineering surfaces: a review. 2018, 34, 85-120		35
138	Predicting wettability behavior of fluorosilica coated metal surface using optimum neural network. 2018, 668, 47-53		6
137	Tunable dendrimer-like porous silica nanospheres: Effects of structures and stacking manners on surface wettability. 2018, 732, 70-79		15
136	One-Step Preparation of Super-Hydrophobic Micro-Nano Dendrites on Al Alloy for Enhanced Corrosion Resistance. 2018, 8, 960		4
135	Introduction of Stimuli-Responsive Wetting/Dewetting Smart Surfaces and Interfaces. 2018, 1-33		

134	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface for Various Wetting Regimes. <i>Springer Series in Materials Science</i> , 2018 , 51-80	0.9
133	Specially Wettable Membranes for Oil/Water Separation. 2018 , 5, 1800576	117
132	Highly Reliable Superhydrophobic Surface with Carbon Nanotubes Immobilized on a PDMS/Adhesive Multilayer. 2018 , 3, 12956-12966	10
131	Biomimicking wetting properties of spider web from <i>Linothele megatheloides</i> with electrospun fibers. 2018 , 233, 211-214	16
130	Biomimetic coating-free surfaces for long-term entrapment of air under wetting liquids. 2018 , 9, 3606	60
129	Counterintuitive wetting route of droplet on patterned hydrophilic surface. 2018 , 123, 36003	2
128	Super Water-Repellent Cellulose Acetate Mats. 2018 , 8, 12472	21
127	A brief review on bio-inspired superhydrophobic electrodeposited nickel coatings. 2018 , 96, 185-192	7
126	Superhydrophobicity. 2018 , 267-297	1
125	Preparation and characterization of bioinspired three-dimensional architecture of zirconia on ceramic surface. 2018 , 155, 77-82	1
124	Substrate-versatile approach to multifunctional superamphiphobic coatings with mechanical durable property from quartz sand. <i>Surface and Coatings Technology</i> , 2018 , 352, 191-200	4-4 13
123	Water-based anti-smudge NP-GLIDE polyurethane coatings. 2018 , 351, 210-220	34
122	The Effect of Roughness Geometry on Superhydrophobicity and Related Phenomena. 2019 , 291-308	2
121	Bouncing Droplets: A Hands-On Activity To Demonstrate the Properties and Applications of Superhydrophobic Surface Coatings. 2019 , 96, 1971-1976	4
120	Review of superoleophobic surfaces: Evaluation, fabrication methods, and industrial applications. 2019 , 17, 100340	20
119	Superhydrophobic polymer coating: A design perspective. 2019 , 31-42	
118	Superhydrophobic surface with lotus/petal effect and its improvement on fatigue resistance of heat-resistant steel. 2019 , 137, 105315	8
117	On the applicability range of Cassie-Baxter and Wenzel equation: a numerical study. 2019 , 41, 1	5

116	Fabrication and stability investigation of bio-inspired superhydrophobic surface on nitinol alloy. 2019 , 567, 16-26		6
115	Self-Cleaning: From Bio-Inspired Surface Modification to MEMS/Microfluidics System Integration. 2019 , 10,		24
114	Contact line stick-slip motion and meniscus evolution on micrometer-size wavy fibres. 2019 , 540, 544-553		2
113	Mechanically Robust and Repairable Superhydrophobic Zinc Coating via a Fast and Facile Method for Corrosion Resisting. 2019 , 12,		6
112	A novel superhydrophobic Ni/Nip coating fabricated by magnetic field induced selective scanning electrodeposition. <i>Applied Surface Science</i> , 2019 , 489, 25-33	6.7	20
111	Experimental investigation on micro-fabrication of wearable dry-patching flexible substrate using transparent superhydrophobic polyimide. <i>Materials Research Express</i> , 2019 , 6, 086434	1.7	7
110	Hybrid Nanosecond Laser Processing and Heat Treatment for Rapid Preparation of Super-Hydrophobic Copper Surface. 2019 , 9, 668		14
109	Investigating the effect of amorphous carbon powder on the moisture sensitivity, fatigue performance and rutting resistance of rubberized asphalt concrete mixtures. 2019 , 217, 62-72		22
108	Influence of textural statistics on drag reduction by scalable, randomly rough superhydrophobic surfaces in turbulent flow. <i>Physics of Fluids</i> , 2019 , 31, 042107	4.4	39
107	Fabrication of a Pt nanoparticle surface on an aluminum substrate to achieve excellent superhydrophobicity and catalytic activity. 2019 , 43, 6069-6079		7
106	In situ reversible underwater superwetting transition by electrochemical atomic alternation. 2019 , 10, 1212		20
105	Hierarchical Structures for Superhydrophobic and Superoleophobic Surfaces. <i>Langmuir</i> , 2019 , 35, 10689-10703		56
104	Flexible and Stable Omniphobic Surfaces Based on Biomimetic Repulsive Air-Spring Structures. 2019 , 11, 5877-5884		13
103	Fabrication of superhydrophobic surfaces for corrosion protection: a review. 2019 , 35, 313-326		28
102	Imaging the air-water interface: Characterising biomimetic and natural hydrophobic surfaces using in situ atomic force microscopy. 2019 , 536, 363-371		15
101	Facile fabrication of epoxy/polybenzoxazine based superhydrophobic coating with enhanced corrosion resistance and high thermal stability. 2019 , 562, 8-15		19
100	Superhydrophobic hierarchical three-level structures on 3D polypropylene surfaces. 2019 , 29, 025006		7
99	Emergent Properties from Contact Between Rough Interfaces. 2020 , 179-227		

98	Modeling and Simulation of Tribological Problems in Technology. 2020 ,	2
97	Effect of single- and multi-scale surface patterns on the frictional performance of journal bearings A numerical study. 2020 , 143, 106041	17
96	Integrally hydrophobic cementitious composites made with waste amorphous carbon powder. 2020 , 233, 117238	12
95	Sponge-based materials for oil spill cleanups: A review. <i>Frontiers of Chemical Science and Engineering</i> , 2020 , 14, 749-762	4.5 15
94	Geometric structure modification in cellulose acetate nanofibers and its impact on liquid resistance/repellency. 2020 , 27, 2521-2528	1
93	Surface-engineered sponges for recovery of crude oil microdroplets from wastewater. 2020 , 3, 136-143	41
92	Flexible Hierarchical Wraps Repel Drug-Resistant Gram-Negative and Positive Bacteria. 2020 , 14, 454-465	28
91	pH-Responsive Superwettability Surface: The Study of Oil Dewetting Ability from Air to Water on a Rough Surface and Selective Oil-Water Separation. 2020 , 7, 2001147	6
90	Hierarchical Structures, with Submillimeter Patterns, Micrometer Wrinkles, and Nanoscale Decorations, Suppress Biofouling and Enable Rapid Droplet Digitization. 2020 , 16, e2004886	8
89	Challenges and Prospects of Bio-Inspired and Multifunctional Transparent Substrates and Barrier Layers for Optoelectronics. 2020 ,	11
88	Free-energy landscapes of intrusion and extrusion of liquid in truncated and inverted truncated conical pores: Implications for the Cassie-Baxter to Wenzel transition. 2020 , 102, 052801	1
87	Low fouling sulphonated carbon soot-polysulphone membranes for rapid dehydration of stabilized oil-water emulsions. 2020 , 38, 101590	7
86	Predicting bio-inspired candidate surfaces with superomniphobic characteristics. 2020 , 8, 025021	3
85	Surrogate Models for Studying the Wettability of Nanoscale Natural Rough Surfaces Using Molecular Dynamics. 2020 , 13, 2770	8
84	Lotus Effect and Friction: Does Nonsticky Mean Slippery?. 2020 , 5,	14
83	Advances in Functional Finishing of Textiles. 2020 ,	2
82	Thermodynamic analysis on wetting states and wetting state transitions of rough surfaces. 2020 , 278, 102136	13
81	Effect of sub-millimetre morphologies on the hydrophobicity of a copper surface prepared by WEDM. <i>Surface and Coatings Technology</i> , 2020 , 385, 125455	4.4 9

80	Self-replenishing superhydrophobic durable polymeric nanocomposite coatings for heat exchanger channels in thermal management applications. 2020 , 148, 105828		4
79	The origin of microscopic spheres on the exoskeleton of the woodlouse <i>Porcellionides pruinosus</i> (Crustacea: Isopoda) and their effect on its hydrophobicity. 2020 , 58, 100968		1
78	Superhydrophobic Materials Derived from Hybrid Silicon Copolymers. 2020 , 119-143		1
77	Effect of Morphology Evolution on the Anticorrosion Performance of Superhydrophobic Surfaces and Lubricant-Infused Surfaces. 2020 , 8, 3170-3180		7
76	Effect of Wetting Transition during Multiphase Displacement in Porous Media. <i>Langmuir</i> , 2020 , 36, 2449-2458	8	
75	Preparation of a Superhydrophobic Ni Complementary Surface Using a Walnut Wood Template. 2020 , 5, 2987-2991		1
74	Microfabrication of re-entrant surface with hydrophobicity/oleophobicity for liquid foods. 2020 , 10, 2250		4
73	Monitoring Variations in Thermal Curing of Nanoparticle Coatings through Confocal Raman Microscopy and Principal Component Analysis. 2020 , 217, 1900651		1
72	Superhydrophobic Surfaces: Insights from Theory and Experiment. 2020 , 124, 1323-1360		126
71	Droplet Directional Movement on the Homogeneously Structured Superhydrophobic Surface with the Gradient Non-Wettability. <i>Langmuir</i> , 2020 , 36, 880-888	4	9
70	Biomimetic Superlyophobic Metallic Surfaces: Focusing on Their Fabrication and Applications. 2020 , 17, 1-33		15
69	Hollow fiber membranes with hierarchical spherulite surface structure developed by thermally induced phase separation using triple-orifice spinneret for membrane distillation. 2021 , 618, 118586		12
68	Finely tailored pore structure of polyamide nanofiltration membranes for highly-efficient application in water treatment. 2021 , 417, 127976		23
67	Fabrication of superamphiphobic surfaces with controllable oil adhesion in air. 2021 , 610, 125708		3
66	Fabrication of a fast curing super-hydrophobic FEVE/MMA coating and its property research. 2021 , 263, 114746		4
65	Flexible-templated imprinting for fluorine-free, omniphobic plastics with re-entrant structures. 2021 , 585, 668-675		8
64	Robust superhydrophobicity: mechanisms and strategies. 2021 , 50, 4031-4061		86
63	Investigation of Conditions for the Creation of Hydrophobic Sand. 2021 , 341-352		

62	Superhydrophilic Coating of Pine Wood by Plasma Functionalization of Self-Assembled Polystyrene Spheres. 2021 , 11, 114		3
61	Superhydrophobic/Oleophobic Visible-Transparent Antireflective Nanostructured Anodic HfO ₂ Multifunctional Coatings for Potential Solar Panel Applications. <i>ACS Applied Nano Materials</i> , 2021 , 4, 1754-1765	5.6	5
60	Superwetting behaviors at the interface between electrode and electrolyte. 2021 , 2, 100374		6
59	Facile approach for modulating wetting of hierarchically structured metallic surface. 1-12		1
58	Review of Non-Fluorinated Durable Water Repellent and Stain-Resistant Materials and Their Future development. 2021 , 1904, 012010		1
57	Novel Omniphobic Platform for Multicellular Spheroid Generation, Drug Screening, and On-Plate Analysis. 2021 , 93, 8054-8061		1
56	Extension and validation of a revised Cassie-Baxter model for tailor-made surface topography design and controlled wettability. 2021 , 9, 025021		
55	Effect of bionic hydrophobic structures on the corrosion performance of Fe-based amorphous metallic coatings. <i>Surface and Coatings Technology</i> , 2021 , 416, 127176	4.4	6
54	Design of fluorine-modified nanocrystalline cellulose achieving super gas-wetting alteration of reservoir cores. 2021 , 333, 115933		6
53	Recent Progress of Bioinspired Scalephobic Surfaces with Specific Barrier Layers. <i>Langmuir</i> , 2021 , 37, 8639-8657	4	5
52	Sustainable superhydrophobic branched hierarchical ZnO nanowires: Stability and wettability phase diagram. <i>Applied Surface Science</i> , 2021 , 561, 150068	6.7	6
51	Recent developments in usage of fluorine-free nano structured materials in oil-water separation: A review. 2021 , 27, 101455		3
50	Superhydrophobicity. <i>Springer Series in Materials Science</i> , 2011 , 275-318	0.9	1
49	Antifouling Self-Cleaning Surfaces. 2015 , 1-29		2
48	Formation and evolution of air-water interfaces between hydrophilic structures in a microchannel. 2017 , 21, 1		5
47	Effect of initial wetting state on plastron recovery through heating. 2020 , 156, 119705		4
46	Doubly Reentrant Cavities Prevent Catastrophic Wetting Transitions on Intrinsically Wetting Surfaces. 2017 , 9, 21532-21538		51
45	Spontaneous Wenzel to Cassie dewetting transition on structured surfaces. 2016 , 1,		29

44	Method of separation of vibrational motions for applications involving wetting, superhydrophobicity, and microparticle extraction. 2020 , 5,		6
43	Effect of the Morphology of Leather Surface on the Hydrophobic-Hydrophilic Properties. 2014 , 04, 13-19		4
42	Theoretical progress in designs of stable superhydrophobic surfaces. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2013 , 62, 146801	0.6	6
41	On the Sensitivity of the Capillary Adhesion Force to the Surface Roughness. 2011 , 573-586		1
40	Thermodynamic Foundations of Wetting and Capillary Phenomena. <i>Springer Series in Materials Science</i> , 2011 , 239-273	0.9	
39	Self-Cleaning in the Water Flow. <i>Springer Series in Materials Science</i> , 2011 , 343-354	0.9	1
38	Green Tribology, its History, Challenges, and Perspectives. <i>Green Energy and Technology</i> , 2012 , 3-22	0.6	
37	Green and Biomimetic Tribology. 2013 , 605-636		
36	Controlling Wetting with Oblique Angle Vapor-Deposited Parylene. 255-278		
35	Investigation of the lotus leaf effect using the scanning probe microscopes. <i>Journal of the Korea Academia-Industrial Cooperation Society</i> , 2015 , 16, 5756-5762		
34	Interfacial properties and morphological evolution of liquid Ag film on the modified graphene. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2017 , 66, 069601	0.6	1
33	Progress on the Fabrication of Rough Surface for Superhydrophobicity and Its Application. <i>Material Sciences</i> , 2018 , 08, 429-437	0.1	
32	Preparation and Properties of Superhydrophobic Coating Based on Marble Powder. <i>Hans Journal of Nanotechnology</i> , 2018 , 08, 1-7	0.1	
31	Fabrication of Superhydrophobic Textiles. 2020 , 195-216		
30	Preparation of superhydrophobic and oleophobic antireflective coating with high transmittance. <i>Surface and Coatings Technology</i> , 2021 , 127863	4.4	1
29	Morphology driven spatial dependence of wetting, evaporation, and unidirectional spreading of water on hexagonally patterned gold microstructure arrays. <i>Journal of Applied Physics</i> , 2020 , 128, 225305 ^{2,5}		0
28	SUPERWETTABILITY-BASED CHEMICAL PROCESSES. <i>Surface Review and Letters</i> , 2021 , 28, 2030005	1.1	
27	Durable slippery lubricant-infused multiscale-textured surfaces for repelling highly adhesive liquids. <i>Materials Research Express</i> , 2020 , 7, 106409	1.7	

26	Fog-harvesting performance of hydrophobic zinc oxide nanorods combined with nanoscale roughness on the topmost surface. <i>Journal of the Ceramic Society of Japan</i> , 2020 , 128, 847-854	1	0
25	Fabrication of self-recovering superhydrophobic Cu-CNTs composite coatings via co-electrodeposition: Wettability transition is due to spontaneous adsorption of airborne hydrocarbons. <i>Colloids and Interface Science Communications</i> , 2022 , 46, 100524	5.4	4
24	Effect of Cassie-Baxter versus Wenzel states on ice adhesion: A fracture toughness approach. <i>Cold Regions Science and Technology</i> , 2022 , 194, 103440	3.8	0
23	Multiscale ultrafast laser texturing of marble for reduced surface wetting. <i>Applied Surface Science</i> , 2021 , 577, 151850	6.7	1
22	Numerical study of droplet impingement on surfaces with hierarchical structures. <i>International Journal of Multiphase Flow</i> , 2021 , 147, 103908	3.6	0
21	Silver Oxide-Decorated Silica Nanoparticles for Visible-Light-Driven Photolytic Pollutant Degradation and Water/Oil Separation. <i>ACS Applied Nano Materials</i> , 2022 , 5, 939-947	5.6	1
20	A state-of-the-art review on the multifunctional self-cleaning nanostructured coatings for PV panels, CSP mirrors and related solar devices. <i>Renewable and Sustainable Energy Reviews</i> , 2022 , 159, 112145	16.2	5
19	Design of robust superamphiphobic surfaces with enlarged area fractions: the considerable role of Laplace pressure in dynamics of contact lines.. <i>Physical Chemistry Chemical Physics</i> , 2022 ,	3.6	
18	Interfacial induction and regulation for microscale crystallization process: a critical review. <i>Frontiers of Chemical Science and Engineering</i> , 1	4.5	1
17	Thermodynamics and hydrodynamics of spontaneous and forced imbibition in conical capillaries: A theoretical study of conical liquid diode. <i>Physics of Fluids</i> ,	4.4	0
16	Stability of the non-wetting state in a droplet impinging on surfaces with multiple holes. <i>Physics of Fluids</i> , 2021 , 33, 123315	4.4	0
15	Complex Nanowrinkling in Chiral Liquid Crystal Surfaces: From Shaping Mechanisms to Geometric Statistics.. <i>Nanomaterials</i> , 2022 , 12,	5.4	
14	The foliar trichomes of <i>Combretum apiculatum</i> subsp. <i>apiculatum</i> (Combretaceae): Morphoanatomy and histochemistry. 2022 , 150, 528-547		0
13	Recent progress in optimal design of superhydrophobic surfaces. 2022 , 10, 110701		0
12	Durability and corrosion behaviors of superhydrophobic amorphous coatings: a contrastive investigation. 2022 , 12, 32813-32824		0
11	Novel macrocyclic polyamines regulated nanofiltration membranes: Towards efficient micropollutants removal and molecular separation. 2023 , 668, 121180		0
10	Direct-micro-fabrication of Hydrophobic Surface with Re-entrant Texture on Metal Produced by Femtosecond-pulsed Laser.		0
9	Nature-inspired reentrant surfaces. 2022 , 101064		1

- 8 Design considerations to fabricate multifunctional superomniphobic surfaces: A review. **2022**, 111758
- 7 Fluorine-free preparation of a superhydrophobic coating with anti-icing properties, mechanical durability and self-cleaning effect.
- 6 Cement-based nano-engineered materials for eco-efficiency. **2023**, 39-68
- 5 Re-Entrant Microstructures for Robust Liquid Repellent Surfaces. 2201836
- 4 Facile fabrication of robust self-cleaning fluorine-free reduced graphene oxide based superhydrophobic surfaces.
- 3 Fabrication and characterization of super-hydrophobic surfaces based on sandpapers and nano-particle coatings. **2023**, 666, 131358
- 2 A Bioinspired Surface with Synergistic Effect of Anisotropy and Gradient Microstructures for Controllable Fluid Transportation. **2023**, 5, 2440-2448
- 1 New superhydrophobic composite coatings on Mg-Mn-Ce magnesium alloy. **2023**,