

CITATION REPORT

List of articles citing

Wireless power transfer via strongly coupled magnetic reson

DOI: 10.1126/science.1143254
Science, 2007, 317, 83-6.

Source: <https://exaly.com/paper-pdf/43054825/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|------|-----------|
| 2316 | Direct imaging of tunneling from a potential well. 2009 , 17, 19160 | | |
| 2315 | References. 316-326 | | |
| 2314 | Jet Antihalation Backing and its Removal from Films during Processing. 1971 , 80, 564-569 | | 1 |
| 2313 | Table of contents. 1988 , 3, c1-c1 | | |
| 2312 | Call for papers for Special Issue of the ZEEE Transactions on Power Electronics. 1995 , 10, 621-621 | | |
| 2311 | Call for papers for Special Issue of the IEEE Transactions on Power Electronics. 1995 , 10, 519-519 | | |
| 2310 | Fast feedforward channel sounding RAKE receiver. 2000 , 36, 1731 | | 1 |
| 2309 | Trajectory Planning of Biped Robot with Two Kinds of Inverted Pendulums. 2006 , | | |
| 2308 | Unwired energy questions asked, answered. 2007 , 60, 17-17 | | |
| 2307 | Theory of resonantly enhanced near-field imaging. 2007 , 15, 11959-70 | | 15 |
| 2306 | Applied physics. The power to set you free. <i>Science</i> , 2007 , 317, 55-6 | 33.3 | 10 |
| 2305 | Ultralow-power electronics for biomedical applications. 2008 , 10, 247-74 | | 178 |
| 2304 | Near-field plates: subdiffraction focusing with patterned surfaces. <i>Science</i> , 2008 , 320, 511-3 | 33.3 | 171 |
| 2303 | Research on the topology of wireless energy transfer device. 2008 , | | 1 |
| 2302 | Electrocardiographic pill for cattle heart rate determination. 2008 , 2008, 4852-5 | | 7 |
| 2301 | Simulation and experimental analysis on wireless energy transfer based on magnetic resonances. 2008 , | | 5 |
| 2300 | The road to immortal sensor nodes. 2008 , | | 14 |

| | | |
|------|--|-----|
| 2299 | PowerPACK: A wireless power distribution system for wearable devices. 2008, | 7 |
| 2298 | Resonantly coupled antennas for passive sensors. 2008, | 18 |
| 2297 | Wireless powering of single-chip systems with integrated coil and external wire-loop resonator. 2008, 92, 074102 | 33 |
| 2296 | Near-field focusing plates: Theory and experiment. 2008, | 4 |
| 2295 | C. 2009, | |
| 2294 | Wireless Power Transfer Using Electromagnetic Resonant Coupling. 2009, 129, 414-417 | 37 |
| 2293 | Beyond Audio and Video: Using Claytronics to Enable Pario. 2009, 30, 29 | 11 |
| 2292 | Modeling and simulation of a thin film power transfer cell for medical devices and implants. 2009, | 8 |
| 2291 | Simulation and Experimental Comparison of Different Coupling Mechanisms for the Wireless Electricity Transfer. 2009, 23, 925-934 | 35 |
| 2290 | Mode-Based Analysis of Resonant Characteristics for Near-Field Coupled Small Antennas. 2009, 8, 1238-1241 | 49 |
| 2289 | Design issues for energy harvesting enabled wireless sensing systems. 2009, | 4 |
| 2288 | Wireless energy delivery and data communication for biomedical sensors and implantable devices. 2009, | 9 |
| 2287 | Wandler für energieautarke Mikrosysteme. Stand der Technik kommerzieller Energiewandler Micro Energy Harvesting Converters. State of the Art of Commercially Available Energy Converters. 2009, 76, 532-539 | 3 |
| 2286 | Efficient weakly-radiative wireless energy transfer: An EIT-like approach. 2009, 324, 1783-1795 | 100 |
| 2285 | Motion control of electric vehicles and prospects of supercapacitors. 2009, 4, 231-239 | 16 |
| 2284 | Magnetolectric transducer with high quality factor for wireless power receiving. 2009, 150, 207-211 | 49 |
| 2283 | Optimization of wireless power transmission through resonant coupling. 2009, | 4 |
| 2282 | Direct imaging of tunneling from a potential well. 2009, 17, 19160-5 | 16 |

| | | |
|------|--|-----|
| 2281 | Magnetic Resonant Coupling As a Potential Means for Wireless Power Transfer to Multiple Small Receivers. 2009 , 24, 1819-1825 | 575 |
| 2280 | Introduction. 2008 , 1-14 | |
| 2279 | Wireless Power Transfer for Responsive Space Applications. 2009 , | 1 |
| 2278 | Mid-range wireless energy transfer using inductive resonance for wireless sensors. 2009 , | 17 |
| 2277 | Research on the model of magnetic-resonance based wireless energy transfer system. 2009 , | 2 |
| 2276 | Wireless energy transfer platform for medical sensors and implantable devices. 2009 , 2009, 1045-8 | 24 |
| 2275 | A Modular, High-Fidelity Tool to Model the Utility of Fractionated Space Systems. 2009 , | 11 |
| 2274 | Design and analysis of a transcutaneous telemetry device for brain stimulator. 2009 , 2009, 2153-6 | |
| 2273 | Electromagnetic tunneling in a sandwich structure containing single negative media. 2009 , 79, 026601 | 34 |
| 2272 | Wireless reactive power transfer for off-shore energy harvesting. 2009 , | 4 |
| 2271 | On a wireless power transmission system for an implantable prosthesis telemetry unit. 2009 , | |
| 2270 | In vitro and in vivo studies on wireless powering of medical sensors and implantable devices. 2009 , | 69 |
| 2269 | Wireless power transfer system design for implanted and worn devices. 2009 , | |
| 2268 | Enabling technologies for wireless body area networks: A survey and outlook. 2009 , 47, 84-93 | 326 |
| 2267 | Circuit analysis of wireless power transfer by "Coupled Magnetic Resonance". 2009 , | 9 |
| 2266 | A consideration of electro-magnetic-resonant coupling mode in wireless power transmission. 2009 , 6, 1421-1425 | 27 |
| 2265 | A Modular, High-Fidelity Tool to Model the Utility of Fractionated Space Systems. 2010 , | 2 |
| 2264 | Continuous Healthcare. 2010 , | 1 |

| | | |
|------|---|----|
| 2263 | Circular array of stable atmospheric pressure microplasmas. 2010 , 60, 621-625 | 3 |
| 2262 | Functional Electrical Sensors as Single Component Electrically Open Circuits Having No Electrical Connections. 2010 , 59, 3206-3213 | 15 |
| 2261 | Topology optimization of metallic devices for microwave applications. 2010 , 83, 228-248 | 25 |
| 2260 | Totally passive wireless biopotential measurement sensor by utilizing inductively coupled resonance circuits. 2010 , 157, 313-321 | 44 |
| 2259 | Long range inductive power transfer with superconducting oscillators. 2010 , 325, 287-299 | 48 |
| 2258 | HIGH-EFFICIENCY WIRELESS ENERGY TRANSMISSION USING MAGNETIC RESONANCE BASED ON NEGATIVE REFRACTIVE INDEX METAMATERIAL. 2010 , 106, 33-47 | 68 |
| 2257 | Design of wireless power management SOC for active capsule endoscope. 2010 , | 0 |
| 2256 | A method for improving the wireless power transmission efficiency of an endoscopic capsule based on electromagnetic localization and synthesis of magnetic field vector. 2010 , 224, 1463-1471 | 5 |
| 2255 | A Simple and versatile design method of resonator-coupled wireless power transfer system. 2010 , | 19 |
| 2254 | CAD of wireless resonant energy links (WREL) realized by coils. 2010 , | 9 |
| 2253 | Performance improvement of resonant inductive coupling for wireless 3D IC interconnect. 2010 , | |
| 2252 | Shielded loops for wireless non-radiative power transfer. 2010 , | 7 |
| 2251 | Peak wireless power transfer using magnetically coupled series resonators. 2010 , | 1 |
| 2250 | Application of wireless energy transfer based on BCI to the power system of intelligent wheelchair. 2010 , | 3 |
| 2249 | Design theory of wireless power transfer system based on magnetically coupled resonators. 2010 , | 13 |
| 2248 | An asymmetric resonant coupling wireless power transmission link for Micro-Ball Endoscopy. 2010 , 2010, 6531-4 | 1 |
| 2247 | Possibilities of wireless power supply. 2010 , 2, 153-157 | 2 |
| 2246 | Site-site wireless power transmission for medical endoscopes. 2010 , | |

| | | |
|------|--|----|
| 2245 | Energy transference for sensor networks. 2010, | 5 |
| 2244 | An overview of body sensor networks in enabling pervasive healthcare and assistive environments. 2010, | 26 |
| 2243 | The application of non-contact power transmission technology (NPT) in the modern transport system. 2010, | 2 |
| 2242 | Modeling and design of a wireless power transfer cell with planar spiral structures. 2010, | 1 |
| 2241 | The relay effect on wireless power transfer using witrlicity. 2010, | 28 |
| 2240 | Optimal design of energy transmission system for implantable device base on WiTricity. 2010, | 1 |
| 2239 | . 2010, | 2 |
| 2238 | Numerical Analysis on Transmission Efficiency of Evanescent Resonant Coupling Wireless Power Transfer System. 2010, 58, 1751-1758 | 95 |
| 2237 | Wireless Energy Transfer Through Non-Resonant Magnetic Coupling. 2010, 24, 1587-1598 | 24 |
| 2236 | Modeling and Experimental Analysis of Helical Resonator for Wireless Power Transmission System. 2010, | 1 |
| 2235 | Finite element analysis and corresponding experiments of resonant energy transmission for wireless transmission devices using witrlicity. 2010, | 0 |
| 2234 | Metamaterial-inspired loop antennas for wireless power transmission. 2010, | 2 |
| 2233 | Wireless power transmission efficiency enhancement with metamaterials. 2010, | 9 |
| 2232 | Physical Pictures and Performance Analysis of Wireless Power Transfer via Evanescent Fields. 2010, | 3 |
| 2231 | Maximum transmitting efficiency of wireless power transfer system with resonant/non-resonant transmitting/receiving elements. 2010, | 3 |
| 2230 | Magnetic Metamaterials as 1-D Data Transfer Channels: An Application for Magneto-Inductive Waves. 2010, 58, 1248-1256 | 48 |
| 2229 | Simple design method of wireless power transfer system using 13.56MHz loop antennas. 2010, | 5 |
| 2228 | Wireless power transfer using weakly coupled magnetostatic resonators. 2010, | 84 |

| | | |
|------|---|-----|
| 2227 | Design of a step-up dc-dc converter with on-chip coupled inductors. 2010, | 2 |
| 2226 | Optimization of wireless power transmission through resonant coupling. 2010, | 20 |
| 2225 | A wireless energy link for endoscopy with end-fire helix emitter and Load-Adaptive power converter. 2010, | 6 |
| 2224 | Fundamental Aspects of Near-Field Coupling Small Antennas for Wireless Power Transfer. 2010, 58, 3442-3449 | 92 |
| 2223 | Miniaturization of Circular Patch Antennas Using MNG Metamaterials. 2010, 9, 1194-1196 | 30 |
| 2222 | Powering tomorrow's sensor: a review of technologies [part 2]. 2010, 30, 271-275 | 7 |
| 2221 | A Miniature Energy Harvesting Device for Wireless Sensors in Electric Power System. 2010, 10, 1249-1258 | 75 |
| 2220 | Energy sources and their development for application in medical devices. 2010, 7, 693-709 | 83 |
| 2219 | Design and fabrication of a microplatform for the proximity effect study of localized ELF-EMF on the growth of in vitro HeLa and PC-12 cells. 2010, 20, 125023 | 14 |
| 2218 | . 2010, | 97 |
| 2217 | Simultaneous mid-range power transfer to multiple devices. 2010, 96, 044102 | 243 |
| 2216 | Towards low frequency low noise low power body sensor network-on-chip. 2010, | 2 |
| 2215 | Magnetic coupling calculations using partial inductance theory. 2010, | 2 |
| 2214 | Wireless power delivery for wearable sensors and implants in Body Sensor Networks. 2010, 2010, 692-5 | 15 |
| 2213 | Research for wireless energy transmission in a magnetic field communication system. 2010, | 8 |
| 2212 | Design of wireless power supply microsystem for capsule endoscope. 2010, | 1 |
| 2211 | iPoint: A Platform-Independent Passive Information Kiosk for Cell Phones. 2010, | 2 |
| 2210 | Wireless power transmission to sensors embedded in concrete via Magnetic Resonance. 2011, | 15 |

| | | |
|------|--|----|
| 2209 | Selective wireless power transmission through 2D waveguide sheet using strong electromagnetic confinement by choke-enclosed resonant coupler. 2011, | 1 |
| 2208 | Basic analysis of the circuit model using relay antenna in magnetic resonance coupling position sensing system. 2011, | 7 |
| 2207 | Performance Analysis and Experimental Verification of Mid-Range Wireless Energy Transfer through Non-resonant Magnetic Coupling. 2011, 25, 845-855 | 14 |
| 2206 | An omnidirectional wireless power receiving IC with 93.6% efficiency CMOS rectifier and Skipping Booster for implantable bio-microsystems. 2011, | 8 |
| 2205 | Detection of a metal obstacle in wireless power transfer via magnetic resonance. 2011, | 15 |
| 2204 | A charge algorithm proposal for wirelessly charged networks. 2011, | |
| 2203 | High-efficiency transcutaneous wireless energy transfer for biomedical applications. 2011, | |
| 2202 | Analytical model for predicting the electromagnetic fields intensity in wireless power transfer systems. 2011, | |
| 2201 | HEMS with resonant-type wireless power transmission. 2011, | 5 |
| 2200 | Wireless power transfer system for capsule endoscopy based on strongly coupled magnetic resonance theory. 2011, | 16 |
| 2199 | A Charge Algorithm Proposal for Wirelessly Charged Networks. 2011, | 0 |
| 2198 | The Optimum Operating Frequency for Near-Field Coupled Small Antennas. 2011, 59, 1027-1031 | 9 |
| 2197 | A feasibility study of wireless power transmission system by using two independent coupled electric fields. 2011, | 4 |
| 2196 | Experimental verification of rectifiers with SiC/GaN for wireless power transfer using a magnetic resonance coupling. 2011, | 15 |
| 2195 | J-RoC: A Joint Routing and Charging scheme to prolong sensor network lifetime. 2011, | 89 |
| 2194 | Analytical expressions for maximum transferred power in wireless power transfer systems. 2011, | 28 |
| 2193 | Wireless power transfer system with a simple receiver coil. 2011, | 4 |
| 2192 | . 2011, | 6 |

| | | |
|------|--|-----|
| 2191 | Explicit static circuit model of coupled magnetic resonance system. 2011, | 14 |
| 2190 | On renewable sensor networks with wireless energy transfer. 2011, | 213 |
| 2189 | An Analysis of Wireless Power Transmission Based on Magnetic Resonance for Endoscopic Devices. 2011, | 2 |
| 2188 | Stable linear plasma arrays at atmospheric pressure. 2011, 20, 045022 | 24 |
| 2187 | An experimental verification and analysis of a single-phase to three-phase matrix converter using PDM control method for high-frequency applications. 2011, | 7 |
| 2186 | Electronics in Medicine. 2011, 1337-1376 | 1 |
| 2185 | Classification and characterization of wireless power transfer systems of resonance method based on equivalent circuit derived from even- and odd mode reactance functions. 2011, | 11 |
| 2184 | . 2011, | |
| 2183 | A compact resonance-based wireless energy transfer system for implanted electronic devices. 2011, | 2 |
| 2182 | Wireless energy transfer with the presence of metallic planes. 2011, 99, 214102 | 60 |
| 2181 | Metamaterials: a new frontier of science and technology. 2011, 40, 2494-507 | 619 |
| 2180 | Research on the wireless power transmission system based on coupled magnetic resonances. 2011, | 5 |
| 2179 | High efficiency midrange wireless power transfer system. 2011, | 25 |
| 2178 | Metamaterial-enhanced coupling between magnetic dipoles for efficient wireless power transfer. 2011, 83, | 135 |
| 2177 | Contactless battery charger with high relative separation distance and improved efficiency. 2011, | 7 |
| 2176 | Experimental System Design of Wireless Power Transfer Based on Witricity Technology. 2011, | 3 |
| 2175 | Research on transmission performance of the contactless transformer. 2011, | 1 |
| 2174 | Experimental Results of High-Efficiency Resonant Coupling Wireless Power Transfer Using a Variable Coupling Method. 2011, 21, 442-444 | 160 |

| | | |
|------|---|-----|
| 2173 | Issues and initiatives for practical use of wireless power transmission technologies in Japan. 2011, | 8 |
| 2172 | Analysis on transmission efficiency of wireless energy transmission resonator based on magnetic resonance. 2011, | |
| 2171 | Characterization and Reduction of Mutual Coupling Between Stacked Patches. 2011, 59, 1031-1036 | 20 |
| 2170 | . 2011, | 7 |
| 2169 | Experiments on wireless power transfer with metamaterials. 2011, 98, 254101 | 209 |
| 2168 | Wireless Power Transfer Systems via Strong Coupled Magnetic Resonances [Design, PCB Implementation and Tests. 2011, 383-390, 5984-5989 | |
| 2167 | Pulse-Driving Based Magnetic Coupling Resonant Wireless Power Transmission System Research. 2011, 378-379, 539-542 | |
| 2166 | Wireless Power Transmission for Autonomous Sensors in Removable Vehicle Seats. 2011, | 9 |
| 2165 | Circuit-Model-Based Analysis of a Wireless Energy-Transfer System via Coupled Magnetic Resonances. 2011, 58, 2906-2914 | 256 |
| 2164 | Development and Validation of Model for 95%-Efficiency 220-W Wireless Power Transfer Over a 30-cm Air Gap. 2011, 47, 2495-2504 | 142 |
| 2163 | ANALYSIS ON TRANSMISSION EFFICIENCY OF WIRELESS ENERGY TRANSMISSION RESONATOR BASED ON MAGNETIC RESONANCE. 2011, 19, 221-237 | 11 |
| 2162 | A personal data store for an Internet of Subjects. 2011, | 4 |
| 2161 | Wireless Transmission of Electric Energy. 2011, | |
| 2160 | Micro-Scale Mobile Robotics. 2011, 2, 143-259 | 108 |
| 2159 | Wirelessly Powered Electrowetting-on-Dielctric (EWOD). 2011, | |
| 2158 | High-frequency polymer diode rectifiers for flexible wireless power-transmission sheets. 2011, 12, 1777-1782 | 44 |
| 2157 | Conditions of maximum efficiency for wireless power transfer between two helical wires. 2011, 5, 545 | 11 |
| 2156 | Near-Field Plates: Metamaterial Surfaces/Arrays for Subwavelength Focusing and Probing. 2011, 99, 1806-1815 | 35 |

| | | |
|------|---|------|
| 2155 | Design and Optimization of a 3-Coil Inductive Link for Efficient Wireless Power Transmission. 2011 , 99, 1 | 401 |
| 2154 | Finite-Element Analysis and Corresponding Experiments of Resonant Energy Transfer for Wireless Transmission Devices. 2011 , 47, 1074-1077 | 14 |
| 2153 | Relay Effect of Wireless Power Transfer Using Strongly Coupled Magnetic Resonances. 2011 , 47, 1478-1481 | 138 |
| 2152 | A Comparative Study Between Novel Witricity and Traditional Inductive Magnetic Coupling in Wireless Charging. 2011 , 47, 1522-1525 | 114 |
| 2151 | Quantitative Analysis of a Wireless Power Transfer Cell With Planar Spiral Structures. 2011 , 47, 3200-3203 | 35 |
| 2150 | Analytical Design Study of a Novel Witricity Charger With Lateral and Angular Misalignments for Efficient Wireless Energy Transmission. 2011 , 47, 2616-2619 | 41 |
| 2149 | Impedance Matching Method About Multiple Contactless Power Feeding System for Portable Electronic Devices. 2011 , 47, 4235-4237 | 8 |
| 2148 | Energy Harvesting of Magnetic Power-Line Noise. 2011 , 47, 4441-4444 | 37 |
| 2147 | FEM Simulations and Experiments for the Advanced Witricity Charger With Compound Nano-TiO ₂ Interlayers. 2011 , 47, 4449-4452 | 11 |
| 2146 | Successive Regeneration and Adaptive Cancellation of Higher Order Intermodulation Products in RF Receivers. 2011 , 59, 1379-1396 | 25 |
| 2145 | Selective Wireless Power Transmission Through High-Q Flat Waveguide-Ring Resonator on 2-D Waveguide Sheet. 2011 , 59, 2158-2167 | 26 |
| 2144 | Resonance-Based Wireless Energizing of Piezoelectric Components. 2011 , 2, 6000204-6000204 | 9 |
| 2143 | . 2011 , 58, 544-554 | 1078 |
| 2142 | High Frequency Planar Transformer (HFPT) for Universal Contact-Less Battery Charging Platform. 2011 , 47, 2764-2767 | 24 |
| 2141 | Contactless energy transfer through air by means of ultrasound. 2011 , | 22 |
| 2140 | Future Trends of Power Electronics. 2011 , 249-268 | |
| 2139 | Body Area Networks: A Survey. 2011 , 16, 171-193 | 817 |
| 2138 | Wireless adiabatic power transfer. 2011 , 326, 626-633 | 14 |

| | | |
|------|--|----|
| 2137 | Strong coupling optimization with planar spiral resonators. 2011 , 11, 1188-1191 | 8 |
| 2136 | Selective inductive powering system for paper computing. 2011 , | 9 |
| 2135 | Watt-level wireless power transfer based on stacked flex circuit technology. 2011 , | 3 |
| 2134 | Research on resonance based wireless energy transfer device for small mobile equipments. 2011 , | 1 |
| 2133 | Computationally efficient routing for large scale wireless sensor networks. 2011 , | |
| 2132 | Efficiency improvement of wireless power transfer via magnetic resonance using transmission coil array. 2011 , | 17 |
| 2131 | Power transfer for a running automobile. 2011 , | 20 |
| 2130 | Contactless battery charger for composite humidity and temperature wireless sensors. 2011 , | 4 |
| 2129 | Analysis of a Novel Near-Field Non-Radiative Wireless Power Transmission System. 2011 , | 1 |
| 2128 | Wireless charging technology using magnetically coupled resonators. 2011 , | 3 |
| 2127 | Wireless charger prototype based on strong coupled magnetic resonance. 2011 , | 4 |
| 2126 | Efficient wireless powering of sensors embedded in concrete via magnetic resonance. 2011 , | 4 |
| 2125 | Frequency allocations of solar power satellite and international activities. 2011 , | 4 |
| 2124 | Optimized design of a low-resistance electrical conductor for the multimegahertz range. 2011 , 98, 172504 | 4 |
| 2123 | A numerical study of power loss factors in resonant magnetic coupling. 2011 , | 7 |
| 2122 | Basic theory of wireless power transmission by a pair of small dipoles. 2011 , | 0 |
| 2121 | Wireless Charging of Electric Vehicles: A Review and Experiments. 2011 , | 2 |
| 2120 | Wireless communication with implanted medical devices using the conductive properties of the body. 2011 , 8, 427-33 | 69 |

| | | |
|------|--|-----|
| 2119 | Reactive near field magnetic coupling utilizing a staggered phased array. 2011, | 0 |
| 2118 | A novel resonant inductive magnetic coupling wireless charger with TiO ₂ compound interlayer. 2011, 109, 07E502 | 2 |
| 2117 | Solar Wireless Charging Circuit System Designing. 2012, 229-231, 1017-1020 | |
| 2116 | The Research of Wireless Low Power Transmission System Based on Magnetic Resonant Coupling. 2012, 468-471, 2854-2858 | |
| 2115 | The Theoretical Analysis and Experimental Research of Wireless Power Transfer via Magnetic Resonance. 2012, 263-266, 103-107 | |
| 2114 | A wireless magnetic resonance energy transfer system for micro implantable medical sensors. 2012, 12, 10292-308 | 49 |
| 2113 | Achieving long-term operation with a capacitor-driven energy storage and sharing network. 2012, 8, 1-37 | 13 |
| 2112 | Energy Harvesting from Water Distribution Systems. 2012, 138, 7-17 | 30 |
| 2111 | A glucose fuel cell for implantable brain-machine interfaces. 2012, 7, e38436 | 162 |
| 2110 | Robust, low cost indoor positioning using magnetic resonant coupling. 2012, | 29 |
| 2109 | Collaborative mobile charging for sensor networks. 2012, | 61 |
| 2108 | Magnetic energy coupling system based on micro-electro-mechanical system coils. 2012, 111, 07E734 | 3 |
| 2107 | Optimum load of WPT system analyzed by S-parameters. 2012, | 3 |
| 2106 | Numerical Investigation of Magnetic Resonant Coupling Technique in Inter-Chip Communication via Electromagnetics-TCAD Coupled Simulation. 2012, 48, 4253-4256 | 1 |
| 2105 | Exactly soluble model of resonant energy transfer between molecules. 2012, 85, | 18 |
| 2104 | Analysis on wireless power transfer to moving devices based on array of resonators. 2012, | 6 |
| 2103 | A study of efficiency improvement of wireless power transfer by impedance matching. 2012, | 10 |
| 2102 | Ultra-wideband balun using microstrip to slotline transitions. 2012, | 4 |

| | | |
|------|--|----|
| 2101 | Basic characteristics of selective wireless power transfer system based on coupled magnetic resonances. 2012, | |
| 2100 | Energy cooperation in energy harvesting wireless communications. 2012, | 54 |
| 2099 | Two-dimensional arrays of microwavegenerated microplasmas. 2012, | |
| 2098 | Effect of proximal metallic objects on the performance of wireless charging systems for electric vehicles. 2012, | 3 |
| 2097 | A capacitor-loaded cylindrical resonant coil with parallel connection. 2012, 101, 064105 | 4 |
| 2096 | Exploiting timing channel in intra-body sensor networks. 2012, | 2 |
| 2095 | Investigation of numerical methods and dosimetry for a wireless power transfer system using electromagnetic resonance. 2012, | 1 |
| 2094 | The Design and Research of a New Kind Small Size Resonator Used in Magnetic Coupling Resonance Wireless Energy Transmission System. 2012, 48, 4030-4033 | 6 |
| 2093 | Direct Field-Circuit Coupled Analysis and Corresponding Experiments of Electromagnetic Resonant Coupling System. 2012, 48, 3961-3964 | 6 |
| 2092 | Specific Absorption Rate (SAR) distribution in human tissue with magnetic resonance. 2012, | 1 |
| 2091 | Efficiency improvement for magnetic resonance based wireless power transfer with axial-misalignment. 2012, 48, 339 | 48 |
| 2090 | Wireless powering of biomedical device via magnetic resonance. 2012, | 2 |
| 2089 | Design and exposure of wireless communication and power charging systems: Design rules, levels of exposure, challenges in exposure assessment and compliance testing. 2012, | 2 |
| 2088 | Realization of efficient wireless power transmission by a vertical coil array. 2012, | |
| 2087 | Resonant wireless power transfer to ground sensors from a UAV. 2012, | 63 |
| 2086 | Integrated Resonant Structure for Simultaneous Wireless Power Transfer and Data Telemetry. 2012, 11, 1659-1662 | 14 |
| 2085 | Synchronization algorithm of Resonator Isolation system for efficient power and data transmission. 2012, | |
| 2084 | Experimental result on wireless power management microsystem for endoscopic capsule robot. 2012, | |

| | | |
|------|---|----|
| 2083 | 30W wireless power transmission to networked robots through 2D waveguide. 2012, | 2 |
| 2082 | A phased coil array for efficient wireless power transmission. 2012, | 3 |
| 2081 | High-efficiency wireless power delivery for medical implants using hybrid coils. 2012, 2012, 1683-6 | 6 |
| 2080 | Consideration of Array Module Design for Energy Harvesting of Power-Line Magnetic Noise. 2012, 721, 191-198 | |
| 2079 | Frequency multiplying circuit constructed from a multi-phase inverter and multi-core transformers. 2012, | 1 |
| 2078 | Analysis of near-field magnetic resonant energy coupling for high power light-emitting diode illumination. 2012, 31, 1246-1258 | 2 |
| 2077 | Analysis of EMF noise from the receiving coil topologies for wireless power transfer. 2012, | 8 |
| 2076 | Wireless power transmission to an electromechanical receiver using low-frequency magnetic fields. 2012, 21, 115017 | 23 |
| 2075 | Relay effect on wireless power transfer using resonant coupling. 2012, | |
| 2074 | High efficient power receiver IC with load modulator for wireless resonant power transfer. 2012, | |
| 2073 | A 13.56 MHz rectifier with efficiency-improving harmonic-termination circuit for wireless power transmission systems. 2012, | 1 |
| 2072 | Automated adaptive frequency tracking system for efficient mid-range wireless power transfer via magnetic resonanc coupling. 2012, | 8 |
| 2071 | Power transfer efficiency of magnetic resonance wireless power link with misaligned relay resonator. 2012, | 4 |
| 2070 | Wireless resonant-type power transfer links with relay elements: Harmonic balance design. 2012, | 5 |
| 2069 | Radial Photonic Crystal for detection of frequency and position of radiation sources. 2012, 2, 558 | 11 |
| 2068 | . 2012, | 3 |
| 2067 | Wireless power using magnetic resonance coupling for neural sensing applications. 2012, | |
| 2066 | Shaft power measurement for marine propulsion system based on magnetic resonances. 2012, 9, 1260-1265 | 3 |

| | | |
|------|--|-----|
| 2065 | Feasibility study on application of power transmission using magnetic coupling to body area network. 2012 , 48, 1013-1015 | 32 |
| 2064 | A 1.2-V 5.2-mW 2080-GHz Wideband Receiver Front-End in 0.18- μm CMOS. 2012 , 60, 3502-3512 | 36 |
| 2063 | Design of Retrodirective Antenna Arrays for Short-Range Wireless Power Transmission. 2012 , 60, 206-211 | 70 |
| 2062 | Lateral and Angular Misalignments Analysis of a New PCB Circular Spiral Resonant Wireless Charger. 2012 , 48, 4522-4525 | 55 |
| 2061 | Analysis of Wireless Power Transfer System Based on 3-D Finite-Element Method Including Displacement Current. 2012 , 48, 3692-3695 | 11 |
| 2060 | Quantitative Design and Analysis of Relay Resonators in Wireless Power Transfer System. 2012 , 48, 4026-4029 | 75 |
| 2059 | Analysis and Optimization of Magnetically Coupled Resonators for Wireless Power Transfer. 2012 , 48, 4511-4514 | 20 |
| 2058 | Study and Experimental Verification of a Rectangular Printed-Circuit-Board Wireless Transfer System for Low Power Devices. 2012 , 48, 3013-3016 | 12 |
| 2057 | Analytical study and corresponding experiments for a new resonant magnetic charger with circular spiral coils. 2012 , 111, 07E704 | 2 |
| 2056 | Magnetic energy harvesting and concentration at a distance by transformation optics. 2012 , 109, 263903 | 73 |
| 2055 | A Resonant Tertiary Winding-Based Novel Air-Core Transformer Concept. 2012 , 27, 1519-1528 | 2 |
| 2054 | Metamaterial particles for electromagnetic energy harvesting. 2012 , 101, 173903 | 130 |
| 2053 | Comparison of planar type coils for efficient power supply to implantable devices. 2012 , 2, 179-185 | 3 |
| 2052 | Magnetic link optimization for wireless power transfer applications: Modeling and experimental validation for resonant tubular coils. 2012 , | 6 |
| 2051 | Qi-ferry: Energy-constrained wireless charging in wireless sensor networks. 2012 , | 43 |
| 2050 | . 2012 , | 5 |
| 2049 | Design of LF-WPT systems of sympathetic connection employing non-resonant grounded antennas and external circuits which emulate the systems employing self-resonant electrically small antennas. 2012 , | 1 |
| 2048 | OWER-MDG: A novel energy replenishment and data gathering mechanism in wireless rechargeable sensor networks. 2012 , | 9 |

| | | |
|------|---|----|
| 2047 | Analysis of mid-range electric power transfer based on an equivalent circuit model. 2012 , 111, 07E733 | 9 |
| 2046 | Wireless power transfer system minimizing an influence of a desk. 2012 , | |
| 2045 | Resonance type short distance power transfer property for the structure parameter of the spiral coil. 2012 , | |
| 2044 | Random energy charging for reviving sensors in wireless sensor network. 2012 , | 0 |
| 2043 | Electromagnetically coupled resonators using toroidal ferrite core for wireless power transfer. 2012 , | 2 |
| 2042 | . 2012 , | 7 |
| 2041 | Evaluation of inductive coupling and RF-DC for Wireless Power Transmission. 2012 , | 0 |
| 2040 | . 2012 , | |
| 2039 | A magnetically resonant coupling system for wireless power transmission. 2012 , | 1 |
| 2038 | Novel band-pass filter model for multi-receiver wireless power transfer via magnetic resonance coupling and power division. 2012 , | 17 |
| 2037 | Coil design and dosimetric analysis of a wireless energy transmission exposure system for in vitro study. 2012 , | 3 |
| 2036 | Wireless charging system of mobile handset using metamaterial-based cavity resonator. 2012 , | 7 |
| 2035 | Design of static wireless charging coils for integration into electric vehicle. 2012 , | 13 |
| 2034 | Toward Uninterrupted Operation of Wireless Sensor Networks. 2012 , 45, 24-30 | 24 |
| 2033 | Proposal of Switched-mode Matching Circuit in power supply for wireless power transfer using magnetic resonance coupling. 2012 , | 6 |
| 2032 | On renewable sensor networks with wireless energy transfer: The multi-node case. 2012 , | 80 |
| 2031 | Wireless power transfer for free positioning using compact planar multiple self-resonators. 2012 , | 15 |
| 2030 | Open Circuit Resonant (SansEC) Sensor for Composite Damage Detection and Diagnosis in Aircraft Lightning Environments. 2012 , | 4 |

| | | |
|------|--|----|
| 2029 | A 3.0-W wireless power receiver circuit with 75-% overall efficiency. 2012, | 14 |
| 2028 | High efficient misaligned wireless power transfer using magnetic resonant coupling and additional capacitor. 2012, | 2 |
| 2027 | . 2012, 17, 924-935 | 30 |
| 2026 | Wireless power transfer by low coupling electromagnetic induction LC booster. 2012, | 2 |
| 2025 | Magnetic resonant wireless power delivery for distributed sensor and wireless systems. 2012, | 8 |
| 2024 | Basic Study on Improving Power of Wireless Power Transfer via Magnetic Resonance Coupling. 2012, 459, 445-449 | 2 |
| 2023 | Arbitrary power and positioning techniques for 2D wireless power transmission systems. 2012, | 3 |
| 2022 | Evaluation of SAR in a human body model due to wireless power transmission in the 10 MHz band. 2012, 57, 4991-5002 | 52 |
| 2021 | Misalignment analysis of resonance-based wireless power transfer to biomedical implants. 2012, | 6 |
| 2020 | Computing mutual inductance between spatially misaligned coils for wireless power transmission. 2012, | 1 |
| 2019 | Design of an integrated wireless power transfer system with high power transfer efficiency and compact structure. 2012, | 5 |
| 2018 | Towards Experimental Perfectly-Matched Layers With Ultra-Thin Metamaterial Surfaces. 2012, 60, 5164-5172 | 46 |
| 2017 | Optimal helices for wireless power transfer via magnetic resonance. 2012, | 3 |
| 2016 | Magnetically coupled resonant Wireless Power Transmission systems with relay elements. 2012, | 7 |
| 2015 | Wireless power transmission to sensors in reinforced concrete via Magnetic Resonance. 2012, | 1 |
| 2014 | One-to-Multipoint Laser Remote Power Supply System for Wireless Sensor Networks. 2012, 12, 389-396 | 26 |
| 2013 | 5m-off-long-distance inductive power transfer system using optimum shaped dipole coils. 2012, | 9 |
| 2012 | On-chip magnetic resonant coupling with multi-stacked inductive coils for chip-to-chip wireless power transfer (WPT). 2012, | 4 |

| | | |
|------|---|-----|
| 2011 | A consideration of open- and short-end type helical antennas for magnetic-coupled resonant wireless power transfer. 2012, | 3 |
| 2010 | Theoretical and Experimental Study on Resonant Frequency Drifting in Wireless Power Transfer. 2012, | |
| 2009 | Study of WPT system for charging portable devices on a desk. 2012, | 4 |
| 2008 | The Circuit Theory Behind Coupled-Mode Magnetic Resonance-Based Wireless Power Transmission. 2012, 59, 2065-2074 | 271 |
| 2007 | Wireless power transfer to a cardiac implant. 2012, 101, 073701 | 92 |
| 2006 | Optimal design of a wireless power transfer system with multiple self-resonators for an LED TV. 2012, 58, 775-780 | 99 |
| 2005 | A Power Link Study of Wireless Non-Radiative Power Transfer Systems Using Resonant Shielded Loops. 2012, 59, 2125-2136 | 59 |
| 2004 | Parametric analysis of helical resonators for resonant wireless power transmission links. 2012, | 1 |
| 2003 | Harmonic balance design of wireless resonant-type power transfer links. 2012, | 13 |
| 2002 | Optimization of a Contactless Power Transfer System for Electric Vehicles. 2012, 61, 3566-3573 | 94 |
| 2001 | Wireless powering electronics and spiral coils for implant microsystem toward nanomedicine diagnosis and therapy in free-behavior animal. 2012, 77, 93-100 | 11 |
| 2000 | Resonant Frequency Calculation of Witricity Using Equivalent Circuit Model Combined with Finite Element Method. 2012, | 0 |
| 1999 | The wireless power transmission: inductive coupling, radio wave, and resonance coupling. 2012, 1, 337-346 | 14 |
| 1998 | Wireless Power Transmission to Organic Light Emitting Diode Lighting Panel with Magnetically Coupled Resonator. 2012, 51, 09MH05 | |
| 1997 | Resonant Coupling of a Passive Inductance-Capacitance-Resistor Loop in Coil-Based Sensing Systems. 2012, 12, 3417-3423 | 12 |
| 1996 | Antenna Characterization for Wireless Power-Transmission System Using Near-Field Coupling. 2012, 54, 108-116 | 35 |
| 1995 | A Contrastive Studies between Magnetic Coupling Resonance and Electromagnetic Induction in Wireless Energy Transmission. 2012, | 3 |
| 1994 | . 2012, | 12 |

| | | |
|------|---|-----|
| 1993 | Four layered PCB antenna for magnetically coupled wireless power transmission to OLED lighting panel. 2012, | |
| 1992 | Effects of Magnetic Coupling of Nonadjacent Resonators on Wireless Power Domino-Resonator Systems. 2012, 27, 1905-1916 | 186 |
| 1991 | . 2012, 27, 4292-4300 | 20 |
| 1990 | Experimental Analysis on Wireless Energy Transfer System Based on Resonant Coupling. 2012, | |
| 1989 | A simple method for calculating lumped parameters of planar spiral coil for wireless energy transfer. 2012, | 2 |
| 1988 | Simulations and Experiments on Cubic Film Resonator for Wireless Energy Transfer System. 2012, | |
| 1987 | RF Power Amplifier Design for Wireless Power Transfer Using Method of Moment. 2012, | 0 |
| 1986 | Making Sensor Networks Immortal: An Energy-Renewal Approach With Wireless Power Transfer. 2012, 20, 1748-1761 | 272 |
| 1985 | Recent progress in mid-range wireless power transfer. 2012, | 16 |
| 1984 | Study on wireless energy and data transmission for long-range projectile. 2012, | 1 |
| 1983 | SUPRA: Supply underground power to running automobiles: Electric Vehicle on Electrified Roadway exploiting RF displacement current through a pair of spinning tires. 2012, | 7 |
| 1982 | Smart Textiles: Technology and Wireless System Network Applications. 2012, 127-158 | 2 |
| 1981 | A two-hop wireless power transfer system with an efficiency-enhanced power receiver for motion-free capsule endoscopy inspection. 2012, 59, 3247-54 | 85 |
| 1980 | A Transponder-Based, Nonradiative Wireless Power Transfer. 2012, 11, 1150-1153 | 19 |
| 1979 | Adaptive frequency with power-level tracking system for efficient magnetic resonance wireless power transfer. 2012, 48, 452 | 119 |
| 1978 | Mid-range adiabatic wireless energy transfer via a mediator coil. 2012, 327, 2245-2250 | 9 |
| 1977 | . 2012, 1-10 | 58 |
| 1976 | Low-Power CMOS Voltage Regulator Architecture for Implantable RF Circuits. 2012, | 4 |

| | | |
|------|--|----|
| 1975 | A 63W 14MHz Class-E amplifier for wireless power transmission. 2012, | 3 |
| 1974 | Uniform magnetic field distribution of a spatially structured resonant coil for wireless power transfer. 2012, 100, 214105 | 28 |
| 1973 | Phase and intensity control of multiple coil currents in resonant magnetic coupling. 2012, | 2 |
| 1972 | Positioning-free magnetically resonant wireless power transmission board with staggered repeater coil array (SRCA). 2012, | 7 |
| 1971 | A low-cost 2.45-GHz wireless power link for biomedical devices. 2012, | 5 |
| 1970 | . 2012, | 12 |
| 1969 | Wireless powering based on Strongly coupled Magnetic Resonance with SRR elements. 2012, | 5 |
| 1968 | Analysis of misalignments in efficiency of mid-range magnetic resonance wireless power link. 2012, | 4 |
| 1967 | Safety considerations of wireless charger for electric vehicles [A review paper. 2012, | 30 |
| 1966 | Loosely-coupled wireless power transfer: Physics, circuits, standards. 2012, | 21 |
| 1965 | Analysis and Simulation of Wireless Power Transfer System Based on Magnetic Resonances. 2012, 516-517, 1737-1741 | |
| 1964 | Wireless charging of lighting gadgets using low Q resonant coupling. 2012, | 0 |
| 1963 | On wireless power transfer. 2012, | 5 |
| 1962 | High gain and high PAE power amplifier by employing adaptive bias control circuit for resonant WPT. 2012, | 2 |
| 1961 | Optimal Design Parameters for Wireless Power Transfer by Resonance Magnetic. 2012, 11, 1390-1393 | 33 |
| 1960 | Wireless powering of device embedded in concrete via Magnetic Resonance. 2012, | 1 |
| 1959 | A novel metal detector using the quality factor of the secondary coil for wireless power transfer systems. 2012, | 39 |
| 1958 | Pulse density modulation control using space vector modulation for a single-phase to three-phase indirect matrix converter. 2012, | 9 |

| | | |
|------|---|-----|
| 1957 | Wireless power transfer: A survey of EV battery charging technologies. 2012, | 67 |
| 1956 | A one-chip isolated gate driver with Drive-by-Microwave technologies. 2012, | 6 |
| 1955 | Magnetic superlens-enhanced inductive coupling for wireless power transfer. 2012, 111, 064902 | 78 |
| 1954 | Advanced technologies for gastrointestinal endoscopy. 2012, 14, 397-429 | 132 |
| 1953 | Experimental Analysis on Wireless Power Transmission Based on Magnetic Resonant Coupling. 2012, | 0 |
| 1952 | Characteristics of Contactless Power Transfer for HTS Coil Based on Electromagnetic Resonance Coupling. 2012, 22, 5400604-5400604 | 23 |
| 1951 | . 2012, | 18 |
| 1950 | SWITCHABLE DISTANCE-BASED IMPEDANCE MATCHING NETWORKS FOR A TUNABLE HF SYSTEM. 2012, 128, 19-34 | 20 |
| 1949 | Network Methods for Analysis and Design of Resonant Wireless Power Transfer Systems. 2012, | 10 |
| 1948 | Magnetically Coupled Resonance Wireless Power Transfer (MR-WPT) with Multiple Self-Resonators. 2012, | 3 |
| 1947 | Basic Characteristics of Eddy Current Testing Using Resonant Coupling. 2012, | 1 |
| 1946 | HF-BAND WIRELESS POWER TRANSFER SYSTEM: CONCEPT, ISSUES, AND DESIGN. 2012, 124, 211-231 | 34 |
| 1945 | Wireless Energy Transfer System with Multiple Coils via Coupled Magnetic Resonances. 2012, 34, 527-535 | 13 |
| 1944 | DERIVATION OF AN 'INVERSE LIENARD-WIECHERT EFFECT' FROM THE LORENTZ FORCE AND ITS APPLICATION TO THE WIRELESS POWER TRANSFER.. 2012, 35, 181-190 | |
| 1943 | Power flow control based solely on slow feedback loop for heart pump applications. 2012, 6, 279-86 | 12 |
| 1942 | Third order integrable UHF bandpass filter using active inductors. 2012, 54, 1426-1429 | 20 |
| 1941 | Automated frequency tracking system for efficient mid-range magnetic resonance wireless power transfer. 2012, 54, 1423-1426 | 26 |
| 1940 | Design of a novel ultrawideband antenna with dual band-notched characteristics. 2012, 54, 2401-2405 | 5 |

| | | |
|------|--|-----|
| 1939 | Simple efficient resonant coupling wireless power transfer system operating at varying distances between antennas. 2012 , 54, 2397-2401 | 1 |
| 1938 | A DC-isolated gate drive IC with drive-by-microwave technology for power switching devices. 2012 , | 27 |
| 1937 | Functional advances of microwave dielectrics for next generation. 2012 , 38, S141-S146 | 67 |
| 1936 | Near field resonant inductive coupling to power electronic devices dispersed in water. 2012 , 178, 217-222 | 27 |
| 1935 | Resonant enhancement of a passive coil-capacitance loop in eddy current sensing path. 2012 , 45, 622-626 | 15 |
| 1934 | Analysis of Wireless Energy Transmission for Implantable Device Based on Coupled Magnetic Resonance. 2012 , 48, 723-726 | 23 |
| 1933 | A novel coaxial loop resonator for wireless power transfer. 2012 , 22, 345-352 | 11 |
| 1932 | Acoustic Energy Transfer: A Review. 2013 , 60, 242-248 | 109 |
| 1931 | On traveling path and related problems for a mobile station in a rechargeable sensor network. 2013 , | 58 |
| 1930 | Mobile data gathering with Wireless Energy Replenishment in rechargeable sensor networks. 2013 , | 85 |
| 1929 | Low-power density wireless powering for battery-less sensors. 2013 , | 5 |
| 1928 | Far-field wireless power delivery and power management for low-power sensors. 2013 , | 8 |
| 1927 | . 2013 , | 1 |
| 1926 | Analysis of the Double-Layer Printed Spiral Coil for Wireless Power Transfer. 2013 , 1, 114-121 | 91 |
| 1925 | . 2013 , 60, 1670-1677 | 127 |
| 1924 | Effects and Properties of Contactless Power Transfer for HTS Receivers With Four-Separate Resonance Coils. 2013 , 23, 5500404-5500404 | 8 |
| 1923 | Optimized magnetic design for inductive power transfer coils. 2013 , | 82 |
| 1922 | Equivalent circuit characterization of resonant magnetic coupling for wireless transmission of electrical energy. 2013 , 41, 753-771 | 18 |

| | | |
|------|--|-----|
| 1921 | A Figure-of-Merit for Designing High-Performance Inductive Power Transmission Links. 2012 , 60, 5292-5305 | 94 |
| 1920 | Midfield Wireless Powering for Implantable Systems. 2013 , 101, 1369-1378 | 133 |
| 1919 | Three dimensional subwavelength focus by a near-field plate lens. 2013 , 102, 231119 | 15 |
| 1918 | On the efficient wireless power transfer in resonant multi-receiver systems. 2013 , | 10 |
| 1917 | Improving the efficiency of wireless power transfer systems using metamaterials. 2013 , | 1 |
| 1916 | . 2013 , | 10 |
| 1915 | Orientation insensitive power transfer by magnetic resonance for mobile devices. 2013 , | 46 |
| 1914 | Microwave-band wireless power transfer system using ceramic dielectric resonators. 2013 , | 1 |
| 1913 | 3-Coil resonance-based wireless power transfer system for implantable electronic. 2013 , | 2 |
| 1912 | Design of adaptive optimal load circuit for maximum wireless power transfer efficiency. 2013 , | 5 |
| 1911 | Frequency splitting analysis of magnetically-coupled resonant wireless power transfer. 2013 , | 19 |
| 1910 | Wireless Power Transfer: Literature survey. 2013 , | 5 |
| 1909 | Wireless Power Transfer for Medical Microsystems. 2013 , | 49 |
| 1908 | Introduction to the alliance for wireless power loosely-coupled wireless power transfer system specification version 1.0. 2013 , | 80 |
| 1907 | Study on Wireless Energy and Data Transmission for Long-Range Projectile. 2013 , 41, 1370-1375 | 14 |
| 1906 | Incident Electric Field Effect and Numerical Dosimetry for a Wireless Power Transfer System Using Magnetically Coupled Resonances. 2013 , 61, 3461-3469 | 52 |
| 1905 | Simultaneous data and power transmission in resonant wireless power system. 2013 , | 11 |
| 1904 | Wireless Power Transfer for Mobile Applications, and Health Effects [Telecommunications Health and Safety]. 2013 , 55, 250-253 | 39 |

| | | |
|------|--|-----|
| 1903 | PLL-Based Self-Adaptive Resonance Tuning for a Wireless-Powered Potentiometer. 2013 , 60, 392-396 | 7 |
| 1902 | Efficient Wireless Recharging in Sensor Networks. 2013 , | 1 |
| 1901 | Electric field coupling technique of wireless power transfer for electric vehicles. 2013 , | 18 |
| 1900 | A contribution to the wireless transmission of power. 2013 , 47, 235-242 | 13 |
| 1899 | Design of a zero-voltage-switching large-air-gap wireless charger with low electrical stress for Plugin Hybrid Electric Vehicles. 2013 , | 8 |
| 1898 | Electric vehicle on-road dynamic charging system with wireless power transfer technology. 2013 , | 31 |
| 1897 | Minimizing charging delay in wireless rechargeable sensor networks. 2013 , | 114 |
| 1896 | Antenna structures for wireless power transfer via resonance magnetic. 2013 , | 1 |
| 1895 | Wireless power transfer to mobile wearable device via resonance magnetic. 2013 , | 10 |
| 1894 | Extension of Time-Domain Finite Element Method to Nonlinear Frequency-Sweeping Problems. 2013 , 49, 1781-1784 | 2 |
| 1893 | A Multi-Slice Finite Element Model Including Distributive Capacitances for Wireless Magnetic Resonant Energy Transfer Systems With Circular Coils. 2013 , 49, 1857-1860 | 1 |
| 1892 | A Hybrid Optimal Design Strategy of Wireless Magnetic-Resonant Charger for Deep Brain Stimulation Devices. 2013 , 49, 2145-2148 | 10 |
| 1891 | . 2013 , 49, 3009-3019 | 2 |
| 1890 | Enhanced saturation magnetization of Fe ₃ Si nanodot-embedded Fe ₈₀ Si ₁₇ Nb ₃ flexible film for efficient wireless power transfer. 2013 , 140, 570-574 | 1 |
| 1889 | A New Low Radiation Wireless Transmission System in Mobile Phone Application Based on Magnetic Resonant Coupling. 2013 , 49, 3476-3479 | |
| 1888 | Calculation of Self-Resonant Spiral Coils for Wireless Power Transfer Systems With a Transmission Line Approach. 2013 , 49, 5035-5042 | 15 |
| 1887 | Handbook of Medical and Healthcare Technologies. 2013 , | 11 |
| 1886 | An improved wireless power transfer system with adaptive technique for Implantable Biomedical Devices. 2013 , | 9 |

| | | |
|------|---|----|
| 1885 | Simulation of multiple AUVs underwater wireless recharging. 2013, | |
| 1884 | Resonant Wireless Power Transfer: Investigation of radiating resonances. 2013, | 8 |
| 1883 | . 2013, | 15 |
| 1882 | Operating frequency selection for loosely coupled wireless power transfer systems with respect to RF emissions and RF exposure requirements. 2013, | 17 |
| 1881 | Assessment of magnetic field levels generated by a wireless power transfer (WPT) system at 20 kHz. 2013, | 9 |
| 1880 | Impact of mobility on energy provisioning in wireless rechargeable sensor networks. 2013, | 24 |
| 1879 | Vibration energy harvesting for wireless underground sensor networks. 2013, | 10 |
| 1878 | Increasing the RFID readability range using wireless power transmission enhancements. 2013, | 0 |
| 1877 | Throughput Optimization in Energy Sharing Wireless Sensor Networks. 2013, | 1 |
| 1876 | Experimental study of effects of coaxial cables in magnetic resonant wireless power transfer system. 2013, | |
| 1875 | Capacitive detuning optimization for wireless uplink communication in neural implants. 2013, | 4 |
| 1874 | Study of wireless power transfer link with metallic plates. 2013, | 0 |
| 1873 | Improvement of power output for efficient wireless power transfer by using a stacked coil array. 2013, | |
| 1872 | Effect of design parameters on resonant wireless energy transfer system. 2013, 27, 288-298 | 3 |
| 1871 | Overview of wireless power transfer for electric vehicle charging. 2013, | 42 |
| 1870 | Experimental analysis of double spiral resonator for wireless power transmission. 2013, | 2 |
| 1869 | Analysis on the efficiency of magnetic resonance coupling wireless charging for electric vehicles. 2013, | 2 |
| 1868 | Hexagonal clustering with mobile energy replenishment in wireless sensor networks. 2013, | |

| | | |
|------|--|-----|
| 1867 | Wireless power transfer: A brief review & update. 2013, | 2 |
| 1866 | Multi-vehicle Coordination for Wireless Energy Replenishment in Sensor Networks. 2013, | 50 |
| 1865 | Energy cooperation in energy harvesting two-way communications. 2013, | 23 |
| 1864 | Network pattern for mid-distance wireless power transfer in local area. 2013, | 1 |
| 1863 | Design, fabrication, and measurement of highly sub-wavelength double negative metamaterials at high frequencies. 2013, 113, 213712 | 8 |
| 1862 | Interaction between isolated resonators in near field channel. 2013, | |
| 1861 | Numerical assessment method for implantable cardiac pacemaker EMI triggered by 10MHz-band wireless power transfer coils. 2013, | 3 |
| 1860 | Scalable adaptive wireless powering of multiple electronic devices in an over-moded cavity. 2013, | 8 |
| 1859 | Wireless power transfer and applications to sensor networks. 2013, 20, 140-145 | 275 |
| 1858 | Wireless powering of utility equipments in a smart home using magnetic resonance. 2013, | 5 |
| 1857 | Optimized helix with ferrite core for wireless power transfer via resonance magnetic. 2013, | 2 |
| 1856 | Organic frequency doubler RFID tag exploiting 7.5-MHz wireless power transfer. 2013, | 3 |
| 1855 | Transmission strategies for joint wireless information and energy transfer in a two-user MIMO interference channel. 2013, | 6 |
| 1854 | Effect of hop counts on power division ratio in multi-hop power transfer via magnetic resonance. 2013, | 13 |
| 1853 | Rigorous modeling of mid-range wireless power transfer systems based on royer oscillators. 2013, | 15 |
| 1852 | Impedance matching method for any-hop straight wireless power transmission using magnetic resonance. 2013, | 15 |
| 1851 | Basic study of magnetic resonance coupling-based distance sensor with adjustable sensing range using active quality factor control. 2013, | 1 |
| 1850 | NETWRAP: An NDN Based Real Time Wireless Recharging Framework for Wireless Sensor Networks. 2013, | 7 |

| | | |
|------|---|-----|
| 1849 | . 2013, | 7 |
| 1848 | Design of rectifier with comparator using unbalanced body biasing for wireless power transfer. 2013, | |
| 1847 | Improvement of power gain for efficient wireless power transmission by using 2Tx2Rx coil array. 2013, | 1 |
| 1846 | Multi-hop wireless charging optimization in low-power networks. 2013, | 20 |
| 1845 | Design considerations for wireless electric vehicle charging. 2013, | 11 |
| 1844 | Efficient wireless power transfer system by using highly sub-wavelength negative-index metamaterials. 2013, | 4 |
| 1843 | Efficiency analysis of contactless electrical power transmission systems. 2013, 65, 487-496 | 26 |
| 1842 | A Fast Algorithm for Frequency-Domain Solutions of Electromagnetic Field Computation of Electric Devices Using Time-Domain Finite-Element Method. 2013, 49, 530-535 | 8 |
| 1841 | . 2013, 60, 339-349 | 175 |
| 1840 | A Study on Magnetic Field Repeater in Wireless Power Transfer. 2013, 60, 360-371 | 214 |
| 1839 | Maximizing DC-to-Load Efficiency for Inductive Power Transfer. 2013, 28, 2437-2447 | 247 |
| 1838 | Equivalent circuits for repeater antennas used in wireless power transfer via magnetic resonance coupling. 2013, 183, 51-62 | 1 |
| 1837 | Indoor wireless power transfer using asymmetric directly-strong-coupling mechanism. 2013, 55, 250-253 | 4 |
| 1836 | Joint Wireless Information and Energy Transfer in a Two-User MIMO Interference Channel. 2013, 12, 4210-4221 | 160 |
| 1835 | Modern Trends in Inductive Power Transfer for Transportation Applications. 2013, 1, 28-41 | 704 |
| 1834 | Inductive contactless power transfer system with coaxial coreless transformer for dc power distribution. 2013, | 8 |
| 1833 | Magnetic resonance wireless power transfer system for practical mid-range distance powering scenario references. 2013, | |
| 1832 | Principle Elaboration and System Structure Validation of Wireless Power Transfer via Strongly Coupled Magnetic Resonances. 2013, | 6 |

| | | |
|------|---|-----|
| 1831 | Portable battery charging circuits for enhanced magnetic resonance Wireless Power Transfer (WPT) system. 2013, | 2 |
| 1830 | Wireless power transfer system for high power application and a method of segmentation. 2013, | 6 |
| 1829 | Design of energy feedback mode wireless charging system for electric vehicles. 2013, | |
| 1828 | Wireless desalination using inductively powered porous carbon electrodes. 2013, 120, 6-11 | 6 |
| 1827 | HEMS Assisted by a Sensor Network Having an Efficient Wireless Power Supply. 2013, 49, 974-977 | 2 |
| 1826 | Near Field Resonator Isolation System: Theory to Implementation. 2013, 60, 1175-1187 | 3 |
| 1825 | . 2013, 17, 529-532 | 11 |
| 1824 | Wireless Power Transfer in Concrete via Strongly Coupled Magnetic Resonance. 2013, 61, 1378-1384 | 68 |
| 1823 | Selected problems of power sources for wireless sensors networks [instrumentation notes]. 2013, 16, 37-43 | 10 |
| 1822 | . 2013, 101, 1290-1301 | 325 |
| 1821 | Rapid Wireless Capacitor Charging Using a Multi-Tapped Inductively-Coupled Secondary Coil. 2013, 60, 2263-2272 | 36 |
| 1820 | Enabling Seamless Wireless Power Delivery in Dynamic Environments. 2013, 101, 1343-1358 | 121 |
| 1819 | Low-Power Far-Field Wireless Powering for Wireless Sensors. 2013, 101, 1397-1409 | 150 |
| 1818 | . 2013, 101, 1321-1331 | 190 |
| 1817 | . 2013, 101, 1359-1368 | 120 |
| 1816 | Microwave Power Transmission: Historical Milestones and System Components. 2013, 101, 1379-1396 | 139 |
| 1815 | . 2013, 14, 55-62 | 64 |
| 1814 | Optimizing Power Transfer Efficiency and Bandwidth for Near Field Communication Systems. 2013, 61, 927-933 | 14 |

| | | |
|------|---|-----|
| 1813 | Effect of Coupling Between Multiple Transmitters or Multiple Receivers on Wireless Power Transfer. 2013 , 60, 2602-2613 | 229 |
| 1812 | Issues and Initiatives for Practical Deployment of Wireless Power Transfer Technologies in Japan. 2013 , 101, 1312-1320 | 35 |
| 1811 | Coil Design and Shielding Methods for a Magnetic Resonant Wireless Power Transfer System. 2013 , 101, 1332-1342 | 252 |
| 1810 | High-Efficiency Wireless Power Transfer for Biomedical Implants by Optimal Resonant Load Transformation. 2013 , 60, 867-874 | 204 |
| 1809 | Midfield wireless powering of subwavelength autonomous devices. 2013 , 110, 203905 | 71 |
| 1808 | . 2013 , 101, 1482-1493 | 100 |
| 1807 | A wireless and batteryless microsystem with implantable grid electrode/3-dimensional probe array for ECoG and extracellular neural recording in rats. 2013 , 13, 4624-39 | 27 |
| 1806 | Implantable RF telemetry for cardiac monitoring in the murine heart: a tutorial review. 2013 , 2013, | 11 |
| 1805 | A low-frequency versatile wireless power transfer technology for biomedical implants. 2013 , 7, 526-35 | 72 |
| 1804 | Contactless Energy Transfer Systems Using Antiparallel Resonant Loops. 2013 , 60, 350-359 | 86 |
| 1803 | Close Proximity Effects of Metallic Environments on the Antiparallel Resonant Coil for Near-Field Powering. 2013 , 61, 3400-3403 | 12 |
| 1802 | u-Healthcare system: state-of-the-art review and challenges. 2013 , 37, 9949 | 119 |
| 1801 | Experimental demonstration of the equivalence of inductive and strongly coupled magnetic resonance wireless power transfer. 2013 , 102, 053904 | 51 |
| 1800 | Wireless sensor networks for rehabilitation applications: Challenges and opportunities. 2013 , 36, 1-15 | 100 |
| 1799 | Experimental verification and analysis of AC-DC converter with an input impedance matching for wireless power transfer systems. 2013 , | 3 |
| 1798 | Frequency drift reduction through alternating magnetic field between coupled resonators in power transfer systems. 2013 , | |
| 1797 | Near Optimal Charging and Scheduling Scheme for Stochastic Event Capture with Rechargeable Sensors. 2013 , | 32 |
| 1796 | Resonant magnetic coupling indoor localization system. 2013 , | 7 |

| | | |
|------|---|-----|
| 1795 | Charging electrical vehicles with wireless power transmission. 2013, | |
| 1794 | Magnetic resonant coupling for magnetic induction wireless communication. 2013, 59, 624 | 2 |
| 1793 | Future wireless power transportation system. 2013, | 1 |
| 1792 | Efficient low-frequency integral equation solver for wireless power transfer modeling. 2013, | 0 |
| 1791 | Interference analysis on Resonant Inductive Coupled Wireless Power Transfer links. 2013, | 3 |
| 1790 | Maximizing efficiency through impedance matching from a circuit-centric model of non-radiative resonant wireless power transfer. 2013, | 14 |
| 1789 | Energy Cooperation in Energy Harvesting Communications. 2013, 61, 4884-4898 | 189 |
| 1788 | Series-series compensated wireless power transfer at two different resonant frequencies. 2013, | 18 |
| 1787 | Design challenges of the wireless power transfer for medical microsystems. 2013, | 3 |
| 1786 | A 13.56 MHz wireless power transmission systems with enhancement-mode GaN high electron mobility transistors. 2013, | 1 |
| 1785 | Analysis of inductive coupling coils for extending distances of efficient wireless power transmission. 2013, | 6 |
| 1784 | The Interaction Research of Smart Grid and EV Based Wireless Charging. 2013, | 19 |
| 1783 | Experimental verifications and desing procedure of an AC-DC converter with input impedance matching for wireless power transfer systems. 2013, | 1 |
| 1782 | Metal-loop effects in wireless power transfer systems analyzed by simulation and theory. 2013, | 9 |
| 1781 | Impedance transformers for compact and robust coupled magnetic resonance systems. 2013, | 4 |
| 1780 | A novel resonator for robust lateral-misalignment of magnetic resonance wireless power link. 2013, | |
| 1779 | Wireless power transmission for oil well applications. 2013, | 2 |
| 1778 | Measurement of wireless power transfer. 2013, | 1 |

| | | |
|------|---|-----|
| 1777 | Multi-band wireless power transfer via resonance magnetic. 2013, | 4 |
| 1776 | Wireless Energy and Data Transfer for In-Vivo Epileptic Focus Localization. 2013, 13, 4172-4179 | 41 |
| 1775 | To improve wireless power transmission efficiency by using coil arrays. 2013, | 2 |
| 1774 | General Analysis on the Use of Tesla's Resonators in Domino Forms for Wireless Power Transfer. 2013, 60, 261-270 | 211 |
| 1773 | Wireless Charging of a Supercapacitor Model Vehicle Using Magnetic Resonance Coupling. 2013, | 2 |
| 1772 | Design of a zero-voltage-switching large-air-gap wireless charger with low electric stress for electric vehicles. 2013, 6, 1742-1750 | 49 |
| 1771 | Flooding attack in energy harvesting wireless sensor networks. 2013, | 6 |
| 1770 | Efficient, distributed coordination of multiple mobile chargers in sensor networks. 2013, | 12 |
| 1769 | Adaptive, limited knowledge wireless recharging in sensor networks. 2013, | 1 |
| 1768 | eLighthouse: Enhance Solar Power Coverage in Renewable Sensor Networks. 2013, 9, 256569 | 5 |
| 1767 | Multi-loop coil supporting uniform mutual inductances for free-positioning WPT. 2013, 49, 417-419 | 27 |
| 1766 | Design of magnetic coupler for EVs' wireless charging. 2013, 43, 195-205 | 7 |
| 1765 | Frequency-Domain Circuit Model and Analysis of Coupled Magnetic Resonance Systems. 2013, 13, 275-286 | 17 |
| 1764 | Frequency-agile load-modulated magnetic resonance wireless power transfer system for reliable near-field in-band signalling. 2013, 49, 1558-1559 | 1 |
| 1763 | Multiple-Input Single-Output Wireless Power Transmission System for Coal Mine Application. 2013, 462-463, 900-904 | 3 |
| 1762 | Wireless optical energy transmission using optical beamforming. 2013, 52, 043205 | 10 |
| 1761 | Contactless Charging Technology of Electric Vehicle. 2013, 291-294, 907-910 | |
| 1760 | Network Analysis and Impedance Matching Methods for Wireless Power Transfer via Coupled Magnetic Resonances. 2013, 437, 301-305 | 1 |

| | | |
|------|---|----|
| 1759 | Improving the Transfer Efficiency of a Wireless Energy Transfer System Using Multiple Coils. 2013 , 860-863, 2275-2278 | |
| 1758 | Wireless Power and Information Synchronous Transmission Technology Based on Magnetic Resonance. 2013 , 300-301, 615-620 | |
| 1757 | . 2013 , | |
| 1756 | A novel two-port network model for RCPT system. 2013 , 33, 157-166 | 0 |
| 1755 | Research on Wireless Power Transmission Based on Magnetic Resonance Coupling. 2013 , 811, 651-656 | |
| 1754 | A magnetic resonant loop antenna to enhance the operating distance of 13.56MHz RFID systems. 2013 , | |
| 1753 | Electrowetting-on-Dielectric by Wireless Powering. 2013 , 34, 140-150 | 6 |
| 1752 | Design, implementation and measurement of board-to-board wireless power transfer (WPT) for low voltage applications. 2013 , | 7 |
| 1751 | Wirelessly powering miniature implants for optogenetic stimulation. 2013 , 103, 163701 | 36 |
| 1750 | Bundling mobile base station and wireless energy transfer: Modeling and optimization. 2013 , | 65 |
| 1749 | A planarized, capacitor-loaded loop structure for wireless power transfer. 2013 , | |
| 1748 | Increasing the radiation efficiency and resistance of electrically small spherical helical antenna for wireless power transfer. 2013 , | 0 |
| 1747 | A practical solution to wireless energy transfer in WSNs. 2013 , | |
| 1746 | Strongly coupled resonance magnetic for RFID applications. 2013 , | 2 |
| 1745 | Preliminary study of wireless power transmission for biomedical devices inside a human body. 2013 , | 1 |
| 1744 | Optimal Scheduling for Quality of Monitoring in Wireless Rechargeable Sensor Networks. 2013 , 12, 3072-3084 | 65 |
| 1743 | New concept of an electromagnetic usage for contactless communication and power transmission in the ocean. 2013 , | 21 |
| 1742 | Electromagnetic interference shielding effects in wireless power transfer using magnetic resonance coupling for board-to-board level interconnection. 2013 , | 7 |

| | | |
|------|---|----|
| 1741 | Coupling effects to power transfer characteristic of resonance four-coil system. 2013, | |
| 1740 | Simulation platform for electromagnetic optimization of wireless environments. 2013, | |
| 1739 | Behavior of Low Frequency Signal Through Stainless Steel Enclosures in Noncontact Safety Switch Application. 2013, 13, 299-305 | |
| 1738 | Optimum design of coil for wireless energy transmission system based on resonant coupling. 2013, | 4 |
| 1737 | Design and simulation of networks for midrange wireless power transfer. 2013, | 1 |
| 1736 | Passive resonators for wireless passive sensor readout enhancement. 2013, 103, 133502 | 35 |
| 1735 | Wireless power transfer through strongly Coupled Electric Resonance. 2013, | 2 |
| 1734 | Preliminary development of an Energy Logistics as a new wireless power transmission method. 2013, | 1 |
| 1733 | Wireless power transfer in the presence of metallic plates: Experimental results. 2013, 3, 062102 | 25 |
| 1732 | Fueling Wireless Networks perpetually: A case of multi-hop wireless power distribution*. 2013, | 8 |
| 1731 | Fundamental verification of a single-to-single phase direct power converter for wireless power transfer systems. 2013, | 1 |
| 1730 | Accurate analysis method of wireless power transfer system with multiple relays. 2013, | 1 |
| 1729 | P.106: Magnetic Resonant Wireless Power Transmission to Thin OLED Lighting Panel. 2013, 44, 1388-1391 | 0 |
| 1728 | Simulation and experiment analysis on wireless power transfer based on square spiral resonator. 2013, | |
| 1727 | Multiple access and two-way channels with energy harvesting and bi-directional energy cooperation. 2013, | 18 |
| 1726 | Compact magnetic coupled resonator with high efficiency during misaligned wireless power transmission. 2013, 27, 1942-1948 | 4 |
| 1725 | Analysis of structure and parameters in wireless power transmission system with consideration of losses in source. 2013, | |
| 1724 | Control of plasma density distribution via wireless power transfer in an inductively coupled plasma. 2013, 22, 032002 | 6 |

| | | |
|------|--|----|
| 1723 | Wireless power transfer for small scale application. 2013, | 2 |
| 1722 | Wireless powering management by analog circuitry based in-band signaling controller. 2013, | |
| 1721 | Load matching analysis of magnetically-coupled resonant wireless power transfer. 2013, | 11 |
| 1720 | Optimal positioning of repeater resonator for mid-range magnetic resonance wireless power link. 2013, | 1 |
| 1719 | Wireless power transmission technology for mobile devices. 2013, 10, 20132010-20132010 | 6 |
| 1718 | An UHF-Band wireless power transfer system for structural health monitoring sensor network. 2013, 2, 55-61 | |
| 1717 | Basic characteristics of Magnetic resonance wireless power transfer system excited by a 0 ohm power source. 2013, 10, 20132008-20132008 | 17 |
| 1716 | Wireless data and power transmission aiming intracranial epilepsy monitoring. 2013, | 4 |
| 1715 | Wireless Power Transfer for Cell Phones or Other Mobile Communication Devices and Biological Implications [TCC Tidbits]. 2013, 14, 18-22 | 9 |
| 1714 | Optimization procedure of complex permeability for a wireless power transfer system. 2013, | 1 |
| 1713 | Electrodynamic wireless power transmission to a torsional receiver. 2013, 476, 012004 | 8 |
| 1712 | Analysis, Design and Realization of a Near-Field Focused RF Power Transfer System. 2013, 476, 012118 | 7 |
| 1711 | DC MAGNETIC CONCENTRATOR AND OMNIDIRECTIONAL CASCADED CLOAK BY USING ONLY ONE OR TWO HOMOGENEOUS ANISOTROPIC MATERIALS OF POSITIVE PERMEABILITY. 2013, 142, 683-699 | 16 |
| 1710 | THEORETICAL ANALYSIS OF RESONANT WIRELESS POWER TRANSMISSION LINKS COMPOSED OF ELECTRICALLY SMALL LOOPS. 2013, 143, 485-501 | 5 |
| 1709 | ENHANCEMENT OF WIRELESS POWER TRANSMISSION INTO BIOLOGICAL TISSUES USING A HIGH SURFACE IMPEDANCE GROUND PLANE. 2013, 135, 123-136 | 8 |
| 1708 | LOOP SWITCHING TECHNIQUE FOR WIRELESS POWER TRANSFER USING MAGNETIC RESONANCE COUPLING. 2013, 138, 197-209 | 28 |
| 1707 | A MAGNETO-INDUCTIVE LINK BUDGET FOR WIRELESS POWER TRANSFER AND INDUCTIVE COMMUNICATION SYSTEMS. 2013, 37, 15-28 | 16 |
| 1706 | Simulation Study on Coil Design of Wireless Power Transfer System for Optimal Transmission Efficiency. 2013, 5, 5039-5041 | 3 |

| | | |
|------|--|----|
| 1705 | DESIGN OF A WIRELESS POWER TRANSFER SYSTEM FOR HIGH POWER MOVING APPLICATIONS. 2013 , 28, 258-271 | 14 |
| 1704 | EXPERIMENTAL STUDY OF EFFICIENT WIRELESS POWER TRANSFER SYSTEM INTEGRATING WITH HIGHLY SUB-WAVELENGTH METAMATERIALS. 2013 , 141, 769-784 | 26 |
| 1703 | Simulation of Magnetic Resonance for Wireless Power Transfer. 2013 , 5, 1578-1582 | |
| 1702 | . 2013 , | 16 |
| 1701 | Experimental Demonstration of Coexistence of Microwave Wireless Communication and Power Transfer Technologies for Battery-Free Sensor Network Systems. 2013 , 2013, 1-10 | 5 |
| 1700 | Spherical Helices for Resonant Wireless Power Transfer. 2013 , 2013, 1-12 | 3 |
| 1699 | Practical Coupled Resonators in Domino Arrangements for Power Transmission and Distribution: Replacing Step-Down Power Transformers and Their Branches across the Power Grid. 2013 , 2013, 1-25 | 2 |
| 1698 | EXPERIMENTAL REALIZATION OF STRONG DC MAGNETIC ENHANCEMENT WITH TRANSFORMATION OPTICS (Invited Paper). 2014 , 146, 187-194 | 9 |
| 1697 | STUDY OF RESONANCE-BASED WIRELESS ELECTRIC VEHICLE CHARGING SYSTEM IN CLOSE PROXIMITY TO METALLIC OBJECTS. 2014 , 37, 183-189 | 1 |
| 1696 | INVESTIGATION OF WIRELESS POWER TRANSFER USING PLANARIZED, CAPACITOR-LOADED COUPLED LOOPS. 2014 , 148, 223-231 | 5 |
| 1695 | ENERGY TRANSFER FOR IMPLANTABLE ELECTRONICS IN THE ELECTROMAGNETIC MIDFIELD (Invited Paper). 2014 , 148, 151-158 | 12 |
| 1694 | The European Legislation Applicable to Medium-Range Inductive Wireless Power Transmission Systems. 2014 , 2014, 1-10 | |
| 1693 | Parameters optimization for magnetic resonance coupling wireless power transmission. 2014 , 2014, 321203 | 3 |
| 1692 | Overview of Wireless Charging Technologies for Electric Vehicles. 2014 , 12, 1679-1685 | 24 |
| 1691 | Design and Construction of a Brain-Like Computer: A New Class of Frequency-Fractal Computing Using Wireless Communication in a Supramolecular Organic, Inorganic System. 2014 , 5, 28-100 | 26 |
| 1690 | Electromagnetic Radiation Energy Harvesting [The Rectenna Based Approach. 2014 , | 5 |
| 1689 | A GENERAL SOLUTION TO WIRELESS POWER TRANSFER BETWEEN TWO CIRCULAR LOOP. 2014 , 148, 171-182 | 9 |
| 1688 | Wireless control and selection of forces and torques--towards wireless engines. 2014 , 4, 5681 | 9 |

| | | |
|------|--|----|
| 1687 | Efficient data collection for wireless rechargeable sensor clusters in Harsh terrains using UAVs. 2014, | 38 |
| 1686 | Wireless Power Transmission System Based on Magnetic Inductive Resonance of Couple Circuit. 2014, | 0 |
| 1685 | Analysis of in situ electric field and specific absorption rate in human models for wireless power transfer system with induction coupling. 2014, 59, 3721-35 | 22 |
| 1684 | A novel method for omnidirectional wireless power transmission. 2014, | |
| 1683 | QoS-aware data transmission and wireless energy transfer: Performance modeling and optimization. 2014, | 6 |
| 1682 | Transfer efficiency analysis of magnetic resonance wireless power transfer with intermediate resonant coil. 2014, 115, 17A336 | 13 |
| 1681 | Several-hundred-kHz single-phase to commercial frequency three-phase matrix converter using delta-sigma modulation with space vector. 2014, | 2 |
| 1680 | Influences of Spurious Conductors on Long Distance Inductive Power Transfer Systems. 2014, | 3 |
| 1679 | Analysis and design of broadband Wireless Power Transmission system via conformal Strongly Coupled Magnetic Resonance. 2014, | 0 |
| 1678 | Voltage control of inductive contactless power transfer system with coaxial coreless transformer for DC power distribution. 2014, | 3 |
| 1677 | SAR assessment of a human body exposed to electromagnetic fields from a wireless power transfer system in 10 MHz band. 2014, | 5 |
| 1676 | Unveiling nonlinear dynamics in resonant inductively coupled wireless power transfer. 2014, | 4 |
| 1675 | Design of high efficiency wireless power transmission system at low resonant frequency. 2014, | 2 |
| 1674 | Bibliography. 2014, 213-236 | |
| 1673 | Electrodynamic Wireless Power Transmission to Rotating Magnet Receivers. 2014, 557, 012136 | 10 |
| 1672 | Rechargeable Sensor Networks with Magnetic Resonant Coupling. 2014, 31-68 | 0 |
| 1671 | An Efficient Routing Algorithm to Optimize the Lifetime of Sensor Network Using Wireless Charging Vehicle. 2014, | 2 |
| 1670 | Electric vehicle wireless charging technology: a state-of-the-art review of magnetic coupling systems. 2014, 1, 87-96 | 73 |

| | | |
|------|--|-----|
| 1669 | Evaluation on use of modulated signal for Microwave Power Transmission. 2014, | 10 |
| 1668 | Wireless power charging on electric vehicles. 2014, | 3 |
| 1667 | . 2014, | 9 |
| 1666 | Sensors with lasers: Building a WSN power grid. 2014, | 4 |
| 1665 | Efficient wireless power transfer using underground relay coils. 2014, | 8 |
| 1664 | Back-to-back patch antennas for intelligent door lock with high isolation. 2014, | 0 |
| 1663 | Multilayer ceramic coil for wireless power transfer system by photo resist film process. 2014, | 1 |
| 1662 | Coil enhancements for high efficiency wireless power transfer applications. 2014, | 8 |
| 1661 | Schedulability decision of charging missions in wireless rechargeable sensor networks. 2014, | 10 |
| 1660 | Experimental Research on the Influence of Transmission Parameters on the Transmission Performance of Magnetic Resonance Wireless Power Transmission Systems. 2014, 551, 393-398 | |
| 1659 | Simulation of the recharging method of implantable biosensors based on a wearable incoherent light source. 2014, 14, 20687-701 | 5 |
| 1658 | Theoretical Study on the Influence of Transmission Parameters on the Transmission Performance of Magnetic Resonance Wireless Power Transmission Systems. 2014, 926-930, 434-439 | |
| 1657 | Electromagnetic interference and radiation from wireless power transfer systems. 2014, | 9 |
| 1656 | Optimum design of Wpt relay system by controlling capacitance. 2014, 56, 1658-1661 | 6 |
| 1655 | A Critical Review of Wireless Power Transfer via Strongly Coupled Magnetic Resonances. 2014, 7, 4316-4341 | 121 |
| 1654 | Design and Implementation of Removable and Closed-Shape Dual-Ring Pickup for Contactless Linear Inductive Power Track System. 2014, 50, 4036-4046 | 8 |
| 1653 | Miniaturized resonant structure for wireless power transfer system based on high-Q bulk acoustic resonator. 2014, 56, 531-535 | |
| 1652 | Eye vision system using programmable micro-optics and micro-electronics. 2014, | |

| | | |
|------|---|----|
| 1651 | Conceptual design of contactless power transfer into HTS receiver coil using normal conducting resonance antenna. 2014 , 63, 209-214 | 7 |
| 1650 | On optimal scheduling of multiple mobile chargers in wireless sensor networks. 2014 , | 10 |
| 1649 | A rat model of thrombosis in common carotid artery induced by implantable wireless light-emitting diode device. 2014 , 2014, 724134 | 6 |
| 1648 | Energy Harvesting and Power Delivery. 2014 , 237-272 | 4 |
| 1647 | Wireless power transmission based on resonant electrical coupling. 2014 , | 3 |
| 1646 | Efficient performance optimisation of wireless power transmission using genetic algorithm. 2014 , 50, 462-464 | 12 |
| 1645 | Application of wireless power transmission systems in wireless capsule endoscopy: an overview. 2014 , 14, 10929-51 | 52 |
| 1644 | Controlling the resonances of indefinite materials for maximizing efficiency in wireless power transfer. 2014 , 56, 867-875 | 13 |
| 1643 | Effective initial channel access in dense loosely coupled wireless charging pad environments. 2014 , 50, 461-462 | 3 |
| 1642 | Highly efficient wireless power transfer using metamaterial slab with zero refractive property. 2014 , 50, 1158-1160 | 19 |
| 1641 | Wireless Information and Energy Transfer in Multi-Antenna Interference Channel. 2014 , 62, 6249-6264 | 89 |
| 1640 | Investigation of near-field wireless power transfer between two efficient electrically small planar antennas. 2014 , | 1 |
| 1639 | Characteristic Research on Wireless Power Transfer Based on Magnetic Coupling Resonant. 2014 , 687-691, 3379-3382 | |
| 1638 | Modelling and Practical Implementation of 2-Coil Wireless Power Transfer Systems. 2014 , 2014, 1-8 | 7 |
| 1637 | Design and simulation of wireless stationary charging system for hybrid electric vehicle using inductive power pad in parking garage. 2014 , | 3 |
| 1636 | Design and implementation of weaving-type pad for contactless EV inductive charging system. 2014 , 7, 2533-2542 | 17 |
| 1635 | Basic development of magnetic resonance coupling-based distance sensor with adjustable sensing range using active quality factor control. 2014 , | |
| 1634 | Inductive charging station for Ebike Clever Mobility: A research project. 2014 , | 0 |

| | | |
|------|---|----|
| 1633 | Interaction between humans and wireless power transfer systems. 2014, | |
| 1632 | On-demand energy replenishment for sensor networks via wireless energy transfer. 2014, | 13 |
| 1631 | Estimation of lateral displacement of electric vehicle to an alignment of wireless power transmitters. 2014, | 5 |
| 1630 | Fault tolerance analysis of autonomous network nodes. 2014, | |
| 1629 | The energy harvesting and energy cooperating two-way channel with finite-sized batteries. 2014, | 10 |
| 1628 | A novel control method for electric vehicle wireless charging based on load detection. 2014, | |
| 1627 | A High-Frequency Resonant Converter Based on the Class Phi2 Inverter for Wireless Power Transfer. 2014, | 9 |
| 1626 | MSR: Minimum-Stop Recharging Scheme for Wireless Rechargeable Sensor Networks. 2014, | 2 |
| 1625 | Contactless Ultrasonic Energy Transfer: Acoustic-Piezoelectric Structure Interaction Modeling and Performance Enhancement. 2014, | |
| 1624 | Antenna characterization for wireless power transfer using near-field coupling of multi-antenna. 2014, | 1 |
| 1623 | FEM simulation and experiment of a novel shielding structure of wireless power transfer system. 2014, | |
| 1622 | Comprehensive Analysis and Measurement of Frequency-Tuned and Impedance-Tuned Wireless Non-Radiative Power-Transfer Systems. 2014, 56, 131-148 | 20 |
| 1621 | Resonant cavity mode enabled wireless power transfer. 2014, 105, 243902 | 34 |
| 1620 | A pulse power generator based resonant converter for inductive power transfer. 2014, | |
| 1619 | A Magnetic Resonant Coupling Wireless Power Transmission System under Different Load Conditions. 2014, | 0 |
| 1618 | Performance comparisons of emerging move-and-charge technologies for electric vehicles. 2014, | |
| 1617 | . 2014, | 45 |
| 1616 | Electrostatic discharge (ESD) effects on wireless power transfer using magnetic resonance coupling. 2014, | |

| | | |
|------|---|----|
| 1615 | Experimental verification of wireless charging system for vehicle application using EDLCs. 2014, | 1 |
| 1614 | Optimal energy replenishment and data collection in wireless rechargeable sensor networks. 2014, | 10 |
| 1613 | Opportunistic wireless charging for mobile social and sensor networks. 2014, | 14 |
| 1612 | Prolonging the MANET lifetime through wireless energy transfer using high powered and native powered mobile nodes. 2014, | 0 |
| 1611 | A 99%-efficiency GaN converter for 6.78 MHz magnetic resonant wireless power transfer system. 2014, 2014, 598-600 | 8 |
| 1610 | Comprehensive Analysis and Measurement of Frequency-Tuned and Impedance-Tuned Wireless Non-Radiative Power-Transfer Systems. 2014, 56, 44-60 | 14 |
| 1609 | Total broadband transmission of microwaves through a subwavelength aperture by localized E-field coupling of split-ring resonators. 2014, 22, 27136-43 | 11 |
| 1608 | Analysis of resonance based Wireless Power Transmission using circuit theory approach. 2014, | 0 |
| 1607 | Optimal decentralized control policy for wireless communication systems with wireless energy transfer capability. 2014, | 7 |
| 1606 | Noise performance of magneto-inductive cables. 2014, 116, 034503 | 5 |
| 1605 | Wireless power transmission characteristics for implantable devices inside a human body. 2014, | 2 |
| 1604 | Programming wireless recharging for target-oriented rechargeable sensor networks. 2014, | 4 |
| 1603 | Cooperative bidding of data transmission and wireless energy transfer. 2014, | 3 |
| 1602 | A Literature Review in Dynamic Wireless Power Transfer for Electric Vehicles: Technology and Infrastructure Integration Challenges. 2014, 289-298 | 23 |
| 1601 | Magnetically coupled resonant using Mn-Zn ferrite for wireless power transfer. 2014, | 6 |
| 1600 | System design of electric assisted bicycle using EDLCs and wireless charger. 2014, | 11 |
| 1599 | Contactless ultrasonic energy transfer for wireless systems: acoustic-piezoelectric structure interaction modeling and performance enhancement. 2014, 23, 125032 | 44 |
| 1598 | Mie-resonance-coupled total broadband transmission through a single subwavelength aperture. 2014, 104, 204103 | 14 |

| | | |
|------|---|----|
| 1597 | Maximizing charging throughput in rechargeable sensor networks. 2014, | 34 |
| 1596 | A contactless induction system for battery recharging of autonomous vehicles. 2014, | 5 |
| 1595 | Printable and Conformal Strongly Coupled Magnetic Resonant systems for wireless powering. 2014 | 10 |
| 1594 | A novel planar wireless power transfer system with strong coupled magnetic resonances. 2014, | 4 |
| 1593 | Inductive power transmission for wireless sensor networks supply. 2014, | 9 |
| 1592 | Frequency dependence of magnetic flux profile in the presence of metamaterials for wireless power transfer. 2014, | 2 |
| 1591 | Single frequency wireless power transfer and full-duplex communication system for intracranial epilepsy monitoring. 2014, 45, 1595-1602 | 10 |
| 1590 | Modeling of electromagnetic interference shielding materials in wireless power transfer for board-to-board level interconnections. 2014, | 2 |
| 1589 | Design of tunable optimal load circuit for maximum wireless power transfer efficiency. 2014, 56, 2619-2622 | 4 |
| 1588 | Towards Perpetual Sensor Networks via Deploying Multiple Mobile Wireless Chargers. 2014, | 24 |
| 1587 | A Wireless Power Transfer system optimized for high efficiency and high power applications. 2014, | 2 |
| 1586 | Advanced near field communication with resonant coupling. 2014, | |
| 1585 | Extending the remote distance of LC passive wireless sensors via strongly coupled magnetic resonances. 2014, 24, 125021 | 36 |
| 1584 | Convex Optimization of Wireless Power Transfer Systems With Multiple Transmitters. 2014, 62, 4623-4636 | 57 |
| 1583 | SCAPE: Safe Charging with Adjustable Power. 2014, | 16 |
| 1582 | AC-DC converter for wireless power transmission of energy harvesting system. 2014, | 0 |
| 1581 | Energy harvesting from ambient low-frequency magnetic field using magneto-mechano-electric composite cantilever. 2014, 104, 032908 | 91 |
| 1580 | Distributive radiation characterization based on the PEEC method. 2014, | |

| | | |
|------|---|----|
| 1579 | . 2014, | 2 |
| 1578 | Modified mu-zero resonator for efficient wireless power transfer. 2014, 8, 912-920 | 3 |
| 1577 | Experimental investigation of compact metamaterial for high efficiency mid-range wireless power transfer applications. 2014, 116, 043914 | 78 |
| 1576 | nShield. 2014, | 14 |
| 1575 | Maintaining sensor networks perpetually via wireless recharging mobile vehicles. 2014, | 4 |
| 1574 | A Composite Approach to Self-Sustainable Transmissions: Rethinking OFDM. 2014, 62, 3904-3917 | 22 |
| 1573 | A review on high frequency resonant inverter technologies for wireless power transfer using magnetic resonance coupling. 2014, | 16 |
| 1572 | A study on solutions for wireless energy transfer limitations. 2014, | 2 |
| 1571 | A Drive-by-Microwave isolated gate driver with gate current charge for IGBTs. 2014, | 3 |
| 1570 | Theoretical assessment of the maximum obtainable power in wireless power transfer constrained by human body exposure limits in a typical room scenario. 2014, 59, 3453-64 | 8 |
| 1569 | The power loss analysis for resonant wireless power transfer. 2014, | 1 |
| 1568 | Spiral resonators for optimally efficient strongly coupled magnetic resonant systems. 2014, 1, 21-26 | 8 |
| 1567 | Analysis and Research of Distance Transmission Characteristics of Magnetic Resonance WPT System. 2014, | 1 |
| 1566 | Joint charging and rate allocation for utility maximization in sustainable sensor networks. 2014, | 6 |
| 1565 | Effectiveness of Magnetic Sheets in Suppressing Magnetic Leakage in Automobile Wireless Energy Transfer Systems. 2014, 90, 51-56 | |
| 1564 | Automatic frequency tuning wireless charging system for enhancement of efficiency. 2014, 50, 1868-1870 | 16 |
| 1563 | Power and weight considerations in small, agile quadrotors. 2014, | 12 |
| 1562 | Analysis of Wireless Energy Transmission Characteristics via Magnetic Resonances Based on Mutual Inductance Model. 2014, 513-517, 3489-3495 | 0 |

| | | |
|------|--|-----|
| 1561 | Reducing the impact of source internal resistance by source coil in resonant wireless power transfer. 2014, | 5 |
| 1560 | Experimental realization of magnetic energy concentration and transmission at a distance by metamaterials. 2014, 105, 234101 | 34 |
| 1559 | Surrogate-based optimization of efficient resonant wireless power transfer links using conjugate image impedances. 2014, | 1 |
| 1558 | Left ventricular assist device (lvad) design features: literature review. 2014, 14, | 0 |
| 1557 | Analysis of impedance matched circuit for wireless power transfer. 2014, | 4 |
| 1556 | A Comparative Study Between Novel and Conventional Four-Resonator Coil Structures in Wireless Power Transfer. 2014, 50, 1-4 | 7 |
| 1555 | Frequency Splitting Phenomena of Magnetic Resonant Coupling Wireless Power Transfer. 2014, 50, 1-4 | 56 |
| 1554 | Wireless Power Transmission Using a PCB Antenna and a MHz Frequency Inverter. 2014, 931-932, 893-898 | |
| 1553 | Analysis of the Coupling Coefficient in Inductive Energy Transfer Systems. 2014, 2014, 1-6 | 15 |
| 1552 | Magnetic integration of LCC compensated resonant converter for inductive power transfer applications. 2014, | 21 |
| 1551 | Numerical electromagnetic modeling of a wireless power transfer system. 2014, | 2 |
| 1550 | . 2014, | |
| 1549 | Quantitative Analysis of Mutual Inductance for Optimal Wireless Power Transfer via Magnetic Resonant Coupling. 2014, 50, 1-4 | 23 |
| 1548 | Rigorous network modeling of magnetic-resonant wireless power transfer. 2014, 1, 27-34 | 14 |
| 1547 | Modeling of the coreless transformer and response to misalignment and gap variation. 2014, | 1 |
| 1546 | Frequency Decrease Analysis of Resonant Wireless Power Transfer. 2014, 29, 1058-1063 | 132 |
| 1545 | Operating characteristics of contactless power transfer for electric vehicle from HTS antenna to normal conducting receiver. 2014, 504, 115-119 | 9 |
| 1544 | . 2014, 61, 2225-2235 | 197 |

| | | |
|------|--|-----|
| 1543 | Wireless magnetic resonant energy transfer system based on micro 3D flexible MEMS Litz coils. 2014 , 20, 477-483 | 1 |
| 1542 | Analysis of micropatterned wireless resonant heaters for wireless-control of MEMS thermal actuators. 2014 , 20, 235-241 | 2 |
| 1541 | . 2014 , 29, 4500-4511 | 801 |
| 1540 | A Framework of Joint Mobile Energy Replenishment and Data Gathering in Wireless Rechargeable Sensor Networks. 2014 , 13, 2689-2705 | 176 |
| 1539 | Joint Mobile Data Gathering and Energy Provisioning in Wireless Rechargeable Sensor Networks. 2014 , 13, 2836-2852 | 192 |
| 1538 | . 2014 , 13, 902-912 | 482 |
| 1537 | Creating patents on the new technology using analogy-based patent mining. 2014 , 41, 3605-3614 | 23 |
| 1536 | Visual prosthesis wireless energy transfer system optimal modeling. 2014 , 13, 3 | 4 |
| 1535 | Operating Characteristics of Contactless Power Transfer From HTS Antenna to Copper Receiver With Inserted Resonator Through Large Air Gap. 2014 , 24, 1-5 | 2 |
| 1534 | Improving Power Transfer Efficiency of a Short-Range Telemetry System Using Compact Metamaterials. 2014 , 62, 947-955 | 76 |
| 1533 | Overview of wireless power transfer technologies for electric vehicle battery charging. 2014 , 7, 60-66 | 250 |
| 1532 | Distance Adaptation Method for Magnetic Resonance Coupling Between Variable Capacitor-Loaded Parallel-Wire Coils. 2014 , 62, 892-900 | 10 |
| 1531 | Tuning Class E Inverters Applied in Inductive Links Using Saturable Reactors. 2014 , 29, 2969-2978 | 110 |
| 1530 | A compact Drive-by-Microwave gate driver with coupler integrated in a package. 2014 , | 5 |
| 1529 | Design of an electrically small circularly polarised turnstile antenna and its application to near-field wireless power transfer. 2014 , 8, 308-314 | 4 |
| 1528 | . 2014 , 61, 6758-6768 | 44 |
| 1527 | . 2014 , 56, 1027-1034 | 60 |
| 1526 | Near-Field Wireless Power and Data Transmission to Implantable Neuroprosthetic Devices. 2014 , 189-215 | 1 |

| | | |
|------|--|-----|
| 1525 | Modeling and investigation of magnetic resonance coupled wireless power transfer system with lateral misalignment. 2014, | 25 |
| 1524 | Wireless Power Transmission: R&D Activities Within Europe. 2014, 62, 1031-1045 | 100 |
| 1523 | Wireless power transfer to deep-tissue microimplants. 2014, 111, 7974-9 | 305 |
| 1522 | MISO configuration efficiency in inductive power transmission for supplying wireless sensors. 2014, | 9 |
| 1521 | Stability-based and energy-efficient distributed data gathering algorithms for wireless mobile sensor networks. 2014, 19, 111-131 | 12 |
| 1520 | Neural Computation, Neural Devices, and Neural Prosthesis. 2014, | 3 |
| 1519 | Characteristic Analysis of Double Spiral Resonator for Wireless Power Transmission. 2014, 62, 411-419 | 15 |
| 1518 | Micro and Smart Devices and Systems. 2014, | 7 |
| 1517 | A general theory to analyse and design wireless power transfer based on impedance matching. 2014, 101, 1375-1404 | 12 |
| 1516 | Metamaterials-based enhanced energy harvesting: A review. 2014, 438, 1-8 | 134 |
| 1515 | Spatially resolved spectroscopy and electrical characterization of microplasmas and switchable microplasma arrays. 2014, 23, 015024 | 23 |
| 1514 | Wireless Power Transmission: A survey. 2014, | 5 |
| 1513 | Miniaturizing wireless implants. 2014, 32, 1008-10 | 20 |
| 1512 | . 2014, 102, 1649-1666 | 376 |
| 1511 | Wireless power transfer system suitable for wristwatch type equipment. 2014, | |
| 1510 | A study on efficiency improvement of high-frequency current output inverter based on immittance conversion element. 2014, | 2 |
| 1509 | Optimal load analysis for a two-receiver wireless power transfer system. 2014, | 14 |
| 1508 | Safe Charging for wireless power transfer. 2014, | 57 |

| | | |
|------|--|----|
| 1507 | Modeling method of coil module for wireless power transfer system by two-port S-parameter measurement in frequency domain. 2014, | 7 |
| 1506 | Performance evaluation of multilevel ASK communication for a multi-hop wireless resonance system. 2014, | 2 |
| 1505 | Energy harvesting diamond channel with energy cooperation. 2014, | 27 |
| 1504 | Anisotropic self-biased dual-phase low frequency magneto-mechano-electric energy harvesters with giant power densities. 2014, 2, 046102 | 49 |
| 1503 | Mode Reconfigurable Resonators Insensitive to Alignment for Magnetic Resonance Wireless Power Transmission. 2014, 24, 59-61 | 8 |
| 1502 | Full-wave computer-aided optimization of wireless power transfer systems. 2014, | 2 |
| 1501 | A 4.7T/11.1T NMR compliant wirelessly programmable implant for bio-artificial pancreas in vivo monitoring. 2014, | |
| 1500 | Investigation of energy harvesting for magnetic sensor arrays on Mars by wireless power transmission. 2014, 115, 17E702 | 13 |
| 1499 | Joint Beamforming Design for Multi-User Wireless Information and Power Transfer. 2014, 13, 6397-6409 | 44 |
| 1498 | Self-Capacitance and Resistive Losses of Saline-Water-Filled Inductors. 2014, 61, 2356-2361 | 13 |
| 1497 | Wireless communication and power transfer system for intracranial neural recording applications. 2014, | 2 |
| 1496 | Analysis of medium range wireless power transfer system using magnetic resonant coupling. 2014, | 1 |
| 1495 | The dynamic routing algorithm for renewable wireless sensor networks with wireless power transfer. 2014, 74, 34-52 | 26 |
| 1494 | Experimental investigation of 3D metamaterial for mid-range wireless power transfer. 2014, | 10 |
| 1493 | Wireless information and power transfer for communication recovery in disaster areas. 2014, | 9 |
| 1492 | Analysis of magnetically coupled wireless power transfer between two resonators based on power conservation. 2014, | 6 |
| 1491 | Planar Shielded-Loop Resonators. 2014, 62, 3310-3320 | 14 |
| 1490 | Mobility Assisted Data Gathering in heterogeneous energy replenishable wireless sensor networks. 2014, | |

| | | |
|------|--|-----|
| 1489 | Near- and far-regions of mode splitting in coupled magnetic resonators and use in passive ranging. 2014, | |
| 1488 | . 2014, 102, 1692-1711 | 132 |
| 1487 | . 2014, | 0 |
| 1486 | A Multi-Broadband Planar Antenna for GSM/ UMTS/LTE and WLAN/WiMAX Handsets. 2014, 62, 2856-2860 | 35 |
| 1485 | Automatic power controlled, load compensated magnetic resonant wireless power transmitter. 2014, 2, 121-133 | 2 |
| 1484 | Design and analysis of a high frequency wireless power feeding system for train axle telemetry. 2014, | 1 |
| 1483 | Design and performance of wireless power transfer with high temperature superconducting resonance antenna. 2014, | 1 |
| 1482 | Image impedances of magnetic resonant wireless power transfer links. 2014, | 2 |
| 1481 | A low switching frequency AC-DC boost converter for wireless powered miniaturized implants. 2014, | 3 |
| 1480 | Application Examples. 2014, 179-231 | 1 |
| 1479 | Efficient transmitters and receivers for high-power wireless powering systems. 2014, | 3 |
| 1478 | EnerCage: a smart experimental arena with scalable architecture for behavioral experiments. 2014, 61, 139-48 | 42 |
| 1477 | Wireless biomechanical power harvesting via flexible magnetostrictive ribbons. 2014, 7, 2243 | 5 |
| 1476 | Angular expression of maximum power transfer efficiency in reciprocal two-port systems. 2014, | 16 |
| 1475 | Coupled Resonance Energy Transfer Over Gigahertz Frequency Range Using Ceramic Filled Cavity for Medical Implanted Sensors. 2014, 62, 956-964 | 19 |
| 1474 | A fundamental verification of a single-phase to three-phase matrix converter with a PDM control based on space vector modulation. 2014, | 6 |
| 1473 | Resonance-based Wireless Power Transfer for smart grid systems. 2014, | 4 |
| 1472 | Power Issues in Biomedical Telemetry. 2014, 108-130 | |

| | | |
|------|---|----|
| 1471 | . 2014 , 50, 1025-1033 | 80 |
| 1470 | Room-temperature-processed flexible n-InGaZnO/p-Cu ₂ O heterojunction diodes and high-frequency diode rectifiers. 2014 , 47, 365101 | 23 |
| 1469 | Performance Analysis and Optimization of TDMA Network With Wireless Energy Transfer. 2014 , 13, 4205-4219 | 20 |
| 1468 | . 2014 , 62, 3543-3556 | 13 |
| 1467 | Second Generation of Pressure Sensitive Fasteners for Active Disassembly. 2014 , 15, 228-233 | 1 |
| 1466 | Behavior of resonant electrical coupling in terms of range and relative orientation. 2014 , | 2 |
| 1465 | Inductive Coupling. 2014 , 174-208 | 4 |
| 1464 | Optimization algorithm and practical implementation for 2-coil wireless power transfer systems. 2014 , | 4 |
| 1463 | Research Highlights. 2014 , 32, 1010-1010 | |
| 1462 | Minimum-scattering superabsorbers. 2014 , 89, | 26 |
| 1461 | An analysis of magnetic resonance coupling effects on wireless power transfer by coil inductance and placement. 2014 , 60, 203-209 | 21 |
| 1460 | Multi-band design of matched wireless power transfer links. 2014 , | 3 |
| 1459 | Investigation of dual-band coil module for near-field wireless power transfer systems. 2014 , | 6 |
| 1458 | A new design of wireless power transfer system using helical resonators applicable to multi-channel power transmission. 2014 , | 1 |
| 1457 | Efficiency enhanced magnetic resonance wireless power transfer system and High Voltage integrated chip power recovery scheme. 2014 , | |
| 1456 | Tri-Loop Impedance and Frequency Matching With High- Q Resonators in Wireless Power Transfer. 2014 , 13, 341-344 | 10 |
| 1455 | Phase and intensity control of multiple coil currents in mid-range wireless power transfer. 2014 , 8, 498-505 | 6 |
| 1454 | Frequency-Splitting Analysis of Four-Coil Resonant Wireless Power Transfer. 2014 , 50, 2436-2445 | 88 |

| | | |
|------|---|-----|
| 1453 | Wireless Power Transfer System Adaptive to Change in Coil Separation. 2014 , 62, 889-897 | 85 |
| 1452 | Design of Self-Matched Planar Loop Resonators for Wireless Nonradiative Power Transfer. 2014 , 62, 909-919 | 16 |
| 1451 | Advances in non-radiative resonant inductive coupling wireless Power Transfer: A comparison of alternative circuit and system models driven by emergent applications. 2014 , | 4 |
| 1450 | Spatial visualization of inductive coupling parameter for optimization of wireless power transfer coils. 2014 , | |
| 1449 | Design and optimization of a power inductive link. 2014 , | 5 |
| 1448 | Analytical sizing methodology for inductive power transfer systems. 2014 , | 1 |
| 1447 | . 2014 , 15, 1388-1404 | 101 |
| 1446 | Pure electric vehicles. 2014 , 655-684 | 10 |
| 1445 | Energy harvesting for the implantable biomedical devices: issues and challenges. 2014 , 13, 79 | 176 |
| 1444 | Analysis and design of conformal SCMR WPT systems with multiple resonators. 2014 , | 3 |
| 1443 | Design of optimal and broadband conformal SCMR systems. 2014 , | 0 |
| 1442 | Effective On-Demand Mobile Charger Scheduling for Maximizing Coverage in Wireless Rechargeable Sensor Networks. 2014 , 19, 543-551 | 27 |
| 1441 | Joint Wireless Information and Energy Transfer in a \mathbb{K} -User MIMO Interference Channel. 2014 , 13, 5781-5796 | 91 |
| 1440 | Omnidirectional non-radiative wireless power transfer with rotating magnetic field and efficiency improvement by metamaterial. 2014 , 116, 1579-1586 | 20 |
| 1439 | Design and implementation of compact WPT system using printed spiral resonators. 2014 , 50, 110-111 | 29 |
| 1438 | Influence Factors Analysis and Improvement Method on Efficiency of Wireless Power Transfer Via Coupled Magnetic Resonance. 2014 , 50, 1-4 | 13 |
| 1437 | Effects of coil shapes on wireless power transfer via magnetic resonance coupling. 2014 , 28, 1316-1324 | 34 |
| 1436 | Noncontact measurement of complex permittivity based on the principle of mid-range wireless power transfer. 2014 , 62, 669-678 | 8 |

| | | |
|------|--|-----|
| 1435 | Enhanced Wireless Power Transmission Using Strong Paramagnetic Response. 2014 , 50, | 28 |
| 1434 | Wireless energy transfer between anisotropic metamaterials shells. 2014 , 345, 55-62 | 1 |
| 1433 | The feasibility of using resonant inductive power transfer to recharge wireless sensor network nodes. 2014 , | 1 |
| 1432 | Capacitor connected grids for wireless power transfer. 2014 , | 2 |
| 1431 | Comparison of wireless power transmission characteristics using circular-coil array and elliptical coil as a transmission coil. 2014 , | 4 |
| 1430 | Wireless power transmission trends. 2014 , | 16 |
| 1429 | A wireless power transmission system for implantable devices in freely moving rodents. 2014 , 52, 639-51 | 18 |
| 1428 | An Adaptive Impedance-Matching Network Based on a Novel Capacitor Matrix for Wireless Power Transfer. 2014 , 29, 4403-4413 | 302 |
| 1427 | A 3-D Stacked High- Q PI-Based MEMS Inductor for Wireless Power Transmission System in Bio-Implanted Applications. 2014 , 23, 888-898 | 7 |
| 1426 | Collaborative Mobile Charging and Coverage. 2014 , 29, 550-561 | 21 |
| 1425 | Conformal device for wireless powering in biomedical application. 2014 , | 0 |
| 1424 | High-gain on-chip antenna using a sapphire substrate for implantable wireless medical systems. 2014 , 53, 04EL09 | 4 |
| 1423 | Wireless power beam device using microwave power transfer. 2014 , | 0 |
| 1422 | Power distribution to multiple implanted sensor devices using a multiport bandpass filter (BPF) approach. 2014 , | |
| 1421 | Improvement of the efficiency of MISO configuration in inductive power transmission in case of coils misalignment. 2014 , | 2 |
| 1420 | Generation and detection of electromagnetic field with charged material oscillation. 2014 , 72, 136-139 | 2 |
| 1419 | Minimizing the number of mobile chargers for large-scale wireless rechargeable sensor networks. 2014 , 46, 54-65 | 85 |
| 1418 | NETWRAP: An NDN Based Real-Time Wireless Recharging Framework for Wireless Sensor Networks. 2014 , 13, 1283-1297 | 83 |

| | | |
|------|---|-----|
| 1417 | Theory of Image Impedance Matching for Inductively Coupled Power Transfer Systems. 2014 , 62, 901-908 | 69 |
| 1416 | Analysis and Practical Considerations in Implementing Multiple Transmitters for Wireless Power Transfer via Coupled Magnetic Resonance. 2014 , 61, 1774-1783 | 87 |
| 1415 | Impedance-Matched Wireless Power Transfer Systems Using an Arbitrary Number of Coils With Flexible Coil Positioning. 2014 , 13, 1207-1210 | 20 |
| 1414 | . 2014 , 62, 2851-2856 | 27 |
| 1413 | . 2014 , 61, 5861-5870 | 128 |
| 1412 | Investigation of wireless power transfer in multi-coil environment. 2014 , | 2 |
| 1411 | Wireless Power Transfer with Two-Dimensional Resonators. 2014 , 50, 1-4 | 13 |
| 1410 | Wireless Power Transfer Using High Temperature Superconducting Pancake Coils. 2014 , 24, 1-5 | 27 |
| 1409 | Power line communication integrated in a Wireless Power Transfer system: A feasibility study. 2014 , | 9 |
| 1408 | Distance-Insensitive Wireless Power Transfer and Near-Field Communication Using a Current-Controlled Loop With a Loaded Capacitance. 2014 , 62, 936-940 | 26 |
| 1407 | A Cascaded BoostBuck Converter for High-Efficiency Wireless Power Transfer Systems. 2014 , 10, 1972-1980 | 154 |
| 1406 | Perfect field concentrator using zero index metamaterials and perfect electric conductors. 2014 , 9, 90-93 | 21 |
| 1405 | Wireless energy transfer in sensor networks with adaptive, limited knowledge protocols. 2014 , 70, 113-141 | 49 |
| 1404 | A Transmitter or a Receiver Consisting of Two Strongly Coupled Resonators for Enhanced Resonant Coupling in Wireless Power Transfer. 2014 , 61, 1193-1203 | 56 |
| 1403 | Frequency splitting patterns in wireless power relay transfer. 2014 , 8, 561-567 | 22 |
| 1402 | Degenerate BstarBifurcations in a Twinkling Oscillator. 2014 , 136, | 3 |
| 1401 | Efficient circuit modelling of wireless power transfer to multiple devices. 2014 , 7, 3017-3022 | 26 |
| 1400 | Simultaneous Information and Power Transfer Using Magnetic Resonance. 2014 , 36, 808-818 | 7 |

1399 Research on Human Implantable Wireless Energy Transfer System. **2014**, 624, 405-409

1398 Fundamentals of Chargers. **2014**, 439-464

5

1397 The complex ratio transformer model and its application in magnetic resonant WPT. **2014**,

1

1396 Analysis of coils' transmission effect for magnetic resonance wireless power transmission system. **2014**,

1395 A novel method for frequency splitting suppression in wireless power transfer. **2014**,

1

1394 Optimized Periodical Charging in Large-Scale Deployed WSNs. **2014**,

1393 Efficiency Improvement of Underwater Midrange Inductive Contactless Power Transmission Via a Relay Resonator. **2014**, 48, 73-87

2

1392 Energy Dissipation of Electromagnetic Absorber in Terahertz Gap. **2014**,

1391 Joint Optimization of Data Routing and Energy Routing in Energy-Cooperative WSNs. **2014**,

1390 Resonantly-coupled wireless powered seat locomotion in automotive applications. **2014**,

1

1389 Frequency splitting elimination in wireless power transfer using nonidentical resonant coils. **2015**,

2

1388 Wireless power system applying a microcontroller dominated matrix converter. **2015**,

1

1387 Impact of modulation schime on rectifier RF-DC efficiency and optimal signal control technique. **2015**,

1

1386 Optimized Periodical Charging in Large-Scale Deployed WSNs. **2015**,

1385 Efficiency improvement of two coil wireless power transfer system for biomedical implants. **2015**,

1

1384 A simple formula of mutual inductance and its application in wireless power transfer system. **2015**,

0

1383 Multiuser charging control in wireless power transfer via magnetic resonant coupling. **2015**,

7

1382 Wearable conformal SCMR systems. **2015**,

| | | |
|------|--|----|
| 1381 | Improving sensor network performance with wireless energy transfer. 2015 , 20, 159 | 13 |
| 1380 | Analysis of multiple-folded spherical helical antenna using the Galerkin-Bubnov scheme of the Boundary Element method. 2015 , | |
| 1379 | Transfer efficiency control using switching devices in resonant magnetic coupling. 2015 , | 0 |
| 1378 | Wireless power transfer between one transmitter and two receivers: Optimal analytical solution. 2015 , | 4 |
| 1377 | Frequency effects of coil locations on wireless power transfer via magnetic resonance coupling. 2015 , | |
| 1376 | Experimental study on resonant wireless power transfer to mechanically flexible receiver for wearable electronics. 2015 , | |
| 1375 | . 2015 , | 1 |
| 1374 | Wireless power transfer in human tissue via Conformal Strongly Coupled Magnetic Resonance. 2015 , | 4 |
| 1373 | Reactance compensation method to eliminate cross coupling for two-receiver wireless power transfer system. 2015 , 12, 20150016-20150016 | 15 |
| 1372 | Quasistatic Approximation for Exposure Assessment of Wireless Power Transfer. 2015 , E98.B, 1156-1163 | 7 |
| 1371 | Control method of wireless power transfer system for allowing coil position deviation. 2015 , | |
| 1370 | A survey on various static and mobile base stations and wireless charging of sensor nodes in WSNs. 2015 , | 2 |
| 1369 | Enhanced efficiency for wireless power transmission using an auxiliary loop on ferrite in metallic environment. 2015 , 51, 2039-2041 | 3 |
| 1368 | Magnetically tunable broadband transmission through a single small aperture. 2015 , 5, 12489 | 8 |
| 1367 | Basic Analysis of Two-Coils Structure Based on Magnetically-Coupled Resonant Technology for SWIPT Application. 2015 , 24, 852-856 | |
| 1366 | General expressions and physical origin of the coupling coefficient of arbitrary tuned coupled electromagnetic resonators. 2015 , 118, 194901 | 19 |
| 1365 | Note: Enhanced energy harvesting from low-frequency magnetic fields utilizing magneto-mechano-electric composite tuning-fork. 2015 , 86, 066102 | 3 |
| 1364 | Electrodynamics of planar Archimedean spiral resonator. 2015 , 118, 033902 | 12 |

| | | |
|------|---|----|
| 1363 | Quasi-Static Magnetic Field Shielding Using Longitudinal Mu-Near-Zero Metamaterials. 2015 , 5, 12764 | 34 |
| 1362 | Bi-directional magnetic resonance based wireless power transfer for electronic devices. 2015 , 107, 133901 | 9 |
| 1361 | Acoustic energy transmission in cast iron pipelines. 2015 , 660, 012095 | 6 |
| 1360 | Investigation on magnetic resonant coupling for low voltage application. 2015 , | |
| 1359 | Research Of The Efficiency Of The Wireless Power Transfer With The Employment Of DD Inductance Coils. 2015 , 16, 341-352 | |
| 1358 | An electric-vehicle-based supplementary power delivery system. 2015 , | 9 |
| 1357 | Inductive Micro-tunnel for an Efficient Power Transfer. 2015 , 120, 511-515 | |
| 1356 | Analysis and comparison of EE-type and CC-type cores for wireless power transfer systems. 2015 , | 4 |
| 1355 | Evaluation of EM absorption characteristics in realistic adult and child models in vicinity of wireless power transfer systems. 2015 , | 5 |
| 1354 | A Low Frequency Wireless Power Transfer Using Parallel Resonance under Impedance Matching. 2015 , 781, 410-413 | 1 |
| 1353 | High-frequency modelling of coils by integral formulations. 2015 , 34, 1447-1459 | 6 |
| 1352 | Joint Optimization of Data Routing and Energy Routing in Energy-Cooperative WSNs. 2015 , | 1 |
| 1351 | Assessment of wireless power transfer technology for emergency power response. 2015 , | 0 |
| 1350 | Modeling and analysis of magnetically coupled resonant wireless power transfer system with rectifier bridge LED load. 2015 , 43, 1914-1924 | 6 |
| 1349 | Design of matched wireless power transfer links realized with coupled inductors. 2015 , | 2 |
| 1348 | Efficient two dipole antenna alignment in near-field region. 2015 , 57, 933-937 | |
| 1347 | Enhancement of wireless power transfer efficiency using flat conductor with ferrite wall. 2015 , 57, 2371-2373 | 3 |
| 1346 | Watt-level wireless power transmission to multiple compact receivers. 2015 , 660, 012039 | 5 |

| | | |
|------|---|----|
| 1345 | Study on the Wireless Energy Supply System in the Implantable Cardiac Pacemaker. 2015, | 0 |
| 1344 | Enable sustainable sensor networks with non-contact charging: efficient deployment of energy hubs. 2015, 18, 172 | 3 |
| 1343 | The Investigation of Slotted Capacitor Plate on the Performance of Planar Type Witricity Device. 2015, 781, 427-430 | |
| 1342 | A Study on Efficiency Improvement of High-frequency Current Output Inverter Based on Imittance Conversion Element. 2015, 4, 220-226 | 3 |
| 1341 | Comparing the magnetic resonant coupling radiofrequency stimulation to the traditional approaches: Ex-vivo tissue voltage measurement and electromagnetic simulation analysis. 2015, 5, 097110 | |
| 1340 | Expression of Heat Shock Proteins in Human Fibroblast Cells under Magnetic Resonant Coupling Wireless Power Transfer. 2015, 8, 12020-12028 | 1 |
| 1339 | A Dynamically Adaptable Impedance-Matching System for Midrange Wireless Power Transfer with Misalignment. 2015, 8, 7593-7617 | 40 |
| 1338 | Design Considerations for Wireless Charging Systems with an Analysis of Batteries. 2015, 8, 10664-10683 | 5 |
| 1337 | Investigation of High-Efficiency Wireless Power Transfer Criteria of Resonantly-Coupled Loops and Dipoles through Analysis of the Figure of Merit. 2015, 8, 11342-11362 | 11 |
| 1336 | In vitro evaluation of genotoxic effects under magnetic resonant coupling wireless power transfer. 2015, 12, 3853-63 | 5 |
| 1335 | Eye Vision Testing System and Eyewear Using Micromachines. 2015, 6, 1690-1709 | 3 |
| 1334 | Adaptive Data Gathering in Mobile Sensor Networks Using Speedy Mobile Elements. 2015, 15, 23218-48 | 17 |
| 1333 | Through-Metal-Wall Power Delivery and Data Transmission for Enclosed Sensors: A Review. 2015, 15, 31581-605 | 44 |
| 1332 | Wireless Power Transfer via Electric Field Resonance Coupling. 2015, 18, 327-330 | 1 |
| 1331 | Method of Wireless Power Transfer for High Efficiency and High Output Stability. 2015, 39, 25-28 | 2 |
| 1330 | Maximum Power Transfer versus Efficiency in Mid-Range Wireless Power Transfer Systems. 2015, 14, 97-109 | 13 |
| 1329 | A Novel ZSB-PAM Power Regulation Method Applied in Wireless Charging System for Vehicular Power Batteries. 2015, 4, 326-335 | 1 |
| 1328 | Compact Wake-Up Module Design Based on an Energy-Harvesting Rectenna for Wireless Sensor Receivers. 2015, 2015, 1-7 | 1 |

| | | |
|------|---|----|
| 1327 | The Parameters Optimization of MCR-WPT System Based on the Improved Genetic Simulated Annealing Algorithm. 2015 , 2015, 1-10 | 4 |
| 1326 | Effects of Metamaterial Slabs Applied to Wireless Power Transfer at 13.56 MHz. 2015 , 2015, 1-7 | 6 |
| 1325 | An Optimal Transmission Strategy for Joint Wireless Information and Energy Transfer in MIMO Relay Channels. 2015 , 2015, 1-6 | 3 |
| 1324 | Intracranial epilepsy monitoring using wireless neural recording systems. 389-399 | 0 |
| 1323 | Transfer efficiency analysis of wireless power transfer system under frequency drift. 2015 , 117, 17E706 | 3 |
| 1322 | Approximate Closed-Form Formula for Calculating Ohmic Resistance in Coils of Parallel Round Wires With Unequal Pitches. 2015 , 62, 3482-3489 | 23 |
| 1321 | Qi Standard Wireless Power Transfer Technology Development Toward Spatial Freedom. 2015 , 15, 32-39 | 14 |
| 1320 | Analysis of Capacitive Impedance Matching Networks for Simultaneous Wireless Power Transfer to Multiple Devices. 2015 , 62, 2807-2813 | 96 |
| 1319 | Reciprocity-based simulation methodology to estimate the power distribution received by electromagnetic energy harvesters. 2015 , 5, 106-113 | 1 |
| 1318 | Distortion Minimization in Multi-Sensor Estimation Using Energy Harvesting and Energy Sharing. 2015 , 63, 2848-2863 | 26 |
| 1317 | Transparent Semiconducting Oxide Technology for Touch Free Interactive Flexible Displays. 2015 , 103, 644-664 | 70 |
| 1316 | Wireless Power Transfer (WPT) for Electric Vehicles (EVs) Present and Future Trends. 2015 , 33-60 | 33 |
| 1315 | Energy Coupled Mode Theory for Electromagnetic Resonators. 2015 , 63, 2115-2123 | 15 |
| 1314 | Error Characteristics of Passive Position Sensing via Coupled Magnetic Resonances Assuming Simultaneous Realization With Wireless Charging. 2015 , 15, 3675-3686 | 10 |
| 1313 | Three-Dimensional Charging via Multimode Resonant Cavity Enabled Wireless Power Transfer. 2015 , 30, 6163-6173 | 70 |
| 1312 | Non-contact measurement of complex permittivity based on coupled magnetic and electric resonances. 2015 , | 2 |
| 1311 | A study of wireless power transfer for implantable devices by using wearable devices. 2015 , | 1 |
| 1310 | Lifetime maximization in rechargeable wireless sensor networks with charging interference. 2015 , | 0 |

| | | |
|------|---|----|
| 1309 | Modeling and analysis of wireless electro-mechanical energy transfer and conversion using resonant inductive coupling. 2015, | 2 |
| 1308 | Preliminary evaluation of simultaneous data and power transmission in the same frequency channel. 2015, | 8 |
| 1307 | Robust LCC compensation in wireless power transfer with variable coupling factor due to coil misalignment. 2015, | 16 |
| 1306 | Transceiver chip design in high voltage 0.25 μ m CMOS technology for magnetic resonance system. 2015, | |
| 1305 | Wireless powering of biomedical implants by Conformal Strongly Coupled Magnetic Resonators. 2015, | 1 |
| 1304 | A magnetic coupled resonance WPT system design method of double-end impedance converter networks with Class-E amplifier. 2015, | 2 |
| 1303 | Multi-resonator System for Contactless Measurement of Relative Distances. 2015, 120, 180-184 | |
| 1302 | On-board detection of SCR system insufficient and improper reductant by magnetically coupled resonators. 2015, | |
| 1301 | Rigorous design of wireless power transfer links with one transmitter and two receivers. 2015, | |
| 1300 | Parallel connected transmitting coil for achieving uniform magnetic field distribution in WPT. 2015, | 4 |
| 1299 | Near-Field Beamforming Loop Array for Selective Wireless Power Transfer. 2015, 25, 748-750 | 16 |
| 1298 | An energy-encrypted contactless charging system for swarm robots. 2015, | 2 |
| 1297 | Metamaterials for wireless power transfer. 2015, | 2 |
| 1296 | Theoretical analysis on DC-DC converter for impedance matching of a rectifying circuit in wireless power transfer. 2015, | 9 |
| 1295 | Some consequences of the properties of metamaterials for wireless power transfer. 2015, | 3 |
| 1294 | On exact circuit analysis of frequency splitting and bifurcation phenomena in wireless power transfer systems. 2015, | 4 |
| 1293 | A study on effects of coil locations in wireless power transfer. 2015, | 0 |
| 1292 | Effects of metamaterial slab with negative permeability applied to magnetically-coupled wireless power transfer system. 2015, | 1 |

| | | |
|------|--|----|
| 1291 | A high-frequency current-output-type inverter aimed for wireless power transmission system. 2015 | 1 |
| 1290 | A New Current-Fed CLC Transmitter and LC Receiver Topology for Inductive Wireless Power Transfer Application: Analysis, Design, and Experimental Results. 2015 , 1, 357-368 | 53 |
| 1289 | Development and analysis of a small-size electric field coupling wireless power system. 2015 , 7, 168781401562032 | |
| 1288 | Advanced wireless power and data transmission techniques for implantable medical devices. 2015 , | 5 |
| 1287 | ResAll: Energy efficiency maximization for wireless energy harvesting sensor networks. 2015 , | 9 |
| 1286 | A Framework for Evaluating Multi-Kilowatt Highly-Resonant Wireless Power Transfer Systems. 2015 , | 1 |
| 1285 | A novel dynamic modeling method for wireless power transfer systems. 2015 , | 7 |
| 1284 | Iterative determination of conjugate image impedances for N-port networks. 2015 , | |
| 1283 | Wireless Power Transmission Model Using Coaxial Helical Solenoid Coils for Powering Utility Equipment. 2015 , 43, 2029-2038 | 1 |
| 1282 | An Energy Efficient Multi-hop Charging Scheme with Mobile Charger for Wireless Rechargeable Sensor Network. 2015 , 648-660 | 2 |
| 1281 | Constructive combination of resonant magnetic coupling and resonant electrical coupling. 2015 , | 2 |
| 1280 | Maximum efficiency point tracking of the wireless power transfer system for the battery charging in electric vehicles. 2015 , | 9 |
| 1279 | Electric field coupling to short dipole receivers in cavity mode enabled wireless power transfer. 2015 , | 1 |
| 1278 | Planar spiral coils for inductive power transfer systems. 2015 , | |
| 1277 | Decentralized multi-charger coordination for wireless rechargeable sensor networks. 2015 , | 1 |
| 1276 | A novel control method for magnetic wireless charging system. 2015 , | |
| 1275 | Autonomous recharge of drones through an induction based power transfer system. 2015 , | 9 |
| 1274 | Analytical modeling of a multi-coil system for inductive powering of movable low-power wireless devices. 2015 , | 1 |

| | | |
|------|---|----|
| 1273 | Wireless power transfer to a pacemaker by using metamaterials and Yagi-Uda antenna concept. 2015, | 2 |
| 1272 | Feasibility of wireless power transfer for electrification of transportation: Techno-economics and life cycle assessment. 2015, | 6 |
| 1271 | A compact substrate integrated spiral resonator for wireless power transfer. 2015, | 1 |
| 1270 | A compact tri-band and tetra-band short helical antenna electromagnetically coupled feed by a loop antenna. 2015, | 0 |
| 1269 | . 2015, | 3 |
| 1268 | Wireless energy transfer by means of metamaterial components. 2015, | 0 |
| 1267 | Ambient RF Energy Harvesting From a Two-Way Talk Radio for Flexible Wearable Wireless Sensor Devices Utilizing Inkjet Printing Technologies. 2015, 63, 4533-4543 | 48 |
| 1266 | Coil design approach for indirect-fed resonant wireless power transfer system. 2015, | |
| 1265 | Maximum power transfer and efficiency analysis of different inductive power transfer tuning topologies. 2015, | 7 |
| 1264 | Joint Wireless Charging and Sensor Activity Management in Wireless Rechargeable Sensor Networks. 2015, | 8 |
| 1263 | Conformal SCMR system with Multiple Resonators. 2015, | 2 |
| 1262 | Wireless power transfer system in the LED lighting application. 2015, | |
| 1261 | Design and modeling of wireless power transfer coils with double-layer printed boards structure. 2015, | |
| 1260 | . 2015, 1-1 | 23 |
| 1259 | Optimization of a magnetically coupled resonators system for Power Line Communication integration. 2015, | 4 |
| 1258 | Development of patch-type sensor module for battery-free power transfer and data transmission. 2015, | |
| 1257 | Real-time coupling coefficient estimation and maximum efficiency control on dynamic wireless power transfer using secondary DC-DC converter. 2015, | 17 |
| 1256 | An AC-AC energy injection resonant converter for wireless power transfer applications. 2015, | |

| | | |
|------|--|----|
| 1255 | . 2015, | 4 |
| 1254 | Development of mutual inductance formula for misaligned planar circular spiral coils. 2015, | 7 |
| 1253 | Powering nanonetworks by exploiting metamaterial-inspired wireless energy transfer. 2015, | 5 |
| 1252 | A Multi-node Renewable Algorithm Based on Charging Range in Large-Scale Wireless Sensor Network. 2015, | 6 |
| 1251 | Prolong Lifetime of Dynamic Sensor Network by an Intelligent Wireless Charging Vehicle. 2015, | 1 |
| 1250 | Inductive coupled contactless energy transfer systems - a review. 2015, | 7 |
| 1249 | Design of a transmitter coil for use in two wireless power transmission standards. 2015, | |
| 1248 | Nanophotonic boost of intermolecular energy transfer. 2015, 17, 113052 | 12 |
| 1247 | Modeling and investigation of magnetically coupled resonant wireless power transfer system with varying spatial scales. 2015, | 3 |
| 1246 | Application of High-Q dielectric resonators for wireless power transfer system. 2015, | 2 |
| 1245 | Metamaterials and resonators for wireless power transfer. 2015, | |
| 1244 | A new rechargeable WSNs based Multi-UAVs Network and topology control algorithm. 2015, | 3 |
| 1243 | . 2015, 1-1 | 33 |
| 1242 | Anisotropic metamaterial for efficiency enhancement of mid-range wireless power transfer under coil misalignment. 2015, 48, 455104 | 35 |
| 1241 | A multi-cycle Q-modulation technique for wirelessly-powered biomedical implants. 2015, | 4 |
| 1240 | High efficiency magnetic resonance wireless power transfer system and charging IC for mobile devices. 2015, | 3 |
| 1239 | Calculation of coupling factor for kHz-band wireless power transfer system using numerical human models. 2015, | 1 |
| 1238 | Rigorous Network and Full-Wave Electromagnetic Modeling of Wireless Power Transfer Links. 2015 , 63, 65-75 | 51 |

| | | |
|------|---|----|
| 1237 | Tracking Optimal Efficiency of Magnetic Resonance Wireless Power Transfer System for Biomedical Capsule Endoscopy. 2015 , 63, 295-304 | 91 |
| 1236 | Design Consideration and Efficiency Comparison of Wireless Power Transfer With HTS and Cooled Copper Antennas for Electric Vehicle. 2015 , 25, 1-5 | 18 |
| 1235 | . 2015 , 62, 302-310 | 30 |
| 1234 | Fabrication of a fish-like underwater robot with flexible plastic film body. 2015 , 29, 103-113 | 8 |
| 1233 | Self-resonant frequencies of air-core single-layer solenoid coils calculated by a simple method. 2015 , 97, 57-64 | 12 |
| 1232 | Demonstration of a non-contact x-ray source using an inductively heated pyroelectric accelerator. 2015 , 779, 124-131 | 3 |
| 1231 | Uniform magnetic field by changing the current distribution on the planar coil for displacement-insensitive wireless power transfer/near field communication. 2015 , 57, 424-427 | 11 |
| 1230 | Reconfigurable Diffractive Antenna Based on Switchable Electrically Induced Transparency. 2015 , 63, 925-936 | 31 |
| 1229 | A Method of Using Nonidentical Resonant Coils for Frequency Splitting Elimination in Wireless Power Transfer. 2015 , 30, 6097-6107 | 76 |
| 1228 | A Novel Phase-Control-Based Energy Beamforming Techniques in Nonradiative Wireless Power Transfer. 2015 , 30, 6274-6287 | 29 |
| 1227 | Energy Pattern Aided Simultaneous Wireless Information and Power Transfer. 2015 , 33, 1492-1504 | 31 |
| 1226 | Dynamic Modeling Based on Coupled Modes for Wireless Power Transfer Systems. 2015 , 30, 6245-6253 | 53 |
| 1225 | Coupling Coefficients Estimation of Wireless Power Transfer System via Magnetic Resonance Coupling Using Information From Either Side of the System. 2015 , 3, 191-200 | 78 |
| 1224 | The Price of Self-Sustainability for Block Transmission Systems. 2015 , 1-1 | 11 |
| 1223 | High linearity 3.05.0 GHz ultrawideband CMOS up-conversion mixer with parallel capacitor. 2015 , 57, 427-429 | 3 |
| 1222 | High-Efficiency Fully CMOS VCO Rectifier for Microwatt Resonant Wireless Power Transfer. 2015 , 62, 134-138 | 6 |
| 1221 | Designing and tuning magnetic resonance with exchange interaction. 2015 , 27, 1351-5 | 37 |
| 1220 | Distributive Radiation and Transfer Characterization Based on the PEEC Method. 2015 , 57, 734-742 | 36 |

| | | |
|------|---|-----|
| 1219 | Capsule Robot for Obesity Treatment With Wireless Powering and Communication. 2015 , 62, 1125-1133 | 36 |
| 1218 | A Mobile Platform for Wireless Charging and Data Collection in Sensor Networks. 2015 , 1-1 | 35 |
| 1217 | Effective wireless low-power transmission using a phased array antenna. 2015 , 57, 421-424 | 1 |
| 1216 | Investigation of Efficiency and Load Characteristics of Superconducting Wireless Power Transfer System. 2015 , 25, 1-6 | 13 |
| 1215 | Lumped Impedance Transformers for Compact and Robust Coupled Magnetic Resonance Systems. 2015 , 30, 6046-6056 | 31 |
| 1214 | Energy replenishment using renewable and traditional energy resources for sustainable wireless sensor networks: A review. 2015 , 45, 769-784 | 203 |
| 1213 | Advanced Power Control Scheme in Wireless Power Transmission for Human Protection From EM Field. 2015 , 63, 847-856 | 13 |
| 1212 | Free-Positioning Wireless Charging System for Small Electronic Devices Using a Bowl-Shaped Transmitting Coil. 2015 , 63, 791-800 | 61 |
| 1211 | Enhanced Analysis and Design Method of Dual-Band Coil Module for Near-Field Wireless Power Transfer Systems. 2015 , 63, 821-832 | 47 |
| 1210 | Efficiency and Optimal Loads Analysis for Multiple-Receiver Wireless Power Transfer Systems. 2015 , 63, 801-812 | 135 |
| 1209 | The Federated Satellite Systems paradigm: Concept and business case evaluation. 2015 , 111, 230-248 | 69 |
| 1208 | Collaborative Mobile Charging. 2015 , 64, 654-667 | 95 |
| 1207 | Safety services for children: a wearable sensor vest with wireless charging. 2015 , 19, 915-927 | 14 |
| 1206 | Power Loss Analysis and Comparison of Segmented and Unsegmented Energy Coupling Coils for Wireless Energy Transfer. 2015 , 3, 215-225 | 20 |
| 1205 | A Double-Sided LCC Compensation Network and Its Tuning Method for Wireless Power Transfer. 2015 , 64, 2261-2273 | 483 |
| 1204 | Employing Load Coils for Multiple Loads of Resonant Wireless Power Transfer. 2015 , 30, 6174-6181 | 33 |
| 1203 | Midfield Wireless Power Transfer for Bioelectronics. 2015 , 15, 54-60 | 33 |
| 1202 | Enabling wireless powering and telemetry for peripheral nerve implants. 2015 , 19, 958-70 | 59 |

| | | |
|------|---|-----|
| 1201 | Ultra-Low-Power Short-Range Radios. 2015, | 27 |
| 1200 | Wireless powering by magnetic resonant coupling: Recent trends in wireless power transfer system and its applications. 2015, 51, 1525-1552 | 133 |
| 1199 | Mobility assisted data gathering with solar irradiance awareness in heterogeneous energy replenishable wireless sensor networks. 2015, 69, 88-97 | 5 |
| 1198 | A prototype of wireless power and data acquisition system for large detectors. 2015, 785, 99-104 | 2 |
| 1197 | Strong resonant coupling for short-range wireless power transfer applications using defected ground structures. 2015, | 15 |
| 1196 | Minimizing the number of mobile chargers in a large-scale wireless rechargeable sensor network. 2015, | 1 |
| 1195 | Effects of obstacle sizes on wireless power transfer via magnetic resonance coupling. 2015, | |
| 1194 | Middle range wireless power transfer systems with multiple resonators. 2015, 22, 2127-2136 | 1 |
| 1193 | A novel cubic transmitter for multi-directional wireless power transfer. 2015, | 5 |
| 1192 | Non-contact hand interaction with smart phones using the wireless power transfer features. 2015, | 5 |
| 1191 | Physical interpretation of radiation and transfer characterization based on the PEEC method. 2015, | 6 |
| 1190 | Assessment of human exposure to electromagnetic fields from wireless power transfer system in the 1.8 MHz. 2015, 57, 1125-1129 | 7 |
| 1189 | Modular high-voltage bias generator powered by dual-looped self-adaptive wireless power transmission. 2015, 86, 044707 | 5 |
| 1188 | Inner-Field Guiding Resonator for Efficient Wireless Power Transmission in Proximity Charging Condition. 2015, 63, 2064-2070 | 2 |
| 1187 | Tunable Negative Permeability in a Three-Dimensional Superconducting Metamaterial. 2015, 3, | 8 |
| 1186 | On using Wireless Power Transfer to increase the max flow of Rechargeable Wireless Sensor Networks. 2015, | 0 |
| 1185 | A 3-Phase AC/AC Matrix Converter GaN Chipset With Drive-by-Microwave Technology. 2015, 3, 7-14 | 13 |
| 1184 | . 2015, | 2 |

| | | |
|------|--|-----|
| 1183 | Real-time coupling coefficient estimation and maximum efficiency control on dynamic wireless power transfer for electric vehicles. 2015, | 57 |
| 1182 | The optimization based dynamic and cyclic working strategies for rechargeable wireless sensor networks with multiple base stations and wireless energy transfer devices. 2015, 15, 6270-305 | 7 |
| 1181 | Electrification of roads: Opportunities and challenges. 2015, 150, 109-119 | 73 |
| 1180 | Splitting Frequency Diversity in Wireless Power Transmission. 2015, 30, 6088-6096 | 25 |
| 1179 | Compact and Efficient Bipolar Coupler for Wireless Power Chargers: Design and Analysis. 2015, 30, 6130-6140 | 137 |
| 1178 | Optimal Relay Placement in Two-Hop RF Energy Transfer. 2015, 63, 1635-1647 | 24 |
| 1177 | Field Analysis and Measurement of Antiparallel Resonant Loop for Wireless Charging. 2015, 14, 1459-1462 | 5 |
| 1176 | Design of magnetic-resonant wireless power transfer links realized with two coils: comparison of solutions. 2015, 7, 349-359 | 5 |
| 1175 | A magneto-inductive wave wireless power transfer device. 2015, 2, 51-59 | 6 |
| 1174 | Wireless power transfer based on magnetic metamaterials consisting of assembled ultra-subwavelength meta-atoms. 2015, 109, 68005 | 19 |
| 1173 | Self-tuning wireless power transmission scheme based on on-line scattering parameters measurement and two-side power matching. 2014, 4, 4332 | 12 |
| 1172 | Wireless Power Transfer With HTS Transmitting and Relaying Coils. 2015, 25, 1-5 | 15 |
| 1171 | Estimation and control of lateral displacement of electric vehicle using WPT information. 2015, | 3 |
| 1170 | 12.7 A power-management ASIC with Q-modulation capability for efficient inductive power transmission. 2015, | 17 |
| 1169 | Range and misalignment tolerance comparisons between two-coil and four-coil wireless power transfer systems. 2015, | 3 |
| 1168 | A study of the self-coupling magnetic resonance coupled wireless power transfer. 2015, | 2 |
| 1167 | Extended-range two-coil adaptively reconfigurable wireless power transfer system. 2015, | 8 |
| 1166 | Homogeneous Wireless Power Transfer for Move-and-Charge. 2015, 30, 6213-6220 | 81 |

| | | |
|------|--|-----|
| 1165 | A Smart Wirelessly Powered Homeage for Long-Term High-Throughput Behavioral Experiments. 2015 , 15, 4905-4916 | 30 |
| 1164 | An experimentally validated contactless acoustic energy transfer model with resistive-reactive electrical loading. 2015 , | 3 |
| 1163 | Far-Field RF Energy Transfer and Harvesting. 2015 , 321-346 | 2 |
| 1162 | . 2015 , 30, 6057-6069 | 50 |
| 1161 | Wireless charger networking for mobile devices: fundamentals, standards, and applications. 2015 , 22, 126-135 | 119 |
| 1160 | Smart RF energy harvesting communications: challenges and opportunities. 2015 , 53, 70-78 | 134 |
| 1159 | Development of the Optimization Framework for Low-Power Wireless Power Transfer Systems. 2015 , 63, 813-820 | 12 |
| 1158 | Inductive power transfer and FAR-field radiation with small dual-band antennas. 2015 , 57, 1053-1056 | 1 |
| 1157 | PDM Control Method for a Matrix Converter Converting Several-Hundred-kHz Single-Phase Input to Commercial Frequency Three-Phase Output. 2015 , 191, 34-42 | |
| 1156 | Power sensor networks by wireless energy [Current status and future trends. 2015 , | 10 |
| 1155 | A Survey of Wireless Power Transfer and a Critical Comparison of Inductive and Capacitive Coupling for Small Gap Applications. 2015 , 30, 6017-6029 | 307 |
| 1154 | Inductively coupled power transfer (ICPT) for electric vehicle charging [A review. 2015 , 47, 462-475 | 93 |
| 1153 | . 2015 , 62, 938-947 | 19 |
| 1152 | Measurements of the Cross-Loop Antenna Patterns in High-Frequency Surface Wave Radars. 2015 , 12, 1272-1276 | 3 |
| 1151 | Misalignment-compensated resonant power transfer system. 2015 , | 2 |
| 1150 | Optimum wireless power transfer using lumped L section networks. 2015 , | |
| 1149 | Ultra-thin printed circuit board metamaterial for high efficiency wireless power transfer. 2015 , | |
| 1148 | Wireless single contact power delivery. 2015 , | 5 |

| | | |
|------|---|----|
| 1147 | An adaptive magnetically coupled wireless power transmission system. 2015, | 0 |
| 1146 | . 2015, | 2 |
| 1145 | Feasible study of wireless power charging system for EDS-based superconducting magnetic levitation train using HTS receiver. 2015, | 2 |
| 1144 | Network Cost Minimization for Mobile Data Gathering in Wireless Sensor Networks. 2015, 63, 4418-4432 | 13 |
| 1143 | Optimal design and analysis of wireless power transfer system coupled with power source. 2015, | |
| 1142 | Enhance Life Time of Mobile Ad-hoc Network Using WiTriCity and Backpressure Technique. 2015, 57, 1342-1350 | 3 |
| 1141 | Free-positioning wireless power transfer using multiple coupling coils in a transmitter. 2015, | 3 |
| 1140 | Multi-sensor estimation using energy harvesting and energy sharing. 2015, | |
| 1139 | A new current-fed (C) (LC) (LC) topology for inductive wireless power transfer (IWPT) application: Analysis, design, and experimental results. 2015, | 3 |
| 1138 | Multiple dipole receiving coils for 2-D omnidirectional wireless mobile charging under wireless power zone. 2015, | 5 |
| 1137 | Analysis and design of current-fed (L)(C) (LC) converter for inductive wireless power transfer (IWPT). 2015, | 10 |
| 1136 | 13.56 MHz 1.3 kW resonant converter with GaN FET for wireless power transfer. 2015, | 12 |
| 1135 | Effective magnetic resonant wireless power transfer system over medium range using an intermediate resonant coil of two loops. 2015, | 1 |
| 1134 | Energy harvesting sensor networks with a mobile control center: Optimal transmission policy. 2015, | 2 |
| 1133 | Dynamic Energy Trading for Energy Harvesting Communication Networks: A Stochastic Energy Trading Game. 2015, 33, 2718-2734 | 43 |
| 1132 | Wireless lithium-ion battery charging platform with adaptive multi-phase rapid-charging strategy. 2015, | 1 |
| 1131 | Efficiency study of coaxial contactless power transmission for electric railway. 2015, | 1 |
| 1130 | Analysis of a small size resonator for wearable device based on coupled magnetic resonance. 2015, | |

| | | |
|------|--|----|
| 1129 | Study on efficiency enhancement of resonant coupled wireless power transmission using two-side impedance matching. 2015, | 1 |
| 1128 | Efficiency analysis of magnetic resonance wireless power transfer with three-dimensional transmitters. 2015, 117, 17B516 | 7 |
| 1127 | A positioning-tolerant wireless charging system for roadway-powered electric vehicles. 2015, 117, 17B520 | 15 |
| 1126 | Enhanced performance of magnetoelectric energy harvester based on compound magnetic coupling effect. 2015, 117, 144502 | 15 |
| 1125 | Multiple-receptor wireless power transfer for magnetic sensors charging on Mars via magnetic resonant coupling. 2015, 117, 17A743 | 11 |
| 1124 | Magnetic resonant wireless power transfer for propulsion of implantable micro-robot. 2015, 117, 17E712 | 17 |
| 1123 | Unidirectional wireless power transfer using near-field plates. 2015, 117, 184903 | 18 |
| 1122 | Broadband wireless radio frequency power telemetry using a metamaterial resonator embedded with non-foster impedance circuitry. 2015, 106, 203504 | 6 |
| 1121 | Self-Tracking Energy Transfer for Neural Stimulation in Untethered Mice. 2015, 4, | 29 |
| 1120 | Analyses and experiments of field-circuit coupling equations for wireless power transfer using solenoidal coils. 2015, | 1 |
| 1119 | Magnetic resonance wireless power transfer using three-coil system with single planar receiver for laptop applications. 2015, 61, 160-166 | 63 |
| 1118 | Review of analytical methods to extract magnetic parameters of an inductively coupled circuit. 2015, | 1 |
| 1117 | Low Radiation Efficient Wireless Energy Transfer in Wireless Distributed Systems. 2015, | 28 |
| 1116 | A Q-Modulation Technique for Efficient Inductive Power Transmission. 2015, 50, 2839-2848 | 57 |
| 1115 | Energy sharing within EH-enabled wireless communication networks. 2015, 22, 144-149 | 41 |
| 1114 | Compliance Testing Methodology for Wireless Power Transfer Systems. 2015, 30, 6264-6273 | 25 |
| 1113 | Underwater applications of light emitting diodes. 2015, | 0 |
| 1112 | Hierarchical, collaborative wireless charging in sensor networks. 2015, | 18 |

| | | |
|------|---|----|
| 1111 | Magnetically tunable dual-band transmission through a single subwavelength aperture. 2015 , 106, 194102 | 4 |
| 1110 | Ultrasonic power transfer from a spherical acoustic wave source to a free-free piezoelectric receiver: Modeling and experiment. 2015 , 117, 104903 | 47 |
| 1109 | A particle swarm optimizer for tuning a software-defined, highly configurable wireless power transfer platform. 2015 , | 4 |
| 1108 | Eyeglasses-powered, contact lens-like platform with high power transfer efficiency. 2015 , 17, 75 | 19 |
| 1107 | Joint Transmission and Energy Transfer Policies for Energy Harvesting Devices With Finite Batteries. 2015 , 33, 2626-2640 | 18 |
| 1106 | Notice of Removal: Development of miniature wireless energy transfer system for implantable pressure sensor. 2015 , | |
| 1105 | Using gradient descent to optimize paths for sustaining wireless sensor networks. 2015 , | 1 |
| 1104 | Distributed resource allocation for power beacon-assisted wireless-powered communications. 2015 , | 8 |
| 1103 | Applications of Repeated Games in Wireless Networks: A Survey. 2015 , 17, 2102-2135 | 30 |
| 1102 | RF energy harvesting for WSNs via dynamic control of unmanned vehicle charging. 2015 , | 8 |
| 1101 | . 2015 , | 2 |
| 1100 | Distributed and Optimal Resource Allocation for Power Beacon-Assisted Wireless-Powered Communications. 2015 , 63, 3569-3583 | 61 |
| 1099 | Techno-economic feasibility and environmental impact of wireless power transfer roadway electrification. 2015 , | 7 |
| 1098 | Energy cooperation in multi-user wireless-powered relay networks. 2015 , 9, 1412-1420 | 9 |
| 1097 | Design and experimental results of a wireless power receiver for the water pollution detection system. 2015 , | |
| 1096 | . 2015 , 57, 16-22 | 8 |
| 1095 | Near-Field Wireless Power Transfer. 2015 , 343-375 | 2 |
| 1094 | High-Efficiency PCB- and Package-Level Wireless Power Transfer Interconnection Scheme Using Magnetic Field Resonance Coupling. 2015 , 5, 863-878 | 17 |

| | | |
|------|--|-----|
| 1093 | Numerical dosimetry of pregnant woman for resonance-based wireless power transfer system. 2015, | 1 |
| 1092 | Design of 1kW inductive power transfer system for electric vehicle. 2015, | 3 |
| 1091 | Elimination method for the Transmission Efficiency Valley of Death in laterally misaligned wireless power transfer systems. 2015, | 11 |
| 1090 | Range-Adaptive Wireless Power Transfer Using Multiloop and Tunable Matching Techniques. 2015, 62, 6233-6241 | 88 |
| 1089 | Focused Magnetic Resonance Coupling Coils for Electromagnetic Therapy Applications. 2015, 62, 2602-2610 | 4 |
| 1088 | Resonant Electrical Coupling: Circuit Model and First Experimental Results. 2015, 63, 2983-2990 | 16 |
| 1087 | Transmission of Wireless Power in two-coil and four-coil systems using coupled mode theory. 2015, | 1 |
| 1086 | Wireless power transfer for mobile devices with consideration of ground effect. 2015, | 0 |
| 1085 | Energy-security-based contactless battery charging system for roadway-powered electric vehicles. 2015, | 4 |
| 1084 | . 2015, | 32 |
| 1083 | Scalability Analysis of SIMO Non-Radiative Resonant Wireless Power Transfer Systems Based on Circuit Models. 2015, 62, 2574-2583 | 17 |
| 1082 | Eigenmode expansion and mode-matching analysis of Bessel beam launchers. 2015, | |
| 1081 | Performance Analysis of Wireless Energy Harvesting Cognitive Radio Networks Under Smart Jamming Attacks. 2015, 1, 200-216 | 30 |
| 1080 | Energy Harvesting Networks With Energy Cooperation: Procrastinating Policies. 2015, 63, 4525-4538 | 30 |
| 1079 | Wireless Power Transmission principles and applications. 2015, | 1 |
| 1078 | An Efficiency Optimization Scheme for Bidirectional Inductive Power Transfer Systems. 2015, 30, 6310-6319 | 108 |
| 1077 | Integrated $\{LCC\}$ Compensation Topology for Wireless Charger in Electric and Plug-in Electric Vehicles. 2015, 62, 4215-4225 | 181 |
| 1076 | A Review of Charge Scheduling of Electric Vehicles in Smart Grid. 2015, 9, 1541-1553 | 174 |

| | | |
|------|---|------|
| 1075 | Fundamental Evaluation of Power Supply and Rectifiers for Wireless Power Transfer Using Magnetic Resonant Coupling. 2015 , 190, 57-67 | 1 |
| 1074 | Simultaneous Wireless Information and Power Transfer Under Different CSI Acquisition Schemes. 2015 , 14, 1911-1926 | 51 |
| 1073 | Plug In Electric Vehicles in Smart Grids. 2015 , | 6 |
| 1072 | . 2015 , 17, 1557-1581 | 118 |
| 1071 | Magnetoinductive Waves and Wireless Power Transfer. 2015 , 30, 6182-6190 | 57 |
| 1070 | Application of the Superconductor Coil for the Improvement of Wireless Power Transmission Using Magnetic Resonance. 2015 , 28, 639-644 | 9 |
| 1069 | Magnetic metamaterial superlens for increased range wireless power transfer. 2014 , 4, 3642 | 104 |
| 1068 | Quantitative Analysis of System Efficiency and Output Power of Four-Coil Resonant Wireless Power Transfer. 2015 , 3, 184-190 | 27 |
| 1067 | Frequency, Impedance Characteristics and HF Converters of Two-Coil and Four-Coil Wireless Power Transfer. 2015 , 3, 177-183 | 38 |
| 1066 | Energy Encryption for Wireless Power Transfer. 2015 , 30, 5237-5246 | 81 |
| 1065 | . 2015 , 15, 2062-2068 | 6 |
| 1064 | Nonlinear, Tunable and Active Metamaterials. 2015 , | 28 |
| 1063 | Wireless Networks With RF Energy Harvesting: A Contemporary Survey. 2015 , 17, 757-789 | 1479 |
| 1062 | Wirelessly powered ultraviolet light emitting diodes for photocatalytic oxidation. 2015 , 299, 25-30 | 14 |
| 1061 | . 2015 , 62, 2164-2173 | 34 |
| 1060 | Optimization of Resonant Inductive Wireless Power Transfer Using Multilayer Flat Spiral Coils. 2015 , 52, 560-568 | 3 |
| 1059 | A Maximum Efficiency Point Tracking Control Scheme for Wireless Power Transfer Systems Using Magnetic Resonant Coupling. 2015 , 30, 3998-4008 | 294 |
| 1058 | A Fully Integrated Multimode Wireless Power Charger IC With Adaptive Supply Control and Built-In Resistance Compensation. 2015 , 62, 1251-1261 | 20 |

| | | |
|------|--|-----|
| 1057 | Analysis and Tracking of Optimal Load in Wireless Power Transfer Systems. 2015 , 30, 3952-3963 | 168 |
| 1056 | Multi-Node Wireless Energy Charging in Sensor Networks. 2015 , 23, 437-450 | 105 |
| 1055 | Design and optimization of a 3-coil resonance-based wireless power transfer system for biomedical implants. 2015 , 43, 1379-1390 | 34 |
| 1054 | Quality of Energy Provisioning for Wireless Power Transfer. 2015 , 26, 527-537 | 58 |
| 1053 | Wireless Power Transmission Through Concrete Using Circuits Resonating at Utility Frequency of 60 Hz. 2015 , 30, 1220-1229 | 27 |
| 1052 | . 2015 , 30, 933-942 | 131 |
| 1051 | Wireless Power Transfer for Electric Vehicle Applications. 2015 , 3, 4-17 | 870 |
| 1050 | Energy management in Wireless Sensor Networks: A survey. 2015 , 41, 159-176 | 129 |
| 1049 | Voltage Regulation in Resonant Coupled Systems for Near Field Power Transfer. 2015 , 127-132 | |
| 1048 | . 2015 , 30, 817-827 | 91 |
| 1047 | Analysis of Wireless Power System Efficiency in Dependency on Configuration of Resonant Tank. 2016 , | 1 |
| 1046 | Super-Twisting Differentiator-Based High Order Sliding Mode Voltage Control Design for DC-DC Buck Converters. 2016 , 9, 494 | 20 |
| 1045 | Study on High Efficient Electric Vehicle Wireless Charging System. 2016 , 40, 012009 | 5 |
| 1044 | Wireless Power Transfer System for Biomedical Devices by using Magnetic Resonance Coupling Technique. 2016 , 12, 823-827 | |
| 1043 | MECHANISM OF TWO RESONANT MODES FOR HIGHLY RESONANT WIRELESS POWER TRANSFER AND SPECIFIC ABSORPTION RATE. 2016 , 69, 181-190 | 1 |
| 1042 | The Study of Cross-layer Optimization for Wireless Rechargeable Sensor Networks Implemented in Coal Mines. 2016 , 16, 171 | 9 |
| 1041 | Application of Wireless Power Transmission Led Lighting System in Propagation of Chrysanthemum and Strawberry. 2016 , 34, 617-630 | 1 |
| 1040 | APPLICATION OF ULTRA-THIN ASSEMBLED PLANAR METAMATERIAL FOR WIRELESS POWER TRANSFER SYSTEM. 2016 , 65, 153-162 | 7 |

| | | |
|------|---|----|
| 1039 | Wireless Electric Vehicle Battery Charging System using PV Array. 2016 , 9, | 1 |
| 1038 | Review of Different Techniques used for Wireless Transmission of Electrical Energy. 2016 , 38, 01005 | 1 |
| 1037 | Development of Design Methodology for 60Hz Wireless Power Transmission System. 2016 , 5, 429-438 | 12 |
| 1036 | EFFICIENCY ENHANCEMENT OF WIRELESS POWER TRANSFER SYSTEM USING MNZ METAMATERIALS. 2016 , 68, 11-19 | 7 |
| 1035 | Design of ramp-time current control with dynamic fuzzy bandwidth for wireless power transmission. 2016 , 8, 1173-1182 | 1 |
| 1034 | A Circular Polarized Rectenna with Out-of-Band Suppression for Microwave Power Transmission. 2016 , 2016, 1-7 | 1 |
| 1033 | Investigation of Improved Methods in Power Transfer Efficiency for Radiating Near-Field Wireless Power Transfer. 2016 , 2016, 1-11 | 3 |
| 1032 | State-of-the-Art Developments of Acoustic Energy Transfer. 2016 , 2016, 1-14 | 16 |
| 1031 | Design of Asymmetrical Relay Resonators for Maximum Efficiency of Wireless Power Transfer. 2016 , 2016, 1-8 | 12 |
| 1030 | Analysis of Wireless Energy Harvesting Relay Throughput in Rician Channel. 2016 , 2016, 1-9 | 5 |
| 1029 | Optimal Design and Analysis of the Stepped Core for Wireless Power Transfer Systems. 2016 , 2016, 1-8 | 2 |
| 1028 | SAR in human head model due to resonant wireless power transfer system. 2016 , 24 Suppl 2, S739-46 | |
| 1027 | Design and Control of a 3 kW Wireless Power Transfer System for Electric Vehicles. 2016 , 9, 10 | 35 |
| 1026 | An Efficiency Enhancement Technique for a Wireless Power Transmission System Based on a Multiple Coil Switching Technique. 2016 , 9, 156 | 21 |
| 1025 | Optimization Design of an Inductive Energy Harvesting Device for Wireless Power Supply System Overhead High-Voltage Power Lines. 2016 , 9, 242 | 21 |
| 1024 | Frequency-Splitting-Free Synchronous Tuning of Close-Coupling Self-Oscillating Wireless Power Transfer. 2016 , 9, 491 | 5 |
| 1023 | Inductive Power Transfer Systems for Bus-Stop-Powered Electric Vehicles. 2016 , 9, 512 | 1 |
| 1022 | MMCS: Multi-Module Charging Strategy for Increasing the Lifetime of Wireless Rechargeable Sensor Networks. 2016 , 9, 664 | 2 |

| | | |
|------|--|----|
| 1021 | Stochastic Analysis of the Efficiency of a Wireless Power Transfer System Subject to Antenna Variability and Position Uncertainties. 2016 , 16, | 9 |
| 1020 | Energy Synchronized Task Assignment in Rechargeable Sensor Networks. 2016 , | 11 |
| 1019 | Verification Test Results of Wireless Charging System. 2016 , | 0 |
| 1018 | Energy Link Optimization in a Wireless Power Transfer Grid under Energy Autonomy Based on the Improved Genetic Algorithm. 2016 , 9, 682 | 3 |
| 1017 | An omnidirectional wireless power transmission system with controllable magnetic field distribution. 2016 , | 5 |
| 1016 | Fabrication tolerance and gain improvements of microstrip patch antenna at terahertz frequencies. 2016 , 58, 1819-1824 | 4 |
| 1015 | Efficiency optimization of WPT system with a planar receiver for mobile applications. 2016 , 58, 1817-1819 | 6 |
| 1014 | Enhancing the Reliability of WSN Through Wireless Energy Transfer. 2016 , 610-618 | 0 |
| 1013 | A spiral passive electromagnetic sensor (SPES) for wireless and wired structural health monitoring. 2016 , 27, 045601 | 2 |
| 1012 | Design of high efficiency resonant coil and receiver IC for wireless power transfer in mobile device. 2016 , | 3 |
| 1011 | Method and system for wireless and single-conductor power and data transmission. 2016 , | 3 |
| 1010 | Efficiency degradation of short-distance wireless power transmission by distance alignment error. 2016 , 10, 947-954 | |
| 1009 | Experimental investigation of 1D, 2D, and 3D metamaterials for efficiency enhancement in a 6.78MHz wireless power transfer system. 2016 , | 0 |
| 1008 | Efficiency enhancement of metamaterial-inspired wireless energy transfer topologies. 2016 , | 1 |
| 1007 | Hybrid metamaterial with zero and negative permeability to enhance efficiency in wireless power transfer system. 2016 , | 4 |
| 1006 | Magnetic beamforming for wireless power transfer. 2016 , | 15 |
| 1005 | Effect of Axial Slit on Metallic Tube for Wireless Power Transfer via Magnetic Resonance Coupling. 2016 , 197, 46-54 | 3 |
| 1004 | Optimal impedance on transmission of Lorentz force EMATs. 2016 , | 4 |

| | | |
|------|---|----|
| 1003 | Characterization and performance measurements of mid-range wireless power transfer links. 2016, | 3 |
| 1002 | Field testing of IoT devices for livestock monitoring using Wireless Sensor Network, near field communication and Wireless Power Transfer. 2016, | 5 |
| 1001 | Electromagnetic properties of a WPT system applied on transmission lines. 2016, | |
| 1000 | Wireless power transfer for electric vehicle at the kilohertz band. 2016, 11, S91 | 7 |
| 999 | Modeling and investigation of 4-coil wireless power transfer system with varying spatial scales. 2016, | 0 |
| 998 | A Cluster-Based Resource Allocation Strategy with Energy Harvesting in Dense Small-Cell Networks. 2016, | 4 |
| 997 | Comparative study of the frequency splitting and bifurcation phenomena for equivalent circuits of the wireless power transfer system. 2016, | 2 |
| 996 | Distant and wide range wireless power transfer from metamedia. 2016, 109, 024103 | 6 |
| 995 | A new design methodology for a 1 meter distance, 6.78 MHz wireless power supply system for telemetries. 2016, | 1 |
| 994 | Wireless power supply via coupled magnetic resonance for on-line monitoring wireless sensor of high-voltage electrical equipment. 2016, | 0 |
| 993 | Modeling and advanced control of wireless power transfer system with Z-source inverter. 2016, | 5 |
| 992 | Experimental investigation of 6.78MHz metamaterials for efficiency enhancement of wireless power transfer system. 2016, | 4 |
| 991 | . 2016, | |
| 990 | Design of a 5-W power receiver for 6.78 MHz resonant wireless power transfer system with power supply switching circuit. 2016, 62, 349-354 | 16 |
| 989 | Wireless energizing system for an automated implantable sensor. 2016, 87, 074708 | 9 |
| 988 | Wireless transfer of power: Status and challenges. 2016, | 4 |
| 987 | Economic and Environmental Feasibility, Architecture Optimization, and Grid Impact of Dynamic Charging of Electric Vehicles using Wireless Power Transfer. 2016, | 9 |
| 986 | Radio frequency wireless power transfer to chip-scale apparatuses. 2016, | 1 |

| | | |
|-----|--|----|
| 985 | A Novel Resonator Design for Q Factor Improvement Using Tightly-Coupled Parallel Coils in Coupled Magnetic Resonance Wireless Power Transfer. 2016 , E99.B, 685-694 | |
| 984 | FEM Simulations of Implantable Cardiac Pacemaker EMI Triggered by HF-Band Wireless Power Transfer System. 2016 , E99.C, 809-812 | 1 |
| 983 | Phase shift control based Maximum Efficiency Point Tracking in resonant wireless power system and its realization. 2016 , | 3 |
| 982 | Ultralightweight motor design using electromagnetic resonance coupling. 2016 , | 8 |
| 981 | Partial element equivalent circuit modeling and design for wireless power transfer system via magnetic resonant coupling. 2016 , 50, 605-615 | 3 |
| 980 | Hybrid Impedance Matching Strategy for Wireless Charging System. 2016 , | 0 |
| 979 | Wireless power transfer based on magnetic quadrupole coupling in dielectric resonators. 2016 , 108, 023902 | 42 |
| 978 | SWIPT using plane ultra-subwavelength magnetic metamaterials. 2016 , | |
| 977 | Design of multilayer flat spiral inductive coil for wireless power transfer. 2016 , | 2 |
| 976 | Efficient wireless multi-node power charging for sensor networks with wireless charging vehicle using packet scheduling algorithm. 2016 , | |
| 975 | A Study of Magnetic Resonance Wireless Power Transfer System Based on Half Bridge Inverter. 2016 , | 0 |
| 974 | A straightforward closed-loop Wireless Power Transfer battery charger. 2016 , | 3 |
| 973 | A physical model for low-frequency electromagnetic induction in the near field based on direct interaction between transmitter and receiver electrons. 2016 , 472, 20160338 | 4 |
| 972 | Harmonically terminated high-power rectifier for wireless power transfer. 2016 , 3, 75-82 | 1 |
| 971 | Multipath relaying effects in multiple-node resonant inductive coupling wireless power transfer. 2016 , 3, 83-92 | 1 |
| 970 | Application of wireless power transfer technologies and intermittent energy harvesting for wireless sensors in rotating machines. 2016 , 3, 93-104 | 5 |
| 969 | Robust optimization for a 6.78-MHz wireless power transfer system with Class E rectifier. 2016 , | 3 |
| 968 | Field decay characteristics of wireless power transfer emissions over earth sites and in semi-anechoic chambers. 2016 , | |

| | | |
|-----|---|----|
| 967 | Analysis of dual-mode wireless power transfer with two frequencies. 2016, | |
| 966 | Study of wireless energy transfer by magnetic resonance coupling with two loads. 2016, | |
| 965 | A review on wireless powering schemes for implantable microsystems in neural engineering applications. 2016, 6, 205-215 | 15 |
| 964 | Transmission policies in wireless powered communication networks with energy cooperation. 2016, | 3 |
| 963 | Thresholds of central nervous system stimulation at intermediate frequencies. 2016, | 1 |
| 962 | Wireless power transfer based on dielectric resonators with colossal permittivity. 2016, 109, 223902 | 32 |
| 961 | On feasibility and optimization of WiTricity technology for implantable medical devices. 2016, | 1 |
| 960 | Research on Magnetically Coupled Resonance Wireless Transmission Practice Teaching Platform. 2016, 63, 04008 | |
| 959 | Simulation Research of Magnetically-coupled Resonant Wireless Power Transfer System with Single Intermediate Coil Resonator Based on S Parameters Using ANSYS. 2016, 63, 02005 | 0 |
| 958 | Wireless power transfer system based on high-index dielectric resonators. 2016, | 1 |
| 957 | Energy and data cooperation in energy harvesting multiple access channel. 2016, | |
| 956 | Furtive charging system for electric yard tractor. 2016, | |
| 955 | Efficient Scheduling Strategy for Mobile Charger in Wireless Rechargeable Sensor Networks. 2016, | |
| 954 | Simple design approach for asymmetric resonant inductive coupled WPT systems using J-inverters. 2016, | 9 |
| 953 | ACO-based path planning scheme in RWSN. 2016, | 1 |
| 952 | An Analysis on the Influence of the Staggered Distance between PCB Rectangular Coils to the Wireless Energy Transmission Efficiency. 2016, | 0 |
| 951 | Analysis of MR-WPT using planar textile resonators for wearable applications. 2016, 10, 1541-1546 | 13 |
| 950 | Compact conformai strongly coupled magnetic resonant devices for medical applications. 2016, | 1 |

| | | |
|-----|---|----|
| 949 | Long-term throughput optimization in WPCN with battery-powered devices. 2016, | |
| 948 | Advancements in electrodynamic wireless power transmission. 2016, | 4 |
| 947 | The study for WPT using silver nano particle. 2016, | |
| 946 | Infrastructure optimization and economic feasibility of in-motion wireless power transfer. 2016, | 5 |
| 945 | Simulations on shifting medium and its application in wireless power transfer system to enhance magnetic coupling. 2016, 119, 194901 | 4 |
| 944 | Extended explanation of transformation optics for metamaterial-modified wireless power transfer systems. 2016, 119, 115105 | 8 |
| 943 | Output power stabilisation of wireless power transfer system with multiple transmitters. 2016, 9, 1374-1380 | 15 |
| 942 | Cooperative operating mode featuring tight-strong coupling for wireless power transmission. 2016 | |
| 941 | Nonlinear feedback control design based on operator theory for loosely coupled wireless power transfer systems. 2016, | 2 |
| 940 | Circuit model for resonant cavity mode enabled wireless power transfer. 2016, | 0 |
| 939 | Experimental investigation of wireless power transfer systems based on dielectric resonators. 2016 | 1 |
| 938 | Power maximization in a WPT link using three transmitters and a single receiver. 2016, | 0 |
| 937 | Design and implementation of a multi-purpose wireless charger. 2016, | 0 |
| 936 | Experiments on multiple-receiver magnetic resonance-based wireless power transfer in low megahertz with metamaterials. 2016, 122, 1 | 4 |
| 935 | Optimization of resonant inductive links for wireless power transfer. 2016, | 1 |
| 934 | Developing a user-friendly sensor network simulator to imitate wireless charging vehicle behaviors. 2016, | 0 |
| 933 | Analysis of S-Parameters in Magnetic Resonance WPT Using Superconducting Coils. 2016, 26, 1-4 | 18 |
| 932 | Electromagnetic Interference Impact of Wireless Power Transfer System on Data Wireless Channel. 2016, 293-301 | 8 |

| | | |
|-----|---|----|
| 931 | Synthesized Magnetic Field Focusing Using a Current-Controlled Coil Array. 2016 , 7, 1-4 | 18 |
| 930 | . 2016 , 15, 4218-4233 | 11 |
| 929 | E-transportation: the role of embedded systems in electric energy transfer from grid to vehicle. 2016 , 2016, | 6 |
| 928 | Optimal shaped dipole-coil design and experimental verification of inductive power transfer system for home applications. 2016 , | 13 |
| 927 | A proposed optimized solution for wireless power transfer using magnetic resonance coupling. 2016 , | 3 |
| 926 | Investigation of Wireless Power Transfer for Smart Grid On-line Monitoring Devices under HV Condition. 2016 , 83, 1307-1312 | 6 |
| 925 | Active implantable medical device EMI assessment for wireless power transfer operating in LF and HF bands. 2016 , 61, 4522-36 | 7 |
| 924 | Wireless power transfer between one transmitter and two receivers: optimal analytical solution. 2016 , 3, 63-73 | 11 |
| 923 | Indoor Optical Wireless Power Transfer to Small Cells at Nighttime. 2016 , 34, 3236-3258 | 48 |
| 922 | Effects of receiver parameters on the wireless power transfer system via magnetic resonance coupling. 2016 , 50, 3-18 | |
| 921 | Gain enhancement of transmitting antenna incorporated with double-cross-shaped electromagnetic metamaterial for wireless power transmission. 2016 , 127, 6754-6762 | 11 |
| 920 | A Multi-Cycle Q-Modulation for Dynamic Optimization of Inductive Links. 2016 , 63, 5091-5100 | 34 |
| 919 | Magnetic Resonance for Wireless Power Transfer [A Look Back]. 2016 , 3, 14-31 | 60 |
| 918 | Non-Contact Measurement of Electrolyte Solution With a Passive Coil Placed in Inductive Coupling System. 2016 , 16, 4238-4245 | 2 |
| 917 | An LC Passive Wireless Multifunctional Sensor Using a Relay Switch. 2016 , 16, 4968-4973 | 12 |
| 916 | Closer destination selection scheme for mobile sink and charger enabled WRSNs. 2016 , | 3 |
| 915 | Wireless power transfer system for a human motion energy harvester. 2016 , 244, 77-85 | 19 |
| 914 | Compact Low-Frequency Metamaterial Design for Wireless Power Transfer Efficiency Enhancement. 2016 , 64, 1644-1654 | 56 |

| | | |
|-----|---|-----|
| 913 | Optimization of Charging and Data Collection in Wireless Rechargeable Sensor Networks. 2016 , 138-149 | 3 |
| 912 | Design and implementation of autonomous wireless charging station for rotary-wing UAVs. 2016 , 54, 253-266 | 56 |
| 911 | What in the World Is Q? [[Distinguished Microwave Lecture]. 2016 , 17, 42-49 | 38 |
| 910 | TADP: Enabling temporal and distantial priority scheduling for on-demand charging architecture in wireless rechargeable sensor Networks. 2016 , 70, 26-38 | 52 |
| 909 | Optimal design of a wireless power transfer link using parallel and series resonators. 2016 , 3, 105-116 | 17 |
| 908 | Energy Harvesting and Wireless Transfer in Sensor Network Applications. 2016 , 12, 1-40 | 63 |
| 907 | Characteristics analysis on a superconductor resonance coil WPT system according to cooling vessel materials in different distances. 2016 , 530, 123-132 | 4 |
| 906 | 1-port Measurement Method of the Coupling Factor and Receiver Q for Spatial and State Freedom in Wireless Power Transfer Systems. 2016 , 64, 4098-4102 | 2 |
| 905 | Thermotherapy Platform Based on a Highly Stretchable Wireless Heater. 2016 , 1, 1600130 | 18 |
| 904 | Power transfer efficiency analysis of U-WPT system. 2016 , | 2 |
| 903 | Rigorous design of matched wireless power transfer links based on inductive coupling. 2016 , 51, 858-867 | 12 |
| 902 | Efficiency optimization of on-road charging for electrical vehicles. 2016 , | |
| 901 | Compact Wireless Power Transfer System Using Defected Ground Bandstop Filters. 2016 , 26, 849-851 | 19 |
| 900 | Free-Positioning Wireless Power Transfer to Multiple Devices Using a Planar Transmitting Coil and Switchable Impedance Matching Networks. 2016 , 64, 3714-3722 | 47 |
| 899 | Three-phase magnetic field system for wireless energy transfer. 2016 , | 4 |
| 898 | Design and Development of an RF Energy Harvesting Wireless Sensor Node (EH-WSN) for Aerospace Applications. 2016 , 93, 230-237 | 8 |
| 897 | Wireless Links in the Radiative Near Field via Bessel Beams. 2016 , 6, | 17 |
| 896 | LC Passive Wireless Sensors Toward a Wireless Sensing Platform: Status, Prospects, and Challenges. 2016 , 25, 822-841 | 123 |

| | | |
|-----|---|----|
| 895 | Consideration on coil position displacement in magnetic resonance type wireless power transmission system at 85 kHz. 2016, | 0 |
| 894 | Charger mobility scheduling and modeling in wireless rechargeable sensor networks. 2016, | 0 |
| 893 | Efficient near-field inductive wireless power transfer for miniature implanted devices using strongly coupled magnetic resonance at 5.8 GHz. 2016, | 5 |
| 892 | . 2016, | |
| 891 | Modelling approach for low-frequency strongly coupled magnetic resonance wireless power transfer system. 2016, | 0 |
| 890 | On optimal policies in full-duplex wireless powered communication networks. 2016, | 9 |
| 889 | A Network Approach for Wireless Resonant Energy Links Using Relay Resonators. 2016, 64, 3271-3279 | 10 |
| 888 | . 2016, 15, 8525-8536 | 4 |
| 887 | A Wireless Power Transfer CPS Based on 2D Omni-directional Rotating Magnetic Field. 2016, | 1 |
| 886 | Long-term throughput optimization in WPCN with battery-powered devices. 2016, | 0 |
| 885 | Wireless power transfer using a field-enhancing coil and a small-sized receiver with low coupling coefficient. 2016, 9, 1546-1552 | 12 |
| 884 | Large air gap misalignment tolerable multi-coil inductive power transfer for wireless sensors. 2016, 9, 1768-1774 | 25 |
| 883 | Comparative studies between KVL and BPFT in magnetically-coupled resonant wireless power transfer. 2016, 9, 2121-2129 | 6 |
| 882 | Starvation avoidance mobile energy replenishment for wireless rechargeable sensor networks. 2016, | 10 |
| 881 | Performance Evaluation of MAC Protocols in Energy Harvesting Wireless Sensor Networks. 2016, 344-352 | |
| 880 | Wireless power transfer technology using full-bridge current-fed topology for medium power applications. 2016, 9, 1903-1913 | 31 |
| 879 | Indefinite-permeability metamaterial lens with finite size for miniaturized wireless power transfer system. 2016, 70, 1282-1287 | 32 |
| 878 | A literature survey of wireless power transfer. 2016, | 3 |

| | | |
|-----|--|----|
| 877 | . 2016, | 24 |
| 876 | . 2016, 63, 1426-1433 | 10 |
| 875 | Analysis and design of magnetic coupling structure in wireless power transmission system. 2016, | |
| 874 | Wireless power transmission from two transmitters to one receiver: Optimal design for power maximization. 2016, | 1 |
| 873 | Defeating counterfeiters with microscopic dielets embedded in electronic components. 2016, 49, 18-26 | 10 |
| 872 | On Wireless Power Transfer and Max Flow in Rechargeable Wireless Sensor Networks. 2016, 4, 4155-4167 | 19 |
| 871 | Design of a rectangular coil for an effective magnetic resonance wireless power transfer system. 2016, | 3 |
| 870 | Extending sensor network lifetime via wireless charging vehicle with an efficient routing protocol. 2016, | 3 |
| 869 | GTCharge: A game theoretical collaborative charging scheme for wireless rechargeable sensor networks. 2016, 121, 88-104 | 43 |
| 868 | Mobile phone mid-range wireless charger development via coupled magnetic resonance. 2016, | 4 |
| 867 | A 100W wireless charging system with a human protection function from EM field exposure. 2016, | 3 |
| 866 | Energy and data cooperation in energy harvesting multiple access channel. 2016, | |
| 865 | Novel AC magnetic suspension using magnetic resonant coupling. 2016, 3, 15-00687-15-00687 | 3 |
| 864 | Non-radiative Wireless Power Transmission: Theory and Applications. 2016, 3-30 | 1 |
| 863 | Wireless Power Transfer Based on Metamaterials. 2016, 31-53 | 1 |
| 862 | Design of wireless energy transfer system based on coupled magnetic resonances. 2016, | 3 |
| 861 | Dynamic Energy Trading for Wireless Powered Communication Networks. 2016, 54, 158-164 | 11 |
| 860 | Wireless power transfer system based on ceramic resonators. 2016, | |

| | | |
|-----|---|-----|
| 859 | Assigning Hierarchy to Collaborative Mobile Charging in Sensor Networks. 2016 , 533-559 | |
| 858 | Electromagnetic Energy Absorption due to Wireless Energy Transfer: A Brief Review. 2016 , 78, 01034 | |
| 857 | Design of wireless power transfer device for UAV. 2016 , | 24 |
| 856 | Minimum weight wireless power transfer coil design. 2016 , | 3 |
| 855 | Frequency splitting suppression method for four-coil wireless power transfer system. 2016 , 9, 2859-2864 | 19 |
| 854 | Maximum wireless power transfer for multiple transmitters and receivers. 2016 , | 1 |
| 853 | Design of front end and frequency synthesizer with wireless charging for biomedical communication. 2016 , | |
| 852 | Study on transmission characteristics of resonant coupling wireless power transfer system with double receivers. 2016 , | 1 |
| 851 | Wireless Power Transfer for Distributed Estimation in Wireless Passive Sensor Networks. 2016 , 64, 5382-5395 | 21 |
| 850 | Inductive power transfer for electric vehicle charging: Technical challenges and tradeoffs. 2016 , 3, 22-30 | 86 |
| 849 | Wireless Power Delivery. 2016 , 293-302 | |
| 848 | A 100-W 94% efficient 6-MHz SiC class E inverter with a sub 2-W GaN resonant gate drive for IPT. 2016 , | 5 |
| 847 | Standby power reduction method for wireless power transfer system with parallel resonance type resonator. 2016 , | |
| 846 | Focus steering in open-ended waveguide sheet for efficient and safe two-dimensional waveguide power transfer. 2016 , | 1 |
| 845 | A review of wireless power transfer for electric vehicles: Prospects to enhance sustainable mobility. 2016 , 179, 413-425 | 222 |
| 844 | Resonant inductive power transfer for an E-bike charging station. 2016 , 140, 631-642 | 13 |
| 843 | Active Silicon Interposer Design for Interposer-Level Wireless Power Transfer Technology for High-Density 2.5-D and 3-D ICs. 2016 , 1-14 | 11 |
| 842 | A spiral electrically small magnetic antenna with high radiation efficiency for wireless power transfer. 2016 , | |

| | | |
|-----|--|----|
| 841 | Frequency-division technique for simultaneous wireless power transfer to two receivers. 2016, | |
| 840 | A fast and stable integral equation algorithm for magnetic couplings in low frequency wireless transfers. 2016, | |
| 839 | Analysis of the multi-layer Printed Spiral Coil for wireless power transfer system used in medical implants. 2016, | 1 |
| 838 | Impedance matching control method for an underwater magnetic resonance-based wireless power transfer system with metamaterials. 2016, 30, 2003-2019 | 3 |
| 837 | Study on series-parallel mixed-resonance model of wireless power transfer via magnetic resonance coupling. 2016, | 1 |
| 836 | Maximum efficiency point tracking for resonant wireless power transfer. 2016, | 1 |
| 835 | A novel EV wireless charging system with two-coil/three-coil hybrid application. 2016, | |
| 834 | Antennas in Microwave Wireless Power Transmission. 2016, 3033-3076 | |
| 833 | Efficient Radiation by Electrically Small Antennas made of Coupled Split-ring Resonators. 2016, 6, 33501 | 14 |
| 832 | Half-bridge voltage inverter with flexible follow-up control system. 2016, | |
| 831 | Analysis, design, and characterization of wireless power transfer systems using conical coils. 2016, | 2 |
| 830 | Antennas in Wireless Charging Systems. 2016, 2389-2417 | |
| 829 | Epidermal radio frequency electronics for wireless power transfer. 2016, 2, 16052 | 55 |
| 828 | Battery-Powered Devices in WPCNs. 2016, 1-1 | 19 |
| 827 | High permittivity dielectric resonators for wireless power transfer system. 2016, | 2 |
| 826 | Power transfer efficiency analysis of the 4-coil wireless power transfer system based on circuit theory and coupled-mode theory. 2016, | 1 |
| 825 | . 2016, 15, 28-35 | 13 |
| 824 | Wireless actuation of micromechanical resonators. 2016, 2, 16036 | 6 |

| | | |
|-----|--|-----|
| 823 | Nested three-layer optimisation method for magnetic coils used in 3 kW vehicle-mounted wireless power transfer system. 2016 , 9, 2562-2570 | 8 |
| 822 | Optimal single relay position of a 3-coil wireless power transfer system. 2016 , 2016, 249-252 | 3 |
| 821 | Miniaturized strongly coupled magnetic resonant systems for wireless power transfer. 2016 , | 0 |
| 820 | Theoretical analysis and experiments for higher efficiency of coaxial contactless power transmission and demonstration of minimodel for electric railways. 2016 , | 0 |
| 819 | MEMS Based Broadband Piezoelectric Ultrasonic Energy Harvester (PUEH) for Enabling Self-Powered Implantable Biomedical Devices. 2016 , 6, 24946 | 103 |
| 818 | Contactless battery charger controller for wireless sensor node. 2016 , | |
| 817 | Wearable and implantable magnetic resonant wireless power transfer. 2016 , | 1 |
| 816 | Dual Loop Reactive Shield Application of Wireless Power Transfer System for Leakage Magnetic Field Reduction and Efficiency Enhancement. 2021 , 9, 118307-118323 | 4 |
| 815 | Coverage and Connectivity Aware Energy Charging Mechanism Using Mobile Charger for WRSNs. 2021 , 1-12 | 1 |
| 814 | Constant Voltage Charging and Maximum Efficiency Tracking for WPT Systems Employing Dual-Side Control Scheme. 2021 , 1-1 | 5 |
| 813 | A Practical Z-parameter Two-Port Modeling Method to Evaluate Long-Distance and High-Efficiency Wireless Power-Relay Systems. 2021 , 1-1 | 0 |
| 812 | Scaling Law of Coupling Coefficient and Coil Size in Wireless Power Transfer Design via Magnetic Coupling. 2018 , 202, 21-30 | 6 |
| 811 | How to make key 5G wireless technologies environmental friendly: A review. 2018 , 29, e3254 | 23 |
| 810 | Wireless Power Management. 2013 , 123-144 | 1 |
| 809 | Design Cases. 2013 , 145-168 | 3 |
| 808 | Wireless Powering for Miniature Implantable Systems. 2014 , 313-333 | 3 |
| 807 | Electromagnetic Coupling Optimization by Coil Design Improvements for Contactless Power Transfer of Electric Vehicles. 2019 , 944-958 | 1 |
| 806 | WSN Applications. 2021 , 67-232 | 3 |

| | | |
|-----|--|----|
| 805 | Make Imbalance Useful. 2014 , 160-171 | 1 |
| 804 | High Power Wireless Power Transfer Driven by Square Wave Inputs. 2016 , 341-346 | 2 |
| 803 | Collaborative Mobile Charging. 2016 , 505-531 | 5 |
| 802 | Charging and Routing Activity Scheduling to Prolong Sensor Network Lifetime. 2016 , 607-644 | 1 |
| 801 | Joint Mobile Energy Replenishment with Wireless Power Transfer and Mobile Data Gathering in Wireless Rechargeable Sensor Networks. 2016 , 667-700 | 1 |
| 800 | RF Energy Harvesting Networks: Existing Techniques and Hardware Technology. 2018 , 189-239 | 2 |
| 799 | PL-Tags: Detecting Batteryless Tags through the Power Lines in a Building. 2009 , 256-273 | 7 |
| 798 | Indoor Localization Based on Resonant Oscillating Magnetic Fields for AAL Applications. 2013 , 128-140 | 4 |
| 797 | A Review of Wireless Charging Nodes in Wireless Sensor Networks. 2019 , 177-188 | 7 |
| 796 | Planning, Control, and Management Strategies for Parking Lots for PEVs. 2015 , 61-98 | 5 |
| 795 | Antennas in Wireless Charging Systems. 2015 , 1-24 | 4 |
| 794 | Simultaneous Wireless Power Transfer and Data Communication Using Synchronous Pulse-Controlled Load Modulation. 2017 , 109, 316-325 | 10 |
| 793 | Game Theory for Next Generation Wireless and Communication Networks: Modeling, Analysis, and Design. 2019 , | 25 |
| 792 | Equivalent circuit method for Mu-Negative-Magnetic and Mu-Near-Zero metamaterials in wireless power transfer system. 2020 , 13, 3056-3064 | 6 |
| 791 | Windbreaks May Improve Wind Farm Power. 11, | 1 |
| 790 | Robust extended-range wireless power transfer using a higher-order PT-symmetric platform. 2020 , 2, | 16 |
| 789 | . 2020 , | 1 |
| 788 | . 2020 , 62, 1312-1322 | 7 |

| | | |
|-----|--|----|
| 787 | Experimental demonstration of optical wireless power transfer with a DC-to-DC transfer efficiency of 12.1%. 2018 , 57, 1 | 3 |
| 786 | Optical wireless power transmission using VCSELs. 2018 , | 8 |
| 785 | Wireless Power Hotspot that Charges All of Your Devices. 2015 , | 47 |
| 784 | Traversal Strategies for Wireless Power Transfer in Mobile Ad-Hoc Networks. 2015 , | 17 |
| 783 | PowerShake. 2016 , | 12 |
| 782 | OPPC. 2018 , 17, 1-25 | 8 |
| 781 | Towards flexible wireless charging for medical implants using distributed antenna system. 2020 , | 7 |
| 780 | TelemetRing: A Batteryless and Wireless Ring-shaped Keyboard using Passive Inductive Telemetry. 2020 , | 2 |
| 779 | Coil design for wireless power transfer and communication over hinges of smart glasses. 2020 , | 3 |
| 778 | Minimizing the Number of Mobile Chargers to Keep Large-Scale WRSNs Working Perpetually. 2015 , 11, 782952 | 10 |
| 777 | Operation of battery-less and wireless sensor using magnetic resonance based wireless power transfer through concrete. 2016 , 17, 631-646 | 3 |
| 776 | Study on a Laser Wireless Power Charge Technology. 2016 , 11, 1219-1224 | 3 |
| 775 | Enhanced sensitivity at high-order exceptional points in a passive wireless sensing system. 2019 , 27, 27562-27572 | 16 |
| 774 | Experimental demonstration of the magnetic field concentration effect in circuit-based magnetic near-zero index media. 2020 , 28, 17064-17075 | 8 |
| 773 | Numerical Exposure Assessment Method for Low Frequency Range and Application to Wireless Power Transfer. 2016 , 11, e0166720 | 3 |
| 772 | Quasistatic Cavity Resonance for Ubiquitous Wireless Power Transfer. 2017 , 12, e0169045 | 27 |
| 771 | BPF Theory-Based Design Method for Wireless Power Transfer System by Use of Magnetically Coupled Resonators. 2010 , 130, 2192-2197 | 11 |
| 770 | A Simple Design of Resonator-coupled Wireless Power Transfer System. 2010 , 130, 2198-2203 | 8 |

| | | |
|-----|--|----|
| 769 | A Proposal of Identifying Optimized Layout of Devices in Electromagnetic Resonant Coupling Type Wireless Power Transfer System. 2015 , 135, 223-228 | 3 |
| 768 | Determination of Limits on Air Gap and Efficiency for Wireless Power Transfer via Magnetic Resonant Coupling by Using Equivalent Circuit. 2010 , 130, 1169-1174 | 15 |
| 767 | Wireless Power Transfer during Displacement Using Electromagnetic Coupling in Resonance -Magnetic-versus Electric-Type Antennas-. 2010 , 130, 76-83 | 32 |
| 766 | Study of Magnetic and Electric Coupling for Contactless Power Transfer Using Equivalent Circuits -Wireless Power Transfer via Electromagnetic Coupling at Resonance-. 2010 , 130, 84-92 | 31 |
| 765 | Equivalent Circuits of Repeater Antennas for Wireless Power Transfer via Magnetic Resonant Coupling. 2011 , 131, 1373-1382 | 10 |
| 764 | Study on the Principle of Contactless Electric Power Transfer via Electromagnetic Coupling. 2011 , 131, 708-713 | 7 |
| 763 | Proposal and Error Evaluation of Distance Sensor Based on Magnetic Resonance Coupling. 2012 , 132, 437-444 | 3 |
| 762 | Real-time Maximum Efficiency Control in Dynamic Wireless Power Transfer System. 2016 , 136, 425-432 | 8 |
| 761 | Development Trend of Inductive Power Transfer Systems with Focus on Transmission Frequency and Transmission Power. 2017 , 137, 445-457 | 1 |
| 760 | Reduction of Reflected Power Loss in an AC-DC Converter for Wireless Power Transfer Systems. 2013 , 2, 195-203 | 7 |
| 759 | Introduction. 2009 , 129, 410-413 | 1 |
| 758 | Electromagnetic Compatibility of Resonance Coupling Wireless Power Transfer in On-Line Electric Vehicle System. 2014 , E97.B, 416-423 | 9 |
| 757 | Reliable Data Transmission for Resonant-Type Wireless Power Transfer. 2013 , E96.A, 298-303 | 5 |
| 756 | Investigation of Single-Input Multiple-Output Wireless Power Transfer Systems Based on Optimization of Receiver Loads for Maximum Efficiencies. 2018 , 18, 145-153 | 7 |
| 755 | Control of Power Distribution for Multiple Receivers in SIMO Wireless Power Transfer System. 2018 , 18, 221-230 | 7 |
| 754 | Toroidal-Shaped Coils for a Wireless Power Transfer System for an Unmanned Aerial Vehicle. 2019 , 19, 48-55 | 8 |
| 753 | Optimization of Excitation Magnitudes and Phases for Maximum Efficiencies in a MISO Wireless Power Transfer System. 2020 , 20, 16-22 | 6 |
| 752 | Free-Positioning Wireless Power Transfer Using a 3D Transmitting Coil for Portable Devices. 2020 , 20, 270-276 | 3 |

| | | |
|-----|--|----|
| 751 | Miniaturization of Implantable Micro-Robot Propulsion Using a Wireless Power Transfer System. 2017 , 8, | 4 |
| 750 | Proposal and demonstration of LED optical wireless power-transmission systems for battery-operated small electronic devices. 2020 , 59, 124501 | 4 |
| 749 | Neural Network-based Constant Current Control of Dynamic Wireless Power Supply System for Electric Vehicles. 2012 , 11, 876-883 | 8 |
| 748 | Biologically-Inspired Wireless Power Transmission System. 2016 , 27-50 | 1 |
| 747 | Mid-Range Wireless Power Transfer and Its Application to Body Sensor Networks. 2012 , 02, 35-46 | 15 |
| 746 | Wireless Power Transmission into a Space Enclosed by Metal Walls Using Magnetic Resonance Coupling. 2014 , 05, 19-24 | 15 |
| 745 | Demonstration of Automatic Impedance-Matching and Constant Power Feeding to and Electric Helicopter via Magnetic Resonance Coupling. 2014 , 05, 45-53 | 9 |
| 744 | Wireless Power Transmission into Metallic Tube Using Axial Slit for Infrastructure Diagnostics. 2015 , 06, 50-60 | 3 |
| 743 | Numerical Method for Exposure Assessment of Wireless Power Transmission under Low-Frequency Band. 2016 , 21, 442-449 | 6 |
| 742 | Development and Prospect of Implantable Intra-Body Communication Technology. 2014 , 9, | 4 |
| 741 | Solar Panel and Wireless Power Transmission System as a Smart Grid for Electric Vehicles. 2020 , 10, 5683-5688 | 4 |
| 740 | Wireless Power Transmission using Electromagnetic Inductive Coupling and LC Resonant. 2013 , 62, 349-354 | 4 |
| 739 | Technological and Theoretical Relationship between Wireless Power Transfer Technologies. 2014 , 63, 245-249 | 3 |
| 738 | Wireless Power Transmission between Two Metamaterial-Inspired Loops at 300 MHz. 2010 , 10, 219-223 | 6 |
| 737 | Design of Resonator-Coupled Wireless Power Transfer System by Use of BPF Theory. 2010 , 10, 237-243 | 9 |
| 736 | Analysis of Magnetically Coupled Wireless Power Transmission for Maximum Efficiency. 2011 , 11, 156-160 | 12 |
| 735 | Wireless Power Transfer Technology in On-Line Electric Vehicle. 2011 , 11, 174-182 | 7 |
| 734 | Enhancement of Wireless Power Transfer Efficiency Using Higher Order Spherical Modes. 2013 , 13, 38-43 | 3 |

| | | |
|-----|---|----|
| 733 | New Analysis Method for Wireless Power Transfer System with Multiple n Resonators. 2013 , 13, 173-177 | 9 |
| 732 | Analysis of Wireless Power Transfer Using Metamaterial Slabs Made of Ring Resonators at 13.56MHz. 2013 , 13, 259-262 | 17 |
| 731 | Realization of Alignment-Free WPT System. 2014 , 14, 329-331 | 10 |
| 730 | Magnetic Resonance-Based Wireless Power Transmission through Concrete Structures. 2015 , 15, 104-110 | 14 |
| 729 | Dosimetry for Resonance-Based Wireless Power Transfer Charging of Electric Vehicles. 2015 , 15, 129-133 | 13 |
| 728 | Omnidirectional Resonator in X-Y Plane Using a Crisscross Structure for Wireless Power Transfer. 2015 , 15, 194-198 | 6 |
| 727 | Time-Domain Analysis of Wireless Power Transfer System Behavior Based on Coupled-Mode Theory. 2016 , 16, 219-224 | 3 |
| 726 | Comparative Study on the Power Transfer Efficiency of Magnetic Resonance and Radio Frequency Wireless Power Transmission. 2016 , 16, 232-234 | 3 |
| 725 | Analysis of Elements for Efficiencies in Magnetically-Coupled Wireless Power Transfer System Using Metamaterial Slab. 2014 , 25, 1128-1134 | 1 |
| 724 | A Frequency-Tracking Method Based on a SOGI-PLL for Wireless Power Transfer Systems to Assure Operation in the Resonant State. 2016 , 16, 1056-1066 | 11 |
| 723 | Design of Capacitive Power Transfer Using a Class-E Resonant Inverter. 2016 , 16, 1678-1688 | 14 |
| 722 | Wireless energy transfer system based on metglas/PFC magnetoelectric laminated composites. 2013 , 62, 058503 | 6 |
| 721 | Modeling and analysis of eddy-current loss of underwater contact-less power transmission system based on magnetic coupled resonance. 2016 , 65, 048401 | 2 |
| 720 | Wireless power transfer system based on toroidal metamaterials. 2016 , 65, 168801 | 2 |
| 719 | Wireless Power Transmission to Organic Light Emitting Diode Lighting Panel with Magnetically Coupled Resonator. 2012 , 51, 09MH05 | 1 |
| 718 | Development of 50W High Quality Factor Printed Circuit Board Coils for a 6.78MHz, 60cm Air-gap Wireless Power Transfer System. 2016 , 19, 468-479 | 3 |
| 717 | Efficient Wireless Power Transmission Based on Position Sensing Using Magnetic Resonance Coupling. 2012 , 5, 153-161 | 8 |
| 716 | Channel Coding and Receiver Design for Simultaneous Wireline Information and Power Transfer. 2021 , 2, 545-558 | 2 |

| | | |
|-----|--|----|
| 715 | Extensible low-profile Coplanar Wireless Power transfer system for multi-load applications with load-independence constant current output. 2021 , 1-1 | 1 |
| 714 | Wireless Energy Trading in Traffic Internet. 2021 , 1-1 | 5 |
| 713 | Effects of Lossy Mediums for Resonator-Coupled Type Wireless Power Transfer System using Conventional Single- and Dual-Spiral Resonators. 2021 , | 1 |
| 712 | Evaluation Study of Different Integration Methods of LCC Compensation Network for Various Types of Magnetic Structures of Wireless Power Transfer. 2021 , | 0 |
| 711 | Patient imperceptible WPT for wearable/implantable medical devices. 2021 , | |
| 710 | Frequency Splitting and other Things that Filters and Wireless Power Transfer Systems have in Common. 2021 , | |
| 709 | Transmission Distance Improvement of a Two-Coil Magnetic Resonance Wireless Power Transmission System Using Transformers. 2021 , 21, 329-335 | |
| 708 | One-to-Multiple Mobile Replenishment Path Planning with Overcharging Awareness. 2021 , | 0 |
| 707 | Investigation on Metasurface for Dual-Band RF Energy Harvesting Without Mutual Interference. 2022 , 406-416 | |
| 706 | Development and prospects of metamaterial in wireless power transfer. 2021 , 14, 2423 | 1 |
| 705 | A Wearable Metasurface for High Efficiency, Free-Positioning Omnidirectional Wireless Power Transfer.. 2021 , 23, | 1 |
| 704 | Zero-index and hyperbolic metacavities: fundamentals and applications. 2022 , 55, 083001 | 6 |
| 703 | Topological physics of non-Hermitian optics and photonics: a review. | 2 |
| 702 | Control of WPT Transmitter Coils for Power Distribution to Two Receiver Coils without Feedback. 2021 , 14, 6828 | 1 |
| 701 | Wireless Power Transfer Systems Optimization Using Multiple Magnetic Couplings. 2021 , 10, 2463 | |
| 700 | Wireless power transfer based on novel physical concepts. 2021 , 4, 707-716 | 17 |
| 699 | Optical Tunneling from an On-Chip Resonator. 2008 , | |
| 698 | Evolutionary Game Theoretic Approach to Self-Organized Data Aggregation in Delay Tolerant Networks. 2010 , E93-B, 490-500 | 3 |

697 ?????????~?????????~. **2010**, 13, 422-426

696 Ambient Energy Sources. **2011**, 29-39

1

695 Relationship between Efficiency and Figure-of-merit in Wireless Power Transfer through Electromagnetic Induction. **2011**, 35, 132-135

9

694 Data Transmission Using Original Coils in Resonant Wireless Power Transmission. **2011**, E94-B, 3172-3174

1

693 Circuit Model Based Analysis of a Wireless Energy Transfer System via Coupled Magnetic Resonances. **2011**, 16, 137-144

2

692 Design of a High Efficiency Resonator for Wireless Power Transfer. **2011**, 22, 820-826

2

691 Wireless Energy Transmission High-Efficiency DC-AC Converter Using High-Gain High-Efficiency Two-Stage Class-E Power Amplifier. **2011**, 11, 161-165

690 Power Transmission Determined by the Mutual Impedance and the Transducer Power Gain in the Near Field Region. **2011**, 11, 152-155

689 Wireless Power Transfer System. **2011**, 11, 143-151

0

688 Error Analysis of Proposed Magnetic-Resonance-Coupling-Based Distance Sensor using Relay Antenna. **2012**, 132, 1033-1038

687 Proposal for Wireless Power Distribution System with Capacitive Coupling Using One-Pulse Switching Active Capacitor. **2012**, 132, 27-34

3

686 A Study on the Wireless Power Transfer System using Magnetic Resonance at the 1[MHz] Frequency Band. **2012**, 26, 75-81

1

685 Proposal and Experimental Study of Position Sensor Based on Magnetic Resonance Coupling. **2012**, 48, 545-552

2

684 Fundamental Evaluation of Power Supply and Rectifiers for Wireless Power Transfer using Magnetic Resonant Coupling. **2012**, 132, 849-857

2

683 High-Q Spiral Zeroth-Order Resonators for Wireless Power Transmission. **2012**, 23, 343-354

4

682 A Study on the Effect of Resonant Coil Size and Load Resistance on the Transmission Efficiency of Magnetic Resonance Wireless Power Transfer System. **2012**, 26, 45-51

3

681 Extraction Solution for the Coupling Coefficient at the Magnetically Coupled Wireless Power Transmission. **2012**, 23, 1073-1078

1

680 A Novel Impedance Matching Topology for Magnetically Coupled Wireless Power Transfer. **2012**, 1, 16-19

- 679 Study on the Electromagnetic Mode of a Dipole Antenna with an Adjacent Reflector and a Derived Practical Antenna. **2013**, 133, 242-248
- 678 Introduction. **2013**, 1-15
- 677 Wearable and Implantable Technologies for Cardiovascular Health Informatics. **2013**, 481-502
- 676 Numerical modeling of the signal transmission by cables and electromagnetic coupling for logging while drilling. **2013**, 62, 060202 1
- 675 Wireless Power Antennas. **2013**, 41-85 0
- 674 Proposal and Experimental Study of Position Sensor Using Relay Antennas via Magnetic Resonance Coupling. **2013**, 49, 646-654
- 673 Magnetic Resonance Wireless Power Transmission Using a LLC Resonant Circuit for a Locomotion Robot's Battery Charging. **2013**, 31-37 1
- 672 Design of a Loop Resonator with Improved Power Transmission Efficiency Using a Ferrite Plate. **2013**, 05, 196-200 1
- 671 Systematic Designs. **2013**, 17-40
- 670 Advances in Simultaneous Wireless Information and Power Transfer. **2013**, 03, 155-163 1
- 669 References. **2013**, 217-227
- 668 Contactless Energy Transmission System for Implantable Device. **2013**, 133, 89-91
- 667 Contributions and Future Work. **2013**, 169-179
- 666 Characteristics of and Control over Resonance in the Electromotive Force of Electromagnetic Induction. **2013**, 05, 317-321 0
- 665 Prototype of Wireless Energy Transmission Transformer for Ventricular Assist Device Case of Large Transmitting Coil Embedded in the Floor **2013**, 25, 90-100
- 664 Technological Issues for Body Information Monitoring. **2013**, 38B, 105-114 3
- 663 Analysis and Comparison for a 4-Coil Magnetic Resonance Wireless Power Transfer System. **2013**, 24, 168-179 3
- 662 Calculation of Induced Current in the Human Body by Magnetic Field in the 100kHz~10MHz Resonant WPT Frequency Range and Analysis of EMF Guideline. **2013**, 27, 110-119

- 661 Feasible approach of contactless power transfer technology combined with HTS coils based on electromagnetic resonance coupling. **2013**, 15, 40-44
- 660 Design of a High Power Frequency Tuneable Resonator for Wireless Power Transfer. **2013**, 24, 352-355 1
- 659 Analysis and Application of Compact Planar Multi-Loop Self-Resonant Coil of High Quality Factor with Coaxial Cross Section. **2013**, 24, 466-473
- 658 Electromagnetic wave Shielding Materials for the Wireless Power Transfer Module in Mobile Handset. **2013**, 23, 68-76 6
- 657 A Method of Prediction and Analysis of Electromagnetic Interference (EMI) in Wireless Power Transfer System Operating at 13.56 MHz. **2013**, 24, 873-882
- 656 A Study on the Efficiency of LED Lighting Applied by Direct AC Power Using Magnetic Resonance Wireless Power Transfer System. **2013**, 27, 15-20
- 655 Rectifier with Comparator Using Unbalanced Body Biasing to Control Comparing Time for Wireless Power Transfer. **2013**, 24, 1091-1097 1
- 654 Efficiency and EMF Safety Analysis of Wireless Power Transfer System Using Standard Human Model. **2013**, 27, 96-103 2
- 653 Full-Wave Design of Wireless Charging System for Electronic Vehicle. **2014**, 1055-1061
- 652 PDM Control Method for a Matrix Converter Converting Several-Hundred-kHz Single-Phase Input to Commercial Frequency Three-Phase Output. **2014**, 134, 41-48 3
- 651 Location Estimation Based on Fingerprinting Technique for Two-Dimensional Multihop Wireless Power Transfer System. **2014**, 18, 185-188
- 650 High gain and High Efficiency Power Amplifier Using Controlling Gate and Drain Bias Circuit for WPT. **2014**, 51, 52-56
- 649 Powering Autonomous Sensors. **2014**, 1-11
- 648 Transmitting and Receiving Power-Control Architecture with Beam-Forming Technique for 2D Wireless Power Transmission Systems. **2014**, E97.A, 2618-2624
- 647 Analysis and Modeling of Wireless Power Transfer Systems using Magnetically Coupled Resonator Scheme with Relay Coils. **2014**, 28, 69-78 1
- 646 A Universal Energy Harvesting Scheme for Operating Low-Power Wireless Sensor Nodes Using Multiple Energy Resources. **2014**, 453-466 2
- 645 A Method for Equal Power Allocation to Two Receivers in Two-dimensional Wireless Power Transfer via Magnetic Resonance. **2014**, 134, 374-380 1
- 644 Analysis of Magnetically Coupled Wireless Power Transmission Efficiency according to Material. **2014**, 25, 304-310

| | | |
|-----|---|---|
| 643 | Efficiency Analysis of Magnetic Resonance Wireless Power Transmission using Superconductor Coil According to the Changing Position of Transmission and Receiving Coils. 2014 , 63, 776-779 | 2 |
| 642 | Wireless Power Transfer System Insensitive to Pickup's Posture. 2014 , 63, 910-915 | |
| 641 | Development of Wireless Power Transceiver with Bi-directional DC-DC Converter. 2014 , 51, 111-121 | |
| 640 | RF Energy Harvesting and Charging Circuits for Low Power Mobile Devices. 2014 , 3, 221-225 | |
| 639 | Miniaturization of Inductive Resonator for Implementation of Wireless Power Transfer Technology Using Resonant Inductive Coupling. 2014 , 18, 1798-1804 | 1 |
| 638 | Design and characteristic investigations of superconducting wireless power transfer for electric vehicle charging system via resonance coupling method. 2014 , 16, 21-25 | |
| 637 | Characteristics of Shield Materials for Wireless Power Transfer. 2014 , 19, 291-294 | 2 |
| 636 | Parametric Amplification of Magneto-Inductive Waves. 2015 , 35-58 | |
| 635 | Transponder Array System with Universal On-Sheet Reference Scheme for Wireless Mobile Sensor Networks without Battery or Oscillator. 2015 , E98.A, 932-941 | 2 |
| 634 | Effect of Axial Slit on Metallic Tube for Wireless Power Transfer Via Magnetic Resonance Coupling. 2015 , 135, 787-793 | 1 |
| 633 | Introduction. 2015 , 1-7 | |
| 632 | Antennas in Microwave Wireless Power Transmission. 2015 , 1-37 | 1 |
| 631 | Evaluation of Inductive Contactless Power Transfer Outlet with Coaxial Coreless Transformer. 2015 , 135, 49-57 | 1 |
| 630 | Output Waveform Improvement of Single-Phase to Three-Phase Matrix Converter for High-frequency Applications using Delta-Sigma Modulation and Space Vector Modulation. 2015 , 135, 58-64 | 1 |
| 629 | Analyzing a Vibrating Wire Transducer using Coupled Resonator Circuits. 2015 , 15, 87-92 | 0 |
| 628 | Theoretical and experimental study of the electric resonant coupling between two metamaterial resonators. 2015 , 64, 144101 | 1 |
| 627 | Design of Two-Dimensional Resonant Wireless Power Transfer Using 90° Phase Shifted Inputs. 2015 , 52, 70-74 | |
| 626 | Efficiency Enhancement of a Wireless Power Transmission System Applying a Superconducting Coil. 2015 , 64, 353-356 | |

- 625 Examination of Efficiency Based on Air Gap and Characteristic Impedance Variations for Magnetic Resonance Coupling Wireless Energy Transfer. **2015**, 20, 57-61 1
- 624 Characteristics simulation of wireless power transfer system considering shielding distance. **2015**, 17, 40-43 1
- 623 The Effects of Antenna Type and Frequency on Wireless Power Transmission. **2015**, 18, 541-545 1
- 622 Maximum transmission power of wireless power transfer system. **2015**, 149-154
- 621 Scheduling with Collaborative Mobile Chargers Inter-WSNs. **2015**, 11, 921397 4
- 620 High Efficiency Magnetic Resonance Wireless Power Transfer System and Battery Charging Chip. **2015**, 52, 43-49
- 619 Direction of Policy for Wireless Power Transmission Industry to Adapt Changes of the Future. **2015**, 26, 699-709 1
- 618 Laser Based Energy Distribution Architecture for Decoupling Energy and Sensing Planes in WSN. **2015**, 11, 526858
- 617 Loss and Efficiency Dependence of a 6.78 MHz, 100 W, 30 cm Distance Wireless Power Transfer System on Cable Types. **2015**, 64, 1651-1657
- 616 Investigations and system design for simultaneous energy and data transmission through inductively coupled resonances. 13, 217-226 1
- 615 Analysis of Safety Distance and Maximum Permissible Power of Resonant Wireless Power Transfer Systems with Regard to Magnetic Field Exposure. **2015**, 20, 450-459
- 614 Structure of the Solution-Space and Homologous Time Constants Solution of Resonant Inductive Coupling Circuits. **2016**, 136, 798-810
- 613 Strategies for Wireless Recharging in Mobile Ad-Hoc Networks. **2016**, 305-330
- 612 Magnetic Energy Harvesting Project. **2016**, 24, 1-8
- 611 Proposal of Wide-Area Sensing in Wireless Charging System via Magnetic Resonance Coupling. **2016**, 136, 485-493
- 610 A Wireless Charging Infrastructure for Future Electrical Vehicular Adhoc Networks. **2016**, 10,
- 609 Minimizing the Service Cost of Mobile Chargers While Maintaining the Perpetual Operations of WRSNs. **2016**, 389-431
- 608 Design and Implementation of a 100 W Receiver for Wireless Power Transfer Using Coupled Magnetic Resonance. **2016**, 27, 84-87 1

- 607 Advanced Automotive Electronics Using Electromagnetic Field. **2016**, 19, 351-356
- 606 r-RADAR: Obtain the Maximum Throughput When an Energy Harvesting Relay Node is Applied in Multiuser OFDMA Networks. **2016**,
- 605 The Design of Resonator for Miniaturization of Magnetic Resonance Wireless Power Transfer System. **2016**, 27, 163-169 1
- 604 Analysis of transmission efficiency of the superconducting resonance coil according the materials of cooling system. **2016**, 18, 46-49
- 603 Performance and analysis of wireless power charging system from room temperature to HTS magnet via strong resonance coupling method. **2016**, 18, 41-45
- 602 Characteristics of Wireless Power Transmission Using Superconductor Coil to Improve the Efficiency According to the Shielding Materials. **2016**, 65, 684-688
- 601 A Review on Renewable Energy Sources, Battery Replenishment Strategies, and Application-Specific Energy Challenges of Wireless Sensor Networks. **2016**, 27-56
- 600 Alternative Expressions for Mutual Inductance and Coupling Coefficient Applied in Wireless Power Transfer. **2016**, 16, 112-118 8
- 599 ICT based Wireless Power Transmission System Development. **2016**, 17, 67-73
- 598 Resonant Type Wireless Power Transfer Using an Optimized Antenna at 1m Distance. **2016**, 20, 246-251
- 597 Simulation of 416 kHz Piezoelectric Transducer Excitation using Class E ZVS Inverter. **2016**, 9, 176-187
- 596 Analysis and Design of Planar Textile Resonator for Wearable Magnetic Resonance-Wireless Power Transfer. **2016**, 53, 119-126 0
- 595 Study on the Design of High Efficient Class-E Power Amplifier and Resonant Coils for High Efficient Wireless Power Transfer System. **2016**, 11, 935-940
- 594 Multi-Mode Wireless Power Transfer System with Dual Loop Structure. **2016**, 9, 578-583
- 593 Comparison of Magnetic Resonant Coupling Wireless Power Transfer Systems within Aligned and Unaligned Positions and Determining their Limits. **2016**, 21, 652-659 1
- 592 Study on Wireless Power Transfer for an Endoscopic Surgical Device. **2017**, 20, 449-457
- 591 Extension of Maximum Power Transfer Theorem for Resonant Inductive Coupling and Derivation of Unified Resonant Condition. **2017**, 137, 284-294
- 590 Advance and Innovation in Wireless Power Transmission Technology for Autonomous Systems. **2017**, 316-361 0

- 589 Recharging Route Scheduling for Wireless Sensor Network Through Particle Swarm Optimization. **2017**, 11-23
- 588 Other Applications of SMFIR. **2017**, 269-275
- 587 Magnetic Field Generation. **2017**, 81-96
- 586 Aktuelle Entwicklungen. **2017**, 263-282
- 585 Analysis of Effective Transmission Distance of Double Transmitters in Magnetic Coupled Resonant WPT System. **2017**, 686-694
- 584 Magnetic Resonant Wireless Power Transfer Using Reconfigurable Slit Ground Resonator for Laptop Computer. **2017**, 28, 69-75 1
- 583 Human Effect for Commercial Wireless Power Transfer System Operating at Low Frequency. **2017**, 28, 382-390 1
- 582 . **2017**, 1
- 581 RF-based power distribution system for optogenetic experiments. **2017**,
- 580 An Effective Experimental Optimization Method for Wireless Power Transfer System Design Using Frequency Domain Measurement. **2017**, 17, 208-220 3
- 579 Simulation Analysis of Influencing Factors for Resonant Frequency of PCB Coil Based on HFSS. **2018**, 196-203
- 578 Study on novel power transmission coil structure using resonant tank circuit applicable for wireless power transmission system. **2018**, 44, 104-111
- 577 Review on Reducing the Energy Loss of Coupled Coils in Electric Energy Transmission Technology for Electric Vehicles. **2018**, 07, 9-16
- 576 Pseudo-Resonator Method for Power Delivery through Metal Barriers Based on Magnetic Resonance Coupling. **2018**, 16, 651-656
- 575 STUDY ON THE VIBRATION MECHANISM OF THE RELAY COIL IN A THREE-COIL WPT SYSTEM. **2018**, 70, 117-126 2
- 574 Wireless Battery Charger for EV with Circular or Planar Coils: Comparison. **2018**, 214-223 1
- 573 COORDINATION OF FREQUENCY AND LOAD RESISTOR TO IMPROVE EFFICIENCY OF WIRELESS POWER TRANSFER SYSTEM UNDER FREQUENCY DRIFT. **2018**, 88, 219-234
- 572 ??. **2018**, 44, 172-172

571 Optical Wireless Power Transmission Technology Using VCSEL. **2018**, 46, 693

570 Power management for Internet of Things. **2018**,

1

569 Study of the Magnetic Field Strength in the Eight-Figure Coils. **2019**, 1992-1996

0

568 Analysis of the Relay Multiple-Receiver WPT System. **2019**, 914-922

567 Wireless Power Delivery Resilient Against Loading Variations. **2019**, 659-674

566 Adjustable Printed Circuit for Wireless Energy Transmission Based on Magnetic Resonant Coupling. **2018**,

565 A New Adaptive Efficiency Control of the Transmitter with Remote Monitoring of the Receiver Load for 6.78 MHz Class Wireless Power Transfer. **2018**, 22, 161-164

564 Circulating Current Minimization in MC-WPT System with Multiple Inverter Modules Operate in Parallel. **2019**, 91-100

563 Transmission characteristics of magnetic resonance coupling-based multi-load wireless power transmission system. **2019**, 2019, 132-137

3

562 Recent Advances in Wireless Power Transfer on Power-magnetics. **2018**, 138, 612-621

561 Design and Performance Analysis of Magnetic Resonant Wireless Power Transfer Receiver for Implant Medical Device. **2018**, 29, 935-941

560 Electromagnetic Influence of WPT on Human's Health. **2019**, 141-161

2

559 Regulation of spatial fields in wireless power transfer with artificial magnetic conductor. **2019**, 68, 214203

558 Wireless Transfer of Energy Alongside Information in Wireless Sensor Networks. **2019**, 417-458

557 Efficiency Improvement in Wireless Power System. **2019**, 23-48

1

556 Transmission efficiency improvement using shielded loop antenna for coupled-resonant wireless power transfer. **2019**, 8, 485-489

555 Wireless Power Transfer to Implantable Medical Devices With Multi-Layer Planar Spiral Coils. **2019**, 203-227

554 Radiation Control Algorithms in Wireless Networks. **2019**, 719-756

- 553 Compact design of two-elements cubic Yagi-Uda array antenna with high gain. **2019**, 8, 652-656
- 552 Comparative study on influence of energy transmission characteristics of transmission coil consist of resonant tank circuit topologies suitable for wireless power transmission system. **2019**, 45, 209-209
- 551 Multivariable Compensation for Wireless Power Transfer Systems in Dynamic Environments. **2019**, 69-101
- 550 Three-dimensional metacrystals with a broadband isotropic diamagnetic response and an all-angle negative index of refraction. **2019**, 44, 927-930 0
- 549 Frequency and operational characteristics of an ultra-lightweight machine converting energy by magnetic resonance coupling. **2019**, 2019, 4571-4575 2
- 548 Efficiency Maximization in Wireless Power Transfer Systems for Resonance Frequency Mismatch. **2019**, 2019, 4571-4575 2
- 547 Coil Coupling Analysis for WPT Applications. **2019**, 2019, 4571-4575
- 546 Study on Tuning Strategies for Axial Range Adaptation in MCR-WPT. **2020**, 121-128 1
- 545 Optimization of loosely coupled inductive data transfer systems by non-Foster impedance matching. 17, 151-160
- 544 Dual-Band Complementary Metal-Oxide-Semiconductor Rectifier Integrated Circuit for Magnetic Resonance Wireless Power Transfer Receivers. **2019**, 30, 945-950
- 543 Research on Wireless Charging System of Electrical vehicles in Scenery Complementary Expressway. 677, 042091
- 542 Introduction to Magnetic Resonance WPT. **2020**, 3-9
- 541 A Review of Methods and Challenges for Improvement in Efficiency and Distance for Wireless Power Transfer Applications. **2020**, 5, 1-25 2
- 540 The spring oscillator model degenerated into the coupled-mode theory by using secular perturbation theory. **2020**, 69, 074501 1
- 539 Energy-efficient renewable scheme for rechargeable sensor networks. **2020**, 2020, 2020-2020 4
- 538 Optimal Design of Robot Wireless Transmission System Based on Multi-Objective Genetic Algorithm. **2020**, 2020, 2020-2020
- 537 Analysis of Transmission Efficiency of Magnetically Coupled Resonant Radio Energy. **2021**, 87-97
- 536 Energy-Efficient Enhancement for the Prediction-Based Scheduling Algorithm for the Improvement of Network Lifetime in WSNs. **2021**, 2021, 1-12 3

| | | |
|-----|---|----|
| 535 | Wireless power transfer in attenuating media. 2021 , 11, 115303 | 0 |
| 534 | Existence of Lossy Objects through Power Transmission Path of Resonator-Coupled Type Wireless Power Transfer System. 2020 , | 1 |
| 533 | Hybrid power sources for wearable IoT devices. 2020 , 88, 331-336 | |
| 532 | Manyetik Rezonans Kuplajlı Kablosuz Enerji Transfer Sistemi için Empedans Analizi ve Değerlendirilmesi. 2020 , 11, 115303 | 0 |
| 531 | SWIPT in Rician MIMO Interference Channels with Spatial Antenna Correlation. 2020 , | |
| 530 | Single-Transmitter Multiple-Pickup Wireless Power Transfer: Advantages, Challenges, and Corresponding Technical Solutions. 2020 , 14, 123-135 | 10 |
| 529 | Optimization of the Multi-Antiparallel Coil for Separation-Insensitive Mutual Inductance Using Ternary-Coding-Based Genetic Algorithm. 2020 , | 1 |
| 528 | Multi-resonator arrays for smart wireless power distribution: comparison with experimental assessment. 2020 , 13, 4183-4193 | 3 |
| 527 | Wireless power transmission with a sown auxiliary coil to improve power efficiency for an implantable device. 2020 , 64, 843-851 | 0 |
| 526 | Graphene-Based Wireless Power Transmission: Charge as You Drive. 2021 , 815-824 | |
| 525 | A coreless hybrid magnetic coupling coil structure for dynamic wireless power charging system. 2020 , 6, 843-850 | 1 |
| 524 | An Efficient Charging Algorithm for UAV-aided Wireless Sensor Networks. 2020 , | 1 |
| 523 | Optimal Design of Electromagnetic Induction High-efficiency Wireless Power Transmission System. 2020 , | |
| 522 | Review Map of Comparative Designs for Wireless High-Power Transfer Systems in EV Applications: Maximum Efficiency, ZPA, and CC/CV Modes at Fixed Resonance Frequency Independent from Coupling Coefficient. 2021 , 1-1 | 9 |
| 521 | Distributed Neural Interfaces: Challenges and Trends in Scaling Implantable Technology. 2021 , 1-37 | |
| 520 | Investigation of reactive power distribution between two coils of inductive power transfer system by Poynting vector analysis. 2022 , 136, 107621 | |
| 519 | Learning-Aided Mobile Charging for Rechargeable Sensor Networks. 2020 , 85-96 | |
| 518 | Lifespan-balance-based Energy-efficient Routing for Rechargeable Wireless Sensor Networks. 2021 , 1-1 | 1 |

- 517 Resource Allocation for Simultaneous Wireless Information and Power Transfer Systems: A Tutorial Overview. **2021**, 1-23 3
- 516 Study of Electric Field Emissions in Wireless Energy Transfer. **2020**, 233-245 0
- 515 Investigation of AC Losses in Horizontally Parallel HTS Tapes. **2020**, 135-159
- 514 Minimum Wireless Charger Placement with Individual Energy Requirement. **2020**, 697-710
- 513 Wireless Power Transfer. **2020**, 1-21
- 512 Interoperable Wireless Charging for Electric Vehicles. **2020**, 91-102
- 511 Wirelessly Powered Medical Implants via Radio Frequency. **2020**, 101-116
- 510 Efficient Mobile Charger Scheduling in Large-Scale Sensor Networks. **2020**, 298-310 1
- 509 Optimal Load Condition for a Resonant Wireless Charging System. **2020**, 194-200
- 508 Powering of the Implanted Monitoring System. **2020**, 25-55
- 507 Progress on Wireless LVAD and Energy Sources for Mechanical Circulatory Systems. **2020**, 609-620
- 506 Dynamic Adaptive Impedance Matching in Magnetic Coupling Resonant Wireless Power Transfer System. **2020**, 337-352
- 505 Compact Hybrid Metasurface-Inspired Resonator with Uniform Magnetic Field Distribution for Wireless Power Transfer. **2021**, 1-1 0
- 504 A Monitoring Equipment Charging System for HVTL Based on Domino-Resonator WPT with Constant Current or Constant Voltage Output. **2021**, 1-1 5
- 503 The Modelling, Simulation, and Implementation of Wireless Power Transfer for an Electric Vehicle Charging Station. 2
- 502 Time-Shifted Control of Self-Synchronous Rectifier For MHz Wireless Power Transfer Systems. **2021**, ,
- 501 A Planar Multi-coil Transmitter for Visible Magnetic Field Shaping in Wireless Power Transfer. **2021**,
- 500 Design of Automatic Switch of Charging Rail for Electric Vehicle Dynamic Charging System Based on Wireless Power Transmission. **2021**, 0

| | | |
|-----|--|---|
| 499 | A 5 Watts Magnetic Resonance Wireless Power Transfer with Enhanced Transmission Distance Capability. 2021 , | |
| 498 | The Frequency Response and Steady-State analysis on Wireless Power Transfer using Square Wave Input. 2021 , | 1 |
| 497 | Magnetic Resonance Coupled Wireless Power Transfer Analysis For Electric Vehicle. 2021 , | 0 |
| 496 | Reduction in Human Interaction with Magnetic Resonant Coupling WPT Systems with Grounded Loop. 2021 , 14, 7253 | 0 |
| 495 | Frequency-Selective Planar Coil Architecture Modeling for WPT Access Control. 2020 , | |
| 494 | Enhancing the Performance of Wearable Wireless Power Transfer Systems. 2020 , | 0 |
| 493 | WPT Systems on Ferromagnetic Substrates with Enhanced Performance. 2020 , | 1 |
| 492 | Analysis of Magnetically-Coupled Loops Based On Characteristic Modes. 2020 , | |
| 491 | Conformal Strongly Coupled Magnetic Resonance Systems with Extended Range. 2020 , | 0 |
| 490 | Improving Wireless Charging Efficiency with Machine Vision and Communication for Industrial Wireless Rechargeable Sensor Networks. 2020 , | |
| 489 | NFC+. 2020 , | 2 |
| 488 | A Scheduling Problem of Joint Mobile Charging Sequence and Charging Start Time Control in Wireless Rechargeable Sensor Networks. 2021 , 284-297 | |
| 487 | Wireless Recharging Sensor Networks Cross-Layer Optimization Based on Successive Interference Cancellation. 2020 , E103.B, 929-939 | 1 |
| 486 | GREENIEßmart Home with Smart Power Transmission. 2021 , 277-284 | |
| 485 | Aerial Robots and Infrastructure of Their Working Environment. 2021 , 3-23 | |
| 484 | Developing tunable high T c RF devices is a tricky business. 2021 , 34, 010502 | |
| 483 | A Magnetic Dipole Resonator for Magnetic Coupled Resonance Wireless Power Transmission. 2020 , 1653, 012014 | 1 |
| 482 | A Simulation Method for a Motor Design Based on Magnetic Resonance Coupling Technology. 2020 , | 0 |

- 481 Design Considerations for Mid-Power Receiver in Resonant Wireless Power Transfer System. **2020**,
- 480 Will Photovoltaics Stay Out of the Shadows?. **2020**, 1-8
- 479 Introduction to Wireless Power Transfer. **2021**, 1-14 0
- 478 Short-Term Load Forecasting of Power System Based on Improved BP Neural Network. **2020**, 14, 840-846 2
- 477 Safety-optimized Inductive Powering of Implantable Medical Devices: Tutorial and Comprehensive Design Guide. **2021**, PP, 3
- 476 Acoustic Power Transfer Using Self-Focused Transducers for Miniaturized Implantable Neurostimulators. **2021**, 9, 153850-153862 3
- 475 Multi-load Wireless Charging System Based on Single Resonant Coupling Architecture. **2021**,
- 474 Ultrasound Mediated Wireless Power Transfer Technology. **2021**, 24, 314-326
- 473 Design, Simulation, and Comparison of Wireless Power Transfer Systems with Single and Multiple Resonator Coils for UAVs. **2021**, 0
- 472 Proposal of Ferrite-less and Capacitor-less 85 kHz Four-Layer Coil for Stationary Wireless Power Transfer. **2021**, 0
- 471 Maximum Output Power Design Considering the Efficiency in Wireless Power Transfer Coils. **2021**, 0
- 470 Frequency-Splitting SWIPT with Joint Signal Detection and Nonlinear Distortion Compensation. **2021**,
- 469 Proposal of Sensorless Vehicle Detection Method for Start-up Current Control in Dynamic Wireless Power Transfer System. **2021**,
- 468 A Comparative Study of Resonant Frequency Calculation Based on Leakage-Inductance and Self-Inductance for CET System. **2021**, 0
- 467 Analysis of Interoperability Different Compensation Network in Wireless EV Charging Systems. **2021**, 0
- 466 Positionally-independent and extended read range resonant sensors applied to deep soil moisture monitoring. **2021**, 333, 113227 3
- 465 Modified Finite-Difference Time-Domain Method for Hertzian Dipole Source under Low-Frequency Band. **2021**, 10, 2733 0
- 464 Effects of Electro-Magnetic Properties of Obstacles in Magnetic Resonant Wireless Power Transfer. **2021**, 14, 7469 0

| | | |
|-----|---|---|
| 463 | Efficient and stable wireless power transfer based on the non-Hermitian physics. | 0 |
| 462 | Payoff-maximization-based adaptive hierarchical wireless charging algorithm for mobile charger in IoT. | |
| 461 | Power Optimization of a Magnetolectric Wireless Power Transfer System with Volume Constraint. 2021 , 113226 | 0 |
| 460 | Nonradiating sources for efficient wireless power transfer. 2021 , 10, 4399-4408 | 4 |
| 459 | Investigation of the effects of common and separate ground systems in wireless power transfer. | 0 |
| 458 | Adaptive Impedance Matching Scheme for Magnetic MIMO Wireless Power Transfer System. 2021 , 10, 2788 | 1 |
| 457 | Printed Split-Ring Loops with High Q-Factor for Wireless Power Transmission. 2021 , 10, 2884 | 1 |
| 456 | Optimal Designs of Wireless Power Transfer and Its Coupling Coil. 2021 , 141, 746-749 | |
| 455 | Planar Omnidirectional Wireless Power Transfer System Based on Novel Metasurface. 2021 , 1-8 | 0 |
| 454 | A Multi-load Capacitive Power Transfer System with Load-Independent Characteristic for Reefer Container Application. 2021 , 1-1 | 4 |
| 453 | Selectively Powering Multiple Small-Size Devices Spaced at Diffraction Limited Distance with Point-Focused Electromagnetic Waves. 2021 , 1-1 | 0 |
| 452 | A Multi-segment Compensation Method for Improving Power Density of Long-distance IPT System. 2021 , 1-1 | 2 |
| 451 | . 2021 , 1-1 | 0 |
| 450 | A 650 kV/μ Common-Mode Resilient CMOS Galvanically Isolated Communication System. 2021 , 1-12 | 0 |
| 449 | Output-voltage Adaptive of Omnidirectional Wireless Power Transfer Based on Receivers with Digital Coils. 2021 , 1-1 | 1 |
| 448 | Optimizing Mobile Charger Scheduling for Task-Based Sensor Networks. 2021 , 134-145 | |
| 447 | Towards Wireless Power Transfer in Mobile Social Networks. 2021 , 1-1 | 2 |
| 446 | Optimization of the Coupling Coefficient of the Inductive Link for Wireless Power Transfer to Biomedical Implants. 2022 , 2022, 1-12 | 2 |

| | | |
|-----|---|---|
| 445 | Wireless power transfer system with enhanced efficiency by using frequency reconfigurable metamaterial.. 2022 , 12, 331 | 4 |
| 444 | . 2022 , 1-1 | |
| 443 | Magnetic Induction Technology-Based Wireless Sensor Network for Underground Infrastructure, Monitoring Soil Conditions, and Environmental Observation Applications: Challenges and Future Aspects. 2022 , 2022, 1-18 | 2 |
| 442 | Wireless Bioelectronic Interfaces Electromagnetic Performance and Safety. 2022 , 1-26 | |
| 441 | Analysis and Design Tool for Wireless Power Transfer for Multiple Applications Purposes. 2022 , 45, 24-30 | |
| 440 | On-Demand Charging Management Model and Its Optimization for Wireless Renewable Sensor Networks.. 2022 , 22, | 0 |
| 439 | Reduced Heat in Radiated Electromagnetic-Field Suppression Case for Wireless Power Transmission Using a Magnetic Composite Sheet. 2022 , 1-9 | |
| 438 | Charging A Smartphone Over the Air: The Resonant Beam Charging Method. 2022 , 1-1 | 5 |
| 437 | A fully implantable wireless bidirectional neuromodulation system for mice.. 2022 , 200, 113886 | 1 |
| 436 | A 6.6-kW High-Frequency Wireless Power Transfer System for Electric Vehicle Charging Using Multilayer Nonuniform Self-Resonant Coil at MHz. 2022 , 37, 4842-4856 | 2 |
| 435 | Induced Voltage Estimation From Class EF Switching Harmonics in HF-IPT Systems. 2022 , 37, 4903-4916 | 3 |
| 434 | Systematic Design of a 100-W 6.78-MHz Wireless Charging Station Covering Multiple Devices and a Large Charging Area. 2022 , 37, 4877-4889 | 2 |
| 433 | Application of Model Predictive Control in WPT for Monitoring Devices of Overhead High Voltage Transmission Line. 2020 , | 0 |
| 432 | Loop Open-Closed Detection Based on Magnetic Resonance Frequency Splitting. 2020 , | |
| 431 | Analysis of Feed Antenna in Near-Field Focusing-based Reflectarray for Wireless Power Transfer. 2020 , | |
| 430 | Energy Parameters of the Serial-To-Serial Resonant Converter with Pulse-Number Control for Wireless Power Transfer. 2020 , | |
| 429 | An Implementation of Wireless Powering for Smart Sensor Nodes. 2020 , | |
| 428 | HESO: A Heterogeneous Energy Spreading Object - An Application of Power Packet Technology to Mobile Vehicle-. 2020 , | 0 |

| | | |
|-----|--|---|
| 427 | Basic Characteristics of an Axial-gap Type Magnetic Resonant Coupling Machine with Different Numbers of Poles. 2020, | 0 |
| 426 | Basic Investigation on Wireless Power Transfer System via Magnetic Resonant Coupling with Magnetic Field Suppression at an Any Point. 2020, | 0 |
| 425 | A study of high electrical power and high efficiency antenna in 13.56 MHz Wireless Power Transfer. 2020, | 0 |
| 424 | Single-Wire Power Transmission Using Shorted High-Voltage Coupling Coils. 2020, | 1 |
| 423 | Self-Synchronized Class E Resonant Rectifier with Direct Voltage Detection Method. 2020, | 0 |
| 422 | Development of New Wireless Charging System with Improved Energy Efficiency for Electric Vehicles. 2020, | 2 |
| 421 | A High Frequency Wireless Power Transfer System for Electric Vehicle Charging Using Multi-layer Nonuniform Self-resonant Coil at MHz. 2020, | 1 |
| 420 | Target recognition function and beam direction control based on deep learning and PID control for optical wireless power transmission system. 2020, | |
| 419 | Design of Metal Object Detection Coil Set with Positioning Function for WPT System. 2020, | 2 |
| 418 | A three-phase WPT system with self-regulation of phase sequence. 2020, | |
| 417 | Sensitivity Analysis for the Lossless Dielectric Material in Wireless Power Transmission. 2020, | |
| 416 | Combination of Sensorless Energized Section Switching System and Double-LCC for DWPT. 2020, | 3 |
| 415 | Compact Triplex-layer Metamaterials Design for Wireless Power Transfer Efficiency Enhancement. 2020, | 1 |
| 414 | Numerical Analysis of Reactive Power Distribution between Two Coupled Coils by Poynting Vector. 2020, | |
| 413 | A Qi-compatible Wireless Charging Pocket for Smartphone. 2020, | 0 |
| 412 | 1 kW, Multi-MHz Wireless Charging for Electric Transportation. 2020, | |
| 411 | Dynamic Power Transfer as a Feature - Employing Stationary WPT Devices for Dynamic Operation. 2020, | 1 |
| 410 | Waveform Optimization for Near-Field Wireless Powered Communication Using a Coil Array. 2020, | 1 |

- 409 Two-Layer Planar Loop Array for Near Field Beam Forming with Improved Efficiency. **2020**,
- 408 Increasing the Efficiency of Wireless Power Transfer System. **2020**, ○
- 407 A New Base Station Deployment Method for WRSN Based on Greedy Algorithm. **2020**, 1
- 406 Overlapped Mobile Charging for Sensor Networks. **2020**,
- 405 Maximum Power Transfer Efficiency Formulas for Inductive and Capacitive Couplers Taking Poincaré Length of Matching Circuits Into Account. **2020**,
- 404 Feedforward Transient Control Under Varying Coupling Condition for In-motion Wireless Power Transfer Using Envelope Model. **2020**, ○
- 403 A Wireless Power Transfer System with Uniformly High Transfer Efficiency for Free Arrangement of the Receiver in a Wide Area. **2020**, 2
- 402 Duty Cycle Control of Dual-side LCC Compensated Bidirectional Wireless Charging Systems. **2020**,
- 401 Key Technologies and New Developments of Stationary/Dynamic Wireless Power Transfer. **2020**, ○
- 400 Braiding Uniform Magnetic Field Inside a Cylindrical Reactor for Photocatalytic Reforming of Petrochemical Wastewater. **2020**,
- 399 Receiver coil built into belt for heat dissipation of watch-type smart devices. **2022**, 19, 20210497-20210497
- 398 High-Efficiency Inductive Charging For High Frequency Wireless Power Transfer. **2021**,
- 397 A Review on Electric Vehicle Charging Systems and Current Status in Turkey.
- 396 Mobile Charger Coverage Problem for Specific Heterogeneous Wireless Sensor Networks. **2021**, ○
- 395 Multi-node Online Charging Scheduling in Wireless Rechargeable Sensor Networks. **2021**,
- 394 Operator-based nonlinear concurrent control of output voltage and efficiency in a WPT system. **2021**,
- 393 The Study of Short-Range Wireless Power Transfer at Mutual Rotation of System Elements. **2021**,
- 392 A 13.56 MHz Bidirectional IPT System with Wirelessly Synchronised Transceivers for Ultra-Low Coupling Operation. **2021**, ○

| | | |
|-----|---|---|
| 391 | Design of Wireless Permanent Magnet Synchronous Motor Drive Based on Magnetic Resonant Coupling. 2021, | |
| 390 | Wireless Power Transfer for Battery Charging of Electrical Vehicle. 2021, | 0 |
| 389 | Comprehensive Investigation on the Influence of Magnetic Materials on the Weight and Performance of Onboard WPT Systems. 2021, | 0 |
| 388 | Pricing Scheme for UAV-Enabled Charging of Sensor Network. 2021, | 1 |
| 387 | A Wireless Power Transfer System Based on Dual-Band Metamaterials. 2022, 1-4 | 0 |
| 386 | Multi-DoF wireless power transfer systems based on magnetic dipole coils with multiple receivers. | 0 |
| 385 | Basic Concepts of Static/Dynamic Wireless Power Transfer for Electric Vehicles. 2022, 27-44 | |
| 384 | Reconfigurable Resonant Topology Linking Two- Three- and Four-Coil Modes for WPT with Large Coupling Range and Fixed Frequency. 2022, 1-1 | 1 |
| 383 | Constant Voltage Design using K-inverter for Cooperative Inductive Power Transfer. 2022, | |
| 382 | Dynamic Reduced-Order Modeling of Wireless Power Transfer Systems via Polynomial Approximation. 2022, 1-1 | 0 |
| 381 | Far-Field Wireless Power Harvesting: Nonlinear Modeling, Rectenna Design, and Emerging Applications. 2022, 110, 56-73 | 9 |
| 380 | Equivalent circuit modeling in GaN wireless power transmission including stray inductance and capacitance by measuring radiated emission. | |
| 379 | Proposal of Wireless Charging Which Enables Magnetic Field Suppression at Foreign Object Location. 2022, 15, 1028 | 0 |
| 378 | On-demand charging planning for WRSNs based on weighted heuristic method. 1 | 0 |
| 377 | Study on the Principle of Carbon-Carbon Bond Fracture Originated from Wireless Power Catalysis. 2022, 10, 1-7 | |
| 376 | Simultaneous Wireless Data and Power Transfer System Utilizing Frequency Characteristics of Magnetic Resonance with Output Power Fluctuation Suppressed. 2022, 142, 6-14 | 1 |
| 375 | Wireless power transfer system with aligned two transmitters and one receiver for power distribution system in smart buildings. 2022, 22, 547 | 0 |
| 374 | Optimal power allocation for a wireless cooperative network with UAV.. 2022, 8, e864 | |

| | | |
|-----|---|---|
| 373 | Battery-Free and Wireless Technologies for Cardiovascular Implantable Medical Devices. 2101086 | 3 |
| 372 | Intelligent Trust-Based Utility and Reusability Model: Enhanced Security Using Unmanned Aerial Vehicles on Sensor Nodes. 2022 , 12, 1317 | 3 |
| 371 | True Nulls-Free Magnetoinductive Waveguides using Alternate Coupling Polarities for Batteryless Dynamic Wireless Power Transfer Applications. 2022 , 1-1 | 1 |
| 370 | An efficient design of LC-compensated hybrid wireless power transfer system for electric vehicle charging applications. 2022 , 61, 6565-6580 | 0 |
| 369 | Magnetically Coupled Microelectromechanical Resonators for Low-Frequency Wireless Power Transfer. 2022 , | 0 |
| 368 | On Increasing the Energy Efficiency of Wireless Rechargeable Sensor Networks for Cyber-Physical Systems. 2022 , 15, 1204 | 1 |
| 367 | Investigation on Rectifiers and Rectennas with Various Input Power Levels for the Applications of Space Solar Power Station. 1 | |
| 366 | Experimental Study of Radiated Magnetic Field from Electric Vehicle Wireless Charging System. 2021 , 10, 46-51 | |
| 365 | Theory of Dronized Laser Source for Next Generation of Optical Wireless Power Transmission. 2022 , 1-1 | 0 |
| 364 | Data-driven Modeling and Control Considering Time Delays for WPT System. 2022 , 1-1 | 0 |
| 363 | Aerial Refueling: Scheduling Wireless Energy Charging for UAV Enabled Data Collection. 2022 , 1-1 | 3 |
| 362 | Cylindrical Transmitting Coil for Two-Dimensional Omnidirectional Wireless Power Transfer. 2022 , 1-1 | 2 |
| 361 | A Versatile Simulation-Assisted Layered Mesh Analysis for Generalized Litz Wire Performance. 2022 , 1-1 | 1 |
| 360 | 13.56MHz Half-Bridge GaN-HEMT Resonant Inverter Achieving High Power, Low Distortion, and High Efficiency by Π -S Network 2022 , | |
| 359 | Wireless Light-Emitting Diode System for Micropropagating Chrysanthemum and Strawberry. 2022 , 383-397 | |
| 358 | Position Optimization of Maintaining Stable Transfer for Dynamic Dual-Rx WPT System. 2022 , 1-4 | |
| 357 | Birdcage Transmitter for Wireless Power Transfer. 2022 , 1-4 | 1 |
| 356 | Continuous Reduced-Order Dynamic Model Based on Energy Balancing for Inductive Power Transfer Systems. 2022 , 1-1 | |

| | | |
|-----|---|---|
| 355 | Efficiency Improvement of SIMO WPT Using Capacity Control in addition to Load Control. 2022, | |
| 354 | Magnetic metasurfaces properties in the near field regions.. 2022, 12, 3258 | 0 |
| 353 | Control Strategies for Soft Robot Systems. 2100165 | 5 |
| 352 | On-Line Foreign Object Detection Using Double DD Coils in an Inductive Wireless Power Transfer System.. 2022, 22, | 1 |
| 351 | 3D Platform for Coupling Coefficient Evaluation of an Inductive Power Transfer Systems.. 2022, 22, | |
| 350 | Recent Trends and Technologies of Electric Vehicles and Their Wireless Charging Methods: A Review. 2022, 399-418 | |
| 349 | DMCP: A Distributed Mobile Charging Protocol in Wireless Rechargeable Sensor Networks. | 0 |
| 348 | Evaluation of Four Resonant Coil Systems of Wireless Power Transfer for Electric Vehicles. 2022, | 0 |
| 347 | Three-dimensional geometric optimization of WPT coils for coupling coefficient maximization. 1 | |
| 346 | Metamaterial-enhanced near-field readout platform for passive microsensor tags.. 2022, 8, 28 | 1 |
| 345 | Novel Wireless-Power-Transmission (WPT) Model Based on a Bi-Characteristic-Impedance Transmission Line (BCITL). 2022, | 0 |
| 344 | Elektrikli Araçlar İçin Kablosuz Güç Transferi Sistemi için Dairesel Bobinli Bir Transformatörün Tasarım ve Veriminin Analizi. 209-219 | |
| 343 | Wireless power transfer and energy harvesting in distributed sensor networks: Survey, opportunities, and challenges. 2022, 18, 155014772110677 | 6 |
| 342 | A Combining Strategy of Energy Replenishment and Data Collection in Wireless Sensor Networks. 2022, 22, 7411-7426 | 0 |
| 341 | Open-channel microfluidics via resonant wireless power transfer.. 2022, 13, 1869 | 2 |
| 340 | Data Collecting and Energy Charging Oriented Mobile Path Design for Rechargeable Wireless Sensor Networks. 2022, 2022, 1-14 | 1 |
| 339 | Matrix Metamaterial Shielding Design for Wireless Power Transfer to Control the Magnetic Field.. 2022, 15, | 0 |
| 338 | Large-Scale Sequentially-Fed Array Antenna Radiating Flat-Top Beam for Microwave Power Transmission to Drones. 2022, 2, 297-306 | 1 |

- 337 A review of AI-enabled routing protocols for UAV networks: Trends, challenges, and future outlook. **2022**, 130, 102790 16
- 336 Analysis of harmonic characteristics based on improved double-LCC compensation network structure. **2022**, 8, 891-902 1
- 335 Charging strategy and scheduling algorithm for directional wireless power transfer in WRSNs. **2022**, 61, 8315-8324 0
- 334 Multi-Parameter Identification of Resonant Wireless Charging System for Electric Vehicles. **2021**, 1
- 333 Resonant Reactive Shield of contactless slipping Based on WPT Technology for Rotating Equipment. **2021**, 1
- 332 A Policy Gradient Path Planning Algorithm for Wireless Rechargeable Sensor Networks. **2021**, 1
- 331 Magnetic Coupling Resonant Simultaneous Wireless Power and Information Transfer System with Switched Relay Resonators. **2021**, 1
- 330 Extended-Range Wireless Power Transfer System Based on High-Order PT Symmetric Principle. **2021**, 1
- 329 Winding Layout Analysis of Planar Spiral Coils and Its Optimization in WPT System. **2021**, 1
- 328 Accelerated Design of a Conformal Strongly Coupled Magnetic Resonance Wireless Power Transfer. **2021**, 1
- 327 Review of wireless power transfer for EV with advancement in designs. **2021**, 1
- 326 A Feed-through Sharing Structure of a Wireless Power Transfer Coil and Stimulation Electrodes for Implantable Medical Devices. **2021**, 1
- 325 A Design Methodology for EV-WPT Systems to Resonate at Arbitrary Given Bands. **2022**, 15, 213 0
- 324 Optimal Embroidered Wearable WPT Systems With Liquid Metal Nanoparticles. **2021**, 1
- 323 Design of Coil Structure for Anti-Offset and Highly Efficient Wireless Power Transfer. **2021**, 1
- 322 Design Method of Coils for Dynamic Wireless Power Transfer Considering Average Transmission Power and Installation Rate. **2021**, 0
- 321 Electric-Field-Resonance-Based Wireless Triboelectric Nanogenerators and Sensors.. **2021**, 1
- 320 Wireless Power Transfer between Two Self-Resonant Coils over Medium Distance Supporting Optimal Impedance Matching Using Ferrite Core Transformers. **2021**, 14, 8540 1

- 319 Design and Performance Analysis of a CSRR Based Snowflake Fractal Antenna for Multiband Applications. **2021**,
- 318 Solar Integrated Wireless Drone Charging System for Smart City Applications. **2021**, 0
- 317 Collaborative Optimization Method of Power and Efficiency for LCC-S Wireless Power Transmission System. **2021**, 10, 3088
- 316 Sensor Node Selection Technique in Wireless Rechargeable Sensor Networks for Cyber-physical Systems. **2021**,
- 315 A method for Selecting the Control Inputs for Zero Voltage Switching and Efficiency Optimization of Bidirectional Wireless Power Transfer System. **2021**,
- 314 Self-sustainable wireless sensor network for low-temperature application. **2022**, 64, 305-311
- 313 Efficient Authentication Protocol and Its Application in Resonant Inductive Coupling Wireless Power Transfer Systems.. **2021**, 21,
- 312 Coil Gap Variation Effects on Driving Based on Coil Mounting Position in Dynamic Wireless Power Transfer System. **2021**, 141, 985-994 1
- 311 Current-Fed Bidirectional DC-DC Converter Topology for Wireless Charging System Electrical Vehicle Applications. **2021**, 2021, 1-15 0
- 310 A Charging Technique for Sensor Nodes in Wireless Rechargeable Sensor Networks for Cyber-physical Systems. **2021**,
- 309 Wireless Power Transfer for Space Drone. **2022**, 30, 39-44
- 308 Critical Review of Recent Advancement in Metamaterial Design for Wireless Power Transfer. **2022**, 1-1 3
- 307 Design and Simulation of Single Phase and Three Phase Wireless Power Transfer in Electric Vehicle Using MATLAB/Simulink. **2022**, 83-104 1
- 306 Design of an ultra-wideband omnidirectional and polarization insensitive flower petal antenna for potential ambient electromagnetic energy harvesting applications.. **2022**, 12, 6096 1
- 305 Effect of inductor types and shapes on the characteristics of an inorganic EL driven by wireless power transfer.
- 304 Performance Evaluation of Silicon and GaN Switches for a Small Wireless Power Transfer System. **2022**, 15, 3029 0
- 303 Structural Analysis of Loosely Coupled Transformers with FEA-Aided Visualization for Wireless Power Transfer Systems against Misalignment Tolerance. **2022**, 11, 1218 0
- 302 An open platform for efficient drone-to-sensor wireless ranging and data harvesting. **2022**, 100734

- 301 Data_Sheet_1.pdf. **2019**,
- 300 Video_1.MP4. **2019**,
- 299 Video_2.MP4. **2019**,
- 298 Enhanced extraordinary terahertz transmission through coupling between silicon resonators. 0
- 297 Numerical Investigations of Electric Vehicle Wireless Charging Systems Under the Interference of Metallic Foreign Objects. **2022**, 964-977
- 296 Detuned Resonant Capacitors Selection for Improved Misalignment Tolerance of LCC-S Compensated Wireless Power Transfer System. **2022**, 10, 49474-49484 0
- 295 Investigation on the Electromagnetic Surface Waves for Single-wire Power Transmission. **2022**, 1-1 1
- 294 Novel Synchronous Rectification and Receiving Power Compensation Method for WPT Only by DC Current Sensor. **2022**, 1-1
- 293 A 76.5-92.6 GHz CMOS LNA Using Two-Port kQ-Product Theory for Transformer Design. **2022**, 1-4
- 292 A Novel Analysis of the Wireless Battery Chargers For Electrical Vehicle Applications with Variable Coupling Coefficient. **2022**,
- 291 A Review on Power Pad, Topologies and Standards of Wireless Charging of Electric Vehicles. **2022**, 1
- 290 Double Outputs Resonant-based Wireless Charger for Electric Vehicle and Robotic Applications. **2022**,
- 289 Study on IoT networks with the combined use of wireless power transmission and solar energy harvesting. **2022**, 47, 1 1
- 288 Design Analysis of Array of Dipole Transmitters for Wireless Power Transfer. 83-101 1
- 287 A simple method to control automatically the performance of three-coil wireless power transfer systems without direct output measurement.
- 286 Intelligent metasurfaces: control, communication and computing. **2022**, 2, 22
- 285 Novel Dynamic Wireless Power Transfer System Using In-Tire and In-Wheel Repeater Coil for Battery Electric Vehicles. **2022**, 142, 344-353
- 284 Wire gauge analysis of planar spiral coil and its optimization technique in Wireless Power Transfer system. **2022**, 1-16

| | | | |
|-----|---|------|----|
| 283 | Efficiency and Power of the Parity-Time-Symmetric Circuit for Wireless Power Transfer. | | |
| 282 | Ultra-broadband near-field magnetic shielding realized by the Halbach-like structure. 2022 , 120, 192201 | | |
| 281 | Joint optimization of collaborative interactive charging and charging lane placement for cyclic electric vehicles. 2022 , 190, 166-177 | | 0 |
| 280 | Intelligent wireless theranostic contact lens for electrical sensing and regulation of intraocular pressure.. 2022 , 13, 2556 | | 8 |
| 279 | Collaborative Hybrid Charging Scheduling in Wireless Rechargeable Sensor Networks. 2022 , 1-1 | | 1 |
| 278 | Class-E Power Amplifier-Based Wireless Power Transfer System. 2022 , 387-394 | | |
| 277 | Radiative Wireless Power Transfer System using Circularly Polarised Transmitter-Receiver Antenna Module to Improve Power-Transfer-Efficiency. 2022 , | | |
| 276 | Analysis and Design of Post-Regulation Stages for Resonant Capacitively-Coupled Wireless Power Systems. 2022 , | | |
| 275 | Characteristic Mode Analysis of SCMR and CSCMR Systems. 2022 , | | |
| 274 | Cooperative Recharge Scheme Based on a Hamiltonian Path in Mobile Wireless Rechargeable Sensor Networks. 2022 , 2022, 1-20 | | |
| 273 | A transient, closed-loop network of wireless, body-integrated devices for autonomous electrotherapy. <i>Science</i> , 2022 , 376, 1006-1012 | 33-3 | 17 |
| 272 | E-Mobility: Transportation Sector in Transition. 2022 , 2423-2498 | | |
| 271 | Renewable Energy based Isolated Contactless Bidirectional Energy Management System for Electric Vehicle. 2022 , | | |
| 270 | Stacked Metasurfaces for Misalignment Improvement of WPT System Using Spiral Resonators. 2022 , | | |
| 269 | An easy and efficient power generator with ultrahigh voltage for lighting, charging and self-powered systems. 2022 , 107409 | | 1 |
| 268 | Metal foreign body detection based on double/multiple differential coils pair magnetic module. 2022 , 559, 169542 | | 1 |
| 267 | 6th Generation: Communication, Signal Processing, Advanced Infrastructure, Emerging Technologies and Challenges. 2021 , | | 1 |
| 266 | Wireless Power Transfer based on Bessel beam. 2021 , | | |

- 265 Geometry-Based Circuit Modeling of Quasi-Static Cavity Resonators for Wireless Power Transfer. **2022**, 1-9
- 264 Wireless Sensing for Monitoring of Coal Gangue Mixing based on PT symmetry (May 2022). **2022**, 1-1
- 263 A dual-frequency WPT based on multi-layer self-decoupled compact coil and dual CLCL hybrid compensation topology. **2022**, 1-11
- 262 Auto-Tracking Time Reversal Wireless Power Transfer System with A Low-Profile Planar RF-Channel Cascaded Transmitter. **2022**, 1-1 1
- 261 Sensor Coil System for Misalignment Detection and Information Transfer in Dynamic Wireless Power Transfer of Electric Vehicle. **2022**, 22, 309-318 0
- 260 Autonomous Rail Rapid Transit (ART) Prototype Concept Using Wireless Charging System with Electromagnetic Induction Coupling. **2022**, 1, 1-12 1
- 259 MDoC: Compromising WRSNs through Denial of Charge by Mobile Charger. **2022**,
- 258 Energy Saving in Heterogeneous Wireless Rechargeable Sensor Networks. **2022**, 0
- 257 Efficient scheduling strategy for mobile chargers in task-based wireless sensor networks. **2022**,
- 256 An Efficiency Optimization Method of Static Wireless Power Transfer Coreless Coils for Electric Vehicles in the 85' kHz Band Using Numerical Analysis. 1
- 255 Research on circuit analysis and optimization of wireless power transmission system with embedded coil.
- 254 Wide-range robust wireless power transfer using heterogeneously coupled and flippable neutrals in parity-time symmetry. **2022**, 8, 0
- 253 Experimental Investigation of Transfer Characteristics of Midrange Underwater Wireless Power Transfer. **2022**, 2, 153-159 0
- 252 Charging Electric Vehicle Batteries: Wired and Wireless Power Transfer: Exploring EV charging technologies. **2022**, 9, 14-29 2
- 251 Using Zone Impedance Matching Technique to Improve the Power Transfer Capability of an Inductive Charging System over a Long Distance. **2022**, 11, 1982
- 250 Study and Optimization of Transmission Characteristics of the Magnetically Coupled Resonant Wireless Transmission System. **2022**, 11, 1940
- 249 A Load-Independent Self-Oscillating Control of Domino Wireless Power Transfer Systems for High-Voltage Power Grid Monitoring Equipment. **2022**, 15, 4228 0
- 248 A study on trends and developments in electric vehicle charging technologies. **2022**, 52, 105013 2

- 247 Implantable Micro-Light-Emitting Diode (μ LED)-based optogenetic interfaces toward human applications. **2022**, 187, 114399 0
- 246 Compensation topologies for wireless power transmission system in medical implant applications: A review. **2022**, 11, 100180 1
- 245 Comprehensive Investigation on the Influence of Magnetic Materials on the Weight and Performance of Onboard WPT Systems. **2022**, 1-8
- 244 MetaResonance² Reconfigurable Surface for Holographic Wireless Power Transfer. **2022**, 1-11
- 243 A Survey on Mobile Charging Techniques in Wireless Rechargeable Sensor Networks. **2022**, 1-1 0
- 242 Effect and Influence of Double Resonance Couplings with Dual Resonance Frequencies for Wireless Power Multi-Charging Module in Superconducting MAGLEV Train. **2022**, 1-6
- 241 Structure Design and Wireless Transmission Application of Hybrid Nanogenerator for Swinging Mechanical Energy and Solar Energies Harvesting.
- 240 Optimization Design of Anti-offset Coupling Mechanism for WPT Systems Based on Genetic Algorithm. **2022**,
- 239 Novel Dynamic Wireless Power Transfer System for Battery Electric Vehicles Using In-Tire and In-Wheel Repeater Coil. **2022**,
- 238 Research on High Degree-of-Freedom WPT Systems Based on Dipole Coil. **2022**,
- 237 Effect of Angle Offset of the Power Receiving Coil in Underwater Wireless Power Transfer Using a Cone Spiral Coil. **2022**, 0
- 236 Modified mortar for wireless powered lighting systems.
- 235 Resonance Tuning in Wireless Energy Transfer System. **2022**, 0
- 234 Near-field wireless power transfer used in biomedical implants: A comprehensive review. 1
- 233 Design and Optimization of a Wireless Power Transfer System with a High Voltage Transfer Ratio. **2022**, 11, 2115
- 232 Research on Optimization of Horizontal Omnidirectional Misalignment Tolerance of WPT Based on Double D Coupler. **2022**, 11, 2163
- 231 Comparison and Verification of Control and Filter Methods for Efficiency and Current Harmonic Components of a Dynamic Wireless Power Transfer System. **2022**, 142, 516-525
- 230 A miniaturized low frequency direct-current magnetic-bias-integrated magnetoelectric wireless power transfer system with enhanced energy conversion efficiency. **2022**, 12, 075012

- 229 A cluster based charging schedule for wireless rechargeable sensor networks using gravitational search algorithm. 0
- 228 Inductive Power Transfer for Electric Vehicle Charging Applications: A Comprehensive Review. **2022**, 15, 4962 4
- 227 Recent Advances in Wireless Power Transfer for Electric Vehicle Charging. **2022**, 545-572
- 226 Wireless charging systems for electric vehicles. **2022**, 167, 112730 3
- 225 A Coupler design for high power 2.3 kW WPT using 13.56 MHz. **2022**,
- 224 A Metal Detector for Clip Location Tracking of Stomach and Colon Cancer during Laparoscopic Surgery. **2022**, 12, 7330
- 223 ClipDetector Using a Neodymium Magnet to Locate Malignant Tumors during Laparoscopic Surgery. **2022**, 22, 5404
- 222 Effects of Electromagnetic Fields Generated from Transcutaneous Transformer:. **2022**, 30, 222-229
- 221 Magnetically Actuated Capsule Robots: A Review. **2022**, 1-1 1
- 220 A Novel Approach for Catching the Flux Leakage in Induction Machines Using Wireless Power Transfer. **2022**,
- 219 Analysis Methodology for Multiple Resonators in Wireless Power Transfer Systems. **2022**,
- 218 Energy efficiency optimization of single-transmit double receiving architecture MC-WPT. **2022**,
- 217 Resource Allocation Strategy of UAV-Aided WPCN Based on Magnetic Coupling Resonance Wireless Power Transfer. **2022**,
- 216 Wireless Power Transfer System with Four Degrees of Freedom. **2022**,
- 215 On the Technical Feasibility of Vehicle to Vehicle Charging for Electric Vehicles via Platooning on Freeways. **2022**, 0
- 214 Start-Up Current Control with Fast Settling by Time-Adjustment of Active Rectification for Wireless Power Transfer Systems. **2022**,
- 213 Analysis and Design of a Multi-hop Resonant Wireless Power Transfer System: Optimal Intermediate Coil Size and Location. **2022**,
- 212 Optimal Charging Oriented Sensor Placement and Flexible Scheduling in Rechargeable WSNs.

- 211 Design of Self-Resonant Spiral Coils for Mid-Range, High-frequency Wireless Power Transfer Systems. **2022,**
- 210 High Efficiency of Rectifier Circuit for WiCoPT utilizing Doubly Asymmetrical Branch-Line Coupler. **2022,**
- 209 Wireless Power Transfer: Systems, Circuits, Standards, and Use Cases. **2022, 22, 5573** 5
- 208 Experimental Study on Magnetic Resonant Coupling AC Magnetic Suspension Considering Electrical Power Transmission. **2022, 11, 208**
- 207 Dynamic Receiver Characterisation in HF-IPT Systems. **2022,**
- 206 Improvement of the Power Transfer Efficiency of a Dynamic Wireless Power Transfer System via Spatially Distributed Soft Magnetic Materials. **2022,** 0
- 205 Anapole state as a new paradigm for highly efficient wireless power transfer. **2022,**
- 204 Structure Design of Quadrilateral Overlapped Wireless Power Transmission Coupling Coil. **2022, 22, 5955**
- 203 Frequency-dependence of Power and Efficiency for Resonant Inductive Coupling and Magnetolectric Wireless Power Transfer Systems. 1
- 202 Control of swarm behavior for a batteryless and sensorless small jumping robot using wireless power supply. 1-13
- 201 Modified tri-axial square Helmholtz coil for omnidirectional wireless power transfer.
- 200 A Lamb waves-based wireless power transmission system for powering IoT sensor nodes. 1
- 199 Power level aware charging schedule in wireless rechargeable sensor network.
- 198 Enhancement of robustness to frequency detuning with wireless power transfer based on Van der Pol resonance.
- 197 Design of Wireless Power Transfer System Using Magnetic Field Resonance Coupling. **2022, 25, 446-451**
- 196 Analysis of Wireless Power Transmission System with Sandwiched Structure. **2022, 142, 561-568**
- 195 A Critical Review on Inductive Wireless Power Transfer Charging System in Electric Vehicle. 1
- 194 An Overview of Dynamic Inductive Charging for Electric Vehicles. **2022, 15, 5613** 2

- 193 Persistent Charging System for Crazyflie Platform. **2022**, 6, 212
- 192 Design of a Coreless Multi-Phase Electric Motor Using Magnetic Resonant Coupling. **2022**, 58, 1-11 ○
- 191 Target driven design of electromagnetic metamaterial for dual-band Wi-Fi energy harvester. **2022**, 345, 113815
- 190 Autonomous drone charging station planning through solar energy harnessing for zero-emission operations. **2022**, 86, 104122 1
- 189 CFMCRS: Calibration fuzzy- metaheuristic clustering routing scheme simultaneous in on-demand WRSNs for sustainable smart city. **2023**, 211, 118619 ○
- 188 Effects of Electromagnetic Fields Generated from Transcutaneous Transformer:. **2022**, 30, 136-143 ○
- 187 Cosmic Coding and Transfer (COSMOCAT) for Ultra High Security Near-Field Communications. ○
- 186 Rectifier Design for Highly Loaded Inductive Wireless Power Transfer Systems for Biomedical Applications. **2022**, 1-6 1
- 185 Design of LC for Wireless Power Transfer ATAC Method to Small Mobile Robot. **2022**, 30, 238-244 ○
- 184 Pricing Based Scheme for UAV-Enabled Wireless Energy Transfer. **2022**, 1-12 ○
- 183 An Optimized Power-Efficiency Coordinated Control Method for EVs Charging and Discharging Applications. **2022**, 1-10 ○
- 182 Characterization of Angular RCF Cracks in a Railway Using Modified Topology of WPT-Based Eddy Current Testing. **2022**, 1-11 ○
- 181 Wireless Power Transfer and Management for Medical Applications: Wireless power. **2022**, 14, 41-52 ○
- 180 Design and Implementation of Wireless Power Transfer Using Class-E Resonant Inverter and Magnetic Resonance Coupling. **2022**, ○
- 179 Flexible and Efficient 6.78MHz High Power Wireless Charging Modules Using Controlled Magnetic Resonance Power Architecture. **2022**, ○
- 178 Wireless Power Transfer System for Mobile Robots via Magnetic Resonant Coupling with Automated Impedance Matching. **2022**, ○
- 177 Proposal of Coil Embedment Method by Pouring Resin Materials for Dynamic Wireless Power Transfer. **2022**, ○
- 176 Self-organized wireless power transfer network for group electronics devices application. **2022**, ○

- 175 Modeling and Analysis of PT Symmetric MC-WPT System. **2022**, ○
- 174 Research on Wireless Charging Technology of Electric Inspection Intelligent Car. **2022**, ○
- 173 Analysis of Chiral Ordering of a Four-Tier Wireless Near-field Wireless Power Transfer (WPT) System. **2022**, ○
- 172 A Method for Determining Resonant Elements Considering the Requirements of Double-LCC Circuits in Dynamic Wireless Power Transfer. **2022**, ○
- 171 Model of fractional-order resonant wireless power transfer system for optimal output. **2022**, 73, 258-266 ○
- 170 A Multifunctional Wireless EV Charger with New V2V Charging Assistance. **2022**, ○
- 169 Integration of body-mounted ultrasoft organic solar cell on cyborg insects with intact mobility. **2022**, 6, 1
- 168 Application of an improved Discrete Salp Swarm Algorithm to the wireless rechargeable sensor network problem. 10, ○
- 167 Quantum analog of the maximum power transfer theorem. **2022**, 30, 35840 ○
- 166 Wireless-Powered Electrical Bandage Contact Lens for Facilitating Corneal Wound Healing. 2202506 1
- 165 Flexible Magnetic Metasurface with Defect Cavity for Wireless Power Transfer System. **2022**, 15, 6583 ○
- 164 Helmholtz Coils Based WPT Coupling Analysis of Temporal Interference Electrical Stimulation System. **2022**, 12, 9832 ○
- 163 Novel dynamic wireless power transfer system using in-tire and in-wheel repeater coil for battery electric vehicles. ○
- 162 Design and Optimization of One-Way Single-Wire Power Transfer Structure. **2022**, 15, 6701 ○
- 161 Transmission range extension strategy of paritytime-symmetry-based wireless power transfer system by a boost converter. ○
- 160 Wireless and Battery-Free Biosensor Based on Parallel Resonators for Monitoring a Wide Range of Biosignals. **2022**, 70, 4566-4578 ○
- 159 Multitarget Wireless Power Transfer System Using Metasurface for Quasi-Bessel Beams With Large Half Power Beam Length. **2022**, 70, 4449-4462 ○
- 158 Parallel strips coupled split ring resonators for a desktop wireless charging system overcoming irregular route restrictions. **2022**, 563, 170005 ○

- 139 The Efficiency Improvement of Multiple Receivers in Wireless Power Transmission by Integrating Metasurfaces. **2022**, 15, 6943 2
- 138 Experimental data validating the optimization of a wireless power transfer prototype employing a novel phase shift measurement system and frequency control. **2022**, 45, 108675 0
- 137 Optimal Siting and Sizing of Wireless EV Charging Infrastructures Considering Traffic Network and Power Distribution System. **2022**, 10, 117105-117117 2
- 136 Design Procedure of Load-Independent Class-E WPT Systems and Its Application in Robot Arm. **2022**, 1-10 0
- 135 Design and Analysis of Compensation Capacitors In P-S Topology for Wireless System with Buck/Boost Converter on Receiver Side. **2021**, 0
- 134 An Energy-Efficient Framework in Radio Multi-Access Edge Cloud by Automatically Generating Network Slice. **2022**, 5, 128-133 0
- 133 Towards A Maximum Efficiency Search for Wireless Power Transfer in Electric Vehicles (EVs): A Computer Simulation Study. **2022**, 0
- 132 Parasitic Capacitance Analysis in High-Frequency Wireless Power Transfer Systems. **2022**, 0
- 131 Design and In-Vivo Test of Battery-Free Implantable Temperature Sensor Based on Magnetic Resonant Wireless Power Transfer. **2022**, 0
- 130 6.78 MHz loosely coupled inductive wireless power transfer with series-parallel resonators. 0
- 129 Concomitance of radio frequency energy harvesting and wearable devices: A review of rectenna designs. 0
- 128 Generalized PT Symmetry in Non-Hermitian Wireless Power Transfer Systems. **2022**, 129, 0
- 127 A wireless power transfer system based on quasi-parity-time symmetry with gain-loss ratio modulation. 0
- 126 Complete cycle of modeling and simulation for wireless power transfer using circuit theory, simple electronics, and open-source software. 0
- 125 An optimized helical antenna suitable for WPT part. **2022**, 0
- 124 Design and Simulation of Radio Energy Transmission System Based on Magnetic Coupling Resonance. **2022**, 0
- 123 A critical review on wireless power transfer systems using metamaterials. **2022**, 60, 587-613 0
- 122 Misalignment Tolerance of Inductive Power Transfer Coupler with Low Loss and High Magnetic Induction Ferromagnetic Materials. **2022**, 0

| | | |
|-----|--|---|
| 121 | Position Estimation of Multiple Receiving Coils and Power Transmission Control for WPT without Feedback. 2022 , 15, 8621 | 0 |
| 120 | Service-Based Wireless Energy Crowdsourcing. 2022 , 653-668 | 1 |
| 119 | A review on integration of surging plug-in electric vehicles charging in energy-flexible buildings: Impacts analysis, collaborative management technologies, and future perspective. 2023 , 331, 120393 | 2 |
| 118 | A 21.3%-Efficiency Clipped-Sinusoid UWB Impulse Radio Transmitter with Simultaneous Inductive Powering and Data Receiving. 2022 , 1-11 | 0 |
| 117 | Auto-Tracking Wireless Power Transfer System With Focused-Beam Phased Array. 2022 , 1-8 | 0 |
| 116 | Robust Class E2 Wireless Power Transfer System Based on Parity-Time Symmetry. 2022 , 1-10 | 1 |
| 115 | Implemented Frequency Tracking Technique for Resonant Wireless Power Transfer System. 2022 , | 1 |
| 114 | A Deep Reinforcement Learning-based Adaptive Charging Policy for WRSNs. 2022 , | 0 |
| 113 | Comparison of Circular Coil, Double-D Coil, and 85 kHz Self-Resonant Coil in Road Embedment for Dynamic Wireless Power Transfer. 2022 , | 0 |
| 112 | Wireless Power Transfer Systems Optimization. 2022 , | 0 |
| 111 | Design Method of Coreless Coil Considering Power, Efficiency and Magnetic Field Leakage in Wireless Power Transfer. 2022 , | 0 |
| 110 | Simultaneous Beam Forming and Focusing Using a Checkerboard Anisotropic Surface. 2022 , 11, 3823 | 0 |
| 109 | Design of a Multi-layer PCB Coreless Axial Flux Magnetic Resonant Motor. 2022 , | 0 |
| 108 | Design and Analysis of an Axial Gap Flux Coreless Resonant Motor. 2022 , | 0 |
| 107 | WPT for High-power Application [Electric Vehicles. 2022 , 275-325 | 0 |
| 106 | A Wireless Charging System with Dual Switchable Constant Voltage and Constant Current Outputs Based on Intermediate Coils. 2022 , | 0 |
| 105 | A high power, fully implanted and battery free platform for chronic functional electrical stimulation enabled by passive resonator antenna design.. | 0 |
| 104 | Overview and Advancements in Electric Vehicle WPT Systems Architecture. | 0 |

| | | |
|-----|---|---|
| 103 | Long Distance Contactless Power Transmission in Seawater. 2022, | o |
| 102 | The Era of Wireless Power Transfer. 2022, 1-17 | o |
| 101 | Inductive Power Transfer. 2022, 19-54 | o |
| 100 | Chrysanthemum: A Comprehensive Review on Recent Developments on In Vitro Regeneration. 2022, 11, 1774 | o |
| 99 | Converged wireless infrastructure with acoustic holographic array. 2022, 9, 041413 | o |
| 98 | Optimization of MHz Wireless Power Transmission Distance Based on GaN Device. 2022, 2395, 012011 | o |
| 97 | A Wireless, Regeneratable Cocaine Sensing Scheme Enabled by Allosteric Regulation of pH Sensitive Aptamers. | 1 |
| 96 | Resistance optimization of a coil with substrate and design of a high-power-density coupler for wireless power transfer. 2022, | o |
| 95 | Wireless dielectrophoresis trapping and remote impedance sensing via resonant wireless power transfer. 2023, 14, | o |
| 94 | Design and Implementation of Resonant WPT for Electric Vehicle Battery Charging. 2023, 155-170 | o |
| 93 | Mobile chargers scheduling algorithm for maximum data flow in wireless sensor networks. 2023, 1-15 | o |
| 92 | Towards the Minimal Wait-for Delay for Rechargeable WSNs with Multiple Mobile Chargers. | o |
| 91 | Cosmic Coding and Transfer (COSMOCAT) for Ultra High Security Near-Field Communications. 2023, 105897 | o |
| 90 | Examination of Smart Sandbags for Semi-Permanent Structures on the Lunar Surface. 2023, | o |
| 89 | Systems Engineering of Using Sandbags for Site Preparation and Shelter Design for a Modular Lunar Base. 2023, | o |
| 88 | Modeling and Experiments of a Wireless Power Transfer System Considering Scenarios from In-Wheel-Motor Applications. 2023, 16, 739 | o |
| 87 | An Approximation Algorithm for Path Planning of Vehicles for Data Collection in Wireless Rechargeable Sensor Networks. 2023, | o |
| 86 | Spatial filtering magnetic metasurface for misalignment robustness enhancement in wireless power transfer applications. 2023, 13, | o |

- 85 The Mechanism and Evaluation of Various Wireless Charging Technologies. **2022**, 0
- 84 WPT Techniques based Power Transmission: A State-of-Art Review. **2022**, 0
- 83 An Efficient Approach for Wireless Rechargeable Sensor Networks for Vehicle Charging. **2022**, 0
- 82 A Control of Magnetic Resonance Wireless Power Transmission to Multiple Devices Using the SP-PS Coupling Circuit. **2022**, 0
- 81 Proactive Charging Mechanism for Wireless Rechargeable Sensor Networks. **2022**, 0
- 80 Synchronous Rectification Through Sense Coil in HF-IPT Systems. **2022**, 0
- 79 Review of Crucial Problems of Underwater Wireless Power Transmission. **2023**, 12, 163 0
- 78 Analyzing the Impacts of High Voltage Insulators on Equivalent Parameters of Wireless Power Transfer: Simulation and Experimental Studies. **2022**, 0
- 77 Smartphone Wireless charging. 27, 671-680 0
- 76 Approach-Based Analysis on Wireless Power Transmission for Bio-Implantable Devices. **2023**, 13, 415 1
- 75 State-of-the-Art Research on Wireless Charging of Electric Vehicles Using Solar Energy. **2023**, 16, 282 2
- 74 Extended Results for a Developed 10 kW LC-Compensated Hybrid Wireless Power Transfer System. **2022**, 0
- 73 RF energy harvesting. **2023**, 127-153 0
- 72 Recent Developments in DC-DC Converter Topologies for Light Electric Vehicle Charging: A Critical Review. **2023**, 13, 1676 1
- 71 Distributed Neural Interfaces: Challenges and Trends in Scaling Implantable Technology. **2023**, 381-417 0
- 70 Wireless Bioelectronic Interfaces Electromagnetic Performance and Safety. **2023**, 851-876 0
- 69 Technology Trends of Wireless Power Transmission Systems Using High Temperature Superconducting Coils. **2023**, 58, 3-10 0
- 68 Influence of the Current Distribution in Superconducting Resonators for Wireless Power Transmission on the AC Loss Characteristics. **2023**, 58, 27-33 0

| | | |
|----|--|---|
| 67 | A Systematic Method for Efficient Wireless Powering to Implantable Biomedical Devices. 2023 , 1-1 | 1 |
| 66 | A Tier-Based Loading-Aware Charging Scheduling Algorithm for Wireless Rechargeable Sensor Networks. 2023 , 14, 1-21 | 0 |
| 65 | Power Transmission Characteristics in Commercial Frequency of Wireless Power Transfer System for Railway Vehicles Using High Temperature Superconducting Coil. 2023 , 58, 19-26 | 0 |
| 64 | Power supply sources for smart textiles. 2023 , 211-236 | 0 |
| 63 | Model of an Air Transformer for Analyses of Wireless Power Transfer Systems. 2023 , 16, 1391 | 0 |
| 62 | A Temporal and Spatial Priority With Global Cost Recharging Scheduling in Wireless Rechargeable Sensor Networks. 2023 , 14, 1-31 | 0 |
| 61 | Analytical Framework of S-Parameter-Based Efficiency for Secondary-Parallel Compensation WPT System to Authenticate Data Using VNA. 2023 , 72, 1-10 | 0 |
| 60 | A Seawater Conductivity Measurement Method Based on Magnetic Resonance Coupling. 2023 , 26, 58-65 | 0 |
| 59 | Resonant wireless charging scheme. 2023 , 9, 612-621 | 0 |
| 58 | Improving the Coupling Efficiency of the WPT System and Miniaturized Implantable Resonator using Circle Shaped Defected Ground Structure. 2022 , | 0 |
| 57 | Analysis of Coupling Coefficient and Source Frequency Variations in Basic Compensation Topologies of MRC Based WPT Systems. 2022 , | 0 |
| 56 | Research on Constant Voltage Control Strategy of Dual Pick-Up Dynamic Inductive Coupled Power Transfer System Based on Optimal Efficiency. 2023 , 255-263 | 0 |
| 55 | Modeling and optimization of the magnetically coupled resonant wireless power transfer used in rotary ultrasonic machining process. 2023 , 354, 114290 | 0 |
| 54 | What's next for battery-electric bus charging systems. 2023 , 3, 100094 | 0 |
| 53 | Precise Modeling and Design of Self-Resonant for High-Efficiency Mid-Range Wireless Power Transfer System. 2023 , 38, 7848-7862 | 0 |
| 52 | Simulation Analysis and Control of Wireless Power Transfer for Implantable Medical Devices. 2022 , | 0 |
| 51 | Design of a Metamaterial for a Magnetic Resonance Wireless Power Transfer System. 2022 , | 0 |
| 50 | Development of Wireless Power-Transmission-Based Photodynamic Therapy for the Induction of Cell Death in Cancer Cells by Cyclometalated Iridium(III) Complexes. 2023 , 28, 1433 | 1 |

- 49 Extreme Metasurfaces Enable Targeted and Protected Wireless Energy Transfer. 2202133 ○
- 48 Building integrated photovoltaic powered wireless drone charging system. **2023**, 252, 163-175 ○
- 47 Wireless Chargers for Electric Vehicle: A Systematic Review on Converter Topologies, Environmental Assessment, and Review Policy. **2023**, 16, 1731 2
- 46 High-Efficiency Wireless-Power-Transfer System Using Fully Rollable Tx/Rx Coils and Metasurface Screen. **2023**, 23, 1972 ○
- 45 WSNs Applications. **2023**, 67-242 ○
- 44 A high-efficient piezoelectric wireless energy transmission system based on magnetic force coupling. **2023**, 94, 025007 ○
- 43 Experimental results and analysis of midrange underwater wireless power transfer. ○
- 42 Frequency-Stable Robust Wireless Power Transfer Based on High-Order Pseudo-Hermitian Physics. **2023**, 130, ○
- 41 Basic Study on Transmission Side Impedance Matching in MRC-WPT. **2023**, ○
- 40 Design and performance analysis of a rectenna system for charging a mobile phone from ambient EM waves. **2023**, 9, e13964 ○
- 39 Challenges and Barriers of Wireless Charging Technologies for Electric Vehicles. **2023**, 16, 2138 ○
- 38 Experimental Results of Ultrahigh-Efficiency Wireless Power Transfer Using Extremely High-Quality Factor Superconducting Coil With Double-Sided Coated Conductor Tape. **2023**, 33, 1-6 2
- 37 Hybrid scheduling strategy of multiple mobile charging vehicles in wireless rechargeable sensor networks. ○
- 36 S-Parameters for Calculating the Maximum Efficiency of a MIMO-WPT System: Applicable to Near/Far Field Coupling, Capacitive/Magnetic Coupling. **2023**, 24, 40-48 ○
- 35 Communication-Less Receiver-Side Resonant Frequency Tuning for Magnetically Coupled Wireless Power Transfer Systems. **2023**, 11, 23544-23556 ○
- 34 Analysis and design of a novel cubic WPT system in a metal environment for an enclosed sensor scenario. ○
- 33 Inductive Coupling-Based Wireless Power Transmission System in Near Field to Control Low-Power Home Appliances. **2023**, 1169-1177 ○
- 32 Half-Bridge Modulation Strategy for Bidirectional Wireless Power Transfer Based on Efficiency Optimization Under Light Load Conditions. **2023**, 621-628 ○

- 31 Multi-UAV WRSN charging path planning based on improved heed and IA-DRL. **2023**, 203, 77-88 ○
- 30 Analysis and Design of a Three-Coil HF-IPT System. **2022**, ○
- 29 Studies on Inducing Cancer Cell Death and Required Light Energy by Photodynamic Therapy Using Wireless Power Transfer. **2022**, ○
- 28 Radio Frequency Energy Harvesting-Based Self-Powered Dairy Cow Behavior Classification System. **2023**, 23, 8776-8788 ○
- 27 Design and Analysis of Circular Coil Geometries for Wireless Power Transfer in Electric Vehicles The Effect of Multiple Coils at Primary and Secondary Sides. **2023**, ○
- 26 Performance Enhancement of 13.56MHz Crystal Oscillator with Component Optimization for Wireless Power Charging. **2022**, ○
- 25 A Design of Honeycomb-shape Coil for Wireless Charging of Leadless Cardiac Pacemaker. **2022**, ○
- 24 Adaptive Random Beamforming in Relay Based Magnetic MIMO WPT System. **2022**, ○
- 23 Green IoT: A Review and Future Research Directions. **2023**, 15, 757 ○
- 22 A Design of Honeycomb-shape Coil for Wireless Charging of Leadless Cardiac Pacemaker. **2022**, ○
- 21 Substrate Influence for the WPT Efficiency of Metasurface-Inspired Domino-Coil System and Its CM-Based Physical Explanation. **2022**, ○
- 20 Towards perpetual sensor networks via Overlapped Mobile Charging. **2023**, 204, 1-10 ○
- 19 Optimal Wireless Power Transfer Circuit without a Capacitor on the Secondary Side. **2023**, 16, 2922 ○
- 18 Coupling Comparison of Magnetic Couplers for Mid-range Wireless Power Transfer Systems. **2023**, 199-209 ○
- 17 Simulation and Optimization Analysis of Magnetic Coupling Mechanism for Resonant Wireless Power Transfer. **2023**, 153-165 ○
- 16 Analysis of Equivalent Circuit Model of Concrete WPT System. **2022**, ○
- 15 Characteristics of Wireless Power Transmission Based on a New Spiral Resonant Coil. **2023**, 36-44 ○
- 14 Enhanced WPT structures via EC-SRR-based metasurfaces. ○

- 13 Inductive Wireless Power Transfer Systems for Low-Voltage and High-Current Electric Mobility Applications: Review and Design Example. **2023**, 16, 2953 ○
- 12 Joint on-demand data gathering and recharging by multiple mobile vehicles in delay sensitive WRSN using variable length GA. **2023**, 204, 130-146 ○
- 11 A Comprehensive Review On Wireless Power Transmission. **2022**, ○
- 10 IMRG: Impedance Matching Oriented Receiver Grouping for MIMO WPT System. **2022**, ○
- 9 Wireless Power Transfer in Electric Vehicles: A Review on Compensation Topologies, Coil Structures, and Safety Aspects. **2023**, 16, 3084 ○
- 8 Battery charging-based wireless power transfer for electric vehicle using class E power amplifier. **2023**, ○
- 7 High-Efficiency Harmonic Wirelessly Power Transfer with Both Radiation and Magnetic-coupling Features at Ultra-low Frequency. **2022**, ○
- 6 Design of Circuit Parameters for Series-Parallel Compensation Topology in Critical Magnetic Resonance Coupling. **2022**, ○
- 5 An Investigation on Selecting of Resonant Inverter Topologies for Efficient Wireless Power Transmission. **2023**, ○
- 4 Optical neuromodulation at all scales: from nanomaterials to wireless optoelectronics and integrated systems. ○
- 3 Smart wireless power transfer Opportunities and challenges. **2023**, 180, 113298 ○
- 2 Partial-Structure-Oriented Work-Energy Theorem (PS-WET) Governing Multi-Coil Wireless Power Transfer (WPT) Phenomenon. **2022**, ○
- 1 S-PS Resonant Topology of Wireless Power Transfer in Dorsal Root Ganglion Stimulation. **2023**, ○